

2013 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Substance Abuse and Mental Health Services Administration
Center for Behavioral Health Statistics and Quality
Rockville, Maryland 20857

March 23, 2018

2013 NATIONAL SURVEY ON DRUG USE AND HEALTH PUBLIC USE FILE CODEBOOK

Contract No. 283–2004–00022

Project No. 0213985

Deliverable 26

For questions about this codebook and data file, please e-mail
Peter.Tice@samhsa.hhs.gov.

Prepared for: Substance Abuse and Mental Health Services Administration,
Rockville, Maryland

Prepared by: RTI International, Research Triangle Park, North Carolina

Data File Name: PUF2013_021518

March 23, 2018

Recommended Citation: Center for Behavioral Health Statistics and Quality.
(2018). *2013 National Survey on Drug Use and Health Public Use File
Codebook*, Substance Abuse and Mental Health Services Administration,
Rockville, MD

Table of Contents

Section	Page
Introduction to the 2013 National Survey on Drug Use and Health.....	i-1
Introduction.....	i-1
Overview of NSDUH.....	i-2
Changes to NSDUH for 2013	i-4
Questionnaire Changes	i-4
Significant Variable Changes	i-5
Strengths and Limitations of NSDUH	i-8
Survey Methodology.....	i-8
Stratification and Selection of Primary and Secondary Sampling Units (Census Tracts and Area Segments)	i-9
Selection of Dwelling Units.....	i-10
Selection of Individuals	i-11
Sample Design Variables.....	i-11
Data Collection and Response Rates	i-12
Sample Weights	i-13
Organization of the Data File.....	i-14
Usable Cases	i-16
Logical Editing.....	i-17
Editing Procedure for Drug Use Variables	i-18
Standard Code Conventions.....	i-19
Statistical Imputation	i-20
Imputation Indicators	i-22
Constraints and Consistency	i-23
Variance Estimation of Totals	i-23
Statistical Significance of Differences.....	i-25
Use of Sample Weights and Sample Design Variables	i-27
Confidentiality of Data	i-29
Public Use File Estimates and Standard Errors	i-30
New and Corrected Data Since Last Release.....	i-31

List of Tables

Table	Page
1. Demographic Domains Forced to Match Their Respective U.S. Census Bureau Population Estimates through the Public Use File Weight Calibration Process: 2013.....	i-25
2. Past Month Marijuana Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2013.....	i-31
3. Past Year Heroin Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2013	i-31
4. Variables Updated in the 2013 Public Use Data File and Codebook	i-32

IDENTIFICATION.....	3
SELF-ADMINISTERED SUBSTANCE USE SECTIONS.....	4
TOBACCO	4
ALCOHOL	22
MARIJUANA.....	26
COCAINE.....	30
CRACK.....	33
HEROIN	36
HALLUCINOGENS.....	39
INHALANTS	52
PAIN RELIEVERS	60
TRANQUILIZERS.....	75
STIMULANTS.....	84
SEDATIVES	96
IMPUTED SUBSTANCE USE	104
RECENCY OF DRUG USE	104
PAST YEAR FREQUENCY OF USE	112
PAST MONTH FREQUENCY OF USE.....	117
AGE/DATE OF FIRST DRUG USE.....	121
RECODED DRUG USE.....	130
OTHER SELF-ADMINISTERED SECTIONS	156
SPECIAL DRUGS	156
RECODED SPECIAL DRUGS.....	175
RISK/AVAILABILITY.....	180
RECODED RISK/AVAILABILITY	185
BLUNTS.....	187
SUBSTANCE DEPENDENCE AND ABUSE.....	191
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE.....	245
RECODED SUBSTANCE DEPENDENCE AND ABUSE.....	250
SPECIAL TOPICS	257
RECODED SPECIAL TOPICS	264
MARIJUANA PURCHASES.....	265
RECODED MARIJUANA PURCHASES	279
PRIOR SUBSTANCE USE	281
RECODED PRIOR SUBSTANCE USE	332
SUBSTANCE TREATMENT	353
RECODED SUBSTANCE TREATMENT	388
PREGNANCY AND HEALTH CARE.....	402
RECODED PREGNANCY AND HEALTH CARE.....	415
ADULT MENTAL HEALTH TREATMENT.....	420
RECODED ADULT MENTAL HEALTH TREATMENT	436
SOCIAL ENVIRONMENT	443
YOUTH EXPERIENCES.....	446
RECODED YOUTH EXPERIENCES.....	460
MENTAL HEALTH.....	465
RECODED MENTAL HEALTH.....	473
ADULT DEPRESSION	479
RECODED ADULT DEPRESSION.....	496
YOUTH MENTAL HEALTH TREATMENT	501
RECODED YOUTH MENTAL HEALTH TREATMENT	523
ADOLESCENT DEPRESSION	541
RECODED ADOLESCENT DEPRESSION	558
CONSUMPTION OF ALCOHOL.....	563
RECODED CONSUMPTION OF ALCOHOL	575
HOUSEHOLD COMPOSITION (ROSTER).....	580
RECODED INCOME AND INSURANCE	590
INTERVIEW INFORMATION.....	591
DEMOGRAPHICS.....	592
CORE DEMOGRAPHICS.....	592
IMPUTED DEMOGRAPHICS.....	595
RECODED DEMOGRAPHICS	596
NON-CORE DEMOGRAPHICS.....	598
RECODED NON-CORE DEMOGRAPHICS	602
EMPLOYMENT AND WORKPLACE	603
IMPUTED EMPLOYMENT AND WORKPLACE	610

INCOME AND INSURANCE.....	611
GEOGRAPHIC.....	612
COUNTY	612
SEGMENT	613
SAMPLE WEIGHTING AND ESTIMATION VARS.....	614
INDEX.....	615

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Consolidated Drug Other Specify Tables
APPENDIX C	Tobacco Brand Codes for Open-Ended Questions
APPENDIX D	Recoded Substance Dependence and Abuse Variable Documentation
APPENDIX E	Recoded Mental Health
APPENDIX F	Recoded Depression Variable Documentation
APPENDIX G	Occupational Classification System For Recodes
APPENDIX H	Industrial Classification System For Recodes
APPENDIX I	Key Mental Health Variables

Introduction to the 2013 National Survey on Drug Use and Health

Introduction

This codebook provides documentation for the 2013 National Survey on Drug Use and Health (NSDUH) public use data file.¹ Prior to 2002, the survey was called the National Household Survey on Drug Abuse (NHSDA). NSDUH is sponsored by the Center for Behavioral Health Statistics and Quality (CBHSQ, formerly the Office of Applied Studies) within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI International, Research Triangle Park, North Carolina.²

For each variable in the 2013 data file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and an unweighted univariate frequency distribution. Most of the variables originated directly as interview items. For a subset of variables created from more than one variable, the source variables and recoding specifications are provided. In addition, case identification, sampling, and data collection variables are included in the file and documented in the codebook. The variable names in this codebook are the variable names used in the dataset.

To a great extent, variable names indicate the meaning of each variable. As much as possible, variables are named consistently across surveys when the content of questions was identical or similar, or the specifications for created variables were not altered. When a variable does not have the same name across years, this is an indication that differences may exist. In such situations, analysts are advised to examine the codebook documentation in detail before conducting any analysis, particularly those that involve the following:

- analyses performed in prior years that are being replicated in the current year,
- comparison of data across multiple years, or
- use of pooled data from multiple years.

Documentation of the reasons for changing a variable's name can be found in comments above the specific variables and in corresponding appendix files within the codebook (if applicable). Typically, variable changes are documented the year they occur and in the following year if there are comparability issues to consider. However, the most current version of the documentation may not always describe relevant changes from prior years. Therefore, analysts who are doing a multiyear trend analysis are especially advised to examine documentation for all years of interest to identify any changes over time that may affect the analysis of interest.³

¹ Information on access to NSDUH restricted-use confidential data files is available from the Substance Abuse and Mental Health Data Archive (SAMHDA) at <https://datafiles.samhsa.gov/>.

² RTI International is a registered trademark and a trade name of Research Triangle Institute.

³ A variable crosswalk (also referred to as a "measles chart") that identifies which NSDUH variables are comparable across study years is available from SAMHDA at <https://datafiles.samhsa.gov/>.

An analysis of trends is not recommended when using data where the impact of the questionnaire or methodological changes is confounded with true changes in the phenomenon being measured. If the change is considered minor and the likely impact on trend data would be minimal, then comparisons between years may be appropriate.

Analysts also are encouraged to refer to the instrument specifications for the 2013 survey in conjunction with their review of the codebook. The specifications for the 2013 survey provide detailed information about the logic governing how respondents were routed through the questions in the interview and any changes to the instrument relative to the 2012 survey. The 2013 specifications may be found on the SAMHSA website at <https://www.samhsa.gov/data/>.

Overview of NSDUH

The 2013 NSDUH is the 33rd in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey series provides information about the use of illicit drugs, alcohol, and tobacco among members of the U.S. civilian, noninstitutionalized population aged 12 or older. The survey also includes several modules of questions that focus on mental health issues. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, and 1990 through 2013. Currently, public use files are available for surveys from 1979 onward.

In 1999, the survey underwent a major redesign. The method of data collection was changed from a paper questionnaire administration to a computer-assisted administration. In addition, the sample design was changed from a strictly national design to a state-based sampling plan. These important changes have a major impact on the data produced from the survey. *Because of the differences in methodology and impact of the new design on data collection, only limited comparisons can be made between data from the redesigned surveys (1999 onward) and data obtained from surveys prior to 1999. Also, because of improvements made to the survey in 2002, the 2013 data in this file should not be compared with data collected in 2001 or earlier to assess changes over time. However, this is not an issue for data from 2002 and data files in subsequent data years, as long as other changes to survey items since 2002 (e.g., changes to question wording) have not affected the comparability of the variables of interest across the surveys.*

Prior to 1999, the survey was conducted using paper-and-pencil interviewing (PAPI) methods for an interview lasting about an hour. The PAPI instrumentation consisted of a questionnaire booklet completed by an interviewer and a set of individual answer sheets completed by a respondent. All substance use questions and other sensitive questions appeared on the answer sheets, so the interviewer was unaware of the respondent's answers. Less sensitive questions concerning demographics, occupational status, household size, and composition were asked aloud by the interviewer and recorded in the questionnaire booklet.

Since 1999, the interview has been carried out using computer-assisted interviewing (CAI) methods. The survey uses a combination of computer-assisted personal interviewing (CAPI) conducted by an interviewer and audio computer-assisted self-interviewing (ACASI). For the most part, questions previously administered by an interviewer in the PAPI format are now administered by an interviewer using CAPI. Questions previously administered in the PAPI

format using self-administered answer sheets are now administered using ACASI. Use of ACASI is designed to provide respondents with a highly private and confidential means of responding to questions and to increase the level of honest reporting of illicit drug use and other sensitive behaviors.

A key feature of the CAI instrument is a core and supplement structure. A core set of questions critical for basic trend measurement of prevalence estimates remains in the survey every year and comprises the first part of the interview. Supplemental questions, or modules, that can be revised, dropped, or added from year to year make up the remainder of the interview. The core consists of initial demographic items and questions pertaining to the use of tobacco, alcohol, marijuana, cocaine, crack cocaine, heroin, hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives. Supplemental items include the remaining ACASI sections and demographic questions. Some of the supplemental portions of the questionnaire, however, have remained in the survey, relatively unchanged, every year (e.g., current health insurance coverage, income). Since 1988, additional information also has been gathered about crack cocaine and about sharing needles for the injection of drugs. In addition, the consequences of using various drugs have been given considerable attention since 1985.

The target population for the 2013 survey was the same as has been defined since the 1991 survey: the civilian, noninstitutionalized population of the United States (including civilians living on military bases) who were 12 years of age or older at the time of the survey. Before 1991, the sample was drawn from the household population of the contiguous 48 states. Residents of Alaska and Hawaii were added to the sample population in 1991, as were residents of noninstitutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and individuals with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas (MSAs) were oversampled in 1991. The 1992 and 1993 surveys retained the oversampling of the six MSAs and also were designed to provide quarterly as well as annual estimates.

Since 1999, the survey sample has employed a 50-state design with an independent, multistage area probability sample for each of the 50 states and the District of Columbia. The eight states with the largest population (which together account for 48 percent of the total U.S. population aged 12 or older) were designated as large sample states (California, Florida, Illinois, Michigan, New York, Ohio, Pennsylvania, and Texas) with a target sample size of 3,600 (in the case of Florida), while the remaining 42 states and the District of Columbia had target sample sizes of 900. The design also oversampled youths and young adults, so that each state's sample was approximately equally distributed among three major age groups: 12 to 17 years, 18 to 25 years, and 26 years or older.

Although the design of the 2013 survey is similar to the design of the 1999 through 2001 surveys, important methodological differences since 2002 affect the 2013 estimates. As noted above, the survey's name was changed from the National Household Survey on Drug Abuse (NHSDA) to the National Survey on Drug Use and Health (NSDUH) in 2002. In addition to the survey's name change, each NSDUH respondent since 2002 has been given an incentive of \$30. These changes have resulted in an improvement in the survey response rate. The changes also affected respondents' reporting of many critical items that are the basis of prevalence measures reported by the survey each year. Further, the data could have been affected by improved data

collection quality control procedures that were introduced in the survey beginning in 2001. In addition, new population data from the 2000 decennial census became available for use in NSDUH sample weighting procedures, resulting in another discontinuity between estimates since 2002 and those prior to 2002. *Analyses of the effects of each of these factors on NSDUH estimates have shown that the 2013 data should not be compared with 2001 and earlier data to assess changes over time. As noted above, comparisons may be made between 2002 and surveys in subsequent years, including this one.*

However, the 2011, 2012, and 2013 NSDUH estimates were based on weights that were poststratified to population control totals based on projections from the 2010 census. In contrast, the weights for the 2002 to 2010 surveys were based on population projections from the 2000 census. Therefore, some caution is advised in interpreting trends in estimates from 2011 onward with estimates from prior years.

A description of the 2013 survey, including more detailed information on sample issues, can be found in several NSDUH documents that present in tabular, graphical, and narrative bullet formats some key 2013 findings on drug use prevalence and co-occurring mental and substance use disorders by age and major demographic variables:

- Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Summary of national findings* (HHS Publication No. SMA 14-4863, NSDUH Series H-48). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Mental health findings*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Changes to NSDUH for 2013

Questionnaire Changes

The following changes were made to the 2013 NSDUH instrument relative to 2012:

- In the core demographics section, two response options, "GUAMANIAN OR CHAMORRO" and "SAMOAN," were added to question QD05 asking respondents about their race.
- In the core demographics section, questions were added about serving in a Reserve component in the military and about military veterans' status. Questions V2a and V2b asked about serving in a Reserve component in the military, including whether respondents were a member of a Reserve component that was serving full time in an active-duty military status

(V2a) or whether respondents were serving full time in a Reserve component (V2b). (Note that no respondents in the final 2013 dataset answered question V2a as "yes" because they were defined as being on active military duty.) Respondents who previously had been in the U.S. Armed Forces were routed to three additional questions—QD10a, QD10b, and QD10c—that asked whether they had ever been on active duty (QD10a), and if so, the period in which they served on active duty (QD10b), and whether they served in a military combat zone or an area where they drew imminent danger pay or hostile fire pay (QD10c).

- In the blunts module, respondents who indicated past year marijuana use in the marijuana module were asked two new questions—MJMM01 and MJMM02—about whether any of their past year marijuana use was recommended by a doctor or other health care professional (MJMM01), and if so, whether all of their past year marijuana use was recommended by a doctor or other health care professional (MJMM02).
- In the health care module, new questions were added that asked respondents about their height and weight. Respondents were given the option to answer in metric or standard measures.
- In the health care module, new questions were added about the number of outpatient health care visits that respondents had in the past 12 months.
- In the health care module, new questions were added about screening for tobacco, alcohol, or other drug use as part of their health care visits in the past 12 months (i.e., hospital emergency room visits, inpatient hospitalizations, or outpatient visits) and discussions that respondents had with health care professionals about their tobacco, alcohol, or other drug use as part of their health care visits.
- In the noncore demographics section, the routing logic was changed for QD13 about the number of moves in the past 12 months. In 2012, all respondents had been routed to question QD13. In 2013, respondents were skipped out of QD13 if they did not report one or more moves in the past 5 years in question SEN04 in the social environment module (for adults), or in question YE04 in the youth experiences module (for 12 to 17 year olds).
- In the health insurance section, minor updates were made to the definitions for the Civilian Health and Medical Program of the Uniformed Services (CHAMPUS) and the Civilian Health and Medical Program of the Department of Veterans Affairs (CHAMPVA).
- In the income section, the wording of QI01N underwent a minor change to delete information about when Social Security checks are mailed and deposited.
- In the income section, a minor change was made to the wording QI24 to replace "The last question" with "The next question."

The 2013 specifications may be found on the SAMHSA website (for details, see this codebook's Introduction).

Significant Variable Changes

As noted previously, changes were made to the skip logic for question QD13 (number of moves in the past 12 months) in the noncore demographics section. Because of the change in respondent eligibility for being asked question QD13 in 2013, the distribution of responses was

affected for the edited variable corresponding to question QD13 and associated variables. Therefore, the variables MOVESPY2, EIMOVYPYR, and MOVYRFLG from the 2012 NSDUH were renamed to MOVEPYR2, EIMOVYRR, and MOVYRFGR, respectively. For the frequency distribution of these variables, refer to the Noncore Demographics section of the codebook.

In the blunts module, respondents who indicated past year marijuana use in the marijuana module were asked two new questions—MJMM01 and MJMM02—about whether any of their past year marijuana use was recommended by a doctor or other health care professional (MJMM01), and if so, whether all of their past year marijuana use was recommended by a doctor or other health care professional (MJMM02).

Two new edited variables, MEDMJYR and MEDMJALL, also were created for the new questions MJMM01 and MJMM02 that were added to the blunts module in 2013. However, answers to these questions could be inconsistent with laws about whether marijuana was approved for medical use in the states where respondents were living. Therefore, an additional indicator variable (MEDMJST2) was created for the medical marijuana data. This indicator variable is described further in the documentation in the Blunts section of the codebook and in its appendix titled Medical Marijuana Variables.

Since the 2008 NSDUH, a statistical model has been employed to predict whether an adult NSDUH respondent had serious, moderate, mild, or no mental illness based on his or her answers to certain NSDUH questions. For the 2012 NSDUH, this model was revised to produce more accurate estimates. This revised 2012 model has been used to produce the mental illness estimates for 2012 and 2013. In addition, comparable estimates were recomputed for 2008 through 2011. For more information on how mental illness estimates were calculated, see this codebook's appendix titled Recoded Mental Health. The mental illness variables included in the 2013 NSDUH data files are based on the revised 2012 model. Note that the mental illness variables (e.g., SMIYR_U, AMIYR_U) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year major depressive episode (MDE), the Kessler-6 (K6) distress scale, or the World Health Organization Disability Assessment Schedule (WHODAS), nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, serious psychological distress [SPD], or components used in the K6 or WHODAS scales). For more details, see this codebook's appendix titled Recoded Mental Health.

The 2013 questionnaire also included new questions that asked about height and weight. Respondents were asked to report their weight in pounds or kilograms and their height in feet, inches, meters, or centimeters. Edited variables were created that converted all of the responses from the weight variable into pounds (WTPOUND2) and the height data into inches (HTINCHE2). Using these data, a new recoded variable measuring body mass index (BMI) was included on the 2013 data file, and the documentation can be found in the Recoded Pregnancy and Health Care section of this codebook. Note that this variable was not used in the 2013 detailed tables or the 2013 mental health detailed tables. The new recoded variable called BMI2 was created as a continuous variable based on the following formula: $BMI2 = [WTPOUND2 \div (HTINCHE2)^2] \times 703$. Unknown response values for the edited weight variable (WTPOUND2)

of 9985, 9994, 9997, or 9998 or the edited height variable (HTINCHE2) of 985, 994, 997, or 998 were defined as SAS missing for the recoded BMI2.⁴

Finally, MAIIN002, a geographic variable, has been added for the first time to a NSDUH public use file; it identifies respondents residing in American Indian areas (AIAs). The census provides data for five types of AIAs:

- *Federally recognized American Indian reservations (AIRs) and off-reservation trust land areas.* These areas have been set aside by the United States for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross state and all other area boundaries.
- *State-recognized American Indian reservations (SAIRs).* These reservations are established by some state governments for tribes recognized by the state. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single state, but may cross county and other types of boundaries.
- *Oklahoma tribal statistical areas (OTSAs).* These areas are intended to represent the former AIRs that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the state of Oklahoma, but may cross all other area boundaries.
- *Tribal-designated statistical areas (TDSAs).* These areas are identified and delineated for federally recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally recognized American Indian tribe. TDSAs may cross state and all other area boundaries.
- *State-designated tribal statistical areas (SDTSAs).* These areas are identified and delineated for state-recognized tribes that are not federally recognized and do not have an AIR or off-reservation trust land. SDTSAs provide state-recognized tribes that do not have reservations with statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single state, but may cross county and other types of boundaries.

The AIAs are mutually exclusive (i.e., no AIA can overlap another AIA). In cases where more than one tribe claims jurisdiction over an area, the U.S. Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Because segments may partially overlap or contain multiple AIAs, majority AIA variables were created for the 2013 NSDUH. In order to assign a single AIA to a segment, a "majority" AIA variable was created by first summing the total number of dwelling units within each of the AIAs within the segment, then assigning the AIA with the most dwelling units to that segment. The resulting "majority" AIAs were summarized to form MAIIN002.

⁴ The formula for BMI2 is based on a formula from the Centers for Disease Control and Prevention (CDC) website: https://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/index.html?s_cid=tw_ob064.

Strengths and Limitations of NSDUH

NSDUH is the primary nationally representative source of annual estimates of drug use and mental illness among civilian members of the noninstitutionalized population in the United States. Most of the questions in NSDUH are administered with ACASI, which is designed to provide the respondent with a highly private and confidential mode for responding to questions in order to increase the level of honest reporting of illicit drug use and other sensitive behaviors. In addition, the large and dispersed NSDUH sample enables not only state-level estimates, but also estimates for substate areas.

Although NSDUH is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts and NSDUH procedures were designed to encourage honesty and recall, some underreporting and overreporting may take place.

Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews in subsequent years. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals.

Third, because the target population of the survey is defined as the noninstitutionalized civilian population of the United States, a small proportion (slightly less than 2 percent) of the population is excluded. The subpopulations excluded are members of the active-duty military and individuals in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the noninstitutionalized civilian population, NSDUH may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs, such as heroin.

Survey Methodology

As were the 1999 to 2012 surveys, the 2013 survey was conducted using CAI methods. This survey also allows for improved state estimates based on minimum sample sizes per state. The target sample size of 67,500 allows SAMHSA to continue reporting adequately precise demographic subgroup estimates at the national level without needing to oversample specially targeted demographics, as was required in the past. The achieved sample size for the 2013 survey was 67,838 individuals.

A coordinated sample design was developed for the 2005 through 2009 NSDUHs. The 2010 through 2013 NSDUHs are extensions of the 5-year sample design. Although there is no overlap with the 1999 through 2004 samples, the coordinated design for 2005 through 2009 facilitated a 50 percent overlap in second-stage units (area segments [see below]) between each 2 successive years from 2005 through 2009.⁵ This design was intended to increase the precision

⁵ In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive survey years. The 2010 through 2013 NSDUHs continue the 50 percent overlap by retaining half of the second-stage units from the previous year. Those segments not retained are considered "retired" from use.

The 2013 design allows for computation of estimates by state in all 50 states plus the District of Columbia. States may therefore be viewed as the first level of stratification as well as a reporting variable. Eight states, referred to as the large sample states, had a sample designed to yield 3,600 respondents per state for the 2013 survey. This sample size was considered adequate to support direct state estimates. The remaining 43 states (which include the District of Columbia) had a sample designed to yield 900 respondents per state in the 2013 survey. In these 43 states, adequate data were available to support reliable state estimates based on small area estimation (SAE) methodology.

Stratification and Selection of Primary and Secondary Sampling Units (Census Tracts and Area Segments)

Within each state, sampling strata called state sampling regions (SSRs) were formed. Based on a composite size measure, states were partitioned geographically into roughly equally sized regions. In other words, regions were formed such that each area yielded, in expectation, roughly the same number of interviews during each data collection period. The eight large sample states were divided into 48 SSRs each; the remaining states were divided into 12 SSRs each. Therefore, the partitioning of the United States formed 900 SSRs.

Unlike the 1999 through 2004 surveys, the first stage of selection for the 2005 through 2013 NSDUHs was census tracts. The first stage of selection began with the construction of an area sample frame that contained one record for each census tract in the United States. If necessary, census tracts were aggregated within SSRs until each tract⁶ had, at a minimum, 150 dwelling units⁷ in urban areas and 100 dwelling units in rural areas.⁸ These census tracts served as the primary sampling units (PSUs) for the coordinated 5-year sample.

Before selecting census tracts, additional implicit stratification was achieved by sorting the first-stage sampling units by a CBSA/SES⁹ (core-based statistical area/socioeconomic status)

⁶ For the remainder of the discussion, first-stage sampling units are referred to as "census tracts" even though each first-stage sampling unit contains one or more census tracts.

⁷ Dwelling unit counts were obtained from the 2000 decennial census data supplemented with revised population counts from Claritas, a market research firm headquartered in Ithaca, New York (see <https://www.claritas.com/>). Claritas used to be affiliated with Nielsen Holdings, from which they became independent in January 2017.

⁸ The basis for the differing minimum dwelling unit requirement in urban and rural areas is that it is more difficult to meet the requirement in rural areas, and a total of 100 dwelling units is sufficient to support one field test and two main study samples.

⁹ CBSAs include metropolitan and micropolitan statistical areas, as defined in the following reference: Office of Management and Budget. (2003, June 6). *OMB Bulletin No. 03-04: Revised definitions of metropolitan statistical areas, new definitions of micropolitan statistical areas and combined statistical areas, and guidance on uses of the statistical definitions of these areas*. Washington, DC: The White House.

indicator¹⁰ and by the percentage of the population who are non-Hispanic and white. From this well-ordered sample frame, 48 census tracts per SSR were selected with probabilities proportionate to a composite size measure and with minimum replacement.

Because census tracts generally exceed the minimum dwelling unit requirement, one smaller geographic area was selected within each sampled census tract. For this second stage of sampling, each selected census tract was partitioned into small geographic areas composed of adjacent census blocks. These geographic clusters of blocks are referred to as *segments* and are the secondary sampling units (SSUs) for the coordinated sample design. A sample *dwelling unit* in NSDUH refers to either a housing unit or a group quarters listing unit, such as a dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental samples or field tests that SAMHSA might wish to conduct, segments were formed to contain a minimum of 150 dwelling units in urban areas and 100 dwelling units in rural areas.

One segment was selected within each sampled census tract with probability proportionate to size. The 48 selected segments then were randomly assigned to a survey year and quarter of data collection.

Selection of Dwelling Units

The sample design required an approximately equal number of people in three age groups: 12 to 17 years, 18 to 25 years, and 26 years or older. To improve the precision of the estimates, the sample allocation process targeted five age groups: 12 to 17 years, 18 to 25 years, 26 to 34 years, 35 to 49 years, and 50 years or older. The allocation among the three age groups in the 26 years or older group was done in such a way as to increase precision while maintaining approximately the same sample size as the 12 to 17 and 18 to 25 age groups. The size measures used in selecting the area segments were coordinated with the dwelling unit and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following:

- advance projections on the number of dwelling units did not accurately reflect the current housing inventory;
- maximum dwelling unit sample sizes were preset to control the interviewer workload and to allow unused addresses to be available for the next year's survey; and
- the person selection probabilities were constrained so that no more than two individuals could be selected per dwelling unit.

An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the dwelling unit sample allocation in each area segment was adjusted to allow for dwelling unit eligibility, for screening nonresponse, and for person nonresponse.

¹⁰ Four categories are defined as (1) CBSA/low SES, (2) CBSA/high SES, (3) non-CBSA/low SES, and (4) non-CBSA/high SES.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.¹¹

Selection of Individuals

During each quarterly survey, field interviewers (FIs) visited each sample address to determine dwelling unit eligibility, to list all eligible individuals at the address, to select the sample of individuals to be interviewed, and to conduct interviews. In addition, the interviewers followed special "half-open" interval procedures to identify any new (since the time of listing) housing units or any dwelling units missed during the advance listing process. Any new or missed dwelling units following immediately after a sample dwelling unit and up to, but not including, the next initially listed address in the prescribed order of listing also were included in the sample.

The FIs used a handheld computer to record the results of the dwelling unit screening process and to select the sample of respondents. They recorded the results of each call, the final eligibility status of the dwelling unit, and information on new and missed dwelling units. If a sample address was an eligible occupied dwelling unit, the FIs also conducted a screening interview to identify and roster all survey-eligible individuals residing at the address. When the roster was complete, the computer was programmed to select the sample of individuals to be interviewed using parameters specified for that area segment and a random number specified for that address.

Data collection progress was monitored during each quarterly survey by state. Small reserve samples were held back each quarter so that the assigned sample size could be adjusted if necessary during the course of data collection.

Sample Design Variables

The sample for the 2013 NSDUH was selected using a multistage, deeply stratified sample design. The variables on the full restricted-use analytic data file represent each stage of sample selection:¹²

Stage 1: The 2013 CAI design includes a sample from each of the 50 states plus the District of Columbia. SSRs were formed within each state based on composite size measures, roughly geographically partitioning the state into equally sized regions. A sample of 48 census tracts was selected within each SSR. Census tracts are considered the PSU

¹¹ This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters. See the following reference: Kish, L. (1965). *Survey sampling*. New York, NY: John Wiley.

¹² To ensure the confidentiality of survey respondents, the sample design variables described in this section are not included on the public use file.

and can be identified using the STATE, SSREGION, and SEGID¹³ variables. Only eight census tracts per SSR were used for the 2013 sample.

Stage 2: The second stage of sampling consisted of partitioning the selected census tracts into smaller geographic areas, called "segments." Segments are defined by joining contiguous census blocks within each selected census tract and are similar to the units selected at the first stage of selection for the 1999 through 2004 surveys. Segments can be identified on the full restricted-use analytic data file¹⁴ using the SEGID variable.

Stage 3: After census tracts and segments were selected, the third stage of selection consisted of selecting dwelling units within each segment. The dwelling unit selection rate was based on the state to which a particular segment belonged. State classification was utilized for computation of eligibility, screener and interview response rates, and expected person yield per dwelling unit. State classifications can be identified with the STATE variable. Dwelling units can be identified with the ENCCASE variable.

Stage 4: At the last stage of selection, individuals were selected within screened dwelling units based on the age group composition of the dwelling unit residents. The person-level variable used to determine the selection included AGE. The full restricted-use analytic data file contains one record representing each responding selected person from stage 4 (67,838 individuals). To protect the confidentiality of these respondents, the full analytic file was treated using a statistical disclosure limitation method while ensuring that the data continue to be representative of civilian members of the noninstitutionalized population in the United States. The resulting public use data file contains 55,160 records.

A more detailed explanation of the sample design and sample selection procedures at each stage of the design appears in the *2013 NSDUH Methodological Resource Book*.¹⁵

Data Collection and Response Rates

The fieldwork for the 2013 NSDUH was directed by RTI staff members. RTI maintained a field staff of approximately 700 FIs to collect the data.

As noted above, a total final sample of 67,838 CAI interviews was obtained for the 2013 survey. Strategies for ensuring high rates of participation resulted in a weighted screening

¹³ One segment was selected from each sampled census block group within each sampled census tract, so the census tract, census block group, and segment can be identified by the SEGID variable.

¹⁴ NSDUH's Restricted-use Data Analysis System (R-DAS) data files are available online at <https://datafiles.samhsa.gov/>. R-DAS is an online analytic system that allows analysts to produce cross-tabulations using restricted-use NSDUH data files. Restricted-use microdata are not accessible to analysts, but output from the analyses is available as long as the output does not violate any of the disclosure limitation rules that determine what output may be displayed.

¹⁵ Center for Behavioral Health Statistics and Quality. (2015). *2013 National Survey on Drug Use and Health: Methodological resource book*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

response rate of 83.93 percent and a weighted interview response rate for the CAI of 71.69 percent.

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in strict compliance with federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Answers to sensitive questions were gathered using ACASI. During the ACASI portions of the interview, respondents listened to prerecorded questions through headphones and entered their responses directly into a computer without interviewers knowing how they were answering. At the conclusion of the ACASI section, the interview returned to the CAPI mode with the interviewer completing the questionnaire. Each respondent who completed a full interview was given \$30 in cash as a token of appreciation for his or her time.

A more detailed explanation of NSDUH's data collection procedures appears in the *2013 NSDUH Methodological Resource Book*.¹⁶

Sample Weights

The estimates yielded by NSDUH are based on sample survey data rather than on complete data for the entire population. This means that the data must be weighted to obtain unbiased estimates for survey outcomes in the population represented by the 2013 NSDUH. The "final analysis weight" of the i th respondent, say w_i , can be interpreted as the number of sampling units in the NSDUH target population represented by the i th respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

$$\sum_i w_i = \text{estimated size of target population,}$$

where the summation is over all respondents in the 2013 NSDUH.

Similar to the 2012 NSDUH, three sets of analysis weights at the person level, questionnaire dwelling unit (QDU) level, and person pair level were developed for the 2013 NSDUH. The person-level, QDU-level, and person pair-level analysis weights shared the same first 10 weight components at the screening dwelling unit (SDU) level. In addition to the 10 common weight components, QDU-level and person pair-level analysis weights had several specific weight components, and the final weights are the product of all the weight components.

¹⁶ See footnote 15.

Unlike in the 2008 NSDUH's mental health module where the adult sample was split into a sample A who received the WHODAS¹⁷ questions LIREMEM through LIAD68 and a sample B who received the Sheehan Disability Scale (SDS)¹⁸ questions MHAD66a through MHAD68, all of the adults in the sample received the WHODAS questions in the 2009 through 2013 NSDUHs. Therefore, there was no need to have a separate adult mental health weight in the 2013 NSDUH because the person-level analysis weight could be used to produce the adult mental health estimates.

The person-level analysis weights (ANALWT_C) are the product of 15 weight components. Each weight component accounts for either a selection probability at a selection stage or an adjustment factor adjusting for nonresponse, coverage, or extreme weights. The sum of the weight over all respondents on the data file represents an estimate of the total number of individuals in the target population. In view of the use of weights as expansion factors in forming estimates, the weight can be interpreted as representing the total number of target population individuals each record on the file represents. For variance estimation, suitable software, such as SUDAAN[®],¹⁹ should be used to take the sample design into account. Similar to the 2012 NSDUH, the 2013 NSDUH used 2010 census-based population estimates in the poststratification adjustment.

Details of the weight components and the sample weighting procedures appear in the *2013 NSDUH Methodological Resource Book*.²⁰

Organization of the Data File

The file described here is made available as an ASCII file with 3,141 variables and 55,160 observations. *Three program files are made available to read the ASCII file into SAS, SPSS, or Stata. The file also is made available as a SAS transport (CPORT) file, SPSS system file, Stata system file, and ASCII tab-delimited file. All of the data and program files are available from SAMHDA at <https://datafiles.samhsa.gov/>.*

The overall organization of the file is shown in the Table of Contents of this document. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. Variables from the noncore section contain missing data; see the section on Standard Code Conventions for a description of the codes given to different types of missing data. For each edited variable, the number of observations assigned a given missing data code is shown in the entry for that variable.

¹⁷ Rehm, J., Üstün, T. B., Saxena, S., Nelson, C. B., Chatterji, S., Ivis, F., & Adlaf, E. (1999). On the development and psychometric testing of the WHO screening instrument to assess disablement in the general population. *International Journal of Methods in Psychiatric Research*, 8, 110-123. <https://doi.org/10.1002/mp.61>

¹⁸ Leon, A. C., Olsson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105. <https://doi.org/10.2190/t8em-c8yh-373n-1uwd>

¹⁹ In SUDAAN, the sample design is specified using the NEST statement. See the following reference: RTI International. (2012). *SUDAAN[®], Release 11.0* [computer software]. Research Triangle Park, NC: Author.

²⁰ See footnote 15.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug use variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug use variables served as the starting point for the recoded core drug use variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables from the core drug modules have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. *Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.*

Edited variables from self-administered noncore modules comprise the next major section in the codebook. Intermixed between the noncore and core sections of the codebook are sections of recoded variables. The edited and/or imputed variables are used as source variables for the recoded variables. For example, edited variables from the section of the interview pertaining to symptoms of dependence or abuse (Substance Dependence and Abuse section in this codebook) were used to create recoded summary measures of dependence. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables. Consequently, noncore recoded variables may still have missing values. The missing data codes contained in the source variables and defined in the Standard Code Conventions section of this codebook introduction are recoded to the standard missing code (.) for recoded variables. It is intended that cases containing these missing codes be excluded from an analysis.

Within the recoded sections of the codebook, detailed information is provided in the variable documentation about how levels of source variables are used to define recoded variables. Note that for recoded variables that include other-specify data or logically assigned data (as defined in the Standard Code Conventions section of this introduction), values may be listed in the documentation that do not exist for the current survey year. Because of fluctuations in the data, source variable values may not exist consistently across years. However, to aid in cross-year analyses, all possible source variable values have been retained in the documentation. For example, a recoded variable may document a "Yes" using both source variable values of 1 = Yes and 3 = Logically Assigned Yes, even if the 3 is not applicable for the current survey year. To alert users, notes have been placed at the top of recoded sections that contain variables that include source values even if they do not apply to the current survey year.

In many instances, the codebook itself also indicates in parentheses the question names that were most relevant for creating an edited variable. In particular, an important feature of the transition to CAI in 1999 was that respondents could be routed to different versions of a question based on prior information from the interview. As much as possible, the codebook shows key source variables that were used in creating edited, imputed, or recoded variables. For example, respondents who initiated use of a drug within 1 year of their current age were asked more detailed questions about the year and month in which they first used that drug. Depending on their age, date of birth, and interview date, respondents could be routed to one of three possible questions to identify the year in which they first used a drug (e.g., CG04a, CG04b, or CG04c for

cigarettes). Similarly, respondents could be routed to one of two possible questions to determine the month in which they first used a drug (e.g., CG04c and CG04d for cigarettes). To facilitate analyses, therefore, responses from these multiple year-of-first-use and month-of-first-use questions were combined into one single year-of-first-use variable and one single month-of-first-use variable for each drug, as shown for the variables CIGYFU and CIGMFU. For the most complete information about the logic for asking questions in the interview, however, data file users should refer to the questionnaire (for details, see this codebook's Introduction).

Usable Cases

A key step in the data processing procedures established the minimum item response requirements in order for cases to be retained for weighting and further analysis (i.e., "usable" cases). These procedures were designed to eliminate cases with unacceptable levels of item nonresponse (i.e., missing data), thereby retaining cases with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

The usable case criteria established for CAI were based on the completeness of information that respondents provided about their lifetime use or nonuse of different drugs. In CAI, respondents were asked more detailed questions about different drugs only if they reported lifetime use of that drug (or lifetime use of one or more drugs within a broader category, such as hallucinogens) on an initial "gate" question.²¹ Consequently, whether a CAI respondent was a lifetime user or nonuser of the drugs of interest could be readily determined by reviewing the respondent's answers to the gate question on lifetime use of that drug (or category of drugs).

The requirements for a CAI record to be considered usable are noted as follows:

1. The lifetime cigarette question (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other drugs where lifetime use or nonuse was undefined.
2. Responses to questions on at least nine (9) of the following additional drugs had to contain information about lifetime use or nonuse: (a) chewing tobacco, (b) snuff, (c) cigars, (d) alcohol, (e) marijuana, (f) cocaine (in any form), (g) heroin, (h) hallucinogens, (i) inhalants, (j) pain relievers, (k) tranquilizers, (l) stimulants, and (m) sedatives. Crack cocaine was not included in the usable case rule because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes." Although the CAI instrument also asked about pipe tobacco, this was not included in

²¹ In all modules except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or hashish?"). In the hallucinogens through sedatives modules, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the specific hallucinogens lysergic acid diethylamide [LSD], phencyclidine [PCP], peyote, mescaline, psilocybin/mushrooms, Ecstasy [3,4-methylenedioxymethamphetamine, MDMA], or "any other" hallucinogen).

the usable case rule because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.²²

The interview also included follow-up probes for respondents who initially refused to answer a gate question or an entire series of gate questions. Follow-up probes were included in the following modules that were relevant to the usable case rule: cigarettes, chewing tobacco, snuff, cigars, alcohol, marijuana, cocaine, heroin, specific hallucinogens (i.e., LSD, PCP, and Ecstasy [MDMA]), the specific stimulant methamphetamine, and any use of inhalants, pain relievers, tranquilizers, stimulants, or sedatives (if respondents refused all lifetime use questions about these latter five drug categories). If respondents changed their initial refusal to a response of "yes" or "no," they were considered to have provided usable data to that drug's gate information.

For the hallucinogens through sedatives sections, respondents reported about use or nonuse of specific drugs within that category. For these sections, the requirement for reporting of lifetime use or nonuse was considered to have been satisfied if at least one lead lifetime question in the series was answered as "yes" or "no" (e.g., if at least one question in the hallucinogens series was answered as "yes" or "no" for hallucinogens). Similarly, in the inhalants, pain relievers, tranquilizers, stimulants, and sedatives sections, if respondents initially refused to answer all gate questions for a given drug but subsequently answered that drug's follow-up probe as "yes" or "no," they were considered to have satisfied the reporting requirement for that drug.

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., under age 12 or on active duty in the U.S. military). These ineligible cases by definition did not meet the usable case criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was reduced further through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner that was inconsistent with their answer to a previous question.

Logical editing was the first step in processing many of the variables on the file. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given module of the interview (e.g., within the hallucinogens section).

²² For a more detailed discussion of the development of the usable case requirements, see the following reference: Kroutil, L., & Myers, L. (2002). Development of editing rules for CAI substance use data. In J. Gfroerer, J. Eyerman, & J. Chromy (Eds.), *Redesigning an ongoing national household survey: Methodological issues* (HHS Publication No. SMA 03-3768, pp. 85-109). Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply.

As a general principle, responses from one module (e.g., hallucinogens) were not used to edit variables in another module (e.g., inhalants).²³ For this reason, data in one module may not be completely consistent with data in other modules. Subsequent discussion about editing in this section focuses on key drug use variables.

Editing Procedure for Drug Use Variables

Logical editing and processing of drug use variables in the tobacco through the sedatives modules first involved identifying whether respondents had ever used or never used the drug of interest. That included situations in which respondents initially refused to answer a question about their lifetime use of a drug but then changed their answer to "yes" or "no" on follow-up. If respondents did not provide sufficient information about their use or nonuse of a particular drug (or drug category), their final status was assigned through statistical imputation procedures. If values pertaining to lifetime use or nonuse of a given drug were changed through the editing procedures, this editing was indicated through special codes that indicated that a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." In the hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives modules, for example, respondents who did not report lifetime use of a specific drug (e.g., LSD) but specified use of it as "some other drug" were logically inferred to be lifetime users of that drug. In the psychotherapeutics modules (i.e., pain relievers, tranquilizers, stimulants, and sedatives), respondents whose only reported lifetime use involved over-the-counter medications were logically inferred to have never used that particular prescription-type psychotherapeutic drug.

After lifetime use or nonuse of a given drug had been determined, edits of the variables that established when respondents last used a drug of interest were probably the most critical. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The interview included follow-up probes for respondents who were lifetime users of a given drug but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a drug were asked to give their "best guess" of when they last used it. Respondents who initially refused to report when they last used a drug were asked to reconsider answering the question. If respondents changed their initial answer of "don't know" or "refused" in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used a drug but then reported last using it more than 30 days ago

²³ One exception to the principle of not editing across modules involved situations in which responses in one module governed whether respondents were asked questions in another module. For example, if respondents reported never using heroin but they received substance abuse treatment in the past 12 months, they were not asked questions in the noncore substance treatment module about current or past year treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment data because they had never used it.

but within the past 12 months, their edited recency indicated use in that period, in the absence of any information that was inconsistent with what they reported in the probe (see below).

Situations were identified and flagged in which there were inconsistencies between a respondent's answer to a drug's recency question (or the answer in a follow-up probe) and other data in that module. For example, it would be inconsistent for a respondent to report last using a drug "more than 12 months ago" but also to report having first used it at his or her current age. These inconsistencies then were addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question.

Again, if values pertaining to the period when respondents last used a drug were changed through the editing procedures, special codes were assigned to indicate that these edits had been done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a drug's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a drug more than 30 days ago but within the past 12 months but other data suggested that the respondent may have used the drug more recently, this code of 8 indicated that at least it could be inferred that the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in lifetime LOGICALLY ASSIGNED") indicated that the respondent was potentially a user in any period that was asked about for that particular drug, including the past 30 days. In particular, respondents were assigned a code of 9 if they initially answered "don't know" or "refused" to a drug's recency question and continued on follow-up to answer "don't know" or "refused" regarding when they last used it.

Details of the editing procedures for the drug use variables in 2013 appear in the *2013 NSDUH Methodological Resource Book*.²⁴

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	=	NEVER USED [DRUG(s) OF INTEREST]
93 or 993 or 9993, etc.	=	USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
94 or 994 or 9994, etc.	=	DON'T KNOW
97 or 997 or 9997, etc.	=	REFUSED
98 or 998 or 9998, etc.	=	BLANK (i.e., not answered; not asked the question)
99 or 999 or 9999, etc.	=	LEGITIMATE SKIP

²⁴ See footnote 15.

The following analogous codes also were assigned as part of the logical editing process:

81 (or 981, 9981, etc.)	=	NEVER USED [DRUG(s) OF INTEREST] Logically assigned
83 (or 983, 9983, etc.)	=	USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
85 (or 985, 9985, etc.)	=	BAD DATA Logically assigned (i.e., usually inconsistent with other data)
89 (or 989, or 9989, etc.)	=	LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences module but that respondent was subsequently classified as being 18 or older, any answers that the respondent gave in the youth experiences module were overwritten with codes of 89 (or 989, etc.). These codes signify that this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

- the respondent broke off the interview before reaching a particular question or section;
- the CAI program allowed the respondent to hit the ENTER key without providing a response (typically, in situations where respondents were asked to specify something, such as the name of some other drug that they had used); or
- the CAI program skipped the respondent past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondent (e.g., if subsequent questions about a drug were skipped because the respondent did not know whether he or she ever used that drug).

Statistical Imputation

Statistical imputation refers to the substitution of acceptable estimated values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words "IMPUTATION REVISED." In addition, most imputation-revised variables have names with the prefix "IR." (The imputation-revised employment status variable EMPSTATY is an exception to this rule. Also, although no missing data are possible for gender, the "IR" prefix for IRSEX is maintained for continuity with past years.) Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "IMPUTATION INDICATOR" in their labels and are identified with the prefix "II." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "II2," giving more details about the source of the imputed or logically assigned value. In most cases, the imputation-revised variable can be traced to a specific question in the

questionnaire. However, the imputation-revised variable occasionally corresponds to an edited variable that was derived from several questions in the questionnaire.

With the 2013 survey, the core drug use variables are recency of use, frequency of use in the past 12 months, frequency of use in the past 30 days, and age at first use. Age of first daily cigarette use and binge drinking frequency²⁵ in the past 30 days are also core drug use variables. Imputation of missing values in these core drug use variables was accomplished using an imputation procedure developed specifically for the survey in 1999 and called predictive mean neighborhood (PMN), which is a combination of model-assisted and nearest neighbor hot-deck imputation methods. The PMN method also was used in the 2013 survey to impute missing values in the core demographic, employment status, immigrant status, income, insurance, and roster-derived household composition variables, as well as variables associated with responding pairs. One group of variables for which the PMN method was not used is nicotine dependence. Instead, a weighted least squares regression was used to obtain continuous predicted means, which in turn were used directly as imputed values for this set of variables. More details on the methods used for imputation appear in the *2013 NSDUH Methodological Resource Book*.²⁶

In 2002, questionnaire changes were made to the health insurance module that caused comparability issues with the health insurance variables that were used prior to 2002. To preserve continuity with the pre-2002 questionnaires, an additional set of edited and imputed variables was developed and are referred to as "Old Method Health Insurance." Since 2002, more up-to-date edited and imputed health insurance variables have been created using the constituent variables (CV) method. The CV method set of variables uses all relevant questions in the questionnaire from 2002 to the present. Given that 2002 was a new baseline year, analysts are already cautioned against doing trend analyses that combine pre-2002 survey years with 2002 and beyond. Also, inclusion of both sets of variables on public use files could be confusing to analysts and result in someone using the incorrect variable set to produce estimates. For these reasons, the use of the "Old Method Health Insurance" variables was discontinued for 2013 and beyond.

For all imputation-revised variables except those associated with nicotine dependence, the levels within the variables are limited to the valid responses in the interview itself. If neither editing nor imputation was required for any of these variables, the levels for the edited and imputation-revised variables are the same, with each level corresponding to a valid interview response. If an edited variable has a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable that do not correspond to a valid interview response indicate that the information available for that respondent was incomplete and, consequently, imputation was required. In the imputation-revised variable, these levels were replaced by imputed values corresponding to valid interview responses, which were made consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Also, in the

²⁵ Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy alcohol use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

²⁶ See footnote 15.

case of recency of use, some levels in the edited variable describe a more general recency than was designated from a valid interview response, which, in the imputation-revised variable, were replaced by imputed values consistent with the general recency level.

Imputation Indicators

For each variable that includes imputed values, concomitant indicator variables distinguish imputed from nonimputed values. These associated variables have names nearly identical to the imputation-revised variables, except that the IR prefix was replaced by an II or an II2. In general, the imputation indicator variables with the II prefix have three levels:

- 1 = From interview
- 2 = Logically assigned
- 3 = Statistically imputed.

These levels indicate whether the imputation-revised variable's value originated from interview responses, was logically assigned in the editing process, or was imputed. In some cases, the skip logic inherent in the CAI prevented a respondent from answering certain questions because of his or her responses to previous questions. For the drug use variables, if a respondent had been skipped out of a question, the response in the imputation-revised variables is coded as "never used" or is coded to indicate that the respondent had not used in the relevant time period. For other variables where this occurred, the imputation-revised variable has a level with a label indicating a legitimate skip. The imputation indicators associated with these variables also have an additional level, which likewise has a label indicating a legitimate skip. Typically, this level is given as 9 (= Legitimate skip), often with an accompanying explanation for the skip.

The variables that have an additional set of imputation indicators, as denoted by the prefix "II2," are EMPSTAT4, EMPSTATY, and the recency and frequency of drug use variables. For EMPSTAT4 and EMPSTATY, the II2 variables provide more details about the constraints on imputed values, where the legitimate skip levels are equivalent to those given by the II variables. The drug use II2 variables are a result of the implementation of the flag-and-impute editing procedures on the recency-of-use data. Greater details on these editing procedures are given in the Logical Editing section in this introduction. With these editing procedures, inconsistent responses in the recency-of-use variables were replaced by more general, consistent responses. Subsequently, the specific responses then were imputed. If the response from a recency-of-use variable was considered partially known, such as past year use of a given drug with the more specific recency unknown, imputed values had to be limited to what was consistent with this incomplete information. The types of partial information available for a given variable are as follows:

- 8 = Used at some point in the past 12 months LOGICALLY ASSIGNED
- 9 = Used at some point in lifetime LOGICALLY ASSIGNED
- 14 = Used more than 12 months ago LOGICALLY ASSIGNED
- 19 = Used more than 30 days ago LOGICALLY ASSIGNED
- 29 = Used more than 30 days ago but in the past 3 years LOGICALLY ASSIGNED

39 = Used within the past 3 years LOGICALLY ASSIGNED.

The last four levels (14, 19, 29, and 39) are for tobacco product use only. In the imputation indicator for drug use variables, level 3 indicates statistical imputation, but no detail is given regarding any available partial information. The II2 variable breaks out the II level 3 into the following levels:

- 3 = Statistically imputed data - lifetime use imputed
- 4 = Statistically imputed data - edited recency = 9
- 5 = Statistically imputed data - edited recency = 8
- 6 = Statistically imputed data - edited recency = 19
- 7 = Statistically imputed data - edited recency = 14
- 8 = Statistically imputed data - edited recency = 29
- 9 = Statistically imputed data - edited recency = 39.

Constraints and Consistency

The imputation of missing values in the core demographics and drug use variables was subject to numerous constraints to ensure that imputed values would be consistent with preexisting, nonmissing values. For multivariate analyses, the imputation-revised variables should be used as long as these variables all come from the core section of the interview. On the other hand, no attempt was made to ensure consistency between the imputation-revised core and noncore variables. Therefore, for analyses of relationships requiring imputation-revised variables from both the core and noncore sections of the interview, simultaneous use of these variables may not be appropriate.

Variance Estimation of Totals

Prevalence rates are the proportions of the population who exhibit characteristics of interest (such as substance use). Let $\hat{p}_d$ represent the prevalence rate of interest for domain d . Then $\hat{p}_d$ would be defined as the ratio

$$\hat{p}_d = \frac{\hat{Y}_d}{\hat{N}_d},$$

where $\hat{Y}_d = \sum_{i \in S} w_i \delta_i y_i$, which represents the estimated number of individuals exhibiting the characteristic of interest in domain d ; $\hat{N}_d = \sum_{i \in S} w_i \delta_i$, which represents the estimated population total for domain d ; S represents the sample; w_i represents the analysis weight; δ_i represents an indicator variable that is defined as 1 if the i th sample unit is in domain d and is equal to 0 otherwise; and y_i represents an indicator variable that is defined as 1 if the i th sample unit exhibits the characteristic of interest and is equal to 0 otherwise.

The sampling error of an estimate is the error caused by the selection of a sample instead of conducting a census of the population. The sampling error may be reduced by selecting a large sample and/or by using efficient sample design and estimation strategies, such as stratification, optimal allocation, and ratio estimation. The use of probability sampling methods in NSDUH allows estimation of sampling error from the survey data. The standard errors (SEs, which are the square roots of the variances) are used to identify unreliable estimates and to test for the statistical significance of differences between estimates.

Suitable software packages, such as SUDAAN,²⁷ can be used to calculate direct estimates of $\hat{Y}_d$ and $\hat{N}_d$ (and, therefore, $\hat{p}_d$) and also can be used to estimate their respective SEs.

Although the SEs of estimates of means and proportions can be calculated appropriately in software (such as SUDAAN) using a Taylor series linearization approach, SEs of estimates of totals may be underestimated in situations where the domain size is poststratified to data from the U.S. Census Bureau.

When the domain size, $\hat{N}_d$, is free of sampling error, an appropriate estimate of the SE for the total number of individuals with a characteristic of interest is

$$SE(\hat{Y}_d) = \hat{N}_d SE(\hat{p}_d).$$

This approach is theoretically correct when the domain size estimates, $\hat{N}_d$, are among those forced to match their respective U.S. Census Bureau population estimates through the weight calibration process.²⁸ In these cases, $\hat{N}_d$ is not subject to a sampling error induced by the NSDUH design. For estimated domain totals, $\hat{Y}_d$, where $\hat{N}_d$ is not fixed (i.e., where domain size estimates are not forced to match the U.S. Census Bureau population estimates), this formulation still may provide a good approximation if it can be assumed that the sampling variation in $\hat{N}_d$ is negligible relative to the sampling variation in $\hat{p}_d$. This is a reasonable assumption for many cases in this study.

For various subsets of estimates, the above approach yielded an underestimate of the variance of a total because $\hat{N}_d$ was subject to considerable variation. Because of this underestimation, alternatives for estimating SEs of totals can be implemented.

A "mixed" method approach can be used to improve the accuracy of SEs and to better reflect the effects of poststratification on the variance of total estimates. This approach assigns the method of SE calculation to domains (subgroups for which the estimates were calculated) so that all estimates among a select set of domains with fixed $\hat{N}_d$ were calculated using the formula above, and all other estimates were calculated directly in SUDAAN. The set of domains considered controlled (i.e., those with a fixed $\hat{N}_d$) was restricted to main effects and two-way interactions in order to maintain continuity between years. The use of such SEs did not affect the

²⁷ See footnote 19.

²⁸ See footnote 15.

SE estimates for the corresponding proportions because all SEs for means and proportions are calculated directly in SUDAAN. Table 1 contains a list of domains with fixed $\hat{N}_d$ for the public use file.

Table 1. Demographic Domains Forced to Match Their Respective U.S. Census Bureau Population Estimates through the Public Use File Weight Calibration Process: 2013

Main Effects	Two-Way Interactions
Age Group 12-17 18-25 26-34 35+ All Combinations of Groups Listed Above ¹ Gender Male Female Race/Ethnicity Hispanic or Latino Not Hispanic or Latino, White Not Hispanic or Latino, Black Not Hispanic or Latino, Others	Age Group × Gender (e.g., Males Aged 12 to 17)

¹ Combinations of the age groups (including but not limited to 12 or older, 18 or older, 26 or older, and 35 or older) also were forced to match their respective U.S. Census Bureau population estimates through the weight calibration process.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

Statistical Significance of Differences

Due to the 2002 NSDUH methodology changes, the 2002 data constitute a new baseline for tracking trends in substance use and other measures. *As noted previously, it is not considered appropriate to make comparisons of the 2002 through 2013 CAI estimates with 2001 and earlier NHSDA estimates to assess changes in substance use over time. If comparisons such as these are made, it is recommended that they be interpreted with caution.* For a more detailed description of the changes to the 2002 NSDUH methodology, see Appendix C of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.²⁹

Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. Statistical significance is based on the p value of the test statistic and refers to the probability that a difference as large as that observed would occur due to random variability in the estimates if there were no difference in the prevalence estimates for the population groups being compared. The significance of observed differences is generally

²⁹ Office of Applied Studies. (2003). *Results from the 2002 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 03-3836, NSDUH Series H-22). Rockville, MD: Substance Abuse and Mental Health Services Administration.

reported at the 0.05 and 0.01 levels when the p value is defined as less than or equal to the designated significance level.

When comparing prevalence estimates, one can test the null hypothesis (no difference between prevalence estimates) against the alternative hypothesis (there is a difference in prevalence estimates) using the standard difference in proportions test expressed as

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2 \text{cov}(\hat{p}_1, \hat{p}_2)}},$$

where $\hat{p}_1$ = first prevalence estimate, $\hat{p}_2$ = second prevalence estimate, $\text{var}(\hat{p}_1)$ = variance of first prevalence estimate, $\text{var}(\hat{p}_2)$ = variance of second prevalence estimate, and $\text{cov}(\hat{p}_1, \hat{p}_2)$ = covariance between $\hat{p}_1$ and $\hat{p}_2$. Note that the first and second prevalence estimates may take the form of prevalence estimates from two different survey years (e.g., 2012 and 2013, respectively), prevalence estimates from sets of combined survey data (e.g., 2010-2011 annual averages and 2012-2013 annual averages, respectively), or prevalence estimates for populations of interest within a single survey year.

Under the null hypothesis, Z is asymptotically distributed as a normal random variable. Therefore, calculated values of Z can be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the covariance term between the two estimates is not necessarily zero, SUDAAN³⁰ may be used to compute estimates of Z along with the associated p values such that the covariance term is calculated by taking the sample design into account. A similar procedure and formula for Z is used for testing between the estimated totals.

When comparing population subgroups defined by three or more levels of a categorical variable, log-linear chi-square tests of independence of the subgroup and the prevalence variables should be conducted first to control the error level for multiple comparisons. If Shah's Wald F test (transformed from the standard Wald chi-square and computed in SUDAAN) indicates overall significant differences, the significance of each particular pairwise comparison of interest should be tested using SUDAAN analytic procedures to properly account for the sample design.³¹

If SUDAAN is not available to compute the significance testing, using published estimates can provide similar testing results. When comparing prevalence rates shown with SEs, t tests that assume independence for the difference of proportions can be performed and usually will provide the same results as tests performed in SUDAAN. However, where the p value is close to the predetermined level of significance, results may differ for two reasons: (1) the covariance term is included in the SUDAAN tests, whereas it is not included in t tests that assume independence; and (2) the reduced number of significant digits shown in the published estimates may cause rounding errors in the t tests assuming independence.

³⁰ See footnote 19.

³¹ See footnote 19.

Although not generated in all NSDUH publications, some publications do include sampling error in the form of 95 percent confidence intervals (CIs). CIs for NSDUH are computed using degrees of freedom (*df*) and critical values of the *t*-distribution, which will change dependent on which sample of data is being analyzed. For more information about computing CIs and *df*, see Sections 8 and 6, respectively, in the 2012 statistical inference report.³² In terms of testing for differences between prevalence rates shown with 95 percent CIs, it is important to note that two overlapping 95 percent CIs do not imply that their rates are statistically equivalent at the 5 percent level of significance.³³

Use of Sample Weights and Sample Design Variables

Data file users who wish to analyze data from multiple survey years, including 2013 (e.g., 2002 through 2013³⁴), should first sort the combined data by the sample design variables VESTR (variance estimation [pseudo] stratum) and VEREP (variance estimation [pseudo] replicate within stratum). These variables then are specified in a software package, such as SUDAAN, to automatically account for the 50 percent overlap between successive years when estimating variances and SEs. The final person-level analysis weight on the data file should be used when analyzing data for any single year or when comparing estimates between years within a combined file containing data from multiple years. However, estimation of the annual average number of individuals who have engaged in a particular behavior based upon pooled data from multiple years requires adjustment to the analysis weights. These adjusted weights would be created as the final weight divided by the number of years of combined data (e.g., the person-level weight divided by 12 for estimates based on the combined 2002 through 2013 data).

If a data file user is interested in generating estimates using some combination of quarter-level data, a sample weight can be created using the person-level analysis weight as follows:

$$\begin{aligned} \text{New Weight} &= (4/q) * \text{Person-Level Analysis Weight} && \text{If the record represents a respondent in} \\ & && \text{one of the quarters of interest} \\ &= 0 && \text{Otherwise, ...} \end{aligned}$$

where *q* = total number of quarters in the domain of interest.

For example, if one is interested in generating estimates for the first quarter of 2013, an appropriate sample weight would be constructed as follows:

³² Center for Behavioral Health Statistics and Quality. (2014). *2012 National Survey on Drug Use and Health: Methodological resource book (Section 14, Statistical inference report)*. Rockville, MD: Substance Abuse and Mental Health Services Administration. (See <https://www.samhsa.gov/data/population-data-nsduh/reports?tab=38>.)

³³ For additional information, see the following reference: Payton, M. E., Greenstone, M. H., & Schenker, N. (2003). Overlapping confidence intervals or standard error intervals: What do they mean in terms of statistical significance? *Journal of Insect Science*, 3, 34. <https://doi.org/10.1673/031.003.3401>. Also see the following reference for further details: Schenker, N., & Gentleman, J. F. (2001, August). On judging the significance of differences by examining the overlap between confidence intervals. *American Statistician*, 55(3), 182-186. <https://doi.org/10.1198/000313001317097960>

³⁴ Changes in the sample design are accounted for in the sample design variables. Therefore, it is appropriate to combine 2002 through 2012 data with data from 2013 and onward.

$\begin{aligned} \text{New Weight} &= (4/1) * \text{Person-Level} \\ &\quad \text{Analysis Weight} \\ &= 0 \end{aligned}$	If the record represents a respondent in quarter 1 If the record represents a respondent in quarters 2, 3, or 4.

If one is interested in generating estimates for the first half of 2013 (quarters 1 and 2), an appropriate sample weight would be constructed as follows:

$\begin{aligned} \text{New Weight} &= (4/2) * \text{Person-Level} \\ &\quad \text{Analysis Weight} \\ &= 0 \end{aligned}$	If the record represents a respondent in quarters 1 or 2 If the record represents a respondent in quarters 3 or 4.

In years when a split-sample design is implemented, a special weight is developed for the split samples. When analysis with pooled data from multiple years is conducted, analysts should check the documents for that specific year on how to use the analysis weights in order to use a proper analysis weight for the pooled data analysis.

For example, in the 2004 NSDUH, adult respondents aged 18 or older were split approximately evenly, where respondents in sample A were administered the full adult mental health module as it had been administered in 2002 and 2003, and respondents in sample B were administered a short version of the adult mental health module in addition to the adult depression module as it was administered in 2005, 2006, and 2007. Thus, analyses using 2004 data from either the adult mental health module (renamed to the psychological distress module in 2005, 2006, and 2007) or the adult depression module need to be conducted using a different weight variable. For 2004, analyses that include the adult mental health variables for MDE and/or unadjusted SPD should involve the following:

1. Select either sample A or sample B by using the ADLTSAMP variable (ADLTSAMP = 1 corresponds to sample A, and ADLTSAMP = 2 corresponds to sample B) to restrict the analysis to the appropriate half sample.
2. When combining 2004 adult half-sample data with data for survey years that have comparably defined adult mental health variables, the weight variable (SPD analysis weight for 2004 and the person-level analysis weight for the other years in the analysis) should be divided by the total number of years in the analysis.

Confidentiality of Data

To protect the confidentiality of respondents to the 2013 NSDUH, the full analytic file of 67,838 individuals was treated using a statistical disclosure limitation method called MASSC,^{35,36,37} which consists of the following four major steps: **Micro Agglomeration**, optimal probabilistic **Substitution**, optimal probabilistic **Subsampling**, and optimal sampling weight **Calibration**. All directly identifying information (such as name, phone number, and address) on the file was eliminated. In addition, census region, state, and other geographic identifiers were removed. Moreover, the household link between respondents from the same household was not included in the public use file.

All of the variables on the file were reviewed for the possibility of identifying a respondent by combining a number of them at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures of categorization and top-and-bottom coding. Using the selected key identifying variables, the data were partitioned into risk strata to control for level of treatment in the micro agglomeration step. In addition, two other techniques were used in MASSC to introduce sufficient uncertainty for anyone who attempted to identify an individual and his or her confidential responses. First, on a random basis, a sample of records was drawn, and variables were substituted from a similar donor record. This step, referred to as substitution, introduces uncertainty about the identity of a record in the database. This process makes it difficult for an intruder to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may have come from other individuals. Second, a portion of the records was randomly removed from the file to reduce the probability of determining that any known respondent was in the public use file. This step, referred to as subsampling, introduces further uncertainty about the presence of a target record in the database. The result is that there is a very small probability of identifying an individual from the file.

Substitution and subsampling were done while simultaneously constraining the resultant file to a minimal increase in bias and a minimal decrease in precision for numerous estimates of drug use prevalence across a number of domains. In addition, the weights on the final file were recalibrated to known totals from the full restricted-use analytic file so as to minimize the decrease in precision owing to the two techniques. Under the MASSC framework, both disclosure risk and information loss are controlled and measured simultaneously.

³⁵ Singh, A. C. (2002). *Method for statistical disclosure limitation* (U.S. Patent Application Pub. No. US 2004/0049517A1). Research Triangle Park, NC: RTI International. The patent was granted in June 2006 (Patent No. US7058638B2).

³⁶ Singh, A. C., Yu, F., & Duntelman, G. H. (2003). MASSC: A new data mask for limiting statistical information loss and disclosure. In *Proceedings of the Joint UNECE/EUROSTAT Work Session on Statistical Data Confidentiality, Luxembourg* (Working Paper No. 23, pp. 373-394). Geneva, Switzerland: United Nations Statistical Commission and Economic Commission for Europe Conference of European Statisticians, European Commission Statistical Office of the European Communities (EUROSTAT).

³⁷ Singh, A., Yu, F., & Wilson, D. H. (2004, August). Measures of information loss and disclosure risk under MASSC treatment of micro-data for statistical disclosure limitation. In *Proceedings of the 2004 Joint Statistical Meetings, American Statistical Association, Section on Survey Research Methods, Toronto, Canada* (pp. 4374-4381). Alexandria, VA: American Statistical Association.

A further disclosure control procedure includes the treatment of the design variables (VESTR and VEREP). These stratum and replicate identifiers were treated by coarsening, substitution, and scrambling. In addition, certain variables were recoded (e.g., by collapsing of rare levels) or locally suppressed (e.g., by setting to missing values) for confidentiality reasons.

A number of variables were reviewed after the above process was completed in order to determine the impact of these techniques on the bias and precision of estimates compared with those from the full (i.e., untreated) file. These variables included both variables for which partial records were substituted and other variables that were not perturbed. In addition, the change in precision in estimates was studied for 340 combinations of 34 domains and 10 response variables (e.g., the combination of past month alcohol use in the 12 to 17 age group). The ratio of the estimates from the full restricted-use file and the public use file was calculated for each domain and response variable combination. The average ratio over the 34 domains for the 10 response variables was within the 0.96 to 1.05 range. Similarly, to assess the decrease in precision, the SE was compared between the public use file and the full restricted-use file. For 5 out of the 10 response variables, the average increase in SEs over the 34 domains was about 1 to 10 percent. The remaining response variables, including ALCMON (alcohol past month use), HALFLAG (hallucinogens ever used), COCYR (cocaine past year use), MRJMON (marijuana past month use), and STMFLAG (stimulants ever used), had an average increase in the SE of about 12 to 15 percent.

These statistical disclosure limitation methods have been implemented in such a way that the public use file continues to be representative of civilian members of the noninstitutionalized population in the United States.

Public Use File Estimates and Standard Errors

The sampling weights on the public use file were adjusted for subsampling and calibrated with respect to 45 demographic domains. A sublist of the domains can be found in [Table 1](#) (shown earlier). Note that the domains found in [Table 1](#) are different from those shown in Table B.1 of the national findings report for the 2013 NSDUH³⁸ because of different adjustments applied to the weights on the public use file. Survey analysis software can be used with these weights, along with the sample design variables VESTR and VEREP, to estimate various parameters and their SEs. [Tables 2](#) and [3](#) show prevalence estimates and their SEs for certain demographic domains that were not included in the calibration constraints.

[Table 2](#) shows the ratio of prevalence estimates and SEs from the public use file subsample to the full sample for past month marijuana use, a relatively high prevalence drug. [Table 3](#) shows the same ratios for past year heroin use, a relatively low prevalence drug. The results are shown for seven demographic domains.

³⁸ Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Summary of national findings* (HHS Publication No. SMA 14-4863, NSDUH Series H-48). Rockville, MD: Substance Abuse and Mental Health Services Administration.

Table 2. Past Month Marijuana Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2013

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	1.01	1.04
Non-Hispanic Native Hawaiian or Other Pacific Islander	1.07	1.22
Non-Hispanic Asian	1.09	1.36
Non-Hispanic Two or More Races	1.04	0.93
Household with Four Members	1.03	1.09
Household with Five Members	1.00	1.05
Household with Six or More Members	1.00	1.02

Note: *Ratio = (Public use file subsample estimate / Full sample estimate).*

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

Table 3. Past Year Heroin Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2013

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	1.16	1.15
Non-Hispanic Native Hawaiian or Other Pacific Islander	.	.
Non-Hispanic Asian	0.95	0.95
Non-Hispanic Two or More Races	0.94	1.17
Household with Four Members	0.91	1.00
Household with Five Members	1.06	1.06
Household with Six or More Members	1.07	1.05

Note: *Ratio = (Public use file subsample estimate / Full sample estimate).* Missing cells are due to a zero-observed prevalence rate in certain race/ethnicity domains.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

New and Corrected Data Since Last Release

Since the release of the previous version of the 2013 Public Use Data File and Codebook on September 30, 2015, a number of variables have received updated documentation. The codebook section titled Selected Unedited Variables has been dropped. It was determined that the raw variables contained in this section provided no analytic value because edited versions exist on the data file. Additionally, the appendix titled Recoded Mental Health Module Variable Documentation has been renamed as Recoded Mental Health. At this time, there are no new variables.

For the sake of consistency with other variables, a modification was made to two variables for missing and legitimate skip values (see [Table 4](#)).

Table 4. Variables Updated in the 2013 Public Use Data File and Codebook

Module	Variable Updated	Label
NON-CORE DEMOGRAPHICS	EDUCATN2	WHAT GRADE IN NOW/WILL BE IN
EMPLOYMENT AND WORKPLACE	JBSTATR2	WORK SITUATION IN PAST WEEK - RECODE

IDENTIFICATION

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2. It should be noted that this variable was referred to as QUESTID in prior years.

QUESTID2 Len : 7 RESPONDENT IDENTIFICATION

The following variable, FILEDATE, represents the date the SAS data file was created.

FILEDATE Len : 10 CREATION DATE OF THE DATA FILE

TOBACCO

SELF-ADMINISTERED SUBSTANCE USE SECTIONS

TOBACCO

These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.

Have you ever smoked part or all of a cigarette?

CIGEVER	Len : 1	EVER SMOKED A CIGARETTE		
			Freq	Pct
		1 = Yes	27152	49.22
		2 = No.....	28008	50.78

If one of your best friends offered you a cigarette, would you smoke it?

CIGOFRSM	Len : 2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG		
			Freq	Pct
		1 = Definitely Yes.....	13	0.02
		2 = Probably Yes	166	0.30
		3 = Probably Not.....	1998	3.62
		4 = Definitely Not	12512	22.68
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP	40459	73.35

At any time during the next 12 months do you think you will smoke a cigarette?

CIGWILYR	Len : 2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS		
			Freq	Pct
		1 = Definitely Yes.....	10	0.02
		2 = Probably Yes	114	0.21
		3 = Probably Not.....	1733	3.14
		4 = Definitely Not	12830	23.26
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP	40459	73.35

How old were you the first time you smoked part or all of a cigarette?

CIGTRY	Len : 3	AGE WHEN FIRST SMOKED A CIGARETTE		
			Freq	Pct
		RANGE = 1 - 62.....	26787	48.56
		985 = BAD DATA Logically assigned	217	0.39
		991 = NEVER USED CIGARETTES	28008	50.78
		994 = DON'T KNOW.....	116	0.21
		997 = REFUSED	32	0.06

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

CIGYFU	Len : 4	YEAR OF FIRST CIGARETTE USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	1880	3.41
		9985 = BAD DATA Logically assigned	272	0.49
		9989 = LEGITIMATE SKIP Logically assigned.....	113	0.20
		9991 = NEVER USED CIGARETTES.....	28008	50.78
		9994 = DON'T KNOW.....	117	0.21
		9997 = REFUSED	34	0.06
		9998 = BLANK (NO ANSWER).....	125	0.23
		9999 = LEGITIMATE SKIP	24611	44.62

TOBACCO

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

CIGMFU

Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January	142	0.26
2 = February	102	0.18
3 = March	135	0.24
4 = April	141	0.26
5 = May	120	0.22
6 = June	231	0.42
7 = July	195	0.35
8 = August	145	0.26
9 = September	127	0.23
10 = October	146	0.26
11 = November	123	0.22
12 = December	129	0.23
85 = BAD DATA Logically assigned	271	0.49
89 = LEGITIMATE SKIP Logically assigned	113	0.20
91 = NEVER USED CIGARETTES	28008	50.78
94 = DON'T KNOW	255	0.46
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	126	0.23
99 = LEGITIMATE SKIP	24611	44.62

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days - that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?

How long has it been since you last smoked part or all of a cigarette?

CIGREC

Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days	11942	21.65
2 = More than 30 days ago but within the past 12 mos	3064	5.55
3 = More than 12 months ago but within the past 3 yrs	2745	4.98
4 = More than 3 years ago	9040	16.39
8 = Used at some point in the past 12 mos LOG ASSN	8	0.01
9 = Used at some point in the lifetime LOG ASSN	5	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
14 = Used more than 12 months ago LOG ASSN	146	0.26
19 = Used more than 30 days ago LOG ASSN	85	0.15
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	114	0.21
39 = Used within the past 3 years LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED CIGARETTES	28008	50.78

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

CIG30USE

Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	11845	21.47
91 = NEVER USED CIGARETTES	28008	50.78
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
94 = DON'T KNOW	79	0.14
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	16	0.03

TOBACCO

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

CG30EST

Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days.....	12	0.02
2 = 3 to 5 days.....	13	0.02
3 = 6 to 9 days.....	13	0.02
4 = 10 to 19 days.....	14	0.03
5 = 20 to 29 days.....	13	0.02
6 = All 30 days.....	16	0.03
91 = NEVER USED CIGARETTES.....	28008	50.78
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	6	0.01
98 = BLANK (NO ANSWER).....	16	0.03
99 = LEGITIMATE SKIP.....	11845	21.47

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

CIG30AV

Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day.....	1368	2.48
2 = 1 cigarette per day.....	1472	2.67
3 = 2 to 5 cigarettes per day.....	3531	6.40
4 = 6 to 15 cigarettes per day (about 1/2 pack).....	3183	5.77
5 = 16 to 25 cigarettes per day (about 1 pack).....	1839	3.33
6 = 26 to 35 cigarettes per day (about 1 1/2 packs).....	373	0.68
7 = More than 35 cigs per day (abt 2 packs or more).....	150	0.27
91 = NEVER USED CIGARETTES.....	28008	50.78
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
94 = DON'T KNOW.....	8	0.01
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	26	0.05

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CIG30BR2

Len : 4 CIG BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
101 = Basic.....	116	0.21
102 = Benson & Hedges.....	29	0.05
104 = Camel.....	1590	2.88
105 = Capri.....	27	0.05
106 = Carlton.....	3	0.01
107 = Doral.....	28	0.05
109 = GPC.....	19	0.03
110 = Kent.....	6	0.01
111 = Kool.....	186	0.34
112 = Marlboro.....	5065	9.18
113 = Merit.....	10	0.02
114 = Misty.....	72	0.13
115 = Monarch.....	6	0.01
117 = More.....	4	0.01
118 = Newport.....	2239	4.06
119 = Pall Mall.....	471	0.85
120 = Parliament.....	101	0.18
121 = Private Label.....	5	0.01
122 = Salem.....	55	0.10
125 = Virginia Slims.....	51	0.09
126 = Winston.....	65	0.12
130 = Best Value.....	3	0.01
132 = Bugler (roll-your-own).....	38	0.07
137 = Eve.....	3	0.01
141 = L & M.....	186	0.34
142 = Lucky Strike.....	6	0.01
144 = Maverick.....	78	0.14
147 = Old Gold.....	11	0.02
148 = Players.....	3	0.01
149 = Pyramid.....	85	0.15
158 = Top (roll-your-own).....	90	0.16
161 = American Spirit.....	384	0.70
175 = Djarum cigarettes, Djarum Splash.....	10	0.02
176 = Drum rolling tobacco.....	6	0.01
179 = Eagle.....	5	0.01
404 = Black & Mild.....	25	0.05
419 = Phillies.....	3	0.01
423 = Swisher Sweets.....	9	0.02
492 = Prime Time Little Cigars.....	11	0.02
521 = Bacco pipe tobacco.....	5	0.01
522 = Sparrow pipe tobacco.....	4	0.01
525 = 1839 pipe tobacco.....	3	0.01
810 = Electronic/smokeless cigarette; otherwise unspcfd.....	7	0.01
814 = blu.....	8	0.01
815 = Real Deal.....	4	0.01
1001 = Nat Sherman cigarettes.....	7	0.01
1008 = Rave cigarettes.....	7	0.01
1018 = USA Gold.....	130	0.24
1020 = Waves.....	6	0.01
1029 = Tourney.....	3	0.01
1041 = Sonoma.....	52	0.09
1048 = Carnival.....	5	0.01
1064 = Seneca, cigarette company brand unspcfd.....	53	0.10
1069 = Zig-Zag (roll-your-own).....	3	0.01
1083 = Liggett Select.....	20	0.04
1086 = Smoker Friendly cigarettes.....	4	0.01
1089 = Grand Prix.....	8	0.01
1092 = Native.....	13	0.02
1139 = 305's cigarettes.....	31	0.06
1211 = Echo cigarettes.....	3	0.01
1221 = Cheyenne cigarettes.....	11	0.02
1227 = Gambler (roll-your-own).....	9	0.02
1268 = Decade.....	17	0.03
1276 = Fortuna.....	12	0.02
1283 = Rouseco Golden Harvest (roll-your-own).....	6	0.01
1287 = Wild Horse cigarettes.....	4	0.01
1296 = King Mountain.....	4	0.01
1314 = Premier (roll-your-own).....	6	0.01
1318 = Signal cigarettes.....	3	0.01
1326 = Exeter.....	6	0.01

TOBACCO

1329 = Smoker's Choice cigarettes.....	4	0.01
1335 = Good stuff (roll-your-own)	8	0.01
1359 = Timeless Time	9	0.02
1361 = Time	9	0.02
1376 = Crown	9	0.02
1998 = Roll-your-own cigarette; brand unspecified.....	25	0.05
1999 = Cigarette; brand otherwise unspecified	152	0.28
4287 = Dark Horse little cigars.....	3	0.01
4999 = Cigar/Cigarillo; brand otherwise unspecified.....	20	0.04
5999 = Pipe tobacco; brand otherwise unspecified	21	0.04
8999 = Tobacco replacement or tobacco-like product.....	3	0.01
9000 = Did not confirm after 3 passes thru brand Qs	1	0.00
9991 = NEVER USED CIGARETTES	28008	50.78
9993 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
9994 = DON'T KNOW.....	109	0.20
9997 = REFUSED	11	0.02
9998 = BLANK (NO ANSWER).....	16	0.03

NOTE: The variable CIG30TPE corresponds to the variable CIG30TYP that existed prior to 2005. The name was changed due to the addition of a new level in 2005 for "Mediums." For this reason, data from CIG30TPE may not be comparable with data from CIG30TYP in prior years.

During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TPE	Len : 2	WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS		
			Freq	Pct
		1 = Lights.....	4049	7.34
		2 = Ultra Lights	590	1.07
		3 = Mediums.....	1282	2.32
		4 = Full Flavor.....	5738	10.40
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	125	0.23
		97 = REFUSED	16	0.03
		98 = BLANK (NO ANSWER).....	158	0.29

NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.

Were the cigarettes you smoked during the past 30 days menthol?

CIG30MEN	Len : 2	MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS		
			Freq	Pct
		1 = Yes	5277	9.57
		2 = No.....	6472	11.73
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	158	0.29

What length were the Marlboro cigarettes you smoked most often during the past 30 days? Were they shorts, regulars (also known as king-sized), or 100s?

CIG30MLN	Len : 2	MARLBORO CIG SMOKED PAST 30 DAYS SHORT, REG, 100'S		
			Freq	Pct
		1 = Shorts.....	1915	3.47
		2 = Regulars or king-sized	1919	3.48
		3 = 100s	1199	2.17
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP	6756	12.25

TOBACCO

During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?

CIG30RO2	Len : 2	HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS		
			Freq	Pct
		1 = Yes	2111	3.83
		2 = No.....	9823	17.81
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	16	0.03

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

CIGDLYMO	Len : 2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS		
			Freq	Pct
		1 = Yes	7462	13.53
		2 = No.....	13524	24.52
		5 = Yes LOGICALLY ASSIGNED (from skip pattern)	6157	11.16
		91 = NEVER USED CIGARETTES	28008	50.78
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED	3	0.01

How old were you when you first started smoking cigarettes every day?

CIGAGE	Len : 3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
			Freq	Pct
		RANGE = 1 - 62.....	13528	24.53
		985 = BAD DATA Logically assigned	8	0.01
		991 = NEVER USED CIGARETTES	28008	50.78
		994 = DON'T KNOW.....	72	0.13
		997 = REFUSED	14	0.03
		998 = BLANK (NO ANSWER).....	6	0.01
		999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	13524	24.52

Did you first start smoking cigarettes every day in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

CIGDLYFU	Len : 4	YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	690	1.25
		9985 = BAD DATA Logically assigned	35	0.06
		9989 = LEGITIMATE SKIP Logically assigned.....	65	0.12
		9991 = NEVER USED CIGARETTES	28008	50.78
		9994 = DON'T KNOW.....	75	0.14
		9997 = REFUSED	14	0.03
		9998 = BLANK (NO ANSWER).....	9	0.02
		9999 = LEGITIMATE SKIP	26264	47.61

TOBACCO

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

CIGDLMFU	Len : 2	MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE		
			Freq	Pct
		1 = January.....	70	0.13
		2 = February.....	58	0.11
		3 = March.....	59	0.11
		4 = April.....	39	0.07
		5 = May.....	55	0.10
		6 = June.....	77	0.14
		7 = July.....	45	0.08
		8 = August.....	56	0.10
		9 = September.....	71	0.13
		10 = October.....	40	0.07
		11 = November.....	46	0.08
		12 = December.....	31	0.06
		85 = BAD DATA Logically assigned.....	36	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	65	0.12
		91 = NEVER USED CIGARETTES.....	28008	50.78
		94 = DON'T KNOW.....	116	0.21
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	26264	47.61

Have you smoked at least 100 cigarettes in your entire life?

CIG100LF	Len : 2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE		
			Freq	Pct
		1 = Yes.....	9933	18.01
		2 = No.....	11959	21.68
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	5181	9.39
		91 = NEVER USED CIGARETTES.....	28008	50.78
		94 = DON'T KNOW.....	71	0.13
		97 = REFUSED.....	5	0.01

These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.

Have you ever used snuff, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

SNFEVER	Len : 2	EVER USED SNUFF		
			Freq	Pct
		1 = Yes.....	7382	13.38
		2 = No.....	47753	86.57
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	1	0.00

How old were you the first time you used snuff?

SNUFTRY	Len : 3	AGE WHEN FIRST USED SNUFF		
			Freq	Pct
		RANGE = 1 - 60.....	7209	13.07
		985 = BAD DATA Logically assigned.....	103	0.19
		991 = NEVER USED SNUFF.....	47753	86.57
		994 = DON'T KNOW.....	57	0.10
		997 = REFUSED.....	14	0.03
		998 = BLANK (NO ANSWER).....	24	0.04

TOBACCO

Did you first use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use snuff?

SNUFYFU	Len : 4 YEAR OF FIRST SNUFF USE - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	835	1.51
	9985 = BAD DATA Logically assigned	107	0.19
	9989 = LEGITIMATE SKIP Logically assigned.....	53	0.10
	9991 = NEVER USED SNUFF.....	47753	86.57
	9994 = DON'T KNOW.....	58	0.11
	9997 = REFUSED	14	0.03
	9998 = BLANK (NO ANSWER).....	82	0.15
	9999 = LEGITIMATE SKIP	6258	11.35

In what month in [CURRENT YEAR] did you first use snuff?

In what month in [YEAR FROM CG26a or CG26b] did you first use snuff?

SNUFMFU	Len : 2 MONTH OF FIRST SNUFF USE - RECODE		
		Freq	Pct
	1 = January.....	67	0.12
	2 = February	40	0.07
	3 = March	68	0.12
	4 = April	54	0.10
	5 = May	51	0.09
	6 = June	100	0.18
	7 = July.....	98	0.18
	8 = August	60	0.11
	9 = September	48	0.09
	10 = October.....	93	0.17
	11 = November	60	0.11
	12 = December	45	0.08
	85 = BAD DATA Logically assigned	107	0.19
	89 = LEGITIMATE SKIP Logically assigned.....	53	0.10
	91 = NEVER USED SNUFF	47753	86.57
	94 = DON'T KNOW	109	0.20
	97 = REFUSED	14	0.03
	98 = BLANK (NO ANSWER).....	82	0.15
	99 = LEGITIMATE SKIP	6258	11.35

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?

How long has it been since you last used snuff?

SNFREC	Len : 2 TIME SINCE LAST USED SNUFF		
		Freq	Pct
	1 = Within the past 30 days.....	1875	3.40
	2 = More than 30 days ago but within the past 12 mos	966	1.75
	3 = More than 12 months ago but within the past 3 yrs	1081	1.96
	4 = More than 3 years ago	3304	5.99
	8 = Used at some point in the past 12 mos LOG ASSN	5	0.01
	9 = Used at some point in the lifetime LOG ASSN	4	0.01
	11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
	14 = Used more than 12 months ago LOG ASSN	66	0.12
	19 = Used more than 30 days ago LOG ASSN	41	0.07
	29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	38	0.07
	39 = Used within the past 3 years LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED SNUFF	47753	86.57
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	24	0.04

TOBACCO

During the past 30 days, that is since [DATEFILL], on how many days did you use snuff?

SNF30USE	Len : 2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
		RANGE = 1 - 30.....	Freq	Pct
		91 = NEVER USED SNUFF.....	1866	3.38
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	47753	86.57
		94 = DON'T KNOW.....	5496	9.96
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	2	0.00
			35	0.06

What is your best estimate of the number of days you used snuff during the past 30 days?

SN30EST	Len : 2	BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
		1 = 1 or 2 days.....	Freq	Pct
		2 = 3 to 5 days.....	1	0.00
		3 = 6 to 9 days.....	3	0.01
		4 = 10 to 19 days.....	1	0.00
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	1	0.00
		91 = NEVER USED SNUFF.....	47753	86.57
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	5496	9.96
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	35	0.06
		99 = LEGITIMATE SKIP.....	1866	3.38

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SNF30BR2	Len : 4	SNUFF BRAND USED MOST OFTEN PAST MO - RECODE		
		301 = Copenhagen.....	Freq	Pct
		303 = Happy Days.....	684	1.24
		304 = Hawken.....	3	0.01
		305 = Kodiak.....	7	0.01
		307 = Silver Creek.....	37	0.07
		308 = Skoal.....	5	0.01
		309 = Timber Wolf.....	303	0.55
		312 = Cougar.....	28	0.05
		316 = Red Seal.....	4	0.01
		320 = Tube Rose.....	47	0.09
		326 = Kayak.....	3	0.01
		332 = Grizzly.....	6	0.01
		338 = Longhorn.....	599	1.09
		341 = Husky.....	21	0.04
		349 = Camel Snus.....	6	0.01
		351 = Red Man snuff.....	42	0.08
		355 = Marlboro snus.....	10	0.02
		363 = Stoker's snuff.....	5	0.01
		1999 = Cigarette; brand otherwise unspecified.....	19	0.03
		2999 = Chewing tobacco; brand otherwise unspecified.....	1	0.00
		3999 = Snuff; brand otherwise unspecified.....	5	0.01
		4999 = Cigar/Cigarillo; brand otherwise unspecified.....	27	0.05
		9991 = NEVER USED SNUFF.....	1	0.00
		9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	47753	86.57
		9994 = DON'T KNOW.....	5496	9.96
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	2	0.00
			35	0.06

TOBACCO

The next questions are only about chewing tobacco.

Chewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.

Have you ever used chewing tobacco, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CHEWEVER	Len : 2	EVER USED CHEW EVEN ONCE		
			Freq	Pct
		1 = Yes	5873	10.65
		2 = No.....	49278	89.34
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	2	0.00

How old were you the first time you used chewing tobacco?

CHEWTRY	Len : 3	AGE WHEN FIRST USED CHEW		
			Freq	Pct
		RANGE = 1 - 68.....	5754	10.43
		985 = BAD DATA Logically assigned	66	0.12
		991 = NEVER USED CHEWING TOBACCO	49278	89.34
		994 = DON'T KNOW.....	46	0.08
		997 = REFUSED	9	0.02
		998 = BLANK (NO ANSWER).....	7	0.01

Did you first use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use chewing tobacco?

CHEWYFU	Len : 4	YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	525	0.95
		9985 = BAD DATA Logically assigned	84	0.15
		9989 = LEGITIMATE SKIP Logically assigned.....	26	0.05
		9991 = NEVER USED CHEWING TOBACCO	49278	89.34
		9994 = DON'T KNOW.....	50	0.09
		9997 = REFUSED	9	0.02
		9998 = BLANK (NO ANSWER).....	41	0.07
		9999 = LEGITIMATE SKIP	5147	9.33

TOBACCO

In what month in [CURRENT YEAR] did you first use chewing tobacco?

In what month in [YEAR FROM CG18a or CG18b] did you first use chewing tobacco?

CHEWMFU Len : 2 MONTH OF FIRST CHEWING TOBACCO USE - RECODE				
			Freq	Pct
1 = January.....			45	0.08
2 = February.....			27	0.05
3 = March.....			49	0.09
4 = April.....			37	0.07
5 = May.....			41	0.07
6 = June.....			61	0.11
7 = July.....			56	0.10
8 = August.....			37	0.07
9 = September.....			32	0.06
10 = October.....			54	0.10
11 = November.....			23	0.04
12 = December.....			33	0.06
85 = BAD DATA Logically assigned.....			83	0.15
89 = LEGITIMATE SKIP Logically assigned.....			26	0.05
91 = NEVER USED CHEWING TOBACCO.....			49278	89.34
94 = DON'T KNOW.....			80	0.15
97 = REFUSED.....			9	0.02
98 = BLANK (NO ANSWER).....			42	0.08
99 = LEGITIMATE SKIP.....			5147	9.33

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?

How long has it been since you last used chewing tobacco?

CHEWREC Len : 2 TIME SINCE LAST USED CHEWING TOBACCO				
			Freq	Pct
1 = Within the past 30 days.....			907	1.64
2 = More than 30 days ago but within the past 12 mos.....			753	1.37
3 = More than 12 months ago but within the past 3 yrs.....			908	1.65
4 = More than 3 years ago.....			3194	5.79
8 = Used at some point in the past 12 mos LOG ASSN.....			1	0.00
9 = Used at some point in the lifetime LOG ASSN.....			4	0.01
14 = Used more than 12 months ago LOG ASSN.....			41	0.07
19 = Used more than 30 days ago LOG ASSN.....			29	0.05
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN.....			35	0.06
39 = Used within the past 3 years LOGICALLY ASSIGNED.....			1	0.00
91 = NEVER USED CHEWING TOBACCO.....			49278	89.34
97 = REFUSED.....			2	0.00
98 = BLANK (NO ANSWER).....			7	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you use chewing tobacco?

CHW30USE Len : 2 HOW MANY DAYS USED CHEW IN PAST 30 DAYS				
			Freq	Pct
RANGE = 1 - 30.....			894	1.62
91 = NEVER USED CHEWING TOBACCO.....			49278	89.34
93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS.....			4960	8.99
94 = DON'T KNOW.....			11	0.02
97 = REFUSED.....			4	0.01
98 = BLANK (NO ANSWER).....			13	0.02

TOBACCO

What is your best estimate of the number of days you used chewing tobacco during the past 30 days?

CH30EST	Len : 2	PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
			Freq	Pct
		1 = 1 or 2 days.....	4	0.01
		2 = 3 to 5 days.....	3	0.01
		3 = 6 to 9 days.....	2	0.00
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	2	0.00
		91 = NEVER USED CHEWING TOBACCO.....	49278	89.34
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS.....	4960	8.99
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	894	1.62

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CHW30BR2	Len : 4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
			Freq	Pct
		201 = Beech-Nut.....	86	0.16
		202 = Chattanooga Chew.....	17	0.03
		203 = Day's Work.....	9	0.02
		204 = Granger.....	8	0.01
		205 = H.B. Scott.....	4	0.01
		206 = Levi Garrett.....	105	0.19
		207 = Red Fox.....	17	0.03
		208 = Red Man chewing tobacco.....	298	0.54
		209 = Taylor's Pride.....	5	0.01
		211 = Work Horse.....	5	0.01
		216 = Blackbull.....	6	0.01
		230 = Stoker chewing tobacco.....	10	0.02
		241 = Tennessee Chew.....	3	0.01
		248 = Star chewing tobacco.....	3	0.01
		301 = Copenhagen.....	83	0.15
		305 = Kodiak.....	4	0.01
		308 = Skoal.....	55	0.10
		309 = Timber Wolf.....	3	0.01
		332 = Grizzly.....	88	0.16
		338 = Longhorn.....	3	0.01
		341 = Husky.....	3	0.01
		349 = Camel Snus.....	23	0.04
		355 = Marlboro snus.....	3	0.01
		2999 = Chewing tobacco; brand otherwise unspecified.....	43	0.08
		3999 = Snuff; brand otherwise unspecified.....	5	0.01
		7999 = Not a tobacco product.....	1	0.00
		9991 = NEVER USED CHEWING TOBACCO.....	49278	89.34
		9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS.....	4960	8.99
		9994 = DON'T KNOW.....	15	0.03
		9997 = REFUSED.....	4	0.01
		9998 = BLANK (NO ANSWER).....	13	0.02

NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWYFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.

SLTTRY	Len : 3	AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE		
			Freq	Pct
		RANGE = 1 - 68.....	8701	15.77
		985 = BAD DATA Logically assigned.....	15	0.03
		991 = NEVER USED SMOKELESS TOBACCO.....	46184	83.73
		994 = DON'T KNOW.....	74	0.13
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	167	0.30

TOBACCO

SLTYFU

Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013	927	1.68
9985 = BAD DATA Logically assigned	91	0.16
9989 = LEGITIMATE SKIP Logically assigned	52	0.09
9991 = NEVER USED SMOKELESS TOBACCO	46184	83.73
9994 = DON'T KNOW	77	0.14
9997 = REFUSED	19	0.03
9998 = BLANK (NO ANSWER)	175	0.32
9999 = LEGITIMATE SKIP	7635	13.84

SLTMFU

Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January	63	0.11
2 = February	47	0.09
3 = March	77	0.14
4 = April	64	0.12
5 = May	62	0.11
6 = June	117	0.21
7 = July	106	0.19
8 = August	71	0.13
9 = September	54	0.10
10 = October	107	0.19
11 = November	57	0.10
12 = December	52	0.09
85 = BAD DATA Logically assigned	91	0.16
89 = LEGITIMATE SKIP Logically assigned	52	0.09
91 = NEVER USED SMOKELESS TOBACCO	46184	83.73
94 = DON'T KNOW	117	0.21
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	185	0.34
99 = LEGITIMATE SKIP	7635	13.84

SLTREC

Len : 2 TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE

	Freq	Pct
1 = Within the past 30 days	2189	3.97
2 = More than 30 days ago but within the past 12 mos	1121	2.03
3 = More than 12 months ago but within the past 3 yrs	1255	2.28
4 = More than 3 years ago	4170	7.56
8 = Used at some point in the past 12 mos LOG ASSN	5	0.01
9 = Used at some point in the lifetime LOG ASSN	9	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
14 = Used more than 12 months ago LOG ASSN	82	0.15
19 = Used more than 30 days ago LOG ASSN	54	0.10
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	61	0.11
39 = Used within the past 3 years LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED SMOKELESS TOBACCO	46184	83.73
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	26	0.05

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SLT30BR2	Len : 4	SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE		
			Freq	Pct
		201 = Beech-Nut.....	31	0.06
		202 = Chattanooga Chew	6	0.01
		203 = Day's Work	4	0.01
		205 = H.B. Scott	3	0.01
		206 = Levi Garrett.....	43	0.08
		207 = Red Fox.....	6	0.01
		208 = Red Man chewing tobacco.....	89	0.16
		216 = Blackbull	6	0.01
		230 = Stoker chewing tobacco.....	9	0.02
		248 = Star chewing tobacco.....	3	0.01
		255 = Iqmik.....	3	0.01
		301 = Copenhagen	686	1.24
		303 = Happy Days	3	0.01
		304 = Hawken.....	7	0.01
		305 = Kodiak	39	0.07
		307 = Silver Creek.....	5	0.01
		308 = Skoal	327	0.59
		309 = Timber Wolf	26	0.05
		312 = Cougar.....	3	0.01
		316 = Red Seal.....	45	0.08
		320 = Tube Rose.....	3	0.01
		326 = Kayak	5	0.01
		332 = Grizzly	632	1.15
		338 = Longhorn	24	0.04
		341 = Husky	8	0.01
		349 = Camel Snus.....	59	0.11
		351 = Red Man snuff	4	0.01
		355 = Marlboro snus.....	8	0.01
		363 = Stoker's snuff.....	16	0.03
		1999 = Cigarette; brand otherwise unspecified	1	0.00
		2999 = Chewing tobacco; brand otherwise unspecified.....	32	0.06
		3999 = Snuff; brand otherwise unspecified	24	0.04
		4999 = Cigar/Cigarillo; brand otherwise unspecified.....	1	0.00
		9991 = NEVER USED SMOKELESS TOBACCO	46184	83.73
		9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	6743	12.22
		9994 = DON'T KNOW.....	17	0.03
		9997 = REFUSED	4	0.01
		9998 = BLANK (NO ANSWER).....	51	0.09

The computer recorded that the chewing tobacco you used most often during the past 30 days was [CG22/RCG22/RRCG22 FILL] and that the snuff you used most often during the past 30 days was [CG30/RCG30/RRCG30 FILL]. Which of these two brands did you use most often during the past 30 days?

SLT30FAV	Len : 2	WHICH BRAND CHEW OR SNUFF USED MOST		
			Freq	Pct
		1 = Brand reported from CHW30BR2.....	443	0.80
		2 = Brand reported from SNF30BR2.....	1737	3.15
		91 = NEVER USED SMOKELESS TOBACCO	46184	83.73
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.....	6743	12.22
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	51	0.09

The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.

Have you ever smoked part or all of any type of cigar?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

CIGAREVR	Len : 2	EVER SMOKED PART OR ALL OF CIGAR		
			Freq	Pct
		1 = Yes	15807	28.66
		2 = No.....	39345	71.33
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	1	0.00

TOBACCO

How old were you the first time you smoked part or all of any type of cigar?

CIGARTRY	Len : 3	AGE WHEN FIRST SMOKED CIGAR		
		RANGE = 1 - 66.....	Freq	Pct
		985 = BAD DATA Logically assigned.....	15494	28.09
		991 = NEVER USED CIGARS.....	153	0.28
		994 = DON'T KNOW.....	39345	71.33
		997 = REFUSED.....	152	0.28
		998 = BLANK (NO ANSWER).....	9	0.02
			7	0.01

Did you first smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

CIGARYFU	Len : 4	YEAR OF FIRST CIGAR USE - RECODE		
		RANGE = 2011 - 2013.....	Freq	Pct
		9985 = BAD DATA Logically assigned.....	1964	3.56
		9989 = LEGITIMATE SKIP Logically assigned.....	218	0.40
		9991 = NEVER USED CIGARS.....	97	0.18
		9994 = DON'T KNOW.....	39345	71.33
		9997 = REFUSED.....	157	0.28
		9998 = BLANK (NO ANSWER).....	10	0.02
		9999 = LEGITIMATE SKIP.....	88	0.16
			13281	24.08

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar?

CIGARMFU	Len : 2	MONTH OF FIRST CIGAR USE - RECODE		
		1 = January.....	Freq	Pct
		2 = February.....	145	0.26
		3 = March.....	100	0.18
		4 = April.....	135	0.24
		5 = May.....	124	0.22
		6 = June.....	151	0.27
		7 = July.....	254	0.46
		8 = August.....	257	0.47
		9 = September.....	161	0.29
		10 = October.....	143	0.26
		11 = November.....	127	0.23
		12 = December.....	119	0.22
		85 = BAD DATA Logically assigned.....	129	0.23
		89 = LEGITIMATE SKIP Logically assigned.....	215	0.39
		91 = NEVER USED CIGARS.....	97	0.18
		94 = DON'T KNOW.....	39345	71.33
		97 = REFUSED.....	270	0.49
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	91	0.16
			13281	24.08

TOBACCO

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

How long has it been since you last smoked part or all of any type of cigar?

CIGARREC	Len : 2	TIME SINCE LAST SMOKED CIGAR		
			Freq	Pct
		1 = Within the past 30 days.....	3113	5.64
		2 = More than 30 days ago but within the past 12 mos	3360	6.09
		3 = More than 12 months ago but within the past 3 yrs	3299	5.98
		4 = More than 3 years ago	5779	10.48
		8 = Used at some point in the past 12 mos LOG ASSN	5	0.01
		9 = Used at some point in the lifetime LOG ASSN	3	0.01
		11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
		14 = Used more than 12 months ago LOG ASSN	97	0.18
		19 = Used more than 30 days ago LOG ASSN	56	0.10
		29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	92	0.17
		39 = Used within the past 3 years LOGICALLY ASSIGNED	1	0.00
		91 = NEVER USED CIGARS.....	39345	71.33
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER).....	7	0.01

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?

CGR30USE	Len : 2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
			Freq	Pct
		RANGE = 1 - 30.....	3079	5.58
		91 = NEVER USED CIGARS.....	39345	71.33
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12683	22.99
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	18	0.03

What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?

CI30EST	Len : 2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
			Freq	Pct
		1 = 1 or 2 days.....	11	0.02
		2 = 3 to 5 days	7	0.01
		3 = 6 to 9 days	4	0.01
		4 = 10 to 19 days	2	0.00
		5 = 20 to 29 days	3	0.01
		6 = All 30 days	2	0.00
		91 = NEVER USED CIGARS.....	39345	71.33
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12683	22.99
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP	3079	5.58

TOBACCO

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

CGR30BR2

Len : 4 CIGAR BRAND USED MOST OFTEN PAST MO - RECODE

	Freq	Pct
104 = Camel	4	0.01
112 = Marlboro	15	0.03
118 = Newport	3	0.01
401 = Antonio y Cleopatra	10	0.02
402 = Backwoods	85	0.15
404 = Black & Mild	1008	1.83
405 = Captain Black	8	0.01
407 = Cuesta-Rey	3	0.01
408 = Dutch Masters	117	0.21
409 = El Producto	3	0.01
411 = Garcia y Vega	41	0.07
412 = Havatampa	8	0.01
413 = King Edward	14	0.03
414 = La Corona	10	0.02
416 = Macanudos	34	0.06
418 = Partagas	6	0.01
419 = Phillies	70	0.13
423 = Swisher Sweets	572	1.04
426 = White Owl	176	0.32
428 = Winchester	12	0.02
429 = Al Capone	71	0.13
431 = Arturo Fuente	39	0.07
432 = Ashton	7	0.01
437 = Blackstone	11	0.02
443 = Cohiba cigars	64	0.12
448 = Cuban cigars; brand unspecified	16	0.03
449 = Cubana; brand unspecified	3	0.01
451 = Davidoff cigars	3	0.01
465 = Habana/Havana cigars; brand unspecified	5	0.01
486 = Montecristo	34	0.06
492 = Prime Time Little Cigars	17	0.03
494 = Punch	13	0.02
496 = Romeo y Julieta	71	0.13
1999 = Cigarette; brand otherwise unspecified	6	0.01
4005 = Thompson	4	0.01
4016 = Dominican cigars; brand unspecified	3	0.01
4054 = Acid	28	0.05
4064 = Djarum cigarillos	16	0.03
4083 = C.A.O.	5	0.01
4175 = Perdomo	4	0.01
4192 = Smoker's Choice little cigars	6	0.01
4207 = Racer little cigars	3	0.01
4237 = Rocky Patels	6	0.01
4245 = Oliva O	5	0.01
4265 = Cheyenne little cigars	18	0.03
4328 = Remington little cigars	3	0.01
4347 = Game	8	0.01
4361 = Good Times	4	0.01
4366 = Wrangler little cigars	3	0.01
4367 = Clipper little cigars	3	0.01
4391 = Zig Zag cigarillos	5	0.01
4419 = Room101 305s	5	0.01
4458 = 305's cigars	3	0.01
4465 = Tatuaje	3	0.01
4999 = Cigar/Cigarillo; brand otherwise unspecified	259	0.47
9991 = NEVER USED CIGARS	39345	71.33
9993 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12683	22.99
9994 = DON'T KNOW	144	0.26
9997 = REFUSED	17	0.03
9998 = BLANK (NO ANSWER)	18	0.03

TOBACCO

These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

PIPEVER	Len : 2	EVER SMOKED PIPE TOBACCO		
			Freq	Pct
		1 = Yes	4622	8.38
		2 = No.....	50525	91.60
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	2	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

PIPE30DY	Len : 2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
			Freq	Pct
		1 = Yes	652	1.18
		2 = No.....	3970	7.20
		91 = NEVER USED PIPE TOBACCO	50525	91.60
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	11	0.02

ALCOHOL

ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink. Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

ALCEVER

Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes	38137	69.14
2 = No.....	17005	30.83
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW.....	8	0.01
97 = REFUSED	8	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

ALCTRY

Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 75.....	37572	68.11
985 = BAD DATA Logically assigned	133	0.24
991 = NEVER USED ALCOHOL.....	17005	30.83
994 = DON'T KNOW.....	339	0.61
997 = REFUSED	103	0.19
998 = BLANK (NO ANSWER).....	8	0.01

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

ALCYFU

Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013	4192	7.60
9985 = BAD DATA Logically assigned	381	0.69
9989 = LEGITIMATE SKIP Logically assigned.....	200	0.36
9991 = NEVER USED ALCOHOL.....	17005	30.83
9994 = DON'T KNOW.....	344	0.62
9997 = REFUSED	105	0.19
9998 = BLANK (NO ANSWER).....	14	0.03
9999 = LEGITIMATE SKIP	32919	59.68

ALCOHOL

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

ALCMFU	Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE		
		Freq	Pct
	1 = January.....	483	0.88
	2 = February.....	207	0.38
	3 = March.....	244	0.44
	4 = April.....	230	0.42
	5 = May.....	274	0.50
	6 = June.....	519	0.94
	7 = July.....	536	0.97
	8 = August.....	290	0.53
	9 = September.....	242	0.44
	10 = October.....	257	0.47
	11 = November.....	251	0.46
	12 = December.....	427	0.77
	85 = BAD DATA Logically assigned.....	377	0.68
	89 = LEGITIMATE SKIP Logically assigned.....	200	0.36
	91 = NEVER USED ALCOHOL.....	17005	30.83
	94 = DON'T KNOW.....	567	1.03
	97 = REFUSED.....	114	0.21
	98 = BLANK (NO ANSWER).....	18	0.03
	99 = LEGITIMATE SKIP.....	32919	59.68

How long has it been since you last drank an alcoholic beverage?

ALCREC	Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		Freq	Pct
	1 = Within the past 30 days.....	23712	42.99
	2 = More than 30 days ago but within the past 12 mos.....	8212	14.89
	3 = More than 12 months ago.....	5528	10.02
	8 = Used at some point in the past 12 mos LOG ASSN.....	340	0.62
	9 = Used at some point in the lifetime LOG ASSN.....	335	0.61
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.02
	85 = BAD DATA Logically assigned.....	2	0.00
	91 = NEVER USED ALCOHOL.....	17005	30.83
	97 = REFUSED.....	8	0.01
	98 = BLANK (NO ANSWER).....	8	0.01

ALCYRTOT	Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 365.....	31890	57.81
	985 = BAD DATA Logically assigned.....	120	0.22
	991 = NEVER USED ALCOHOL.....	17005	30.83
	993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	5528	10.02
	994 = DON'T KNOW.....	205	0.37
	997 = REFUSED.....	69	0.13
	998 = BLANK (NO ANSWER).....	343	0.62

ALTOTFG	Len : 2 TRIMMING INDICATOR FOR ALCYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	5	0.01
	2 = Trimmed relative to the 30-day freq.....	283	0.51
	3 = Trimmed relative to estimated 30-day freq.....	2	0.00
	98 = BLANK (NO ANSWER).....	54870	99.47

ALFQFLG	Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	809	1.47
	98 = BLANK (NO ANSWER).....	54351	98.53

ALCOHOL

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

ALBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
			Freq	Pct
		1 = Prefer to answer in days per week	10531	19.09
		2 = Prefer to answer in days per month	11633	21.09
		3 = Prefer to answer in days per year	9422	17.08
		11 = Prefer to ans in days per wk LOG ASSN.....	37	0.07
		12 = Prefer to ans in days per mo LOG ASSN.....	78	0.14
		13 = Prefer to ans in days per yr LOG ASSN.....	352	0.64
		85 = BAD DATA Logically assigned.....	116	0.21
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	5528	10.02
		94 = DON'T KNOW.....	71	0.13
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER).....	343	0.62

On how many days in the past 12 months did you drink an alcoholic beverage?

ALDAYPYR	Len : 3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 365.....	9738	17.65
		985 = BAD DATA Logically assigned.....	68	0.12
		989 = LEGITIMATE SKIP Logically assigned.....	139	0.25
		991 = NEVER USED ALCOHOL.....	17005	30.83
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	5528	10.02
		994 = DON'T KNOW.....	105	0.19
		997 = REFUSED	40	0.07
		998 = BLANK (NO ANSWER).....	397	0.72
		999 = LEGITIMATE SKIP	22140	40.14

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

ALDAYPMO	Len : 2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 31.....	11651	21.12
		85 = BAD DATA Logically assigned.....	27	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	38	0.07
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	5528	10.02
		94 = DON'T KNOW.....	147	0.27
		97 = REFUSED	56	0.10
		98 = BLANK (NO ANSWER).....	440	0.80
		99 = LEGITIMATE SKIP	20268	36.74

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

ALDAYPWK	Len : 2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 7.....	10501	19.04
		85 = BAD DATA Logically assigned.....	26	0.05
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	5528	10.02
		94 = DON'T KNOW.....	199	0.36
		97 = REFUSED	68	0.12
		98 = BLANK (NO ANSWER).....	444	0.80
		99 = LEGITIMATE SKIP	21389	38.78

ALCOHOL

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

ALCDAYS	Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	23392	42.41
	85 = BAD DATA Logically assigned	462	0.84
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	115	0.21
	97 = REFUSED	45	0.08
	98 = BLANK (NO ANSWER).....	401	0.73

What is your best estimate of the number of days you drank alcohol during the past 30 days?

AL30EST	Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
		Freq	Pct
	1 = 1 or 2 days.....	57	0.10
	2 = 3 to 5 days.....	42	0.08
	3 = 6 to 9 days.....	21	0.04
	4 = 10 to 19 days	17	0.03
	5 = 20 to 29 days	5	0.01
	6 = All 30 days.....	2	0.00
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	15	0.03
	98 = BLANK (NO ANSWER).....	868	1.57
	99 = LEGITIMATE SKIP	23377	42.38

ALDYSFG	Len : 2 REVISION INDICATOR FOR ALCDAYS		
		Freq	Pct
	1 = Edited for consistency with ALCYRTOT or DR5DAY.....	19	0.03
	98 = BLANK (NO ANSWER).....	55141	99.97

On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

NODR30A	Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 87.....	22427	40.66
	975 = AT LEAST 5 Logically assigned	962	1.74
	985 = BAD DATA Logically assigned	221	0.40
	991 = NEVER USED ALCOHOL.....	17005	30.83
	993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	994 = DON'T KNOW.....	77	0.14
	997 = REFUSED	37	0.07
	998 = BLANK (NO ANSWER).....	691	1.25

During the past 30 days, that is since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

DR5DAY	Len : 2 # DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		Freq	Pct
	RANGE = 0 - 30.....	23176	42.02
	80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	49	0.09
	85 = BAD DATA Logically assigned	221	0.40
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	200	0.36
	97 = REFUSED	78	0.14
	98 = BLANK (NO ANSWER).....	691	1.25

MARIJUANA

MARIJUANA

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.

Have you ever, even once, used marijuana or hashish?

MJEVER	Len : 2	EVER USED MARIJUANA/HASHISH		
			Freq	Pct
		1 = Yes	22162	40.18
		2 = No.....	32966	59.76
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	21	0.04

How old were you the first time you used marijuana or hashish?

MJAGE	Len : 3	AGE WHEN FIRST USED MARIJUANA/HASHISH		
			Freq	Pct
		RANGE = 1 - 75.....	21979	39.85
		985 = BAD DATA Logically assigned	71	0.13
		991 = NEVER USED MARIJUANA	32966	59.76
		994 = DON'T KNOW.....	85	0.15
		997 = REFUSED	48	0.09
		998 = BLANK (NO ANSWER).....	11	0.02

Did you first use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

MJYFU	Len : 4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	2165	3.92
		9985 = BAD DATA Logically assigned	214	0.39
		9989 = LEGITIMATE SKIP Logically assigned.....	123	0.22
		9991 = NEVER USED MARIJUANA	32966	59.76
		9994 = DON'T KNOW.....	94	0.17
		9997 = REFUSED	51	0.09
		9998 = BLANK (NO ANSWER).....	12	0.02
		9999 = LEGITIMATE SKIP	19535	35.42

In what month in [CURRENT YEAR] did you first use marijuana or hashish?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or hashish?

MJMFU	Len : 2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		
			Freq	Pct
		1 = January.....	182	0.33
		2 = February	141	0.26
		3 = March	146	0.26
		4 = April	203	0.37
		5 = May	155	0.28
		6 = June	264	0.48
		7 = July	214	0.39
		8 = August	187	0.34
		9 = September.....	142	0.26
		10 = October.....	151	0.27
		11 = November.....	112	0.20
		12 = December.....	141	0.26
		85 = BAD DATA Logically assigned	213	0.39
		89 = LEGITIMATE SKIP Logically assigned.....	123	0.22
		91 = NEVER USED MARIJUANA	32966	59.76
		94 = DON'T KNOW.....	211	0.38
		97 = REFUSED	61	0.11
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP	19535	35.42

MARIJUANA

How long has it been since you last used marijuana or hashish?

MJREC	Len : 2	TIME SINCE LAST USED MARIJUANA/HASHISH		
			Freq	Pct
		1 = Within the past 30 days.....	5956	10.80
		2 = More than 30 days ago but within the past 12 mos	4092	7.42
		3 = More than 12 months ago	11710	21.23
		8 = Used at some point in the past 12 mos LOG ASSN	195	0.35
		9 = Used at some point in the lifetime LOG ASSN	201	0.36
		11 = Used in the past 30 days LOGICALLY ASSIGNED	8	0.01
		91 = NEVER USED MARIJUANA	32966	59.76
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	11	0.02

MJYRTOT	Len : 3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 365.....	10026	18.18
		985 = BAD DATA Logically assigned	120	0.22
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		994 = DON'T KNOW.....	70	0.13
		997 = REFUSED	56	0.10
		998 = BLANK (NO ANSWER).....	212	0.38

MRTOTFG	Len : 2	TRIMMING INDICATOR FOR MJYRTOT		
			Freq	Pct
		1 = Trimmed to 365 days (no further editing).....	7	0.01
		2 = Trimmed relative to the 30-day freq.....	293	0.53
		3 = Trimmed relative to estimated 30-day freq	3	0.01
		98 = BLANK (NO ANSWER).....	54857	99.45

MJFQFLG	Len : 2	TRIMMED MJYRTOT IF R USED < 12 MOS		
			Freq	Pct
		1 = Trimmed to be consistent with mo/yr of 1st use.....	438	0.79
		98 = BLANK (NO ANSWER).....	54722	99.21

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

MRBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
			Freq	Pct
		1 = Prefer to answer in days per week	3703	6.71
		2 = Prefer to answer in days per month	2541	4.61
		3 = Prefer to answer in days per year	3744	6.79
		11 = Prefer to ans in days per wk LOG ASSN.....	10	0.02
		12 = Prefer to ans in days per mo LOG ASSN	18	0.03
		13 = Prefer to ans in days per yr LOG ASSN	70	0.13
		85 = BAD DATA Logically assigned	120	0.22
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED	39	0.07
		98 = BLANK (NO ANSWER).....	212	0.38

MARIJUANA

On how many days in the past 12 months did you use marijuana or hashish?

MRDAYPYR	Len : 3 # DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
	RANGE = 1 - 366.....	Freq	Pct
	985 = BAD DATA Logically assigned	3805	6.90
	989 = LEGITIMATE SKIP Logically assigned.....	13	0.02
	991 = NEVER USED MARIJUANA	39	0.07
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	994 = DON'T KNOW.....	11710	21.23
	997 = REFUSED	39	0.07
	998 = BLANK (NO ANSWER).....	36	0.07
	999 = LEGITIMATE SKIP	319	0.58
		6233	11.30

On average, how many days did you use marijuana or hashish each month during the past 12 months?

MRDAYPMO	Len : 2 # DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE = 1 - 31.....	Freq	Pct
	85 = BAD DATA Logically assigned	2537	4.60
	89 = LEGITIMATE SKIP Logically assigned.....	25	0.05
	91 = NEVER USED MARIJUANA	12	0.02
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	94 = DON'T KNOW.....	11710	21.23
	97 = REFUSED	51	0.09
	98 = BLANK (NO ANSWER).....	44	0.08
	99 = LEGITIMATE SKIP	309	0.56
		7506	13.61

On average, how many days did you use marijuana or hashish each week during the past 12 months?

MRDAYPWK	Len : 2 # DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE = 1 - 7.....	Freq	Pct
	85 = BAD DATA Logically assigned	3684	6.68
	91 = NEVER USED MARIJUANA	83	0.15
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	94 = DON'T KNOW.....	11710	21.23
	97 = REFUSED	69	0.13
	98 = BLANK (NO ANSWER).....	55	0.10
	99 = LEGITIMATE SKIP	251	0.46
		6342	11.50

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?

MJDAY30A	Len : 2 # DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
	RANGE = 1 - 30.....	Freq	Pct
	85 = BAD DATA Logically assigned	5896	10.69
	91 = NEVER USED MARIJUANA	83	0.15
	93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	32966	59.76
	94 = DON'T KNOW.....	15802	28.65
	97 = REFUSED	38	0.07
	98 = BLANK (NO ANSWER).....	43	0.08
		332	0.60

MARIJUANA

What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?

MR30EST

Len : 2 BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days.....	10	0.02
2 = 3 to 5 days.....	10	0.02
3 = 6 to 9 days.....	9	0.02
4 = 10 to 19 days.....	10	0.02
5 = 20 to 29 days.....	6	0.01
6 = All 30 days.....	3	0.01
91 = NEVER USED MARIJUANA	32966	59.76
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15802	28.65
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER).....	418	0.76
99 = LEGITIMATE SKIP	5896	10.69

COCAINE

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

COCEVER	Len : 2	EVER USED COCAINE		
			Freq	Pct
		1 = Yes	5650	10.24
		2 = No.....	49491	89.72
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED	7	0.01

How old were you the first time you used cocaine, in any form?

COCAGE	Len : 3	AGE WHEN FIRST USED COCAINE		
			Freq	Pct
		RANGE = 1 - 70.....	5605	10.16
		985 = BAD DATA Logically assigned	21	0.04
		991 = NEVER USED COCAINE	49491	89.72
		994 = DON'T KNOW.....	20	0.04
		997 = REFUSED	11	0.02
		998 = BLANK (NO ANSWER).....	12	0.02

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

COCYFU	Len : 4	YEAR OF FIRST COCAINE USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	435	0.79
		9985 = BAD DATA Logically assigned	64	0.12
		9989 = LEGITIMATE SKIP Logically assigned.....	37	0.07
		9991 = NEVER USED COCAINE	49491	89.72
		9994 = DON'T KNOW.....	22	0.04
		9997 = REFUSED	11	0.02
		9998 = BLANK (NO ANSWER).....	13	0.02
		9999 = LEGITIMATE SKIP	5087	9.22

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

COCMFU	Len : 2	MONTH OF FIRST COCAINE USE - RECODE		
			Freq	Pct
		1 = January.....	46	0.08
		2 = February	23	0.04
		3 = March	36	0.07
		4 = April	33	0.06
		5 = May	30	0.05
		6 = June	49	0.09
		7 = July.....	48	0.09
		8 = August.....	25	0.05
		9 = September.....	21	0.04
		10 = October.....	33	0.06
		11 = November.....	40	0.07
		12 = December.....	31	0.06
		85 = BAD DATA Logically assigned.....	64	0.12
		89 = LEGITIMATE SKIP Logically assigned.....	37	0.07
		91 = NEVER USED COCAINE	49491	89.72
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP	5087	9.22

COCAINE

How long has it been since you last used cocaine?

COCREC	Len : 2 TIME SINCE LAST USED COCAINE		
		Freq	Pct
	1 = Within the past 30 days.....	345	0.63
	2 = More than 30 days ago but within the past 12 mos	757	1.37
	3 = More than 12 months ago	4447	8.06
	8 = Used at some point in the past 12 mos LOG ASSN	24	0.04
	9 = Used at some point in the lifetime LOG ASSN	57	0.10
	11 = Used in the past 30 days LOGICALLY ASSIGNED	8	0.01
	12 = Used >30 days ago but within pst 12 mos LOG ASSN	12	0.02
	91 = NEVER USED COCAINE	49491	89.72
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	12	0.02

COCYRTOT	Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365.....	1113	2.02
	985 = BAD DATA Logically assigned	9	0.02
	991 = NEVER USED COCAINE	49491	89.72
	993 = DID NOT USE COCAINE IN THE PAST 12 MOS	4447	8.06
	994 = DON'T KNOW.....	6	0.01
	997 = REFUSED	10	0.02
	998 = BLANK (NO ANSWER).....	84	0.15

CCTOTFG	Len : 2 TRIMMING INDICATOR FOR COCYRTOT		
		Freq	Pct
	2 = Trimmed relative to the 30-day freq.....	6	0.01
	98 = BLANK (NO ANSWER).....	55154	99.99

CCFQFLG	Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	53	0.10
	98 = BLANK (NO ANSWER).....	55107	99.90

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CCBSTWAY	Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE		
		Freq	Pct
	1 = Prefer to answer in days per week	138	0.25
	2 = Prefer to answer in days per month	204	0.37
	3 = Prefer to answer in days per year	736	1.33
	11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
	12 = Prefer to ans in days per mo LOG ASSN	1	0.00
	13 = Prefer to ans in days per yr LOG ASSN	6	0.01
	21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	16	0.03
	22 = Prefer to ans in days per mo (CRBSTWAY=2,12)	9	0.02
	23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	6	0.01
	85 = BAD DATA Logically assigned	8	0.01
	91 = NEVER USED COCAINE	49491	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4447	8.06
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	10	0.02
	98 = BLANK (NO ANSWER).....	84	0.15

COCAINE

On how many days in the past 12 months did you use cocaine?

CCDAYPYR	Len : 3 # DAYS USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 365.....	Freq	Pct
	985 = BAD DATA Logically assigned.....	746	1.35
	989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
	991 = NEVER USED COCAINE	8	0.01
	993 = DID NOT USE COCAINE IN THE PAST 12 MOS	49491	89.72
	994 = DON'T KNOW.....	4447	8.06
	997 = REFUSED	4	0.01
	998 = BLANK (NO ANSWER).....	9	0.02
	999 = LEGITIMATE SKIP	90	0.16
		362	0.66

On average, how many days did you use cocaine each month during the past 12 months?

CCDAYPMO	Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 31.....	Freq	Pct
	85 = BAD DATA Logically assigned.....	214	0.39
	89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
	91 = NEVER USED COCAINE	6	0.01
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	49491	89.72
	94 = DON'T KNOW.....	4447	8.06
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER).....	9	0.02
	99 = LEGITIMATE SKIP	89	0.16
		896	1.62

On average, how many days did you use cocaine each week during the past 12 months?

CCDAYPWK	Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
	RANGE = 1 - 7.....	Freq	Pct
	85 = BAD DATA Logically assigned.....	153	0.28
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	91 = NEVER USED COCAINE	2	0.00
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS	49491	89.72
	94 = DON'T KNOW.....	4447	8.06
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	10	0.02
	99 = LEGITIMATE SKIP	91	0.16
		958	1.74

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

COCUS30A	Len : 2 # DAYS USED COCAINE PAST 30 DAYS		
	RANGE = 1 - 30.....	Freq	Pct
	85 = BAD DATA Logically assigned.....	343	0.62
	91 = NEVER USED COCAINE	13	0.02
	93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	49491	89.72
	94 = DON'T KNOW.....	5216	9.46
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	8	0.01
		87	0.16

What is your best estimate of the number of days you used cocaine during the past 30 days?

CC30EST	Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS		
	1 = 1 or 2 days.....	Freq	Pct
	91 = NEVER USED COCAINE	1	0.00
	93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....	49491	89.72
	94 = DON'T KNOW.....	5216	9.46
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	7	0.01
	99 = LEGITIMATE SKIP	101	0.18
		342	0.62

CRACK

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

CRKEVER	Len : 2	EVER USED CRACK		
			Freq	Pct
		1 = Yes	1293	2.34
		2 = No.....	4357	7.90
		91 = NEVER USED COCAINE (COCEVER=2).....	49491	89.72
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	12	0.02

How old were you the first time you used 'crack'?

CRKAGE	Len : 3	AGE WHEN FIRST USED CRACK		
			Freq	Pct
		RANGE = 4 - 62.....	1279	2.32
		985 = BAD DATA Logically assigned	2	0.00
		991 = NEVER USED CRACK	53848	97.62
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED	10	0.02
		998 = BLANK (NO ANSWER).....	12	0.02

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

CRKYFU	Len : 4	YEAR OF FIRST CRACK USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	51	0.09
		9985 = BAD DATA Logically assigned	8	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
		9991 = NEVER USED CRACK	53848	97.62
		9994 = DON'T KNOW.....	10	0.02
		9997 = REFUSED	10	0.02
		9998 = BLANK (NO ANSWER).....	13	0.02
		9999 = LEGITIMATE SKIP	1212	2.20

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

CRKMFU	Len : 2	MONTH OF FIRST CRACK USE - RECODE		
			Freq	Pct
		1 = January.....	5	0.01
		2 = February	4	0.01
		3 = March	5	0.01
		4 = April	3	0.01
		5 = May	2	0.00
		6 = June	4	0.01
		7 = July.....	3	0.01
		8 = August	1	0.00
		9 = September	6	0.01
		10 = October.....	5	0.01
		11 = November	4	0.01
		12 = December	4	0.01
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	8	0.01
		91 = NEVER USED CRACK	53848	97.62
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP	1212	2.20

CRACK

How long has it been since you last used 'crack'?

CRAKREC	Len : 2	TIME SINCE LAST USED CRACK		
			Freq	Pct
		1 = Within the past 30 days.....	63	0.11
		2 = More than 30 days ago but within the past 12 mos	78	0.14
		3 = More than 12 months ago	1138	2.06
		8 = Used at some point in the past 12 mos LOG ASSN	4	0.01
		9 = Used at some point in the lifetime LOG ASSN	10	0.02
		91 = NEVER USED CRACK	53848	97.62
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	12	0.02

CRKYRTOT	Len : 3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365.....	141	0.26
		985 = BAD DATA Logically assigned	2	0.00
		991 = NEVER USED CRACK	53848	97.62
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1138	2.06
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED	7	0.01
		998 = BLANK (NO ANSWER).....	22	0.04

CRTOTFG	Len : 2	TRIMMING INDICATOR FOR CRKYRTOT		
			Freq	Pct
		2 = Trimmed relative to the 30-day freq.....	6	0.01
		98 = BLANK (NO ANSWER).....	55154	99.99

CRFQFLG	Len : 2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
			Freq	Pct
		1 = Trimmed to be consistent with mo/yr of 1st use.....	9	0.02
		98 = BLANK (NO ANSWER).....	55151	99.98

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

CRBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED CRACK		
			Freq	Pct
		1 = Prefer to answer in days per week	38	0.07
		2 = Prefer to answer in days per month	33	0.06
		3 = Prefer to answer in days per year	69	0.13
		12 = Prefer to ans in days per mo LOG ASSN	1	0.00
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED CRACK	53848	97.62
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1138	2.06
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	22	0.04

On how many days in the past 12 months did you use 'crack'?

CRDAYPYR	Len : 3	# DAYS USED CRACK PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365.....	69	0.13
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		991 = NEVER USED CRACK	53848	97.62
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1138	2.06
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED	8	0.01
		998 = BLANK (NO ANSWER).....	24	0.04
		999 = LEGITIMATE SKIP	69	0.13

CRACK

On average, how many days did you use 'crack' each month during the past 12 months?

CRDAYPMO	Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS		Freq	Pct
	RANGE = 1 - 30.....		33	0.06
	85 = BAD DATA Logically assigned		1	0.00
	89 = LEGITIMATE SKIP Logically assigned.....		1	0.00
	91 = NEVER USED CRACK	53848	97.62	
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1138	2.06	
	94 = DON'T KNOW.....	1	0.00	
	97 = REFUSED	9	0.02	
	98 = BLANK (NO ANSWER).....	23	0.04	
	99 = LEGITIMATE SKIP	106	0.19	

On average, how many days did you use 'crack' each week during the past 12 months?

CRDAYPWK	Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS		Freq	Pct
	RANGE = 1 - 7.....		38	0.07
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED CRACK	53848	97.62	
	93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1138	2.06	
	94 = DON'T KNOW.....	2	0.00	
	97 = REFUSED	8	0.01	
	98 = BLANK (NO ANSWER).....	23	0.04	
	99 = LEGITIMATE SKIP	102	0.18	

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

CRKUS30A	Len : 2 # DAYS USED CRACK PAST 30 DAYS		Freq	Pct
	RANGE = 1 - 30.....		63	0.11
	85 = BAD DATA Logically assigned		2	0.00
	91 = NEVER USED CRACK	53848	97.62	
	93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1216	2.20	
	97 = REFUSED	7	0.01	
	98 = BLANK (NO ANSWER).....	24	0.04	

What is your best estimate of the number of days you used 'crack' during the past 30 days?

CR30EST	Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS		Freq	Pct
	91 = NEVER USED CRACK	53848	97.62	
	93 = DID NOT USE CRACK IN THE PAST 30 DAYS.....	1216	2.20	
	97 = REFUSED	8	0.01	
	98 = BLANK (NO ANSWER).....	26	0.05	
	99 = LEGITIMATE SKIP	62	0.11	

HEROIN

HEROIN

These next questions are about heroin.

Have you ever, even once, used heroin?

HEREVER

Len : 2 EVER USED HEROIN

	Freq	Pct
1 = Yes	840	1.52
2 = No.....	54278	98.40
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW.....	37	0.07
97 = REFUSED	4	0.01

How old were you the first time you used heroin?

HERAGE

Len : 3 AGE WHEN FIRST USED HEROIN

	Freq	Pct
RANGE = 3 - 54.....	828	1.50
985 = BAD DATA Logically assigned	5	0.01
991 = NEVER USED HEROIN.....	54278	98.40
994 = DON'T KNOW.....	5	0.01
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER).....	37	0.07

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

HERYFU

Len : 4 YEAR OF FIRST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	111	0.20
9985 = BAD DATA Logically assigned	9	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	10	0.02
9991 = NEVER USED HEROIN.....	54278	98.40
9994 = DON'T KNOW.....	5	0.01
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	38	0.07
9999 = LEGITIMATE SKIP	702	1.27

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

HERMFU

Len : 2 MONTH OF FIRST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	11	0.02
2 = February	7	0.01
3 = March	8	0.01
4 = April	9	0.02
5 = May	9	0.02
6 = June	10	0.02
7 = July.....	8	0.01
8 = August	11	0.02
9 = September.....	3	0.01
10 = October.....	9	0.02
11 = November.....	6	0.01
12 = December	10	0.02
85 = BAD DATA Logically assigned	9	0.02
89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
91 = NEVER USED HEROIN.....	54278	98.40
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER).....	38	0.07
99 = LEGITIMATE SKIP	702	1.27

HEROIN

How long has it been since you last used heroin?

HERREC	Len : 2	TIME SINCE LAST USED HEROIN		
			Freq	Pct
		1 = Within the past 30 days.....	86	0.16
		2 = More than 30 days ago but within the past 12 mos	127	0.23
		3 = More than 12 months ago	609	1.10
		8 = Used at some point in the past 12 mos LOG ASSN	8	0.01
		9 = Used at some point in the lifetime LOG ASSN	9	0.02
		11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54278	98.40
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	37	0.07

HERYRTOT	Len : 3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 364.....	209	0.38
		985 = BAD DATA Logically assigned	9	0.02
		991 = NEVER USED HEROIN.....	54278	98.40
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	609	1.10
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED	7	0.01
		998 = BLANK (NO ANSWER).....	46	0.08

HRTOTFG	Len : 2	TRIMMING INDICATOR FOR HERYRTOT		
			Freq	Pct
		2 = Trimmed relative to the 30-day freq.....	10	0.02
		98 = BLANK (NO ANSWER).....	55150	99.98

HRFQFLG	Len : 2	TRIMMED HERYRTOT IF R USED < 12 MOS		
			Freq	Pct
		1 = Trimmed to be consistent with mo/yr of 1st use.....	22	0.04
		98 = BLANK (NO ANSWER).....	55138	99.96

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HRBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
			Freq	Pct
		1 = Prefer to answer in days per week	65	0.12
		2 = Prefer to answer in days per month	37	0.07
		3 = Prefer to answer in days per year	109	0.20
		12 = Prefer to ans in days per mo LOG ASSN	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN	2	0.00
		85 = BAD DATA Logically assigned	9	0.02
		91 = NEVER USED HEROIN.....	54278	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	609	1.10
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	46	0.08

On how many days in the past 12 months did you use heroin?

HRDAYPYR	Len : 3	# DAYS USED HEROIN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 340.....	108	0.20
		985 = BAD DATA Logically assigned	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED HEROIN.....	54278	98.40
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	609	1.10
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED	6	0.01
		998 = BLANK (NO ANSWER).....	54	0.10
		999 = LEGITIMATE SKIP	102	0.18

HEROIN

On average, how many days did you use heroin each month during the past 12 months?

HRDAYPMO	Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
	RANGE = 1 - 30.....	Freq	Pct
	85 = BAD DATA Logically assigned	38	0.07
	91 = NEVER USED HEROIN.....	4	0.01
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	54278	98.40
	94 = DON'T KNOW.....	609	1.10
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	6	0.01
	99 = LEGITIMATE SKIP	51	0.09
		173	0.31

On average, how many days did you use heroin each week during the past 12 months?

HRDAYPWK	Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
	RANGE = 1 - 7.....	Freq	Pct
	85 = BAD DATA Logically assigned	63	0.11
	91 = NEVER USED HEROIN.....	4	0.01
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS	54278	98.40
	94 = DON'T KNOW.....	609	1.10
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	7	0.01
	99 = LEGITIMATE SKIP	51	0.09
		146	0.26

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

HER30USE	Len : 2 # DAYS USED HEROIN PAST 30 DAYS		
	RANGE = 1 - 30.....	Freq	Pct
	85 = BAD DATA Logically assigned	84	0.15
	91 = NEVER USED HEROIN.....	1	0.00
	93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	54278	98.40
	94 = DON'T KNOW.....	736	1.33
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	5	0.01
		55	0.10

What is your best estimate of the number of days you used heroin during the past 30 days?

HR30EST	Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS		
	4 = 10 to 19 days.....	Freq	Pct
	91 = NEVER USED HEROIN.....	1	0.00
	93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	54278	98.40
	94 = DON'T KNOW.....	736	1.33
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	56	0.10
		84	0.15

HALLUCINOGENS

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

LSD, also called 'acid'
 PCP, also called 'angel dust' or phencyclidine
 Peyote
 Mescaline
 Psilocybin
 'Ecstasy,' also called MDMA

Have you ever, even once, used LSD, also called "acid"?

LSD	Len : 2	EVER USED LSD ("ACID")		
			Freq	Pct
		1 = Yes	3645	6.61
		2 = No.....	3672	6.66
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED	5	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

PCP	Len : 2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
			Freq	Pct
		1 = Yes	769	1.39
		2 = No.....	6553	11.88
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED	2	0.00

Have you ever, even once, used peyote?

PEYOTE	Len : 2	EVER USED PEYOTE		
			Freq	Pct
		1 = Yes	711	1.29
		2 = No.....	6594	11.95
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	4	0.01

Have you ever, even once, used mescaline?

MESC	Len : 2	EVER USED Mescaline		
			Freq	Pct
		1 = Yes	864	1.57
		2 = No.....	6432	11.66
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		94 = DON'T KNOW.....	58	0.11
		97 = REFUSED	4	0.01

Have you ever, even once, used psilocybin, found in mushrooms?

PSILCY	Len : 2	EVER USED PSILOCYBIN (MUSHROOMS)		
			Freq	Pct
		1 = Yes	4062	7.36
		2 = No.....	3173	5.75
		3 = Yes LOGICALLY ASSIGNED	31	0.06
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED	11	0.02

HALLUCINOGENS

Have you ever, even once, used 'Ecstasy,' also known as MDMA?

ECSTASY

Len : 2 EVER USED 'ECSTASY' (MDMA)

	Freq	Pct
1 = Yes	4045	7.33
2 = No.....	3268	5.92
91 = NEVER USED HALLUCINOGENS	47802	86.66
94 = DON'T KNOW.....	42	0.08
97 = REFUSED	3	0.01

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

HALNOLST

Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
1 = Yes	1124	2.04
2 = No.....	6167	11.18
91 = NEVER USED HALLUCINOGENS	47802	86.66
94 = DON'T KNOW.....	59	0.11
97 = REFUSED	8	0.01

HALLUCINOGENS

HALNEWA

Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
113 = Halcion, Triazolam	1	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
130 = Phenergan, Promethazine	1	0.00
142 = Belladonna.....	1	0.00
174 = Ambien, Stilnox, Zolpidem	3	0.01
209 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	2	0.00
267 = Marezine.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	8	0.01
328 = Pink hearts.....	1	0.00
348 = Crystal	1	0.00
407 = Demerol, Meperidine.....	1	0.00
415 = Codeine	2	0.00
417 = Morphine, Roxanol.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	3	0.01
423 = Percocet	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
501 = Gasoline or lighter fluids.....	6	0.01
504 = Shoeshine liquid, glue, or toluene	2	0.00
505 = Lacquer thinner or other paint solvents	1	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	6	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	2	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	10	0.02
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
511 = Markers, felt-tip pens, ink pens	1	0.00
512 = Incense	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	1	0.00
519 = Helium	2	0.00
520 = Old paint, paint.....	2	0.00
554 = Insect killer (e.g., Raid)	1	0.00
566 = Smoked tea from Lipton tea bag	1	0.00
592 = Computer air duster, computer cleaner, dust-off	6	0.01
599 = Potpourri.....	1	0.00
601 = LSD ("acid").....	63	0.11
602 = Peyote	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	40	0.07
605 = PCP ("angel dust," phencyclidine).....	3	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	73	0.13
609 = Jimson weed.....	1	0.00
612 = Happy stick, sherm, sherman, shermstick.....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	121	0.22
617 = Morning glory seeds, morning glory tendrils, ricea.....	8	0.01
622 = Microdot(s), green microdot, purple microdot	4	0.01
624 = Orange sunshine, sunshine, yellow sunshine.....	1	0.00
625 = Window, window pane, 4-way pane, 4-way	3	0.01
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	3	0.01
633 = Mr. Natural.....	1	0.00
636 = DOM, STP	2	0.00
639 = Nutmeg, Mace	3	0.01
650 = Datura stramonium, daytura, thorn apple	1	0.00
658 = Special K, Ketamine.....	21	0.04
660 = Bufotenin, toad, toad licking	2	0.00
663 = Animal tranquilizer, horse tranquilizer	2	0.00
695 = Angel's trumpet.....	3	0.01
698 = 2C-B, Bromo mescaline, Nexus	15	0.03
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED.....	2	0.00
703 = Opium	5	0.01
709 = Poppy	2	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	4	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	7	0.01
804 = Hashish.....	1	0.00
809 = Pills.....	1	0.00
829 = Robitussin DM <OTC>.....	8	0.01
840 = Over-the-counter-cough med(contnts unspec) <OTC>.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	2	0.00
883 = Dextromethorphan hydrobromide <OTC>	10	0.02
1001 = Benadryl, Diphenhydramine <OTC>	4	0.01
1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>.....	5	0.01
3023 = Adderall	1	0.00

HALLUCINOGENS

3052 = Speed; otherwise unspecified	2	0.00
3116 = MCAT, Mephedrone.....	2	0.00
3117 = Methedrone.....	1	0.00
4046 = Oxycodone or unspecified oxycodone products	1	0.00
4077 = Tee's.....	1	0.00
6029 = DXM	19	0.03
6043 = Diviner's sage, Salvia divinorum.....	183	0.33
6044 = Gel caps, gel tabs	1	0.00
6048 = Dex	1	0.00
6056 = Wet.....	1	0.00
6064 = Marigold buttons	1	0.00
6074 = LSA.....	8	0.01
6077 = San Pedro.....	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	12	0.02
6092 = TCP	1	0.00
6102 = Absinthe.....	3	0.01
6103 = Ayahuasca, Yahe.....	7	0.01
6109 = 2, 5-Dimethoxyamphetamine, DMA.....	1	0.00
6114 = Molly; not otherwise specified	59	0.11
6115 = Foxy.....	1	0.00
6119 = Scoop	1	0.00
6125 = MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	24	0.04
6132 = Amanita mushrooms, fly agaric, muscimol	2	0.00
6135 = 5-MeO-AMT	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	32	0.06
6146 = 5-MeO; otherwise unspecified.....	1	0.00
6166 = BZP, Benzylpiperazine.....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	3	0.01
6170 = Moonflower/pod; otherwise unspecified.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.00
6174 = bk-MDMA, Methylene.....	2	0.00
6182 = 2C-P, 4-propyl-2,5-dimethoxyphenethylamine.....	4	0.01
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	14	0.03
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine.....	2	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C.....	3	0.01
6192 = 5-MeO-MIPT	1	0.00
6193 = Fungus; otherwise unspecified.....	1	0.00
6194 = MDMA derivative; otherwise unspecified.....	2	0.00
6196 = Changa.....	1	0.00
6197 = 2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.00
8008 = Antidepressant; type unspecified.....	1	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
8012 = Coriciden <OTC>	10	0.02
8058 = Cough medicine/syrup; type unspecified.....	11	0.02
8118 = Smoking; not otherwise specified.....	1	0.00
8227 = Sativa; otherwise unspecified.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	35	0.06
8301 = Bath salts, otherwise unspecified	6	0.01
8306 = Flu medication; no other information	1	0.00
8329 = Artane, Parkopan	1	0.00
9985 = BAD DATA Logically assigned	7	0.01
9991 = NEVER USED HALLUCINOGENS	47802	86.66
9997 = REFUSED	27	0.05
9998 = BLANK (NO ANSWER).....	172	0.31
9999 = LEGITIMATE SKIP	6167	11.18

HALLUCINOGENS

HALNEWB

Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
171 = NyQuil <OTC>	1	0.00
417 = Morphine, Roxanol.....	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	1	0.00
520 = Old paint, paint.....	1	0.00
601 = LSD ("acid")	7	0.01
602 = Peyote	1	0.00
603 = Mescaline	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	4	0.01
605 = PCP ("angel dust," phencyclidine).....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	7	0.01
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	21	0.04
617 = Morning glory seeds, morning glory tendrils, ricea.....	2	0.00
622 = Microdot(s), green microdot, purple microdot	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
635 = Ginseng seeds, ginseng weed	1	0.00
637 = Purple haze	1	0.00
650 = Datura stramonium, daytura, thorn apple	1	0.00
658 = Special K, Ketamine.....	5	0.01
698 = 2C-B, Bromo mescaline, Nexus	14	0.03
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
806 = Crack, rock	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
829 = Robitussin DM <OTC>.....	1	0.00
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate.....	1	0.00
876 = Glass	1	0.00
1002 = Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....	1	0.00
2003 = Zanies, zannies, zans, zany bars	1	0.00
3090 = Provigil, Modafinil.....	1	0.00
3119 = MDPV, Methylenedioxypropyvalerone	1	0.00
4067 = OxyContin	1	0.00
5083 = Ethyl chloride	1	0.00
6029 = DXM	3	0.01
6043 = Diviner's sage, Salvia divinorum.....	13	0.02
6044 = Gel caps, gel tabs	1	0.00
6061 = 5-MeO-DMT	2	0.00
6074 = LSA.....	7	0.01
6109 = 2, 5-Dimethoxyamphetamine, DMA.....	1	0.00
6114 = Molly; not otherwise specified	10	0.02
6115 = Foxy.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	16	0.03
6132 = Amanita mushrooms, fly agaric, muscimol	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	10	0.02
6162 = 4-MeO-DMT.....	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6182 = 2C-P, 4-propyl-2,5-dimethoxyphenethylamine.....	1	0.00
6183 = 5-MeO-DALT, N,N-diallyl-5-methoxytryptamine.....	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-Cl, Cimbi-5.....	8	0.01
6188 = 25B-NBOMe, NBOMe-2C-B.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C.....	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup; type unspecified.....	3	0.01
8203 = Bar; otherwise unspecified	1	0.00
8227 = Sativa; otherwise unspecified	1	0.00
8280 = Mucinex-DM <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	10	0.02
8301 = Bath salts, otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	6	0.01
9991 = NEVER USED HALLUCINOGENS	47802	86.66
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	985	1.79
9999 = LEGITIMATE SKIP	6167	11.18

HALLUCINOGENS

HALNEWC

Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
601 = LSD ("acid")	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	6	0.01
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	4	0.01
623 = Mickey, mickey mouse club, mickey mousers	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine.....	1	0.00
636 = DOM, STP	1	0.00
658 = Special K, Ketamine.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	2	0.00
6029 = DXM	4	0.01
6043 = Diviner's sage, Salvia divinorum.....	5	0.01
6074 = LSA.....	3	0.01
6103 = Ayahuasca, Yahe.....	1	0.00
6112 = 2C-T-2	1	0.00
6114 = Molly; not otherwise specified	4	0.01
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	5	0.01
6132 = Amanita mushrooms, fly agaric, muscimol	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	4	0.01
6174 = bk-MDMA, Methyline.....	1	0.00
6182 = 2C-P,4-propyl-2,5-dimethoxyphenethylamine.....	4	0.01
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5.....	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C.....	2	0.00
6192 = 5-MeO-MIPT	1	0.00
8012 = Coriciden <OTC>	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8315 = Synthetic cannabis; otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED HALLUCINOGENS	47802	86.66
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER).....	1117	2.03
9999 = LEGITIMATE SKIP	6167	11.18

HALNEWD

Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
501 = Gasoline or lighter fluids.....	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
616 = DET, Dimethyltryptamine, DMT.....	3	0.01
658 = Special K, Ketamine.....	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	2	0.00
2012 = Geodon, Ziprasidone	1	0.00
6029 = DXM	1	0.00
6043 = Diviner's sage, Salvia divinorum.....	1	0.00
6061 = 5-MeO-DMT	1	0.00
6100 = 2C-T-7, T7, blue mystic.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	4	0.01
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT.....	1	0.00
6176 = 3C-Bromo-Dragonfly, DOB-Dragonfly	1	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
9991 = NEVER USED HALLUCINOGENS	47802	86.66
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	1157	2.10
9999 = LEGITIMATE SKIP	6167	11.18

HALLUCINOGENS

HALNEWE

Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
501 = Gasoline or lighter fluids.....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
6103 = Ayahuasca, Yahe.....	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	2	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	2	0.00
6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine.....	1	0.00
6146 = 5-MeO; otherwise unspecified.....	1	0.00
6172 = 2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine.....	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB.....	1	0.00
6174 = bk-MDMA, Methyloone.....	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018).....	1	0.00
9991 = NEVER USED HALLUCINOGENS.....	47802	86.66
9997 = REFUSED.....	8	0.01
9998 = BLANK (NO ANSWER).....	1170	2.12
9999 = LEGITIMATE SKIP.....	6167	11.18

How old were you the first time you used [LSFILL]?

HALLAGE

Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 74.....	7102	12.88
985 = BAD DATA Logically assigned.....	29	0.05
991 = NEVER USED HALLUCINOGENS.....	47802	86.66
994 = DON'T KNOW.....	46	0.08
997 = REFUSED.....	23	0.04
998 = BLANK (NO ANSWER).....	158	0.29

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

HALYFU

Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	835	1.51
9985 = BAD DATA Logically assigned.....	92	0.17
9989 = LEGITIMATE SKIP Logically assigned.....	118	0.21
9991 = NEVER USED HALLUCINOGENS.....	47802	86.66
9994 = DON'T KNOW.....	51	0.09
9997 = REFUSED.....	26	0.05
9998 = BLANK (NO ANSWER).....	160	0.29
9999 = LEGITIMATE SKIP.....	6076	11.02

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

HALMFU	Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE		
		Freq	Pct
	1 = January.....	76	0.14
	2 = February.....	58	0.11
	3 = March.....	61	0.11
	4 = April.....	72	0.13
	5 = May.....	65	0.12
	6 = June.....	87	0.16
	7 = July.....	85	0.15
	8 = August.....	58	0.11
	9 = September.....	53	0.10
	10 = October.....	64	0.12
	11 = November.....	61	0.11
	12 = December.....	46	0.08
	85 = BAD DATA Logically assigned.....	92	0.17
	89 = LEGITIMATE SKIP Logically assigned.....	118	0.21
	91 = NEVER USED HALLUCINOGENS.....	47802	86.66
	94 = DON'T KNOW.....	97	0.18
	97 = REFUSED.....	29	0.05
	98 = BLANK (NO ANSWER).....	160	0.29
	99 = LEGITIMATE SKIP.....	6076	11.02

How long has it been since you last used [LSFILL]?

HALLREC	Len : 2 TIME SINCE LAST USED HALLUCINOGENS		
		Freq	Pct
	1 = Within the past 30 days.....	411	0.75
	2 = More than 30 days ago but within the past 12 mos.....	1147	2.08
	3 = More than 12 months ago.....	5426	9.84
	8 = Used at some point in the past 12 mos LOG ASSN.....	45	0.08
	9 = Used at some point in lifetime LOG ASSN.....	126	0.23
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	20	0.04
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	23	0.04
	91 = NEVER USED HALLUCINOGENS.....	47802	86.66
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	158	0.29

HALYRTOT	Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 364.....	1623	2.94
	985 = BAD DATA Logically assigned.....	15	0.03
	991 = NEVER USED HALLUCINOGENS.....	47802	86.66
	993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5426	9.84
	994 = DON'T KNOW.....	9	0.02
	997 = REFUSED.....	2	0.00
	998 = BLANK (NO ANSWER).....	283	0.51

HLTOTFG	Len : 2 TRIMMING INDICATOR FOR HALYRTOT		
		Freq	Pct
	2 = Trimmed relative to the 30-day freq.....	2	0.00
	98 = BLANK (NO ANSWER).....	55158	100.0

HLFQFLG	Len : 2 TRIMMED HALYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	95	0.17
	98 = BLANK (NO ANSWER).....	55065	99.83

HALLUCINOGENS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

HLBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
			Freq	Pct
		1 = Prefer to answer in days per week	144	0.26
		2 = Prefer to answer in days per month	223	0.40
		3 = Prefer to answer in days per year	1253	2.27
		12 = Prefer to ans in days per mo LOG ASSN	4	0.01
		13 = Prefer to ans in days per yr LOG ASSN	7	0.01
		85 = BAD DATA Logically assigned	15	0.03
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5426	9.84
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	1	0.00
		98 = BLANK (NO ANSWER)	283	0.51

On how many days in the past 12 months did you use [LSFILL]?

HLDAYPYR	Len : 3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 360	1258	2.28
		985 = BAD DATA Logically assigned	13	0.02
		989 = LEGITIMATE SKIP Logically assigned	6	0.01
		991 = NEVER USED HALLUCINOGENS	47802	86.66
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5426	9.84
		994 = DON'T KNOW	4	0.01
		997 = REFUSED	3	0.01
		998 = BLANK (NO ANSWER)	283	0.51
		999 = LEGITIMATE SKIP	365	0.66

On average, how many days did you use [LSFILL] each month during the past 12 months?

HLDAYPMO	Len : 2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 30	225	0.41
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5426	9.84
		94 = DON'T KNOW	7	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	295	0.53
		99 = LEGITIMATE SKIP	1400	2.54

On average, how many days did you use [LSFILL] each week during the past 12 months?

HLDAYPWK	Len : 2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 7	142	0.26
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED HALLUCINOGENS	47802	86.66
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5426	9.84
		94 = DON'T KNOW	9	0.02
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	294	0.53
		99 = LEGITIMATE SKIP	1481	2.68

HALLUCINOGENS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

HAL30USE	Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	419	0.76
	85 = BAD DATA Logically assigned	21	0.04
	91 = NEVER USED HALLUCINOGENS	47802	86.66
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	6596	11.96
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	316	0.57

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

HL30EST	Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
		Freq	Pct
	1 = 1 or 2 days.....	1	0.00
	3 = 6 to 9 days	2	0.00
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED HALLUCINOGENS	47802	86.66
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	6596	11.96
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	336	0.61
	99 = LEGITIMATE SKIP	419	0.76

Now think only about LSD. How old were you the first time you used LSD?

LSDAGE	Len : 3 AGE WHEN FIRST USED LSD		
		Freq	Pct
	RANGE = 1 - 50.....	3573	6.48
	985 = BAD DATA Logically assigned	6	0.01
	991 = NEVER USED LSD.....	51474	93.32
	994 = DON'T KNOW.....	41	0.07
	997 = REFUSED	21	0.04
	998 = BLANK (NO ANSWER).....	45	0.08

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

LSDYFU	Len : 4 YEAR OF FIRST LSD USE - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	347	0.63
	9985 = BAD DATA Logically assigned	23	0.04
	9989 = LEGITIMATE SKIP Logically assigned.....	13	0.02
	9991 = NEVER USED LSD.....	51474	93.32
	9994 = DON'T KNOW.....	43	0.08
	9997 = REFUSED	22	0.04
	9998 = BLANK (NO ANSWER).....	51	0.09
	9999 = LEGITIMATE SKIP	3187	5.78

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

LSDMFU	Len : 2 MONTH OF FIRST LSD USE - RECODE		
		Freq	Pct
	1 = January.....	23	0.04
	2 = February.....	20	0.04
	3 = March.....	19	0.03
	4 = April.....	31	0.06
	5 = May.....	21	0.04
	6 = June.....	49	0.09
	7 = July.....	41	0.07
	8 = August.....	25	0.05
	9 = September.....	26	0.05
	10 = October.....	32	0.06
	11 = November.....	23	0.04
	12 = December.....	21	0.04
	85 = BAD DATA Logically assigned.....	24	0.04
	89 = LEGITIMATE SKIP Logically assigned.....	13	0.02
	91 = NEVER USED LSD.....	51474	93.32
	94 = DON'T KNOW.....	58	0.11
	97 = REFUSED.....	22	0.04
	98 = BLANK (NO ANSWER).....	51	0.09
	99 = LEGITIMATE SKIP.....	3187	5.78

Now think only about LSD. How long has it been since you last used LSD?

LSDREC	Len : 2 TIME SINCE LAST USED LSD		
		Freq	Pct
	1 = Within the past 30 days.....	94	0.17
	2 = More than 30 days ago but within the past 12 mos.....	351	0.64
	3 = More than 12 months ago.....	3137	5.69
	8 = Used at some point in the past 12 mos LOG ASSN.....	8	0.01
	9 = Used at some point in the lifetime LOG ASSN.....	56	0.10
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
	91 = NEVER USED LSD.....	51474	93.32
	97 = REFUSED.....	5	0.01
	98 = BLANK (NO ANSWER).....	34	0.06

Now think only about PCP. How old were you the first time you used PCP?

PCPAGE	Len : 3 AGE WHEN FIRST USED PCP		
		Freq	Pct
	RANGE = 1 - 50.....	737	1.34
	985 = BAD DATA Logically assigned.....	2	0.00
	991 = NEVER USED PCP.....	54355	98.54
	994 = DON'T KNOW.....	19	0.03
	997 = REFUSED.....	12	0.02
	998 = BLANK (NO ANSWER).....	35	0.06

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

PCPYFU	Len : 4 YEAR OF FIRST PCP USE - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	35	0.06
	9985 = BAD DATA Logically assigned.....	3	0.01
	9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	9991 = NEVER USED PCP.....	54355	98.54
	9994 = DON'T KNOW.....	19	0.03
	9997 = REFUSED.....	12	0.02
	9998 = BLANK (NO ANSWER).....	38	0.07
	9999 = LEGITIMATE SKIP.....	696	1.26

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

PCPMFU	Len : 2 MONTH OF FIRST PCP USE - RECODE		
		Freq	Pct
	1 = January.....	5	0.01
	2 = February.....	4	0.01
	4 = April.....	3	0.01
	5 = May.....	4	0.01
	6 = June.....	6	0.01
	7 = July.....	2	0.00
	8 = August.....	1	0.00
	9 = September.....	1	0.00
	10 = October.....	2	0.00
	11 = November.....	4	0.01
	12 = December.....	1	0.00
	85 = BAD DATA Logically assigned.....	4	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	91 = NEVER USED PCP.....	54355	98.54
	94 = DON'T KNOW.....	19	0.03
	97 = REFUSED.....	13	0.02
	98 = BLANK (NO ANSWER).....	38	0.07
	99 = LEGITIMATE SKIP.....	696	1.26

How long has it been since you last used PCP?

PCPREC	Len : 2 TIME SINCE LAST USED PCP		
		Freq	Pct
	1 = Within the past 30 days.....	10	0.02
	2 = More than 30 days ago but within the past 12 mos.....	26	0.05
	3 = More than 12 months ago.....	711	1.29
	8 = Used at some point in the past 12 mos LOG ASSN.....	2	0.00
	9 = Used at some point in the lifetime LOG ASSN.....	20	0.04
	91 = NEVER USED PCP.....	54355	98.54
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	34	0.06

Now think only about 'Ecstasy.' How old were you the first time you used 'Ecstasy,' also known as MDMA?

ECSAGE	Len : 3 AGE WHEN FIRST USED ECSTASY		
		Freq	Pct
	RANGE = 5 - 58.....	4003	7.26
	985 = BAD DATA Logically assigned.....	6	0.01
	991 = NEVER USED ECSTASY.....	51070	92.59
	994 = DON'T KNOW.....	13	0.02
	997 = REFUSED.....	10	0.02
	998 = BLANK (NO ANSWER).....	58	0.11

Did you first use 'Ecstasy' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

ECSYFU	Len : 4 YEAR OF FIRST ECSTASY USE - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	605	1.10
	9985 = BAD DATA Logically assigned.....	24	0.04
	9989 = LEGITIMATE SKIP Logically assigned.....	20	0.04
	9991 = NEVER USED ECSTASY.....	51070	92.59
	9994 = DON'T KNOW.....	15	0.03
	9997 = REFUSED.....	12	0.02
	9998 = BLANK (NO ANSWER).....	84	0.15
	9999 = LEGITIMATE SKIP.....	3330	6.04

HALLUCINOGENS

In what month in [CURRENT YEAR] did you first use 'Ecstasy'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy'?

ECSMFU

Len : 2 MONTH OF FIRST ECSTASY USE - RECODE

	Freq	Pct
1 = January.....	50	0.09
2 = February.....	34	0.06
3 = March.....	57	0.10
4 = April.....	39	0.07
5 = May.....	47	0.09
6 = June.....	63	0.11
7 = July.....	65	0.12
8 = August.....	44	0.08
9 = September.....	43	0.08
10 = October.....	54	0.10
11 = November.....	41	0.07
12 = December.....	40	0.07
85 = BAD DATA Logically assigned.....	27	0.05
89 = LEGITIMATE SKIP Logically assigned.....	20	0.04
91 = NEVER USED ECSTASY.....	51070	92.59
94 = DON'T KNOW.....	33	0.06
97 = REFUSED.....	18	0.03
98 = BLANK (NO ANSWER).....	85	0.15
99 = LEGITIMATE SKIP.....	3330	6.04

How long has it been since you last used 'Ecstasy,' also known as MDMA?

ECSREC

Len : 2 TIME SINCE LAST USED ECSTASY

	Freq	Pct
1 = Within the past 30 days.....	213	0.39
2 = More than 30 days ago but within the past 12 mos.....	716	1.30
3 = More than 12 months ago.....	3043	5.52
8 = Used at some point in the past 12 mos LOG ASSN.....	12	0.02
9 = Used at some point in the lifetime LOG ASSN.....	61	0.11
91 = NEVER USED ECSTASY.....	51070	92.59
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	42	0.08

INHALANTS

INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.

The questions use the term 'inhalant' to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
 Correction fluid, degreaser, or cleaning fluid
 Gasoline or lighter fluid
 Glue, shoe polish, or toluene
 Halothane, ether, or other paint solvents
 Lighter gases, such as butane or propane
 Nitrous oxide or 'whippits'
 Spray paints
 Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

AMYLNIT		Len : 2	EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.		
				Freq	Pct
	1 = Yes			1012	1.83
	2 = No.....			3321	6.02
	3 = Yes LOGICALLY ASSIGNED			3	0.01
	91 = NEVER USED INHALANTS.....			50782	92.06
	94 = DON'T KNOW.....			32	0.06
	97 = REFUSED			10	0.02

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

CLEFLU		Len : 2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
				Freq	Pct
	1 = Yes			421	0.76
	2 = No.....			3912	7.09
	3 = Yes LOGICALLY ASSIGNED			4	0.01
	91 = NEVER USED INHALANTS.....			50782	92.06
	94 = DON'T KNOW.....			33	0.06
	97 = REFUSED			8	0.01

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

GAS		Len : 2	EVER INHALED GASOLINE OR LIGHTER FLUID		
				Freq	Pct
	1 = Yes			795	1.44
	2 = No.....			3547	6.43
	3 = Yes LOGICALLY ASSIGNED			1	0.00
	91 = NEVER USED INHALANTS.....			50782	92.06
	94 = DON'T KNOW.....			27	0.05
	97 = REFUSED			8	0.01

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

GLUE		Len : 2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
				Freq	Pct
	1 = Yes			815	1.48
	2 = No.....			3537	6.41
	3 = Yes LOGICALLY ASSIGNED			2	0.00
	91 = NEVER USED INHALANTS.....			50782	92.06
	94 = DON'T KNOW.....			20	0.04
	97 = REFUSED			4	0.01

INHALANTS

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

ETHER

Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
1 = Yes	185	0.34
2 = No.....	4162	7.55
3 = Yes LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	26	0.05
97 = REFUSED	4	0.01

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

SOLVENT

Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
1 = Yes	368	0.67
2 = No.....	3979	7.21
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	28	0.05
97 = REFUSED	3	0.01

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

LGAS

Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
1 = Yes	223	0.40
2 = No.....	4123	7.47
3 = Yes LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	25	0.05
97 = REFUSED	6	0.01

Have you ever, even once, inhaled nitrous oxide or 'whippits' for kicks or to get high?

NITOXID

Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'

	Freq	Pct
1 = Yes	2092	3.79
2 = No.....	2242	4.06
3 = Yes LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	7	0.01

Have you ever, even once, inhaled spray paints for kicks or to get high?

SPPAINT

Len : 2 EVER INHALED SPRAY PAINTS

	Freq	Pct
1 = Yes	584	1.06
2 = No.....	3761	6.82
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	25	0.05
97 = REFUSED	8	0.01

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

AEROS

Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
1 = Yes	619	1.12
2 = No.....	3720	6.74
3 = Yes LOGICALLY ASSIGNED	11	0.02
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	21	0.04
97 = REFUSED	7	0.01

INHALANTS

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

INHNOLST

Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
1 = Yes	413	0.75
2 = No.....	3927	7.12
91 = NEVER USED INHALANTS.....	50782	92.06
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	7	0.01

INHNEWA

Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin	3	0.01
501 = Gasoline or lighter fluids.....	4	0.01
503 = Other aerosol sprays.....	17	0.03
504 = Shoeshine liquid, glue, or toluene	3	0.01
505 = Lacquer thinner or other paint solvents	1	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	4	0.01
507 = Halothane, ether, or other anesthetics; chloroform.....	1	0.00
508 = Nitrous oxide, "whippits," dentist gas.....	4	0.01
509 = Correction fluids, degreasers, cleaning fluids.....	3	0.01
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	13	0.02
511 = Markers, felt-tip pens, ink pens	91	0.16
516 = CHC, chlorofluorocarbon, freon, refrigerant.....	10	0.02
518 = Acetone, nail polish remover	7	0.01
519 = Helium	24	0.04
521 = Propane	1	0.00
524 = White-Out	3	0.01
526 = Nail polish.....	9	0.02
528 = Whipped-cream can.....	11	0.02
540 = PAM.....	2	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	6	0.01
554 = Insect killer (e.g., Raid)	1	0.00
573 = Furniture polish.....	1	0.00
590 = Canned air, compressed air	4	0.01
592 = Computer air duster, computer cleaner, dust-off	87	0.16
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
900 = Not a drug.....	1	0.00
5001 = Bleach.....	1	0.00
5004 = Ink print, paper.....	1	0.00
5017 = Oil, lubricant; otherwise unspecified	1	0.00
5021 = Octane booster	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.00
5045 = Cleaner; not otherwise specified	1	0.00
5049 = Hand sanitizer/cleaner; contents unspecified	3	0.01
5053 = Electronics cleaner.....	1	0.00
5069 = Febreze	1	0.00
5078 = Axe body spray	3	0.01
5091 = Germ-X.....	1	0.00
5097 = Lysol; aerosol unspecified	1	0.00
5098 = Axe/Axe deodorant; aerosol unspecified	2	0.00
5102 = Xylene; otherwise unspecified.....	1	0.00
5112 = Lotion (body, hand); contents unspecified	1	0.00
5129 = Smoke bomb.....	1	0.00
5130 = Glow stick	1	0.00
6098 = Dust; not otherwise specified	1	0.00
6127 = Skittles	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	4	0.01
8028 = Bactine <OTC>	1	0.00
8056 = Vicks VapoRub/inhaler <OTC>	1	0.00
8118 = Smoking; not otherwise specified.....	3	0.01
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8315 = Synthetic cannabis; otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED INHALANTS.....	50782	92.06
9997 = REFUSED	18	0.03
9998 = BLANK (NO ANSWER).....	83	0.15
9999 = LEGITIMATE SKIP	3927	7.12

INHALANTS

INHNEWB

Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
351 = Cathinone, cat, khat, Q'at.....	1	0.00
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays.....	6	0.01
504 = Shoeshine liquid, glue, or toluene	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
511 = Markers, felt-tip pens, ink pens	15	0.03
519 = Helium	1	0.00
528 = Whipped-cream can.....	1	0.00
534 = Deodorant.....	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
590 = Canned air, compressed air.....	1	0.00
592 = Computer air duster, computer cleaner, dust-off	4	0.01
5028 = Carburetor cleaner, engine cleaner	1	0.00
5053 = Electronics cleaner.....	1	0.00
5069 = Febreze	1	0.00
5078 = Axe body spray	1	0.00
5098 = Axe/Axe deodorant; aerosol unspecified	2	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator.....	2	0.00
9991 = NEVER USED INHALANTS.....	50782	92.06
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	398	0.72
9999 = LEGITIMATE SKIP	3927	7.12

INHNEWC

Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
501 = Gasoline or lighter fluids.....	1	0.00
503 = Other aerosol sprays.....	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
511 = Markers, felt-tip pens, ink pens	1	0.00
519 = Helium	1	0.00
520 = Old paint, paint.....	1	0.00
526 = Nail polish	1	0.00
5069 = Febreze	1	0.00
9991 = NEVER USED INHALANTS.....	50782	92.06
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	436	0.79
9999 = LEGITIMATE SKIP	3927	7.12

INHNEWD

Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
519 = Helium	1	0.00
9991 = NEVER USED INHALANTS.....	50782	92.06
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	443	0.80
9999 = LEGITIMATE SKIP	3927	7.12

INHNEWE

Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED INHALANTS.....	50782	92.06
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER).....	443	0.80
9999 = LEGITIMATE SKIP	3927	7.12

INHALANTS

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.

INHEVER	Len : 2	EVER USED INHALANTS		
			Freq	Pct
		1 = Yes	4258	7.72
		91 = NEVER USED INHALANTS	50782	92.06
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	118	0.21

How old were you the first time you used any inhalant for kicks or to get high?

INHAGE	Len : 3	AGE WHEN FIRST USED INHALANTS		
			Freq	Pct
		RANGE = 1 - 60	4032	7.31
		985 = BAD DATA Logically assigned	42	0.08
		991 = NEVER USED INHALANTS	50782	92.06
		994 = DON'T KNOW	111	0.20
		997 = REFUSED	75	0.14
		998 = BLANK (NO ANSWER)	118	0.21

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

INHYFU	Len : 4	YEAR OF FIRST INHALANT USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013	416	0.75
		9985 = BAD DATA Logically assigned	107	0.19
		9989 = LEGITIMATE SKIP Logically assigned	36	0.07
		9991 = NEVER USED INHALANTS	50782	92.06
		9994 = DON'T KNOW	119	0.22
		9997 = REFUSED	78	0.14
		9998 = BLANK (NO ANSWER)	118	0.21
		9999 = LEGITIMATE SKIP	3504	6.35

INHALANTS

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

INHMFU	Len : 2 MONTH OF FIRST INHALANT USE - RECODE		
		Freq	Pct
	1 = January.....	37	0.07
	2 = February.....	31	0.06
	3 = March.....	38	0.07
	4 = April.....	28	0.05
	5 = May.....	28	0.05
	6 = June.....	48	0.09
	7 = July.....	45	0.08
	8 = August.....	22	0.04
	9 = September.....	25	0.05
	10 = October.....	29	0.05
	11 = November.....	25	0.05
	12 = December.....	17	0.03
	85 = BAD DATA Logically assigned.....	105	0.19
	89 = LEGITIMATE SKIP Logically assigned.....	36	0.07
	91 = NEVER USED INHALANTS.....	50782	92.06
	94 = DON'T KNOW.....	160	0.29
	97 = REFUSED.....	80	0.15
	98 = BLANK (NO ANSWER).....	120	0.22
	99 = LEGITIMATE SKIP.....	3504	6.35

How long has it been since you last used any inhalant for kicks or to get high?

INHREC	Len : 2 TIME SINCE LAST USED INHALANTS		
		Freq	Pct
	1 = Within the past 30 days.....	150	0.27
	2 = More than 30 days ago but within the past 12 mos.....	456	0.83
	3 = More than 12 months ago.....	3477	6.30
	8 = Used at some point in the past 12 mos LOG ASSN.....	15	0.03
	9 = Used at some point in lifetime LOG ASSN.....	157	0.28
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.01
	91 = NEVER USED INHALANTS.....	50782	92.06
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	118	0.21

INHYRTOT	Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 364.....	596	1.08
	985 = BAD DATA Logically assigned.....	8	0.01
	991 = NEVER USED INHALANTS.....	50782	92.06
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	3477	6.30
	994 = DON'T KNOW.....	16	0.03
	997 = REFUSED.....	6	0.01
	998 = BLANK (NO ANSWER).....	275	0.50

INTOTFG	Len : 2 TRIMMING INDICATOR FOR INHYRTOT		
		Freq	Pct
	98 = BLANK (NO ANSWER).....	55160	100.0

INFQFLG	Len : 2 TRIMMED INHYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	67	0.12
	98 = BLANK (NO ANSWER).....	55093	99.88

INHALANTS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

INBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED INHALANTS	
		Freq	Pct
	1 = Prefer to answer in days per week	85	0.15
	2 = Prefer to answer in days per month	120	0.22
	3 = Prefer to answer in days per year	385	0.70
	11 = Prefer to ans in days per wk LOG ASSN.....	3	0.01
	12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
	13 = Prefer to ans in days per yr LOG ASSN.....	8	0.01
	85 = BAD DATA Logically assigned	8	0.01
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER).....	275	0.50

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

INDAYPYR	Len : 3	# DAYS USED INHALANT PAST 12 MONTHS	
		Freq	Pct
	RANGE = 1 - 90.....	390	0.71
	985 = BAD DATA Logically assigned	7	0.01
	989 = LEGITIMATE SKIP Logically assigned.....	4	0.01
	991 = NEVER USED INHALANTS.....	50782	92.06
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	994 = DON'T KNOW.....	13	0.02
	997 = REFUSED	5	0.01
	998 = BLANK (NO ANSWER).....	276	0.50
	999 = LEGITIMATE SKIP	206	0.37

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

INDAYPMO	Len : 2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS	
		Freq	Pct
	RANGE = 1 - 24.....	122	0.22
	89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	12	0.02
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	283	0.51
	99 = LEGITIMATE SKIP	475	0.86

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

INDAYPWK	Len : 2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS	
		Freq	Pct
	RANGE = 1 - 7.....	84	0.15
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	282	0.51
	99 = LEGITIMATE SKIP	512	0.93

INHALANTS

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

INH DY30A	Len : 2 # DAYS USED INHALANT PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30.....	144	0.26
	85 = BAD DATA Logically assigned	14	0.03
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	3933	7.13
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	279	0.51

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

IN30EST	Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS		
		Freq	Pct
	1 = 1 or 2 days.....	5	0.01
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	3933	7.13
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	293	0.53
	99 = LEGITIMATE SKIP	142	0.26

PAIN RELIEVERS

PAIN RELIEVERS

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:

- the drug was not prescribed for you, or
- you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

DARVTYLC	Len : 2	EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE		
			Freq	Pct
		1 = Yes	3374	6.12
		2 = No.....	4792	8.69
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	117	0.21
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	3	0.01

Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?

PERCTY LX	Len : 2	EVER USED PERCOCET, PERCODAN, OR TYLOX		
			Freq	Pct
		1 = Yes	3064	5.55
		2 = No.....	5178	9.39
		3 = Yes LOGICALLY ASSIGNED	5	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	3	0.01

Have you ever, even once, used Vicodin, Lortab, or Lorcet that was not prescribed for you or that you took only for the experience or feeling it caused?

VICOLOR	Len : 2	EVER USED VICODIN, LORTAB, OR LORCET		
			Freq	Pct
		1 = Yes	5049	9.15
		2 = No.....	3165	5.74
		3 = Yes LOGICALLY ASSIGNED	17	0.03
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	3	0.01

PAIN RELIEVERS

Please look at the pain relievers shown below the red line on Card A.

Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?

ANLCARD	Len : 2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A		
			Freq	Pct
		1 = Yes	4049	7.34
		2 = No.....	4113	7.46
		3 = Yes LOGICALLY ASSIGNED	59	0.11
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	3	0.01

Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CODEINE	Len : 2	EVER USED CODEINE NONMEDICALLY		
			Freq	Pct
		1 = Response entered	1660	3.01
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	2364	4.29
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP	4113	7.46

DEMEROL	Len : 2	EVER USED DEMEROL NONMEDICALLY		
			Freq	Pct
		1 = Response entered	341	0.62
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	3688	6.69
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP	4113	7.46

DILAUD	Len : 2	EVER USED DILAUDID NONMEDICALLY		
			Freq	Pct
		1 = Response entered	364	0.66
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	3661	6.64
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP	4113	7.46

FIORICET	Len : 2	EVER USED FIORICET NONMEDICALLY		
			Freq	Pct
		1 = Response entered	88	0.16
		6 = Response not entered.....	3946	7.15
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	66	0.12
		99 = LEGITIMATE SKIP	4113	7.46

PAIN RELIEVERS

FIORINAL

Len : 2 EVER USED FIORINAL NONMEDICALLY

	Freq	Pct
1 = Response entered	67	0.12
6 = Response not entered.....	3967	7.19
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

HYDROCOD

Len : 2 EVER USED HYDROCODONE NONMEDICALLY

	Freq	Pct
1 = Response entered	2686	4.87
3 = Response entered LOGICALLY ASSIGNED.....	33	0.06
6 = Response not entered.....	1315	2.38
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

METHDON

Len : 2 EVER USED METHADONE NONMEDICALLY

	Freq	Pct
1 = Response entered	666	1.21
3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
6 = Response not entered.....	3361	6.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

MORPHINE

Len : 2 EVER USED MORPHINE NONMEDICALLY

	Freq	Pct
1 = Response entered	964	1.75
3 = Response entered LOGICALLY ASSIGNED.....	16	0.03
6 = Response not entered.....	3054	5.54
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

OXYCONTN

Len : 2 EVER USED OXYCONTIN NONMEDICALLY

	Freq	Pct
1 = Response entered	1800	3.26
3 = Response entered LOGICALLY ASSIGNED.....	28	0.05
6 = Response not entered.....	2206	4.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

PAIN RELIEVERS

PHENCOD	Len : 2 EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY			
		Freq	Pct	
	1 = Response entered	201	0.36	
	6 = Response not entered.....	3833	6.95	
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13	
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83	
	94 = DON'T KNOW.....	49	0.09	
	97 = REFUSED	33	0.06	
	98 = BLANK (NO ANSWER).....	66	0.12	
	99 = LEGITIMATE SKIP	4113	7.46	
PROPOXY	Len : 2 EVER USED PROPOXYPHENE NONMEDICALLY			
		Freq	Pct	
	1 = Response entered	57	0.10	
	6 = Response not entered.....	3977	7.21	
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13	
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83	
	94 = DON'T KNOW.....	49	0.09	
	97 = REFUSED	33	0.06	
	98 = BLANK (NO ANSWER).....	66	0.12	
	99 = LEGITIMATE SKIP	4113	7.46	
SK65A	Len : 2 EVER USED SK65 NONMEDICALLY			
		Freq	Pct	
	1 = Response entered	19	0.03	
	6 = Response not entered.....	4015	7.28	
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13	
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83	
	94 = DON'T KNOW.....	49	0.09	
	97 = REFUSED	33	0.06	
	98 = BLANK (NO ANSWER).....	66	0.12	
	99 = LEGITIMATE SKIP	4113	7.46	
STADOL	Len : 2 EVER USED STADOL NONMEDICALLY			
		Freq	Pct	
	1 = Response entered	26	0.05	
	6 = Response not entered.....	4008	7.27	
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13	
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83	
	94 = DON'T KNOW.....	49	0.09	
	97 = REFUSED	33	0.06	
	98 = BLANK (NO ANSWER).....	66	0.12	
	99 = LEGITIMATE SKIP	4113	7.46	
TALACEN	Len : 2 EVER USED TALACEN NONMEDICALLY			
		Freq	Pct	
	1 = Response entered	9	0.02	
	6 = Response not entered.....	4025	7.30	
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13	
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83	
	94 = DON'T KNOW.....	49	0.09	
	97 = REFUSED	33	0.06	
	98 = BLANK (NO ANSWER).....	66	0.12	
	99 = LEGITIMATE SKIP	4113	7.46	
TALWIN	Len : 2 EVER USED TALWIN NONMEDICALLY			
		Freq	Pct	
	1 = Response entered	29	0.05	
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
	6 = Response not entered.....	4004	7.26	
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13	
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83	
	94 = DON'T KNOW.....	49	0.09	
	97 = REFUSED	33	0.06	
	98 = BLANK (NO ANSWER).....	66	0.12	
	99 = LEGITIMATE SKIP	4113	7.46	

PAIN RELIEVERS

TALWINNX

Len : 2 EVER USED TALWINNX NONMEDICALLY

	Freq	Pct
1 = Response entered	12	0.02
6 = Response not entered.....	4022	7.29
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

TRAMADOL

Len : 2 EVER USED TRAMADOL NONMEDICALLY

	Freq	Pct
1 = Response entered	829	1.50
3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
6 = Response not entered.....	3196	5.79
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

ULTRAM

Len : 2 EVER USED ULTRAM NONMEDICALLY

	Freq	Pct
1 = Response entered	319	0.58
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	3713	6.73
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER).....	66	0.12
99 = LEGITIMATE SKIP	4113	7.46

Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?

ANLNOLST

Len : 2 EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY

	Freq	Pct
1 = Yes	1299	2.35
2 = No.....	6841	12.40
4 = No LOGICALLY ASSIGNED.....	49	0.09
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	88	0.16
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER).....	3	0.01

PAIN RELIEVERS

ANALNEWA

Len : 4 OTHER PAIN RELIEVER - SPECIFY 1

	Freq	Pct
109 = Seconal.....	4	0.01
113 = Halcion, Triazolam	1	0.00
116 = Methaqualone, Sopor, Quaalude	9	0.02
130 = Phenergan, Promethazine	3	0.01
174 = Ambien, Stilnox, Zolpidem	5	0.01
176 = Melatonin <OTC>.....	1	0.00
178 = Quetiapine, Seroquel	4	0.01
201 = Valium, Diazepam.....	30	0.05
206 = Tranxene, Clorazepate, Tranxilium	1	0.00
207 = Ativan, Lorazepam, Orfidal.....	4	0.01
209 = Xanax, Alprazolam, Tafil, Xanax bars	97	0.18
216 = Atarax, Hydroxyzine	1	0.00
223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....	2	0.00
225 = Desyrel, Trazodone hydrochloride.....	2	0.00
228 = Amitriptyline, Elavil.....	1	0.00
234 = Flexeril, Cyclobenzaprine	16	0.03
246 = Clonazepam, Diocam, Klonopin, Rivotril	6	0.01
250 = Aventyl, Nortab, Nortriptyline, Pamelor.....	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
271 = Sertraline hydrochloride, Zoloft	1	0.00
283 = Paroxetine, Paxil.....	1	0.00
290 = Metaxalone, Skelaxin.....	2	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine	1	0.00
318 = Ritalin, Methylphenidate.....	4	0.01
339 = Amphetamines.....	1	0.00
401 = Darvon.....	1	0.00
407 = Demerol, Meperidine.....	4	0.01
408 = Dilaudid, Hydromorphone	8	0.01
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	3	0.01
415 = Codeine	9	0.02
417 = Morphine, Roxanol.....	15	0.03
418 = Methadone, Dolophine.....	6	0.01
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	33	0.06
421 = USED ANALGESIC, DON'T KNOW NAME.....	123	0.22
422 = Motrin	15	0.03
423 = Percocet	21	0.04
425 = Advil <OTC>	6	0.01
427 = Darvocet, Davocet-N.....	1	0.00
430 = Aspirin, Ecotrin, Empirin <OTC>	6	0.01
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	68	0.12
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	6	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen	13	0.02
442 = Ibuprofen	90	0.16
465 = Actiq, Fentanyl, Duragesic, Sublimaze	26	0.05
472 = Indocin, Indomethacin.....	1	0.00
496 = Ultram.....	1	0.00
499 = Aleve <OTC>	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
703 = Opium.....	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	2	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.00
820 = Penicillin	1	0.00
821 = Amoxicillin, Ampicillin, Pentrexly	3	0.01
828 = Tetracycline	1	0.00
844 = Blood pressure medication.....	1	0.00
858 = Antibiotic.....	1	0.00
1003 = Donnatal	1	0.00
1008 = Rohr 714, Rorer 714	1	0.00
1018 = Advil PM <OTC>	1	0.00
2001 = Sanoma, Soma, Carisoprodol	23	0.04
2002 = Muscle relaxers.....	10	0.02
2003 = Zanies, zannies, zans, zany bars	1	0.00
2012 = Geodon, Ziprasidone	1	0.00
3023 = Adderall	30	0.05
3052 = Speed; otherwise unspecified	1	0.00
3090 = Provigil, Modafinil.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	3	0.01
4002 = Imitrex, Sumatriptan.....	1	0.00
4007 = Happy pills	1	0.00
4033 = Vicoprofen	2	0.00
4035 = Nabumetone, Relafen	1	0.00
4039 = Daypro	1	0.00
4041 = Maxalt.....	1	0.00

PAIN RELIEVERS

4043 = Tramadol	5	0.01
4044 = Hydrocodone	29	0.05
4046 = Oxycodone or unspecified oxycodone products	54	0.10
4047 = Roxicet.....	14	0.03
4048 = Motrin IB <OTC>	1	0.00
4051 = Celebrex	1	0.00
4052 = Endocet	1	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4065 = Roxicodone.....	13	0.02
4067 = OxyContin.....	27	0.05
4083 = Ultracet	1	0.00
4109 = Suboxone	15	0.03
4116 = Phenergan with codeine, promethazine with codeine	3	0.01
4119 = Buprenorphine, Subutex	4	0.01
4120 = Numorphan, Opana, Oxymorphone	30	0.05
4143 = Vicotuss	2	0.00
5105 = Sulfur; otherwise unspecified	1	0.00
8002 = Zantac.....	2	0.00
8007 = Gabapentin, Neurontin.....	2	0.00
8009 = Allergy pills/antihistamine; type unspecified.....	3	0.01
8035 = Prednisone	1	0.00
8058 = Cough medicine/syrup; type unspecified.....	4	0.01
8097 = Tizanidine, Zanaflex.....	1	0.00
8114 = Lidocaine	1	0.00
8136 = Montekulast, Singulair.....	1	0.00
8225 = Cymbalta, Duloxetine.....	2	0.00
8229 = ADHD/ADD medication; otherwise unspfd.....	1	0.00
8236 = Lyrica, Pregabalin	3	0.01
8293 = Lean (Promethazine w/codeine mixed w/Sprite).....	1	0.00
8330 = Bipolar disorder medication; type unspecified	1	0.00
8333 = Moringa.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
9985 = BAD DATA Logically assigned	15	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	49	0.09
9991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
9997 = REFUSED	52	0.09
9998 = BLANK (NO ANSWER).....	362	0.66
9999 = LEGITIMATE SKIP	6841	12.40

PAIN RELIEVERS

ANALNEWSB

Len : 4 OTHER PAIN RELIEVER - SPECIFY 2

	Freq	Pct
105 = Placidyl, Ethchlorvynol	1	0.00
114 = Amobarbital	1	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
178 = Quetiapine, Seroquel	1	0.00
180 = Tylenol P.M. <OTC>	1	0.00
201 = Valium, Diazepam	6	0.01
207 = Ativan, Lorazepam, Orfidal	2	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	16	0.03
216 = Atarax, Hydroxyzine	1	0.00
234 = Flexeril, Cyclobenzaprine	3	0.01
241 = Prozac, Fluoxetine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	6	0.01
318 = Ritalin, Methylphenidate	1	0.00
406 = Percodan, Roxiprin	1	0.00
407 = Demerol, Meperidine	1	0.00
408 = Dilaudid, Hydromorphone	2	0.00
409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	3	0.01
411 = Talwin	1	0.00
415 = Codeine	3	0.01
417 = Morphine, Roxanol	2	0.00
418 = Methadone, Dolophine	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	5	0.01
421 = USED ANALGESIC, DON'T KNOW NAME	14	0.03
422 = Motrin	4	0.01
423 = Percocet	4	0.01
425 = Advil <OTC>	4	0.01
430 = Aspirin, Ecotrin, Empirin <OTC>	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	19	0.03
435 = Tylenol, Tylenol Extra-Strength <OTC>	5	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen	1	0.00
442 = Ibuprofen	19	0.03
465 = Actiq, Fentanyl, Duragesic, Sublimaze	1	0.00
481 = Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.00
496 = Ultram	1	0.00
499 = Aleve <OTC>	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
802 = THC, cannabinal, marinol, tetrahydrocannabinol	1	0.00
843 = Cold medicine, cold tablets <OTC>	1	0.00
865 = Diuretics, water pills	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	3	0.01
2001 = Sanoma, Soma, Carisoprodol	3	0.01
2002 = Muscle relaxers	5	0.01
3023 = Adderall	5	0.01
4043 = Tramadol	2	0.00
4044 = Hydrocodone	10	0.02
4046 = Oxycodone or unspecified oxycodone products	4	0.01
4047 = Roxicet	2	0.00
4048 = Motrin IB <OTC>	1	0.00
4065 = Roxicodone	5	0.01
4067 = OxyContin	4	0.01
4097 = Tussionex	1	0.00
4109 = Suboxone	5	0.01
4119 = Buprenorphine, Subutex	2	0.00
4120 = Numorphan, Opana, Oxymorphone	10	0.02
4144 = Bancap HC	1	0.00
6076 = Lemon 714	1	0.00
6114 = Molly; not otherwise specified	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8009 = Allergy pills/antihistamine; type unspecified	2	0.00
8012 = Coriciden <OTC>	1	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
8136 = Montekulast, Singulair	1	0.00
8305 = Anti-anxiety medications; type unspecified	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned	72	0.13
9985 = BAD DATA Logically assigned	12	0.02
9989 = LEGITIMATE SKIP Logically assigned	13	0.02
9991 = NEVER USED PAIN RELIEVERS	46793	84.83
9997 = REFUSED	20	0.04
9998 = BLANK (NO ANSWER)	1161	2.10
9999 = LEGITIMATE SKIP	6877	12.47

PAIN RELIEVERS

ANALNEWC

Len : 4 OTHER PAIN RELIEVER - SPECIFY 3

	Freq	Pct
110 = Tuinal.....	2	0.00
174 = Ambien, Stilnox, Zolpidem	1	0.00
176 = Melatonin <OTC>.....	1	0.00
201 = Valium, Diazepam.....	1	0.00
207 = Ativan, Lorazepam, Orfidal.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	6	0.01
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
407 = Demerol, Meperidine.....	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
415 = Codeine	1	0.00
417 = Morphine, Roxanol.....	2	0.00
418 = Methadone, Dolophine.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	6	0.01
422 = Motrin	1	0.00
423 = Percocet	2	0.00
425 = Advil <OTC>	3	0.01
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	5	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	4	0.01
438 = Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442 = Ibuprofen	5	0.01
2001 = Sanoma, Soma, Carisoprodol	1	0.00
2002 = Muscle relaxers.....	2	0.00
2003 = Zanies, zannies, zans, zany bars	1	0.00
3023 = Adderall	1	0.00
4043 = Tramadol	1	0.00
4044 = Hydrocodone	2	0.00
4046 = Oxycodone or unspecified oxycodone products	1	0.00
4048 = Motrin IB <OTC>.....	1	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	3	0.01
4120 = Numorphan, Opana, Oxymorphone	2	0.00
8058 = Cough medicine/syrup; type unspecified.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
9985 = BAD DATA Logically assigned	4	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
9997 = REFUSED	19	0.03
9998 = BLANK (NO ANSWER).....	1317	2.39
9999 = LEGITIMATE SKIP	6888	12.49

ANALNEWD

Len : 4 OTHER PAIN RELIEVER - SPECIFY 4

	Freq	Pct
201 = Valium, Diazepam.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
417 = Morphine, Roxanol.....	2	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	1	0.00
425 = Advil <OTC>	4	0.01
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
442 = Ibuprofen	1	0.00
450 = Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
3023 = Adderall	1	0.00
4011 = Atretol, Carbamazepine, Carbatrol, Eptol, Tegretol	1	0.00
4043 = Tramadol	1	0.00
4044 = Hydrocodone	1	0.00
4048 = Motrin IB <OTC>.....	1	0.00
4067 = OxyContin.....	1	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
9997 = REFUSED	17	0.03
9998 = BLANK (NO ANSWER).....	1363	2.47
9999 = LEGITIMATE SKIP	6890	12.49

PAIN RELIEVERS

ANALNEWB

Len : 4 OTHER PAIN RELIEVER - SPECIFY 5

	Freq	Pct
116 = Methaqualone, Sopor, Quaalude	1	0.00
201 = Valium, Diazepam.....	1	0.00
421 = USED ANALGESIC, DON'T KNOW NAME.....	2	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.00
806 = Crack, rock	1	0.00
3023 = Adderall	1	0.00
4044 = Hydrocodone	2	0.00
9981 = NEVER USED PAIN RELIEVERS Logically assigned	72	0.13
9991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
9997 = REFUSED	15	0.03
9998 = BLANK (NO ANSWER).....	1380	2.50
9999 = LEGITIMATE SKIP	6890	12.49

The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVTYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

ANLEVER

Len : 2 EVER USED PAIN RELIEVERS NONMEDICALLY

	Freq	Pct
1 = Yes	8094	14.67
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	200	0.36

How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALAGE

Len : 3 AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 72.....	7636	13.84
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
985 = BAD DATA Logically assigned	72	0.13
991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
994 = DON'T KNOW.....	279	0.51
997 = REFUSED	111	0.20
998 = BLANK (NO ANSWER).....	197	0.36

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALYFU

Len : 4 YEAR OF FIRST PAIN RELIEVER USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	1059	1.92
9981 = NEVER USED PAIN RELIEVERS Logically assigned	72	0.13
9985 = BAD DATA Logically assigned	162	0.29
9989 = LEGITIMATE SKIP Logically assigned.....	72	0.13
9991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
9994 = DON'T KNOW.....	289	0.52
9997 = REFUSED	112	0.20
9998 = BLANK (NO ANSWER).....	203	0.37
9999 = LEGITIMATE SKIP	6398	11.60

PAIN RELIEVERS

In what month in [CURRENT YEAR] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR07a or PR07b] did you first use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALMFU	Len : 2 MONTH OF FIRST PAIN RELIEVER USE - RECODE		
		Freq	Pct
	1 = January.....	102	0.18
	2 = February.....	65	0.12
	3 = March.....	81	0.15
	4 = April.....	72	0.13
	5 = May.....	65	0.12
	6 = June.....	95	0.17
	7 = July.....	85	0.15
	8 = August.....	90	0.16
	9 = September.....	88	0.16
	10 = October.....	82	0.15
	11 = November.....	77	0.14
	12 = December.....	71	0.13
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	85 = BAD DATA Logically assigned.....	161	0.29
	89 = LEGITIMATE SKIP Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	94 = DON'T KNOW.....	373	0.68
	97 = REFUSED.....	114	0.21
	98 = BLANK (NO ANSWER).....	204	0.37
	99 = LEGITIMATE SKIP.....	6398	11.60

How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALREC	Len : 2 TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY		
		Freq	Pct
	1 = Within the past 30 days.....	1163	2.11
	2 = More than 30 days ago but within the past 12 mos.....	1840	3.34
	3 = More than 12 months ago.....	4783	8.67
	8 = Used at some point in the past 12 mos LOG ASSN.....	47	0.09
	9 = Used at some point in lifetime LOG ASSN.....	251	0.46
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	8	0.01
	12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	2	0.00
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	85 = BAD DATA Logically assigned.....	3	0.01
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	97 = REFUSED.....	1	0.00
	98 = BLANK (NO ANSWER).....	197	0.36

NOTE: The variables ANALYRTOT, PRBSTWAY, PRDAYPYR, PRDAYPMO, and PRDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any pain reliever more than 12 months ago but subsequently reported more recent use of any pain reliever or OxyContin.

ANLYRTOT	Len : 3 TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365.....	2927	5.31
	981 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	985 = BAD DATA Logically assigned.....	43	0.08
	991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4783	8.67
	994 = DON'T KNOW.....	76	0.14
	997 = REFUSED.....	17	0.03
	998 = BLANK (NO ANSWER).....	449	0.81

PRTOTFG	Len : 2 TRIMMING INDICATOR FOR ANALYRTOT		
		Freq	Pct
	1 = Trimmed to 365 days (no further editing).....	1	0.00
	98 = BLANK (NO ANSWER).....	55159	100.0

PAIN RELIEVERS

PRFQFLG

Len : 2 TRIMMED ANLYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	192	0.35
98 = BLANK (NO ANSWER).....	54968	99.65

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?

PRBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER

	Freq	Pct
1 = Prefer to answer in days per week.....	542	0.98
2 = Prefer to answer in days per month.....	854	1.55
3 = Prefer to answer in days per year.....	1519	2.75
11 = Prefer to ans in days per wk LOG ASSN.....	5	0.01
12 = Prefer to ans in days per mo LOG ASSN.....	17	0.03
13 = Prefer to ans in days per yr LOG ASSN.....	23	0.04
21 = Prefer to ans in days per wk (OXBSTWAY=1,11).....	9	0.02
22 = Prefer to ans in days per mo (OXBSTWAY=2,12).....	13	0.02
23 = Prefer to ans in days per yr (OXBSTWAY=3,13).....	4	0.01
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned.....	43	0.08
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4783	8.67
94 = DON'T KNOW.....	26	0.05
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	449	0.81

On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPYR

Len : 3 # DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	1531	2.78
981 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
985 = BAD DATA Logically assigned.....	11	0.02
989 = LEGITIMATE SKIP Logically assigned.....	26	0.05
991 = NEVER USED PAIN RELIEVERS.....	46793	84.83
993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4783	8.67
994 = DON'T KNOW.....	43	0.08
997 = REFUSED.....	6	0.01
998 = BLANK (NO ANSWER).....	481	0.87
999 = LEGITIMATE SKIP.....	1414	2.56

On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPMO

Len : 2 # DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31.....	858	1.56
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned.....	16	0.03
89 = LEGITIMATE SKIP Logically assigned.....	8	0.01
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4783	8.67
94 = DON'T KNOW.....	64	0.12
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	476	0.86
99 = LEGITIMATE SKIP.....	2079	3.77

PAIN RELIEVERS

On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

PRDAYPWK

Len : 2 # DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	538	0.98
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned.....	18	0.03
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
94 = DON'T KNOW.....	76	0.14
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER).....	474	0.86
99 = LEGITIMATE SKIP	2388	4.33

NOTE: Although the Food and Drug Administration (FDA) did not approve OxyContin for medical use in the United States until late 1995, no editing was done to OXYCAGE when respondents reported first using OxyContin at ages that would indicate nonmedical use prior to FDA approval. Although no editing was done for these cases, caution is advised in interpreting data from these respondents, and particularly the farther that OXYCAGE would be from first use in 1995.

Now think only about your use of Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused. How old were you the first time you used Oxycontin in either of these ways?

How old were you the first time you used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCAGE

Len : 3 AGE WHEN FIRST USED OXYCONTIN NONMEDICALLY

	Freq	Pct
RANGE = 9 - 64.....	1773	3.21
981 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
985 = BAD DATA Logically assigned.....	8	0.01
991 = NEVER USED OXYCONTIN.....	50906	92.29
994 = DON'T KNOW.....	23	0.04
997 = REFUSED	36	0.07
998 = BLANK (NO ANSWER).....	136	0.25

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYFU

Len : 4 YEAR OF FIRST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	248	0.45
9981 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
9985 = BAD DATA Logically assigned.....	21	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
9991 = NEVER USED OXYCONTIN.....	50906	92.29
9994 = DON'T KNOW.....	25	0.05
9997 = REFUSED	36	0.07
9998 = BLANK (NO ANSWER).....	137	0.25
9999 = LEGITIMATE SKIP	1501	2.72

PAIN RELIEVERS

In what month in [CURRENT YEAR] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM PR15 or PR16] did you first use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMFU	Len : 2 MONTH OF FIRST OXYCONTIN USE - RECODE		
		Freq	Pct
	1 = January.....	23	0.04
	2 = February.....	18	0.03
	3 = March.....	17	0.03
	4 = April.....	17	0.03
	5 = May.....	15	0.03
	6 = June.....	24	0.04
	7 = July.....	21	0.04
	8 = August.....	24	0.04
	9 = September.....	16	0.03
	10 = October.....	24	0.04
	11 = November.....	21	0.04
	12 = December.....	13	0.02
	81 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
	85 = BAD DATA Logically assigned.....	22	0.04
	89 = LEGITIMATE SKIP Logically assigned.....	8	0.01
	91 = NEVER USED OXYCONTIN.....	50906	92.29
	94 = DON'T KNOW.....	39	0.07
	97 = REFUSED.....	36	0.07
	98 = BLANK (NO ANSWER).....	137	0.25
	99 = LEGITIMATE SKIP.....	1501	2.72

How long has it been since you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCREC	Len : 2 TIME SINCE LAST USED OXYCONTIN NONMEDICALLY		
		Freq	Pct
	1 = Within the past 30 days.....	101	0.18
	2 = More than 30 days ago but within the past 12 mos.....	297	0.54
	3 = More than 12 months ago.....	1369	2.48
	8 = Used at some point in the past 12 mos LOG ASSN.....	17	0.03
	9 = Used at some point in lifetime LOG ASSN.....	42	0.08
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
	81 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
	91 = NEVER USED OXYCONTIN.....	50906	92.29
	97 = REFUSED.....	33	0.06
	98 = BLANK (NO ANSWER).....	115	0.21

OXYRTOT	Len : 3 TOTAL # DAYS USED OXYCONTIN PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 364.....	393	0.71
	981 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
	985 = BAD DATA Logically assigned.....	11	0.02
	991 = NEVER USED OXYCONTIN.....	50906	92.29
	993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	1369	2.48
	994 = DON'T KNOW.....	3	0.01
	997 = REFUSED.....	36	0.07
	998 = BLANK (NO ANSWER).....	164	0.30

OXTOTFG	Len : 2 TRIMMING INDICATOR FOR OXYRTOT		
		Freq	Pct
	98 = BLANK (NO ANSWER).....	55160	100.0

OXFQFLG	Len : 2 TRIMMED OXYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	40	0.07
	98 = BLANK (NO ANSWER).....	55120	99.93

PAIN RELIEVERS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used OxyContin in either of these ways?

OXBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED OXYCONTIN		
			Freq	Pct
		1 = Prefer to answer in days per week	59	0.11
		2 = Prefer to answer in days per month	114	0.21
		3 = Prefer to answer in days per year	218	0.40
		13 = Prefer to ans in days per yr LOG ASSN	5	0.01
		81 = NEVER USED OXYCONTIN Logically assigned	2278	4.13
		85 = BAD DATA Logically assigned	11	0.02
		91 = NEVER USED OXYCONTIN	50906	92.29
		93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	1369	2.48
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	34	0.06
		98 = BLANK (NO ANSWER)	164	0.30

On how many days in the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPYR	Len : 3	# DAYS USED OXYCONTIN "NM" PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 240	222	0.40
		981 = NEVER USED OXYCONTIN Logically assigned	2278	4.13
		985 = BAD DATA Logically assigned	2	0.00
		991 = NEVER USED OXYCONTIN	50906	92.29
		993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	1369	2.48
		994 = DON'T KNOW	3	0.01
		997 = REFUSED	34	0.06
		998 = BLANK (NO ANSWER)	173	0.31
		999 = LEGITIMATE SKIP	173	0.31

On average, how many days each month during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPMO	Len : 2	# DAYS PER MO USED OXYCONTIN "NM" PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 21	114	0.21
		81 = NEVER USED OXYCONTIN Logically assigned	2278	4.13
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED OXYCONTIN	50906	92.29
		93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	1369	2.48
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	34	0.06
		98 = BLANK (NO ANSWER)	172	0.31
		99 = LEGITIMATE SKIP	281	0.51

On average, how many days each week during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXDAYPWK	Len : 2	# DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 7	57	0.10
		81 = NEVER USED OXYCONTIN Logically assigned	2278	4.13
		85 = BAD DATA Logically assigned	6	0.01
		91 = NEVER USED OXYCONTIN	50906	92.29
		93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS	1369	2.48
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	36	0.07
		98 = BLANK (NO ANSWER)	169	0.31
		99 = LEGITIMATE SKIP	336	0.61

TRANQUILIZERS

TRANQUILIZERS

These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."

Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.

Please look at Card B carefully as you answer the next questions.

Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

KLONOPIN	Len : 2	EVER USED KLONOPIN OR CLONAZEPAM		
			Freq	Pct
	1 = Yes		1449	2.63
	2 = No.....		3203	5.81
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	94 = DON'T KNOW.....		34	0.06
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		3	0.01

Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

XNAXATVN	Len : 2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
			Freq	Pct
	1 = Yes		3426	6.21
	2 = No.....		1206	2.19
	3 = Yes LOGICALLY ASSIGNED		6	0.01
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	94 = DON'T KNOW.....		44	0.08
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		3	0.01

Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

VALMDIAZ	Len : 2	EVER USED VALIUM OR DIAZEPAM		
			Freq	Pct
	1 = Yes		2093	3.79
	2 = No.....		2557	4.64
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	94 = DON'T KNOW.....		35	0.06
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		3	0.01

Please look at the tranquilizers shown below the red line on Card B.

Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?

TRNCARD	Len : 2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B		
			Freq	Pct
	1 = Yes		1258	2.28
	2 = No.....		3369	6.11
	3 = Yes LOGICALLY ASSIGNED		10	0.02
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	94 = DON'T KNOW.....		45	0.08
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		3	0.01

TRANQUILIZERS

Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

ATARAX	Len : 2 EVER USED ATARAX NONMEDICALLY		
		Freq	Pct
	1 = Response entered	42	0.08
	6 = Response not entered.....	1181	2.14
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	94 = DON'T KNOW.....	30	0.05
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	48	0.09
	99 = LEGITIMATE SKIP	3369	6.11

BUSPAR	Len : 2 EVER USED BUSPAR NONMEDICALLY		
		Freq	Pct
	1 = Response entered	158	0.29
	6 = Response not entered.....	1065	1.93
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	94 = DON'T KNOW.....	30	0.05
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	48	0.09
	99 = LEGITIMATE SKIP	3369	6.11

EQUANIL	Len : 2 EVER USED EQUANIL NONMEDICALLY		
		Freq	Pct
	1 = Response entered	16	0.03
	6 = Response not entered.....	1207	2.19
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	94 = DON'T KNOW.....	30	0.05
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	48	0.09
	99 = LEGITIMATE SKIP	3369	6.11

FLEXERIL	Len : 2 EVER USED FLEXERIL NONMEDICALLY		
		Freq	Pct
	1 = Response entered	578	1.05
	3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
	6 = Response not entered.....	640	1.16
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	94 = DON'T KNOW.....	30	0.05
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	48	0.09
	99 = LEGITIMATE SKIP	3369	6.11

LIBRIUM	Len : 2 EVER USED LIBRIUM NONMEDICALLY		
		Freq	Pct
	1 = Response entered	76	0.14
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	1145	2.08
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	94 = DON'T KNOW.....	30	0.05
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	48	0.09
	99 = LEGITIMATE SKIP	3369	6.11

TRANQUILIZERS

LIMBTROL

Len : 2 EVER USED LIMBTROL NONMEDICALLY

	Freq	Pct
1 = Response entered	13	0.02
6 = Response not entered.....	1210	2.19
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

MEPROB

Len : 2 EVER USED MEPROBAMATE NONMEDICALLY

	Freq	Pct
1 = Response entered	27	0.05
6 = Response not entered.....	1196	2.17
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

MILTOWN

Len : 2 EVER USED MILTOWN NONMEDICALLY

	Freq	Pct
1 = Response entered	15	0.03
6 = Response not entered.....	1208	2.19
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

ROHYPNOL

Len : 2 EVER USED ROHYPNOL NONMEDICALLY

	Freq	Pct
1 = Response entered	56	0.10
6 = Response not entered.....	1167	2.12
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

SERAX

Len : 2 EVER USED SERAX NONMEDICALLY

	Freq	Pct
1 = Response entered	19	0.03
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	1203	2.18
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

SOMA

Len : 2 EVER USED SOMA NONMEDICALLY

	Freq	Pct
1 = Response entered	648	1.17
3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
6 = Response not entered.....	568	1.03
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

TRANQUILIZERS

TRANXENE

Len : 2 EVER USED TRANXENE NONMEDICALLY

	Freq	Pct
1 = Response entered	16	0.03
6 = Response not entered.....	1207	2.19
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

VISTAR

Len : 2 EVER USED VISTARIL NONMEDICALLY

	Freq	Pct
1 = Response entered	82	0.15
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	1139	2.06
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	48	0.09
99 = LEGITIMATE SKIP	3369	6.11

Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?

TRNOLST

Len : 2 EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY

	Freq	Pct
1 = Yes	243	0.44
2 = No.....	4381	7.94
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
94 = DON'T KNOW.....	58	0.11
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER).....	3	0.01

TRANQUILIZERS

TRNEWA

Len : 4 OTHER TRANQUILIZER - SPECIFY 1

	Freq	Pct
105 = Placidyl, Ethchlorvynol	1	0.00
113 = Halcion, Triazolam	2	0.00
116 = Methaqualone, Sopor, Quaalude	13	0.02
129 = Reds	1	0.00
131 = Haldol, Haloperidol	1	0.00
138 = Mandrax, Mandrix [see also 116]	1	0.00
174 = Ambien, Stilnox, Zolpidem	8	0.01
178 = Quetiapine, Seroquel	8	0.01
201 = Valium, Diazepam	3	0.01
202 = Librium, Chlordiazepoxide HCl	2	0.00
205 = Serax, Oxazepam	1	0.00
207 = Ativan, Lorazepam, Orfidal	5	0.01
209 = Xanax, Alprazolam, Tafil, Xanax bars	18	0.03
215 = Vistaril	2	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	0.01
222 = USED TRANQUILIZER, DON'T KNOW NAME	30	0.05
225 = Desyrel, Trazodone hydrochloride	6	0.01
227 = Thorazine	1	0.00
228 = Amitriptyline, Elavil	2	0.00
234 = Flexeril, Cyclobenzaprine	5	0.01
240 = Lithium carbonate, Lithonate	2	0.00
241 = Prozac, Fluoxetine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
271 = Sertraline hydrochloride, Zoloft	1	0.00
278 = Benzodiazepines	1	0.00
290 = Metaxalone, Skelaxin	1	0.00
442 = Ibuprofen	2	0.00
658 = Special K, Ketamine	22	0.04
663 = Animal tranquilizer, horse tranquilizer	3	0.01
828 = Tetracycline	1	0.00
844 = Blood pressure medication	1	0.00
894 = Depakene, Depakote, Valproic acid	1	0.00
2001 = Sanoma, Soma, Carisoprodol	6	0.01
2002 = Muscle relaxers	2	0.00
2026 = Sedoxil	1	0.00
3023 = Adderall	2	0.00
4043 = Tramadol	1	0.00
4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.00
4109 = Suboxone	1	0.00
6114 = Molly; not otherwise specified	1	0.00
8007 = Gabapentin, Neurontin	1	0.00
8097 = Tizanidine, Zanaflex	2	0.00
8225 = Cymbalta, Duloxetine	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	2	0.00
9985 = BAD DATA Logically assigned	7	0.01
9991 = NEVER USED TRANQUILIZERS	50464	91.49
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER)	118	0.21
9999 = LEGITIMATE SKIP	4381	7.94

TRANQUILIZERS

TRNEWB

Len : 4 OTHER TRANQUILIZER - SPECIFY 2

	Freq	Pct
112 = Restoril, Temazepam	1	0.00
116 = Methaqualone, Sopor, Quaalude	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
137 = 7-14	1	0.00
174 = Ambien, Stilnox, Zolpidem	1	0.00
178 = Quetiapine, Seroquel	1	0.00
201 = Valium, Diazepam	1	0.00
202 = Librium, Chlordiazepoxide HCl	1	0.00
205 = Serax, Oxazepam	1	0.00
222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.00
225 = Desyrel, Trazodone hydrochloride	1	0.00
234 = Flexeril, Cyclobenzaprine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	2	0.00
318 = Ritalin, Methylphenidate	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
442 = Ibuprofen	1	0.00
658 = Special K, Ketamine	2	0.00
1011 = Lunesta	1	0.00
2002 = Muscle relaxers	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	2	0.00
9985 = BAD DATA Logically assigned	5	0.01
9991 = NEVER USED TRANQUILIZERS	50464	91.49
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER)	276	0.50
9999 = LEGITIMATE SKIP	4381	7.94

TRNEWC

Len : 4 OTHER TRANQUILIZER - SPECIFY 3

	Freq	Pct
109 = Seconal	1	0.00
116 = Methaqualone, Sopor, Quaalude	1	0.00
201 = Valium, Diazepam	1	0.00
202 = Librium, Chlordiazepoxide HCl	1	0.00
205 = Serax, Oxazepam	1	0.00
207 = Ativan, Lorazepam, Orfidal	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	2	0.00
658 = Special K, Ketamine	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	2	0.00
9985 = BAD DATA Logically assigned	4	0.01
9991 = NEVER USED TRANQUILIZERS	50464	91.49
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER)	290	0.53
9999 = LEGITIMATE SKIP	4381	7.94

TRNEWD

Len : 4 OTHER TRANQUILIZER - SPECIFY 4

	Freq	Pct
110 = Tuinal	1	0.00
174 = Ambien, Stilnox, Zolpidem	1	0.00
234 = Flexeril, Cyclobenzaprine	1	0.00
658 = Special K, Ketamine	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	2	0.00
9985 = BAD DATA Logically assigned	2	0.00
9991 = NEVER USED TRANQUILIZERS	50464	91.49
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER)	298	0.54
9999 = LEGITIMATE SKIP	4381	7.94

TRNEWE

Len : 4 OTHER TRANQUILIZER - SPECIFY 5

	Freq	Pct
222 = USED TRANQUILIZER, DON'T KNOW NAME	1	0.00
658 = Special K, Ketamine	1	0.00
9981 = NEVER USED TRANQUILIZERS Logically assigned	2	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED TRANQUILIZERS	50464	91.49
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER)	301	0.55
9999 = LEGITIMATE SKIP	4381	7.94

TRANQUILIZERS

The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

TRNEVER	Len : 2	EVER USED TRANQUILIZERS NONMEDICALLY		
			Freq	Pct
		1 = Yes	4590	8.32
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		98 = BLANK (NO ANSWER).....	104	0.19

How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANAGE	Len : 3	AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY		
			Freq	Pct
		RANGE = 1 - 80.....	4479	8.12
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		985 = BAD DATA Logically assigned	23	0.04
		991 = NEVER USED TRANQUILIZERS	50464	91.49
		994 = DON'T KNOW.....	67	0.12
		997 = REFUSED	21	0.04
		998 = BLANK (NO ANSWER).....	104	0.19

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANFYU	Len : 4	YEAR OF FIRST TRANQUILIZER USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	669	1.21
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		9985 = BAD DATA Logically assigned	63	0.11
		9989 = LEGITIMATE SKIP Logically assigned.....	35	0.06
		9991 = NEVER USED TRANQUILIZERS	50464	91.49
		9994 = DON'T KNOW.....	68	0.12
		9997 = REFUSED	22	0.04
		9998 = BLANK (NO ANSWER).....	106	0.19
		9999 = LEGITIMATE SKIP	3731	6.76

TRANQUILIZERS

In what month in [CURRENT YEAR] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM TR07a or TR07b] did you first use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANMFU	Len : 2 MONTH OF FIRST TRANQUILIZER USE - RECODE		
		Freq	Pct
	1 = January.....	63	0.11
	2 = February.....	37	0.07
	3 = March.....	64	0.12
	4 = April.....	59	0.11
	5 = May.....	47	0.09
	6 = June.....	60	0.11
	7 = July.....	67	0.12
	8 = August.....	54	0.10
	9 = September.....	45	0.08
	10 = October.....	43	0.08
	11 = November.....	39	0.07
	12 = December.....	49	0.09
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	85 = BAD DATA Logically assigned.....	63	0.11
	89 = LEGITIMATE SKIP Logically assigned.....	35	0.06
	91 = NEVER USED TRANQUILIZERS.....	50464	91.49
	94 = DON'T KNOW.....	108	0.20
	97 = REFUSED.....	24	0.04
	98 = BLANK (NO ANSWER).....	106	0.19
	99 = LEGITIMATE SKIP.....	3731	6.76

How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANREC	Len : 2 TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY		
		Freq	Pct
	1 = Within the past 30 days.....	433	0.78
	2 = More than 30 days ago but within the past 12 mos.....	1008	1.83
	3 = More than 12 months ago.....	3059	5.55
	8 = Used at some point in the past 12 mos LOG ASSN.....	8	0.01
	9 = Used at some point in lifetime LOG ASSN.....	79	0.14
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.01
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS.....	50464	91.49
	98 = BLANK (NO ANSWER).....	104	0.19

TRNYRTOT	Len : 3 TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 364.....	1421	2.58
	981 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	985 = BAD DATA Logically assigned.....	11	0.02
	991 = NEVER USED TRANQUILIZERS.....	50464	91.49
	993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	3059	5.55
	994 = DON'T KNOW.....	12	0.02
	997 = REFUSED.....	8	0.01
	998 = BLANK (NO ANSWER).....	183	0.33

TRTOTFG	Len : 2 TRIMMING INDICATOR FOR TRNYRTOT		
		Freq	Pct
	98 = BLANK (NO ANSWER).....	55160	100.0

TRFQFLG	Len : 2 TRIMMED TRNYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	107	0.19
	98 = BLANK (NO ANSWER).....	55053	99.81

TRANQUILIZERS

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?

TRBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
			Freq	Pct
		1 = Prefer to answer in days per week	202	0.37
		2 = Prefer to answer in days per month	369	0.67
		3 = Prefer to answer in days per year	850	1.54
		12 = Prefer to ans in days per mo LOG ASSN	5	0.01
		13 = Prefer to ans in days per yr LOG ASSN	6	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		85 = BAD DATA Logically assigned	11	0.02
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	183	0.33

On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPYR	Len : 3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 350.....	854	1.55
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		985 = BAD DATA Logically assigned	3	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		991 = NEVER USED TRANQUILIZERS	50464	91.49
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED	5	0.01
		998 = BLANK (NO ANSWER).....	191	0.35
		999 = LEGITIMATE SKIP	571	1.04

On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPMO	Len : 2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 30.....	371	0.67
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	191	0.35
		99 = LEGITIMATE SKIP	1056	1.91

On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRDAYPWK	Len : 2	# DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS		
			Freq	Pct
		RANGE = 1 - 7.....	196	0.36
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		85 = BAD DATA Logically assigned	5	0.01
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	189	0.34
		99 = LEGITIMATE SKIP	1225	2.22

STIMULANTS

STIMULANTS

These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

METHDES

Len : 2 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE

	Freq	Pct
1 = Yes	1418	2.57
2 = No.....	2283	4.14
3 = Yes LOGICALLY ASSIGNED	2	0.00
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	30	0.05
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	3	0.01

Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphedamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?

DIETPILS

Len : 2 EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC

	Freq	Pct
1 = Yes	1025	1.86
2 = No.....	2664	4.83
3 = Yes LOGICALLY ASSIGNED	6	0.01
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	34	0.06
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER).....	3	0.01

Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?

RITMPHEN

Len : 2 EVER USED RITALIN OR METHYLPHENIDATE

	Freq	Pct
1 = Yes	1672	3.03
2 = No.....	2021	3.66
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	37	0.07
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER).....	3	0.01

STIMULANTS

Please look at the stimulants shown below the red line on Card C.

Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?

STMCARD	Len : 2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C		
			Freq	Pct
		1 = Yes	464	0.84
		2 = No.....	3223	5.84
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED STIMULANTS Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	51405	93.19
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	3	0.01

Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

CYLERT	Len : 2	EVER USED CYLERT NONMEDICALLY		
			Freq	Pct
		1 = Response entered	35	0.06
		6 = Response not entered.....	394	0.71
		81 = NEVER USED STIMULANTS Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	51405	93.19
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	23	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP	3223	5.84

DEXED	Len : 2	EVER USED DEXEDRINE NONMEDICALLY		
			Freq	Pct
		1 = Response entered	204	0.37
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	224	0.41
		81 = NEVER USED STIMULANTS Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	51405	93.19
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	23	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP	3223	5.84

DETAMP	Len : 2	EVER USED DEXTROAMPHETAMINE NONMEDICALLY		
			Freq	Pct
		1 = Response entered	188	0.34
		6 = Response not entered.....	241	0.44
		81 = NEVER USED STIMULANTS Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	51405	93.19
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	23	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP	3223	5.84

DIDREX	Len : 2	EVER USED DIDREX NONMEDICALLY		
			Freq	Pct
		1 = Response entered	20	0.04
		6 = Response not entered.....	409	0.74
		81 = NEVER USED STIMULANTS Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	51405	93.19
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	23	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP	3223	5.84

STIMULANTS

ESKAT

Len : 2 EVER USED ESKATROL NONMEDICALLY

	Freq	Pct
1 = Response entered	19	0.03
6 = Response not entered.....	410	0.74
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

IONAMIN

Len : 2 EVER USED IONAMIN NONMEDICALLY

	Freq	Pct
1 = Response entered	30	0.05
6 = Response not entered.....	399	0.72
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

MAZANOR

Len : 2 EVER USED MAZANOR NONMEDICALLY

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered.....	421	0.76
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

OBLA

Len : 2 EVER USED OBEDRIN-LA NONMEDICALLY

	Freq	Pct
1 = Response entered	4	0.01
6 = Response not entered.....	425	0.77
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

PLEGINE

Len : 2 EVER USED PLEGINE NONMEDICALLY

	Freq	Pct
1 = Response entered	9	0.02
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	419	0.76
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

STIMULANTS

PRELUDIN

Len : 2 EVER USED PRELUDIN NONMEDICALLY

	Freq	Pct
1 = Response entered	26	0.05
6 = Response not entered.....	403	0.73
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

SANOREX

Len : 2 EVER USED SANOREX NONMEDICALLY

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered.....	424	0.77
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

TENUATE

Len : 2 EVER USED TENUATE NONMEDICALLY

	Freq	Pct
1 = Response entered	18	0.03
6 = Response not entered.....	411	0.75
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	23	0.04
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	43	0.08
99 = LEGITIMATE SKIP	3223	5.84

Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?

STMNOLST

Len : 2 EVER USED ANY OTHER STIMULANT NONMEDICALLY

	Freq	Pct
1 = Yes	813	1.47
2 = No.....	2868	5.20
4 = No LOGICALLY ASSIGNED	1	0.00
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED STIMULANTS	51405	93.19
94 = DON'T KNOW.....	46	0.08
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER).....	3	0.01

STIMULANTS

STIMNEWA

Len : 4 OTHER STIMULANT - SPECIFY 1

	Freq	Pct
124 = Yellow jackets	1	0.00
178 = Quetiapine, Seroquel	1	0.00
301 = Dexedrine	1	0.00
310 = Plegine	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine	4	0.01
318 = Ritalin, Methylphenidate	3	0.01
321 = Methedrine	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	5	0.01
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	4	0.01
325 = USED STIMULANT, DON'T KNOW NAME	52	0.09
326 = White cross	8	0.01
327 = Black beauties, black beauty	14	0.03
328 = Pink hearts	2	0.00
329 = Bird's eggs, robin's eggs, speckled eggs	3	0.01
330 = Blue birds, blue jays, blue robins, speckled bird	1	0.00
332 = Ephedrine	4	0.01
334 = Crossroads, cross tops	2	0.00
336 = Diet pills/medications/drugs; otherwise unspfd	2	0.00
345 = Black molly	3	0.01
356 = Dexies	1	0.00
374 = Christmas tree(s)	2	0.00
377 = Albuterol, Pro-Air, Proventil, Ventolin	1	0.00
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
442 = Ibuprofen	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
814 = Caffeine <OTC>	1	0.00
858 = Antibiotic	1	0.00
3001 = Brown and clear	1	0.00
3009 = Ephedrone, Methcathinone	1	0.00
3023 = Adderall	533	0.97
3052 = Speed; otherwise unspecified	11	0.02
3077 = Concerta	14	0.03
3086 = Adderall XR	1	0.00
3090 = Provigil, Modafinil	2	0.00
3094 = Dexmethylphenidate, Focalin	6	0.01
3102 = Methylin	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse	43	0.08
3119 = MDPV, Methylenedioxypyrovalerone	1	0.00
3127 = 4-FMA, 4-Fluoromethamphetamine	1	0.00
6114 = Molly; not otherwise specified	1	0.00
8008 = Antidepressant; type unspecified	2	0.00
8229 = ADHD/ADD medication; otherwise unspfd	3	0.01
8331 = Diophenyl-T	1	0.00
8334 = OxyElite Pro	1	0.00
8335 = Metatabs	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned	13	0.02
9985 = BAD DATA Logically assigned	3	0.01
9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9991 = NEVER USED STIMULANTS	51405	93.19
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER)	108	0.20
9999 = LEGITIMATE SKIP	2868	5.20

STIMULANTS

STIMNEWB

Len : 4 OTHER STIMULANT - SPECIFY 2

	Freq	Pct
129 = Reds	1	0.00
318 = Ritalin, Methylphenidate.....	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
325 = USED STIMULANT, DON'T KNOW NAME	2	0.00
326 = White cross.....	1	0.00
327 = Black beauties, black beauty.....	1	0.00
328 = Pink hearts.....	1	0.00
332 = Ephedrine	1	0.00
336 = Diet pills/medications/drugs; otherwise unspfd	1	0.00
339 = Amphetamines.....	1	0.00
348 = Crystal	1	0.00
355 = Crystal meth, crystal methamphetamine	1	0.00
374 = Christmas tree(s).....	1	0.00
614 = MDA, Methylenedioxy amphetamine.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
3023 = Adderall	41	0.07
3052 = Speed; otherwise unspecified	1	0.00
3077 = Concerta.....	12	0.02
3090 = Provigil, Modafinil.....	1	0.00
3094 = Dexmethylphenidate, Focalin	5	0.01
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	40	0.07
6114 = Molly; not otherwise specified	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
9985 = BAD DATA Logically assigned	3	0.01
9991 = NEVER USED STIMULANTS	51405	93.19
9997 = REFUSED	12	0.02
9998 = BLANK (NO ANSWER).....	740	1.34
9999 = LEGITIMATE SKIP	2869	5.20

STIMNEWC

Len : 4 OTHER STIMULANT - SPECIFY 3

	Freq	Pct
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
3023 = Adderall	14	0.03
3024 = Yohimbe	1	0.00
3077 = Concerta.....	4	0.01
3090 = Provigil, Modafinil.....	1	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	5	0.01
8229 = ADHD/ADD medication; otherwise unspfd.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED STIMULANTS	51405	93.19
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	834	1.51
9999 = LEGITIMATE SKIP	2869	5.20

STIMNEWD

Len : 4 OTHER STIMULANT - SPECIFY 4

	Freq	Pct
3023 = Adderall	4	0.01
3094 = Dexmethylphenidate, Focalin	2	0.00
3111 = LDX, Lisdexamfetamine dimesylate, Vyvanse.....	1	0.00
3128 = Jet-Alert <OTC>.....	1	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED STIMULANTS	51405	93.19
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	854	1.55
9999 = LEGITIMATE SKIP	2869	5.20

STIMULANTS

STIMNEWE

Len : 4 OTHER STIMULANT - SPECIFY 5

	Freq	Pct
324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	0.00
3023 = Adderall	2	0.00
9981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED STIMULANTS	51405	93.19
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	858	1.56
9999 = LEGITIMATE SKIP	2869	5.20

The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

STMEVER

Len : 2 EVER USED STIMULANTS NONMEDICALLY

	Freq	Pct
1 = Yes	3639	6.60
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
91 = NEVER USED STIMULANTS	51405	93.19
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	102	0.18

How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMAGE

Len : 3 AGE WHEN FIRST USED STIMULANTS NONMEDICALLY

	Freq	Pct
RANGE = 1 - 60.....	3550	6.44
981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
985 = BAD DATA Logically assigned	16	0.03
991 = NEVER USED STIMULANTS	51405	93.19
994 = DON'T KNOW.....	55	0.10
997 = REFUSED	20	0.04
998 = BLANK (NO ANSWER).....	101	0.18

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYFU

Len : 4 YEAR OF FIRST STIMULANT USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	433	0.78
9981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
9985 = BAD DATA Logically assigned	41	0.07
9989 = LEGITIMATE SKIP Logically assigned.....	29	0.05
9991 = NEVER USED STIMULANTS	51405	93.19
9994 = DON'T KNOW.....	58	0.11
9997 = REFUSED	21	0.04
9998 = BLANK (NO ANSWER).....	103	0.19
9999 = LEGITIMATE SKIP	3057	5.54

STIMULANTS

In what month in [CURRENT YEAR] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST07a or ST07b] did you first use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMFU	Len : 2	MONTH OF FIRST STIMULANT USE - RECODE		
			Freq	Pct
		1 = January.....	45	0.08
		2 = February.....	29	0.05
		3 = March.....	32	0.06
		4 = April.....	38	0.07
		5 = May.....	32	0.06
		6 = June.....	24	0.04
		7 = July.....	33	0.06
		8 = August.....	29	0.05
		9 = September.....	25	0.05
		10 = October.....	46	0.08
		11 = November.....	34	0.06
		12 = December.....	29	0.05
		81 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
		85 = BAD DATA Logically assigned.....	41	0.07
		89 = LEGITIMATE SKIP Logically assigned.....	29	0.05
		91 = NEVER USED STIMULANTS.....	51405	93.19
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	3057	5.54

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMREC	Len : 2	TIME SINCE LAST USED STIMULANTS NONMEDICALLY		
			Freq	Pct
		1 = Within the past 30 days.....	366	0.66
		2 = More than 30 days ago but within the past 12 mos.....	638	1.16
		3 = More than 12 months ago.....	2550	4.62
		8 = Used at some point in the past 12 mos LOG ASSN.....	19	0.03
		9 = Used at some point in lifetime LOG ASSN.....	54	0.10
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	10	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN.....	2	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	51405	93.19
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	101	0.18

NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.

STMYRTOT	Len : 3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365.....	1003	1.82
		981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
		985 = BAD DATA Logically assigned.....	15	0.03
		991 = NEVER USED STIMULANTS.....	51405	93.19
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2550	4.62
		994 = DON'T KNOW.....	14	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	156	0.28

STTOTFG	Len : 2	TRIMMING INDICATOR FOR STMYRTOT		
			Freq	Pct
		98 = BLANK (NO ANSWER).....	55160	100.0

STIMULANTS

STFQFLG

Len : 2 TRIMMED STMYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use.....	62	0.11
98 = BLANK (NO ANSWER).....	55098	99.89

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?

STBSTWAY

Len : 2 EASIEST WAY TO TELL US # DAYS USED STIMULANT

	Freq	Pct
1 = Prefer to answer in days per week.....	146	0.26
2 = Prefer to answer in days per month.....	254	0.46
3 = Prefer to answer in days per year.....	574	1.04
11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
12 = Prefer to ans in days per mo LOG ASSN.....	5	0.01
13 = Prefer to ans in days per yr LOG ASSN.....	2	0.00
21 = Prefer to ans in days per wk (MTBSTWAY=1,11).....	15	0.03
22 = Prefer to ans in days per mo (MTBSTWAY=2,12).....	7	0.01
23 = Prefer to ans in days per yr (MTBSTWAY=3,13).....	12	0.02
81 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
85 = BAD DATA Logically assigned.....	15	0.03
91 = NEVER USED STIMULANTS.....	51405	93.19
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2550	4.62
94 = DON'T KNOW.....	5	0.01
98 = BLANK (NO ANSWER).....	156	0.28

On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPYR

Len : 3 # DAYS USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365.....	584	1.06
981 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
985 = BAD DATA Logically assigned.....	2	0.00
989 = LEGITIMATE SKIP Logically assigned.....	13	0.02
991 = NEVER USED STIMULANTS.....	51405	93.19
993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2550	4.62
994 = DON'T KNOW.....	8	0.01
997 = REFUSED.....	1	0.00
998 = BLANK (NO ANSWER).....	169	0.31
999 = LEGITIMATE SKIP.....	415	0.75

On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPMO

Len : 2 # DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30.....	262	0.47
81 = NEVER USED STIMULANTS Logically assigned.....	13	0.02
85 = BAD DATA Logically assigned.....	6	0.01
89 = LEGITIMATE SKIP Logically assigned.....	7	0.01
91 = NEVER USED STIMULANTS.....	51405	93.19
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2550	4.62
94 = DON'T KNOW.....	11	0.02
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	165	0.30
99 = LEGITIMATE SKIP.....	739	1.34

STIMULANTS

On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STDAYPWK	Len : 2 # DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 7.....	157	0.28
	81 = NEVER USED STIMULANTS Logically assigned	13	0.02
	85 = BAD DATA Logically assigned	9	0.02
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	91 = NEVER USED STIMULANTS	51405	93.19
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	2550	4.62
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	845	1.53

Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?

METHAGE	Len : 3 AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE		
		Freq	Pct
	RANGE = 1 - 54.....	1388	2.52
	981 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
	985 = BAD DATA Logically assigned	7	0.01
	991 = NEVER USED METHAMPHETAMINE.....	53688	97.33
	994 = DON'T KNOW.....	23	0.04
	997 = REFUSED	7	0.01
	998 = BLANK (NO ANSWER).....	34	0.06

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHYFU	Len : 4 YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	102	0.18
	9981 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
	9985 = BAD DATA Logically assigned	15	0.03
	9989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
	9991 = NEVER USED METHAMPHETAMINE.....	53688	97.33
	9994 = DON'T KNOW.....	23	0.04
	9997 = REFUSED	7	0.01
	9998 = BLANK (NO ANSWER).....	35	0.06
	9999 = LEGITIMATE SKIP	1271	2.30

STIMULANTS

In what month in [CURRENT YEAR] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM ST15 or ST16] did you first use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

METHMFU	Len : 2 MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		Freq	Pct
	1 = January.....	15	0.03
	2 = February.....	5	0.01
	3 = March.....	11	0.02
	4 = April.....	9	0.02
	5 = May.....	6	0.01
	6 = June.....	8	0.01
	7 = July.....	8	0.01
	8 = August.....	12	0.02
	9 = September.....	4	0.01
	10 = October.....	9	0.02
	11 = November.....	7	0.01
	12 = December.....	4	0.01
	81 = NEVER USED METHAMPHETAMINE Logically assigned.....	13	0.02
	85 = BAD DATA Logically assigned.....	15	0.03
	89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
	91 = NEVER USED METHAMPHETAMINE.....	53688	97.33
	94 = DON'T KNOW.....	27	0.05
	97 = REFUSED.....	7	0.01
	98 = BLANK (NO ANSWER).....	35	0.06
	99 = LEGITIMATE SKIP.....	1271	2.30

How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?

METHREC	Len : 2 TIME SINCE LAST USED METHAMPHETAMINE		
		Freq	Pct
	1 = Within the past 30 days.....	111	0.20
	2 = More than 30 days ago but within the past 12 mos.....	135	0.24
	3 = More than 12 months ago.....	1143	2.07
	8 = Used at some point in the past 12 mos LOG ASSN.....	8	0.01
	9 = Used at some point in lifetime LOG ASSN.....	22	0.04
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
	81 = NEVER USED METHAMPHETAMINE Logically assigned.....	13	0.02
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED METHAMPHETAMINE.....	53688	97.33
	97 = REFUSED.....	5	0.01
	98 = BLANK (NO ANSWER).....	33	0.06

MTHYRTOT	Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 365.....	245	0.44
	981 = NEVER USED METHAMPHETAMINE Logically assigned.....	13	0.02
	985 = BAD DATA Logically assigned.....	6	0.01
	991 = NEVER USED METHAMPHETAMINE.....	53688	97.33
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	1143	2.07
	994 = DON'T KNOW.....	3	0.01
	997 = REFUSED.....	5	0.01
	998 = BLANK (NO ANSWER).....	57	0.10

MTTOTFG	Len : 2 TRIMMING INDICATOR FOR MTHYRTOT		
		Freq	Pct
	98 = BLANK (NO ANSWER).....	55160	100.0

MTFQFLG	Len : 2 TRIMMED MTHYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	15	0.03
	98 = BLANK (NO ANSWER).....	55145	99.97

STIMULANTS

Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?

MTBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE		
			Freq	Pct
		1 = Prefer to answer in days per week	59	0.11
		2 = Prefer to answer in days per month	70	0.13
		3 = Prefer to answer in days per year	116	0.21
		13 = Prefer to ans in days per yr LOG ASSN	1	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	6	0.01
		91 = NEVER USED METHAMPHETAMINE	53688	97.33
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1143	2.07
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	57	0.10

On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPYR	Len : 3	# DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 365.....	116	0.21
		981 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
		991 = NEVER USED METHAMPHETAMINE	53688	97.33
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1143	2.07
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED	5	0.01
		998 = BLANK (NO ANSWER).....	63	0.11
		999 = LEGITIMATE SKIP	129	0.23

On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPMO	Len : 2	# DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS		
			Freq	Pct
		RANGE = 1 - 30.....	70	0.13
		81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED METHAMPHETAMINE	53688	97.33
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1143	2.07
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP	175	0.32

On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?

MTDAYPWK	Len : 2	# DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS		
			Freq	Pct
		RANGE = 1 - 7.....	59	0.11
		81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED METHAMPHETAMINE	53688	97.33
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1143	2.07
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	61	0.11
		99 = LEGITIMATE SKIP	186	0.34

SEDATIVES

SEDATIVES

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Somnux, Unisom, Nytol, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ		Len : 2	EVER USED METHAQUALONE, SOPOR, OR QUAALUDE		
				Freq	Pct
1 = Yes	403	0.73			
2 = No.....	538	0.98			
3 = Yes LOGICALLY ASSIGNED	2	0.00			
81 = NEVER USED SEDATIVES Logically assigned	20	0.04			
85 = BAD DATA Logically assigned	1	0.00			
91 = NEVER USED SEDATIVES	54143	98.16			
94 = DON'T KNOW.....	39	0.07			
97 = REFUSED	11	0.02			
98 = BLANK (NO ANSWER).....	3	0.01			

Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?

NEMBBARB		Len : 2	EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC		
				Freq	Pct
1 = Yes	177	0.32			
2 = No.....	768	1.39			
81 = NEVER USED SEDATIVES Logically assigned	20	0.04			
85 = BAD DATA Logically assigned	1	0.00			
91 = NEVER USED SEDATIVES	54143	98.16			
94 = DON'T KNOW.....	41	0.07			
97 = REFUSED	7	0.01			
98 = BLANK (NO ANSWER).....	3	0.01			

Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?

RESTTMAZ		Len : 2	EVER USED RESTORIL OR TEMAZEPAM		
				Freq	Pct
1 = Yes	175	0.32			
2 = No.....	772	1.40			
81 = NEVER USED SEDATIVES Logically assigned	20	0.04			
85 = BAD DATA Logically assigned	1	0.00			
91 = NEVER USED SEDATIVES	54143	98.16			
94 = DON'T KNOW.....	39	0.07			
97 = REFUSED	7	0.01			
98 = BLANK (NO ANSWER).....	3	0.01			

Please look at the sedatives shown below the red line on Card D.

Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?

SEDCARD		Len : 2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D		
				Freq	Pct
1 = Yes	250	0.45			
2 = No.....	682	1.24			
3 = Yes LOGICALLY ASSIGNED	1	0.00			
81 = NEVER USED SEDATIVES Logically assigned	20	0.04			
85 = BAD DATA Logically assigned	1	0.00			
91 = NEVER USED SEDATIVES	54143	98.16			
94 = DON'T KNOW.....	49	0.09			
97 = REFUSED	11	0.02			
98 = BLANK (NO ANSWER).....	3	0.01			

SEDATIVES

Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?

AMYTAL	Len : 2	EVER USED AMYTAL NONMEDICALLY		
			Freq	Pct
		1 = Response entered	26	0.05
		6 = Response not entered.....	211	0.38
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES.....	54143	98.16
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	52	0.09
		99 = LEGITIMATE SKIP	682	1.24

BUTISOL	Len : 2	EVER USED BUTISOL NONMEDICALLY		
			Freq	Pct
		1 = Response entered	12	0.02
		6 = Response not entered.....	225	0.41
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES.....	54143	98.16
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	52	0.09
		99 = LEGITIMATE SKIP	682	1.24

CHHYD	Len : 2	EVER USED CHLORAL HYDRATE NONMEDICALLY		
			Freq	Pct
		1 = Response entered	12	0.02
		6 = Response not entered.....	225	0.41
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES.....	54143	98.16
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	52	0.09
		99 = LEGITIMATE SKIP	682	1.24

DALMANE	Len : 2	EVER USED DALMANE NONMEDICALLY		
			Freq	Pct
		1 = Response entered	23	0.04
		6 = Response not entered.....	214	0.39
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES.....	54143	98.16
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	52	0.09
		99 = LEGITIMATE SKIP	682	1.24

HALCION	Len : 2	EVER USED HALCION NONMEDICALLY		
			Freq	Pct
		1 = Response entered	60	0.11
		6 = Response not entered.....	177	0.32
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED SEDATIVES.....	54143	98.16
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	52	0.09
		99 = LEGITIMATE SKIP	682	1.24

SEDATIVES

PHENOBAR

Len : 2 EVER USED PHENOBARBITAL NONMEDICALLY

	Freq	Pct
1 = Response entered	117	0.21
6 = Response not entered.....	120	0.22
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES.....	54143	98.16
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	14	0.03
98 = BLANK (NO ANSWER).....	52	0.09
99 = LEGITIMATE SKIP	682	1.24

PLACIDYL

Len : 2 EVER USED PLACIDYL NONMEDICALLY

	Freq	Pct
1 = Response entered	41	0.07
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	195	0.35
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES.....	54143	98.16
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	14	0.03
98 = BLANK (NO ANSWER).....	52	0.09
99 = LEGITIMATE SKIP	682	1.24

TUINAL

Len : 2 EVER USED TUINAL NONMEDICALLY

	Freq	Pct
1 = Response entered	49	0.09
6 = Response not entered.....	188	0.34
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES.....	54143	98.16
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	14	0.03
98 = BLANK (NO ANSWER).....	52	0.09
99 = LEGITIMATE SKIP	682	1.24

Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?

SEDNOLST

Len : 2 EVER USED ANY OTHER SEDATIVE NONMEDICALLY

	Freq	Pct
1 = Yes	215	0.39
2 = No.....	694	1.26
4 = No LOGICALLY ASSIGNED	2	0.00
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES.....	54143	98.16
94 = DON'T KNOW.....	69	0.13
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER).....	3	0.01

SEDATIVES

SEDNEWA

Len : 4 OTHER SEDATIVES - SPECIFY 1

	Freq	Pct
105 = Placidyl, Ethchlorvynol	1	0.00
112 = Restoril, Temazepam	1	0.00
116 = Methaqualone, Sopor, Quaalude	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	4	0.01
121 = USED SEDATIVE, DON'T KNOW NAME	37	0.07
129 = Reds	2	0.00
157 = Barbiturates	1	0.00
174 = Ambien, Stilnox, Zolpidem	66	0.12
178 = Quetiapine, Seroquel	10	0.02
201 = Valium, Diazepam	1	0.00
206 = Tranxene, Clorazepate, Tranxilium	1	0.00
207 = Ativan, Lorazepam, Orfidal	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	4	0.01
225 = Desyrel, Trazodone hydrochloride	16	0.03
228 = Amitriptyline, Elavil	1	0.00
232 = Mellaril	1	0.00
234 = Flexeril, Cyclobenzaprine	1	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
271 = Sertraline hydrochloride, Zoloft	3	0.01
291 = Celexa, Citalopram	1	0.00
401 = Darvon	1	0.00
417 = Morphine, Roxanol	1	0.00
418 = Methadone, Dolophine	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.00
423 = Percocet	1	0.00
435 = Tylenol, Tylenol Extra-Strength <OTC>	1	0.00
658 = Special K, Ketamine	1	0.00
843 = Cold medicine, cold tablets <OTC>	1	0.00
896 = Catapres, Clonidine	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	2	0.00
1005 = Imovane, Zopiclone	1	0.00
1011 = Lunesta	3	0.01
1013 = Ambien CR	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
2002 = Muscle relaxers	1	0.00
2003 = Zanies, zannies, zans, zany bars	1	0.00
2012 = Geodon, Ziprasidone	2	0.00
3023 = Adderall	1	0.00
4043 = Tramadol	2	0.00
4125 = Hycodan, Hydromet, Tussigon	1	0.00
8058 = Cough medicine/syrup; type unspecified	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8117 = Hydrocortisone	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
9985 = BAD DATA Logically assigned	2	0.00
9989 = LEGITIMATE SKIP Logically assigned	2	0.00
9991 = NEVER USED SEDATIVES	54143	98.16
9997 = REFUSED	16	0.03
9998 = BLANK (NO ANSWER)	99	0.18
9999 = LEGITIMATE SKIP	694	1.26

SEDATIVES

SEDNEWB

Len : 4 OTHER SEDATIVES - SPECIFY 2

	Freq	Pct
121 = USED SEDATIVE, DON'T KNOW NAME.....	2	0.00
174 = Ambien, Stilnox, Zolpidem	8	0.01
178 = Quetiapine, Seroquel	2	0.00
201 = Valium, Diazepam.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	2	0.00
271 = Sertraline hydrochloride, Zoloft	1	0.00
285 = Risperdal, Risperdol, Risperidone.....	1	0.00
401 = Darvon.....	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
1011 = Lunesta.....	1	0.00
2002 = Muscle relaxers.....	1	0.00
8094 = Pepto Bismol <OTC>	1	0.00
8136 = Montekulast, Singulair.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED SEDATIVES.....	54143	98.16
9997 = REFUSED	14	0.03
9998 = BLANK (NO ANSWER).....	261	0.47
9999 = LEGITIMATE SKIP	696	1.26

SEDNEWC

Len : 4 OTHER SEDATIVES - SPECIFY 3

	Freq	Pct
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
178 = Quetiapine, Seroquel	2	0.00
201 = Valium, Diazepam.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
247 = Adapin, Doxepin, Sinequan.....	1	0.00
285 = Risperdal, Risperdol, Risperidone.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED SEDATIVES.....	54143	98.16
9997 = REFUSED	13	0.02
9998 = BLANK (NO ANSWER).....	280	0.51
9999 = LEGITIMATE SKIP	696	1.26

SEDNEWD

Len : 4 OTHER SEDATIVES - SPECIFY 4

	Freq	Pct
174 = Ambien, Stilnox, Zolpidem	1	0.00
201 = Valium, Diazepam.....	1	0.00
225 = Desyrel, Trazodone hydrochloride.....	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
9991 = NEVER USED SEDATIVES.....	54143	98.16
9997 = REFUSED	13	0.02
9998 = BLANK (NO ANSWER).....	285	0.52
9999 = LEGITIMATE SKIP	696	1.26

SEDNEWE

Len : 4 OTHER SEDATIVES - SPECIFY 5

	Freq	Pct
174 = Ambien, Stilnox, Zolpidem	1	0.00
9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED SEDATIVES.....	54143	98.16
9997 = REFUSED	13	0.02
9998 = BLANK (NO ANSWER).....	286	0.52
9999 = LEGITIMATE SKIP	696	1.26

SEDATIVES

The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

SEDEVER	Len : 2	EVER USED SEDATIVES NONMEDICALLY		
			Freq	Pct
		1 = Yes	861	1.56
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		91 = NEVER USED SEDATIVES	54143	98.16
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER)	134	0.24

How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDAGE	Len : 3	AGE WHEN FIRST USED SEDATIVES NONMEDICALLY		
			Freq	Pct
		RANGE = 1 - 67	821	1.49
		981 = NEVER USED SEDATIVES Logically assigned	20	0.04
		985 = BAD DATA Logically assigned	7	0.01
		991 = NEVER USED SEDATIVES	54143	98.16
		994 = DON'T KNOW	26	0.05
		997 = REFUSED	10	0.02
		998 = BLANK (NO ANSWER)	133	0.24

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYFU	Len : 4	YEAR OF FIRST SEDATIVE USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013	83	0.15
		9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
		9985 = BAD DATA Logically assigned	10	0.02
		9989 = LEGITIMATE SKIP Logically assigned	3	0.01
		9991 = NEVER USED SEDATIVES	54143	98.16
		9994 = DON'T KNOW	26	0.05
		9997 = REFUSED	10	0.02
		9998 = BLANK (NO ANSWER)	135	0.24
		9999 = LEGITIMATE SKIP	730	1.32

SEDATIVES

In what month in [CURRENT YEAR] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM SV07a or SV07b] did you first use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMFU	Len : 2 MONTH OF FIRST SEDATIVE USE - RECODE		
		Freq	Pct
	1 = January.....	8	0.01
	2 = February.....	7	0.01
	3 = March.....	8	0.01
	4 = April.....	6	0.01
	5 = May.....	5	0.01
	6 = June.....	4	0.01
	7 = July.....	2	0.00
	8 = August.....	4	0.01
	9 = September.....	8	0.01
	10 = October.....	3	0.01
	11 = November.....	7	0.01
	12 = December.....	7	0.01
	81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
	85 = BAD DATA Logically assigned.....	10	0.02
	89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
	91 = NEVER USED SEDATIVES.....	54143	98.16
	94 = DON'T KNOW.....	40	0.07
	97 = REFUSED.....	10	0.02
	98 = BLANK (NO ANSWER).....	135	0.24
	99 = LEGITIMATE SKIP.....	730	1.32

NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDREC	Len : 2 TIME SINCE LAST USED SEDATIVES NONMEDICALLY		
		Freq	Pct
	1 = Within the past 30 days.....	53	0.10
	2 = More than 30 days ago but within the past 12 mos.....	103	0.19
	3 = More than 12 months ago.....	685	1.24
	8 = Used at some point in the past 12 mos LOG ASSN.....	2	0.00
	9 = Used at some point in lifetime LOG ASSN.....	17	0.03
	11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
	81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED SEDATIVES.....	54143	98.16
	97 = REFUSED.....	2	0.00
	98 = BLANK (NO ANSWER).....	133	0.24

SEDYRTOT	Len : 3 TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 364.....	154	0.28
	981 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
	985 = BAD DATA Logically assigned.....	3	0.01
	991 = NEVER USED SEDATIVES.....	54143	98.16
	993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	685	1.24
	994 = DON'T KNOW.....	2	0.00
	997 = REFUSED.....	2	0.00
	998 = BLANK (NO ANSWER).....	151	0.27

SVTOTFG	Len : 2 TRIMMING INDICATOR FOR SEDYRTOT		
		Freq	Pct
	98 = BLANK (NO ANSWER).....	55160	100.0

SVFQFLG	Len : 2 TRIMMED SEDYRTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	10	0.02
	98 = BLANK (NO ANSWER).....	55150	99.98

SEDATIVES

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.

What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?

SVBSTWAY	Len : 2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
			Freq	Pct
		1 = Prefer to answer in days per week	26	0.05
		2 = Prefer to answer in days per month	41	0.07
		3 = Prefer to answer in days per year	86	0.16
		11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED SEDATIVES.....	54143	98.16
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	151	0.27

On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPYR	Len : 3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 50.....	87	0.16
		981 = NEVER USED SEDATIVES Logically assigned	20	0.04
		985 = BAD DATA Logically assigned	2	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED SEDATIVES.....	54143	98.16
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
		997 = REFUSED	2	0.00
		998 = BLANK (NO ANSWER).....	152	0.28
		999 = LEGITIMATE SKIP	68	0.12

On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPMO	Len : 2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 15.....	41	0.07
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54143	98.16
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	153	0.28
		99 = LEGITIMATE SKIP	113	0.20

On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SVDAYPWK	Len : 2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 7.....	26	0.05
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		91 = NEVER USED SEDATIVES.....	54143	98.16
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	154	0.28
		99 = LEGITIMATE SKIP	128	0.23

RECENCY OF DRUG USE

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

IRICIGRC	Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	11950	21.66
	2 = More than 30 days ago but within the past 12 mos	3174	5.75
	3 = More than 12 months ago but within the past 3 yrs	2890	5.24
	4 = More than 3 years ago	9138	16.57
IICIGRC	Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54799	99.35
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	360	0.65
II2CIGRC	Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54799	99.35
	2 = Logically assigned data.....	1	0.00
	4 = Statistically imputed data - edited recency = 9	5	0.01
	5 = Statistically imputed data - edited recency = 8	8	0.01
	6 = Statistically imputed data - edited recency = 19	85	0.15
	7 = Statistically imputed data - edited recency = 14	146	0.26
	8 = Statistically imputed data - edited recency = 29	114	0.21
	9 = Statistically imputed data - edited recency = 39	2	0.00
IRCGRRRC	Len : 1 CIGAR RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	3116	5.65
	2 = More than 30 days ago but within the past 12 mos	3441	6.24
	3 = More than 12 months ago but within the past 3 yrs	3421	6.20
	4 = More than 3 years ago	5832	10.57
IICGRRRC	Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54896	99.52
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data	262	0.47
II2CGRRRC	Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54896	99.52
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data - lifetime use imputed.....	8	0.01
	4 = Statistically imputed data - edited recency = 9	3	0.01
	5 = Statistically imputed data - edited recency = 8	5	0.01
	6 = Statistically imputed data - edited recency = 19	56	0.10
	7 = Statistically imputed data - edited recency = 14	97	0.18
	8 = Statistically imputed data - edited recency = 29	92	0.17
	9 = Statistically imputed data - edited recency = 39	1	0.00
IRPIPLF	Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED		
		Freq	Pct
	1 = Ever used pipes	4626	8.39
IIPILF	Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55147	99.98
IIPILF	Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR		
		Freq	Pct
	3 = Statistically imputed data	13	0.02

RECENCY OF DRUG USE

IRIPMN	Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	652	1.18
	2 = More than 30 days ago but within lifetime	3974	7.20
	9 = Never smoked pipes	50534	91.61
IIPIMN	Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	4622	8.38
	3 = Statistically imputed data	13	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	50525	91.60
IRSLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	2200	3.99
	2 = More than 30 days ago but within the past 12 mos	1181	2.14
	3 = More than 12 months ago but within the past 3 yrs	1340	2.43
	4 = More than 3 years ago	4230	7.67
	9 = Never used smokeless tobacco	46209	83.77
IISLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54919	99.56
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	240	0.44
IISLTRC	Len : 1 SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54919	99.56
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data - lifetime use imputed.....	28	0.05
	4 = Statistically imputed data - edited recency = 9	9	0.02
	5 = Statistically imputed data - edited recency = 8	5	0.01
	6 = Statistically imputed data - edited recency = 19	54	0.10
	7 = Statistically imputed data - edited recency = 14	82	0.15
	8 = Statistically imputed data - edited recency = 29	61	0.11
	9 = Statistically imputed data - edited recency = 39	1	0.00
IRCHWRC	Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	911	1.65
	2 = More than 30 days ago but within the past 12 mos	786	1.42
	3 = More than 12 months ago but within the past 3 yrs	947	1.72
	4 = More than 3 years ago	3231	5.86
	9 = Never used chewing tobacco	49285	89.35
IICHWRC	Len : 1 CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55040	99.78
	3 = Statistically imputed data	120	0.22
IISCHWRC	Len : 1 CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55040	99.78
	3 = Statistically imputed data - lifetime use imputed.....	9	0.02
	4 = Statistically imputed data - edited recency = 9	4	0.01
	5 = Statistically imputed data - edited recency = 8	1	0.00
	6 = Statistically imputed data - edited recency = 19	29	0.05
	7 = Statistically imputed data - edited recency = 14	41	0.07
	8 = Statistically imputed data - edited recency = 29	35	0.06
	9 = Statistically imputed data - edited recency = 39	1	0.00

RECENCY OF DRUG USE

IRSNFRC	Len : 1 SNUFF RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	1884	3.42
	2 = More than 30 days ago but within the past 12 mos	1009	1.83
	3 = More than 12 months ago but within the past 3 yrs	1149	2.08
	4 = More than 3 years ago	3342	6.06
	9 = Never used snuff.....	47776	86.61
IISNFRC	Len : 1 SNUFF RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54979	99.67
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	180	0.33
II2SNFRC	Len : 1 SNUFF RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54979	99.67
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data - lifetime use imputed	25	0.05
	4 = Statistically imputed data - edited recency = 9	4	0.01
	5 = Statistically imputed data - edited recency = 8	5	0.01
	6 = Statistically imputed data - edited recency = 19	41	0.07
	7 = Statistically imputed data - edited recency = 14	66	0.12
	8 = Statistically imputed data - edited recency = 29	38	0.07
	9 = Statistically imputed data - edited recency = 39	1	0.00
IRALCRC	Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	24037	43.58
	2 = More than 30 days ago but within the past 12 mos	8490	15.39
	3 = More than 12 months ago	5618	10.18
	9 = Never used alcohol	17015	30.85
IIALCRC	Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54457	98.73
	2 = Logically assigned data.....	10	0.02
	3 = Statistically imputed data	693	1.26
II2ALCRC	Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54457	98.73
	2 = Logically assigned data.....	10	0.02
	3 = Statistically imputed data - lifetime use imputed	18	0.03
	4 = Statistically imputed data - edited recency = 9	335	0.61
	5 = Statistically imputed data - edited recency = 8	340	0.62
IRMJRC	Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	6128	11.11
	2 = More than 30 days ago but within the past 12 mos	4266	7.73
	3 = More than 12 months ago	11783	21.36
	9 = Never used marijuana.....	32983	59.80
IIMJRC	Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54724	99.21
	2 = Logically assigned data.....	8	0.01
	3 = Statistically imputed data	428	0.78

RECENCY OF DRUG USE

II2MJRC	Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 54724	Pct 99.21
	2 = Logically assigned data.....	8	0.01
	3 = Statistically imputed data - lifetime use imputed.....	32	0.06
	4 = Statistically imputed data - edited recency = 9	201	0.36
	5 = Statistically imputed data - edited recency = 8	195	0.35
IRCOCRC	Len : 1 COCAINE RECENCY - IMPUTATION REVISED		
	1 = Within the past 30 days.....	Freq 368	Pct 0.67
	2 = More than 30 days ago but within the past 12 mos	808	1.46
	3 = More than 12 months ago	4476	8.11
	9 = Never used cocaine	49508	89.75
IICOCRC	Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 55040	Pct 99.78
	2 = Logically assigned data.....	20	0.04
	3 = Statistically imputed data	100	0.18
II2COCRC	Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 55040	Pct 99.78
	2 = Logically assigned data.....	20	0.04
	3 = Statistically imputed data - lifetime use imputed.....	19	0.03
	4 = Statistically imputed data - edited recency = 9	57	0.10
	5 = Statistically imputed data - edited recency = 8	24	0.04
IRCRKRC	Len : 1 CRACK RECENCY - IMPUTATION REVISED		
	1 = Within the past 30 days.....	Freq 65	Pct 0.12
	2 = More than 30 days ago but within the past 12 mos	81	0.15
	3 = More than 12 months ago	1147	2.08
	9 = Never used crack.....	53867	97.66
IICRKRC	Len : 1 CRACK RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 55127	Pct 99.94
	3 = Statistically imputed data	33	0.06
II2CRKRC	Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 55127	Pct 99.94
	3 = Statistically imputed data - lifetime use imputed.....	19	0.03
	4 = Statistically imputed data - edited recency = 9	10	0.02
	5 = Statistically imputed data - edited recency = 8	4	0.01
IRHERRC	Len : 1 HEROIN RECENCY - IMPUTATION REVISED		
	1 = Within the past 30 days.....	Freq 90	Pct 0.16
	2 = More than 30 days ago but within the past 12 mos	137	0.25
	3 = More than 12 months ago	613	1.11
	9 = Never used heroin	54320	98.48
IIHERRC	Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 55100	Pct 99.89
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	59	0.11

RECENCY OF DRUG USE

II2HERRC	Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55100	99.89
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data - lifetime use imputed.....	42	0.08
	4 = Statistically imputed data - edited recency = 9	9	0.02
	5 = Statistically imputed data - edited recency = 8	8	0.01
IRHALRC	Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	451	0.82
	2 = More than 30 days ago but within the past 12 mos	1244	2.26
	3 = More than 12 months ago	5504	9.98
	9 = Never used hallucinogens.....	47961	86.95
IIHALRC	Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54786	99.32
	2 = Logically assigned data.....	44	0.08
	3 = Statistically imputed data	330	0.60
II2HALRC	Len : 1 HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54786	99.32
	2 = Logically assigned data.....	44	0.08
	3 = Statistically imputed data - lifetime use imputed.....	160	0.29
	4 = Statistically imputed data - edited recency = 9	126	0.23
	5 = Statistically imputed data - edited recency = 8	44	0.08
IRLSDRC	Len : 1 LSD RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	101	0.18
	2 = More than 30 days ago but within the past 12 mos	373	0.68
	3 = More than 12 months ago	3175	5.76
	9 = Never used LSD	51511	93.38
IILSDRC	Len : 1 LSD RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55056	99.81
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	103	0.19
II2LSDRC	Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55056	99.81
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data - lifetime use imputed.....	39	0.07
	4 = Statistically imputed data - edited recency = 9	56	0.10
	5 = Statistically imputed data - edited recency = 8	8	0.01
IRPCPRC	Len : 1 PCP RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	10	0.02
	2 = More than 30 days ago but within the past 12 mos	31	0.06
	3 = More than 12 months ago	728	1.32
	9 = Never used PCP	54391	98.61
IIPCPRC	Len : 1 PCP RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55102	99.89
	3 = Statistically imputed data	58	0.11

RECENCY OF DRUG USE

II2PCPRC	Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR			Freq	Pct
	1 = Questionnaire data	55102	99.89		
	3 = Statistically imputed data - lifetime use imputed	36	0.07		
	4 = Statistically imputed data - edited recency = 9	20	0.04		
	5 = Statistically imputed data - edited recency = 8	2	0.00		
IRECSRC	Len : 1 ECSTASY RECENCY - IMPUTATION REVISED			Freq	Pct
	1 = Within the past 30 days.....	222	0.40		
	2 = More than 30 days ago but within the past 12 mos	749	1.36		
	3 = More than 12 months ago	3074	5.57		
	9 = Never used ecstasy	51115	92.67		
IIECSRC	Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR			Freq	Pct
	1 = Questionnaire data	55042	99.79		
	3 = Statistically imputed data	118	0.21		
II2ECSRC	Len : 1 ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR			Freq	Pct
	1 = Questionnaire data	55042	99.79		
	3 = Statistically imputed data - lifetime use imputed	45	0.08		
	4 = Statistically imputed data - edited recency = 9	61	0.11		
	5 = Statistically imputed data - edited recency = 8	12	0.02		
IRINHRC	Len : 1 INHALANT RECENCY - IMPUTATION REVISED			Freq	Pct
	1 = Within the past 30 days.....	169	0.31		
	2 = More than 30 days ago but within the past 12 mos	515	0.93		
	3 = More than 12 months ago	3585	6.50		
	9 = Never used inhalants	50891	92.26		
IIINHRC	Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR			Freq	Pct
	1 = Questionnaire data	54865	99.47		
	2 = Logically assigned data.....	3	0.01		
	3 = Statistically imputed data	292	0.53		
II2INHRC	Len : 1 INHALANT RECENCY - DETAILED IMPUTATION INDICATOR			Freq	Pct
	1 = Questionnaire data	54865	99.47		
	2 = Logically assigned data.....	3	0.01		
	3 = Statistically imputed data - lifetime use imputed	120	0.22		
	4 = Statistically imputed data - edited recency = 9	157	0.28		
	5 = Statistically imputed data - edited recency = 8	15	0.03		
IRANLRC	Len : 1 PAIN RELIEVER RECENCY - IMPUTATION REVISED			Freq	Pct
	1 = Within the past 30 days.....	1241	2.25		
	2 = More than 30 days ago but within the past 12 mos	1933	3.50		
	3 = More than 12 months ago	4926	8.93		
	9 = Never used pain relievers	47060	85.32		
IIANLRC	Len : 1 PAIN RELIEVER RECENCY - IMPUTATION INDICATOR			Freq	Pct
	1 = Questionnaire data	54579	98.95		
	2 = Logically assigned data.....	82	0.15		
	3 = Statistically imputed data	499	0.90		

RECENCY OF DRUG USE

II2ANLRC	Len : 1 PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54579	98.95
	2 = Logically assigned data.....	82	0.15
	3 = Statistically imputed data - lifetime use imputed.....	201	0.36
	4 = Statistically imputed data - edited recency = 9	251	0.46
	5 = Statistically imputed data - edited recency = 8	47	0.09
IROXYRC	Len : 1 OXYCONTIN RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	115	0.21
	2 = More than 30 days ago but within the past 12 mos	314	0.57
	3 = More than 12 months ago	1410	2.56
	9 = Never used OxyContin.....	53321	96.67
IIOXYRC	Len : 1 OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54879	99.49
	2 = Logically assigned data.....	74	0.13
	3 = Statistically imputed data	207	0.38
II2OXYRC	Len : 1 OXYCONTIN RECENCY - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54879	99.49
	2 = Logically assigned data.....	74	0.13
	3 = Statistically imputed data - lifetime use imputed.....	148	0.27
	4 = Statistically imputed data - edited recency = 9	42	0.08
	5 = Statistically imputed data - edited recency = 8	17	0.03
IITRNRC	Len : 1 TRANQUILIZER RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	446	0.81
	2 = More than 30 days ago but within the past 12 mos	1046	1.90
	3 = More than 12 months ago	3104	5.63
	9 = Never used tranquilizers	50564	91.67
IITRNRC	Len : 1 TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54964	99.64
	2 = Logically assigned data.....	5	0.01
	3 = Statistically imputed data	191	0.35
II2TRNRC	Len : 1 TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54964	99.64
	2 = Logically assigned data.....	5	0.01
	3 = Statistically imputed data - lifetime use imputed.....	104	0.19
	4 = Statistically imputed data - edited recency = 9	79	0.14
	5 = Statistically imputed data - edited recency = 8	8	0.01
IRSTMRC	Len : 1 STIMULANT RECENCY - IMPUTATION REVISED		
		Freq	Pct
	1 = Within the past 30 days.....	388	0.70
	2 = More than 30 days ago but within the past 12 mos	670	1.21
	3 = More than 12 months ago	2584	4.68
	9 = Never used stimulants	51518	93.40
IISTMRC	Len : 1 STIMULANT RECENCY - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54959	99.64
	2 = Logically assigned data.....	25	0.05
	3 = Statistically imputed data	176	0.32

RECENCY OF DRUG USE

II2STMRC	Len : 1	STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	54959	99.64
		2 = Logically assigned data.....	25	0.05
		3 = Statistically imputed data - lifetime use imputed.....	103	0.19
		4 = Statistically imputed data - edited recency = 9	54	0.10
		5 = Statistically imputed data - edited recency = 8	19	0.03
IRMTHRC	Len : 1	METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
			Freq	Pct
		1 = Within the past 30 days.....	116	0.21
		2 = More than 30 days ago but within the past 12 mos	149	0.27
		3 = More than 12 months ago	1155	2.09
		9 = NEVER USED METHAMPHETAMINE.....	53740	97.43
IIMTHRC	Len : 1	METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	55077	99.85
		2 = Logically assigned data.....	14	0.03
II2MTHRC	Len : 1	METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	55077	99.85
		2 = Logically assigned data.....	14	0.03
		3 = Statistically imputed data - lifetime use imputed.....	39	0.07
		4 = Statistically imputed data - edited recency = 9	22	0.04
IRSEDRC	Len : 1	SEDATIVE RECENCY - IMPUTATION REVISED		
			Freq	Pct
		1 = Within the past 30 days.....	55	0.10
		2 = More than 30 days ago but within the past 12 mos	112	0.20
		3 = More than 12 months ago	696	1.26
		9 = Never used sedatives	54297	98.44
IISEDRC	Len : 1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	54984	99.68
		2 = Logically assigned data.....	21	0.04
II2SEDRC	Len : 1	SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	54984	99.68
		2 = Logically assigned data.....	21	0.04
		3 = Statistically imputed data - lifetime use imputed.....	136	0.25
		4 = Statistically imputed data - edited recency = 9	17	0.03
		5 = Statistically imputed data - edited recency = 8	2	0.00

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

IRALCFY	Len : 3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365.....	32527	58.97
		991 = NEVER USED ALCOHOL.....	17015	30.85
		993 = DID NOT USE ALCOHOL PAST YEAR.....	5618	10.18
IIALCFY	Len : 1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	30801	55.84
		2 = Logically assigned data.....	1089	1.97
		3 = Statistically imputed data	737	1.34
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	22533	40.85
II2ALCFY	Len : 1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	30801	55.84
		2 = Logically assigned data.....	1089	1.97
		3 = Statistically imputed data - lifetime use imputed.....	18	0.03
		4 = Statistically imputed data - lifetime use known	719	1.30
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	22533	40.85
IRMJFY	Len : 3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365.....	10394	18.84
		991 = NEVER USED MARIJUANA	32983	59.80
		993 = DID NOT USE MARIJUANA PAST YEAR.....	11783	21.36
IIMJFY	Len : 1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	9297	16.85
		2 = Logically assigned data.....	729	1.32
		3 = Statistically imputed data	458	0.83
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	44676	80.99
II2MJFY	Len : 1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	9297	16.85
		2 = Logically assigned data.....	729	1.32
		3 = Statistically imputed data - lifetime use imputed.....	32	0.06
		4 = Statistically imputed data - lifetime use known	426	0.77
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	44676	80.99
IRCOCFY	Len : 3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365.....	1176	2.13
		991 = NEVER USED COCAINE	49508	89.75
		993 = DID NOT USE COCAINE PAST YEAR.....	4476	8.11
IICOCFY	Len : 1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	1025	1.86
		2 = Logically assigned data.....	88	0.16
		3 = Statistically imputed data	109	0.20
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53938	97.78

PAST YEAR FREQUENCY OF USE

II2COCFY	Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	1025	1.86
	2 = Logically assigned data.....	88	0.16
	3 = Statistically imputed data - lifetime use imputed.....	19	0.03
	4 = Statistically imputed data - lifetime use known	90	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53938	97.78
IRCRKFY	Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365.....	146	0.26
	991 = NEVER USED CRACK	53867	97.66
	993 = DID NOT USE CRACK PAST YEAR.....	1147	2.08
IICRKFY	Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	127	0.23
	2 = Logically assigned data.....	14	0.03
	3 = Statistically imputed data	33	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54986	99.68
II2CRKFY	Len : 1 CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	127	0.23
	2 = Logically assigned data.....	14	0.03
	3 = Statistically imputed data - lifetime use imputed.....	19	0.03
	4 = Statistically imputed data - lifetime use known	14	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54986	99.68
IRHERFY	Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 364.....	227	0.41
	991 = NEVER USED HEROIN.....	54320	98.48
	993 = DID NOT USE HEROIN PAST YEAR	613	1.11
IIHERFY	Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	178	0.32
	2 = Logically assigned data.....	31	0.06
	3 = Statistically imputed data	64	0.12
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54887	99.51
II2HERFY	Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	178	0.32
	2 = Logically assigned data.....	31	0.06
	3 = Statistically imputed data - lifetime use imputed.....	42	0.08
	4 = Statistically imputed data - lifetime use known	22	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54887	99.51
IRHALFY	Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365.....	1695	3.07
	991 = NEVER USED HALLUCINOGENS	47961	86.95
	993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	5504	9.98
IIHALFY	Len : 1 HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	1527	2.77
	2 = Logically assigned data.....	97	0.18
	3 = Statistically imputed data	308	0.56
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53228	96.50

PAST YEAR FREQUENCY OF USE

II2HALFY	Len : 1 HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	1527	2.77
	2 = Logically assigned data.....	97	0.18
	3 = Statistically imputed data - lifetime use imputed.....	160	0.29
	4 = Statistically imputed data - lifetime use known	148	0.27
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53228	96.50
IRINHFY	Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 364.....	684	1.24
	991 = NEVER USED INHALANTS.....	50891	92.26
	993 = DID NOT USE INHALANTS PAST YEAR	3585	6.50
IIINHFY	Len : 1 INHALANT FREQUENCY PAST YEAR - IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	529	0.96
	2 = Logically assigned data.....	67	0.12
	3 = Statistically imputed data	305	0.55
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54259	98.37
II2INHFY	Len : 1 INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	529	0.96
	2 = Logically assigned data.....	67	0.12
	3 = Statistically imputed data - lifetime use imputed.....	120	0.22
	4 = Statistically imputed data - lifetime use known	185	0.34
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54259	98.37
IRANLFY	Len : 3 PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365.....	3174	5.75
	991 = NEVER USED PAIN RELIEVERS.....	47060	85.32
	993 = DID NOT USE PAIN RELIEVERS PAST YEAR	4926	8.93
IIANLFY	Len : 1 PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	2710	4.91
	2 = Logically assigned data.....	217	0.39
	3 = Statistically imputed data	585	1.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	51648	93.63
II2ANLFY	Len : 1 PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR		
		Freq	Pct
	1 = Questionnaire data	2710	4.91
	2 = Logically assigned data.....	217	0.39
	3 = Statistically imputed data - lifetime use imputed.....	201	0.36
	4 = Statistically imputed data - lifetime use known	384	0.70
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	51648	93.63
IROXYFY	Len : 3 OXYCONTIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 365.....	429	0.78
	991 = NEVER USED OXYCONTIN.....	53321	96.67
	993 = DID NOT USE OXYCONTIN PAST YEAR	1410	2.56
IIOXYFY	Len : 1 OXYCONTIN FREQ PAST YEAR - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	353	0.64
	2 = Logically assigned data.....	40	0.07
	3 = Statistically imputed data	214	0.39
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54553	98.90

PAST YEAR FREQUENCY OF USE

II2OXYFY	Len : 1	OXYCONTIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	353	0.64
		2 = Logically assigned data.....	40	0.07
		3 = Statistically imputed data - lifetime use imputed.....	148	0.27
		4 = Statistically imputed data - lifetime use known	66	0.12
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54553	98.90
IRTRNFY	Len : 3	TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365.....	1492	2.70
		991 = NEVER USED TRANQUILIZERS	50564	91.67
		993 = DID NOT USE TRANQUILIZERS PAST YEAR.....	3104	5.63
IITRNFY	Len : 1	TRANQUILIZER FREQ PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	1314	2.38
		2 = Logically assigned data.....	107	0.19
		3 = Statistically imputed data	214	0.39
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53525	97.04
II2TRNFY	Len : 1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	1314	2.38
		2 = Logically assigned data.....	107	0.19
		3 = Statistically imputed data - lifetime use imputed.....	104	0.19
		4 = Statistically imputed data - lifetime use known	110	0.20
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53525	97.04
IRSTMFY	Len : 3	STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365.....	1058	1.92
		991 = NEVER USED STIMULANTS	51518	93.40
		993 = DID NOT USE STIMULANTS PAST YEAR.....	2584	4.68
IISTMFY	Len : 1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	907	1.64
		2 = Logically assigned data.....	96	0.17
		3 = Statistically imputed data	189	0.34
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53968	97.84
II2STMFY	Len : 1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR		
			Freq	Pct
		1 = Questionnaire data	907	1.64
		2 = Logically assigned data.....	96	0.17
		3 = Statistically imputed data - lifetime use imputed.....	103	0.19
		4 = Statistically imputed data - lifetime use known	86	0.16
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	53968	97.84
IRMTHFY	Len : 3	METH FREQUENCY PAST YEAR - IMPUTATION REVISED		
			Freq	Pct
		RANGE = 1 - 365.....	265	0.48
		991 = NEVER USED METHAMPHETAMINE.....	53740	97.43
		993 = DID NOT USE METHAMPHETAMINE PAST YEAR	1155	2.09
IIMTHFY	Len : 1	METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	230	0.42
		2 = Logically assigned data.....	15	0.03
		3 = Statistically imputed data	71	0.13
		9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54844	99.43

PAST YEAR FREQUENCY OF USE

II2MTHFY	Len : 1 METH FREQ PAST YEAR - DETAILED IMP INDICATOR				
			Freq	Pct	
	1 = Questionnaire data		230	0.42	
	2 = Logically assigned data.....		15	0.03	
	3 = Statistically imputed data - lifetime use imputed.....		39	0.07	
	4 = Statistically imputed data - lifetime use known		32	0.06	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		54844	99.43	
IRSEDFY	Len : 3 SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED				
			Freq	Pct	
	RANGE = 1 - 364.....		167	0.30	
	991 = NEVER USED SEDATIVES.....		54297	98.44	
	993 = DID NOT USE SEDATIVES PAST YEAR		696	1.26	
IISEDFY	Len : 1 SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR				
			Freq	Pct	
	1 = Questionnaire data		144	0.26	
	2 = Logically assigned data.....		10	0.02	
	3 = Statistically imputed data		158	0.29	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		54848	99.43	
II2SEDFY	Len : 1 SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR				
			Freq	Pct	
	1 = Questionnaire data		144	0.26	
	2 = Logically assigned data.....		10	0.02	
	3 = Statistically imputed data - lifetime use imputed.....		136	0.25	
	4 = Statistically imputed data - lifetime use known		22	0.04	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER		54848	99.43	

PAST MONTH FREQUENCY OF USE

PAST MONTH FREQUENCY OF USE

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

IRCIGFM	Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED			
			Freq	Pct
	RANGE = 1 - 30.....	11950	21.66	
	91 = NEVER USED CIGARETTES.....	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH.....	15202	27.56	
IICIGFM	Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR			
		Freq	Pct	
	1 = Questionnaire data.....	11845	21.47	
	2 = Logically assigned data.....	81	0.15	
	3 = Statistically imputed data.....	32	0.06	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	43202	78.32	
II2CIGFM	Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data.....	11845	21.47	
	2 = Logically assigned data.....	81	0.15	
	4 = Statistically imputed data - lifetime use known.....	32	0.06	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	43202	78.32	
IRCGRFM	Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED			
		Freq	Pct	
	RANGE = 1 - 30.....	3116	5.65	
	91 = NEVER USED CIGARS.....	39350	71.34	
	93 = DID NOT USE CIGARS PAST MONTH.....	12694	23.01	
IICGRFM	Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR			
		Freq	Pct	
	1 = Questionnaire data.....	3079	5.58	
	2 = Logically assigned data.....	29	0.05	
	3 = Statistically imputed data.....	24	0.04	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	52028	94.32	
II2CGRFM	Len : 1 CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data.....	3079	5.58	
	2 = Logically assigned data.....	29	0.05	
	3 = Statistically imputed data - lifetime use imputed.....	8	0.01	
	4 = Statistically imputed data - lifetime use known.....	16	0.03	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	52028	94.32	
IRCHWFM	Len : 2 CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED			
		Freq	Pct	
	RANGE = 1 - 30.....	911	1.65	
	91 = NEVER USED CHEWING TOBACCO.....	49285	89.35	
	93 = DID NOT USE CHEWING TOBACCO PAST MONTH.....	4964	9.00	
IICHWFM	Len : 1 CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR			
		Freq	Pct	
	1 = Questionnaire data.....	894	1.62	
	2 = Logically assigned data.....	12	0.02	
	3 = Statistically imputed data.....	16	0.03	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	54238	98.33	
II2CHWFM	Len : 1 CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data.....	894	1.62	
	2 = Logically assigned data.....	12	0.02	
	3 = Statistically imputed data - lifetime use imputed.....	9	0.02	
	4 = Statistically imputed data - lifetime use known.....	7	0.01	
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	54238	98.33	

PAST MONTH FREQUENCY OF USE

IRSNFFM	Len : 2 SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	91 = NEVER USED SNUFF.....	1884	3.42
	93 = DID NOT USE SNUFF PAST MONTH.....	47776	86.61
		5500	9.97
IISNFFM	Len : 1 SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	1866	3.38
	3 = Statistically imputed data	8	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	37	0.07
		53249	96.54
II2SNFFM	Len : 1 SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	1866	3.38
	3 = Statistically imputed data - lifetime use imputed.....	8	0.01
	4 = Statistically imputed data - lifetime use known	25	0.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	12	0.02
		53249	96.54
IRALCFM	Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	91 = NEVER USED ALCOHOL.....	24037	43.58
	93 = DID NOT USE ALCOHOL PAST MONTH.....	17015	30.85
		14108	25.58
IIALCFM	Len : 1 ALCOHOL FREQ PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	23365	42.36
	3 = Statistically imputed data	156	0.28
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	894	1.62
		30745	55.74
II2ALCFM	Len : 1 ALCOHOL FREQ PST MONTH - DETAILED IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	23365	42.36
	3 = Statistically imputed data - lifetime use imputed.....	156	0.28
	4 = Statistically imputed data - lifetime use known	18	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	876	1.59
		30745	55.74
IRALCD5	Len : 2 5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
	RANGE = 0 - 30.....	Freq	Pct
	91 = NEVER USED ALCOHOL.....	24037	43.58
	93 = DID NOT USE ALCOHOL PAST MONTH.....	17015	30.85
		14108	25.58
IIALCD5	Len : 1 5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	23160	41.99
	3 = Statistically imputed data	65	0.12
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	1190	2.16
		30745	55.74
II2ALCD5	Len : 1 5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	23160	41.99
	3 = Statistically imputed data - lifetime use imputed.....	65	0.12
	4 = Statistically imputed data - lifetime use known	18	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER.....	1172	2.12
		30745	55.74

PAST MONTH FREQUENCY OF USE

IRMJFM	Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMP REVISED			
		Freq	Pct	
	RANGE = 1 - 30.....	6128	11.11	
	91 = NEVER USED MARIJUANA	32983	59.80	
IIMJFM	Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data	5893	10.68	
	2 = Logically assigned data.....	51	0.09	
II2MJFM	Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data	5893	10.68	
	2 = Logically assigned data.....	51	0.09	
IRCOCFM	Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED			
		Freq	Pct	
	RANGE = 1 - 30.....	368	0.67	
	91 = NEVER USED COCAINE	49508	89.75	
IICOCFM	Len : 1 COCAINE FREQ PAST MONTH - IMPUTATION INDICATOR			
		Freq	Pct	
	1 = Questionnaire data	329	0.60	
	2 = Logically assigned data.....	15	0.03	
II2COCFM	Len : 1 COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data	329	0.60	
	2 = Logically assigned data.....	15	0.03	
IRCRKFM	Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED			
		Freq	Pct	
	RANGE = 1 - 30.....	65	0.12	
	91 = NEVER USED CRACK	53867	97.66	
IICRKFM	Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR			
		Freq	Pct	
	1 = Questionnaire data	62	0.11	
	2 = Logically assigned data.....	1	0.00	
II2CRKFM	Len : 1 CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR			
		Freq	Pct	
	1 = Questionnaire data	62	0.11	
	2 = Logically assigned data.....	1	0.00	

PAST MONTH FREQUENCY OF USE

IRHERFM	Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	91 = NEVER USED HEROIN.....	90	0.16
	93 = DID NOT USE HEROIN PAST MONTH.....	54320	98.48
		750	1.36
IIHERFM	Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	84	0.15
	3 = Statistically imputed data	1	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	61	0.11
		55014	99.74
II2HERFM	Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	84	0.15
	3 = Statistically imputed data - lifetime use imputed.....	1	0.00
	4 = Statistically imputed data - lifetime use known	42	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	19	0.03
		55014	99.74
IRHALFM	Len : 2 HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	91 = NEVER USED HALLUCINOGENS	451	0.82
	93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	47961	86.95
		6748	12.23
IIHALFM	Len : 1 HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	418	0.76
	3 = Statistically imputed data	6	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	337	0.61
		54399	98.62
II2HALFM	Len : 1 HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	418	0.76
	3 = Statistically imputed data - lifetime use imputed.....	6	0.01
	4 = Statistically imputed data - lifetime use known	160	0.29
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	177	0.32
		54399	98.62
IRINHFMM	Len : 2 INHALANT FREQUENCY PAST MONTH - IMP REVISED		
	RANGE = 1 - 30.....	Freq	Pct
	91 = NEVER USED INHALANTS.....	169	0.31
	93 = DID NOT USE INHALANTS PAST MONTH.....	50891	92.26
		4100	7.43
IIINHFMM	Len : 1 INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	142	0.26
	3 = Statistically imputed data	5	0.01
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	298	0.54
		54715	99.19
II2INHFMM	Len : 1 INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	142	0.26
	3 = Statistically imputed data - lifetime use imputed.....	5	0.01
	4 = Statistically imputed data - lifetime use known	120	0.22
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	178	0.32
		54715	99.19

AGE/DATE OF FIRST DRUG USE

AGE/DATE OF FIRST DRUG USE

IRCIGAGE	Len : 3 IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE		
	RANGE = 1 - 62.....	Freq	Pct
	991 = NEVER USED	27152	49.22
		28008	50.78
IICIGAGE	Len : 1 IRCIGAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	26766	48.52
	3 = Statistically imputed data	21	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	365	0.66
		28008	50.78
IRCIGYFU	Len : 4 IMPUTATION-REVISED CIGARETTE YEAR OF FIRST USE		
	RANGE = 1924 - 2013.....	Freq	Pct
	9999 = NEVER USED	27152	49.22
		28008	50.78
IICIGYFU	Len : 1 IRCIGYFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	1878	3.40
	3 = Statistically imputed data	2	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	25272	45.82
		28008	50.78
IRCDUAGE	Len : 3 IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE		
	RANGE = 1 - 62.....	Freq	Pct
	991 = NEVER USED	13623	24.70
	993 = NEVER A DAILY USER.....	28008	50.78
		13529	24.53
IICDUAGE	Len : 1 IRCDUAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data	13528	24.53
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	100	0.18
		41532	75.29
IRCD2YFU	Len : 4 IMP-REVISED CIG DAILY YFU - USING CIGDLYFU		
	RANGE = 1925 - 2013.....	Freq	Pct
	9993 = NEVER A DAILY USER.....	13623	24.70
	9999 = NEVER USED	13529	24.53
		28008	50.78
IICD2YFU	Len : 1 IRCD2YFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	2 = Logically assigned data.....	689	1.25
	3 = Statistically imputed data	1	0.00
	9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER.....	12938	23.46
		41532	75.29
IRCGRAGE	Len : 3 IMPUTATION-REVISED CIGAR AGE OF FIRST USE		
	RANGE = 1 - 66.....	Freq	Pct
	991 = NEVER USED	15810	28.66
		39350	71.34
IICGRAGE	Len : 1 IRCGRAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data	15494	28.09
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	321	0.58
		39345	71.33

AGE/DATE OF FIRST DRUG USE			
IRCGRYFU	Len : 4 IMPUTATION-REVISED CIGAR YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1931 - 2013	15810	28.66
	9999 = NEVER USED	39350	71.34
IICGRYFU	Len : 1 IRCGRYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	1964	3.56
	3 = Statistically imputed data	13851	25.11
IRSLTAGE	Len : 3 IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 68.....	8951	16.23
	991 = NEVER USED	46209	83.77
IISLTAGE	Len : 1 IRSLTAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	8701	15.77
	3 = Statistically imputed data	275	0.50
IRSLTYFU	Len : 4 IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1934 - 2013	8951	16.23
	9999 = NEVER USED	46209	83.77
IISLTYFU	Len : 1 IRSLTYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	927	1.68
	3 = Statistically imputed data	8049	14.59
IRCHWAGE	Len : 3 IMPUTATION-REVISED CHEWING TOB AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 68.....	5875	10.65
	991 = NEVER USED	49285	89.35
IICHWAGE	Len : 1 IRCHWAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	5754	10.43
	3 = Statistically imputed data	128	0.23
IRCHWYFU	Len : 4 IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE		
		Freq	Pct
	RANGE = 1935 - 2013	5875	10.65
	9999 = NEVER USED	49285	89.35
IICHWYFU	Len : 1 IRCHWYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	525	0.95
	3 = Statistically imputed data	5357	9.71
IRSNFAGE	Len : 3 IMPUTATION-REVISED SNUFF AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 60.....	7384	13.39
	991 = NEVER USED	47776	86.61

AGE/DATE OF FIRST DRUG USE

IISNFAGE	Len : 1 IRSNFAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	7209	13.07
	3 = Statistically imputed data	198	0.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	47753	86.57
IRSNFYFU	Len : 4 IMPUTATION-REVISED SNUFF YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1934 - 2013	7384	13.39
	9999 = NEVER USED	47776	86.61
IISNFYFU	Len : 1 IRSNFYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	835	1.51
	3 = Statistically imputed data	6572	11.91
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	47753	86.57
IRALCAGE	Len : 3 IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 75	38145	69.15
	991 = NEVER USED	17015	30.85
IIALCAGE	Len : 1 IRALCAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	37572	68.11
	3 = Statistically imputed data	583	1.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	17005	30.83
IRALCYFU	Len : 4 IMPUTATION-REVISED ALCOHOL YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1925 - 2013	38145	69.15
	9999 = NEVER USED	17015	30.85
IIALCYFU	Len : 1 IRALCYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	4192	7.60
	3 = Statistically imputed data	33963	61.57
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	17005	30.83
IRMJAGE	Len : 3 IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 75	22177	40.20
	991 = NEVER USED	32983	59.80
IIMJAGE	Len : 1 IRMJAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	21979	39.85
	3 = Statistically imputed data	215	0.39
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	32966	59.76
IRMJYFU	Len : 4 IMPUTATION-REVISED MARIJUANA YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1947 - 2013	22177	40.20
	9999 = NEVER USED	32983	59.80
IIMJYFU	Len : 1 IRMJYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	2165	3.92
	3 = Statistically imputed data	20029	36.31
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	32966	59.76

AGE/DATE OF FIRST DRUG USE

IRCOCAGE	Len : 3 IMPUTATION-REVISED COCAINE AGE OF FIRST USE		
	RANGE = 1 - 70.....	Freq 5652	Pct 10.25
	991 = NEVER USED	49508	89.75
IICOCAGE	Len : 1 IRCOCAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 5528	Pct 10.02
	2 = Logically assigned data.....	77	0.14
	3 = Statistically imputed data	64	0.12
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	49491	89.72
IRCOCYFU	Len : 4 IMPUTATION-REVISED COCAINE YEAR OF FIRST USE		
	RANGE = 1960 - 2013.....	Freq 5652	Pct 10.25
	9999 = NEVER USED	49508	89.75
IIRCOCYFU	Len : 1 IRCOCYFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 435	Pct 0.79
	3 = Statistically imputed data	5234	9.49
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	49491	89.72
IRCRKAGE	Len : 3 IMPUTATION-REVISED CRACK AGE OF FIRST USE		
	RANGE = 4 - 62.....	Freq 1293	Pct 2.34
	991 = NEVER USED	53867	97.66
IIRCKAGE	Len : 1 IRCRKAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 1279	Pct 2.32
	3 = Statistically imputed data	33	0.06
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53848	97.62
IRCRKYFU	Len : 4 IMPUTATION-REVISED CRACK YEAR OF FIRST USE		
	RANGE = 1961 - 2013.....	Freq 1293	Pct 2.34
	9999 = NEVER USED	53867	97.66
IIRCRKYFU	Len : 1 IRCRKYFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 51	Pct 0.09
	3 = Statistically imputed data	1261	2.29
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53848	97.62
IRHERAGE	Len : 3 IMPUTATION-REVISED HEROIN AGE OF FIRST USE		
	RANGE = 3 - 54.....	Freq 840	Pct 1.52
	991 = NEVER USED	54320	98.48
IIHERAGE	Len : 1 IRHERAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 828	Pct 1.50
	3 = Statistically imputed data	54	0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	54278	98.40
IRHERYFU	Len : 4 IMPUTATION-REVISED HEROIN YEAR OF FIRST USE		
	RANGE = 1962 - 2013.....	Freq 840	Pct 1.52
	9999 = NEVER USED	54320	98.48

AGE/DATE OF FIRST DRUG USE

IIHERYFU	Len : 1 IRHERYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	111	0.20
	3 = Statistically imputed data	771	1.40
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	54278	98.40
IRHALAGE	Len : 3 IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 74	7199	13.05
	991 = NEVER USED	47961	86.95
IIHALAGE	Len : 1 IRHALAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	7027	12.74
	2 = Logically assigned data	75	0.14
	3 = Statistically imputed data	256	0.46
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	47802	86.66
IRHALYFU	Len : 4 IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1940 - 2013	7199	13.05
	9999 = NEVER USED	47961	86.95
IIHALYFU	Len : 1 IRHALYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	824	1.49
	2 = Logically assigned data	11	0.02
	3 = Statistically imputed data	6523	11.83
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	47802	86.66
IRLSDAGE	Len : 3 IMPUTATION-REVISED LSD AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 50	3649	6.62
	991 = NEVER USED	51511	93.38
IILSDAGE	Len : 1 IRLSDAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	3572	6.48
	2 = Logically assigned data	5	0.01
	3 = Statistically imputed data	109	0.20
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	51474	93.32
IRLSDYFU	Len : 4 IMPUTATION-REVISED LSD YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1940 - 2013	3649	6.62
	9999 = NEVER USED	51511	93.38
IILSDYFU	Len : 1 IRLSDYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	347	0.63
	3 = Statistically imputed data	3339	6.05
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	51474	93.32
IRPCPAGE	Len : 3 IMPUTATION-REVISED PCP AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 50	769	1.39
	991 = NEVER USED	54391	98.61

AGE/DATE OF FIRST DRUG USE

IIPCAGE	Len : 1 IIPCAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	736	1.33
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	68	0.12
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	54355	98.54
IRPCYFU	Len : 4 IMPUTATION-REVISED PCP YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1950 - 2013.....	769	1.39
	9999 = NEVER USED	54391	98.61
IIPCIFYU	Len : 1 IRPCIFYU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	35	0.06
	3 = Statistically imputed data	770	1.40
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	54355	98.54
IRECSAGE	Len : 3 IMPUTATION-REVISED ECSTASY AGE OF FIRST USE		
		Freq	Pct
	RANGE = 5 - 58.....	4045	7.33
	991 = NEVER USED	51115	92.67
IIECSAGE	Len : 1 IRECSAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	4001	7.25
	2 = Logically assigned data.....	2	0.00
	3 = Statistically imputed data	87	0.16
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51070	92.59
IRECSYFU	Len : 4 IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1965 - 2013.....	4045	7.33
	9999 = NEVER USED	51115	92.67
IIECSYFU	Len : 1 IRECSYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	604	1.09
	2 = Logically assigned data.....	1	0.00
	3 = Statistically imputed data	3485	6.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	51070	92.59
IRINHAGE	Len : 3 IMPUTATION-REVISED INHALANTS AGE OF FIRST USE		
		Freq	Pct
	RANGE = 1 - 60.....	4269	7.74
	991 = NEVER USED	50891	92.26
IIINHAGE	Len : 1 IRINHAGE IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	4032	7.31
	3 = Statistically imputed data	346	0.63
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	50782	92.06
IRINHYFU	Len : 4 IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE		
		Freq	Pct
	RANGE = 1935 - 2013.....	4269	7.74
	9999 = NEVER USED	50891	92.26
IIINHYFU	Len : 1 IRINHYFU IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	416	0.75
	3 = Statistically imputed data	3962	7.18
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	50782	92.06

AGE/DATE OF FIRST DRUG USE

IRANLAGE	Len : 3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE		
			Freq	Pct
		RANGE = 1 - 72.....	8100	14.68
		991 = NEVER USED	47060	85.32

IIANLAGE	Len : 1	IRANLAGE IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	7633	13.84
		2 = Logically assigned data.....	3	0.01
		3 = Statistically imputed data	659	1.19
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	46865	84.96

IRANLYFU	Len : 4	IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE		
			Freq	Pct
		RANGE = 1941 - 2013.....	8100	14.68
		9999 = NEVER USED	47060	85.32

IIANLYFU	Len : 1	IRANLYFU IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	1055	1.91
		2 = Logically assigned data.....	4	0.01
		3 = Statistically imputed data	7236	13.12
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	46865	84.96

NOTE: See the note preceding the OXYCAGE variable. No special editing or imputation procedures were done to prevent IROXYFU from having a value earlier than 1995, even though OxyContin was not approved for medical use by the US Food and Drug Administration until 1995. Caution is advised in interpreting OxyContin age/date of first use data from respondents with IROXYFU<1995.

IROXYAGE	Len : 3	IMPUTATION-REVISED OXYCONTIN AGE FIRST USE		
			Freq	Pct
		RANGE = 9 - 64.....	1839	3.33
		991 = NEVER USED	53321	96.67

IIOXYAGE	Len : 1	IROXYAGE IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	1771	3.21
		2 = Logically assigned data.....	3	0.01
		3 = Statistically imputed data	202	0.37
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53184	96.42

IROXYFU	Len : 4	IMPUTATION-REVISED OXYCONTIN YEAR FIRST USE		
			Freq	Pct
		RANGE = 1975 - 2013.....	1839	3.33
		9999 = NEVER USED	53321	96.67

IIOXYFU	Len : 1	IROXYFU IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	248	0.45
		3 = Statistically imputed data	1728	3.13
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	53184	96.42

IRTRNAGE	Len : 3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
			Freq	Pct
		RANGE = 1 - 80.....	4596	8.33
		991 = NEVER USED	50564	91.67

IITRNAGE	Len : 1	IRTRNAGE IMPUTATION INDICATOR		
			Freq	Pct
		1 = Questionnaire data	4479	8.12
		3 = Statistically imputed data	215	0.39
		9 = LEGITIMATE SKIP - NOT A LIFETIME USER.....	50466	91.49

AGE/DATE OF FIRST DRUG USE

IRTRNYFU	Len : 4 IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
	RANGE = 1960 - 2013	Freq 4596	Pct 8.33
	9999 = NEVER USED	50564	91.67
IITRNYFU	Len : 1 IRTRNYFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 669	Pct 1.21
	3 = Statistically imputed data	4025	7.30
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	50466	91.49
IRSTMAGE	Len : 3 IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
	RANGE = 1 - 60	Freq 3642	Pct 6.60
	991 = NEVER USED	51518	93.40
IISTMAGE	Len : 1 IRSTMAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 3529	Pct 6.40
	2 = Logically assigned data	21	0.04
	3 = Statistically imputed data	192	0.35
IRSTMYFU	Len : 4 IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
	RANGE = 1948 - 2013	Freq 3642	Pct 6.60
	9999 = NEVER USED	51518	93.40
IISTMYFU	Len : 1 IRSTMYFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 431	Pct 0.78
	2 = Logically assigned data	2	0.00
	3 = Statistically imputed data	3309	6.00
IRMTHAGE	Len : 3 IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
	RANGE = 1 - 54	Freq 1420	Pct 2.57
	991 = NEVER USED	53740	97.43
IIMTHAGE	Len : 1 IRMTHAGE IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 1388	Pct 2.52
	3 = Statistically imputed data	71	0.13
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	53701	97.35
IRMTHYFU	Len : 4 IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
	RANGE = 1948 - 2013	Freq 1420	Pct 2.57
	9999 = NEVER USED	53740	97.43
IIMTHYFU	Len : 1 IRMTHYFU IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 102	Pct 0.18
	3 = Statistically imputed data	1357	2.46
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	53701	97.35
IRSEDAGE	Len : 3 IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE		
	RANGE = 1 - 67	Freq 863	Pct 1.56
	991 = NEVER USED	54297	98.44

AGE/DATE OF FIRST DRUG USE

IISEDAGE

Len : 1 IRSEDAGE IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	821	1.49
3 = Statistically imputed data	176	0.32
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	54163	98.19

IRSEDYFU

Len : 4 IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE

	Freq	Pct
RANGE = 1951 - 2013	863	1.56
9999 = NEVER USED	54297	98.44

IISEDYFU

Len : 1 IRSEDYFU IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	83	0.15
3 = Statistically imputed data	914	1.66
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	54163	98.19

RECODED DRUG USE

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

CIGFLAG	Len : 1 CIGARETTES - EVER USED		
	0 = Never used (IRCIGRC = 9)	Freq	Pct
	1 = Ever used (IRCIGRC = 1-4)	28008	50.78
		27152	49.22
CIGYR	Len : 1 CIGARETTES - PAST YEAR USE		
	0 = Did not use in the past year (IRCIGRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRCIGRC = 1,2)	40036	72.58
		15124	27.42
CIGMON	Len : 1 CIGARETTES - PAST MONTH USE		
	0 = Did not use in the past month (IRCIGRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRCIGRC = 1)	43210	78.34
		11950	21.66
CGRFLAG	Len : 1 CIGARS - EVER USED		
	0 = Never used (IRCGRRC = 9)	Freq	Pct
	1 = Ever used (IRCGRRC = 1-4)	39350	71.34
		15810	28.66
CGRYR	Len : 1 CIGARS - PAST YEAR USE		
	0 = Did not use in the past year (IRCGRRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRCGRRC = 1,2)	48603	88.11
		6557	11.89
CGRMON	Len : 1 CIGARS - PAST MONTH USE		
	0 = Did not use in the past month (IRCGRRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRCGRRC = 1)	52044	94.35
		3116	5.65
PIPFLAG	Len : 1 PIPES - EVER USED		
	0 = Never Used (IRPIPLF = 9)	Freq	Pct
	1 = Ever Used (IRPIPLF = 1)	50534	91.61
		4626	8.39
PIPMON	Len : 1 PIPES - PAST MONTH USE		
	0 = Did not use in the past month (IRPIPMN = 2,9)	Freq	Pct
	1 = Used within the past month (IRPIPMN = 1)	54508	98.82
		652	1.18
SMKFLAG	Len : 1 SMOKELESS TOBACCO - EVER USED		
	0 = Never used (IRSLTRC = 9)	Freq	Pct
	1 = Ever used (IRSLTRC = 1-4)	46209	83.77
		8951	16.23
SMKYR	Len : 1 SMOKELESS TOBACCO - PAST YEAR USE		
	0 = Did not use in the past year (IRSLTRC = 3,4,9)	Freq	Pct
	1 = Used within the past year (IRSLTRC = 1,2)	51779	93.87
		3381	6.13
SMKMON	Len : 1 SMOKELESS TOBACCO - PAST MONTH USE		
	0 = Did not use in the past month (IRSLTRC = 2-4,9)	Freq	Pct
	1 = Used within the past month (IRSLTRC = 1)	52960	96.01
		2200	3.99

RECODED DRUG USE

CHWFLAG	Len : 1	CHEWING TOBACCO - EVER USED		
			Freq	Pct
		0 = Never Used (IRCHWRC = 9)	49285	89.35
		1 = Ever Used (IRCHWRC = 1-4)	5875	10.65
CHWYR	Len : 1	CHEWING TOBACCO - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRCHWRC = 3,4,9)	53463	96.92
		1 = Used within the past year (IRCHWRC = 1,2).....	1697	3.08
CHWMON	Len : 1	CHEWING TOBACCO - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRCHWRC = 2-4,9)	54249	98.35
		1 = Used within the past month (IRCHWRC = 1).....	911	1.65
SNFFLAG	Len : 1	SNUFF - EVER USED		
			Freq	Pct
		0 = Never used (IRSNFRC = 9)	47776	86.61
		1 = Ever used (IRSNFRC = 1-4)	7384	13.39
SNFYR	Len : 1	SNUFF - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRSNFRC = 3,4,9).....	52267	94.76
		1 = Used within the past year (IRSNFRC = 1,2).....	2893	5.24
SNFMON	Len : 1	SNUFF - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRSNFRC = 2-4,9).....	53276	96.58
		1 = Used within the past month (IRSNFRC = 1).....	1884	3.42
TOBFLAG	Len : 1	ANY TOBACCO - EVER USED		
			Freq	Pct
		0 = Never Used (ALL SOURCE VARIABLES = 0).....	25001	45.32
		1 = Ever Used (ANY SOURCE VARIABLE = 1)	30159	54.68
TOBYR	Len : 1	ANY TOBACCO - PAST YEAR USE		
			Freq	Pct
		0 = Not use pst yr (ALL SOURCE VARIABLES = 0)	36807	66.73
		1 = Used pst yr (ANY SOURCE VARIABLE = 1).....	18353	33.27
TOBMON	Len : 1	ANY TOBACCO - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in pst month (ALL SOURCE VARS = 0)	40810	73.98
		1 = Used in past month (ANY SOURCE VAR = 1)	14350	26.02
ALCFLAG	Len : 1	ALCOHOL - EVER USED		
			Freq	Pct
		0 = Never used (IRALCRC = 9)	17015	30.85
		1 = Ever used (IRALCRC = 1-3).....	38145	69.15
ALCYR	Len : 1	ALCOHOL - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRALCRC = 3,9).....	22633	41.03
		1 = Used within the past year (IRALCRC = 1,2)	32527	58.97
ALCMON	Len : 1	ALCOHOL - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRALCRC = 2-3,9).....	31123	56.42
		1 = Used within the past month (IRALCRC = 1)	24037	43.58

RECODED DRUG USE

MRJFLAG	Len : 1 MARIJUANA - EVER USED		
		Freq	Pct
	0 = Never used (IRMJRC = 9).....	32983	59.80
	1 = Ever used (IRMJRC = 1-3).....	22177	40.20
MRJYR	Len : 1 MARIJUANA - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRMJRC = 3,9).....	44766	81.16
	1 = Used within the past year (IRMJRC = 1,2).....	10394	18.84
MRJMON	Len : 1 MARIJUANA - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRMJRC = 2-3,9).....	49032	88.89
	1 = Used within the past month (IRMJRC = 1).....	6128	11.11
COCFLAG	Len : 1 COCAINE - EVER USED		
		Freq	Pct
	0 = Never used (IRCOCRC = 9).....	49508	89.75
	1 = Ever used (IRCOCRC = 1-3).....	5652	10.25
COCYR	Len : 1 COCAINE - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRCOCRC = 3,9).....	53984	97.87
	1 = Used within the past year (IRCOCRC = 1,2).....	1176	2.13
COCMON	Len : 1 COCAINE - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRCOCRC = 2-3,9).....	54792	99.33
	1 = Used within the past month (IRCOCRC = 1).....	368	0.67
CRKFLAG	Len : 1 "CRACK" - EVER USED		
		Freq	Pct
	0 = Never used (IRCRKRC = 9).....	53867	97.66
	1 = Ever used (IRCRKRC = 1-3).....	1293	2.34
CRKYR	Len : 1 "CRACK" - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRCRKRC = 3,9).....	55014	99.74
	1 = Used within the past year (IRCRKRC = 1,2).....	146	0.26
CRKMON	Len : 1 "CRACK" - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRCRKRC = 2-3,9).....	55095	99.88
	1 = Used within the past month (IRCRKRC = 1).....	65	0.12
HERFLAG	Len : 1 HEROIN - EVER USED		
		Freq	Pct
	0 = Never used (IRHERRC = 9).....	54320	98.48
	1 = Ever used (IRHERRC = 1-3).....	840	1.52
HERYR	Len : 1 HEROIN - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (IRHERRC = 3,9).....	54933	99.59
	1 = Used within the past year (IRHERRC = 1,2).....	227	0.41
HERMON	Len : 1 HEROIN - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRHERRC = 2-3,9).....	55070	99.84
	1 = Used within the past month (IRHERRC = 1).....	90	0.16

RECODED DRUG USE

HALFLAG	Len : 1	HALLUCINOGENS - EVER USED		
			Freq	Pct
		0 = Never used (IRHALRC = 9)	47961	86.95
		1 = Ever used (IRHALRC = 1-3).....	7199	13.05
HALYR	Len : 1	HALLUCINOGENS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRHALRC = 3,9).....	53465	96.93
		1 = Used within the past year (IRHALRC = 1,2)	1695	3.07
HALMON	Len : 1	HALLUCINOGENS - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRHALRC = 2-3,9).....	54709	99.18
		1 = Used within the past month (IRHALRC = 1)	451	0.82
LSDFLAG	Len : 1	LSD - EVER USED		
			Freq	Pct
		0 = Never used (IRLSDRC = 9)	51511	93.38
		1 = Ever used (IRLSDRC = 1-3).....	3649	6.62
LSDYR	Len : 1	LSD - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRLSDRC = 3,9).....	54686	99.14
		1 = Used within the past year (IRLSDRC = 1,2)	474	0.86
LSDMON	Len : 1	LSD - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRLSDRC = 2-3,9).....	55059	99.82
		1 = Used within the past month (IRLSDRC = 1)	101	0.18
PCPFLAG	Len : 1	PCP - EVER USED		
			Freq	Pct
		0 = Never used (IRPCPRC = 9)	54391	98.61
		1 = Ever used (IRPCPRC = 1-3).....	769	1.39
PCPYR	Len : 1	PCP - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRPCPRC = 3,9)	55119	99.93
		1 = Used within the past year (IRPCPRC = 1,2).....	41	0.07
PCPMON	Len : 1	PCP - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRPCPRC = 2-3,9)	55150	99.98
		1 = Used within the past month (IRPCPRC = 1).....	10	0.02
ECSFLAG	Len : 1	ECSTASY - EVER USED		
			Freq	Pct
		0 = Never used (IRECSRC = 9)	51115	92.67
		1 = Ever used (IRECSRC = 1-3).....	4045	7.33
ECSYR	Len : 1	ECSTASY - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRECSRC = 3,9)	54189	98.24
		1 = Used within the past year (IRECSRC = 1,2).....	971	1.76
ECSMON	Len : 1	ECSTASY - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRECSRC = 2-3,9)	54938	99.60
		1 = Used within the past month (IRECSRC = 1).....	222	0.40

RECODED DRUG USE

INHFLAG	Len : 1 INHALANTS - EVER USED		
	0 = Never used (IRINHRC = 9)	Freq	Pct
	1 = Ever used (IRINHRC = 1-3)	50891	92.26
		4269	7.74
INHYR	Len : 1 INHALANTS - PAST YEAR USE		
	0 = Did not use in the past year (IRINHRC = 3,9).....	Freq	Pct
	1 = Used within the past year (IRINHRC = 1,2).....	54476	98.76
		684	1.24
INHMON	Len : 1 INHALANTS - PAST MONTH USE		
	0 = Did not use in the past month (IRINHRC = 2-3,9).....	Freq	Pct
	1 = Used within the past month (IRINHRC = 1).....	54991	99.69
		169	0.31
ANLFLAG	Len : 1 PAIN RELIEVERS - EVER USED		
	0 = Never used (IRANLRC = 9)	Freq	Pct
	1 = Ever used (IRANLRC = 1-3).....	47060	85.32
		8100	14.68
ANLYR	Len : 1 PAIN RELIEVERS - PAST YEAR USE		
	0 = Did not use in the past year (IRANLRC = 3,9).....	Freq	Pct
	1 = Used within the past year (IRANLRC = 1,2)	51986	94.25
		3174	5.75
ANLMON	Len : 1 PAIN RELIEVERS - PAST MONTH USE		
	0 = Did not use in the past month (IRANLRC = 2-3,9).....	Freq	Pct
	1 = Used within the past month (IRANLRC = 1)	53919	97.75
		1241	2.25
OXYFLAG	Len : 1 OXYCONTIN - EVER USED		
	0 = Never Used (IROXYRC = 9)	Freq	Pct
	1 = Ever Used (IROXYRC = 1-3)	53321	96.67
		1839	3.33
OXYR	Len : 1 OXYCONTIN - PAST YEAR USE		
	0 = Did not use in the past year (IROXYRC = 3,9)	Freq	Pct
	1 = Used within the past year (IROXYRC = 1,2).....	54731	99.22
		429	0.78
OXYMON	Len : 1 OXYCONTIN - PAST MONTH USE		
	0 = Did not use in the past month (IROXYRC = 2-3,9)	Freq	Pct
	1 = Used within the past month (IROXYRC = 1)	55045	99.79
		115	0.21
TRQFLAG	Len : 1 TRANQUILIZERS - EVER USED		
	0 = Never used (IRTRNRC = 9)	Freq	Pct
	1 = Ever used (IRTRNRC = 1-3)	50564	91.67
		4596	8.33
TRQYR	Len : 1 TRANQUILIZERS - PAST YEAR USE		
	0 = Did not use in the past year (IRTRNRC = 3,9)	Freq	Pct
	1 = Used within the past year (IRTRNRC = 1,2).....	53668	97.30
		1492	2.70
TRQMON	Len : 1 TRANQUILIZERS - PAST MONTH USE		
	0 = Did not use in the past month (IRTRNRC = 2-3,9)	Freq	Pct
	1 = Used within the past month (IRTRNRC = 1).....	54714	99.19
		446	0.81

RECODED DRUG USE

STMFLAG	Len : 1	STIMULANTS - EVER USED		
			Freq	Pct
		0 = Never used (IRSTMRC = 9)	51518	93.40
		1 = Ever used (IRSTMRC = 1-3)	3642	6.60

STMYR	Len : 1	STIMULANTS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRSTMRC = 3,9)	54102	98.08
		1 = Used within the past year (IRSTMRC = 1,2)	1058	1.92

STMMON	Len : 1	STIMULANTS - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRSTMRC = 2-3,9)	54772	99.30
		1 = Used within the past month (IRSTMRC = 1)	388	0.70

The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, and CPNMTHMN. For details on the core-plus-noncore methamphetamine variables, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

CPNSTMFG	Len : 1	CPN STIMULANTS - EVER USED		
			Freq	Pct
		0 = Never Used	51194	92.81
		1 = Ever Used	3966	7.19

CPNSTMYR	Len : 1	CPN STIMULANTS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year	54036	97.96
		1 = Used within the past year	1124	2.04

CPNSTMMN	Len : 1	CPN STIMULANTS - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month	54748	99.25
		1 = Used within the past month	412	0.75

The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. For details, please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings Report.

MTHFLAG	Len : 1	METHAMPHETAMINE - EVER USED		
			Freq	Pct
		0 = Never Used (IRMTHRC = 9)	53740	97.43
		1 = Ever Used (IRMTHRC = 1-3)	1420	2.57

MTHYR	Len : 1	METHAMPHETAMINE - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRMTHRC = 3,9)	54895	99.52
		1 = Used within the past year (IRMTHRC = 1,2)	265	0.48

MTHMON	Len : 1	METHAMPHETAMINE - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRMTHRC = 2-3,9)	55044	99.79
		1 = Used within the past month (IRMTHRC = 1)	116	0.21

RECODED DRUG USE

The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the noncore Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new noncore Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables in 2013. For details, please see Appendix B.4.8 of the 2008 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

CPNMTHFG	Len : 1	CPN METHAMPHETAMINE - EVER USED		
			Freq	Pct
		0 = Never Used.....	53331	96.68
		1 = Ever Used.....	1829	3.32
CPNMTHYR	Len : 1	CPN METHAMPHETAMINE - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year	54829	99.40
		1 = Used within the past year.....	331	0.60
CPNMTHMN	Len : 1	CPN METHAMPHETAMINE - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month	55021	99.75
		1 = Used within the past month.....	139	0.25
SEDFLAG	Len : 1	SEDATIVES - EVER USED		
			Freq	Pct
		0 = Never used (IRSEDRC = 9)	54297	98.44
		1 = Ever used (IRSEDRC = 1-3)	863	1.56
SEDYR	Len : 1	SEDATIVES - PAST YEAR USE		
			Freq	Pct
		0 = Did not use in the past year (IRSEDRC = 3,9)	54993	99.70
		1 = Used within the past year (IRSEDRC = 1,2).....	167	0.30
SEDMON	Len : 1	SEDATIVES - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in the past month (IRSEDRC = 2-3,9)	55105	99.90
		1 = Used within the past month (IRSEDRC = 1).....	55	0.10
PSYFLAG2	Len : 1	ANY PSYCHOTHERAPEUTICS - EVER USED		
			Freq	Pct
		0 = Never used (ALL SOURCE VARIABLES = 0)	44425	80.54
		1 = Ever used (ANY SOURCE VARIABLE = 1).....	10735	19.46
PSYYR2	Len : 1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
			Freq	Pct
		0 = Did not use within past year (ALL SOURCE VARS = 0)	50822	92.14
		1 = Used in past year (ANY SOURCE VARIABLE = 1)	4338	7.86
PSYMON2	Len : 1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
			Freq	Pct
		0 = Did not use in past month (ALL SOURCE VARS = 0)	53411	96.83
		1 = Used in past month (ANY SOURCE VARIABLE = 1)	1749	3.17

The following two "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.

PSYAGE2	Len : 3	ANY PSYCHOTHERAPEUTICS - AGE FIRST USE		
			Freq	Pct
		RANGE = 1 - 80.....	10735	19.46
		991 = NEVER USED	44425	80.54

RECODED DRUG USE

PSYFU2	Len : 4 ANY PSYCHOTHERAPEUTICS - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1941 - 2013	10735	19.46
	9999 = NEVER USED	44425	80.54

The following three variables (CPNPSYFG, CPNPSYR, CPNPSYMN), like the preceding three variables (PSYFLAG2, PSYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYR2, and PSYMON2 use only core data, CPNPSYFG, CPNPSYR, CPNPSYMN use core plus noncore data.

CPNPSYFG	Len : 1 CPN PSYCHOTHERAPEUTIC - EVER USED		
		Freq	Pct
	0 = Never Used (ALL SOURCE VARS = 0).....	44288	80.29
	1 = Ever Used (ANY SOURCE VARIABLE = 1)	10872	19.71

CPNPSYR	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (ALL SOURCE VARS = 0)	50791	92.08
	1 = Used within the past year (ANY SOURCE VAR = 1)	4369	7.92

CPNPSYMN	Len : 1 CPN PSYCHOTHERAPEUTIC - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (ALL SOURCE VARS=0)	53394	96.80
	1 = Used within the past month (ANY SOURCE VAR=1)	1766	3.20

SUMFLAG	Len : 1 ANY ILLICIT DRUG - EVER USED		
		Freq	Pct
	0 = Never used (ALL SOURCE VARIABLES = 0)	29889	54.19
	1 = Ever used (ANY SOURCE VARIABLE = 1).....	25271	45.81

SUMYR	Len : 1 ANY ILLICIT DRUG - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in past year (ALL SOURCE VARS = 0)	42574	77.18
	1 = Used in past year (ANY SOURCE VARIABLE = 1)	12586	22.82

SUMMON	Len : 1 ANY ILLICIT DRUG - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in past month (ALL SOURCE VARS = 0)	47886	86.81
	1 = Used in past month (ANY SOURCE VARIABLE = 1)	7274	13.19

The following two "any illicit drug" variables were created by examination of the age and date of first use variables for hallucinogens, heroin, marijuana, cocaine, inhalants, sedatives, tranquilizers, stimulants, and analgesics.

SUMAGE	Len : 3 ANY ILLICIT DRUG - AGE FIRST USE		
		Freq	Pct
	RANGE = 1 - 80.....	25271	45.81
	991 = NEVER USED	29889	54.19

SUMYFU	Len : 4 ANY ILLICIT DRUG - YEAR FIRST USE		
		Freq	Pct
	RANGE = 1935 - 2013	25271	45.81
	9999 = NEVER USED	29889	54.19

MJOFLAG	Len : 1 MARIJUANA ONLY - EVER USED		
		Freq	Pct
	0 = Never used MJ/has used both MJ & anothr illct drug.....	45169	81.89
	1 = Marijuana is only (illicit) drug ever used	9991	18.11

MJOYR2	Len : 1 MARIJUANA ONLY - PAST YEAR USE		
		Freq	Pct
	0 = MJ not used past yr/Used MJ & othr drug past yr	48437	87.81
	1 = Marijuana is only (illicit) drug in past year.....	6723	12.19

RECODED DRUG USE

MJOMON2	Len : 1	MARIJUANA ONLY - PAST MONTH USE		
			Freq	Pct
		0 = MJ not used past mnth/Used MJ & othr drug past mo	50274	91.14
		1 = Marijuana only (illicit) drug in past month	4886	8.86
IEMFLAG	Len : 1	ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED		
			Freq	Pct
		0 = Never used drug/used only marijuana	39880	72.30
		1 = Illicit drug except for marijuana are ever used	15280	27.70
IEMYR	Len : 1	ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR USED		
			Freq	Pct
		0 = Never used drug/used only marijuana past year	49297	89.37
		1 = Illicit drug except for marijuana used past year	5863	10.63
IEMMON	Len : 1	ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH USED		
			Freq	Pct
		0 = Never used drug/used only marijuana past month	52772	95.67
		1 = Illicit drug except for marijuana used past month	2388	4.33
The following two "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for inhalants, hallucinogens, cocaine, heroin, and "any psychotherapeutics."				
IEMAGE	Len : 3	ILLICIT DRUG EXCEPT FOR MARIJUANA - AGE FIRST USE		
			Freq	Pct
		RANGE = 1 - 80	15280	27.70
		991 = NEVER USED	39880	72.30
IEMYFU	Len : 4	ILLICIT DRUG OTHER THAN MARIJUANA - YEAR FIRST USE		
			Freq	Pct
		RANGE = 1935 - 2013	15280	27.70
		9999 = NEVER USED	39880	72.30
CDUFLAG	Len : 1	CIGARETTES DAILY - EVER USED		
			Freq	Pct
		0 = Never Used/Never Used Daily (Otherwise)	41537	75.30
		1 = Ever Used (IRCDUAGE=1-90)	13623	24.70
DCIGMON	Len : 1	PAST MONTH DAILY CIGARETTE USE		
			Freq	Pct
		0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93)	49000	88.83
		1 = Used Daily in the Past Month (IRCIGFM=30)	6160	11.17
CDCGMO	Len : 1	EVER USED CIG DAILY AND PAST MONTH CIG USE		
			Freq	Pct
		0 = No (Otherwise)	46160	83.68
		1 = Yes (CDUFLAG=1 and CIGMON=1)	9000	16.32
CDNOCGMO	Len : 1	EVER USED CIG DAILY AND NO PAST MONTH CIG USE		
			Freq	Pct
		0 = No (Otherwise)	50537	91.62
		1 = Yes (CDUFLAG=1 and CIGMON=0)	4623	8.38
CIGALCMO	Len : 1	PAST MONTH CIGARETTE/ALCOHOL USE		
			Freq	Pct
		1 = Past Mon Use of Cig & Alc (CIGMON=1 & ALCMON=1)	8226	14.91
		2 = Past Mon Use of Cig & No Alc (CIGMON=1 & ALCMON=0)	3724	6.75
		3 = Past Mon Use of Alc & No Cig (CIGMON=0 & ALCMON=1)	15811	28.66
		4 = No Past Mon Use of Cig/Alc (CIGMON=0 & ALCMON=0)	27399	49.67

RECODED DRUG USE

"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

BINGEDRK	Len : 1	BINGE ALCOHOL USE PAST 30 DAYS		
			Freq	Pct
		0 = Never/No "Binge" alcohol use (IRALCD5 = 0,91,93)	42196	76.50
		1 = "Binge" alcohol use (IRALCD5 = 1-30)	12964	23.50

Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

HVYDRK2	Len : 1	HEAVY ALCOHOL USE PAST 30 DAYS		
			Freq	Pct
		0 = Never/No heavy alcohol use (IRALCD5 = 0-4,91,93)	51599	93.54
		1 = Heavy alcohol use (IRALCD5 = 5-30)	3561	6.46

The following variable, BINGEHVY, was created by examination of past month binge alcohol use (BINGEDRK), past month heavy alcohol use (HVYDRK2), and past month alcohol use (ALCMON). To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol user, a respondent must also be a past month "binge" alcohol user.

BINGEHVY	Len : 1	LEVEL OF ALCOHOL USE IN PAST MONTH		
			Freq	Pct
		1 = Heavy Alcohol Use (HVYDRK2=1)	3561	6.46
		2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	9403	17.05
		3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0)	11073	20.07
		4 = Did Not Use Alcohol in Past Month (All source=0)	31123	56.42

ILTOALMN	Len : 1	ILLICIT DRUG, TOBACCO PRD, OR ALC PAST MONTH USE		
			Freq	Pct
		0 = No Drug, Tob, or Alc Past Mon Use (Otherwise)	25791	46.76
		1 = Drg/Tob or Alc PM Use(SUMMON, TOBMON or ALCMON=1)	29369	53.24

ILALMON	Len : 1	ILLICIT DRUG OR ALCOHOL PAST MONTH USE		
			Freq	Pct
		0 = No Drug or Alc Past Mon Use (Otherwise)	29294	53.11
		1 = Drug or Alc Past Mon Use (SUMMON=1 or ALCMON=1)	25866	46.89

TOBALCMN	Len : 1	TOBACCO PRODUCT OR ALCOHOL PAST MONTH USE		
			Freq	Pct
		0 = No Tob or Alc Past Mon Use (Otherwise)	26758	48.51
		1 = Tob or Alc Past Mon Use (TOBMON=1 or ALCMON=1)	28402	51.49

NILALMON	Len : 1	NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS		
			Freq	Pct
		0 = Alc or Drg Use (Otherwise)	25866	46.89
		1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0)	29294	53.11

ILANDALC	Len : 1	ILLICIT DRUG AND ALCOHOL USE - PST YR		
			Freq	Pct
		0 = No/Unknown (SUMYR=0 or ALCYR=0)	44230	80.18
		1 = Yes (SUMYR=1 and ALCYR=1)	10930	19.82

ILORALC	Len : 1	ILLICIT DRUG OR ALCOHOL USE - PST YR		
			Freq	Pct
		0 = No/Unknown (SUMYR=0 and ALCYR=0)	20977	38.03
		1 = Yes (SUMYR=1 or ALCYR=1)	34183	61.97

PEYOTE2	Len : 1	EVER USED PEYOTE		
			Freq	Pct
		0 = No/Unknown (Otherwise)	54449	98.71
		1 = Yes (PEYOTE=1,3)	711	1.29

RECODED DRUG USE

MESC2	Len : 1	EVER USED Mescaline		
		0 = No/Unknown (Otherwise).....	Freq 54296	Pct 98.43
		1 = Yes (MESC=1,3).....	864	1.57
PSILCY2	Len : 1	EVER USED Psilocybin (Mushrooms)		
		0 = No/Unknown (Otherwise).....	Freq 51067	Pct 92.58
		1 = Yes (PSILCY=1,3).....	4093	7.42
AMYLNIT2	Len : 1	EVER INHALED Amyl Nitrite, "Poppers", Rush, etc.		
		0 = No/Unknown (Otherwise).....	Freq 54145	Pct 98.16
		1 = Yes (AMYLNIT=1,3).....	1015	1.84
CLEFLU2	Len : 1	EVER INHALED Correction Fluid, Degreaser, etc.		
		0 = No/Unknown (Otherwise).....	Freq 54735	Pct 99.23
		1 = Yes (CLEFLU=1,3).....	425	0.77
GAS2	Len : 1	EVER INHALED Gasoline or Lighter Fluid		
		0 = No/Unknown (Otherwise).....	Freq 54364	Pct 98.56
		1 = Yes (GAS=1,3).....	796	1.44
GLUE2	Len : 1	EVER INHALED Glue, Shoe Polish, or Toluene		
		0 = No/Unknown (Otherwise).....	Freq 54343	Pct 98.52
		1 = Yes (GLUE=1,3).....	817	1.48
ETHER2	Len : 1	EVER INHALED Halothane, Ether, or other Anesthetic		
		0 = No/Unknown (Otherwise).....	Freq 54974	Pct 99.66
		1 = Yes (ETHER=1,3).....	186	0.34
SOLVENT2	Len : 1	EVER INHALED Lacquer Thinner, other Paint Solvents		
		0 = No/Unknown (Otherwise).....	Freq 54792	Pct 99.33
		1 = Yes (SOLVENT=1,3).....	368	0.67
LGAS2	Len : 1	EVER INHALED Lighter Gases (Butane, Propane)		
		0 = No/Unknown (Otherwise).....	Freq 54936	Pct 99.59
		1 = Yes (LGAS=1,3).....	224	0.41
NITOXID2	Len : 1	EVER INHALED Nitrous Oxide or "Whippits"		
		0 = No/Unknown (Otherwise).....	Freq 53067	Pct 96.21
		1 = Yes (NITOXID=1,3).....	2093	3.79
SPPAINT2	Len : 1	EVER INHALED Spray Paints		
		0 = No/Unknown (Otherwise).....	Freq 54576	Pct 98.94
		1 = Yes (SPPAINT=1,3).....	584	1.06
AEROS2	Len : 1	EVER INHALED Other Aerosol Sprays		
		0 = No/Unknown (Otherwise).....	Freq 54530	Pct 98.86
		1 = Yes (AEROS=1,3).....	630	1.14

RECODED DRUG USE

DARVTYL2	Len : 1	EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (DARVTYLC=1,3).....	51783	93.88
			3377	6.12
PERCTYL2	Len : 1	EVER USED PERCOCET, PERCODAN, TYLOX		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (PERCTYLX=1,3).....	52091	94.44
			3069	5.56
VICOLOR2	Len : 1	EVER USED VICODIN, LORTAB, LORCET		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (VICOLOR=1,3).....	50094	90.82
			5066	9.18
CODEINE2	Len : 1	EVER USED CODEINE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and CODEINE=1,3).....	53490	96.97
			1670	3.03
DEMEROL2	Len : 1	EVER USED DEMEROL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and DEMEROL=1,3).....	54814	99.37
			346	0.63
DILAUD2	Len : 1	EVER USED DILAUDID		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and DILAUD=1,3).....	54787	99.32
			373	0.68
FIORICT2	Len : 1	EVER USED FIORICET		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and FIORICET=1,3).....	55072	99.84
			88	0.16
FIORINL2	Len : 1	EVER USED FIORINAL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and FIORINAL=1,3).....	55093	99.88
			67	0.12
HYDROCD2	Len : 1	EVER USED HYDROCODONE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and HYDROCOD=1,3).....	52441	95.07
			2719	4.93
METHDON2	Len : 1	EVER USED METHADONE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and METHDON=1,3).....	54487	98.78
			673	1.22
MORPHIN2	Len : 1	EVER USED MORPHINE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and MORPHINE=1,3).....	54180	98.22
			980	1.78
PHENCOD2	Len : 1	EVER USED PHENAPHEN WITH CODEINE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and PHENCOD=1,3).....	54959	99.64
			201	0.36

RECODED DRUG USE

PROPOXY2	Len : 1	EVER USED PROPOXYPHENE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and PROPOXY=1,3).....	55103	99.90
			57	0.10
SK65A2	Len : 1	EVER USED SK65		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and SK65A=1,3).....	55141	99.97
			19	0.03
STADOL2	Len : 1	EVER USED STADOL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and STADOL=1,3).....	55134	99.95
			26	0.05
TALACEN2	Len : 1	EVER USED TALACEN		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and TALACEN=1,3).....	55151	99.98
			9	0.02
TALWIN2	Len : 1	EVER USED TALWIN		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and TALWIN=1,3).....	55130	99.95
			30	0.05
TALWINX2	Len : 1	EVER USED TALWIN NX		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and TALWINNX=1,3).....	55148	99.98
			12	0.02
TRAMADL2	Len : 1	EVER USED TRAMADOL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and TRAMADOL=1,3).....	54322	98.48
			838	1.52
ULTRAM2	Len : 1	EVER USED ULTRAM		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD and ULTRAM=1,3).....	54839	99.42
			321	0.58
OTHANL	Len : 1	EVER USED OTHER PAIN RELIEVERS		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (ANLCARD or ANLNOLST=1,3).....	50496	91.54
			4664	8.46

The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVTYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in(404, 439, 444, 447, 455, 480, 4031, 4038, 4078, 4093, 4095, 4101, 4103, 4116, 4126, 4127, 8293)).

PROCODNP	Len : 1	PROPOXYPHENE/CODEINE PRODUCTS		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (See comment above).....	51137	92.71
			4023	7.29

RECODED DRUG USE

The following variable, OXYCOP2, is similar to the variable OXYCODOP which was created in previous NSDUHs. The only difference is the use of the imputed variable OXYFLAG instead of the edited variable OXYCONT2 in determining lifetime use of OxyContin. OXYCOP2 was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYFLAG=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046, 4047, 4052, 4065, 4072, 4117)).

OXYCOP2	Len : 1 OXYCODONE PRODUCTS		
	0 = No/Unknown (Otherwise).....	Freq 51479	Pct 93.33
	1 = Yes (See comment above).....	3681	6.67

The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or lorcet (VICOLOR2=1), hydrocodone (HYDROCD2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4033, 4097, 4105, 4125, 4143, 4144)).

HYDCODOP	Len : 1 HYDROCODONE PRODUCTS		
	0 = No/Unknown (Otherwise).....	Freq 49500	Pct 89.74
	1 = Yes (See comment above).....	5660	10.26

The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4083, 4133)).

TRAMADP	Len : 1 TRAMADOL PRODUCTS		
	0 = No/Unknown (Otherwise).....	Freq 54224	Pct 98.30
	1 = Yes (See comment above).....	936	1.70

KLONOP12	Len : 1 EVER USED KLONOPIN OR CLONAZEPAM		
	0 = No/Unknown (Otherwise).....	Freq 53711	Pct 97.37
	1 = Yes (KLONOPIN=1,3).....	1449	2.63

XNAXATV2	Len : 1 EVER USED XANAX, ALPRAZOLAM, ATIVAN		
	0 = No/Unknown (Otherwise).....	Freq 51728	Pct 93.78
	1 = Yes (XNAXATVN=1,3).....	3432	6.22

VALMDIA2	Len : 1 EVER USED VALIUM OR DIAZEPAM		
	0 = No/Unknown (Otherwise).....	Freq 53067	Pct 96.21
	1 = Yes (VALMDIAZ=1,3).....	2093	3.79

ATARAX2	Len : 1 EVER USED ATARAX		
	0 = No/Unknown (Otherwise).....	Freq 55118	Pct 99.92
	1 = Yes (TRNCARD and ATARAX=1,3).....	42	0.08

BUSPAR2	Len : 1 EVER USED BUSPAR		
	0 = No/Unknown (Otherwise).....	Freq 55002	Pct 99.71
	1 = Yes (TRNCARD and BUSPAR=1,3).....	158	0.29

EQUANIL2	Len : 1 EVER USED EQUANIL		
	0 = No/Unknown (Otherwise).....	Freq 55144	Pct 99.97
	1 = Yes (TRNCARD and EQUANIL=1,3).....	16	0.03

RECODED DRUG USE

FLEXERL2	Len : 1	EVER USED FLEXERIL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and FLEXERIL=1,3)	54577	98.94
			583	1.06
LIBRIUM2	Len : 1	EVER USED LIBRIUM		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and LIBRIUM=1,3).....	55082	99.86
			78	0.14
LIMBTRL2	Len : 1	EVER USED LIMBITROL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and LIMBTROL=1,3)	55147	99.98
			13	0.02
MEPROB2	Len : 1	EVER USED MEPROBAMATE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and MEPROB=1,3).....	55133	99.95
			27	0.05
MILTOWN2	Len : 1	EVER USED MILTOWN		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and MILTOWN=1,3)	55145	99.97
			15	0.03
ROHYPNL2	Len : 1	EVER USED ROHYPNOL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and ROHYPNOL=1,3)	55104	99.90
			56	0.10
SERAX2	Len : 1	EVER USED SERAX		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and SERAX=1,3).....	55140	99.96
			20	0.04
SOMA2	Len : 1	EVER USED SOMA		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and SOMA=1,3).....	54505	98.81
			655	1.19
TRANXEN2	Len : 1	EVER USED TRANXENE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and TRANXENE=1,3).....	55144	99.97
			16	0.03
VISTAR2	Len : 1	EVER USED VISTARIL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD and VISTAR=1,3)	55076	99.85
			84	0.15
OTHTRN	Len : 1	EVER USED OTHER TRANQUILIZERS		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TRNCARD or TRNOLST=1,3)	53754	97.45
			1406	2.55

RECODED DRUG USE

The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOP12=1), xanax, alprazolam, ativan, or lorazepam (XNAXATV2=1), valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), tranxene (TRANXEN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (229, 237, 278, 296, 2004, 2022, 2026)).

BENZOS	Len : 1 BENZODIAZEPINE PRODUCTS		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	50816	92.12
	1 = Yes (See comment above).....	4344	7.88

The following variable, MEPROBPD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), or miltown (MILTOWN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (212, 214)).

MEPROBPD	Len : 1 MEPROBAMATE PRODUCTS		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55110	99.91
	1 = Yes (See comment above).....	50	0.09

The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, or TRNEWE in (223, 288, 290, 462, 2002, 2006)).

MUSCRELX	Len : 1 MUSCLE RELAXANTS		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	54129	98.13
	1 = Yes (See comment above).....	1031	1.87

METHDES2	Len : 1 EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	53740	97.43
	1 = Yes (METHDES=1,3).....	1420	2.57

DIETPIL2	Len : 1 EVER USED DIET PILLS		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	54129	98.13
	1 = Yes (DIETPILS=1,3).....	1031	1.87

RITMPHE2	Len : 1 EVER USED RITALIN/METHYLPHENIDATE		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	53488	96.97
	1 = Yes (RITMPHEN=1,3).....	1672	3.03

CYLERT2	Len : 1 EVER USED CYLERT		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55125	99.94
	1 = Yes (STMCARD and CYLERT=1,3).....	35	0.06

DEXED2	Len : 1 EVER USED DEXEDRINE		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	54955	99.63
	1 = Yes (STMCARD and DEXED=1,3).....	205	0.37

DETAMP2	Len : 1 EVER USED DEXTROAMPHETAMINE		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	54972	99.66
	1 = Yes (STMCARD and DETAMP=1,3).....	188	0.34

DIDREX2	Len : 1 EVER USED DIDREX		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55140	99.96
	1 = Yes (STMCARD and DIDREX=1,3).....	20	0.04

RECODED DRUG USE

ESKAT2	Len : 1	EVER USED ESKATROL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and ESKAT=1,3)	55141	99.97
			19	0.03
IONAMIN2	Len : 1	EVER USED IONAMIN		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and IONAMIN=1,3).....	55130	99.95
			30	0.05
MAZANOR2	Len : 1	EVER USED MAZANOR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and MAZANOR=1,3)	55152	99.99
			8	0.01
OBLA2	Len : 1	EVER USED OBEDRIN-LA		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and OBLA=1,3)	55156	99.99
			4	0.01
PLEGINE2	Len : 1	EVER USED PLEGINE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and PLEGINE=1,3)	55150	99.98
			10	0.02
PRELUDN2	Len : 1	EVER USED PRELUDIN		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and PRELUDIN=1,3).....	55134	99.95
			26	0.05
SANOREX2	Len : 1	EVER USED SANOREX		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and SANOREX=1,3)	55155	99.99
			5	0.01
TENUATE2	Len : 1	EVER USED TENUATE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD and TENUATE=1,3)	55142	99.97
			18	0.03
OTHSTM	Len : 1	EVER USED OTHER STIMULANTS		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (STMCARD or STMNOLST=1,3)	53982	97.86
			1178	2.14

The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302, 309, 3015, 3023, 3069, 3086, 3097, 3111)).

AMDXPHEN	Len : 1	AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (See comment above).....	53464	96.93
			1696	3.07

The following variable, MAZINDOL, was assigned a positive response if a respondent indicated ever using mazanor (MAZANOR2=1), sanorex (SANOREX2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (317)).

MAZINDOL	Len : 1	MAZINDOL PRODUCTS		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (See comment above).....	55149	99.98
			11	0.02

RECODED DRUG USE

The following variable, METHDEXM, was assigned a positive response if a respondent indicated ever using ritalin (RITMPHE2=1) or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (3077, 3092, 3094, 3102, 3112, 3114, 3124)).

METHDEXM	Len : 1	METHYLPHENIDATE/DEXMETHYLPHENIDATE PRODUCTS		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (See comment above).....	53468	96.93
			1692	3.07
METHAQ2	Len : 1	EVER USED METHAQUALONE, SOPOR, QUALLUDE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (METHAQ=1,3).....	54755	99.27
			405	0.73
NEMBBAR2	Len : 1	EVER USED BARBITURATES		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (NEMBBARB=1,3).....	54983	99.68
			177	0.32
RESTTMA2	Len : 1	EVER USED RESTORIL OR TEMAZEPAM		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (RESTTMAZ=1,3).....	54985	99.68
			175	0.32
AMYTAL2	Len : 1	EVER USED AMYTAL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and AMYTAL=1,3).....	55134	99.95
			26	0.05
BUTISOL2	Len : 1	EVER USED BUTISOL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and BUTISOL=1,3).....	55148	99.98
			12	0.02
CHHYD2	Len : 1	EVER USED CHLORAL HYDRATE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and CHHYD=1,3).....	55148	99.98
			12	0.02
DALMANE2	Len : 1	EVER USED DALMANE		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and DALMANE=1,3).....	55137	99.96
			23	0.04
HALCION2	Len : 1	EVER USED HALCION		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and HALCION=1,3).....	55100	99.89
			60	0.11
PHENOBR2	Len : 1	EVER USED PHENOBARBITAL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and PHENOBAR=1,3).....	55043	99.79
			117	0.21
PLACIDY2	Len : 1	EVER USED PLACIDYL		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (SEDCARD and PLACIDYL=1,3).....	55118	99.92
			42	0.08

RECODED DRUG USE

TUINAL2	Len : 1	EVER USED TUINAL		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	55111	99.91
		1 = Yes (SEDCARD and TUINAL=1,3)	49	0.09

OTHSED	Len : 1	EVER USED OTHER SEDATIVES		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54718	99.20
		1 = Yes (SEDCARD or SEDNOLST=1,3).....	442	0.80

RTDALHAL	Len : 1	TEMAZEPAM, FLURAZEPAM, OR TRIAZOLAM		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54929	99.58
		1 = Yes (RESTTMA2=1 or DALMANE2=1 or HALCION2=1)	231	0.42

The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOBR2=1), tuinal (TUINAL2=1), or other-specify drug responses that are not asked about explicitly in the Sedatives module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE in (153, 156, 186, 1012)).

ANYBARB	Len : 1	ANY BARBITURATES		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54894	99.52
		1 = Yes (See comment above).....	266	0.48

CIGAFU	Len : 1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
			Freq	Pct
		1 = 14 Years or Younger (IRCIGAGE=1-14)	10053	18.23
		2 = 15-17 Years Old (IRCIGAGE=15-17)	9730	17.64
		3 = 18 Years or Older (IRCIGAGE=18+)	7369	13.36
		4 = Non Users (IRCIGAGE=991)	28008	50.78

DCIGAFU	Len : 1	DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE		
			Freq	Pct
		1 = 14 Years or Younger (IRCDUAGE=1-14).....	2206	4.00
		2 = 15-17 Years Old (IRCDUAGE=15-17).....	4834	8.76
		3 = 18 Years or Older (IRCDUAGE=18+).....	6583	11.93
		4 = Non Users or Non Daily Users (IRCDUAGE=991,993).....	41537	75.30

ALCAFU	Len : 1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		
			Freq	Pct
		1 = 14 Years or Younger (IRALCAGE=1-14).....	10232	18.55
		2 = 15-17 Years Old (IRALCAGE=15-17)	15073	27.33
		3 = 18 Years or Older (IRALCAGE=18+)	12840	23.28
		4 = Non Users (IRALCAGE=991).....	17015	30.85

ALCAFU2	Len : 1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2		
			Freq	Pct
		1 = 13 Years or Younger (IRALCAGE=1-13).....	6587	11.94
		2 = 14-17 Years Old (IRALCAGE=14-17)	18718	33.93
		3 = 18-20 Years Old (IRALCAGE=18-20)	8096	14.68
		4 = 21 Years or Older (IRALCAGE=21+)	4744	8.60
		5 = Non Users (IRALCAGE=991).....	17015	30.85

ALCAFU3	Len : 1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 3		
			Freq	Pct
		1 = 14 Years or Younger (IRALCAGE=1-14).....	10232	18.55
		2 = 15-17 Years Old (IRALCAGE=15-17)	15073	27.33
		3 = 18-20 Years Old (IRALCAGE=18-20)	8096	14.68
		4 = 21 Years or Older (IRALCAGE=21+)	4744	8.60
		5 = Non Users (IRALCAGE=991).....	17015	30.85

RECODED DRUG USE

MJAFU	Len : 1 MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		Freq	Pct
	1 = 14 Years or Younger (IRMJAGE=1-14).....	6129	11.11
	2 = 15-17 Years Old (IRMJAGE=15-17).....	8915	16.16
	3 = 18 Years or Older (IRMJAGE=18+).....	7133	12.93
	4 = Non Users (IRMJAGE=991).....	32983	59.80
ALCYDAYS	Len : 1 # OF DAYS USED ALCOHOL IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRALCFY=1-11).....	8269	14.99
	2 = 12-49 Days (IRALCFY=12-49).....	8907	16.15
	3 = 50-99 Days (IRALCFY=50-99).....	5308	9.62
	4 = 100-299 Days (IRALCFY=100-299).....	8835	16.02
	5 = 300-365 Days (IRALCFY=300-365).....	1208	2.19
	6 = Non User or No Past Year Use (IRALCFY=991,993).....	22633	41.03
MRJYDAYS	Len : 1 # OF DAYS USED MARIJUANA IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRMJFY=1-11).....	3198	5.80
	2 = 12-49 Days (IRMJFY=12-49).....	1916	3.47
	3 = 50-99 Days (IRMJFY=50-99).....	1047	1.90
	4 = 100-299 Days (IRMJFY=100-299).....	2503	4.54
	5 = 300-365 Days (IRMJFY=300-365).....	1730	3.14
	6 = Non User or No Past Year Use (IRMJFY=991,993).....	44766	81.16
COCYDAYS	Len : 1 # OF DAYS USED COCAINE IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRCOCFY=1-11).....	726	1.32
	2 = 12-49 Days (IRCOCFY=12-49).....	234	0.42
	3 = 50-99 Days (IRCOCFY=50-99).....	102	0.18
	4 = 100-299 Days (IRCOCFY=100-299).....	94	0.17
	5 = 300-365 Days (IRCOCFY=300-365).....	20	0.04
	6 = Non User or No Past Year Use (IRCOCFY=991,993).....	53984	97.87
HALYDAYS	Len : 1 # OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRHALFY=1-11).....	1298	2.35
	2 = 12-49 Days (IRHALFY=12-49).....	236	0.43
	3 = 50-99 Days (IRHALFY=50-99).....	91	0.16
	4 = 100-299 Days (IRHALFY=100-299).....	53	0.10
	5 = 300-365 Days (IRHALFY=300-365).....	17	0.03
	6 = Non User or No Past Year Use (IRHALFY=991,993).....	53465	96.93
INHYDAYS	Len : 1 # OF DAYS USED INHALANTS IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRINHFY=1-11).....	450	0.82
	2 = 12-49 Days (IRINHFY=12-49).....	127	0.23
	3 = 50-99 Days (IRINHFY=50-99).....	64	0.12
	4 = 100-299 Days (IRINHFY=100-299).....	41	0.07
	5 = 300-365 Days (IRINHFY=300-365).....	2	0.00
	6 = Non User or No Past Year Use (IRINHFY=991,993).....	54476	98.76
STMYDAYS	Len : 1 # OF DAYS USED STIMULANTS IN PAST YEAR		
		Freq	Pct
	1 = 1-11 Days (IRSTMFY=1-11).....	507	0.92
	2 = 12-49 Days (IRSTMFY=12-49).....	255	0.46
	3 = 50-99 Days (IRSTMFY=50-99).....	94	0.17
	4 = 100-299 Days (IRSTMFY=100-299).....	172	0.31
	5 = 300-365 Days (IRSTMFY=300-365).....	30	0.05
	6 = Non User or No Past Year Use (IRSTMFY=991,993).....	54102	98.08

RECODED DRUG USE

CIGMDAYS	Len : 1 # OF DAYS USED CIGARETTES IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRCIGFM=1-2).....	1528	2.77
	2 = 3-5 Days (IRCIGFM=3-5).....	1153	2.09
	3 = 6-19 Days (IRCIGFM=6-19).....	1645	2.98
	4 = 20-29 Days (IRCIGFM=20-29).....	1464	2.65
	5 = 30 Days (IRCIGFM=30).....	6160	11.17
	6 = Non User or No Past Month Use (IRCIGFM=91,93).....	43210	78.34
ALCMDAYS	Len : 1 # OF DAYS USED ALCOHOL IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRALCFM=1-2).....	7451	13.51
	2 = 3-5 Days (IRALCFM=3-5).....	6844	12.41
	3 = 6-19 Days (IRALCFM=6-19).....	7053	12.79
	4 = 20-30 Days (IRALCFM=20-30).....	2689	4.87
	5 = Non User or No Past Month Use (IRALCFM=91,93).....	31123	56.42
MRJMDAYS	Len : 1 # OF DAYS USED MARIJUANA IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRMJFM=1-2).....	1395	2.53
	2 = 3-5 Days (IRMJFM=3-5).....	1046	1.90
	3 = 6-19 Days (IRMJFM=6-19).....	1326	2.40
	4 = 20-30 Days (IRMJFM=20-30).....	2361	4.28
	5 = Non User or No Past Month Use (IRMJFM=91,93).....	49032	88.89
COCMDAYS	Len : 1 # OF DAYS USED COCAINE IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRCOCFM=1-2).....	220	0.40
	2 = 3-5 Days (IRCOCFM=3-5).....	73	0.13
	3 = 6-19 Days (IRCOCFM=6-19).....	53	0.10
	4 = 20-30 Days (IRCOCFM=20-30).....	22	0.04
	5 = Non User or No Past Month Use (IRCOCFM=91,93).....	54792	99.33
HALMDAYS	Len : 1 # OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRHALFM=1-2).....	338	0.61
	2 = 3-5 Days (IRHALFM=3-5).....	74	0.13
	3 = 6-19 Days (IRHALFM=6-19).....	26	0.05
	4 = 20-30 Days (IRHALFM=20-30).....	13	0.02
	5 = Non User or No Past Month Use (IRHALFM=91,93).....	54709	99.18
INHMDAYS	Len : 1 # OF DAYS USED INHALANTS IN PAST MONTH		
		Freq	Pct
	1 = 1-2 Days (IRINHFM=1-2).....	111	0.20
	2 = 3-5 Days (IRINHFM=3-5).....	33	0.06
	3 = 6-19 Days (IRINHFM=6-19).....	18	0.03
	4 = 20-30 Days (IRINHFM=20-30).....	7	0.01
	5 = Non User or No Past Month Use (IRINHFM=91,93).....	54991	99.69
CIGPDAY	Len : 1 # OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		
		Freq	Pct
	1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30).....	1498	2.72
	2 = 6-15 (CIG30AV=4 and IRCIGFM=30).....	2546	4.62
	3 = 16-25 (CIG30AV=5 and IRCIGFM=30).....	1653	3.00
	4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30).....	457	0.83
	5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30).....	6	0.01
	6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93).....	49000	88.83
CIG1PACK	Len : 1 SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)		
		Freq	Pct
	. = No daily use/not reported (CIGPDAY=5,6).....	49006	88.84
	0 = Smoked <1 pack per day (CIGPDAY=1,2).....	4044	7.33
	1 = Smoked 1+ pack per day (CIGPDAY=3,4).....	2110	3.83

RECODED DRUG USE

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

CIGAVGD	Len : 4	AVG NUMBER OF CIGARETTES SMOKED PER DAY		
			Freq	Pct
	.	= Not Used/Unknown (Otherwise).....	43244	78.40
	0.5	= Less than 1 cigarette (CIG30AV=1)	1368	2.48
	1	= 1 cigarette (CIG30AV=2).....	1472	2.67
	3.5	= 2 to 5 cigarettes (CIG30AV=3)	3531	6.40
	10.5	= 6 to 15 cigarettes (CIG30AV=4)	3183	5.77
	20.5	= 16 to 25 cigarettes (CIG30AV=5)	1839	3.33
	30.5	= 26 to 35 cigarettes (CIG30AV=6)	373	0.68
	50	= More than 35 cigarettes (CIG30AV=7)	150	0.27

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

CIGAVGM	Len : 6	NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH		
			Freq	Pct
		RANGE = 0.5 - 1500.....	11916	21.60
	.	= Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93).....	43244	78.40

The following variable, ALCVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or NODR30A=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=985, 994, 997, 998) or logically assigned to 5 or more (NODR30A=975).

ALCAVGM	Len : 4	NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH		
			Freq	Pct
		RANGE = 1 - 1800.....	22427	40.66
	.	= Not Used/Unknown (See comment above)	32733	59.34

FUCIG18	Len : 1	FIRST USED CIGARETTES PRIOR TO AGE 18		
			Freq	Pct
	1	= Yes (IRCIGAGE<18).....	19783	35.86
	2	= No (IRCIGAGE>=18)	35377	64.14

FUCIG21	Len : 1	FIRST USED CIGARETTES PRIOR TO AGE 21		
			Freq	Pct
	1	= Yes (IRCIGAGE<21).....	25306	45.88
	2	= No (IRCIGAGE>=21)	29854	54.12

FUCD218	Len : 1	FIRST USED CIGARETTES DAILY PRIOR TO AGE 18		
			Freq	Pct
	1	= Yes (IRCDUAGE<18)	7040	12.76
	2	= No (IRCDUAGE>=18).....	48120	87.24

FUCD221	Len : 1	FIRST USED CIGARETTES DAILY PRIOR TO AGE 21		
			Freq	Pct
	1	= Yes (IRCDUAGE<21)	11581	21.00
	2	= No (IRCDUAGE>=21).....	43579	79.00

FUCGR18	Len : 1	FIRST USED CIGARS PRIOR TO AGE 18		
			Freq	Pct
	1	= Yes (IRCGRAGE<18).....	6695	12.14
	2	= No (IRCGRAGE>=18).....	48465	87.86

FUCGR21	Len : 1	FIRST USED CIGARS PRIOR TO AGE 21		
			Freq	Pct
	1	= Yes (IRCGRAGE<21)	11764	21.33
	2	= No (IRCGRAGE>=21).....	43396	78.67

RECODED DRUG USE

FUSLT18	Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
	1 = Yes (IRSLTAGE<18)	Freq 5813	Pct 10.54
	2 = No (IRSLTAGE>=18).....	49347	89.46
FUSLT21	Len : 1 FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
	1 = Yes (IRSLTAGE<21)	Freq 7833	Pct 14.20
	2 = No (IRSLTAGE>=21).....	47327	85.80
FUALC18	Len : 1 FIRST USED ALCOHOL PRIOR TO AGE 18		
	1 = Yes (IRALCAGE<18)	Freq 25305	Pct 45.88
	2 = No (IRALCAGE>=18).....	29855	54.12
FUALC21	Len : 1 FIRST USED ALCOHOL PRIOR TO AGE 21		
	1 = Yes (IRALCAGE<21)	Freq 33401	Pct 60.55
	2 = No (IRALCAGE>=21).....	21759	39.45
FUMJ18	Len : 1 FIRST USED MARIJUANA PRIOR TO AGE 18		
	1 = Yes (IRMJAGE<18)	Freq 15044	Pct 27.27
	2 = No (IRMJAGE>=18).....	40116	72.73
FUMJ21	Len : 1 FIRST USED MARIJUANA PRIOR TO AGE 21		
	1 = Yes (IRMJAGE<21)	Freq 19841	Pct 35.97
	2 = No (IRMJAGE>=21).....	35319	64.03
FUCOC18	Len : 1 FIRST USED COCAINE PRIOR TO AGE 18		
	1 = Yes (IRCOAGE<18)	Freq 1684	Pct 3.05
	2 = No (IRCOAGE>=18).....	53476	96.95
FUCOC21	Len : 1 FIRST USED COCAINE PRIOR TO AGE 21		
	1 = Yes (IRCOAGE<21)	Freq 3641	Pct 6.60
	2 = No (IRCOAGE>=21).....	51519	93.40
FUCRK18	Len : 1 FIRST USED CRACK PRIOR TO AGE 18		
	1 = Yes (IRCRKAGE<18)	Freq 295	Pct 0.53
	2 = No (IRCRKAGE>=18).....	54865	99.47
FUCRK21	Len : 1 FIRST USED CRACK PRIOR TO AGE 21		
	1 = Yes (IRCRKAGE<21)	Freq 624	Pct 1.13
	2 = No (IRCRKAGE>=21).....	54536	98.87
FUHER18	Len : 1 FIRST USED HEROIN PRIOR TO AGE 18		
	1 = Yes (IRHERAGE<18)	Freq 214	Pct 0.39
	2 = No (IRHERAGE>=18).....	54946	99.61
FUHER21	Len : 1 FIRST USED HEROIN PRIOR TO AGE 21		
	1 = Yes (IRHERAGE<21)	Freq 460	Pct 0.83
	2 = No (IRHERAGE>=21).....	54700	99.17

RECODED DRUG USE

FUHAL18	Len : 1	FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
		1 = Yes (IRHALAGE<18)	Freq	Pct
		2 = No (IRHALAGE>=18)	3327	6.03
			51833	93.97
FUHAL21	Len : 1	FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
		1 = Yes (IRHALAGE<21)	Freq	Pct
		2 = No (IRHALAGE>=21)	5747	10.42
			49413	89.58
FULSD18	Len : 1	FIRST USED LSD PRIOR TO AGE 18		
		1 = Yes (IRLSDAGE<18)	Freq	Pct
		2 = No (IRLSDAGE>=18)	1669	3.03
			53491	96.97
FULSD21	Len : 1	FIRST USED LSD PRIOR TO AGE 21		
		1 = Yes (IRLSDAGE<21)	Freq	Pct
		2 = No (IRLSDAGE>=21)	2904	5.26
			52256	94.74
FUPCP18	Len : 1	FIRST USED PCP PRIOR TO AGE 18		
		1 = Yes (IRPCPAGE<18)	Freq	Pct
		2 = No (IRPCPAGE>=18)	387	0.70
			54773	99.30
FUPCP21	Len : 1	FIRST USED PCP PRIOR TO AGE 21		
		1 = Yes (IRPCPAGE<21)	Freq	Pct
		2 = No (IRPCPAGE>=21)	597	1.08
			54563	98.92
FUECS18	Len : 1	FIRST USED ECSTASY PRIOR TO AGE 18		
		1 = Yes (IRECSAGE<18)	Freq	Pct
		2 = No (IRECSAGE>=18)	1373	2.49
			53787	97.51
FUECS21	Len : 1	FIRST USED ECSTASY PRIOR TO AGE 21		
		1 = Yes (IRECSAGE<21)	Freq	Pct
		2 = No (IRECSAGE>=21)	2793	5.06
			52367	94.94
FUINH18	Len : 1	FIRST USED INHALANTS PRIOR TO AGE 18		
		1 = Yes (IRINHAGE<18)	Freq	Pct
		2 = No (IRINHAGE>=18)	2931	5.31
			52229	94.69
FUINH21	Len : 1	FIRST USED INHALANTS PRIOR TO AGE 21		
		1 = Yes (IRINHAGE<21)	Freq	Pct
		2 = No (IRINHAGE>=21)	3722	6.75
			51438	93.25
FUANL18	Len : 1	FIRST USED PAIN RELIEVERS PRIOR TO AGE 18		
		1 = Yes (IRANLAGE<18)	Freq	Pct
		2 = No (IRANLAGE>=18)	3997	7.25
			51163	92.75
FUANL21	Len : 1	FIRST USED PAIN RELIEVERS PRIOR TO AGE 21		
		1 = Yes (IRANLAGE<21)	Freq	Pct
		2 = No (IRANLAGE>=21)	5989	10.86
			49171	89.14

RECODED DRUG USE

FUOXY18	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 18		
	1 = Yes (IROXYAGE<18)	Freq 776	Pct 1.41
	2 = No (IROXYAGE>=18)	54384	98.59
FUOXY21	Len : 1 FIRST USED OXYCONTIN PRIOR TO AGE 21		
	1 = Yes (IROXYAGE<21)	Freq 1265	Pct 2.29
	2 = No (IROXYAGE>=21)	53895	97.71
FUTRN18	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 18		
	1 = Yes (IRTRNAGE<18)	Freq 1798	Pct 3.26
	2 = No (IRTRNAGE>=18)	53362	96.74
FUTRN21	Len : 1 FIRST USED TRANQUILIZERS PRIOR TO AGE 21		
	1 = Yes (IRTRNAGE<21)	Freq 3012	Pct 5.46
	2 = No (IRTRNAGE>=21)	52148	94.54
FUSTM18	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 18		
	1 = Yes (IRSTMAGE<18)	Freq 1640	Pct 2.97
	2 = No (IRSTMAGE>=18)	53520	97.03
FUSTM21	Len : 1 FIRST USED STIMULANTS PRIOR TO AGE 21		
	1 = Yes (IRSTMAGE<21)	Freq 2754	Pct 4.99
	2 = No (IRSTMAGE>=21)	52406	95.01
FUMTH18	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
	1 = Yes (IRMTHAGE<18)	Freq 610	Pct 1.11
	2 = No (IRMTHAGE>=18)	54550	98.89
FUMTH21	Len : 1 FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
	1 = Yes (IRMTHAGE<21)	Freq 1013	Pct 1.84
	2 = No (IRMTHAGE>=21)	54147	98.16
FUSED18	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 18		
	1 = Yes (IRSEDAGE<18)	Freq 410	Pct 0.74
	2 = No (IRSEDAGE>=18)	54750	99.26
FUSED21	Len : 1 FIRST USED SEDATIVES PRIOR TO AGE 21		
	1 = Yes (IRSEDAGE<21)	Freq 600	Pct 1.09
	2 = No (IRSEDAGE>=21)	54560	98.91
FUPSY18	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 18		
	1 = Yes (PSYAGE2<18)	Freq 5296	Pct 9.60
	2 = No (PSYAGE2>=18)	49864	90.40
FUPSY21	Len : 1 FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 21		
	1 = Yes (PSYAGE2<21)	Freq 8013	Pct 14.53
	2 = No (PSYAGE2>=21)	47147	85.47

RECODED DRUG USE

FUSUM18	Len : 1	FIRST USED ILLICIT DRUGS PRIOR TO AGE 18		
			Freq	Pct
	1 = Yes (SUMAGE<18).....		17435	31.61
	2 = No (SUMAGE>=18).....		37725	68.39
FUSUM21	Len : 1	FIRST USED ILLICIT DRUGS PRIOR TO AGE 21		
			Freq	Pct
	1 = Yes (SUMAGE<21).....		22478	40.75
	2 = No (SUMAGE>=21).....		32682	59.25
FUIEM18	Len : 1	FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 18		
			Freq	Pct
	1 = Yes (IEMAGE<18).....		8570	15.54
	2 = No (IEMAGE>=18).....		46590	84.46
FUIEM21	Len : 1	FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 21		
			Freq	Pct
	1 = Yes (IEMAGE<21).....		12284	22.27
	2 = No (IEMAGE>=21).....		42876	77.73

SPECIAL DRUGS

OTHER SELF-ADMINISTERED SECTIONS

SPECIAL DRUGS

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

These next questions are about the different ways that certain drugs can be used.

Have you ever, even once, smoked heroin?

HERSMOKE¹	Len : 2	EVER SMOKED HEROIN		
			Freq	Pct
		1 = Yes	325	0.59
		2 = No.....	506	0.92
		3 = Yes LOGICALLY ASSIGNED	8	0.01
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	39	0.07

How long has it been since you last smoked heroin?

HRSMKREC¹	Len : 2	TIME SINCE LAST SMOKED HEROIN		
			Freq	Pct
		1 = Within the past 30 days.....	19	0.03
		2 = More than 30 days ago but within the past 12 mos	51	0.09
		3 = More than 12 months ago	260	0.47
		9 = At some point in the lifetime LOG ASSN	2	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = USED HEROIN BUT NEVER SMOKED IT	506	0.92
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	41	0.07

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

HERSNIFF¹	Len : 2	EVER SNIFFED HEROIN		
			Freq	Pct
		1 = Yes	584	1.06
		2 = No.....	240	0.44
		3 = Yes LOGICALLY ASSIGNED	14	0.03
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	39	0.07

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

HRSNFREC¹	Len : 2	TIME SINCE LAST SNIFFED HEROIN		
			Freq	Pct
		1 = Within the past 30 days.....	46	0.08
		2 = More than 30 days ago but within the past 12 mos	100	0.18
		3 = More than 12 months ago	449	0.81
		9 = At some point in the lifetime LOG ASSN	1	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = USED HEROIN BUT NEVER SNIFFED IT	240	0.44
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	39	0.07

SPECIAL DRUGS

Have you ever, even once, used a needle to inject heroin?

HERNEEDL¹	Len : 2	EVER USED NEEDLE TO INJECT HEROIN		
			Freq	Pct
		1 = Yes	402	0.73
		2 = No.....	431	0.78
		3 = Yes LOGICALLY ASSIGNED	6	0.01
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	37	0.07

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

HEOTSMK¹	Len : 2	HOW USED HEROIN: SMOKED IT		
			Freq	Pct
		1 = Response entered	8	0.01
		6 = Response not entered.....	27	0.05
		91 = NEVER USED HEROIN.....	54276	98.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP	799	1.45

HEOTSNF¹	Len : 2	HOW USED HEROIN: SNIFFED IT		
			Freq	Pct
		1 = Response entered	14	0.03
		6 = Response not entered.....	21	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP	799	1.45

HEOTNDL¹	Len : 2	HOW USED HEROIN: INJECTED IT WITH A NEEDLE		
			Freq	Pct
		1 = Response entered	4	0.01
		6 = Response not entered.....	31	0.06
		91 = NEVER USED HEROIN.....	54276	98.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP	799	1.45

HEOTOTH¹	Len : 2	HOW USED HEROIN: SOME OTHER WAY		
			Freq	Pct
		1 = Response entered	10	0.02
		6 = Response not entered.....	25	0.05
		91 = NEVER USED HEROIN.....	54276	98.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP	799	1.45

HEOTSP¹	Len : 2	HOW USED HEROIN: SPECIFY		
			Freq	Pct
		5 = You took it orally/by mouth/in pill form.....	7	0.01
		6 = You sniffed or "snorted" in liquid/melted form	2	0.00
		10 = You combined it w/Ecstasy (no othr drug mentioned).....	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	42	0.08
		99 = LEGITIMATE SKIP	824	1.49

SPECIAL DRUGS

How long has it been since you last used a needle to inject heroin?

HRNDLREC ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT HEROIN	Freq	Pct
		1 = Within the past 30 days.....	54	0.10
		2 = More than 30 days ago but within the past 12 mos	65	0.12
		3 = More than 12 months ago	285	0.52
		9 = At some point in the lifetime LOG ASSN	3	0.01
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = USED HEROIN BUT NEVER WITH A NEEDLE	431	0.78
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	39	0.07

NOTE: MTHNEEDL and MTNDLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

MTHNEEDL ¹	Len : 2	EVER USED NEEDLE TO INJECT METHAMPHETAMINE	Freq	Pct
		1 = Yes	221	0.40
		2 = No.....	1193	2.16
		3 = Yes LOGICALLY ASSIGNED	19	0.03
		81 = NEVER USED METHAMPHETAMINE Log assn	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53671	97.30
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	35	0.06

How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?

MTNDLREC ¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT METH	Freq	Pct
		1 = Within the past 30 days.....	31	0.06
		2 = More than 30 days ago but within the past 12 mos	33	0.06
		3 = More than 12 months ago	157	0.28
		9 = At some point in the lifetime LOG ASSN	17	0.03
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53671	97.30
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE	1193	2.16
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	35	0.06

NOTE: Questions corresponding to MTHAMP through MTADYPWK were follow-up questions that were asked only of respondents who had not previously reported lifetime nonmedical use of methamphetamine in the core STIMULANTS module.

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected. Have you ever, even once, used methamphetamine?

MTHAMP ¹	Len : 2	EVER USED METHAMPHETAMINE	Freq	Pct
		1 = Yes	620	1.12
		2 = No.....	52863	95.84
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		4 = No LOGICALLY ASSIGNED	193	0.35
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP (METHDES=1).....	1418	2.57

SPECIAL DRUGS

How long has it been since you last used methamphetamine?

MTHAREC¹	Len : 2 TIME SINCE LAST USED METHAMPHETAMINE	Freq	Pct
	1 = Within the past 30 days.....	27	0.05
	2 = More than 30 days ago but within the past 12 mos	67	0.12
	3 = More than 12 months ago	521	0.94
	9 = At some point in the lifetime LOG ASN	6	0.01
	81 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	52863	95.84
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	55	0.10
	99 = LEGITIMATE SKIP (METHDES=1).....	1418	2.57

Have you ever, even once, used a needle to inject methamphetamine?

MTHANEDL¹	Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE	Freq	Pct
	1 = Yes	77	0.14
	2 = No.....	543	0.98
	3 = Yes LOGICALLY ASSIGNED	1	0.00
	81 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	52863	95.84
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	55	0.10
	99 = LEGITIMATE SKIP (METHDES=1).....	1418	2.57

How long has it been since you last used a needle to inject methamphetamine?

MTANDLRC¹	Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METHAMP	Freq	Pct
	1 = Within the past 30 days.....	9	0.02
	2 = More than 30 days ago but within the past 12 mos	11	0.02
	3 = More than 12 months ago	55	0.10
	9 = At some point in the lifetime LOG ASN	3	0.01
	81 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)	52863	95.84
	93 = USED METH BUT NEVER W/NEEDLE (MTHANEDL=2).....	543	0.98
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	55	0.10
	99 = LEGITIMATE SKIP (METHDES=1).....	1418	2.57

Earlier, the computer recorded that you have never used Methamphetamine, Desoxyn or Methedrine. Which answer is correct?

MTHEVCK¹	Len : 2 COMPUTER RECORDED NEVER USED METH, CORRECT	Freq	Pct
	1 = I have never used Methamp/Desoxyn/Meth	193	0.35
	2 = I last used Methamphetamine [SD17B FILL]	607	1.10
	85 = BAD DATA Logically assigned	10	0.02
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54305	98.45

SPECIAL DRUGS

Why did you report earlier that you had never used Methamphetamine?

MTHNORSN¹	Len : 2 REASON REPORTED NEVER USED METHAMP		
		Freq	Pct
	1 = Didnt think of Methamphetamine as prescrip drug	386	0.70
	2 = Made a mistake when I answered the earlier quest.....	187	0.34
	3 = Some other reason	29	0.05
	11 = Didnt think of Methamphetamine as Rx drug LOG ASSN.....	1	0.00
	12 = Made a mistake when answered earlier ques LOG ASSN.....	2	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	53	0.10
	99 = LEGITIMATE SKIP	54500	98.80

MTHNOSP¹	Len : 2 OTHER REASON NEVER USED METHAMPHETAMINE		
		Freq	Pct
	1 = Didnt think of Methamphetamine as prescrip drug	1	0.00
	2 = Made a mistake when I answered the earlier quest.....	2	0.00
	4 = Didnt recognize crank/crystal/ice/speed as mthamp.....	4	0.01
	5 = Didnt recognize earlier names/knew mth by another.....	4	0.01
	6 = Didnt think of mthamp as a pill/powder; Rx unspcfd	5	0.01
	9 = Misunderstood earlier quest; reason unspecified	5	0.01
	11 = Used it without my knowledge/was forced to use	1	0.00
	12 = It was combined with another drug.....	1	0.00
	70 = Reported use of a prescribed stimulant.....	3	0.01
	85 = BAD DATA Logically assigned	4	0.01
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	53	0.10
	99 = LEGITIMATE SKIP	55073	99.84

NOTE: A small number of respondents who reported in the core STIMULANTS module that did not know whether they ever used methamphetamine nonmedically were not asked the question corresponding to MTHAAGE. These cases were assigned a code of 990 (see below).

How old were you the first time you used Methamphetamine?

MTHAAGE¹	Len : 3 AGE WHEN FIRST USED METHAMPHETAMINE		
		Freq	Pct
	RANGE = 3 - 58.....	600	1.09
	981 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	990 = NOT ASKED THE QUESTION Logically assigned	1	0.00
	991 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	994 = DON'T KNOW.....	6	0.01
	997 = REFUSED	9	0.02
	998 = BLANK (NO ANSWER).....	70	0.13
	999 = LEGITIMATE SKIP	1418	2.57

Did you first use Methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use Methamphetamine in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use Methamphetamine?

MTHAYFU¹	Len : 4 YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	55	0.10
	9981 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	9985 = BAD DATA Logically assigned	1	0.00
	9991 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	9994 = DON'T KNOW.....	6	0.01
	9997 = REFUSED	9	0.02
	9998 = BLANK (NO ANSWER).....	71	0.13
	9999 = LEGITIMATE SKIP	1962	3.56

SPECIAL DRUGS

In what month in [CURRENT YEAR] did you first use Methamphetamine?

In what month in [YEAR FROM SDME02 or SDME03] did you first use Methamphetamine?

MTHAMFU¹	Len : 2 MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		Freq	Pct
	1 = January.....	5	0.01
	2 = February.....	7	0.01
	3 = March.....	2	0.00
	4 = April.....	4	0.01
	5 = May.....	6	0.01
	6 = June.....	2	0.00
	7 = July.....	2	0.00
	8 = August.....	5	0.01
	9 = September.....	6	0.01
	10 = October.....	3	0.01
	11 = November.....	7	0.01
	12 = December.....	4	0.01
	81 = NEVER USED METHAMPHETAMINE Logically assigned.....	193	0.35
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED.....	9	0.02
	98 = BLANK (NO ANSWER).....	71	0.13
	99 = LEGITIMATE SKIP.....	1962	3.56

MTHAYTOT¹	Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 364.....	88	0.16
	981 = NEVER USED METHAMPHETAMINE Logically assigned.....	193	0.35
	991 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	521	0.94
	994 = DON'T KNOW.....	4	0.01
	997 = REFUSED.....	9	0.02
	998 = BLANK (NO ANSWER).....	64	0.12
	999 = LEGITIMATE SKIP.....	1418	2.57

MTAFQFLG	Len : 2 TRIMMED MTHAYTOT IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use.....	10	0.02
	98 = BLANK (NO ANSWER).....	55150	99.98

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you used Methamphetamine?

MTABSTWY¹	Len : 2 EASIEST WAY TO TELL US # DAYS USED METH		
		Freq	Pct
	1 = Prefer to answer in days per week.....	15	0.03
	2 = Prefer to answer in days per month.....	26	0.05
	3 = Prefer to answer in days per year.....	48	0.09
	12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
	81 = NEVER USED METHAMPHETAMINE Logically assigned.....	193	0.35
	91 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	521	0.94
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED.....	9	0.02
	98 = BLANK (NO ANSWER).....	64	0.12
	99 = LEGITIMATE SKIP.....	1418	2.57

SPECIAL DRUGS

On how many days in the past 12 months did you use Methamphetamine?

MTADYPYR¹	Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 60.....	47	0.09
	981 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	991 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	521	0.94
	994 = DON'T KNOW.....	3	0.01
	997 = REFUSED	9	0.02
	998 = BLANK (NO ANSWER).....	64	0.12
	999 = LEGITIMATE SKIP	1459	2.65

On average, how many days each month during the past 12 months did you use Methamphetamine?

MTADYPMO¹	Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	26	0.05
	81 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	91 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	521	0.94
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	10	0.02
	98 = BLANK (NO ANSWER).....	64	0.12
	99 = LEGITIMATE SKIP	1480	2.68

On average, how many days each week during the past 12 months did you use Methamphetamine?

MTADYPWK¹	Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 7.....	15	0.03
	81 = NEVER USED METHAMPHETAMINE Logically assigned	193	0.35
	91 = NEVER USED METHAMPHETAMINE.....	52863	95.84
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	521	0.94
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	9	0.02
	98 = BLANK (NO ANSWER).....	64	0.12
	99 = LEGITIMATE SKIP	1491	2.70

NOTE: OSTNEEDL and OSTNLREC were edited in a manner that was consistent with how these variables were created prior to 2005.

Have you ever, even once, used a needle to inject (any other stimulant / a stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

OSTNEEDL¹	Len : 2 EVER USED NEEDLE TO INJECT (OTHER) STIMULANT		
		Freq	Pct
	1 = Yes	126	0.23
	2 = No.....	2777	5.03
	3 = Yes LOGICALLY ASSIGNED	3	0.01
	81 = NEVER USED STIMULANTS Log assn.....	13	0.02
	85 = BAD DATA Logically assigned.....	1	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	91 = NEVER USED STIMULANTS	51387	93.16
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	119	0.22
	99 = LEGITIMATE SKIP	730	1.32

SPECIAL DRUGS

How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?

OSTNLREC¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM		
			Freq	Pct
		1 = Within the past 30 days.....	13	0.02
		2 = More than 30 days ago but within the past 12 mos	19	0.03
		3 = More than 12 months ago	93	0.17
		9 = At some point in the lifetime LOG ASSN	2	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED STIMULANTS Logically assigned	13	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED STIMULANTS	51387	93.16
		93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE.....	2777	5.03
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	119	0.22
		99 = LEGITIMATE SKIP	732	1.33

Have you ever, even once, used a needle to inject cocaine?

COCNEEDL¹	Len : 2	EVER USED NEEDLE TO INJECT COCAINE		
			Freq	Pct
		1 = Yes	324	0.59
		2 = No.....	5319	9.64
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	13	0.02

How long has it been since you last used a needle to inject cocaine?

CONDLREC¹	Len : 2	TIME SINCE LAST USED NEEDLE TO INJECT COCAINE		
			Freq	Pct
		1 = Within the past 30 days.....	9	0.02
		2 = More than 30 days ago but within the past 12 mos	39	0.07
		3 = More than 12 months ago	276	0.50
		9 = At some point in the lifetime LOG ASSN	2	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = USED COCAINE BUT NEVER WITH A NEEDLE	5319	9.64
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	15	0.03

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you or that you took only for the experience or feeling it caused?

OTDGNEDL¹	Len : 2	EVER USED NEEDLE TO INJECT ANY OTHER DRUG		
			Freq	Pct
		1 = Yes	330	0.60
		2 = No.....	54796	99.34
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	4	0.01

SPECIAL DRUGS

OTDGNDLA¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
105 = Placidyl, Ethchlorvynol	1	0.00
109 = Seconal.....	2	0.00
112 = Restoril, Temazepam.....	1	0.00
116 = Methaqualone, Sopor, Quaalude	4	0.01
131 = Haldol, Haloperidol.....	1	0.00
174 = Ambien, Stilnox, Zolpidem	1	0.00
201 = Valium, Diazepam.....	1	0.00
207 = Ativan, Lorazepam, Orfidal.....	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	13	0.02
215 = Vistaril.....	1	0.00
221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	2	0.00
246 = Clonazepam, Diocam, Klonopin, Rivotril	2	0.00
311 = Preludin	1	0.00
318 = Ritalin, Methylphenidate.....	3	0.01
320 = Dextroamphetamine.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	25	0.05
345 = Black molly	1	0.00
348 = Crystal	1	0.00
355 = Crystal meth, crystal methamphetamine	2	0.00
407 = Demerol, Meperidine.....	2	0.00
408 = Dilaudid, Hydromorphone	12	0.02
415 = Codeine	1	0.00
417 = Morphine, Roxanol.....	23	0.04
418 = Methadone, Dolophine.....	2	0.00
419 = Stadol, Stadol NS.....	1	0.00
423 = Percocet	8	0.01
435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
442 = Ibuprofen	1	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	1	0.00
490 = Nalbuphine, Nubain	1	0.00
601 = LSD ("acid").....	3	0.01
603 = Mescaline	3	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	3	0.01
614 = MDA, Methylenedioxy amphetamine.....	2	0.00
658 = Special K, Ketamine.....	3	0.01
702 = Heroin.....	35	0.06
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.01
802 = THC, cannabinal, marinol, tetrahydrocannabinol.....	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
805 = Cocaine, coca, cocaína, coke, perico.....	11	0.02
806 = Crack, rock	3	0.01
824 = Steroids	11	0.02
843 = Cold medicine, cold tablets <OTC>.....	1	0.00
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
2001 = Sanoma, Soma, Carisoprodol	1	0.00
3052 = Speed; otherwise unspecified	3	0.01
4044 = Hydrocodone	2	0.00
4046 = Oxycodone or unspecified oxycodone products	22	0.04
4047 = Roxicet.....	4	0.01
4065 = Roxicodone.....	6	0.01
4067 = OxyContin.....	49	0.09
4109 = Suboxone	4	0.01
4120 = Numorphan, Opana, Oxymorphone	5	0.01
6114 = Molly; not otherwise specified	1	0.00
8067 = Testosterone.....	6	0.01
8072 = Deca-Durabolin, Nandrolone decanoate	1	0.00
8079 = Insulin	1	0.00
8088 = Dianabol	1	0.00
8110 = Over-the-counter drug/pills; type unspecified<OTC>.....	1	0.00
8112 = hCG, Human Chorionic Gonadotropin.....	1	0.00
8114 = Lidocaine	1	0.00
8124 = Deca-diabolin.....	1	0.00
8301 = Bath salts, otherwise unspecified	3	0.01
8336 = Peridan	1	0.00
9985 = BAD DATA Logically assigned	7	0.01
9994 = DON'T KNOW.....	7	0.01
9997 = REFUSED	12	0.02
9998 = BLANK (NO ANSWER).....	25	0.05
9999 = LEGITIMATE SKIP	54796	99.34

SPECIAL DRUGS

OTDGNDLB¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
109 = Seconal.....	1	0.00
123 = Unisom <OTC>.....	1	0.00
201 = Valium, Diazepam.....	3	0.01
209 = Xanax, Alprazolam, Tafil, Xanax bars	4	0.01
306 = Desoxyn.....	1	0.00
313 = Acxion, Adipex-P, Fastin, Phentermine	1	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	6	0.01
348 = Crystal	1	0.00
408 = Dilaudid, Hydromorphone	11	0.02
411 = Talwin	1	0.00
415 = Codeine	1	0.00
417 = Morphine, Roxanol.....	12	0.02
418 = Methadone, Dolophine.....	2	0.00
419 = Stadol, Stadol NS.....	1	0.00
420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423 = Percocet	3	0.01
434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.00
465 = Actiq, Fentanyl, Duragesic, Sublimaze.....	2	0.00
601 = LSD ("acid")	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
702 = Heroin.....	7	0.01
704 = Dope.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	7	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
3023 = Adderall	2	0.00
3094 = Dexmethylphenidate, Focalin	1	0.00
4037 = Kadian, MS Contin	1	0.00
4043 = Tramadol	1	0.00
4046 = Oxycodone or unspecified oxycodone products	7	0.01
4065 = Roxicodone.....	2	0.00
4067 = OxyContin.....	15	0.03
4109 = Suboxone	3	0.01
4120 = Numorphan, Opana, Oxymorphone	3	0.01
6114 = Molly; not otherwise specified	1	0.00
8164 = Testosterone propionate	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	1	0.00
9985 = BAD DATA Logically assigned	7	0.01
9994 = DON'T KNOW.....	1	0.00
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	235	0.43
9999 = LEGITIMATE SKIP	54796	99.34

SPECIAL DRUGS

OTDGNLDC¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
109 = Seconal.....	1	0.00
130 = Phenergan, Promethazine	1	0.00
209 = Xanax, Alprazolam, Tafil, Xanax bars	2	0.00
318 = Ritalin, Methylphenidate.....	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
407 = Demerol, Meperidine.....	1	0.00
408 = Dilaudid, Hydromorphone	8	0.01
415 = Codeine	1	0.00
417 = Morphine, Roxanol.....	5	0.01
418 = Methadone, Dolophine.....	3	0.01
423 = Percocet	2	0.00
601 = LSD ("acid").....	1	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	1	0.00
658 = Special K, Ketamine.....	1	0.00
702 = Heroin.....	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	7	0.01
806 = Crack, rock	3	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
814 = Caffeine <OTC>.....	1	0.00
3023 = Adderall	1	0.00
4046 = Oxycodone or unspecified oxycodone products	1	0.00
4065 = Roxicodone.....	1	0.00
4067 = OxyContin.....	8	0.01
4109 = Suboxone	1	0.00
8165 = Anavar	1	0.00
8206 = Delatestryl, Testosterone enanthate.....	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9994 = DON'T KNOW.....	1	0.00
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	295	0.53
9999 = LEGITIMATE SKIP	54796	99.34

OTDGNLDD¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
246 = Clonazepam, Diocam, Klonopin, Rivotril	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth.....	3	0.01
407 = Demerol, Meperidine.....	1	0.00
408 = Dilaudid, Hydromorphone	3	0.01
415 = Codeine	1	0.00
417 = Morphine, Roxanol.....	3	0.01
418 = Methadone, Dolophine.....	2	0.00
605 = PCP ("angel dust," phencyclidine).....	1	0.00
616 = DET, Dimethyltryptamine, DMT.....	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
806 = Crack, rock	1	0.00
824 = Steroids	1	0.00
4043 = Tramadol	1	0.00
4046 = Oxycodone or unspecified oxycodone products	1	0.00
4067 = OxyContin.....	2	0.00
9985 = BAD DATA Logically assigned	3	0.01
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER).....	328	0.59
9999 = LEGITIMATE SKIP	54796	99.34

OTDGNLDE¹

Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
209 = Xanax, Alprazolam, Tafil, Xanax bars	1	0.00
228 = Amitriptyline, Elavil.....	1	0.00
407 = Demerol, Meperidine.....	1	0.00
408 = Dilaudid, Hydromorphone	1	0.00
658 = Special K, Ketamine.....	1	0.00
4046 = Oxycodone or unspecified oxycodone products	1	0.00
4067 = OxyContin.....	3	0.01
9985 = BAD DATA Logically assigned	1	0.00
9994 = DON'T KNOW.....	1	0.00
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER).....	344	0.62
9999 = LEGITIMATE SKIP	54796	99.34

SPECIAL DRUGS

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

GNNDREUS¹	Len : 2	LAST TIME REUSED NEEDLE USED BEFORE		
			Freq	Pct
		1 = Yes	271	0.49
		2 = No.....	449	0.81
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP	54402	98.63

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

GNNDLSH1¹	Len : 2	LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
			Freq	Pct
		1 = Yes	148	0.27
		2 = No.....	572	1.04
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP	54402	98.63

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

GNNDCLEN¹	Len : 2	USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
			Freq	Pct
		1 = Yes	168	0.30
		2 = No.....	550	1.00
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP	54402	98.63

The last time you used a needle for injecting drugs, did someone else use the needle after you?

GNNDLSH2¹	Len : 2	SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
			Freq	Pct
		1 = Yes	149	0.27
		2 = No.....	569	1.03
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP	54402	98.63

SPECIAL DRUGS

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

GNNDGET2¹	Len : 2	HOW DID YOU GET THE NEEDLE LAST TIME		
			Freq	Pct
		1 = Bought the needle from a pharmacy	366	0.66
		2 = Got the needle from a needle exchange	48	0.09
		3 = Bought the needle on the street	78	0.14
		4 = Got the needle in a shooting gallery	6	0.01
		5 = Got the needle some other way	28	0.05
		41 = Given by/stole frn friend/acquaint of frnd/nonrel	112	0.20
		42 = Given by, stolen from a relative	6	0.01
		43 = Given by, stolen from someone, relation unspecfd	30	0.05
		44 = From drug dealer/came with drugs.....	7	0.01
		46 = Given by, stolen frn med facility/professionl/lab	16	0.03
		47 = Given by, stolen from work.....	6	0.01
		49 = Bought, given, stolen from place/location unspecfd.....	3	0.01
		56 = Given/stolen/bought from farm/pet store/supplier	4	0.01
		59 = Bought it online/on the Internet	4	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	16	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP	54402	98.63

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

GHB¹	Len : 2	EVER USED GHB		
			Freq	Pct
		1 = Yes	204	0.37
		2 = No.....	54853	99.44
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	86	0.16
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	4	0.01

Adderall is a prescription stimulant that comes in tablet or capsule form. Adderall tablets and capsules are shown below. Have you ever, even once, used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused?

ADDERALL¹	Len : 2	EVER USED ADDERALL THAT WAS NOT PRESCRIBED		
			Freq	Pct
		1 = Yes	3490	6.33
		2 = No.....	51614	93.57
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	4	0.01

Ambien is a prescription sedative or sleeping pill that comes in tablet form. Ambien tablets are shown below. Have you ever, even once, used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused?

AMBIEN¹	Len : 2	EVER USED AMBIEN THAT WAS NOT PRESCRIBED		
			Freq	Pct
		1 = Yes	1244	2.26
		2 = No.....	53870	97.66
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	4	0.01

SPECIAL DRUGS

The last two questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

COLDMEDS¹	Len : 2	TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH		
			Freq	Pct
		1 = Yes	2296	4.16
		2 = No.....	52821	95.76
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	4	0.01

Earlier, the computer asked you questions about your use of hallucinogens. These drugs often cause people to see or experience things that are not real. The next questions are about hallucinogens you were not specifically asked about earlier.

Have you ever, even once, used Ketamine, also called "Special K" or "Super K"?

KETAMINE¹	Len : 2	EVER USED KETAMINE		
			Freq	Pct
		1 = Yes	569	1.03
		2 = No.....	54504	98.81
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	4	0.01

Have you ever, even once, used any of the following: DMT, also called dimethyltryptamine, AMT, also called alpha-methyltryptamine, or Foxy, also called 5-MeO-DIPT?

TRYPTMN¹	Len : 2	EVER USED DMT, AMT, FOXY		
			Freq	Pct
		1 = Yes	579	1.05
		2 = No.....	54479	98.77
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	85	0.15
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	4	0.01

Have you ever, even once, used Salvia divinorum?

SALVDIV¹	Len : 2	EVER USED SALVIA DIVINORUM		
			Freq	Pct
		1 = Yes	1784	3.23
		2 = No.....	53252	96.54
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	108	0.20
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	4	0.01

Earlier, the computer recorded that you have used GHB. How long has it been since you last used GHB?

GHBREC¹	Len : 2	TIME SINCE LAST USED GHB		
			Freq	Pct
		1 = Within the past 30 days.....	6	0.01
		2 = More than 30 days ago but within the past 12 mos	14	0.03
		3 = More than 12 months ago	183	0.33
		9 = At some point in the lifetime LOG ASSN	1	0.00
		91 = NEVER USED GHB.....	54853	99.44
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	91	0.16

SPECIAL DRUGS

Earlier, the computer recorded that you have used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Adderall in either of these ways?

ADDEREC¹	Len : 2	TIME SINCE LAST USED ADDERALL		
			Freq	Pct
		1 = Within the past 30 days.....	394	0.71
		2 = More than 30 days ago but within the past 12 mos	1008	1.83
		3 = More than 12 months ago	2078	3.77
		8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
		9 = At some point in the lifetime LOG ASSN	9	0.02
		91 = NEVER USED ADDERALL	51614	93.57
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	42	0.08

Earlier the computer recorded that you have used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Ambien in either of these ways?

AMBIREC¹	Len : 2	TIME SINCE LAST USED AMBIEN		
			Freq	Pct
		1 = Within the past 30 days.....	77	0.14
		2 = More than 30 days ago but within the past 12 mos	286	0.52
		3 = More than 12 months ago	875	1.59
		9 = At some point in the lifetime LOG ASSN	6	0.01
		91 = NEVER USED AMBIEN	53870	97.66
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	38	0.07

Earlier, the computer recorded that you have taken a non-prescription cough or cold medicine just to get high. How long has it been since you last took one of these cough or cold medicines to get high?

COLDREC¹	Len : 2	TIME SINCE LAST USED COUGH/COLD MED		
			Freq	Pct
		1 = Within the past 30 days.....	167	0.30
		2 = More than 30 days ago but within the past 12 mos	492	0.89
		3 = More than 12 months ago	1610	2.92
		9 = At some point in the lifetime LOG ASSN	27	0.05
		91 = NEVER USED COUGH/COLD MED	52821	95.76
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	35	0.06

SPECIAL DRUGS

COLDYR1¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>.....	3	0.01
130.0 = Phenergan, Promethazine.....	15	0.03
136.0 = Dimetapp, no other information <OTC>.....	2	0.00
171.0 = NyQuil, no other information <OTC>.....	149	0.27
171.3 = NyQuil Cold and Flu <OTC>.....	1	0.00
171.5 = ZzzQuil <OTC>.....	4	0.01
171.6 = NyQuil Cough <OTC>.....	1	0.00
178.0 = Quetiapine, Seroquel.....	1	0.00
180.0 = Tylenol P.M. <OTC>.....	3	0.01
364.0 = Pseudoephedrine <OTC>.....	1	0.00
409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	3	0.01
415.0 = Codeine.....	31	0.06
422.0 = Motrin, no other information <OTC>.....	1	0.00
422.1 = Children's Motrin <OTC>.....	1	0.00
425.0 = Advil, no other information <OTC>.....	7	0.01
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	20	0.04
442.0 = Ibuprofen.....	2	0.00
477.0 = Melumbrina, Neo-Melumbrina.....	1	0.00
480.0 = Robitussin AC with Codeine (Schedule V).....	1	0.00
501.0 = Gasoline or lighter fluids.....	1	0.00
821.0 = Amoxicillin, Ampicillin.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	65	0.12
829.1 = Robitussin DM <OTC>.....	3	0.01
829.2 = Robitussin Maximum Strength <OTC>.....	1	0.00
829.5 = Robotussin Cough, no other information <OTC>.....	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>.....	19	0.03
841.0 = Allerest, Contact <OTC>.....	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	3	0.01
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
848.0 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>.....	7	0.01
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	12	0.02
1014.0 = Advil PM <OTC>.....	1	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	7	0.01
3023.0 = Adderall.....	2	0.00
3047.0 = Sudafed, no other information <OTC>.....	2	0.00
4031.0 = Cough medicine with Codeine <OTC>.....	6	0.01
4044.0 = Hydrocodone.....	7	0.01
4076.0 = OTC Pain reliever; not otherwise specified <OTC>.....	1	0.00
4097.0 = Tussionex.....	2	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	18	0.03
6029.0 = DXM <OTC>.....	3	0.01
6083.0 = CCC, "Triple C," C3 <OTC>.....	22	0.04
6127.0 = Skittles <OTC>.....	1	0.00
8012.0 = Coriciden, no other information <OTC>.....	11	0.02
8012.1 = Coricidin Cough and Cold <OTC>.....	7	0.01
8020.0 = Allegra, Altiva.....	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	1	0.00
8056.0 = Vicks, no other information <OTC>.....	2	0.00
8056.1 = Vicks 44 <OTC>.....	1	0.00
8056.4 = Vicks throat spray <OTC>.....	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>.....	1	0.00
8094.0 = Pepto Bismol <OTC>.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	13	0.02
8169.0 = TheraFlu <OTC>.....	6	0.01
8172.0 = Cortisone.....	1	0.00
8192.0 = Delsym <OTC>.....	18	0.03
8194.0 = Afrin <OTC>.....	1	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>.....	1	0.00
8202.0 = Tussin, no other information.....	4	0.01
8202.2 = Wal-Tussin, no other information <OTC>.....	3	0.01
8202.6 = Tussin DM, no other information <OTC>.....	1	0.00
8205.0 = Mucinex, no other information <OTC>.....	8	0.01
8205.1 = Mucinex DM <OTC>.....	2	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>.....	2	0.00
8217.0 = Broncolin <OTC>.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	3	0.01
8249.0 = XL-3.....	2	0.00
8257.0 = Histiacil NF.....	1	0.00
8258.0 = Tukol <OTC>.....	1	0.00
8259.0 = Viro-Grip.....	1	0.00
8260.0 = Tylenol Allergy; no other information <OTC>.....	1	0.00
8261.0 = Rompe Pecho <OTC>.....	1	0.00

SPECIAL DRUGS

8264.0 = Nurofen.....	1	0.00
8265.0 = Codral.....	1	0.00
9985.0 = BAD DATA Logically assigned.....	46	0.08
9991.0 = NEVER USED COUGH/COLD MED.....	52821	95.76
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	1610	2.92
9994.0 = DON'T KNOW.....	54	0.10
9997.0 = REFUSED.....	31	0.06
9998.0 = BLANK (NO ANSWER).....	64	0.12

COLDYR2¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
130.0 = Phenergan, Promethazine.....	2	0.00
171.0 = NyQuil, no other information <OTC>.....	26	0.05
171.5 = ZzzQuil <OTC>.....	2	0.00
180.0 = Tylenol P.M. <OTC>.....	3	0.01
415.0 = Codeine.....	6	0.01
422.0 = Motrin, no other information <OTC>.....	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>.....	2	0.00
442.0 = Ibuprofen.....	1	0.00
829.0 = Robitussin, no other information <OTC>.....	11	0.02
840.0 = Cough med, generic/unspec, contents unspec <OTC>.....	7	0.01
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.....	10	0.02
843.1 = Nighttime cold medication; brand unspecified <OTC>.....	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>.....	6	0.01
1014.0 = Advil PM <OTC>.....	2	0.00
3017.0 = Dayquil medication, no other information <OTC>.....	5	0.01
3047.0 = Sudafed, no other information <OTC>.....	1	0.00
4044.0 = Hydrocodone.....	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	3	0.01
6029.0 = DXM <OTC>.....	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>.....	4	0.01
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>.....	1	0.00
8012.0 = Coriciden, no other information <OTC>.....	3	0.01
8012.1 = Coricidin Cough and Cold <OTC>.....	3	0.01
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>.....	1	0.00
8056.0 = Vicks, no other information <OTC>.....	1	0.00
8058.0 = Cough medicine/syrup; type unspecified.....	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>.....	4	0.01
8123.0 = Tylenol Sinus medication, no other info <OTC>.....	1	0.00
8192.0 = Delsym <OTC>.....	4	0.01
8202.0 = Tussin, no other information.....	4	0.01
8205.0 = Mucinex, no other information <OTC>.....	2	0.00
8205.1 = Mucinex DM <OTC>.....	1	0.00
8217.0 = Broncolin <OTC>.....	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite).....	2	0.00
8244.0 = Wal-Flu <OTC>.....	1	0.00
8258.0 = Tukol <OTC>.....	2	0.00
8263.0 = Bio Electro Day <OTC>.....	1	0.00
9985.0 = BAD DATA Logically assigned.....	14	0.03
9991.0 = NEVER USED COUGH/COLD MED.....	52821	95.76
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	1610	2.92
9994.0 = DON'T KNOW.....	12	0.02
9997.0 = REFUSED.....	10	0.02
9998.0 = BLANK (NO ANSWER).....	565	1.02

SPECIAL DRUGS

COLDYR3¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	5	0.01
171.5 = ZzzQuil <OTC>	2	0.00
415.0 = Codeine	2	0.00
425.0 = Advil, no other information <OTC>	1	0.00
442.0 = Ibuprofen	1	0.00
829.0 = Robitussin, no other information <OTC>	6	0.01
840.0 = Cough med, generic/unspec, contents unspec <OTC>	2	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	1	0.00
900.0 = Not a drug	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	3	0.01
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	1	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8012.0 = Coriciden, no other information <OTC>	1	0.00
8012.1 = Coricidin Cough and Cold <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	2	0.00
8169.0 = TheraFlu <OTC>	1	0.00
8192.0 = Delsym <OTC>	3	0.01
8205.0 = Mucinex, no other information <OTC>	1	0.00
8217.0 = Broncolin <OTC>	1	0.00
8228.0 = Lean (Promethazine w/codeine mixed w/Sprite)	1	0.00
8258.0 = Tukol <OTC>	1	0.00
8262.0 = St. Joseph Cough and Cold <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	6	0.01
9991.0 = NEVER USED COUGH/COLD MED	52821	95.76
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1610	2.92
9994.0 = DON'T KNOW	1	0.00
9997.0 = REFUSED	10	0.02
9998.0 = BLANK (NO ANSWER)	673	1.22

COLDYR4¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	2	0.00
171.5 = ZzzQuil <OTC>	1	0.00
415.0 = Codeine	1	0.00
829.0 = Robitussin, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	1	0.00
8012.0 = Coriciden, no other information <OTC>	2	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	1	0.00
8258.0 = Tukol <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	2	0.00
9991.0 = NEVER USED COUGH/COLD MED	52821	95.76
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1610	2.92
9994.0 = DON'T KNOW	2	0.00
9997.0 = REFUSED	8	0.01
9998.0 = BLANK (NO ANSWER)	705	1.28

COLDYR5¹

Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
840.0 = Cough med, generic/unspec, contents unspec <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	1	0.00
9991.0 = NEVER USED COUGH/COLD MED	52821	95.76
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1610	2.92
9997.0 = REFUSED	8	0.01
9998.0 = BLANK (NO ANSWER)	719	1.30

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG¹

Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
1 = Specified use only of prescrip-type drugs, past yr	84	0.15
2 = Bad data or blank in COLDYR1-COLDYR5	27	0.05
98 = BLANK (OTHERWISE)	55049	99.80

SPECIAL DRUGS

Earlier, the computer recorded that you have used Ketamine. How long has it been since you last used Ketamine?

KETAREC¹	Len : 2	TIME SINCE LAST USED KETAMINE		
			Freq	Pct
		1 = Within the past 30 days.....	23	0.04
		2 = More than 30 days ago but within the past 12 mos	83	0.15
		3 = More than 12 months ago	457	0.83
		9 = Used at some point in the lifetime LOG ASSN	6	0.01
		91 = NEVER USED KETAMINE	54504	98.81
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	79	0.14

Earlier, the computer recorded that you have used DMT, AMT, or Foxy. How long has it been since you last used any of these drugs?

TRYPREC¹	Len : 2	TIME SINCE LAST USED DMT/AMT/FOXY		
			Freq	Pct
		1 = Within the past 30 days.....	26	0.05
		2 = More than 30 days ago but within the past 12 mos	141	0.26
		3 = More than 12 months ago	410	0.74
		9 = Used at some point in the lifetime LOG ASSN	2	0.00
		91 = NEVER USED DMT/AMT/FOXY	54479	98.77
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	90	0.16

Earlier, the computer recorded that you have used Salvia divinorum. How long has it been since you last used Salvia divinorum?

SALVREC¹	Len : 2	TIME SINCE LAST USED SALVIA DIVINORUM		
			Freq	Pct
		1 = Within the past 30 days.....	32	0.06
		2 = More than 30 days ago but within the past 12 mos	163	0.30
		3 = More than 12 months ago	1586	2.88
		9 = Used at some point in the lifetime LOG ASSN	3	0.01
		91 = NEVER USED SALVIA DIVINORUM	53252	96.54
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	113	0.20

RECODED SPECIAL DRUGS

RECODED SPECIAL DRUGS

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The variables STNEEDLR, STNLRECR, and NEDLRECR were created to be consistent with data from corresponding variables prior to 2005. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR. The variables STNEDL06, STNLRC06, and NDLREC06 also took into account data from the methamphetamine variables MTHANEDL, MTANDLRC, and MTHEVCK from the SPECIAL DRUGS module. STNEDL06 was derived from STNEEDLR and MTHANEDL. STNLRC06 was derived from STNLRECR and MTANDLRC. NDLREC06 was derived from NEDLRECR and STNLRC06.

STNEEDLR¹	Len : 2	EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
			Freq	Pct
	1 = Yes		313	0.57
	2 = No.....		3341	6.06
	81 = NEVER USED STIMULANTS Logically assigned		13	0.02
	91 = NEVER USED STIMULANTS		51387	93.16
	97 = REFUSED		7	0.01
	98 = MISSING (BUT NOT REFUSED).....		99	0.18

STNLRECR¹	Len : 2	MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
			Freq	Pct
	1 = Within the past 30 days.....		34	0.06
	2 = More than 30 days ago but within the past 12 mos		44	0.08
	3 = More than 12 months ago		211	0.38
	8 = At some point in the past 12 months LOG ASSN		1	0.00
	9 = At some point in the lifetime LOG ASSN		20	0.04
	13 = More than 12 months ago LOGICALLY ASSIGNED.....		3	0.01
	81 = NEVER USED STIMULANTS Logically assigned		13	0.02
	91 = NEVER USED STIMULANTS		51387	93.16
	93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....		3341	6.06
	97 = REFUSED		7	0.01
	98 = MISSING (BUT NOT REFUSED).....		99	0.18

NEDLRECR¹	Len : 2	MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
			Freq	Pct
	1 = Within the past 30 days.....		76	0.14
	2 = More than 30 days ago but within the past 12 mos		96	0.17
	3 = More than 12 months ago		439	0.80
	8 = At some point in the past 12 months LOG ASSN		2	0.00
	9 = At some point in the lifetime LOG ASSN		24	0.04
	13 = More than 12 months ago LOGICALLY ASSIGNED.....		1	0.00
	81 = NEVER USED COC/HER/STM W/NEEDLE Log assn		13	0.02
	91 = NEVER USED COC/HER/STM WITH A NEEDLE.....		54362	98.55
	97 = REFUSED		17	0.03
	98 = MISSING (BUT NOT REFUSED).....		130	0.24

STNEDL06¹	Len : 2	EVER USE NEEDL TO INJECT STIM (INCL METH 06 DATA)		
			Freq	Pct
	1 = Yes		350	0.63
	2 = No.....		3609	6.54
	81 = NEVER USED STIMULANTS Logically assigned		13	0.02
	91 = NEVER USED STIMULANTS		51083	92.61
	97 = REFUSED		7	0.01
	98 = MISSING (BUT NOT REFUSED).....		98	0.18

RECODED SPECIAL DRUGS

STNLRC06¹

Len : 2 MOST RECENT USE STIM W/NEEDLE (INCL METH 06 DATA)

	Freq	Pct
1 = Within the past 30 days.....	39	0.07
2 = More than 30 days ago but within the past 12 mos	48	0.09
3 = More than 12 months ago	240	0.44
8 = At some point in the past 12 months LOG ASSN	5	0.01
9 = At some point in the lifetime LOG ASSN	15	0.03
13 = More than 12 months ago LOGICALLY ASSIGNED.....	3	0.01
81 = NEVER USED STIMULANTS Logically assigned	13	0.02
91 = NEVER USED STIMULANTS (AND MTHAMP=2)	51083	92.61
93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	3609	6.54
97 = REFUSED	7	0.01
98 = MISSING (BUT NOT REFUSED).....	98	0.18

NDLREC06¹

Len : 2 MOST RECENT COC/HER/STM W/NEDL (INC METH 06 DATA)

	Freq	Pct
1 = Within the past 30 days.....	80	0.15
2 = More than 30 days ago but within the past 12 mos	98	0.18
3 = More than 12 months ago	449	0.81
8 = At some point in the past 12 months LOG ASSN	5	0.01
9 = At some point in the lifetime LOG ASSN	20	0.04
13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
81 = NEVER USED COC/HER/STM W/NEEDLE Log assn	13	0.02
91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	54348	98.53
97 = REFUSED	17	0.03
98 = MISSING (BUT NOT REFUSED).....	129	0.23

NOTE: The following eight variables indicate whether a respondent has ever used a needle to inject any drug, heroin, cocaine, stimulants, or methamphetamine.

NOTE: NEDFLG01, NEDSTM, and NEDMTH are based only on data from the methamphetamine questions in the Stimulants module of the core questionnaire. In 2005, new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription Stimulants module. These were augmented in 2006 to include clarifications. The new non-core Special Drugs items were used to create CPNNDFLG, CPNNDSTM, and CPNNDMTH. For details, please see Appendix B.4.8 of the 2008 National Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)

A respondent was defined as having used a needle to inject drugs based on the core questions, NEDFLG01, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the Stimulants module (STNEEDLR), or any other drug (OTDGNEEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

NEDFLG01

Len : 1 EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
0 = Never Used/Unknown (Otherwise).....	54454	98.72
1 = Ever Used (Any source variable=1,3).....	706	1.28

A respondent was defined as having used a needle to inject drugs based on the core-plus-noncore questions, CPNNDFLG, if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants in the stimulants or special drugs module (STNEEDL06), or any other drug (OTDGNEEDL). Otherwise, a respondent was defined as never using needles to inject drugs.

CPNNDFLG

Len : 1 CPN: EVER USED A NEEDLE TO INJECT ANY DRUG

	Freq	Pct
0 = Never Used/Unknown (Otherwise).....	54440	98.69
1 = Ever Used (Any source variable=1,3).....	720	1.31

NEDHER

Len : 1 EVER USED A NEEDLE TO INJECT HEROIN

	Freq	Pct
0 = No/Unknown (Otherwise).....	54752	99.26
1 = Yes (HERNEEDL=1,3).....	408	0.74

NEDCOC

Len : 1 EVER USED A NEEDLE TO INJECT COCAINE

	Freq	Pct
0 = No/Unknown (Otherwise).....	54834	99.41
1 = Yes (COCNEEDL=1,3)	326	0.59

RECODED SPECIAL DRUGS

NEDSTM	Len : 1	EVER USED A NEEDLE TO INJECT STIMULANT		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54847	99.43
		1 = Yes (STNEEDLR=1,3).....	313	0.57

CPNNDSTM	Len : 1	CPN: EVER USED A NEEDLE TO INJECT STIMULANT		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54810	99.37
		1 = Yes (STNEDL06=1).....	350	0.63

NEDMTH	Len : 1	EVER USED A NEEDLE TO INJECT METHAMPHETAMINE		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54920	99.56
		1 = Yes (MTHNEEDL=1,3).....	240	0.44

The following variable, CPNNDMTH, was defined as ever using a needle to inject methamphetamine if a respondent reported methamphetamine use in the core stimulant module (MTHNEEDL in (1, 3)) or if they reported methamphetamine use in the noncore special drugs module because they did not consider methamphetamine to be a prescription drug, and they reported using a needle to inject methamphetamine (MTHANEDL in (1, 3)).

CPNNDMTH	Len : 1	CPN: EVER USED A NEEDLE TO INJECT METHAMPHETAMINE		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54879	99.49
		1 = Yes (See comment above).....	281	0.51

HERSMOK2	Len : 1	EVER SMOKED HEROIN		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54827	99.40
		1 = Yes (HERSMOKE=1,3).....	333	0.60

HERSNIF2	Len : 1	EVER SNIFFED HEROIN		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54562	98.92
		1 = Yes (HERSNIFF=1,3).....	598	1.08

ADDEFLGR	Len : 1	LIFETIME NONMEDICAL USE OF ADDERALL		
			Freq	Pct
		0 = No (Otherwise).....	51670	93.67
		1 = Yes (ADDEREC=1,2,3,8,9).....	3490	6.33

ADDEYRR	Len : 1	PAST YEAR NONMEDICAL USE OF ADDERALL		
			Freq	Pct
		0 = No (Otherwise).....	53757	97.46
		1 = Yes (ADDEREC=1,2,8).....	1403	2.54

ADDEMONR	Len : 1	PAST MONTH NONMEDICAL USE OF ADDERALL		
			Freq	Pct
		0 = No (Otherwise).....	54766	99.29
		1 = Yes (ADDEREC=1).....	394	0.71

AMBIFLGR	Len : 1	LIFETIME NONMEDICAL USE OF AMBIEN		
			Freq	Pct
		0 = No (Otherwise).....	53916	97.74
		1 = Yes (AMBIREC=1,2,3,8,9).....	1244	2.26

AMBIYRR	Len : 1	PAST YEAR NONMEDICAL USE OF AMBIEN		
			Freq	Pct
		0 = No (Otherwise).....	54797	99.34
		1 = Yes (AMBIREC=1,2,8).....	363	0.66

RECODED SPECIAL DRUGS

AMBIMONR	Len : 1 PAST MONTH NONMEDICAL USE OF AMBIEN		
	0 = No (Otherwise).....	Freq 55083	Pct 99.86
	1 = Yes (AMBIREC=1).....	77	0.14
COLDFLGR	Len : 1 LIFETIME USE OF NON-RX COUGH OR COLD MEDICINES		
	0 = No (Otherwise).....	Freq 52864	Pct 95.84
	1 = Yes (COLDREC=1,2,3,8,9).....	2296	4.16
COLDYRR	Len : 1 PAST YEAR USE OF NON-RX COUGH OR COLD MEDICINES		
	0 = No (Otherwise).....	Freq 54612	Pct 99.01
	1 = Yes (COLDREC=1,2,8 and OTCFLAG=98)	548	0.99
COLDMONR	Len : 1 PAST MONTH USE OF NON-RX COUGH OR COLD MEDICINES		
	0 = No (Otherwise).....	Freq 55026	Pct 99.76
	1 = Yes (COLDREC=1 and OTCFLAG=98)	134	0.24
GHBFLGR	Len : 1 LIFETIME USE OF GHB		
	0 = No (Otherwise).....	Freq 54956	Pct 99.63
	1 = Yes (GHBREC=1,2,3,8,9).....	204	0.37
GHBYRR	Len : 1 PAST YEAR USE OF GHB		
	0 = No (Otherwise).....	Freq 55140	Pct 99.96
	1 = Yes (GHBREC=1,2,8).....	20	0.04
GHBMONR	Len : 1 PAST MONTH USE OF GHB		
	0 = No (Otherwise).....	Freq 55154	Pct 99.99
	1 = Yes (GHBREC=1).....	6	0.01
KETAFLGR	Len : 1 LIFETIME USE OF KETAMINE		
	0 = No (Otherwise).....	Freq 54591	Pct 98.97
	1 = Yes (KETAREC=1,2,3,8,9)	569	1.03
KETAYRR	Len : 1 PAST YEAR USE OF KETAMINE		
	0 = No (Otherwise).....	Freq 55054	Pct 99.81
	1 = Yes (KETAREC=1,2,8)	106	0.19
KETAMONR	Len : 1 PAST MONTH USE OF KETAMINE		
	0 = No (Otherwise).....	Freq 55137	Pct 99.96
	1 = Yes (KETAREC=1)	23	0.04
SALVFLGR	Len : 1 LIFETIME USE OF SALVIA DIVINORUM		
	0 = No (Otherwise).....	Freq 53376	Pct 96.77
	1 = Yes (SALVREC=1,2,3,8,9).....	1784	3.23
SALVYRR	Len : 1 PAST YEAR USE OF SALVIA DIVINORUM		
	0 = No (Otherwise).....	Freq 54965	Pct 99.65
	1 = Yes (SALVREC=1,2,8).....	195	0.35

RECODED SPECIAL DRUGS

SALVMONR	Len : 1	PAST MONTH USE OF SALVIA DIVINORUM		
			Freq	Pct
	0 = No (Otherwise).....		55128	99.94
	1 = Yes (SALVREC=1)		32	0.06
TRYPFLGR	Len : 1	LIFETIME USE OF DMT, AMT, FOXY		
			Freq	Pct
	0 = No (Otherwise).....		54581	98.95
	1 = Yes (TRYPREC=1,2,3,8,9)		579	1.05
TRYPYRR	Len : 1	PAST YEAR USE OF DMT, AMT, FOXY		
			Freq	Pct
	0 = No (Otherwise).....		54993	99.70
	1 = Yes (TRYPREC=1,2,8)		167	0.30
TRYPMONR	Len : 1	PAST MONTH USE OF DMT, AMT, FOXY		
			Freq	Pct
	0 = No (Otherwise).....		55134	99.95
	1 = Yes (TRYPREC=1)		26	0.05

RISK/AVAILABILITY

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

RSKPKCIG¹	Len : 2	RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY		
			Freq	Pct
		1 = No risk	1405	2.55
		2 = Slight risk.....	3433	6.22
		3 = Moderate risk.....	13483	24.44
		4 = Great risk.....	36396	65.98
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	391	0.71
		97 = REFUSED	47	0.09
		98 = BLANK (NO ANSWER).....	4	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

RSKMJOCC¹	Len : 2	RISK SMOKING MARIJUANA ONCE A MONTH		
			Freq	Pct
		1 = No risk	12485	22.63
		2 = Slight risk.....	16684	30.25
		3 = Moderate risk.....	12877	23.34
		4 = Great risk.....	12287	22.28
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	768	1.39
		97 = REFUSED	54	0.10
		98 = BLANK (NO ANSWER).....	4	0.01

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

RSKMJREG¹	Len : 2	RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	9492	17.21
		2 = Slight risk.....	13259	24.04
		3 = Moderate risk.....	14017	25.41
		4 = Great risk.....	17575	31.86
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	758	1.37
		97 = REFUSED	53	0.10
		98 = BLANK (NO ANSWER).....	5	0.01

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

RKTRYLSD¹	Len : 2	RISK TRYING LSD ONCE OR TWICE		
			Freq	Pct
		1 = No risk	1683	3.05
		2 = Slight risk.....	7123	12.91
		3 = Moderate risk.....	12612	22.86
		4 = Great risk.....	31690	57.45
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	1954	3.54
		97 = REFUSED	92	0.17
		98 = BLANK (NO ANSWER).....	5	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

RKLSDREG¹	Len : 2	RISK USING LSD ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	711	1.29
		2 = Slight risk.....	2098	3.80
		3 = Moderate risk.....	8634	15.65
		4 = Great risk.....	41708	75.61
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1922	3.48
		97 = REFUSED	81	0.15
		98 = BLANK (NO ANSWER).....	5	0.01

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

RKTRYHER¹	Len : 2	RISK TRYING HEROIN ONCE OR TWICE		
			Freq	Pct
		1 = No risk	836	1.52
		2 = Slight risk.....	3909	7.09
		3 = Moderate risk.....	8760	15.88
		4 = Great risk.....	40511	73.44
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1066	1.93
		97 = REFUSED	72	0.13
		98 = BLANK (NO ANSWER).....	5	0.01

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

RKHERREG¹	Len : 2	RISK USING HEROIN ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	526	0.95
		2 = Slight risk.....	958	1.74
		3 = Moderate risk.....	4240	7.69
		4 = Great risk.....	48354	87.66
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	1005	1.82
		97 = REFUSED	71	0.13
		98 = BLANK (NO ANSWER).....	5	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

RKCOCOC¹	Len : 2	RISK USING COCAINE ONCE A MONTH		
			Freq	Pct
		1 = No risk	1158	2.10
		2 = Slight risk.....	6137	11.13
		3 = Moderate risk.....	13136	23.81
		4 = Great risk.....	33694	61.08
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	964	1.75
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	5	0.01

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

RKCOCREG¹	Len : 2	RISK USING COCAINE ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	571	1.04
		2 = Slight risk.....	1501	2.72
		3 = Moderate risk.....	6631	12.02
		4 = Great risk.....	45489	82.47
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	902	1.64
		97 = REFUSED	60	0.11
		98 = BLANK (NO ANSWER).....	5	0.01

RISK/AVAILABILITY

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

RK5ALDLY¹	Len : 2	RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY		
			Freq	Pct
		1 = No risk	796	1.44
		2 = Slight risk.....	4611	8.36
		3 = Moderate risk.....	14945	27.09
		4 = Great risk.....	34333	62.24
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	410	0.74
		97 = REFUSED	59	0.11
		98 = BLANK (NO ANSWER).....	5	0.01

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

RK5ALWK¹	Len : 2	RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK		
			Freq	Pct
		1 = No risk	2044	3.71
		2 = Slight risk.....	11265	20.42
		3 = Moderate risk.....	20667	37.47
		4 = Great risk.....	20698	37.52
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	432	0.78
		97 = REFUSED	48	0.09
		98 = BLANK (NO ANSWER).....	5	0.01

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

RSKDIFMJ¹	Len : 2	HOW DIFFICULT TO GET MARIJUANA		
			Freq	Pct
		1 = Probably impossible.....	7928	14.37
		2 = Very difficult	5598	10.15
		3 = Fairly difficult.....	7007	12.70
		4 = Fairly easy	15314	27.76
		5 = Very easy	17579	31.87
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	1520	2.76
		97 = REFUSED	207	0.38
		98 = BLANK (NO ANSWER).....	6	0.01

How difficult or easy would it be for you to get some LSD, if you wanted some?

RKDIFLSD¹	Len : 2	HOW DIFFICULT TO GET LSD		
			Freq	Pct
		1 = Probably impossible.....	20293	36.79
		2 = Very difficult	13039	23.64
		3 = Fairly difficult.....	11094	20.11
		4 = Fairly easy	5413	9.81
		5 = Very easy	1871	3.39
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	3217	5.83
		97 = REFUSED	226	0.41
		98 = BLANK (NO ANSWER).....	6	0.01

RISK/AVAILABILITY

How difficult or easy would it be for you to get some cocaine, if you wanted some?

RKDIFCOC¹	Len : 2	HOW DIFFICULT TO GET COCAINE		
			Freq	Pct
		1 = Probably impossible.....	17869	32.39
		2 = Very difficult.....	12399	22.48
		3 = Fairly difficult.....	10189	18.47
		4 = Fairly easy.....	7999	14.50
		5 = Very easy.....	3960	7.18
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2533	4.59
		97 = REFUSED.....	204	0.37
		98 = BLANK (NO ANSWER).....	6	0.01

How difficult or easy would it be for you to get some 'crack', if you wanted some?

RKDIFCRK¹	Len : 2	HOW DIFFICULT TO GET "CRACK"		
			Freq	Pct
		1 = Probably impossible.....	19975	36.21
		2 = Very difficult.....	13020	23.60
		3 = Fairly difficult.....	9062	16.43
		4 = Fairly easy.....	6389	11.58
		5 = Very easy.....	3850	6.98
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2653	4.81
		97 = REFUSED.....	204	0.37
		98 = BLANK (NO ANSWER).....	6	0.01

How difficult or easy would it be for you to get some heroin, if you wanted some?

RKDIFHER¹	Len : 2	HOW DIFFICULT TO GET HEROIN		
			Freq	Pct
		1 = Probably impossible.....	22838	41.40
		2 = Very difficult.....	13785	24.99
		3 = Fairly difficult.....	8135	14.75
		4 = Fairly easy.....	4630	8.39
		5 = Very easy.....	2768	5.02
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2793	5.06
		97 = REFUSED.....	204	0.37
		98 = BLANK (NO ANSWER).....	6	0.01

In the past 30 days, has anyone approached you to sell you an illegal drug?

RSKSELL¹	Len : 2	APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS		
			Freq	Pct
		1 = Yes.....	6241	11.31
		2 = No.....	48803	88.48
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	73	0.13
		97 = REFUSED.....	36	0.07
		98 = BLANK (NO ANSWER).....	6	0.01

How often do you get a real kick out of doing things that are a little dangerous?

RKFQDNGR¹	Len : 2	GET A REAL KICK OUT OF DOING DANGEROUS THINGS		
			Freq	Pct
		1 = Never.....	22857	41.44
		2 = Seldom.....	16804	30.46
		3 = Sometimes.....	12683	22.99
		4 = Always.....	2184	3.96
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	491	0.89
		97 = REFUSED.....	134	0.24
		98 = BLANK (NO ANSWER).....	6	0.01

RISK/AVAILABILITY

How often do you like to test yourself by doing something a little risky?

RKFQRSKY¹	Len : 2	LIKE TO TEST YOURSELF BY DOING RISKY THINGS		
			Freq	Pct
		1 = Never.....	22708	41.17
		2 = Seldom	19428	35.22
		3 = Sometimes.....	11093	20.11
		4 = Always	1605	2.91
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	243	0.44
		97 = REFUSED	76	0.14
		98 = BLANK (NO ANSWER).....	6	0.01

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

RKFQPBLT¹	Len : 2	WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR		
			Freq	Pct
		1 = Never.....	1532	2.78
		2 = Seldom	2289	4.15
		3 = Sometimes.....	6826	12.37
		4 = Always	44440	80.57
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED	27	0.05
		98 = BLANK (NO ANSWER).....	6	0.01

How often do you wear a seatbelt when you drive a car?

RKFQDBLT¹	Len : 2	WEAR A SEATBELT WHEN YOU DRIVE A CAR		
			Freq	Pct
		1 = Never.....	1315	2.38
		2 = Seldom	1329	2.41
		3 = Sometimes.....	3210	5.82
		4 = Always	35259	63.92
		5 = I don't drive	13943	25.28
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER).....	6	0.01

RECODED RISK/AVAILABILITY

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

GRSKPKCG	Len : 1 GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RSKPKCIG=1,2,3)	443	0.80
	1 = Great Risk (RSKPKCIG=4)	18321	33.21
		36396	65.98
GRSKMOCC	Len : 1 GREAT RISK: USE MARIJUANA ONCE A MONTH		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RSKMJOCC=1,2,3)	827	1.50
	1 = Great Risk (RSKMJOCC=4)	42046	76.23
		12287	22.28
GRSKMREG	Len : 1 GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RSKMJREG=1,2,3)	817	1.48
	1 = Great Risk (RSKMJREG=4)	36768	66.66
		17575	31.86
GRSKCOCC	Len : 1 GREAT RISK: USE COCAINE ONCE A MONTH		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RKCOCOCC=1,2,3)	1035	1.88
	1 = Great Risk (RKCOCOCC=4)	20431	37.04
		33694	61.08
GRSKCREG	Len : 1 GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RKCOCREG=1,2,3)	968	1.75
	1 = Great Risk (RKCOCREG=4)	8703	15.78
		45489	82.47
GRSKHTRY	Len : 1 GREAT RISK: TRYING HEROIN ONCE OR TWICE		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RKTRYHER=1,2,3)	1144	2.07
	1 = Great Risk (RKTRYHER=4)	13505	24.48
		40511	73.44
GRSKHREG	Len : 1 GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RKHERREG=1,2,3)	1082	1.96
	1 = Great Risk (RKHERREG=4)	5724	10.38
		48354	87.66
GRSKLTRY	Len : 1 GREAT RISK: TRYING LSD ONCE OR TWICE		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RKTRYLSD=1,2,3)	2052	3.72
	1 = Great Risk (RKTRYLSD=4)	21418	38.83
		31690	57.45
GRSKLREG	Len : 1 GREAT RISK: USE LSD 1-2 TIMES PER WEEK		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RKLSDREG=1,2,3)	2009	3.64
	1 = Great Risk (RKLSDREG=4)	11443	20.75
		41708	75.61
GRSKD4_5	Len : 1 GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY		
	. = Unknown (Otherwise)	Freq	Pct
	0 = Otherwise (RK5ALDLY=1,2,3)	475	0.86
	1 = Great Risk (RK5ALDLY=4)	20352	36.90
		34333	62.24

RECODED RISK/AVAILABILITY

GRSKD5WK	Len : 1 GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		
	.	Freq	Pct
	= Unknown (Otherwise)	486	0.88
	0 = Otherwise (RK5ALWK=1,2,3)	33976	61.60
	1 = Great Risk (RK5ALWK=4)	20698	37.52
RDIFMJ	Len : 1 MARIJUANA FAIRLY OR VERY EASY TO OBTAIN		
	.	Freq	Pct
	= Unknown (Otherwise)	1734	3.14
	0 = Otherwise (RSKDIFMJ=1,2,3)	20533	37.22
	1 = Fairly or Very Easy (RSKDIFMJ=4,5)	32893	59.63
RDIFCOC	Len : 1 COCAINE FAIRLY OR VERY EASY TO OBTAIN		
	.	Freq	Pct
	= Unknown (Otherwise)	2744	4.97
	0 = Otherwise (RKDIFCOC=1,2,3)	40457	73.34
	1 = Fairly or Very Easy (RKDIFCOC=4,5)	11959	21.68
RDIFCRK	Len : 1 CRACK FAIRLY OR VERY EASY TO OBTAIN		
	.	Freq	Pct
	= Unknown (Otherwise)	2864	5.19
	0 = Otherwise (RKDIFCRK=1,2,3)	42057	76.25
	1 = Fairly or Very Easy (RKDIFCRK=4,5)	10239	18.56
RDIFHER	Len : 1 HEROIN FAIRLY OR VERY EASY TO OBTAIN		
	.	Freq	Pct
	= Unknown (Otherwise)	3004	5.45
	0 = Otherwise (RKDIFHER=1,2,3)	44758	81.14
	1 = Fairly or Very Easy (RKDIFHER=4,5)	7398	13.41
RDIFLSD	Len : 1 LSD FAIRLY OR VERY EASY TO OBTAIN		
	.	Freq	Pct
	= Unknown (Otherwise)	3450	6.25
	0 = Otherwise (RKDIFLSD=1,2,3)	44426	80.54
	1 = Fairly or Very Easy (RKDIFLSD=4,5)	7284	13.21
APPSELDG	Len : 1 APPROACHED BY SOMEONE SELLING DRUGS		
	.	Freq	Pct
	= Unknown (Otherwise)	116	0.21
	0 = No (RSKSELL=2)	48803	88.48
	1 = Yes (RSKSELL=1,3)	6241	11.31

BLUNTS

BLUNTS

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Have you ever smoked part or all of a cigar with marijuana in it?

BLNTEVER¹	Len : 2	EVER SMOKED CIGAR WITH MARIJUANA IN IT		
			Freq	Pct
		1 = Yes	12555	22.76
		2 = No.....	42178	76.46
		4 = No LOGICALLY ASSIGNED	22	0.04
		11 = Yes (see note)	311	0.56
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED	39	0.07
		98 = BLANK (NO ANSWER).....	6	0.01

How old were you the first time you smoked part or all of a cigar with marijuana in it?

BLNTAGE¹	Len : 3	AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT		
			Freq	Pct
		RANGE = 1 - 65.....	12733	23.08
		981 = NEVER USED BLUNTS Logically assigned	22	0.04
		985 = BAD DATA Logically assigned	3	0.01
		991 = NEVER USED BLUNTS.....	42178	76.46
		994 = DON'T KNOW.....	97	0.18
		997 = REFUSED	72	0.13
		998 = BLANK (NO ANSWER).....	55	0.10

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

BLNTYFU¹	Len : 4	YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	1885	3.42
		9981 = NEVER USED BLUNTS Logically assigned	22	0.04
		9985 = BAD DATA Logically assigned	30	0.05
		9989 = LEGITIMATE SKIP Logically assigned	64	0.12
		9991 = NEVER USED BLUNTS.....	42178	76.46
		9994 = DON'T KNOW.....	105	0.19
		9997 = REFUSED	75	0.14
		9998 = BLANK (NO ANSWER).....	58	0.11
		9999 = LEGITIMATE SKIP	10743	19.48

BLUNTS

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

BLNTMFU¹	Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE		
		Freq	Pct
	1 = January	172	0.31
	2 = February	105	0.19
	3 = March	117	0.21
	4 = April	183	0.33
	5 = May	117	0.21
	6 = June	222	0.40
	7 = July	206	0.37
	8 = August	118	0.21
	9 = September	114	0.21
	10 = October	148	0.27
	11 = November	125	0.23
	12 = December	121	0.22
	81 = NEVER USED BLUNTS Logically assigned	22	0.04
	85 = BAD DATA Logically assigned	30	0.05
	89 = LEGITIMATE SKIP Logically assigned	64	0.12
	91 = NEVER USED BLUNTS	42178	76.46
	94 = DON'T KNOW	226	0.41
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER)	69	0.13
	99 = LEGITIMATE SKIP	10743	19.48

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

BLNTREC¹	Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT		
		Freq	Pct
	1 = Within the past 30 days	3172	5.75
	2 = More than 30 days ago but within the past 12 mos	2975	5.39
	3 = More than 12 months ago	6353	11.52
	9 = Used at some point in lifetime LOG ASSN	88	0.16
	12 = More than 30 dys ago but in pst 12 mos (see note)	180	0.33
	19 = More than 30 days ago LOGICALLY ASSIGNED	98	0.18
	81 = NEVER USED BLUNTS Logically assigned	22	0.04
	91 = NEVER USED BLUNTS	42178	76.46
	97 = REFUSED	39	0.07
	98 = BLANK (NO ANSWER)	55	0.10

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

BLRECFL2¹	Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA		
		Freq	Pct
	1 = Incidence data suggest more recent use	141	0.26
	98 = BLANK (NO ANSWER)	55019	99.74

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

BLNT30DY¹	Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 30	3126	5.67
	91 = NEVER USED BLUNTS	42200	76.50
	93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS	9606	17.41
	94 = DON'T KNOW	29	0.05
	97 = REFUSED	45	0.08
	98 = BLANK (NO ANSWER)	154	0.28

BLUNTS

The answer to the last question and an earlier question disagree. Which is correct?

BLNT30C1¹	Len : 2	BL02/MJ01 DISAGREE, WHICH IS CORRECT		
			Freq	Pct
		1 = I have never used marijuana or hashish.....	22	0.04
		2 = I smoked cigar w/mj in it during the past 30 days	39	0.07
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	96	0.17
		99 = LEGITIMATE SKIP	55002	99.71

The answer to the last question and an earlier question disagree. Which answer is correct?

BLNT30C2¹	Len : 2	BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT		
			Freq	Pct
		1 = I last used marijuana or hashish [MJREC FILL].....	101	0.18
		2 = I smoked cigar w/mj in it during the past 30 days	104	0.19
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	164	0.30
		99 = LEGITIMATE SKIP	54790	99.33

Why did you report earlier that you had never used marijuana or hashish?

RSNOMRJ¹	Len : 2	WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH		
			Freq	Pct
		1 = I didn't consider a "blunt" to be mj or hashish	8	0.01
		2 = I made mistake answering earlier question about mj	27	0.05
		3 = Some other reason	4	0.01
		98 = BLANK (NO ANSWER).....	97	0.18
		99 = LEGITIMATE SKIP	55024	99.75

Why did you report earlier that you did not use marijuana or hashish during the past 30 days?

RSNMRJMO¹	Len : 2	WHY REPT EARLIER NOT USE MJ OR HASH PAST 30 DAYS		
			Freq	Pct
		1 = I didn't consider a "blunt" to be mj or hashish	18	0.03
		2 = I made mistake answering earlier question about mj	78	0.14
		3 = Some other reason	6	0.01
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	165	0.30
		99 = LEGITIMATE SKIP	54891	99.51

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

BLNTNOMJ¹	Len : 2	SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS		
			Freq	Pct
		1 = Yes	504	0.91
		2 = No.....	412	0.75
		5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2185	3.96
		14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY	1054	1.91
		24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS.....	1187	2.15
		91 = NEVER USED CIGARS/BLUNTS	34117	61.85
		93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS	15410	27.94
		98 = BLANK (NO ANSWER).....	291	0.53

BLUNTS

NOTE: Past year marijuana users could answer MEDMJYR and MEDMJALL as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use. For more information, please see the appendix titled "Medical Marijuana Variables".

Earlier, you reported using marijuana in the past year. Was any of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

MEDMJYR¹	Len : 2 ANY MJ USE RECMDED BY DR IN PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	568	1.03
	2 = No.....	9789	17.75
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA OR BLUNTS	32615	59.13
	93 = DID NOT USE MJ OR BLUNTS PST 12 MOS	11680	21.17
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	27	0.05
	98 = BLANK (NO ANSWER).....	475	0.86

Was all of your marijuana use in the past 12 months recommended by a doctor or other health care professional?

MEDMJALL¹	Len : 2 ALL MJ USE RECMDED BY DR IN PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	284	0.51
	2 = No.....	280	0.51
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED MARIJUANA OR BLUNTS	32615	59.13
	93 = DID NOT USE MJ OR BLUNTS PST 12 MOS	11680	21.17
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	27	0.05
	98 = BLANK (NO ANSWER).....	481	0.87
	99 = LEGITIMATE SKIP	9789	17.75

NOTE: MEDMJST2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons was in effect at the time of the interview. The entire sample was classified into two categories. MEDMJST2 was coded as 1 if the respondent was in a State where a law allowing the use of marijuana for medical reasons was in effect on or before the interview date. MEDMJST2 was coded as 2 if (a) the respondent was in a State that did not have a law allowing the use of marijuana for medical reasons at any time during the survey year; or (b) the respondent was in a State where a law allowing the use of marijuana for medical reasons went into effect during the survey year but after the interview date.

MEDMJST2¹	Len : 1 STATE MEDICAL MJ LAW STATUS AT TIME OF INTERVIEW		
		Freq	Pct
	1 = In State where MJ approvd for med use before intvw.....	18846	34.17
	2 = Not in State MJ approvd for med use/by intvw date	36314	65.83

SUBSTANCE DEPENDENCE AND ABUSE

SUBSTANCE DEPENDENCE AND ABUSE

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

CIGIRTLB¹	Len : 2	NEED TO SMOKE TO FEEL LESS IRRITABLE		
			Freq	Pct
		1 = Not at all true	3498	6.34
		2 = Somewhat true.....	2864	5.19
		3 = Moderately true.....	2183	3.96
		4 = Very true.....	2100	3.81
		5 = Extremely true	1248	2.26
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED	16	0.03
		98 = BLANK (NO ANSWER).....	16	0.03

When you don't smoke for a few hours, you start to crave cigarettes.

CIGCRAVE¹	Len : 2	START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS		
			Freq	Pct
		1 = Not at all true	3891	7.05
		2 = Somewhat true.....	2591	4.70
		3 = Moderately true.....	1629	2.95
		4 = Very true.....	2354	4.27
		5 = Extremely true	1449	2.63
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	16	0.03

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

CIGCRAGP¹	Len : 2	CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL		
			Freq	Pct
		1 = Not at all true	5343	9.69
		2 = Somewhat true.....	2362	4.28
		3 = Moderately true.....	1708	3.10
		4 = Very true.....	1550	2.81
		5 = Extremely true	948	1.72
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	16	0.03

SUBSTANCE DEPENDENCE AND ABUSE

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

CIGINCTL¹	Len : 2	FEEL A SENSE OF CONTROL OVER YOUR SMOKING		
			Freq	Pct
		1 = Not at all true	2871	5.20
		2 = Somewhat true.....	3099	5.62
		3 = Moderately true.....	1825	3.31
		4 = Very true.....	1725	3.13
		5 = Extremely true	2377	4.31
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED	19	0.03
		98 = BLANK (NO ANSWER).....	16	0.03

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

CIGAVOID¹	Len : 2	TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING		
			Freq	Pct
		1 = Not at all true	8287	15.02
		2 = Somewhat true.....	1605	2.91
		3 = Moderately true.....	960	1.74
		4 = Very true.....	626	1.13
		5 = Extremely true	392	0.71
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	16	0.03

Do you have any friends who do not smoke cigarettes?

CIGFNSMK¹	Len : 2	HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES		
			Freq	Pct
		1 = Yes	11149	20.21
		2 = No.....	780	1.41
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	16	0.03

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

CIGFNLKE¹	Len : 2	CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE		
			Freq	Pct
		1 = Not at all true	8597	15.59
		2 = Somewhat true.....	1246	2.26
		3 = Moderately true.....	693	1.26
		4 = Very true.....	358	0.65
		5 = Extremely true	218	0.40
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP	780	1.41

SUBSTANCE DEPENDENCE AND ABUSE

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

CIGPLANE¹	Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING		
		Freq	Pct
	1 = Not at all true	10115	18.34
	2 = Somewhat true.....	747	1.35
	3 = Moderately true.....	456	0.83
	4 = Very true.....	314	0.57
	5 = Extremely true	257	0.47
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED CIGARETTES	28008	50.78
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
	94 = DON'T KNOW.....	34	0.06
	97 = REFUSED	18	0.03
	98 = BLANK (NO ANSWER).....	16	0.03

You sometimes worry that you will run out of cigarettes.

CIGRNOUT¹	Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS		
		Freq	Pct
	1 = Not at all true	6363	11.54
	2 = Somewhat true.....	2462	4.46
	3 = Moderately true.....	1193	2.16
	4 = Very true.....	1124	2.04
	5 = Extremely true	770	1.40
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED CIGARETTES	28008	50.78
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	15	0.03
	98 = BLANK (NO ANSWER).....	16	0.03

You smoke cigarettes fairly regularly throughout the day.

CIGREGDY¹	Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY		
		Freq	Pct
	1 = Not at all true	4230	7.67
	2 = Somewhat true.....	2170	3.93
	3 = Moderately true.....	1579	2.86
	4 = Very true.....	2307	4.18
	5 = Extremely true	1633	2.96
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED CIGARETTES	28008	50.78
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	17	0.03
	98 = BLANK (NO ANSWER).....	16	0.03

You smoke about the same amount on weekends as on weekdays.

CIGREGWK¹	Len : 2 SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS		
		Freq	Pct
	1 = Not at all true	4117	7.46
	2 = Somewhat true.....	2167	3.93
	3 = Moderately true.....	1657	3.00
	4 = Very true.....	2365	4.29
	5 = Extremely true	1593	2.89
	85 = BAD DATA Logically assigned.....	1	0.00
	91 = NEVER USED CIGARETTES	28008	50.78
	93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	15194	27.55
	94 = DON'T KNOW.....	24	0.04
	97 = REFUSED	18	0.03
	98 = BLANK (NO ANSWER).....	16	0.03

SUBSTANCE DEPENDENCE AND ABUSE

You smoke just about the same number of cigarettes from day to day.

CIGREGNM¹	Len : 2	SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY		
			Freq	Pct
		1 = Not at all true	3598	6.52
		2 = Somewhat true.....	2067	3.75
		3 = Moderately true.....	1748	3.17
		4 = Very true.....	2760	5.00
		5 = Extremely true	1725	3.13
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	16	0.03

It's hard to say how many cigarettes you smoke per day because the number often changes.

CIGNMCHG¹	Len : 2	NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES		
			Freq	Pct
		1 = Not at all true	4445	8.06
		2 = Somewhat true.....	2946	5.34
		3 = Moderately true.....	1577	2.86
		4 = Very true.....	1723	3.12
		5 = Extremely true	1199	2.17
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	16	0.03

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

CIGSVLHR¹	Len : 2	HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER		
			Freq	Pct
		1 = Not at all true	6204	11.25
		2 = Somewhat true.....	2398	4.35
		3 = Moderately true.....	1562	2.83
		4 = Very true.....	1088	1.97
		5 = Extremely true	619	1.12
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED	25	0.05
		98 = BLANK (NO ANSWER).....	16	0.03

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

CIGINFLU¹	Len : 2	# OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS		
			Freq	Pct
		1 = Not at all true	2335	4.23
		2 = Somewhat true.....	2263	4.10
		3 = Moderately true.....	2119	3.84
		4 = Very true.....	2897	5.25
		5 = Extremely true	2271	4.12
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED	25	0.05
		98 = BLANK (NO ANSWER).....	16	0.03

SUBSTANCE DEPENDENCE AND ABUSE

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

CIGNOINF¹	Len : 2	SMOKING NOT AFFECTED BY OTHER THINGS		
			Freq	Pct
		1 = Not at all true	4473	8.11
		2 = Somewhat true.....	3029	5.49
		3 = Moderately true.....	2082	3.77
		4 = Very true.....	1432	2.60
		5 = Extremely true	859	1.56
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED	26	0.05
		98 = BLANK (NO ANSWER).....	16	0.03

Since you started smoking, the amount you smoke has increased.

CIGINCRS¹	Len : 2	AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING		
			Freq	Pct
		1 = Not at all true	4346	7.88
		2 = Somewhat true.....	2411	4.37
		3 = Moderately true.....	1666	3.02
		4 = Very true.....	1972	3.58
		5 = Extremely true	1508	2.73
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

CIGSATIS¹	Len : 2	NEED TO SMOKE A LOT MORE TO BE SATISFIED		
			Freq	Pct
		1 = Not at all true	6482	11.75
		2 = Somewhat true.....	2148	3.89
		3 = Moderately true.....	1406	2.55
		4 = Very true.....	1104	2.00
		5 = Extremely true	764	1.39
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	16	0.03

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

CIGLOTMR¹	Len : 2	SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING		
			Freq	Pct
		1 = Not at all true	6388	11.58
		2 = Somewhat true.....	2367	4.29
		3 = Moderately true.....	1512	2.74
		4 = Very true.....	971	1.76
		5 = Extremely true	633	1.15
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED	24	0.04
		98 = BLANK (NO ANSWER).....	16	0.03

SUBSTANCE DEPENDENCE AND ABUSE

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

CIGWAKE¹	Len : 2	HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG		
			Freq	Pct
		1 = Within the first 5 minutes after you wake up	2044	3.71
		2 = Between 6 and 30 minutes after you wake up	2882	5.22
		3 = Between 31 and 60 minutes after you wake up	1956	3.55
		4 = More than 60 minutes after you wake up	4675	8.48
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED CIGARETTES	28008	50.78
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	15194	27.55
		94 = DON'T KNOW	197	0.36
		97 = REFUSED	177	0.32
		98 = BLANK (NO ANSWER)	26	0.05

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?

ALCLOTTM¹	Len : 2	SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS		
			Freq	Pct
		1 = Yes	5005	9.07
		2 = No	21455	38.90
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	137	0.25
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	11119	20.16
		94 = DON'T KNOW	19	0.03
		97 = REFUSED	18	0.03
		98 = BLANK (NO ANSWER)	399	0.72

During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?

ALCGTOVR¹	Len : 2	MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS		
			Freq	Pct
		1 = Yes	511	0.93
		2 = No	20943	37.97
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	137	0.25
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	11119	20.16
		94 = DON'T KNOW	19	0.03
		97 = REFUSED	19	0.03
		98 = BLANK (NO ANSWER)	399	0.72
		99 = LEGITIMATE SKIP	5005	9.07

During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?

ALCLIMIT¹	Len : 2	SET LIMITS ON ALCOHOL USE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	10084	18.28
		2 = No	16326	29.60
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn	137	0.25
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS	11119	20.16
		94 = DON'T KNOW	55	0.10
		97 = REFUSED	32	0.06
		98 = BLANK (NO ANSWER)	399	0.72

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often drink more than you intended to?

ALCKPLMT¹	Len : 2	ABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	8781	15.92
		2 = Often drank more than intended.....	1298	2.35
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	457	0.83
		99 = LEGITIMATE SKIP	16326	29.60

During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?

ALCNDMOR¹	Len : 2	NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes	2957	5.36
		2 = No.....	23474	42.56
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED	31	0.06
		98 = BLANK (NO ANSWER).....	399	0.72

During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?

ALCLSEFX¹	Len : 2	DRNG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
		1 = Yes	2727	4.94
		2 = No.....	20642	37.42
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
		94 = DON'T KNOW.....	128	0.23
		97 = REFUSED	43	0.08
		98 = BLANK (NO ANSWER).....	399	0.72
		99 = LEGITIMATE SKIP	2957	5.36

During the past 12 months, did you want to or try to cut down or stop drinking alcohol?

ALCCUTDN¹	Len : 2	WANT/TRY TO CUT DOWN/STOP DRNG PAST 12 MOS		
			Freq	Pct
		1 = Yes	8347	15.13
		2 = No.....	18005	32.64
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
		94 = DON'T KNOW.....	76	0.14
		97 = REFUSED	69	0.13
		98 = BLANK (NO ANSWER).....	399	0.72

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?

ALCCUTEV¹	Len : 2	ABLE TO CUT/STOP DRNGK EVERY TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes		7259	13.16
	2 = No.....		1070	1.94
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	94 = DON'T KNOW.....		15	0.03
	97 = REFUSED		72	0.13
	98 = BLANK (NO ANSWER).....		478	0.87
	99 = LEGITIMATE SKIP		18005	32.64

During the past 12 months, did you cut down or stop drinking at least one time?

ALCCUT1X¹	Len : 2	CUT DOWN OR STOP DRNGK AT LEAST ONCE PAST 12 MOS		
			Freq	Pct
	1 = Yes		6591	11.95
	2 = No.....		12463	22.59
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	94 = DON'T KNOW.....		107	0.19
	97 = REFUSED		77	0.14
	98 = BLANK (NO ANSWER).....		399	0.72
	99 = LEGITIMATE SKIP		7259	13.16

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

ALCWD2SX¹	Len : 2	HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
	1 = Yes		1559	2.83
	2 = No.....		12259	22.22
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	94 = DON'T KNOW.....		22	0.04
	97 = REFUSED		87	0.16
	98 = BLANK (NO ANSWER).....		509	0.92
	99 = LEGITIMATE SKIP		12463	22.59

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

ALCWDSMT¹	Len : 2	HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS		
			Freq	Pct
	1 = Yes		826	1.50
	2 = No.....		731	1.33
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	97 = REFUSED		89	0.16
	98 = BLANK (NO ANSWER).....		531	0.96
	99 = LEGITIMATE SKIP		24722	44.82

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?

ALCEMOPB¹	Len : 2	ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
	1 = Yes		2035	3.69
	2 = No.....		24393	44.22
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	94 = DON'T KNOW.....		33	0.06
	97 = REFUSED		36	0.07
	98 = BLANK (NO ANSWER).....		399	0.72

Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?

ALCEMCTD¹	Len : 2	CONTD TO DRINK ALC DESPITE EMOT PRBS		
			Freq	Pct
	1 = Yes		1227	2.22
	2 = No.....		802	1.45
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	94 = DON'T KNOW.....		6	0.01
	97 = REFUSED		36	0.07
	98 = BLANK (NO ANSWER).....		435	0.79
	99 = LEGITIMATE SKIP		24393	44.22

During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?

ALCPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS		
			Freq	Pct
	1 = Yes		680	1.23
	2 = No.....		24534	44.48
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		11119	20.16
	94 = DON'T KNOW.....		22	0.04
	97 = REFUSED		34	0.06
	98 = BLANK (NO ANSWER).....		399	0.72
	99 = LEGITIMATE SKIP		1227	2.22

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?

ALCPHCTD¹	Len : 2	CONTD TO DRINK ALC DESPITE PHYS PRBS		
			Freq	Pct
	1 = Yes		282	0.51
	2 = No.....		397	0.72
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS		11119	20.16
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		34	0.06
	98 = BLANK (NO ANSWER).....		424	0.77
	99 = LEGITIMATE SKIP		25761	46.70

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?

ALCLSACT¹	Len : 2	LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS		
			Freq	Pct
	1 = Yes		1368	2.48
	2 = No.....		25066	45.44
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS		11119	20.16
	94 = DON'T KNOW.....		24	0.04
	97 = REFUSED		39	0.07
	98 = BLANK (NO ANSWER).....		399	0.72

Sometimes people who drink alcohol have serious problems at home, work or school - such as:

- Neglecting their children
- Missing work or school
- Doing a poor job at work or school
- Losing a job or dropping out of school

During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?

ALCSERP¹	Len : 2	ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
	1 = Yes		925	1.68
	2 = No.....		25511	46.25
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS		11119	20.16
	94 = DON'T KNOW.....		22	0.04
	97 = REFUSED		39	0.07
	98 = BLANK (NO ANSWER).....		399	0.72

During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?

ALCPDANG¹	Len : 2	DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
	1 = Yes		2653	4.81
	2 = No.....		23798	43.14
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....		137	0.25
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL.....		17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS		11119	20.16
	94 = DON'T KNOW.....		16	0.03
	97 = REFUSED		30	0.05
	98 = BLANK (NO ANSWER).....		399	0.72

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?

ALCLAWTR¹	Len : 2 DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes	504	0.91
	2 = No.....	25944	47.03
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
	85 = BAD DATA Logically assigned	3	0.01
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	32	0.06
	98 = BLANK (NO ANSWER).....	399	0.72

During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?

ALCFMFPB¹	Len : 2 DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	1 = Yes	1663	3.01
	2 = No.....	24787	44.94
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
	85 = BAD DATA Logically assigned	3	0.01
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
	94 = DON'T KNOW.....	15	0.03
	97 = REFUSED	32	0.06
	98 = BLANK (NO ANSWER).....	399	0.72

Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?

ALCFMCTD¹	Len : 2 CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS		
		Freq	Pct
	1 = Yes	1081	1.96
	2 = No.....	577	1.05
	83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.....	137	0.25
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	11119	20.16
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	33	0.06
	98 = BLANK (NO ANSWER).....	417	0.76
	99 = LEGITIMATE SKIP	24787	44.94

Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?

MRJLOTTM¹	Len : 2 SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS		
		Freq	Pct
	1 = Yes	3586	6.50
	2 = No.....	4141	7.51
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	35	0.06
	98 = BLANK (NO ANSWER).....	223	0.40

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?

MRJGTOVR¹	Len : 2	MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS		
			Freq	Pct
		1 = Yes	134	0.24
		2 = No.....	4009	7.27
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	223	0.40
		99 = LEGITIMATE SKIP	3586	6.50

During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?

MRJLIMIT¹	Len : 2	SET LIMITS ON MARIJUANA USE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	2900	5.26
		2 = No.....	4824	8.75
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED	35	0.06
		98 = BLANK (NO ANSWER).....	223	0.40

Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?

MRJKPLMT¹	Len : 2	ABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	2307	4.18
		2 = Often used more than intended.....	587	1.06
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	37	0.07
		98 = BLANK (NO ANSWER).....	234	0.42
		99 = LEGITIMATE SKIP	4824	8.75

During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?

MRJNDMOR¹	Len : 2	NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes	1966	3.56
		2 = No.....	5753	10.43
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	37	0.07
		98 = BLANK (NO ANSWER).....	223	0.40

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?

MRJLSEFX¹	Len : 2 USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes	770	1.40
	2 = No.....	4976	9.02
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	20	0.04
	97 = REFUSED	37	0.07
	98 = BLANK (NO ANSWER).....	223	0.40
	99 = LEGITIMATE SKIP	1966	3.56

During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?

MRJCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS		
		Freq	Pct
	1 = Yes	3181	5.77
	2 = No.....	4532	8.22
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	40	0.07
	98 = BLANK (NO ANSWER).....	223	0.40

During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?

MRJCUTEV¹	Len : 2 ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS		
		Freq	Pct
	1 = Yes	2693	4.88
	2 = No.....	483	0.88
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	41	0.07
	98 = BLANK (NO ANSWER).....	240	0.44
	99 = LEGITIMATE SKIP	4532	8.22

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?

MRJEMOPB¹	Len : 2 MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
		Freq	Pct
	1 = Yes	767	1.39
	2 = No.....	6958	12.61
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	34	0.06
	98 = BLANK (NO ANSWER).....	223	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

MRJEMCTD¹	Len : 2	CONTD USING MARIJUANA DESPITE EMOT PRBS		
			Freq	Pct
		1 = Yes	519	0.94
		2 = No.....	247	0.45
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	34	0.06
		98 = BLANK (NO ANSWER).....	234	0.42
		99 = LEGITIMATE SKIP	6958	12.61

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?

MRJPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS		
			Freq	Pct
		1 = Yes	168	0.30
		2 = No.....	7039	12.76
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	32	0.06
		98 = BLANK (NO ANSWER).....	223	0.40
		99 = LEGITIMATE SKIP	519	0.94

Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?

MRJPHCTD¹	Len : 2	CONTD TO USE MARIJUANA DESPITE PHYS PRBS		
			Freq	Pct
		1 = Yes	91	0.16
		2 = No.....	77	0.14
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		97 = REFUSED	32	0.06
		98 = BLANK (NO ANSWER).....	235	0.43
		99 = LEGITIMATE SKIP	7558	13.70

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?

MRJLSACT¹	Len : 2	LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS		
			Freq	Pct
		1 = Yes	825	1.50
		2 = No.....	6903	12.51
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED	33	0.06
		98 = BLANK (NO ANSWER).....	223	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?

MRJSERP¹	Len : 2 MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	1 = Yes	521	0.94
	2 = No.....	7205	13.06
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	38	0.07
	98 = BLANK (NO ANSWER).....	223	0.40

During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?

MRJPDANG¹	Len : 2 USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		Freq	Pct
	1 = Yes	404	0.73
	2 = No.....	7325	13.28
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	32	0.06
	98 = BLANK (NO ANSWER).....	223	0.40

During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?

MRJLAWTR¹	Len : 2 USING MJ CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes	248	0.45
	2 = No.....	7482	13.56
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	34	0.06
	98 = BLANK (NO ANSWER).....	223	0.40

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?

MRJFMFPB¹	Len : 2 USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	1 = Yes	636	1.15
	2 = No.....	7093	12.86
	83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA	32966	59.76
	93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	32	0.06
	98 = BLANK (NO ANSWER).....	223	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?

MRJFMCTD¹	Len : 2	CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS		
			Freq	Pct
		1 = Yes	493	0.89
		2 = No.....	143	0.26
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn.....	52	0.09
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS	14149	25.65
		97 = REFUSED	32	0.06
		98 = BLANK (NO ANSWER).....	232	0.42
		99 = LEGITIMATE SKIP	7093	12.86

Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?

COCLOTTM¹	Len : 2	SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS		
			Freq	Pct
		1 = Yes	150	0.27
		2 = No.....	1000	1.81
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	70	0.13

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?

COCGTOVR¹	Len : 2	MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS		
			Freq	Pct
		1 = Yes	41	0.07
		2 = No.....	958	1.74
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	70	0.13
		99 = LEGITIMATE SKIP	150	0.27

During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?

COCLIMIT¹	Len : 2	SET LIMITS ON COCAINE USE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	367	0.67
		2 = No.....	779	1.41
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	70	0.13

Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?

COCKPLMT¹	Len : 2	ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	273	0.49
		2 = Often used more than intended.....	94	0.17
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	75	0.14
		99 = LEGITIMATE SKIP	779	1.41

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?

COCNDMOR¹	Len : 2	NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
	1 = Yes		140	0.25
	2 = No.....		1007	1.83
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		70	0.13

During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?

COCLSEFX¹	Len : 2	USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
	1 = Yes		65	0.12
	2 = No.....		941	1.71
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	94 = DON'T KNOW.....		5	0.01
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		70	0.13
	99 = LEGITIMATE SKIP		140	0.25

During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?

COCCUTDN¹	Len : 2	WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS		
			Freq	Pct
	1 = Yes		476	0.86
	2 = No.....		669	1.21
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		11	0.02
	98 = BLANK (NO ANSWER).....		70	0.13

During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?

COCCUTEV¹	Len : 2	ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes		417	0.76
	2 = No.....		58	0.11
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	97 = REFUSED		12	0.02
	98 = BLANK (NO ANSWER).....		75	0.14
	99 = LEGITIMATE SKIP		669	1.21

During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?

COCCUT1X¹	Len : 2	CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS		
			Freq	Pct
	1 = Yes		255	0.46
	2 = No.....		472	0.86
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		12	0.02
	98 = BLANK (NO ANSWER).....		70	0.13
	99 = LEGITIMATE SKIP		417	0.76

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?

COCFLBLU¹	Len : 2	WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	146	0.26
		2 = No.....	525	0.95
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	75	0.14
		99 = LEGITIMATE SKIP	472	0.86

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

COCWD2SX¹	Len : 2	HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		1 = Yes	116	0.21
		2 = No.....	30	0.05
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP	997	1.81

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

COCWDSMT¹	Len : 2	HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes	96	0.17
		2 = No.....	20	0.04
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP	1027	1.86

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?

COCEMOPB¹	Len : 2	COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		1 = Yes	159	0.29
		2 = No.....	988	1.79
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	70	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

COCMCTD¹	Len : 2	CONTD TO USE COC DESPITE EMOT PRBS		
			Freq	Pct
	1 = Yes		91	0.16
	2 = No.....		68	0.12
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		74	0.13
	99 = LEGITIMATE SKIP		988	1.79

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?

COCPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS		
			Freq	Pct
	1 = Yes		37	0.07
	2 = No.....		1020	1.85
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	94 = DON'T KNOW.....		3	0.01
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		70	0.13
	99 = LEGITIMATE SKIP		91	0.16

Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?

COCPHCTD¹	Len : 2	CONTD TO USE COC DESPITE PHYS PRBS		
			Freq	Pct
	1 = Yes		13	0.02
	2 = No.....		24	0.04
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		74	0.13
	99 = LEGITIMATE SKIP		1111	2.01

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?

COCLSACT¹	Len : 2	LESS ACTIVITIES B/C OF COC USE PAST 12 MOS		
			Freq	Pct
	1 = Yes		113	0.20
	2 = No.....		1035	1.88
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		70	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?

COCSERP¹	Len : 2	COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes	95	0.17
		2 = No.....	1052	1.91
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	70	0.13

During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?

COCPDANG¹	Len : 2	USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
		1 = Yes	104	0.19
		2 = No.....	1044	1.89
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	70	0.13

During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?

COCLAWTR¹	Len : 2	USING COC CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
		1 = Yes	37	0.07
		2 = No.....	1112	2.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	70	0.13

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?

COCFMFPB¹	Len : 2	USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
		1 = Yes	120	0.22
		2 = No.....	1030	1.87
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED COCAINE	49490	89.72
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS	4439	8.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	70	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?

COCFMCTD¹	Len : 2	CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS		
			Freq	Pct
	1 = Yes		78	0.14
	2 = No.....		42	0.08
	91 = NEVER USED COCAINE		49490	89.72
	93 = DID NOT USE COCAINE IN THE PAST 12 MOS		4439	8.05
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		73	0.13
	99 = LEGITIMATE SKIP		1030	1.87

NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC. Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?

HERLOTTM¹	Len : 2	SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS		
			Freq	Pct
	1 = Yes		130	0.24
	2 = No.....		122	0.22
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED HEROIN.....		54276	98.40
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS		579	1.05
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		45	0.08

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?

HERGTOVR¹	Len : 2	MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO		
			Freq	Pct
	1 = Yes		13	0.02
	2 = No.....		109	0.20
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED HEROIN.....		54276	98.40
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS		579	1.05
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		45	0.08
	99 = LEGITIMATE SKIP		130	0.24

During the past 12 months, did you try to set limits on how often or how much heroin you would use?

HERLIMIT¹	Len : 2	SET LIMITS ON HEROIN USE PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		147	0.27
	2 = No.....		104	0.19
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED HEROIN.....		54276	98.40
	93 = DID NOT USE HEROIN IN THE PAST 12 MOS		579	1.05
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		45	0.08

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use heroin more than you intended to?

HERKPLMT¹	Len : 2	ABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	62	0.11
		2 = Often used more than intended.....	85	0.15
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP	104	0.19

During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?

HERNDMOR¹	Len : 2	NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes	122	0.22
		2 = No.....	128	0.23
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?

HERLSEFX¹	Len : 2	USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes	17	0.03
		2 = No.....	111	0.20
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP	122	0.22

During the past 12 months, did you want to or try to cut down or stop using heroin?

HERCUTDN¹	Len : 2	WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS		
			Freq	Pct
		1 = Yes	172	0.31
		2 = No.....	78	0.14
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?

HERCUTEV¹	Len : 2	ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
			Freq	Pct
		1 = Yes	100	0.18
		2 = No.....	71	0.13
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP	78	0.14

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using heroin at least one time?

HERCUT1X¹	Len : 2	CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS		
			Freq	Pct
		1 = Yes	84	0.15
		2 = No.....	66	0.12
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP	100	0.18

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

HERWD3SX¹	Len : 2	HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		1 = Yes	136	0.25
		2 = No.....	48	0.09
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP	66	0.12

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

HERWDSMT¹	Len : 2	HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS		
			Freq	Pct
		1 = Yes	124	0.22
		2 = No.....	12	0.02
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP	114	0.21

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?

HEREMOPB¹	Len : 2	HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		1 = Yes	124	0.22
		2 = No.....	126	0.23
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?

HEREMCTD¹	Len : 2	CONTD TO USE HEROIN DESPITE EMOT PRBS		
			Freq	Pct
		1 = Yes	93	0.17
		2 = No.....	31	0.06
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP	126	0.23

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?

HERPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS		
			Freq	Pct
		1 = Yes	18	0.03
		2 = No.....	139	0.25
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP	93	0.17

Did you continue to use heroin even though you thought it was causing you to have physical problems?

HERPHCTD¹	Len : 2	CONTD TO USE HEROIN DESPITE PHYS PRBS		
			Freq	Pct
		1 = Yes	9	0.02
		2 = No.....	9	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	47	0.09
		99 = LEGITIMATE SKIP	232	0.42

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?

HERLSACT¹	Len : 2	LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS		
			Freq	Pct
		1 = Yes	123	0.22
		2 = No.....	127	0.23
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

Sometimes people who use heroin have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?

HERSERPB¹	Len : 2	HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes	101	0.18
		2 = No.....	150	0.27
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?

HERPDANG¹	Len : 2	USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS		
			Freq	Pct
		1 = Yes	97	0.18
		2 = No.....	153	0.28
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?

HERLAWTR¹	Len : 2	USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
		1 = Yes	45	0.08
		2 = No.....	206	0.37
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?

HERFMFPB¹	Len : 2	USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
			Freq	Pct
		1 = Yes	125	0.23
		2 = No.....	127	0.23
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	45	0.08

Did you continue to use heroin even though you thought it caused problems with family or friends?

HERFMCTD¹	Len : 2	CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS		
			Freq	Pct
		1 = Yes	106	0.19
		2 = No.....	19	0.03
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED HEROIN.....	54276	98.40
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS	579	1.05
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	46	0.08
		99 = LEGITIMATE SKIP	127	0.23

NOTE: HALDAFLG is a flag variable that indicates differences in how the hallucinogen variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year users from the core HALLUCINOGENS module were routed into the corresponding questions, and how these hallucinogen variables were edited this year. Editing this year took into account logic that routed past year users of ketamine (from KETAREC), the tryptamines DMT, AMT, and 5-MeO-DIPT/"Foxy" (from TRYPREC), and Salvia divinorum (from SALVREC) into these dependence and abuse questions for hallucinogens.

HALDAFLG¹	Len : 2	EDITING FLAG FOR HALLUC DEPENDENCE & ABUSE VARS		
			Freq	Pct
		1 = Never used based on 07/Now: Not past yr user	382	0.69
		3 = Never used based on 07/Now: Blank	124	0.22
		4 = Blank based on 07/Now: Past yr user	8	0.01
		5 = Not past yr user based on 07/Now: Past yr user	68	0.12
		6 = Never used based on 07/Now: Past yr user	74	0.13
		98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW).....	54504	98.81

Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?

HALLOTTM¹	Len : 2	SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS		
			Freq	Pct
		1 = Yes	117	0.21
		2 = No.....	1670	3.03
		91 = NEVER USED HALLUCINOGENS	47222	85.61
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	401	0.73

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?

HALGTOVR¹	Len : 2 MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO		
		Freq	Pct
	1 = Yes	42	0.08
	2 = No.....	1631	2.96
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	401	0.73
	99 = LEGITIMATE SKIP	117	0.21

During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?

HALLIMIT¹	Len : 2 SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	399	0.72
	2 = No.....	1386	2.51
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	401	0.73

Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?

HALKPLMT¹	Len : 2 ABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	387	0.70
	2 = Often used more than intended.....	12	0.02
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	408	0.74
	99 = LEGITIMATE SKIP	1386	2.51

During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?

HALNDMOR¹	Len : 2 NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes	103	0.19
	2 = No.....	1679	3.04
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	401	0.73

During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?

HALLSEFX¹	Len : 2 USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes	64	0.12
	2 = No.....	1610	2.92
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	401	0.73
	99 = LEGITIMATE SKIP	103	0.19

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you want to or try to cut down or stop using hallucinogens?

HALCUTDN¹	Len : 2	WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS		
			Freq	Pct
	1 = Yes		425	0.77
	2 = No.....		1353	2.45
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		12	0.02
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		401	0.73

During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?

HALCUTEV¹	Len : 2	ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO		
			Freq	Pct
	1 = Yes		412	0.75
	2 = No.....		12	0.02
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		413	0.75
	99 = LEGITIMATE SKIP		1353	2.45

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?

HALEMOPB¹	Len : 2	HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS		
			Freq	Pct
	1 = Yes		131	0.24
	2 = No.....		1650	2.99
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		8	0.01
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		401	0.73

Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

HALEMCTD¹	Len : 2	CONTD TO USE HALLUC DESPITE EMOT PRBS		
			Freq	Pct
	1 = Yes		54	0.10
	2 = No.....		77	0.14
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		409	0.74
	99 = LEGITIMATE SKIP		1650	2.99

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?

HALPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS		
			Freq	Pct
	1 = Yes		32	0.06
	2 = No.....		1695	3.07
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		10	0.02
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		401	0.73
	99 = LEGITIMATE SKIP		54	0.10

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?

HALPHCTD¹	Len : 2	CONTD TO USE HALLUC DESPITE PHYS PRBS		
			Freq	Pct
	1 = Yes		6	0.01
	2 = No.....		26	0.05
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		411	0.75
	99 = LEGITIMATE SKIP		1749	3.17

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?

HALLSACT¹	Len : 2	LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS		
			Freq	Pct
	1 = Yes		67	0.12
	2 = No.....		1717	3.11
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		5	0.01
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		401	0.73

Sometimes people who use hallucinogens have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?

HALSERPB¹	Len : 2	HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS		
			Freq	Pct
	1 = Yes		60	0.11
	2 = No.....		1725	3.13
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		5	0.01
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		401	0.73

During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?

HALPDANG¹	Len : 2	USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS		
			Freq	Pct
	1 = Yes		76	0.14
	2 = No.....		1710	3.10
	91 = NEVER USED HALLUCINOGENS		47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS		5740	10.41
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		401	0.73

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?

HALLAWTR¹	Len : 2 USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes	22	0.04
	2 = No.....	1765	3.20
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	401	0.73

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?

HALFMFPB¹	Len : 2 USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		Freq	Pct
	1 = Yes	59	0.11
	2 = No.....	1727	3.13
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	401	0.73

Did you continue to use hallucinogens even though you thought this caused problems with family or friends?

HALFMCTD¹	Len : 2 CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS		
		Freq	Pct
	1 = Yes	34	0.06
	2 = No.....	25	0.05
	91 = NEVER USED HALLUCINOGENS	47222	85.61
	93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	5740	10.41
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	404	0.73
	99 = LEGITIMATE SKIP	1727	3.13

Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?

INHLOTTM¹	Len : 2 SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS		
		Freq	Pct
	1 = Yes	30	0.05
	2 = No.....	593	1.08
	91 = NEVER USED INHALANTS	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	275	0.50

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?

INHGTQVR¹	Len : 2 MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS		
		Freq	Pct
	1 = Yes	12	0.02
	2 = No.....	576	1.04
	91 = NEVER USED INHALANTS	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	275	0.50
	99 = LEGITIMATE SKIP	30	0.05

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much inhalants you would use?

INHLIMIT¹	Len : 2 SET LIMITS ON INHALANT USE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	123	0.22
	2 = No.....	488	0.88
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	275	0.50

Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?

INHKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	111	0.20
	2 = Often used more than intended.....	11	0.02
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	283	0.51
	99 = LEGITIMATE SKIP	488	0.88

During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?

INHNDMOR¹	Len : 2 NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes	27	0.05
	2 = No.....	590	1.07
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	275	0.50

During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?

INHLSEFX¹	Len : 2 USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes	47	0.09
	2 = No.....	534	0.97
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	275	0.50
	99 = LEGITIMATE SKIP	27	0.05

During the past 12 months, did you want to or try to cut down or stop using inhalants?

INHCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS		
		Freq	Pct
	1 = Yes	214	0.39
	2 = No.....	390	0.71
	91 = NEVER USED INHALANTS.....	50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	3477	6.30
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	14	0.03
	98 = BLANK (NO ANSWER).....	275	0.50

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?

INHCUTEV¹	Len : 2	ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes		202	0.37
	2 = No.....		11	0.02
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		14	0.03
	98 = BLANK (NO ANSWER).....		283	0.51
	99 = LEGITIMATE SKIP		390	0.71

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?

INHEMOPB¹	Len : 2	INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
	1 = Yes		26	0.05
	2 = No.....		585	1.06
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		5	0.01
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		275	0.50

Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

INHEMCTD¹	Len : 2	CONTD TO USE INHALANTS DESPITE EMOT PRBS		
			Freq	Pct
	1 = Yes		14	0.03
	2 = No.....		12	0.02
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		280	0.51
	99 = LEGITIMATE SKIP		585	1.06

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?

INHPLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS		
			Freq	Pct
	1 = Yes		16	0.03
	2 = No.....		586	1.06
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		275	0.50
	99 = LEGITIMATE SKIP		14	0.03

Did you continue to use inhalants even though you thought this was causing you to have physical problems?

INHPHCTD¹	Len : 2	CONTD TO USE INHALANTS DESPITE PHYS PRBS		
			Freq	Pct
	1 = Yes		3	0.01
	2 = No.....		13	0.02
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		277	0.50
	99 = LEGITIMATE SKIP		600	1.09

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?

INHLSACT¹	Len : 2	LESS ACTIVITIES B/C OF INH USE PAST 12 MOS		
			Freq	Pct
	1 = Yes		16	0.03
	2 = No.....		598	1.08
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		3	0.01
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		275	0.50

Sometimes people who use inhalants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?

INHSERPB¹	Len : 2	INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
	1 = Yes		23	0.04
	2 = No.....		594	1.08
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		275	0.50

During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?

INHPDANG¹	Len : 2	USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
	1 = Yes		27	0.05
	2 = No.....		591	1.07
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		275	0.50

During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?

INHLOWTR¹	Len : 2	USING INH CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
	1 = Yes		9	0.02
	2 = No.....		611	1.11
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		275	0.50

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?

INHFMFPB¹	Len : 2	USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
			Freq	Pct
	1 = Yes		15	0.03
	2 = No.....		604	1.09
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		275	0.50

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use inhalants even though you thought this caused problems with family or friends?

INHFMC ¹	Len : 2	CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS		
			Freq	Pct
	1 = Yes		7	0.01
	2 = No.....		8	0.01
	91 = NEVER USED INHALANTS.....		50782	92.06
	93 = DID NOT USE INHALANTS IN THE PAST 12 MOS		3477	6.30
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		276	0.50
	99 = LEGITIMATE SKIP		604	1.09

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?

ANLLOTTM ¹	Len : 2	SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS		
			Freq	Pct
	1 = Yes		532	0.96
	2 = No.....		2515	4.56
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....		72	0.13
	91 = NEVER USED PAIN RELIEVERS.....		46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		4783	8.67
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		12	0.02
	98 = BLANK (NO ANSWER).....		449	0.81

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?

ANLGTOVR ¹	Len : 2	MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS		
			Freq	Pct
	1 = Yes		64	0.12
	2 = No.....		2452	4.45
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....		72	0.13
	91 = NEVER USED PAIN RELIEVERS.....		46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		4783	8.67
	94 = DON'T KNOW.....		7	0.01
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		449	0.81
	99 = LEGITIMATE SKIP		532	0.96

During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?

ANLLIMIT ¹	Len : 2	SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		923	1.67
	2 = No.....		2102	3.81
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....		72	0.13
	91 = NEVER USED PAIN RELIEVERS.....		46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS		4783	8.67
	94 = DON'T KNOW.....		19	0.03
	97 = REFUSED		19	0.03
	98 = BLANK (NO ANSWER).....		449	0.81

SUBSTANCE DEPENDENCE AND ABUSE

Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?

ANLKPLMT¹	Len : 2	ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	727	1.32
		2 = Often used more than intended.....	195	0.35
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	19	0.03
		98 = BLANK (NO ANSWER).....	468	0.85
		99 = LEGITIMATE SKIP	2102	3.81

During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?

ANLNDMOR¹	Len : 2	NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes	538	0.98
		2 = No.....	2497	4.53
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	449	0.81

During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?

ANLLSEFX¹	Len : 2	USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS		
			Freq	Pct
		1 = Yes	199	0.36
		2 = No.....	2283	4.14
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED	16	0.03
		98 = BLANK (NO ANSWER).....	449	0.81
		99 = LEGITIMATE SKIP	538	0.98

During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?

ANLCUTDN¹	Len : 2	WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS		
			Freq	Pct
		1 = Yes	1082	1.96
		2 = No.....	1922	3.48
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED	29	0.05
		98 = BLANK (NO ANSWER).....	449	0.81

During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?

ANLCUTEV¹	Len : 2	ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO		
			Freq	Pct
		1 = Yes	931	1.69
		2 = No.....	150	0.27
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	29	0.05
		98 = BLANK (NO ANSWER).....	479	0.87
		99 = LEGITIMATE SKIP	1922	3.48

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?

ANLCUT1X¹	Len : 2 CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
		Freq	Pct
	1 = Yes	633	1.15
	2 = No.....	1446	2.62
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	94 = DON'T KNOW.....	26	0.05
	97 = REFUSED	27	0.05
	98 = BLANK (NO ANSWER).....	449	0.81
	99 = LEGITIMATE SKIP	931	1.69

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

ANLWD3SX¹	Len : 2 HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
		Freq	Pct
	1 = Yes	533	0.97
	2 = No.....	1028	1.86
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	29	0.05
	98 = BLANK (NO ANSWER).....	475	0.86
	99 = LEGITIMATE SKIP	1446	2.62

Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?

- Feeling kind of blue or down
- Vomiting or feeling nauseous
- Having cramps or muscle aches
- Having teary eyes or a runny nose
- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin
- Having diarrhea
- Yawning
- Having a fever
- Having trouble sleeping

ANLWDSMT¹	Len : 2 HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS		
		Freq	Pct
	1 = Yes	388	0.70
	2 = No.....	145	0.26
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	97 = REFUSED	29	0.05
	98 = BLANK (NO ANSWER).....	476	0.86
	99 = LEGITIMATE SKIP	2474	4.49

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?

ANLEMOPB¹	Len : 2 PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS		
		Freq	Pct
	1 = Yes	401	0.73
	2 = No.....	2637	4.78
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	16	0.03
	98 = BLANK (NO ANSWER).....	449	0.81

Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

ANLEMCTD¹	Len : 2 CONTD TO USE PN RLVR DESPITE EMOT PRBS		
		Freq	Pct
	1 = Yes	254	0.46
	2 = No.....	147	0.27
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	97 = REFUSED	16	0.03
	98 = BLANK (NO ANSWER).....	458	0.83
	99 = LEGITIMATE SKIP	2637	4.78

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?

ANLPHLPB¹	Len : 2 ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS		
		Freq	Pct
	1 = Yes	78	0.14
	2 = No.....	2702	4.90
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	94 = DON'T KNOW.....	12	0.02
	97 = REFUSED	17	0.03
	98 = BLANK (NO ANSWER).....	449	0.81
	99 = LEGITIMATE SKIP	254	0.46

Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?

ANLPHCTD¹	Len : 2 CONTD TO USE PN RLVR DESPITE PHYS PRBS		
		Freq	Pct
	1 = Yes	26	0.05
	2 = No.....	52	0.09
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	97 = REFUSED	17	0.03
	98 = BLANK (NO ANSWER).....	461	0.84
	99 = LEGITIMATE SKIP	2956	5.36

SUBSTANCE DEPENDENCE AND ABUSE

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?

ANLLSACT¹	Len : 2	LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS		
			Freq	Pct
		1 = Yes	267	0.48
		2 = No.....	2768	5.02
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	449	0.81

Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?

ANLSERP¹	Len : 2	PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
			Freq	Pct
		1 = Yes	233	0.42
		2 = No.....	2807	5.09
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	449	0.81

During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?

ANLPDANG¹	Len : 2	USING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS		
			Freq	Pct
		1 = Yes	198	0.36
		2 = No.....	2845	5.16
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER).....	449	0.81

During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?

ANLLAWTR¹	Len : 2	USING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS		
			Freq	Pct
		1 = Yes	75	0.14
		2 = No.....	2968	5.38
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	449	0.81

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?

ANLFMFPB¹	Len : 2 USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		Freq	Pct
	1 = Yes	240	0.44
	2 = No.....	2808	5.09
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	449	0.81

Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?

ANLFMCTD¹	Len : 2 CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
		Freq	Pct
	1 = Yes	174	0.32
	2 = No.....	66	0.12
	81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
	91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	456	0.83
	99 = LEGITIMATE SKIP	2808	5.09

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?

TRNLTTM¹	Len : 2 SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
		Freq	Pct
	1 = Yes	95	0.17
	2 = No.....	1352	2.45
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	183	0.33

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?

TRNGTOVR¹	Len : 2 MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS		
		Freq	Pct
	1 = Yes	18	0.03
	2 = No.....	1333	2.42
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	183	0.33
	99 = LEGITIMATE SKIP	95	0.17

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?

TRNLIMIT¹	Len : 2 SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	264	0.48
	2 = No.....	1170	2.12
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	183	0.33

Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?

TRNKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	219	0.40
	2 = Often used more than intended.....	44	0.08
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	194	0.35
	99 = LEGITIMATE SKIP	1170	2.12

During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?

TRNNDMOR¹	Len : 2 NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes	115	0.21
	2 = No.....	1324	2.40
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	183	0.33

During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?

TRNLSEFX¹	Len : 2 USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes	50	0.09
	2 = No.....	1271	2.30
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	183	0.33
	99 = LEGITIMATE SKIP	115	0.21

During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?

TRNCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		
		Freq	Pct
	1 = Yes	375	0.68
	2 = No.....	1060	1.92
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	183	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?

TRNCUTEV¹	Len : 2	ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes	344	0.62
		2 = No.....	30	0.05
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	189	0.34
		99 = LEGITIMATE SKIP	1060	1.92

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?

TRNEMOPB¹	Len : 2	TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		1 = Yes	115	0.21
		2 = No.....	1326	2.40
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	183	0.33

Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

TRNEMCTD¹	Len : 2	CONTD TO USE TRN DESPITE EMOT PRBS		
			Freq	Pct
		1 = Yes	72	0.13
		2 = No.....	43	0.08
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	186	0.34
		99 = LEGITIMATE SKIP	1326	2.40

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?

TRNPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
			Freq	Pct
		1 = Yes	21	0.04
		2 = No.....	1347	2.44
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	183	0.33
		99 = LEGITIMATE SKIP	72	0.13

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?

TRNPHCTD¹	Len : 2	CONTD TO USE TRN DESPITE PHYS PRBS		
			Freq	Pct
	1 = Yes		3	0.01
	2 = No.....		17	0.03
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS		3059	5.55
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		189	0.34
	99 = LEGITIMATE SKIP		1419	2.57

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?

TRNLSACT¹	Len : 2	LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS		
			Freq	Pct
	1 = Yes		78	0.14
	2 = No.....		1363	2.47
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS		3059	5.55
	94 = DON'T KNOW.....		5	0.01
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		183	0.33

Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?

TRNSERP¹	Len : 2	TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
	1 = Yes		66	0.12
	2 = No.....		1377	2.50
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS		3059	5.55
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		183	0.33

During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?

TRNPDANG¹	Len : 2	USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
	1 = Yes		79	0.14
	2 = No.....		1365	2.47
	81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
	91 = NEVER USED TRANQUILIZERS		50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS		3059	5.55
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		183	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?

TRNLAWTR¹	Len : 2 USING TRN CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes	29	0.05
	2 = No.....	1417	2.57
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	183	0.33

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?

TRNFMFPB¹	Len : 2 USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	1 = Yes	78	0.14
	2 = No.....	1367	2.48
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	183	0.33

Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?

TRNFMCTD¹	Len : 2 CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS		
		Freq	Pct
	1 = Yes	55	0.10
	2 = No.....	23	0.04
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	185	0.34
	99 = LEGITIMATE SKIP	1367	2.48

NOTE: STMDAFLG is a flag variable that indicates differences in how the stimulant variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on logic in earlier years and how these stimulant variables were edited this year. In 2004, past year users were routed into the corresponding questions if they reported past year nonmedical use of prescription stimulants or methamphetamine in the core stimulants module or if they reported in the SPECIAL DRUGS module that they used methamphetamine or other stimulants with a needle (from MTNDLREC and OSTLNREC, respectively). Beginning in 2005 (and continuing this year), past year methamphetamine users from the SPECIAL DRUGS variables MTHAREC and MTANDLRC also were asked about stimulant dependence or abuse. STMDAFLG is coded as 1 through 6 if the inclusion of MTHAREC and MTANDLRC changed the outcome for editing of the stimulant dependence or abuse variables. This year, respondents who reported past year nonmedical use of Adderall (from ADDEREC) were eligible to be asked these questions as well. STMDAFLG is coded as 11 through 16 if the inclusion of ADDEREC changed the outcome for editing of these variables.

STMDAFLG¹	Len : 2 EDITING FLAG FOR STIM DEPENDENCE & ABUSE VARS		
		Freq	Pct
	1 = Never used based on 04/Now: Not past yr user	384	0.70
	3 = Never used based on 04/Now: Blank	38	0.07
	4 = Blank based on 04/Now: Past yr user	9	0.02
	5 = Not past yr user based on 04/Now: Past yr user	9	0.02
	6 = Never used based on 04/Now: Past yr user	64	0.12
	11 = Never used based on 07/Now: Not past yr user	956	1.73
	12 = Not past yr user based on 07/Now: Blank	1	0.00
	13 = Never used based on 07/Now: Blank	30	0.05
	14 = Blank based on 07/Now: Past yr user	12	0.02
	15 = Not past yr user based on 07/Now: Past yr user	136	0.25
	16 = Never used based on 07/Now: Past yr user	620	1.12
	98 = BLANK (NO DIFF BETWEEN 04 VARIABLES & NOW).....	52901	95.90

SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The logic for asking the stimulant dependence and abuse questions was updated in 2003 to administer these questions to lifetime stimulant users who reported past year use of methamphetamine with a needle but had not already reported past year stimulant use anywhere else in the interview.

Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?

STMLOTTM¹	Len : 2	SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS		
			Freq	Pct
		1 = Yes	191	0.35
		2 = No.....	1699	3.08
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	221	0.40

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?

STMGTQVR¹	Len : 2	MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS		
			Freq	Pct
		1 = Yes	28	0.05
		2 = No.....	1671	3.03
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP	191	0.35

During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?

STMLIMIT¹	Len : 2	SET LIMITS ON STIMULANT USE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	374	0.68
		2 = No.....	1507	2.73
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	221	0.40

Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?

STMKPLMT¹	Len : 2	ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS		
			Freq	Pct
		1 = Usually kept to the limits set.....	317	0.57
		2 = Often used more than intended.....	57	0.10
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	228	0.41
		99 = LEGITIMATE SKIP	1507	2.73

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?

STMNDMOR¹	Len : 2	NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS		
			Freq	Pct
	1 = Yes		182	0.33
	2 = No.....		1700	3.08
	81 = NEVER USED STIMULANTS Logically assigned		10	0.02
	91 = NEVER USED STIMULANTS		49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3734	6.77
	94 = DON'T KNOW.....		6	0.01
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		221	0.40

During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?

STMLSEFX¹	Len : 2	USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
			Freq	Pct
	1 = Yes		81	0.15
	2 = No.....		1617	2.93
	81 = NEVER USED STIMULANTS Logically assigned		10	0.02
	91 = NEVER USED STIMULANTS		49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3734	6.77
	94 = DON'T KNOW.....		8	0.01
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		221	0.40
	99 = LEGITIMATE SKIP		182	0.33

During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?

STMCUTDN¹	Len : 2	WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS		
			Freq	Pct
	1 = Yes		459	0.83
	2 = No.....		1414	2.56
	81 = NEVER USED STIMULANTS Logically assigned		10	0.02
	91 = NEVER USED STIMULANTS		49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3734	6.77
	94 = DON'T KNOW.....		10	0.02
	97 = REFUSED		14	0.03
	98 = BLANK (NO ANSWER).....		221	0.40

During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?

STMCUTEV¹	Len : 2	ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes		411	0.75
	2 = No.....		48	0.09
	81 = NEVER USED STIMULANTS Logically assigned		10	0.02
	91 = NEVER USED STIMULANTS		49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3734	6.77
	97 = REFUSED		14	0.03
	98 = BLANK (NO ANSWER).....		231	0.42
	99 = LEGITIMATE SKIP		1414	2.56

During the past 12 months, did you cut down or stop using prescription stimulants at least one time?

STMCUT1X¹	Len : 2	CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS		
			Freq	Pct
	1 = Yes		301	0.55
	2 = No.....		1160	2.10
	81 = NEVER USED STIMULANTS Logically assigned		10	0.02
	91 = NEVER USED STIMULANTS		49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3734	6.77
	94 = DON'T KNOW.....		10	0.02
	97 = REFUSED		15	0.03
	98 = BLANK (NO ANSWER).....		221	0.40
	99 = LEGITIMATE SKIP		411	0.75

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?

STMFLBLU¹	Len : 2	WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	183	0.33
		2 = No.....	529	0.96
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	231	0.42
		99 = LEGITIMATE SKIP	1160	2.10

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWD2SX¹	Len : 2	HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS		
			Freq	Pct
		1 = Yes	149	0.27
		2 = No.....	34	0.06
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	231	0.42
		99 = LEGITIMATE SKIP	1689	3.06

Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?

- Feeling tired or exhausted
- Having bad dreams
- Having trouble sleeping or sleeping more than you normally do
- Feeling hungry more often
- Feeling either very slowed down or like you couldn't sit still

STMWDSMT¹	Len : 2	HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes	127	0.23
		2 = No.....	22	0.04
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	231	0.42
		99 = LEGITIMATE SKIP	1723	3.12

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?

STMEMOPB¹	Len : 2	STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
		1 = Yes	188	0.34
		2 = No.....	1690	3.06
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	221	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

STMEMCTD¹	Len : 2	CONTD TO USE STM DESPITE EMOT PRBS		
			Freq	Pct
		1 = Yes	124	0.22
		2 = No.....	63	0.11
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	231	0.42
		99 = LEGITIMATE SKIP	1690	3.06

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?

STMPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS		
			Freq	Pct
		1 = Yes	36	0.07
		2 = No.....	1716	3.11
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP	124	0.22

Did you continue to use prescription stimulants even though this was causing you to have physical problems?

STMPHCTD¹	Len : 2	CONTD TO USE STM DESPITE PHYS PRBS		
			Freq	Pct
		1 = Yes	13	0.02
		2 = No.....	23	0.04
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	233	0.42
		99 = LEGITIMATE SKIP	1840	3.34

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?

STMLSACT¹	Len : 2	LESS ACTIVITIES B/C OF STM USE PAST 12 MOS		
			Freq	Pct
		1 = Yes	102	0.18
		2 = No.....	1779	3.23
		81 = NEVER USED STIMULANTS Logically assigned	10	0.02
		91 = NEVER USED STIMULANTS	49298	89.37
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	221	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?

STMSERPB¹	Len : 2 STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		Freq	Pct
	1 = Yes	98	0.18
	2 = No.....	1784	3.23
	81 = NEVER USED STIMULANTS Logically assigned	10	0.02
	91 = NEVER USED STIMULANTS	49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	10	0.02
	98 = BLANK (NO ANSWER).....	221	0.40

During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?

STMPDANG¹	Len : 2 USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		Freq	Pct
	1 = Yes	80	0.15
	2 = No.....	1803	3.27
	81 = NEVER USED STIMULANTS Logically assigned	10	0.02
	91 = NEVER USED STIMULANTS	49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	221	0.40

During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?

STMLAWTR¹	Len : 2 USING STM CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes	41	0.07
	2 = No.....	1843	3.34
	81 = NEVER USED STIMULANTS Logically assigned	10	0.02
	91 = NEVER USED STIMULANTS	49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	221	0.40

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?

STMFMFPB¹	Len : 2 USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	1 = Yes	98	0.18
	2 = No.....	1788	3.24
	81 = NEVER USED STIMULANTS Logically assigned	10	0.02
	91 = NEVER USED STIMULANTS	49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3734	6.77
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	221	0.40

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?

STMFMCTD¹	Len : 2	CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS		
			Freq	Pct
	1 = Yes		73	0.13
	2 = No.....		25	0.05
	81 = NEVER USED STIMULANTS Logically assigned		10	0.02
	91 = NEVER USED STIMULANTS		49298	89.37
	93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3734	6.77
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		224	0.41
	99 = LEGITIMATE SKIP		1788	3.24

NOTE: SEDDAFLG is a flag variable that indicates differences in how the sedative variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based on the logic in 2007, when only past year nonmedical users from the core SEDATIVES module were routed into the corresponding questions, and how these sedative variables were edited this year. Editing this year took into account logic that routed past year nonmedical users of Ambien (from AMBIREC) into these dependence and abuse questions for sedatives.

SEDDAFLG¹	Len : 2	EDITING FLAG FOR SEDATIVE DEPENDENCE & ABUSE VARS		
			Freq	Pct
	1 = Never used based on 07/Now: Not past yr user		697	1.26
	3 = Never used based on 07/Now: Blank		27	0.05
	5 = Not past yr user based on 07/Now: Past yr user		33	0.06
	6 = Never used based on 07/Now: Past yr user		280	0.51
	98 = BLANK (NO DIFF BETWEEN 07 VARIABLES & NOW).....		54123	98.12

Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.

During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?

SEDLTTM¹	Len : 2	SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS		
			Freq	Pct
	1 = Yes		31	0.06
	2 = No.....		438	0.79
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		1	0.00
	98 = BLANK (NO ANSWER).....		180	0.33

During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?

SEDGTOVR¹	Len : 2	MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS		
			Freq	Pct
	1 = Yes		11	0.02
	2 = No.....		424	0.77
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		3	0.01
	97 = REFUSED		3	0.01
	98 = BLANK (NO ANSWER).....		180	0.33
	99 = LEGITIMATE SKIP		31	0.06

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?

SEDLIMIT¹	Len : 2 SET LIMITS ON SEDATIVE USE PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	84	0.15
	2 = No.....	382	0.69
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	180	0.33

Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?

SEDKPLMT¹	Len : 2 ABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS		
		Freq	Pct
	1 = Usually kept to the limits set.....	70	0.13
	2 = Often used more than intended.....	13	0.02
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	183	0.33
	99 = LEGITIMATE SKIP	382	0.69

During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?

SEDNDMOR¹	Len : 2 NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS		
		Freq	Pct
	1 = Yes	43	0.08
	2 = No.....	424	0.77
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	180	0.33

During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?

SEDLSEFX¹	Len : 2 USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS		
		Freq	Pct
	1 = Yes	16	0.03
	2 = No.....	403	0.73
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	180	0.33
	99 = LEGITIMATE SKIP	43	0.08

During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?

SEDCUTDN¹	Len : 2 WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS		
		Freq	Pct
	1 = Yes	113	0.20
	2 = No.....	346	0.63
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	180	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?

SEDCUTEV¹	Len : 2	ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS		
			Freq	Pct
		1 = Yes	100	0.18
		2 = No.....	11	0.02
		81 = NEVER USED SEDATIVES Logically assigned	18	0.03
		91 = NEVER USED SEDATIVES.....	53141	96.34
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	187	0.34
		99 = LEGITIMATE SKIP	346	0.63

During the past 12 months, did you cut down or stop using prescription sedatives at least one time?

SEDCUT1X¹	Len : 2	CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
			Freq	Pct
		1 = Yes	62	0.11
		2 = No.....	300	0.54
		81 = NEVER USED SEDATIVES Logically assigned	18	0.03
		91 = NEVER USED SEDATIVES.....	53141	96.34
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	180	0.33
		99 = LEGITIMATE SKIP	100	0.18

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDWD1SX¹	Len : 2	HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS		
			Freq	Pct
		1 = Yes	56	0.10
		2 = No.....	106	0.19
		81 = NEVER USED SEDATIVES Logically assigned	18	0.03
		91 = NEVER USED SEDATIVES.....	53141	96.34
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	183	0.33
		99 = LEGITIMATE SKIP	300	0.54

SUBSTANCE DEPENDENCE AND ABUSE

Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?

- Sweating or feeling that your heart was beating fast
- Having your hands tremble
- Having trouble sleeping or sleeping more than you normally do
- Vomiting or feeling nauseous
- Seeing, hearing, or feeling things that weren't really there
- Feeling like you couldn't sit still
- Feeling anxious
- Having seizures or fits

SEDWDSMT¹	Len : 2	HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS		
			Freq	Pct
	1 = Yes		46	0.08
	2 = No.....		10	0.02
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		183	0.33
	99 = LEGITIMATE SKIP		406	0.74

During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?

SEDEMOPB¹	Len : 2	SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS		
			Freq	Pct
	1 = Yes		54	0.10
	2 = No.....		411	0.75
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		3	0.01
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		180	0.33

Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?

SEDEMCTD¹	Len : 2	CONTD TO USE SED DESPITE EMOT PRBS		
			Freq	Pct
	1 = Yes		30	0.05
	2 = No.....		24	0.04
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		183	0.33
	99 = LEGITIMATE SKIP		411	0.75

During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?

SEDPHLPB¹	Len : 2	ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS		
			Freq	Pct
	1 = Yes		9	0.02
	2 = No.....		425	0.77
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		5	0.01
	97 = REFUSED		3	0.01
	98 = BLANK (NO ANSWER).....		180	0.33
	99 = LEGITIMATE SKIP		30	0.05

SUBSTANCE DEPENDENCE AND ABUSE

Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?

SEDPHCTD¹	Len : 2	CONTD TO USE SED DESPITE PHYS PRBS		
			Freq	Pct
	1 = Yes		2	0.00
	2 = No.....		7	0.01
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	97 = REFUSED		3	0.01
	98 = BLANK (NO ANSWER).....		185	0.34
	99 = LEGITIMATE SKIP		455	0.82

This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.

During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?

SEDLFACT¹	Len : 2	LESS ACTIVITIES B/C OF SED USE PAST 12 MOS		
			Freq	Pct
	1 = Yes		34	0.06
	2 = No.....		433	0.78
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		180	0.33

Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?

SEDSERP¹	Len : 2	SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
			Freq	Pct
	1 = Yes		32	0.06
	2 = No.....		434	0.79
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		180	0.33

During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?

SEDPDANG¹	Len : 2	USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS		
			Freq	Pct
	1 = Yes		23	0.04
	2 = No.....		441	0.80
	81 = NEVER USED SEDATIVES Logically assigned		18	0.03
	91 = NEVER USED SEDATIVES.....		53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS		1349	2.45
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		180	0.33

SUBSTANCE DEPENDENCE AND ABUSE

During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?

SEDLAWTR¹	Len : 2 USING SED CAUSE PRBS WITH LAW PAST 12 MOS		
		Freq	Pct
	1 = Yes	13	0.02
	2 = No.....	453	0.82
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER).....	180	0.33

During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?

SEDFMFPB¹	Len : 2 USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
		Freq	Pct
	1 = Yes	27	0.05
	2 = No.....	438	0.79
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	180	0.33

Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?

SEDFMCTD¹	Len : 2 CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS		
		Freq	Pct
	1 = Yes	17	0.03
	2 = No.....	10	0.02
	81 = NEVER USED SEDATIVES Logically assigned	18	0.03
	91 = NEVER USED SEDATIVES.....	53141	96.34
	93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	1349	2.45
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	184	0.33
	99 = LEGITIMATE SKIP	438	0.79

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: What follows are the imputation-revised versions of the 17 nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had a missing value. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non- integer values into integers) when doing cross-tabulations.

IRCGIRTB	Len : 12 IMP REVISED - NEED TO SMOKE TO FEEL LESS IRRITABLE			
		Freq	Pct	
	RANGE = 1 - 5.....	11908	21.59	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	19	0.03	
	97 = REFUSED	14	0.03	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	
IICGIRTB	Len : 2 IMPUTATION INDICATOR - IRCGIRTB			
		Freq	Pct	
	1 = Questionnaire data	11893	21.56	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	15	0.03	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
IRCGCRV	Len : 12 IMP REV - CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS			
		Freq	Pct	
	RANGE = 1 - 5.....	11915	21.60	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	12	0.02	
	97 = REFUSED	14	0.03	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	
IICGCRV	Len : 2 IMPUTATION INDICATOR - IRCGCRV			
		Freq	Pct	
	1 = Questionnaire data	11914	21.60	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
IRCGCRGP	Len : 12 IMP REV - CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL			
		Freq	Pct	
	RANGE = 1 - 5.....	11913	21.60	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	14	0.03	
	97 = REFUSED	14	0.03	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	
IICGCRGP	Len : 2 IMPUTATION INDICATOR - IRCGCRGP			
		Freq	Pct	
	1 = Questionnaire data	11911	21.59	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	2	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	44	0.08	

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCTL	Len : 12 IMP REVISED - FEEL A SENSE OF CNTRL OVER SMOKING			
	RANGE = 1 - 5.....	Freq	Pct	
	85 = BAD DATA.....	11904	21.58	
	91 = NEVER USED	1	0.00	
	93 = DID NOT USE CIGARETTES PAST MONTH	28008	50.78	
	94 = DON'T KNOW.....	15194	27.55	
	97 = REFUSED	20	0.04	
	98 = BLANK/ DID NOT ANSWER.....	17	0.03	
		16	0.03	
IICGNCTL	Len : 2 IMPUTATION INDICATOR - IRCGNCTL			
	1 = Questionnaire data	Freq	Pct	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	11897	21.57	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	7	0.01	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	43202	78.32	
		53	0.10	
IRCGAVD	Len : 12 IMP REV - TEND TO AVOID PLACES DON'T ALLOW SMOKING			
	RANGE = 1 - 5.....	Freq	Pct	
	85 = BAD DATA.....	11891	21.56	
	91 = NEVER USED	1	0.00	
	93 = DID NOT USE CIGARETTES PAST MONTH	28008	50.78	
	94 = DON'T KNOW.....	15194	27.55	
	97 = REFUSED	32	0.06	
	98 = BLANK/ DID NOT ANSWER.....	18	0.03	
		16	0.03	
IICGAVD	Len : 2 IMPUTATION INDICATOR - IRCGAVD			
	1 = Questionnaire data	Freq	Pct	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	11870	21.52	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	21	0.04	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	43202	78.32	
		66	0.12	
IRCGPLN	Len : 12 IMP REVISED - NO TRAVEL BY AIRPLANE B/C NO SMOKING			
	RANGE = 0.825585365 - 5.....	Freq	Pct	
	85 = BAD DATA.....	11904	21.58	
	91 = NEVER USED	1	0.00	
	93 = DID NOT USE CIGARETTES PAST MONTH	28008	50.78	
	94 = DON'T KNOW.....	15194	27.55	
	97 = REFUSED	23	0.04	
	98 = BLANK/ DID NOT ANSWER.....	14	0.03	
		16	0.03	
IICGPLN	Len : 2 IMPUTATION INDICATOR - IRCGPLN			
	1 = Questionnaire data	Freq	Pct	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	11889	21.55	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	15	0.03	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	43202	78.32	
		53	0.10	
IRCGROUT	Len : 12 IMP REVISED - WORRY THAT YOU WILL RUN OUT OF CIGS			
	RANGE = 1 - 5.....	Freq	Pct	
	85 = BAD DATA.....	11913	21.60	
	91 = NEVER USED	1	0.00	
	93 = DID NOT USE CIGARETTES PAST MONTH	28008	50.78	
	94 = DON'T KNOW.....	15194	27.55	
	97 = REFUSED	13	0.02	
	98 = BLANK/ DID NOT ANSWER.....	15	0.03	
		16	0.03	

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGROUT	Len : 2 IMPUTATION INDICATOR - IRCGROUT			
		Freq	Pct	
	1 = Questionnaire data	11912	21.60	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	44	0.08	
IRCGRGDY	Len : 12 IMP REVISED - SMOKE CIGS REGULARLY THROUGH DAY			
		Freq	Pct	
	RANGE = 1 - 5.....	11919	21.61	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	5	0.01	
	97 = REFUSED	17	0.03	
	98 = BLANK/ DID NOT ANSWER	16	0.03	
IICGRGDY	Len : 2 IMPUTATION INDICATOR - IRCGRGDY			
		Freq	Pct	
	1 = Questionnaire data	11919	21.61	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	38	0.07	
IRCGRGWK	Len : 12 IMP PREVISED - SMOKE SAME ON WEEKENDS AND WEEKDAYS			
		Freq	Pct	
	RANGE = 1 - 5.....	11907	21.59	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	16	0.03	
	97 = REFUSED	18	0.03	
	98 = BLANK/ DID NOT ANSWER	16	0.03	
IICGRGWK	Len : 2 IMPUTATION INDICATOR - IRCGRGWK			
		Freq	Pct	
	1 = Questionnaire data	11899	21.57	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng	8	0.01	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	50	0.09	
IRCGRGNM	Len : 12 IMP REVISED - SMOKE SAME # OF CIGS FROM DAY TO DAY			
		Freq	Pct	
	RANGE = 1 - 5.....	11904	21.58	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	19	0.03	
	97 = REFUSED	18	0.03	
	98 = BLANK/ DID NOT ANSWER	16	0.03	
IICGRGNM	Len : 2 IMPUTATION INDICATOR - IRCGRGNM			
		Freq	Pct	
	1 = Questionnaire data	11898	21.57	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng	6	0.01	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	53	0.10	

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IRCGNCG	Len : 12 IMP REVISED - # CIGS SMOKE PER DAY OFTEN CHANGES			
		Freq	Pct	
	RANGE = 1 - 5.....	11899	21.57	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	23	0.04	
	97 = REFUSED	19	0.03	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	
IICGNCG	Len : 2 IMPUTATION INDICATOR - IRCGNCG			
		Freq	Pct	
	1 = Questionnaire data	11890	21.56	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	9	0.02	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	58	0.11	
IRCGSLHR	Len : 12 IMP REV - HAVE LOT CIGS IN HR, NO CIGS TIL LATER			
		Freq	Pct	
	RANGE = 1 - 5.....	11885	21.55	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	33	0.06	
	97 = REFUSED	23	0.04	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	
IICGSLHR	Len : 2 IMPUTATION INDICATOR - IRCGSLHR			
		Freq	Pct	
	1 = Questionnaire data	11871	21.52	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	14	0.03	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	72	0.13	
IRCGINFL	Len : 12 IMP REV - # CIGS SMOKE A DAY INFLU BY OTH THINGS			
		Freq	Pct	
	RANGE = 1 - 5.....	11892	21.56	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	27	0.05	
	97 = REFUSED	22	0.04	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	
IICGINFL	Len : 2 IMPUTATION INDICATOR - IRCGINFL			
		Freq	Pct	
	1 = Questionnaire data	11885	21.55	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng.....	7	0.01	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG.....	65	0.12	
IRCGNINF	Len : 12 IMP REVISED - SMOKING NOT AFFECTED BY OTH THINGS			
		Freq	Pct	
	RANGE = 1 - 5.....	11887	21.55	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	32	0.06	
	97 = REFUSED	22	0.04	
	98 = BLANK/ DID NOT ANSWER.....	16	0.03	

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE

IICGNINF	Len : 2 IMPUTATION INDICATOR - IRCGNINF			
		Freq	Pct	
	1 = Questionnaire data	11875	21.53	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng	12	0.02	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	70	0.13	
IRCGINCR	Len : 12 IMP REV - AMT OF SMOKING INCR. SINCE START SMOKING			
		Freq	Pct	
	RANGE = 1 - 5.....	11906	21.58	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	15	0.03	
	97 = REFUSED	20	0.04	
	98 = BLANK/ DID NOT ANSWER	16	0.03	
IICGINCR	Len : 2 IMPUTATION INDICATOR - IRCGINCR			
		Freq	Pct	
	1 = Questionnaire data	11903	21.58	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng	3	0.01	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	51	0.09	
IRCGSAT	Len : 12 IMP REV - NEED TO SMOKE A LOT MORE TO BE SATISFIED			
		Freq	Pct	
	RANGE = 1 - 5.....	11904	21.58	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	16	0.03	
	97 = REFUSED	21	0.04	
	98 = BLANK/ DID NOT ANSWER	16	0.03	
IICGSAT	Len : 2 IMPUTATION INDICATOR - IRCGSAT			
		Freq	Pct	
	1 = Questionnaire data	11904	21.58	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	53	0.10	
IRCGLMR	Len : 12 IMP REV - SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING			
		Freq	Pct	
	RANGE = 1 - 5.....	11897	21.57	
	85 = BAD DATA.....	1	0.00	
	91 = NEVER USED	28008	50.78	
	93 = DID NOT USE CIGARETTES PAST MONTH	15194	27.55	
	94 = DON'T KNOW.....	23	0.04	
	97 = REFUSED	21	0.04	
	98 = BLANK/ DID NOT ANSWER	16	0.03	
IICGLMR	Len : 2 IMPUTATION INDICATOR - IRCGLMR			
		Freq	Pct	
	1 = Questionnaire data	11871	21.52	
	2 = Logically assn, not imputed, <16 ndss vars nonmsng	1	0.00	
	3 = Statistically imputed, other 16 ndss vars nonmsng	26	0.05	
	9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS.....	43202	78.32	
	98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG	60	0.11	

RECODED SUBSTANCE DEPENDENCE AND ABUSE

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.

NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. The NDSS score, NDSSANSP, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who had a valid response (based on actual reporting and imputation) to all 17 questions. Respondents who did not have valid responses (based on actual reporting and imputation) for all 17 questions were coded as SAS missing. Based on the NDSS score, a respondent was defined as having nicotine dependence, NDSSDNSP=1, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNSP=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNSP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

NDSSANSP	Len : 12 NDSS SCORE		
	RANGE = 1 - 4.8823509216	Freq	Pct
	. = Unknown (See comment above)	11819	21.43
		43341	78.57
NDSSDNSP	Len : 1 NICOTINE DEPENDENCE BASED ON NDSS SCORE		
	0 = No/Unknown (NDSSANSP<2.75 or missing).....	Freq	Pct
	1 = Yes (NDSSANSP>=2.75).....	51091	92.62
		4069	7.38
FTNDDNSP	Len : 1 NICOTINE DEPENDENCE BASED ON FTND SCALE		
	0 = No (Otherwise).....	Freq	Pct
	1 = Yes (CIGWAKE=1 or 2)	50234	91.07
		4926	8.93
DNICNSP	Len : 1 NICOTINE DEPENDENCE IN PAST MONTH		
	0 = No (NDSSDNSP=0 and FTNDDNSP=0).....	Freq	Pct
	1 = Yes (NDSSDNSP=1 or FTNDDNSP=1)	49170	89.14
		5990	10.86

RECODED SUBSTANCE DEPENDENCE AND ABUSE

NOTE: The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual drug dependence variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNMRJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to three or more of the following six dependence criteria:

1. Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1)
2. Unable to keep set limits on substance use or used more often than intended (XXXKPLMT=2)
3. Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1)
4. Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2)
5. Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1)
6. Reduced or gave up participation in important activities due to substance use (XXXLSACT=1)

An additional question pertaining to withdrawal symptoms was asked for the following 6 drugs: alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using (XXXWDSMT=1). The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, or stimulant dependence (DEPNALC, DEPNDANL, DEPNDCCOC, DEPNDHER, DEPNDSED, DEPNDSTM) if the respondent reported a positive response to 3 or more of the 7 dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

DEPNALC	Len : 1 ALCOHOL DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	53255	96.55
	1 = Yes (See comment above).....	1905	3.45

DEPDANL	Len : 1 PAIN RELIEVER DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	54765	99.28
	1 = Yes (See comment above DEPNDALC)	395	0.72

DEPNDCCOC	Len : 1 COCAINE DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55020	99.75
	1 = Yes (See comment above DEPNDALC)	140	0.25

A respondent was defined with dependence on hallucinogens, DEPNDHAL, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported hallucinogen dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPDHAL	Len : 1 HALLUCINOGEN DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55119	99.93
	1 = Yes (See comment above).....	41	0.07

DEPDHER	Len : 1 HEROIN DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55022	99.75
	1 = Yes (See comment above DEPNDALC)	138	0.25

DEPDINH	Len : 1 INHALANT DEPENDENCE IN THE PAST YEAR		
		Freq	Pct
	0 = No/Unknown (Otherwise).....	55144	99.97
	1 = Yes (See comment above DEPNDALC)	16	0.03

RECODED SUBSTANCE DEPENDENCE AND ABUSE

DEPNMRJ

Len : 1 MARIJUANA DEPENDENCE IN THE PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54098	98.07
1 = Yes (See comment above DEPNDALC)	1062	1.93

A respondent was defined with dependence on sedatives, DEPNDSED, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported sedative dependence based on the Special Drugs module questions added in 2008 were defined as not having dependence on sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNSED

Len : 1 SEDATIVE DEPENDENCE IN THE PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	55142	99.97
1 = Yes (See comment above).....	18	0.03

A respondent was defined with dependence on stimulants, DEPNDSTM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported stimulant dependence based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not having dependence on stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

DEPNSTM

Len : 1 STIMULANT DEPENDENCE IN THE PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	55046	99.79
1 = Yes (See comment above).....	114	0.21

DEPNDRN

Len : 1 TRANQUILIZER DEPENDENCE IN THE PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	55094	99.88
1 = Yes (See comment above DEPNDALC)	66	0.12

A respondent was defined as having illicit drug dependence, DEPNDILL=1, if the respondent was classified as dependent (see dependence criteria listed above DEPNDALC) on any of these following substances: marijuana (DEPNMRJ), hallucinogens (DEPNHAL), inhalants (DEPNINH), tranquilizers (DEPNDRN), cocaine (DEPNDCCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNSTM), or sedatives (DEPNSED).

DEPNDRILL

Len : 1 ILLICIT DRUG DEPENDENCE IN THE PAST YEAR

	Freq	Pct
0 = No/Unknown (Otherwise).....	53514	97.02
1 = Yes (Any source variable listed above=1)	1646	2.98

A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM=1, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRRN), cocaine (DEPNDCCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNSTM), or sedatives (DEPNSED). A respondent's marijuana dependency status is not considered in the creation of this variable.

DEPNDRIEM

Len : 1 ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54464	98.74
1 = Yes (Any source variable listed above=1)	696	1.26

A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ=1, if the respondent was classified as being not marijuana dependent (DEPNMRJ=0), but being dependent (see dependence criteria listed above DEPNDALC) on any one of these following substances: hallucinogens (DEPNDRHAL), inhalants (DEPNDRINH), tranquilizers (DEPNDRRN), cocaine (DEPNDCCOC), heroin (DEPNDRHER), pain relievers (DEPNDRANL), stimulants (DEPNSTM), or sedatives (DEPNSED).

DEPNDRXMJ

Len : 1 ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54576	98.94
1 = Yes (DEPNMRJ=0 & any other source variable=1).....	584	1.06

RECODED SUBSTANCE DEPENDENCE AND ABUSE

DEPNDRPSY	Len : 1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	54660	99.09
		1 = Yes (DEPNDRTRN, DEPNDANL, DEPNDSTM, or DEPNDSED=1).....	500	0.91

DPILLALC	Len : 1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
			Freq	Pct
		0 = No/Unknown (DEPNDRILL=0 and DEPNDALC=0).....	51970	94.22
		1 = Yes (DEPNDRILL=1 or DEPNDALC=1).....	3190	5.78

DPILANAL	Len : 1	ILLICIT DRUG AND ALCOHOL DEPENDENCE IN PAST YR		
			Freq	Pct
		0 = No/Unknown (DEPNDRILL=0 or DEPNDALC=0).....	54799	99.35
		1 = Yes (DEPNDRILL=1 and DEPNDALC=1).....	361	0.65

NOTE: The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSESTRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria and was determined not to be dependent upon the substance of interest:

1. Respondent reported having serious problems due to substance use at home, work or school (XXXSERPB=1)
2. Respondent reported using substance regularly and then did something where substance use might have put them in physical danger (XXXPDANG=1)
3. Respondent reported substance use causing actions that repeatedly got them in trouble with the law (XXXLAWTR=1)
4. Respondent reported having problems caused by substance use with family or friends (XXXFMFPB=1) and continued to use substance even though it was thought to be causing problems with family and friends (XXXFMCTD=1)

Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

In addition, because the dependence and abuse variables are mutually exclusive with dependence taking precedence (i.e., dependence is determined first and respondents are only classified as having abused if they are not already classified as dependent, regardless of responses to the abuse questions), it is possible for the variables showing abuse of a combination of substances to not correspond with the abuse status of those individual substances. For example, a respondent who is classified as having abused cocaine in the past year may be classified as not having abused illicit drugs because they were dependent on marijuana and already classified as being dependent on illicit drugs.

ABUSEALC	Len : 1	ALCOHOL ABUSE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	52808	95.74
		1 = Yes (Any one of above criteria and DEPNDALC=0).....	2352	4.26

ABUSEANL	Len : 1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	55030	99.76
		1 = Yes (Any one of above criteria and DEPNDANL=0).....	130	0.24

ABUSECOC	Len : 1	COCAINE ABUSE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (Otherwise).....	55093	99.88
		1 = Yes (Any one of above criteria and DEPNDCCOC=0).....	67	0.12

RECODED SUBSTANCE DEPENDENCE AND ABUSE

A respondent was defined with abuse of hallucinogens, ABUSEHAL, if the respondent was classified as abusing (see criteria listed above ABUSEALC) hallucinogens and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (HALDAFLG=98). Respondents who only reported abusing hallucinogens based on the Special Drugs module questions added in 2008 were defined as not abusing hallucinogens. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

ABUSEHAL	Len : 1 HALLUCINOGEN ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDHAL=0).....	55081	99.86
		79	0.14

ABUSEHER	Len : 1 HEROIN ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDHER=0).....	55137	99.96
		23	0.04

ABUSEINH	Len : 1 INHALANT ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDINH=0).....	55122	99.93
		38	0.07

ABUSEMRJ	Len : 1 MARIJUANA ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDMRJ=0).....	54564	98.92
		596	1.08

A respondent was defined with abuse of sedatives, ABUSESED, if the respondent was classified as abusing (see criteria listed above ABUSEALC) sedatives and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2007 skip logic (SEDDAFLG=98). Respondents who only reported abusing sedatives based on the Special Drugs module questions added in 2008 were defined as not abusing sedatives. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

ABUSESED	Len : 1 SEDATIVE ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDSED=0).....	55150	99.98
		10	0.02

A respondent was defined with abuse of stimulants, ABUSESTM, if the respondent was classified as abusing (see criteria listed above ABUSEALC) stimulants and was routed to the dependence and abuse questions based ONLY on variables that existed in the 2004 skip logic (STMDAFLG=98). Respondents who only reported abusing stimulants based on the Special Drugs module questions added in 2005, 2006, and 2008 were defined as not abusing stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.

ABUSESTM	Len : 1 STIMULANT ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDSTM=0).....	55121	99.93
		39	0.07

ABUSETRN	Len : 1 TRANQUILIZER ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any one of above criteria and DEPNDTRN=0).....	55085	99.86
		75	0.14

Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above ABUSEALC) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

ABUSEILL	Len : 1 ILLICIT DRUG ABUSE - PAST YEAR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (Any source variable above=1 & DEPNDILL=0).....	54394	98.61
		766	1.39

RECODED SUBSTANCE DEPENDENCE AND ABUSE

Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.

ABUSEIEM	Len : 1	ILLICIT DRUG OTHER THAN MARIJUANA ABUSE - PST YR		
			Freq	Pct
		0 = No/Unknown (Otherwise)	54865	99.47
		1 = Yes (Any source variable above=1 & DEPNDIEM=0)	295	0.53

Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as not abusing marijuana (ABUSEMRJ=0), but abusing (see abuse criteria listed above ABUSEALC) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).

ABUSEXMJ	Len : 1	ILLICIT DRUG EXCLUDING MARIJUANA ABUSE - PST YR		
			Freq	Pct
		0 = No/Unknown (Otherwise)	54877	99.49
		1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0)	283	0.51

Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above ABUSEALC) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).

ABUSEPSY	Len : 1	NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR		
			Freq	Pct
		0 = No/Unknown (Otherwise)	54966	99.65
		1 = Yes (Any source variable above=1 & DEPNDPSY=0)	194	0.35

ABILLALC	Len : 1	ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0)	52211	94.65
		1 = Yes (ABUSEILL=1 or ABUSEALC=1)	2949	5.35

ABILANAL	Len : 1	ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (Otherwise)	54991	99.69
		1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0)	169	0.31

NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

ABODALC	Len : 1	ALCOHOL ABUSE OR DEPENDENCE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0)	50903	92.28
		1 = Yes (ABUSEALC=1 or DEPNDALC=1)	4257	7.72

ABODANL	Len : 1	PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0)	54635	99.05
		1 = Yes (ABUSEANL=1 or DEPNDANL=1)	525	0.95

ABODCOC	Len : 1	COCAINE ABUSE OR DEPENDENCE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (ABUSECOC=0 and DEPNDCOC=0)	54953	99.62
		1 = Yes (ABUSECOC=1 or DEPNDCOC=1)	207	0.38

ABODHAL	Len : 1	HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR		
			Freq	Pct
		0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0)	55040	99.78
		1 = Yes (ABUSEHAL=1 or DEPNDHAL=1)	120	0.22

RECODED SUBSTANCE DEPENDENCE AND ABUSE

ABODHER	Len : 1	HEROIN ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0).....	Freq 54999	Pct 99.71
		1 = Yes (ABUSEHER=1 or DEPNDHER=1).....	161	0.29
ABODINH	Len : 1	INHALANT ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0).....	Freq 55106	Pct 99.90
		1 = Yes (ABUSEINH=1 or DEPNDINH=1)	54	0.10
ABODMRJ	Len : 1	MARIJUANA ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0)	Freq 53502	Pct 96.99
		1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1)	1658	3.01
ABODSED	Len : 1	SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSESED=0 and DEPNDSED=0)	Freq 55132	Pct 99.95
		1 = Yes (ABUSESED=1 or DEPNDSED=1)	28	0.05
ABODSTM	Len : 1	STIMULANT ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0).....	Freq 55007	Pct 99.72
		1 = Yes (ABUSESTM=1 or DEPNDSTM=1).....	153	0.28
ABODTRN	Len : 1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0)	Freq 55019	Pct 99.74
		1 = Yes (ABUSETRN=1 or DEPNDTRN=1)	141	0.26
ABODILL	Len : 1	ILLCIT DRUG ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0).....	Freq 52748	Pct 95.63
		1 = Yes (ABUSEILL=1 or DEPNDILL=1).....	2412	4.37
ABODIEM	Len : 1	ILLCIT DRUG OTHER THAN MRJ ABUSE OR DEP - PST YR		
		0 = No/Unknown (ABUSEIEM=0 and DEPNDIEM=0)	Freq 54169	Pct 98.20
		1 = Yes (ABUSEIEM=1 or DEPNDIEM=1)	991	1.80
ABODPSY	Len : 1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR		
		0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0).....	Freq 54466	Pct 98.74
		1 = Yes (ABUSEPSY=1 or DEPNDPSY=1)	694	1.26
ABODILAL	Len : 1	ILLCIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR		
		0 = No/Unknown (ABILLALC=0 and DPILLALC=0).....	Freq 49409	Pct 89.57
		1 = Yes (ABILLALC=1 or DPILLALC=1).....	5751	10.43
ABDILAAL	Len : 1	ILLCIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR		
		0 = No/Unknown (ABODILL=0 or ABODALC=0).....	Freq 54242	Pct 98.34
		1 = Yes (ABODILL=1 and ABODALC=1)	918	1.66

SPECIAL TOPICS

SPECIAL TOPICS

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

BOOKED¹	Len : 2	EVER ARRESTED AND BOOKED FOR BREAKING THE LAW		
			Freq	Pct
	1 = Yes		7484	13.57
	2 = No.....		47031	85.26
	3 = Yes LOGICALLY ASSIGNED		450	0.82
	85 = BAD DATA Logically assigned		2	0.00
	94 = DON'T KNOW.....		75	0.14
	97 = REFUSED		112	0.20
	98 = BLANK (NO ANSWER).....		6	0.01

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

NOBOOKY2¹	Len : 3	# TIMES ARRESTED AND BOOKED PAST 12 MONTHS		
			Freq	Pct
	0 = None.....		5433	9.85
	1 = One time.....		1489	2.70
	2 = Two times		288	0.52
	3 = Three or more times.....		211	0.38
	985 = BAD DATA Logically assigned		2	0.00
	994 = DON'T KNOW.....		36	0.07
	997 = REFUSED		138	0.25
	998 = BLANK (NO ANSWER).....		532	0.96
	999 = LEGITIMATE SKIP (BOOKED=2)		47031	85.26

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

BKMVTHFT¹	Len : 2	ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		57	0.10
	2 = No.....		1988	3.60
	85 = BAD DATA Logically assigned		3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....		290	0.53
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		114	0.21
	98 = BLANK (NO ANSWER).....		532	0.96
	99 = LEGITIMATE SKIP		52174	94.59

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

BKLARCNY¹	Len : 2	ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		255	0.46
	2 = No.....		1775	3.22
	3 = Yes LOGICALLY ASSIGNED		15	0.03
	85 = BAD DATA Logically assigned		3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....		290	0.53
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		115	0.21
	98 = BLANK (NO ANSWER).....		532	0.96
	99 = LEGITIMATE SKIP		52174	94.59

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

BKBURGL¹	Len : 2	ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
			Freq	Pct
	1 = Yes		115	0.21
	2 = No.....		1928	3.50
	3 = Yes LOGICALLY ASSIGNED		1	0.00
	85 = BAD DATA Logically assigned		3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....		290	0.53
	97 = REFUSED		117	0.21
	98 = BLANK (NO ANSWER).....		532	0.96
	99 = LEGITIMATE SKIP		52174	94.59

NOTE: BKSRIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

BKSRIOL¹	Len : 2	ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS		
			Freq	Pct
	1 = Yes		167	0.30
	2 = No.....		1875	3.40
	3 = Yes LOGICALLY ASSIGNED		2	0.00
	85 = BAD DATA Logically assigned		3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....		290	0.53
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		115	0.21
	98 = BLANK (NO ANSWER).....		532	0.96
	99 = LEGITIMATE SKIP		52174	94.59

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

BKSMASLT¹	Len : 2	ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		295	0.53
	2 = No.....		1722	3.12
	3 = Yes LOGICALLY ASSIGNED		26	0.05
	85 = BAD DATA Logically assigned		3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....		290	0.53
	94 = DON'T KNOW.....		2	0.00
	97 = REFUSED		116	0.21
	98 = BLANK (NO ANSWER).....		532	0.96
	99 = LEGITIMATE SKIP		52174	94.59

In the past 12 months, were you arrested and booked for robbery?

BKROB¹	Len : 2	ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		66	0.12
	2 = No.....		1980	3.59
	85 = BAD DATA Logically assigned		3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....		290	0.53
	97 = REFUSED		115	0.21
	98 = BLANK (NO ANSWER).....		532	0.96
	99 = LEGITIMATE SKIP		52174	94.59

SPECIAL TOPICS

In the past 12 months, were you arrested and booked for arson?

BKARSON¹	Len : 2	ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	6	0.01
		2 = No.....	2035	3.69
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	115	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

BKDRVIN¹	Len : 2	ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	322	0.58
		2 = No.....	1717	3.11
		3 = Yes LOGICALLY ASSIGNED	7	0.01
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		97 = REFUSED	115	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

BKDRUNK¹	Len : 2	ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	258	0.47
		2 = No.....	1767	3.20
		3 = Yes LOGICALLY ASSIGNED	19	0.03
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	115	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

In the past 12 months, were you arrested and booked for possession of tobacco?

BKPOSTOB¹	Len : 2	ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
			Freq	Pct
		1 = Yes	23	0.04
		2 = No.....	424	0.77
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	16	0.03
		97 = REFUSED	27	0.05
		98 = BLANK (NO ANSWER).....	247	0.45
		99 = LEGITIMATE SKIP	54420	98.66

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

BKDRUG¹	Len : 2	ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
			Freq	Pct
		1 = Yes	331	0.60
		2 = No.....	1687	3.06
		3 = Yes LOGICALLY ASSIGNED	25	0.05
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	117	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

SPECIAL TOPICS

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

BKSEXNR¹	Len : 2	ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS		
			Freq	Pct
		1 = Yes	29	0.05
		2 = No.....	2016	3.65
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		97 = REFUSED	115	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

BKFRAUD¹	Len : 2	ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
			Freq	Pct
		1 = Yes	101	0.18
		2 = No.....	1912	3.47
		3 = Yes LOGICALLY ASSIGNED	32	0.06
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	115	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

BKOTH¹	Len : 2	ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS		
			Freq	Pct
		1 = Yes	457	0.83
		2 = No.....	1326	2.40
		3 = Yes LOGICALLY ASSIGNED	123	0.22
		5 = Offense unknown.....	141	0.26
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	290	0.53
		97 = REFUSED	114	0.21
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	52174	94.59

SPECIAL TOPICS

BKOTHOF2¹

Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
2 = Larceny or theft.....	18	0.03
3 = Burglary or breaking and entering.....	1	0.00
5 = Other assault, such as simple assault or battery	33	0.06
6 = Robbery.....	1	0.00
10 = Driving under the influence of alcohol or drugs.....	10	0.02
11 = Drunkenness or other liquor law violation.....	24	0.04
12 = Possession of tobacco.....	1	0.00
13 = Possession, manufacture, or sale of drugs.....	28	0.05
16 = Fraud, possessing stolen goods, vandalism.....	32	0.06
17 = Some other offense.....	9	0.02
18 = Weapons law violations	30	0.05
19 = Counterfeiting/Forgery	5	0.01
20 = Viol of court order/probation/parole, perjury	75	0.14
21 = Disorderly conduct.....	53	0.10
22 = Juvenile status offenses.....	7	0.01
23 = All oth ofns: crimes agnst persons/prprty/society.....	9	0.02
24 = Traffic violations.....	64	0.12
25 = Bad checks	4	0.01
26 = Curfew/loitering/vagrancy violations.....	11	0.02
27 = Trespass of real property	22	0.04
28 = Runaway.....	11	0.02
29 = Family offenses, nonviolent.....	15	0.03
31 = Intimidation	4	0.01
36 = Possession of drug paraphernalia.....	9	0.02
38 = Evading/hindering/obstructing police.....	35	0.06
39 = False report/statement/alarm	3	0.01
45 = Child endangermnt/neglect/abandonmt; abuse unspcfd.....	3	0.01
47 = Harassment; intimidation not specified.....	10	0.02
85 = BAD DATA Logically assigned.....	65	0.12
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	146	0.26
98 = BLANK (NO ANSWER).....	625	1.13
99 = LEGITIMATE SKIP	53790	97.52

Were you on probation at any time during the past 12 months?

PROBATON¹

Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes	1698	3.08
2 = No.....	53257	96.55
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	131	0.24
97 = REFUSED	66	0.12
98 = BLANK (NO ANSWER).....	6	0.01

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

PAROLREL¹

Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes	518	0.94
2 = No.....	54504	98.81
85 = BAD DATA Logically assigned.....	2	0.00
94 = DON'T KNOW.....	70	0.13
97 = REFUSED	60	0.11
98 = BLANK (NO ANSWER).....	6	0.01

SPECIAL TOPICS

NOTE: The variables DRVALDR, DRVAONLY, and DRVDONLY take into account data from the methamphetamine questions that were added to the Special Drugs module in 2005.

During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?

DRVALDR¹	Len : 2 DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		
		Freq	Pct
	1 = Yes	1740	3.15
	2 = No.....	9213	16.70
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	28	0.05
	85 = BAD DATA Logically assigned	3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	12	0.02
	91 = NEVER USED ALCOHOL OR DRUGS.....	14782	26.80
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	12	0.02
	98 = BLANK (NO ANSWER).....	419	0.76
	99 = LEGITIMATE SKIP	28948	52.48

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?

DRVAONLY¹	Len : 2 DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS		
		Freq	Pct
	1 = Yes	5386	9.76
	2 = No.....	26836	48.65
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	28	0.05
	85 = BAD DATA Logically assigned	4	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	14782	26.80
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	34	0.06
	98 = BLANK (NO ANSWER).....	354	0.64
	99 = LEGITIMATE SKIP	7723	14.00

During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/ illegal drugs only?

DRVDONLY¹	Len : 2 DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS		
		Freq	Pct
	1 = Yes	2553	4.63
	2 = No.....	10038	18.20
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	28	0.05
	85 = BAD DATA Logically assigned	4	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	19	0.03
	91 = NEVER USED ALCOHOL OR DRUGS.....	14782	26.80
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	19	0.03
	98 = BLANK (NO ANSWER).....	943	1.71
	99 = LEGITIMATE SKIP	26770	48.53

NOTE: DRVFLAG identifies those respondents (Rs) who were routed to the questions corresponding to DRVALDR or DRVDONLY (or both) solely because they reported use of methamphetamine (from MTHAREC), Adderall (from ADDEREC), Ambien (from AMBIREC), or hallucinogens (from KETAREC, TRYPREC, or SALVREC) in the past year in the SPECIAL DRUGS module. DRVFLAG was coded as 5 if the only indication of past year use came from MTHAREC through SALVREC and Rs reported past year use for more than one of these drugs. Rs for whom DRVFLAG had values of 1 through 5 were not counted in the creation of the RECODED SPECIAL TOPICS variables pertaining to substance use and driving, for consistency with how substance use and driving variables were created prior to the changes in logic that asked these questions of these additional noncore past year users.

DRVFLAG¹	Len : 2 ONLY PAST YEAR USER FROM NONCORE SPECIAL DRUGS		
		Freq	Pct
	1 = Only methamphet user from Special Drugs (see note)	10	0.02
	2 = Only past yr Adderall user (from ADDEREC)	141	0.26
	3 = Only past yr Ambien user (from AMBIREC)	86	0.16
	4 = Only past yr halluc from Special Drugs (see note).....	23	0.04
	5 = >1 pst yr drug from Special Drugs (see note).....	10	0.02
	98 = BLANK (NO ANSWER).....	54890	99.51

SPECIAL TOPICS

NOTE: MXMJPNLT is a renamed version of the variable MXMJPENL from prior years. In 2006 a new level (6 - No penalty) was added to the answer categories. Therefore, data from the previous variable MXMJPENL may not be comparable to data from the current variable MXMJPNLT.

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

MXMJPNLT¹	Len : 2	MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE		
			Freq	Pct
	1 = A fine		12220	22.15
	2 = Probation		7875	14.28
	3 = Community service		3329	6.04
	4 = Possible prison sentence		10998	19.94
	5 = Mandatory prison sentence		2597	4.71
	6 = No penalty		2144	3.89
	85 = BAD DATA Logically assigned		36	0.07
	94 = DON'T KNOW		15627	28.33
	97 = REFUSED		328	0.59
	98 = BLANK (NO ANSWER)		6	0.01

RECODED SPECIAL TOPICS

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

DRIVALC2	Len : 1 DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL		
	1 = Yes (DRVALDR=1 or DRVAONLY=1).....	Freq	Pct
	2 = No (DRVALDR=2,89,99 and DRVAONLY=2).....	5673	10.28
	3 = Unknown (Otherwise)	26250	47.59
	4 = Never/No Use (DRVALDR and DRVAONLY=81,89,91,99)	704	1.28
		22533	40.85
DRIVDRG2	Len : 1 DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS		
	1 = Yes (DRVFLAG=98 & {DRVALDR=1 or DRVDONLY=1})	Freq	Pct
	2 = No (DRVFLAG<=5 or {DRVALDR=2,89,99 & DRVDONLY=2})	3039	5.51
	3 = Unknown (Otherwise)	9500	17.22
	4 = Never/No Use (DRVALDR and DRVDONLY=81,89,91,99)	1022	1.85
		41599	75.42
DRIVALD2	Len : 1 DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS		
	1 = Yes (DRIVALC2=1 or DRIVDRG2=1)	Freq	Pct
	2 = No (Otherwise).....	6627	12.01
	3 = Unknown (DRIVALC2=3 or DRIVDRG2=3).....	26880	48.73
	4 = Never/No Use (DRIVALC2=4 and DRIVDRG2=4).....	1291	2.34
		20362	36.91
PAROL	Len : 1 PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
	. = Unknown Parole/Supervised Rel Status (Otherwise).....	Freq	Pct
	1 = On Parole/Supervised Release (PAROLREL=1)	138	0.25
	2 = Not on Parole/Supervised Release (PAROLREL=2)	518	0.94
		54504	98.81
PROB	Len : 1 PROBATION STATUS IN THE PAST YEAR		
	. = Unknown Probation Status (Otherwise)	Freq	Pct
	1 = On Probation (PROBATON=1)	205	0.37
	2 = Not on Probation (PROBATON=2).....	1698	3.08
		53257	96.55

MARIJUANA PURCHASES

MARIJUANA PURCHASES

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

Now think about the last time you used marijuana. How did you get this marijuana?

MMGETMJ¹	Len : 2	HOW DID YOU GET LAST MARIJUANA USED		
			Freq	Pct
		1 = You bought it	4592	8.32
		2 = You traded something else for it.....	143	0.26
		3 = You got it for free or shared someone else's	5296	9.60
		4 = You grew it yourself	103	0.19
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	38	0.07
		97 = REFUSED	99	0.18
		98 = BLANK (NO ANSWER).....	212	0.38

How long has it been since you last bought any marijuana?

MMBTREC1¹	Len : 2	TIME SINCE YOU LAST BOUGHT MARIJUANA		
			Freq	Pct
		1 = Within past 30 days -- that is, since [DATEFILL]	2836	5.14
		2 = More than 30 days ago, but within the past 12 mos.....	1345	2.44
		3 = More than 12 months ago	398	0.72
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	6	0.01
		97 = REFUSED	69	0.13
		98 = BLANK (NO ANSWER).....	275	0.50
		99 = LEGITIMATE SKIP	5555	10.07

During the past 12 months, that is, since [DATEFILL], did you buy any marijuana?

MMBTPYR¹	Len : 2	BOUGHT MARIJUANA PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	1454	2.64
		2 = No.....	4148	7.52
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	12	0.02
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	212	0.38
		99 = LEGITIMATE SKIP	4592	8.32

How long has it been since you last bought any marijuana?

MMBTREC2¹	Len : 2	TIME SINCE YOU LAST BOUGHT MARIJUANA		
			Freq	Pct
		1 = Within past 30 days -- that is, since [DATEFILL]	553	1.00
		2 = More than 30 days ago, but within the past 12 mos.....	892	1.62
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	228	0.41
		99 = LEGITIMATE SKIP	8740	15.84

MARIJUANA PURCHASES

During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?

MMBT30DY¹	Len : 2 # DAYS BOUGHT MARIJUANA PAST 30 DAYS		
	RANGE = 1 - 30.....	Freq	Pct
	91 = NEVER USED MARIJUANA	3352	6.08
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	94 = DON'T KNOW.....	11710	21.23
	97 = REFUSED	27	0.05
	98 = BLANK (NO ANSWER).....	79	0.14
	99 = LEGITIMATE SKIP	243	0.44
		6783	12.30

Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?

MMJNTLOO¹	Len : 2 LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE		
	1 = You bought joints	Freq	Pct
	2 = You bought the marijuana in loose form	190	0.34
	91 = NEVER USED MARIJUANA	5821	10.55
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	94 = DON'T KNOW.....	11710	21.23
	97 = REFUSED	12	0.02
	98 = BLANK (NO ANSWER).....	79	0.14
	99 = LEGITIMATE SKIP	288	0.52
		4094	7.42

How many joints did you buy the last time you bought marijuana?

MMJNTNUM¹	Len : 3 # MARIJUANA JOINTS BOUGHT LAST TIME		
	RANGE = 1 - 238.....	Freq	Pct
	991 = NEVER USED MARIJUANA	188	0.34
	993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	994 = DON'T KNOW.....	11710	21.23
	997 = REFUSED	2	0.00
	998 = BLANK (NO ANSWER).....	79	0.14
	999 = LEGITIMATE SKIP	300	0.54
		9915	17.97

How much did you pay for the joints/joint you bought this last time?

MMJNPCTB¹	Len : 2 AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT		
	1 = Less than \$5.00	Freq	Pct
	2 = \$5.00 to \$10.99.....	60	0.11
	3 = \$11.00 to \$20.99.....	74	0.13
	4 = \$21.00 to \$50.99.....	27	0.05
	5 = \$51.00 to \$100.99.....	17	0.03
	6 = \$101.00 to \$150.99.....	2	0.00
	7 = \$151.00 to \$200.99.....	2	0.00
	8 = \$201.00 to \$250.99.....	1	0.00
	12 = More than \$1000.99.....	1	0.00
	91 = NEVER USED MARIJUANA	4	0.01
	93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	32966	59.76
	94 = DON'T KNOW.....	11710	21.23
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER).....	80	0.15
	99 = LEGITIMATE SKIP	300	0.54
		9915	17.97

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?

MMJNPCAT¹	Len : 3	PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT	Freq	Pct
		1 = Less than \$5.00	60	0.11
		2 = \$5.00 to \$10.99	74	0.13
		3 = \$11.00 to \$20.99	27	0.05
		41 = \$21.00 to \$30.99	8	0.01
		42 = \$31.00 to \$40.99	7	0.01
		43 = \$41.00 to \$50.99	2	0.00
		51 = \$51.00 to \$60.99	2	0.00
		63 = \$121.00 to \$130.99	2	0.00
		70 = \$151.00 to \$200.99	1	0.00
		80 = \$201.00 to \$250.99	1	0.00
		121 = More than \$1000.99	4	0.01
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		994 = DON'T KNOW	1	0.00
		997 = REFUSED	80	0.15
		998 = BLANK (NO ANSWER)	300	0.54
		999 = LEGITIMATE SKIP	9915	17.97

Now we want to know how much marijuana you bought the last time you bought marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMLSUNIT¹	Len : 2	AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS	Freq	Pct
		1 = Grams	4569	8.28
		2 = Ounces	1042	1.89
		3 = Pounds	66	0.12
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	76	0.14
		97 = REFUSED	147	0.27
		98 = BLANK (NO ANSWER)	300	0.54
		99 = LEGITIMATE SKIP	4284	7.77

The last time you bought marijuana, how many grams did you buy?

MMLSGMS¹	Len : 2	AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS	Freq	Pct
		1 = At least 1 but less than 5 grams	3207	5.81
		2 = At least 5 but less than 10 grams	1041	1.89
		3 = 10 grams or more	292	0.53
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	20	0.04
		97 = REFUSED	156	0.28
		98 = BLANK (NO ANSWER)	376	0.68
		99 = LEGITIMATE SKIP	5392	9.78

How many grams of marijuana did you buy?

MMLS10GM¹	Len : 3	AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS	Freq	Pct
		RANGE = 10 - 88	285	0.52
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		994 = DON'T KNOW	6	0.01
		997 = REFUSED	157	0.28
		998 = BLANK (NO ANSWER)	396	0.72
		999 = LEGITIMATE SKIP	9640	17.48

MARIJUANA PURCHASES

The last time you bought marijuana, how many ounces did you buy?

MMLSZOZS¹	Len : 2	AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES		
			Freq	Pct
		1 = At least 1/8, but less than 1/4 of an ounce.....	270	0.49
		2 = At least 1/4 but less than 1/3 of an ounce.....	135	0.24
		3 = At least 1/3 but less than 1/2 of an ounce.....	58	0.11
		4 = At least 1/2 but less than 1 ounce	212	0.38
		5 = At least 1 but less than 5 ounces	294	0.53
		6 = At least 5 but less than 10 ounces	35	0.06
		7 = At least 10 but less than 16 ounces	20	0.04
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED	153	0.28
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP	8919	16.17

The last time you bought marijuana, how many pounds did you buy?

MMLSLBBS¹	Len : 2	AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS		
			Freq	Pct
		1 = At least 1 but less than 2 pounds	28	0.05
		2 = At least 2 but less than 3 pounds	9	0.02
		3 = At least 3 but less than 4 pounds	2	0.00
		4 = At least 4 but less than 5 pounds	3	0.01
		5 = 5 or more pounds.....	24	0.04
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		97 = REFUSED	147	0.27
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP	9895	17.94

How many pounds of marijuana did you buy?

MMLS5LBS¹	Len : 3	AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS		
			Freq	Pct
		RANGE = 5 - 99.....	23	0.04
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		997 = REFUSED	148	0.27
		998 = BLANK (NO ANSWER).....	376	0.68
		999 = LEGITIMATE SKIP	9937	18.01

How much did you pay for the marijuana you bought this last time?

MMLSPCTB¹	Len : 2	AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME		
			Freq	Pct
		1 = Less than \$5.00	264	0.48
		2 = \$5.00 to \$10.99.....	1093	1.98
		3 = \$11.00 to \$20.99.....	1484	2.69
		4 = \$21.00 to \$50.99.....	1559	2.83
		5 = \$51.00 to \$100.99.....	768	1.39
		6 = \$101.00 to \$150.99.....	208	0.38
		7 = \$151.00 to \$200.99.....	116	0.21
		8 = \$201.00 to \$250.99.....	61	0.11
		9 = \$251.00 to \$300.99.....	51	0.09
		10 = \$301.00 to \$500.99.....	69	0.13
		11 = \$501.00 to \$1000.99.....	28	0.05
		12 = More than \$1000.99.....	40	0.07
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED	137	0.25
		98 = BLANK (NO ANSWER).....	300	0.54
		99 = LEGITIMATE SKIP	4284	7.77

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?

MMLSPCAT¹

Len : 3 PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT

	Freq	Pct
1 = Less than \$5.00	264	0.48
2 = \$5.00 to \$10.99	1093	1.98
3 = \$11.00 to \$20.99	1484	2.69
40 = \$21.00 to \$50.99 (No further detail)	1	0.00
41 = \$21.00 to \$30.99	604	1.09
42 = \$31.00 to \$40.99	480	0.87
43 = \$41.00 to \$50.99	474	0.86
51 = \$51.00 to \$60.99	384	0.70
52 = \$61.00 to \$70.99	86	0.16
53 = \$71.00 to \$80.99	106	0.19
54 = \$81.00 to \$90.99	66	0.12
55 = \$91.00 to \$100.99	126	0.23
60 = \$101.00 to \$150.99 (No further detail)	2	0.00
61 = \$101.00 to \$110.99	58	0.11
62 = \$111.00 to \$120.99	55	0.10
63 = \$121.00 to \$130.99	30	0.05
64 = \$131.00 to \$140.99	16	0.03
65 = \$141.00 to \$150.99	47	0.09
70 = \$151.00 to \$200.99	116	0.21
80 = \$201.00 to \$250.99	61	0.11
90 = \$251.00 to \$300.99	51	0.09
100 = \$301.00 to \$500.99 (No further detail)	1	0.00
101 = \$301.00 to \$350.99	31	0.06
102 = \$351.00 to \$400.99	23	0.04
103 = \$401.00 to \$450.99	7	0.01
104 = \$451.00 to \$500.99	7	0.01
111 = \$501.00 to \$550.99	8	0.01
112 = \$551.00 to \$600.99	1	0.00
113 = \$601.00 to \$650.99	1	0.00
114 = \$651.00 to \$700.99	2	0.00
115 = \$701.00 to \$750.99	3	0.01
116 = \$751.00 to \$800.99	1	0.00
117 = \$801.00 to \$850.99	1	0.00
118 = \$851.00 to \$900.99	1	0.00
119 = \$901.00 to \$950.99	4	0.01
120 = \$951.00 to \$1000.99	6	0.01
121 = More than \$1000.99	40	0.07
991 = NEVER USED MARIJUANA	32966	59.76
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
994 = DON'T KNOW	22	0.04
997 = REFUSED	137	0.25
998 = BLANK (NO ANSWER)	300	0.54
999 = LEGITIMATE SKIP	4284	7.77

The last time you bought marijuana, who did you buy it from?

MMBUYWHO¹

Len : 2 WHO SOLD YOU LAST MARIJUANA BOUGHT

	Freq	Pct
1 = A friend	4546	8.24
2 = A relative or family member	263	0.48
3 = Someone I had just met or didn't know well	979	1.77
91 = NEVER USED MARIJUANA	32966	59.76
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
94 = DON'T KNOW	51	0.09
97 = REFUSED	263	0.48
98 = BLANK (NO ANSWER)	288	0.52
99 = LEGITIMATE SKIP	4094	7.42

MARIJUANA PURCHASES

The last time you bought marijuana, where were you when you bought it?

MMBPLACE¹

Len : 2 WHERE YOU WERE LAST TIME BOUGHT MARIJUANA

	Freq	Pct
1 = Inside a public bldg, such as a store, restaurant.....	276	0.50
2 = Inside a school building.....	114	0.21
3 = Outside on school property	83	0.15
4 = Inside a home, apartment, or dorm	2995	5.43
5 = Outside in a public area, such as a parking lot	1288	2.34
6 = Some other place.....	520	0.94
11 = Inside a public building LOGICALLY ASSIGNED	58	0.11
13 = Outside on school property LOGICALLY ASSIGNED.....	1	0.00
14 = Inside a home, apartment, or dorm LOG ASSN	209	0.38
15 = Outside in a public area LOGICALLY ASSIGNED.....	245	0.44
91 = NEVER USED MARIJUANA	32966	59.76
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
94 = DON'T KNOW.....	43	0.08
97 = REFUSED	270	0.49
98 = BLANK (NO ANSWER).....	288	0.52
99 = LEGITIMATE SKIP	4094	7.42

MMBPLOS2¹

Len : 2 OTHER PLACE BOUGHT MJ THE LAST TIME

	Freq	Pct
1 = Inside a public bldg (eg store/restaurant/arena)	58	0.11
3 = Outside on school property	1	0.00
4 = Inside a home, apartment, or dorm	209	0.38
5 = Outside in public area (eg parkng lot/street/park)	245	0.44
6 = Some other place.....	8	0.01
7 = At respondent's workplace	14	0.03
8 = At a party, location not specified	6	0.01
9 = From friend(s),/family; no other information	26	0.05
10 = In respondent's car/motor vhcle;location not spfd	8	0.01
11 = In someone else's car/mtr vhcle;location not spfd	3	0.01
12 = In a car/motor vehicle; owner or location unspcfd	47	0.09
13 = At school, no other information.....	4	0.01
14 = Outside on private property (home, yard, apt)	34	0.06
15 = Medical marijuana dispensary/club	51	0.09
16 = In a private/designtd locatn/place; otherwise unspd	4	0.01
22 = At concert/festival/sports event; location unspec	3	0.01
23 = A building; otherwise unspecified	6	0.01
24 = Individual/person; otherwise unspecified	5	0.01
25 = In a hotel/motel room (or public area unspcfd)	3	0.01
70 = Specific city/state/country or vacation	71	0.13
85 = BAD DATA Logically assigned	50	0.09
91 = NEVER USED MARIJUANA	32966	59.76
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
94 = DON'T KNOW.....	49	0.09
97 = REFUSED	396	0.72
98 = BLANK (NO ANSWER).....	333	0.60
99 = LEGITIMATE SKIP	8850	16.04

The last time you bought marijuana were you at work at your job or business?

MMBATJOB¹

Len : 2 AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA

	Freq	Pct
1 = Yes	120	0.22
2 = No.....	4743	8.60
3 = Do not work at a job or business	930	1.69
91 = NEVER USED MARIJUANA	32966	59.76
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
94 = DON'T KNOW.....	9	0.02
97 = REFUSED	133	0.24
98 = BLANK (NO ANSWER).....	289	0.52
99 = LEGITIMATE SKIP	4260	7.72

MARIJUANA PURCHASES

The last time you bought marijuana, where did you buy it?

MMBCLOSE¹	Len : 2	HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME		
			Freq	Pct
		1 = Near where you are now living	2531	4.59
		2 = Somewhere else	3306	5.99
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	29	0.05
		97 = REFUSED	236	0.43
		98 = BLANK (NO ANSWER)	288	0.52
		99 = LEGITIMATE SKIP	4094	7.42

Did you sell any of the marijuana you bought this last time?

MMBSELL¹	Len : 2	SELL ANY MARIJUANA BOUGHT LAST TIME		
			Freq	Pct
		1 = Yes	424	0.77
		2 = No	5556	10.07
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	6	0.01
		97 = REFUSED	116	0.21
		98 = BLANK (NO ANSWER)	288	0.52
		99 = LEGITIMATE SKIP	4094	7.42

Did you give away or share any of the marijuana you bought this last time?

MMBGIVE¹	Len : 2	GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME		
			Freq	Pct
		1 = Yes	3667	6.65
		2 = No	2324	4.21
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	107	0.19
		98 = BLANK (NO ANSWER)	288	0.52
		99 = LEGITIMATE SKIP	4094	7.42

During the past 12 months, that is, since [DATEFILL], did you trade something for marijuana?

MMTRADE¹	Len : 2	TRADED SOMETHING FOR MARIJUANA PAST 12 MOS		
			Freq	Pct
		1 = Yes	70	0.13
		2 = No	4009	7.27
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER)	228	0.41
		99 = LEGITIMATE SKIP	6113	11.08

During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?

MMTRD30D¹	Len : 2	TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS		
			Freq	Pct
		1 = Yes	25	0.05
		2 = No	45	0.08
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER)	283	0.51
		99 = LEGITIMATE SKIP	10069	18.25

MARIJUANA PURCHASES

How long has it been since you last traded something for marijuana?

MMTRDREC ¹	Len : 2	TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA	Freq	Pct
		1 = Within past 30 days -- that is, since [DATEFILL]	14	0.03
		2 = More than 30 days ago, but within the past 12 mos.....	36	0.07
		3 = More than 12 months ago	16	0.03
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	282	0.51
		99 = LEGITIMATE SKIP	10072	18.26

During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?

MMT30FRQ ¹	Len : 2	# DAYS TRADED FOR MARIJUANA PAST 30 DAYS	Freq	Pct
		RANGE = 1 - 20.....	38	0.07
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	284	0.51
		99 = LEGITIMATE SKIP	10099	18.31

Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?

MMTJNTLS ¹	Len : 2	LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE	Freq	Pct
		1 = You got joints.....	16	0.03
		2 = You got the marijuana in loose form.....	103	0.19
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	283	0.51
		99 = LEGITIMATE SKIP	10018	18.16

How many joints did you get the last time you traded something for marijuana?

MMTJNTNM ¹	Len : 3	# MARIJUANA JOINTS TRADED FOR LAST TIME	Freq	Pct
		RANGE = 1 - 4.....	16	0.03
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		997 = REFUSED	62	0.11
		998 = BLANK (NO ANSWER).....	285	0.52
		999 = LEGITIMATE SKIP	10121	18.35

How much do you think the marijuana in these joints/this joint was worth?

MMTJWRCB ¹	Len : 2	AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR	Freq	Pct
		1 = Less than \$5.00	2	0.00
		2 = \$5.00 to \$10.99.....	8	0.01
		3 = \$11.00 to \$20.99.....	3	0.01
		5 = \$51.00 to \$100.99.....	1	0.00
		7 = \$151.00 to \$200.99.....	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	285	0.52
		99 = LEGITIMATE SKIP	10121	18.35

MARIJUANA PURCHASES

More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?

MMTJWRTH¹	Len : 3	PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR		
			Freq	Pct
		1 = Less than \$5.00	2	0.00
		2 = \$5.00 to \$10.99.....	8	0.01
		3 = \$11.00 to \$20.99.....	3	0.01
		51 = \$51.00 to \$60.99.....	1	0.00
		70 = \$151.00 to \$200.99.....	1	0.00
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED	62	0.11
		998 = BLANK (NO ANSWER).....	285	0.52
		999 = LEGITIMATE SKIP	10121	18.35

Now we want to know how much marijuana you got the last time you traded something for marijuana.

Do you want to give your answer in grams, ounces, or pounds?

MMTLUNIT¹	Len : 2	AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS		
			Freq	Pct
		1 = Grams.....	66	0.12
		2 = Ounces	30	0.05
		3 = Pounds	3	0.01
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER).....	284	0.51
		99 = LEGITIMATE SKIP	10034	18.19

The last time you traded something for marijuana, how many grams did you get?

MMTLGMS¹	Len : 2	AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS		
			Freq	Pct
		1 = At least 1 but less than 5 grams	51	0.09
		2 = At least 5 but less than 10 grams.....	10	0.02
		3 = 10 grams or more	3	0.01
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	288	0.52
		99 = LEGITIMATE SKIP	10067	18.25

The last time you traded something for marijuana, how many ounces did you get?

MMTLOZS¹	Len : 2	AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES		
			Freq	Pct
		1 = At least 1/8, but less than 1/4 of an ounce.....	5	0.01
		2 = At least 1/4 but less than 1/3 of an ounce.....	17	0.03
		3 = At least 1/3 but less than 1/2 of an ounce.....	1	0.00
		4 = At least 1/2 but less than 1 ounce	3	0.01
		5 = At least 1 but less than 5 ounces	3	0.01
		7 = At least 10 but less than 16 ounces	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER).....	287	0.52
		99 = LEGITIMATE SKIP	10103	18.32

MARIJUANA PURCHASES

How much do you think the marijuana you got this last time was worth?

MMTLWRCB ¹	Len : 2	AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH	Freq	Pct
		1 = Less than \$5.00	12	0.02
		2 = \$5.00 to \$10.99	27	0.05
		3 = \$11.00 to \$20.99	18	0.03
		4 = \$21.00 to \$50.99	21	0.04
		5 = \$51.00 to \$100.99	11	0.02
		6 = \$101.00 to \$150.99	3	0.01
		9 = \$251.00 to \$300.99	1	0.00
		10 = \$301.00 to \$500.99	1	0.00
		11 = \$501.00 to \$1000.99	1	0.00
		12 = More than \$1000.99	1	0.00
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	6	0.01
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER)	284	0.51
		99 = LEGITIMATE SKIP	10034	18.19

More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?

MMTLWRTH ¹	Len : 3	PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR	Freq	Pct
		1 = Less than \$5.00	12	0.02
		2 = \$5.00 to \$10.99	27	0.05
		3 = \$11.00 to \$20.99	18	0.03
		41 = \$21.00 to \$30.99	8	0.01
		42 = \$31.00 to \$40.99	10	0.02
		43 = \$41.00 to \$50.99	3	0.01
		51 = \$51.00 to \$60.99	8	0.01
		52 = \$61.00 to \$70.99	1	0.00
		53 = \$71.00 to \$80.99	1	0.00
		54 = \$81.00 to \$90.99	1	0.00
		63 = \$121.00 to \$130.99	1	0.00
		65 = \$141.00 to \$150.99	2	0.00
		90 = \$251.00 to \$300.99	1	0.00
		101 = \$301.00 to \$350.99	1	0.00
		120 = \$951.00 to \$1000.99	1	0.00
		121 = More than \$1000.99	1	0.00
		985 = BAD DATA Logically assigned	1	0.00
		991 = NEVER USED MARIJUANA	32966	59.76
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		994 = DON'T KNOW	6	0.01
		997 = REFUSED	63	0.11
		998 = BLANK (NO ANSWER)	284	0.51
		999 = LEGITIMATE SKIP	10034	18.19

The last time you traded something for marijuana, who did you get it from?

MMTRDWHO ¹	Len : 2	WHO GAVE YOU LAST MARIJUANA TRADED FOR	Freq	Pct
		1 = A friend	94	0.17
		2 = A relative or family member	14	0.03
		3 = Someone I had just met or didn't know well	24	0.04
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	66	0.12
		98 = BLANK (NO ANSWER)	282	0.51
		99 = LEGITIMATE SKIP	10002	18.13

MARIJUANA PURCHASES

The last time you traded something for marijuana, where were you when you got it?

MMTPPLACE ¹	Len : 2	WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA	Freq	Pct
		1 = Inside a public bldg, such as a store, restaurant.....	7	0.01
		2 = Inside a school building.....	16	0.03
		3 = Outside on school property	4	0.01
		4 = Inside a home, apartment, or dorm	52	0.09
		5 = Outside in a public area, such as a parking lot	22	0.04
		6 = Some other place.....	13	0.02
		11 = Inside a public building LOGICALLY ASSIGNED	2	0.00
		14 = Inside a home, apartment, or dorm LOG ASSN	5	0.01
		15 = Outside in a public area LOGICALLY ASSIGNED.....	10	0.02
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	282	0.51
		99 = LEGITIMATE SKIP	10002	18.13

MMTPLOS2 ¹	Len : 2	OTHER PLACE TRADED FOR MJ THE LAST TIME	Freq	Pct
		1 = Inside a public bldg (eg store/restaurant/arena)	2	0.00
		4 = Inside a home, apartment, or dorm	5	0.01
		5 = Outside in public area (eg parkng lot/street/park).....	10	0.02
		6 = Some other place.....	5	0.01
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	68	0.12
		98 = BLANK (NO ANSWER).....	286	0.52
		99 = LEGITIMATE SKIP	10103	18.32

The last time you traded something for marijuana, where did you get it?

MMTCLOSE ¹	Len : 2	HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME	Freq	Pct
		1 = Near where you are now living.....	53	0.10
		2 = Somewhere else.....	80	0.15
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	282	0.51
		99 = LEGITIMATE SKIP	10002	18.13

The last time you traded something for marijuana, did you keep it all for yourself?

MMTKEEP ¹	Len : 2	KEEP ALL OF LAST MARIJUANA TRADED FOR	Freq	Pct
		1 = Yes	51	0.09
		2 = No.....	84	0.15
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER).....	282	0.51
		99 = LEGITIMATE SKIP	10002	18.13

MARIJUANA PURCHASES

Did you sell any of the marijuana you got this last time?

MMTSELL¹	Len : 2	SELL ANY MARIJUANA YOU TRADED FOR LAST TIME		
			Freq	Pct
		1 = Yes	6	0.01
		2 = No.....	78	0.14
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER).....	283	0.51
		99 = LEGITIMATE SKIP	10053	18.23

Did you give away any of the marijuana you got this last time?

MMTGIVE¹	Len : 2	GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME		
			Freq	Pct
		1 = Yes	42	0.08
		2 = No.....	41	0.07
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER).....	283	0.51
		99 = LEGITIMATE SKIP	10053	18.23

The last time you grew marijuana, did you keep it all for yourself?

MMGKEEP¹	Len : 2	KEEP ALL MARIJUANA LAST TIME YOU GREW IT		
			Freq	Pct
		1 = Yes	31	0.06
		2 = No.....	26	0.05
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	275	0.50
		99 = LEGITIMATE SKIP	10090	18.29

Did you sell any of the marijuana you grew this last time?

MMGSELL¹	Len : 2	SELL ANY MARIJUANA LAST TIME YOU GREW IT		
			Freq	Pct
		1 = Yes	8	0.01
		2 = No.....	18	0.03
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	275	0.50
		99 = LEGITIMATE SKIP	10121	18.35

The last time you grew marijuana, did you give any of it away for free?

MMGGIVE¹	Len : 2	GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT		
			Freq	Pct
		1 = Yes	16	0.03
		2 = No.....	10	0.02
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	275	0.50
		99 = LEGITIMATE SKIP	10121	18.35

MARIJUANA PURCHASES

The last time you got marijuana for free, who did you get it from?

MMFREWHO¹	Len : 2	WHO GAVE YOU LAST FREE MARIJUANA		
			Freq	Pct
		1 = A friend	3183	5.77
		2 = A relative or family member	412	0.75
		3 = Someone I had just met or didn't know well	226	0.41
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	11	0.02
		97 = REFUSED	129	0.23
		98 = BLANK (NO ANSWER)	283	0.51
		99 = LEGITIMATE SKIP	6240	11.31

The last time you got marijuana for free, where were you when you got it?

MMFPLACE¹	Len : 2	WHERE WERE YOU LAST TIME GOT FREE MARIJUANA		
			Freq	Pct
		1 = Inside a public bldg, such as a store, restaurant	94	0.17
		2 = Inside a school building	48	0.09
		3 = Outside on school property	71	0.13
		4 = Inside a home, apartment, or dorm	2472	4.48
		5 = Outside in a public area, such as a parking lot	487	0.88
		6 = Some other place	338	0.61
		11 = Inside a public building LOGICALLY ASSIGNED	18	0.03
		13 = Outside on school property LOGICALLY ASSIGNED	1	0.00
		14 = Inside a home, apartment, or dorm LOG ASSN	145	0.26
		15 = Outside in a public area LOGICALLY ASSIGNED	137	0.25
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	31	0.06
		97 = REFUSED	119	0.22
		98 = BLANK (NO ANSWER)	283	0.51
		99 = LEGITIMATE SKIP	6240	11.31

MMFPLOS2¹	Len : 2	OTHER PLACE GOT MJ FOR FREE THE LAST TIME		
			Freq	Pct
		1 = Inside a public bldg (eg store/restaurant/arena)	18	0.03
		3 = Outside on school property	1	0.00
		4 = Inside a home, apartment, or dorm	145	0.26
		5 = Outside in public area (eg parkng lot/street/park)	137	0.25
		6 = Some other place	7	0.01
		7 = At respondent's workplace	8	0.01
		8 = At a party, location not specified	43	0.08
		9 = From friend(s),/family; no other information	16	0.03
		11 = In someone else's car/mtr vhcle;location not spfd	10	0.02
		12 = In a car/motor vehicle; owner or location unspcfd	53	0.10
		13 = At school, no other information	4	0.01
		14 = Outside on private property (home, yard, apt)	33	0.06
		22 = At concert/festival/sports event; location unspec	4	0.01
		23 = A building; otherwise unspecified	6	0.01
		24 = Individual/person; otherwise unspecified	6	0.01
		25 = In a hotel/motel room (or public area unspcfd)	8	0.01
		70 = Specific city/state/country or vacation	32	0.06
		85 = BAD DATA Logically assigned	17	0.03
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	31	0.06
		97 = REFUSED	179	0.32
		98 = BLANK (NO ANSWER)	314	0.57
		99 = LEGITIMATE SKIP	9412	17.06

MARIJUANA PURCHASES

The last time you got marijuana for free, where did you get it?

MMFCLOSE¹	Len : 2	HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA		
			Freq	Pct
		1 = Near where you are now living	1490	2.70
		2 = Somewhere else	2329	4.22
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	30	0.05
		97 = REFUSED	112	0.20
		98 = BLANK (NO ANSWER)	283	0.51
		99 = LEGITIMATE SKIP	6240	11.31

The last time you got marijuana for free, did you keep it all for yourself?

MMFKEEP¹	Len : 2	KEEP ALL MARIJUANA GOT LAST TIME FOR FREE		
			Freq	Pct
		1 = Yes	409	0.74
		2 = No	3464	6.28
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	8	0.01
		97 = REFUSED	80	0.15
		98 = BLANK (NO ANSWER)	283	0.51
		99 = LEGITIMATE SKIP	6240	11.31

Did you sell any of the marijuana you got this last time?

MMFSELL¹	Len : 2	SELL ANY MARIJUANA GOT LAST TIME FOR FREE		
			Freq	Pct
		1 = Yes	32	0.06
		2 = No	3429	6.22
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		97 = REFUSED	83	0.15
		98 = BLANK (NO ANSWER)	291	0.53
		99 = LEGITIMATE SKIP	6649	12.05

Did you give away any of the marijuana you got this last time?

MMFGIVE¹	Len : 2	GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE		
			Freq	Pct
		1 = Yes	1089	1.97
		2 = No	2360	4.28
		91 = NEVER USED MARIJUANA	32966	59.76
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11710	21.23
		94 = DON'T KNOW	8	0.01
		97 = REFUSED	87	0.16
		98 = BLANK (NO ANSWER)	291	0.53
		99 = LEGITIMATE SKIP	6649	12.05

RECODED MARIJUANA PURCHASES

RECODED MARIJUANA PURCHASES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

MJPGOT	Len : 1	METHOD OF OBTAINING LAST USED MARIJUANA		
			Freq	Pct
		1 = Bought it (MMGETMJ=1)	4592	8.32
		2 = Traded for it (MMGETMJ=2)	143	0.26
		3 = Got it for Free/Shared (MMGETMJ=3)	5296	9.60
		4 = Grew it Yourself (MMGETMJ=4)	103	0.19
		5 = Method Unspecified (Otherwise)	350	0.63
		6 = Never Used MJ (MMGETMJ=91,93)	44676	80.99

The following "source of last used marijuana bought" variable, MJPBTFRM, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level, MJPBTFRM=4. This differs from the "location where last used marijuana was bought" variable, MJPBTPL2, where these unknown cases are defined as SAS missing, (MJPBTPL2=.). To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.

MJPBTFRM	Len : 1	SOURCE OF LAST USED MARIJUANA BOUGHT		
			Freq	Pct
		1 = Friend (MMBUYWHO=1)	4546	8.24
		2 = Relative or Family Member (MMBUYWHO=2)	263	0.48
		3 = Someone Just Met/Did Not Know (MMBUYWHO=3)	979	1.77
		4 = Source Unspecified (Otherwise)	602	1.09
		5 = Nev'r Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99)	48770	88.42

The following variable, MJPBTPL2, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOS2). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTPL2=6, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write in response was classified as a valid other-specify source (MMBPLOS2=7, 14, 15, 17, 18, 21, 25, 26). MJPBTPL2 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

MJPBTPL2	Len : 1	LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT		
			Freq	Pct
		. = Didn't Buy Last MJ or MJ in PY (See comment above)	49114	89.04
		1 = Inside a Public Building (MMBPLACE=1,11)	334	0.61
		2 = Outside in Public Area (MMBPLACE=5,15)	1533	2.78
		3 = Inside School (MMBPLACE=2,12)	114	0.21
		4 = Outside on School Property (MMBPLACE=3,13)	84	0.15
		5 = Inside Home/Apt/Dorm (MMBPLACE=4,14)	3204	5.81
		6 = Some Other Place (See comment above)	106	0.19
		7 = Location Unspecified (Otherwise)	671	1.22

RECODED MARIJUANA PURCHASES

The following variable, MJPBTPL3, was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOS2). A respondent was defined as buying last used marijuana from "Some Other Place", MJPBTPL3=7, if the location where the respondent reported being the last time he or she bought marijuana was some other place (MMBPLACE=6) and their write-in response was classified as a valid other-specify source other than "Medical Marijuana Dispensary/Club" (MMBPLOS2=7, 14, 17, 18, 21, 25, 26). MJPBTPL3 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2, 3, 4, 85, 91, 93, 94, 97, 98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2, 85, 91, 93, 94, 97, 98), and the location where the respondent reported being the last time he or she bought marijuana was unknown (MMBPLACE=85, 91, 93, 97, 98, 99).

MJPBTPL3 Len : 1 LOCATION WHERE LAST USED MRJ WAS BOUGHT (8 LEVELS)

	Freq	Pct
. = Didn't Buy Last MJ or MJ in PY (See comment above)	49114	89.04
1 = Inside a Public Building (MMBPLACE=1,11)	334	0.61
2 = Outside in Public Area (MMBPLACE=5,15)	1533	2.78
3 = Inside School (MMBPLACE=2,12)	114	0.21
4 = Outside on School Property (MMBPLACE=3,13)	84	0.15
5 = Inside Home/Apt/Dorm (MMBPLACE=4,14)	3204	5.81
6 = Medical Mrj Dispensary (MMBPLACE=6 & MMBPLOS2=15)	51	0.09
7 = Some Other Place (See comment above)	55	0.10
8 = Location Unspecified (Otherwise)	671	1.22

The following "source of last used free marijuana" variable, MJPFREGT, is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" level, MJPFREGT=4. This differs from the "location where last used free marijuana was received" variable, MJPFRL2, where these unknown cases are defined as SAS missing (MJPFRL2=.). To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.

MJPFREGT Len : 1 SOURCE OF LAST USED FREE MARIJUANA

	Freq	Pct
1 = Friend (MMFREWHO=1)	3183	5.77
2 = Relative or Family Member (MMFREWHO=2)	412	0.75
3 = Someone Just Met/Did Not Know (MMFREWHO=3)	226	0.41
4 = Source Unspecified (Otherwise)	423	0.77
5 = Nev'r Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99)	50916	92.31

The following variable, MJPFRL2, was assigned a positive response if the respondent reported getting their last used marijuana for free and reported not buying or trading something for marijuana in the past 12 months (MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2) and reported the corresponding location of getting the marijuana for free as noted in the level statements below (MMFPLACE/MMFPLOS2). A respondent was defined as getting their last used marijuana for free from "Some Other Place", MJPFRL2=6, if the location where the respondent reported being the last time he or she got marijuana for free was some other place (MMFPLACE=6) and their write in response was classified as a valid other-specify source (MMFPLOS2=7, 14, 15, 17, 18, 21, 25, 26). MJPFRL2 was assigned missing if at least one of the three criteria mentioned above was not met.

MJPFRL2 Len : 1 LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED

	Freq	Pct
. = Didn't Get Free MJ (See comment above)	51261	92.93
1 = Inside a Public Building (MMFPLACE=1,11)	112	0.20
2 = Outside in Public Area (MMFPLACE=5,15)	624	1.13
3 = Inside School (MMFPLACE=2,12)	48	0.09
4 = Outside on School Property (MMFPLACE=3,13)	72	0.13
5 = Inside Home/Apt/Dorm (MMFPLACE=4,14)	2617	4.74
6 = Some Other Place (See comment above)	51	0.09
7 = Location Unspecified (Otherwise)	375	0.68

PRIOR SUBSTANCE USE

PRIOR SUBSTANCE USE

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?

MRJYRBFR¹	Len : 2	USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST		
			Freq	Pct
		1 = Yes	9201	16.68
		2 = No.....	12835	23.27
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED MARIJUANA	32966	59.76
		94 = DON'T KNOW.....	69	0.13
		97 = REFUSED	77	0.14
		98 = BLANK (NO ANSWER).....	11	0.02

The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?

MRJAGLST¹	Len : 3	HOW OLD WERE YOU THE LAST TIME USED MARIJUANA		
			Freq	Pct
		RANGE = 5 - 86.....	15268	27.68
		985 = BAD DATA Logically assigned	467	0.85
		989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
		991 = NEVER USED MARIJUANA	32966	59.76
		994 = DON'T KNOW.....	254	0.46
		997 = REFUSED	106	0.19
		998 = BLANK (NO ANSWER).....	135	0.24
		999 = LEGITIMATE SKIP	5956	10.80

Did you last use marijuana or hashish in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or hashish in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

MRJYLU¹	Len : 4	YEAR OF LAST MARIJUANA/HASHISH USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013.....	5186	9.40
		9985 = BAD DATA Logically assigned	105	0.19
		9989 = LEGITIMATE SKIP Logically assigned.....	134	0.24
		9991 = NEVER USED MARIJUANA	32966	59.76
		9994 = DON'T KNOW.....	269	0.49
		9997 = REFUSED	110	0.20
		9998 = BLANK (NO ANSWER).....	590	1.07
		9999 = LEGITIMATE SKIP	15800	28.64

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use marijuana or hashish?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or hashish?

MRJMLU¹

Len : 2 MONTH OF LAST MARIJUANA/HASHISH USE - RECODE

	Freq	Pct
1 = January.....	476	0.86
2 = February.....	365	0.66
3 = March.....	401	0.73
4 = April.....	404	0.73
5 = May.....	377	0.68
6 = June.....	461	0.84
7 = July.....	485	0.88
8 = August.....	409	0.74
9 = September.....	323	0.59
10 = October.....	349	0.63
11 = November.....	349	0.63
12 = December.....	429	0.78
85 = BAD DATA Logically assigned.....	154	0.28
89 = LEGITIMATE SKIP Logically assigned.....	134	0.24
91 = NEVER USED MARIJUANA.....	32966	59.76
94 = DON'T KNOW.....	535	0.97
97 = REFUSED.....	148	0.27
98 = BLANK (NO ANSWER).....	595	1.08
99 = LEGITIMATE SKIP.....	15800	28.64

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

CIGAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 1 - 90.....	14404	26.11
985 = BAD DATA Logically assigned.....	478	0.87
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED CIGARETTES.....	28008	50.78
994 = DON'T KNOW.....	241	0.44
997 = REFUSED.....	51	0.09
998 = BLANK (NO ANSWER).....	35	0.06
999 = LEGITIMATE SKIP.....	11942	21.65

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

CIGYLU¹

Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	3910	7.09
9985 = BAD DATA Logically assigned.....	88	0.16
9989 = LEGITIMATE SKIP Logically assigned.....	69	0.13
9991 = NEVER USED CIGARETTES.....	28008	50.78
9994 = DON'T KNOW.....	249	0.45
9997 = REFUSED.....	52	0.09
9998 = BLANK (NO ANSWER).....	521	0.94
9999 = LEGITIMATE SKIP.....	22263	40.36

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

CIGMLU¹	Len : 2 MONTH OF LAST CIGARETTE USE - RECODE		
		Freq	Pct
	1 = January	341	0.62
	2 = February	253	0.46
	3 = March	279	0.51
	4 = April	270	0.49
	5 = May	266	0.48
	6 = June	344	0.62
	7 = July	350	0.63
	8 = August	326	0.59
	9 = September	271	0.49
	10 = October	264	0.48
	11 = November	297	0.54
	12 = December	352	0.64
	85 = BAD DATA Logically assigned	160	0.29
	89 = LEGITIMATE SKIP Logically assigned	69	0.13
	91 = NEVER USED CIGARETTES	28008	50.78
	94 = DON'T KNOW	453	0.82
	97 = REFUSED	66	0.12
	98 = BLANK (NO ANSWER)	528	0.96
	99 = LEGITIMATE SKIP	22263	40.36

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days.
How old were you when you last smoked cigarettes daily?

CIGDLLST¹	Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY		
		Freq	Pct
	RANGE = 7 - 90	7191	13.04
	985 = BAD DATA Logically assigned	156	0.28
	991 = NEVER USED CIGARETTES	28008	50.78
	994 = DON'T KNOW	97	0.18
	997 = REFUSED	18	0.03
	998 = BLANK (NO ANSWER)	9	0.02
	999 = LEGITIMATE SKIP	19681	35.68

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

CIGDLYLU¹	Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013	2245	4.07
	9985 = BAD DATA Logically assigned	36	0.07
	9989 = LEGITIMATE SKIP Logically assigned	41	0.07
	9991 = NEVER USED CIGARETTES	28008	50.78
	9994 = DON'T KNOW	97	0.18
	9997 = REFUSED	22	0.04
	9998 = BLANK (NO ANSWER)	162	0.29
	9999 = LEGITIMATE SKIP	24549	44.51

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

CIGDLMLU¹

Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January	260	0.47
2 = February	137	0.25
3 = March	152	0.28
4 = April	211	0.38
5 = May	136	0.25
6 = June	151	0.27
7 = July	214	0.39
8 = August	158	0.29
9 = September	154	0.28
10 = October	198	0.36
11 = November	159	0.29
12 = December	236	0.43
85 = BAD DATA Logically assigned	57	0.10
89 = LEGITIMATE SKIP Logically assigned	41	0.07
91 = NEVER USED CIGARETTES	28008	50.78
94 = DON'T KNOW	143	0.26
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	163	0.30
99 = LEGITIMATE SKIP	24549	44.51

The computer recorded that you last used snuff [CGSNREC FILL]. How old were you the last time you used snuff?

SNFAGLST¹

Len : 3 HOW OLD WERE YOU LAST THE TIME USED SNUFF

	Freq	Pct
RANGE = 1 - 83	4908	8.90
985 = BAD DATA Logically assigned	405	0.73
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED SNUFF	47753	86.57
994 = DON'T KNOW	152	0.28
997 = REFUSED	30	0.05
998 = BLANK (NO ANSWER)	36	0.07
999 = LEGITIMATE SKIP	1875	3.40

Did you last use snuff in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use snuff in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use snuff?

SNUFYLU¹

Len : 4 YEAR OF LAST SNUFF USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013	1144	2.07
9985 = BAD DATA Logically assigned	43	0.08
9989 = LEGITIMATE SKIP Logically assigned	26	0.05
9991 = NEVER USED SNUFF	47753	86.57
9994 = DON'T KNOW	153	0.28
9997 = REFUSED	31	0.06
9998 = BLANK (NO ANSWER)	437	0.79
9999 = LEGITIMATE SKIP	5573	10.10

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use snuff?

In what month in [YEAR FROM LU05a or LU05b] did you last use snuff?

SNUFMLU¹

Len : 2 MONTH OF LAST SNUFF USE - RECODE

	Freq	Pct
1 = January.....	85	0.15
2 = February.....	72	0.13
3 = March.....	82	0.15
4 = April.....	68	0.12
5 = May.....	82	0.15
6 = June.....	104	0.19
7 = July.....	106	0.19
8 = August.....	81	0.15
9 = September.....	73	0.13
10 = October.....	89	0.16
11 = November.....	84	0.15
12 = December.....	68	0.12
85 = BAD DATA Logically assigned.....	98	0.18
89 = LEGITIMATE SKIP Logically assigned.....	26	0.05
91 = NEVER USED SNUFF.....	47753	86.57
94 = DON'T KNOW.....	241	0.44
97 = REFUSED.....	34	0.06
98 = BLANK (NO ANSWER).....	441	0.80
99 = LEGITIMATE SKIP.....	5573	10.10

The computer recorded that you last used chewing tobacco [CG20REC FILL]. How old were you the last time you used chewing tobacco?

CHWAGLST¹

Len : 3 HOW OLD WERE YOU LAST TIME USED CHEWING TOBACCO

	Freq	Pct
RANGE = 3 - 74.....	4525	8.20
985 = BAD DATA Logically assigned.....	270	0.49
991 = NEVER USED CHEWING TOBACCO.....	49278	89.34
994 = DON'T KNOW.....	129	0.23
997 = REFUSED.....	32	0.06
998 = BLANK (NO ANSWER).....	19	0.03
999 = LEGITIMATE SKIP.....	907	1.64

Did you last use chewing tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use chewing tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use chewing tobacco?

CHEWYLU¹

Len : 4 YEAR OF LAST CHEWING TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	1028	1.86
9985 = BAD DATA Logically assigned.....	26	0.05
9989 = LEGITIMATE SKIP Logically assigned.....	22	0.04
9991 = NEVER USED CHEWING TOBACCO.....	49278	89.34
9994 = DON'T KNOW.....	129	0.23
9997 = REFUSED.....	32	0.06
9998 = BLANK (NO ANSWER).....	284	0.51
9999 = LEGITIMATE SKIP.....	4361	7.91

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use chewing tobacco?

In what month in [YEAR FROM LU06a or LU06b] did you last use chewing tobacco?

CHEWMLU ¹	Len : 2 MONTH OF LAST CHEWING TOBACCO USE - RECODE	Freq	Pct
1 = January.....		97	0.18
2 = February.....		63	0.11
3 = March.....		77	0.14
4 = April.....		73	0.13
5 = May.....		72	0.13
6 = June.....		107	0.19
7 = July.....		108	0.20
8 = August.....		77	0.14
9 = September.....		75	0.14
10 = October.....		85	0.15
11 = November.....		65	0.12
12 = December.....		50	0.09
85 = BAD DATA Logically assigned.....		54	0.10
89 = LEGITIMATE SKIP Logically assigned.....		22	0.04
91 = NEVER USED CHEWING TOBACCO.....		49278	89.34
94 = DON'T KNOW.....		180	0.33
97 = REFUSED.....		32	0.06
98 = BLANK (NO ANSWER).....		284	0.51
99 = LEGITIMATE SKIP.....		4361	7.91

The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?

CGRAGLST ¹	Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR	Freq	Pct
RANGE = 1 - 85.....		11694	21.20
985 = BAD DATA Logically assigned.....		611	1.11
989 = LEGITIMATE SKIP Logically assigned.....		2	0.00
991 = NEVER USED CIGARS.....		39345	71.33
994 = DON'T KNOW.....		335	0.61
997 = REFUSED.....		44	0.08
998 = BLANK (NO ANSWER).....		16	0.03
999 = LEGITIMATE SKIP.....		3113	5.64

Did you last smoke part or all of a cigar in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

CIGARYLU ¹	Len : 4 YEAR OF LAST CIGAR USE - RECODE	Freq	Pct
RANGE = 2011 - 2013.....		4278	7.76
9985 = BAD DATA Logically assigned.....		83	0.15
9989 = LEGITIMATE SKIP Logically assigned.....		107	0.19
9991 = NEVER USED CIGARS.....		39345	71.33
9994 = DON'T KNOW.....		350	0.63
9997 = REFUSED.....		45	0.08
9998 = BLANK (NO ANSWER).....		619	1.12
9999 = LEGITIMATE SKIP.....		10333	18.73

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar?

CIGARMLU¹

Len : 2 MONTH OF LAST CIGAR USE - RECODE

	Freq	Pct
1 = January.....	355	0.64
2 = February.....	246	0.45
3 = March.....	265	0.48
4 = April.....	268	0.49
5 = May.....	310	0.56
6 = June.....	396	0.72
7 = July.....	465	0.84
8 = August.....	392	0.71
9 = September.....	319	0.58
10 = October.....	301	0.55
11 = November.....	270	0.49
12 = December.....	355	0.64
85 = BAD DATA Logically assigned.....	150	0.27
89 = LEGITIMATE SKIP Logically assigned.....	107	0.19
91 = NEVER USED CIGARS.....	39345	71.33
94 = DON'T KNOW.....	595	1.08
97 = REFUSED.....	56	0.10
98 = BLANK (NO ANSWER).....	632	1.15
99 = LEGITIMATE SKIP.....	10333	18.73

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

ALCAGLST¹

Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE

	Freq	Pct
RANGE = 1 - 93.....	13545	24.56
985 = BAD DATA Logically assigned.....	167	0.30
989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
991 = NEVER USED ALCOHOL.....	17005	30.83
994 = DON'T KNOW.....	267	0.48
997 = REFUSED.....	85	0.15
998 = BLANK (NO ANSWER).....	369	0.67
999 = LEGITIMATE SKIP.....	23714	42.99

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

ALCYLU¹

Len : 4 YEAR OF LAST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	9429	17.09
9985 = BAD DATA Logically assigned.....	157	0.28
9989 = LEGITIMATE SKIP Logically assigned.....	123	0.22
9991 = NEVER USED ALCOHOL.....	17005	30.83
9994 = DON'T KNOW.....	282	0.51
9997 = REFUSED.....	93	0.17
9998 = BLANK (NO ANSWER).....	532	0.96
9999 = LEGITIMATE SKIP.....	27539	49.93

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

ALCMLU¹

Len : 2 MONTH OF LAST ALCOHOL USE - RECODE

	Freq	Pct
1 = January.....	1193	2.16
2 = February.....	630	1.14
3 = March.....	627	1.14
4 = April.....	498	0.90
5 = May.....	593	1.08
6 = June.....	864	1.57
7 = July.....	997	1.81
8 = August.....	745	1.35
9 = September.....	646	1.17
10 = October.....	501	0.91
11 = November.....	483	0.88
12 = December.....	1205	2.18
85 = BAD DATA Logically assigned.....	236	0.43
89 = LEGITIMATE SKIP Logically assigned.....	123	0.22
91 = NEVER USED ALCOHOL.....	17005	30.83
94 = DON'T KNOW.....	616	1.12
97 = REFUSED.....	113	0.20
98 = BLANK (NO ANSWER).....	546	0.99
99 = LEGITIMATE SKIP.....	27539	49.93

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

COCAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE

	Freq	Pct
RANGE = 10 - 70.....	4797	8.70
985 = BAD DATA Logically assigned.....	345	0.63
989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
991 = NEVER USED COCAINE.....	49491	89.72
994 = DON'T KNOW.....	104	0.19
997 = REFUSED.....	38	0.07
998 = BLANK (NO ANSWER).....	32	0.06
999 = LEGITIMATE SKIP.....	345	0.63

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

COCYLU¹

Len : 4 YEAR OF LAST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	1032	1.87
9985 = BAD DATA Logically assigned.....	35	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	36	0.07
9991 = NEVER USED COCAINE.....	49491	89.72
9994 = DON'T KNOW.....	107	0.19
9997 = REFUSED.....	43	0.08
9998 = BLANK (NO ANSWER).....	393	0.71
9999 = LEGITIMATE SKIP.....	4023	7.29

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

COCMLU¹

Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
1 = January	87	0.16
2 = February	80	0.15
3 = March	71	0.13
4 = April	68	0.12
5 = May	76	0.14
6 = June	89	0.16
7 = July	97	0.18
8 = August	72	0.13
9 = September	61	0.11
10 = October	69	0.13
11 = November	68	0.12
12 = December	94	0.17
85 = BAD DATA Logically assigned	71	0.13
89 = LEGITIMATE SKIP Logically assigned	36	0.07
91 = NEVER USED COCAINE	49491	89.72
94 = DON'T KNOW	160	0.29
97 = REFUSED	53	0.10
98 = BLANK (NO ANSWER)	394	0.71
99 = LEGITIMATE SKIP	4023	7.29

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack?"

CRKAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 10 - 69	1048	1.90
985 = BAD DATA Logically assigned	126	0.23
991 = NEVER USED CRACK	53848	97.62
994 = DON'T KNOW	40	0.07
997 = REFUSED	18	0.03
998 = BLANK (NO ANSWER)	17	0.03
999 = LEGITIMATE SKIP	63	0.11

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

CRKYL¹

Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013	122	0.22
9985 = BAD DATA Logically assigned	4	0.01
9989 = LEGITIMATE SKIP Logically assigned	4	0.01
9991 = NEVER USED CRACK	53848	97.62
9994 = DON'T KNOW	40	0.07
9997 = REFUSED	18	0.03
9998 = BLANK (NO ANSWER)	141	0.26
9999 = LEGITIMATE SKIP	983	1.78

PRIOR SUBSTANCE USE

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

CRKMLU¹

Len : 2 MONTH OF LAST CRACK USE - RECODE

	Freq	Pct
1 = January	12	0.02
2 = February	14	0.03
3 = March	5	0.01
4 = April	9	0.02
5 = May	12	0.02
6 = June	5	0.01
7 = July	10	0.02
8 = August	7	0.01
9 = September	9	0.02
10 = October	9	0.02
11 = November	9	0.02
12 = December	10	0.02
85 = BAD DATA Logically assigned	9	0.02
89 = LEGITIMATE SKIP Logically assigned	4	0.01
91 = NEVER USED CRACK	53848	97.62
94 = DON'T KNOW	45	0.08
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	142	0.26
99 = LEGITIMATE SKIP	983	1.78

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

HERAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN

	Freq	Pct
RANGE = 10 - 63	620	1.12
985 = BAD DATA Logically assigned	103	0.19
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED HEROIN	54278	98.40
994 = DON'T KNOW	22	0.04
997 = REFUSED	11	0.02
998 = BLANK (NO ANSWER)	39	0.07
999 = LEGITIMATE SKIP	86	0.16

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

HERYLU¹

Len : 4 YEAR OF LAST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013	182	0.33
9985 = BAD DATA Logically assigned	6	0.01
9989 = LEGITIMATE SKIP Logically assigned	3	0.01
9991 = NEVER USED HEROIN	54278	98.40
9994 = DON'T KNOW	21	0.04
9997 = REFUSED	12	0.02
9998 = BLANK (NO ANSWER)	140	0.25
9999 = LEGITIMATE SKIP	518	0.94

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

HERMLU¹

Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
1 = January.....	17	0.03
2 = February.....	10	0.02
3 = March.....	14	0.03
4 = April.....	18	0.03
5 = May.....	10	0.02
6 = June.....	18	0.03
7 = July.....	15	0.03
8 = August.....	19	0.03
9 = September.....	11	0.02
10 = October.....	15	0.03
11 = November.....	12	0.02
12 = December.....	10	0.02
85 = BAD DATA Logically assigned.....	8	0.01
89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
91 = NEVER USED HEROIN.....	54278	98.40
94 = DON'T KNOW.....	30	0.05
97 = REFUSED.....	15	0.03
98 = BLANK (NO ANSWER).....	139	0.25
99 = LEGITIMATE SKIP.....	518	0.94

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

HALAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 2 - 74.....	6147	11.14
985 = BAD DATA Logically assigned.....	413	0.75
989 = LEGITIMATE SKIP Logically assigned.....	18	0.03
991 = NEVER USED HALLUCINOGENS.....	47802	86.66
994 = DON'T KNOW.....	132	0.24
997 = REFUSED.....	39	0.07
998 = BLANK (NO ANSWER).....	196	0.36
999 = LEGITIMATE SKIP.....	413	0.75

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

HALYLU¹

Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	1462	2.65
9985 = BAD DATA Logically assigned.....	32	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	51	0.09
9991 = NEVER USED HALLUCINOGENS.....	47802	86.66
9994 = DON'T KNOW.....	138	0.25
9997 = REFUSED.....	39	0.07
9998 = BLANK (NO ANSWER).....	717	1.30
9999 = LEGITIMATE SKIP.....	4919	8.92

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

HALMLU¹

Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January	95	0.17
2 = February	91	0.16
3 = March	114	0.21
4 = April	87	0.16
5 = May	109	0.20
6 = June	133	0.24
7 = July	176	0.32
8 = August	107	0.19
9 = September	97	0.18
10 = October	108	0.20
11 = November	92	0.17
12 = December	102	0.18
85 = BAD DATA Logically assigned	98	0.18
89 = LEGITIMATE SKIP Logically assigned	51	0.09
91 = NEVER USED HALLUCINOGENS	47802	86.66
94 = DON'T KNOW	210	0.38
97 = REFUSED	49	0.09
98 = BLANK (NO ANSWER)	720	1.31
99 = LEGITIMATE SKIP	4919	8.92

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

LSDAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 9 - 72	3206	5.81
985 = BAD DATA Logically assigned	159	0.29
991 = NEVER USED LSD	51474	93.32
994 = DON'T KNOW	69	0.13
997 = REFUSED	19	0.03
998 = BLANK (NO ANSWER)	138	0.25
999 = LEGITIMATE SKIP	95	0.17

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

LSDYLU¹

Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013	524	0.95
9985 = BAD DATA Logically assigned	7	0.01
9989 = LEGITIMATE SKIP Logically assigned	15	0.03
9991 = NEVER USED LSD	51474	93.32
9994 = DON'T KNOW	72	0.13
9997 = REFUSED	19	0.03
9998 = BLANK (NO ANSWER)	301	0.55
9999 = LEGITIMATE SKIP	2748	4.98

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

LSDMLU¹

Len : 2 MONTH OF LAST LSD USE - RECODE

	Freq	Pct
1 = January.....	35	0.06
2 = February.....	23	0.04
3 = March.....	33	0.06
4 = April.....	40	0.07
5 = May.....	28	0.05
6 = June.....	53	0.10
7 = July.....	62	0.11
8 = August.....	31	0.06
9 = September.....	43	0.08
10 = October.....	47	0.09
11 = November.....	34	0.06
12 = December.....	43	0.08
85 = BAD DATA Logically assigned.....	28	0.05
89 = LEGITIMATE SKIP Logically assigned.....	15	0.03
91 = NEVER USED LSD.....	51474	93.32
94 = DON'T KNOW.....	90	0.16
97 = REFUSED.....	20	0.04
98 = BLANK (NO ANSWER).....	313	0.57
99 = LEGITIMATE SKIP.....	2748	4.98

The computer recorded that you last used PCP [PCPPREC FILL]. How old were you the last time you used PCP?

PCPAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP

	Freq	Pct
RANGE = 2 - 57.....	602	1.09
985 = BAD DATA Logically assigned.....	104	0.19
991 = NEVER USED PCP.....	54355	98.54
994 = DON'T KNOW.....	27	0.05
997 = REFUSED.....	7	0.01
998 = BLANK (NO ANSWER).....	55	0.10
999 = LEGITIMATE SKIP.....	10	0.02

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

PCPYLU¹

Len : 4 YEAR OF LAST PCP USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	42	0.08
9985 = BAD DATA Logically assigned.....	4	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
9991 = NEVER USED PCP.....	54355	98.54
9994 = DON'T KNOW.....	27	0.05
9997 = REFUSED.....	7	0.01
9998 = BLANK (NO ANSWER).....	157	0.28
9999 = LEGITIMATE SKIP.....	566	1.03

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

PCPMLU¹

Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
1 = January.....	1	0.00
2 = February.....	4	0.01
3 = March.....	2	0.00
4 = April.....	3	0.01
5 = May.....	6	0.01
6 = June.....	5	0.01
7 = July.....	3	0.01
8 = August.....	1	0.00
9 = September.....	5	0.01
10 = October.....	4	0.01
11 = November.....	2	0.00
12 = December.....	3	0.01
85 = BAD DATA Logically assigned.....	5	0.01
89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
91 = NEVER USED PCP.....	54355	98.54
94 = DON'T KNOW.....	28	0.05
97 = REFUSED.....	7	0.01
98 = BLANK (NO ANSWER).....	158	0.29
99 = LEGITIMATE SKIP.....	566	1.03

The computer recorded that you last used "Ecstasy" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy"?

ECSAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY

	Freq	Pct
RANGE = 12 - 72.....	3433	6.22
985 = BAD DATA Logically assigned.....	190	0.34
991 = NEVER USED ECSTASY.....	51070	92.59
994 = DON'T KNOW.....	44	0.08
997 = REFUSED.....	17	0.03
998 = BLANK (NO ANSWER).....	193	0.35
999 = LEGITIMATE SKIP.....	213	0.39

Did you last use "Ecstasy" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

ECSYLU¹

Len : 4 YEAR OF LAST ECSTASY USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	987	1.79
9985 = BAD DATA Logically assigned.....	20	0.04
9989 = LEGITIMATE SKIP Logically assigned.....	14	0.03
9991 = NEVER USED ECSTASY.....	51070	92.59
9994 = DON'T KNOW.....	44	0.08
9997 = REFUSED.....	16	0.03
9998 = BLANK (NO ANSWER).....	387	0.70
9999 = LEGITIMATE SKIP.....	2622	4.75

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use "Ecstasy"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy"?

ECSMLU¹

Len : 2 MONTH OF LAST ECSTASY USE - RECODE

	Freq	Pct
1 = January.....	76	0.14
2 = February.....	65	0.12
3 = March.....	97	0.18
4 = April.....	55	0.10
5 = May.....	73	0.13
6 = June.....	83	0.15
7 = July.....	110	0.20
8 = August.....	62	0.11
9 = September.....	62	0.11
10 = October.....	68	0.12
11 = November.....	60	0.11
12 = December.....	76	0.14
85 = BAD DATA Logically assigned.....	53	0.10
89 = LEGITIMATE SKIP Logically assigned.....	14	0.03
91 = NEVER USED ECSTASY.....	51070	92.59
94 = DON'T KNOW.....	68	0.12
97 = REFUSED.....	18	0.03
98 = BLANK (NO ANSWER).....	428	0.78
99 = LEGITIMATE SKIP.....	2622	4.75

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

INHAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 65.....	3376	6.12
985 = BAD DATA Logically assigned.....	392	0.71
989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
991 = NEVER USED INHALANTS.....	50782	92.06
994 = DON'T KNOW.....	165	0.30
997 = REFUSED.....	85	0.15
998 = BLANK (NO ANSWER).....	207	0.38
999 = LEGITIMATE SKIP.....	150	0.27

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

INHLYU¹

Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	635	1.15
9985 = BAD DATA Logically assigned.....	35	0.06
9989 = LEGITIMATE SKIP Logically assigned.....	27	0.05
9991 = NEVER USED INHALANTS.....	50782	92.06
9994 = DON'T KNOW.....	166	0.30
9997 = REFUSED.....	84	0.15
9998 = BLANK (NO ANSWER).....	594	1.08
9999 = LEGITIMATE SKIP.....	2837	5.14

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

INHMLU ¹ Len : 2 MONTH OF LAST INHALANT USE - RECODE				
			Freq	Pct
1 = January			58	0.11
2 = February			37	0.07
3 = March			33	0.06
4 = April			37	0.07
5 = May			52	0.09
6 = June			59	0.11
7 = July			67	0.12
8 = August			46	0.08
9 = September			38	0.07
10 = October			37	0.07
11 = November			41	0.07
12 = December			37	0.07
85 = BAD DATA Logically assigned			59	0.11
89 = LEGITIMATE SKIP Logically assigned			27	0.05
91 = NEVER USED INHALANTS			50782	92.06
94 = DON'T KNOW			220	0.40
97 = REFUSED			90	0.16
98 = BLANK (NO ANSWER)			603	1.09
99 = LEGITIMATE SKIP			2837	5.14

The computer recorded that you last used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused [PRREC FILL]. How old were you the last time you used any prescription pain reliever in either of these ways?

ANLAGLST ¹ Len : 3 HOW OLD WERE YOU THE LAST TIME USED PAIN RELIEVER				
			Freq	Pct
RANGE = 1 - 85			6043	10.96
981 = NEVER USED PAIN RELIEVERS Logically assigned			72	0.13
985 = BAD DATA Logically assigned			389	0.71
989 = LEGITIMATE SKIP Logically assigned			8	0.01
991 = NEVER USED PAIN RELIEVERS			46793	84.83
994 = DON'T KNOW			271	0.49
997 = REFUSED			84	0.15
998 = BLANK (NO ANSWER)			337	0.61
999 = LEGITIMATE SKIP			1163	2.11

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALYLU ¹ Len : 4 YEAR OF LAST PAIN RELIEVER USE - RECODE				
			Freq	Pct
RANGE = 2011 - 2013			2503	4.54
9981 = NEVER USED PAIN RELIEVERS Logically assigned			72	0.13
9985 = BAD DATA Logically assigned			74	0.13
9989 = LEGITIMATE SKIP Logically assigned			80	0.15
9991 = NEVER USED PAIN RELIEVERS			46793	84.83
9994 = DON'T KNOW			285	0.52
9997 = REFUSED			90	0.16
9998 = BLANK (NO ANSWER)			729	1.32
9999 = LEGITIMATE SKIP			4534	8.22

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17a or LU17b] did you last use a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALMLU¹

Len : 2 MONTH OF LAST PAIN RELIEVER USE - RECODE

	Freq	Pct
1 = January.....	206	0.37
2 = February.....	184	0.33
3 = March.....	196	0.36
4 = April.....	155	0.28
5 = May.....	162	0.29
6 = June.....	175	0.32
7 = July.....	222	0.40
8 = August.....	208	0.38
9 = September.....	185	0.34
10 = October.....	170	0.31
11 = November.....	184	0.33
12 = December.....	204	0.37
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned.....	125	0.23
89 = LEGITIMATE SKIP Logically assigned.....	80	0.15
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
94 = DON'T KNOW.....	454	0.82
97 = REFUSED.....	105	0.19
98 = BLANK (NO ANSWER).....	746	1.35
99 = LEGITIMATE SKIP.....	4534	8.22

The computer recorded that you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused [OXYREC FILL]. How old were you the last time you used OxyContin in either of these ways?

OXYAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED OXYCONTIN

	Freq	Pct
RANGE = 6 - 63.....	1494	2.71
981 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
985 = BAD DATA Logically assigned.....	136	0.25
989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
991 = NEVER USED OXYCONTIN.....	50906	92.29
994 = DON'T KNOW.....	43	0.08
997 = REFUSED.....	49	0.09
998 = BLANK (NO ANSWER).....	151	0.27
999 = LEGITIMATE SKIP.....	101	0.18

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCYLU¹

Len : 4 YEAR OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	454	0.82
9981 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
9985 = BAD DATA Logically assigned.....	16	0.03
9989 = LEGITIMATE SKIP Logically assigned.....	16	0.03
9991 = NEVER USED OXYCONTIN.....	50906	92.29
9994 = DON'T KNOW.....	45	0.08
9997 = REFUSED.....	47	0.09
9998 = BLANK (NO ANSWER).....	286	0.52
9999 = LEGITIMATE SKIP.....	1112	2.02

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU17f or LU17g] did you last use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?

OXYCMLU¹

Len : 2 MONTH OF LAST OXYCONTIN USE - RECODE

	Freq	Pct
1 = January.....	33	0.06
2 = February.....	22	0.04
3 = March.....	33	0.06
4 = April.....	26	0.05
5 = May.....	31	0.06
6 = June.....	45	0.08
7 = July.....	40	0.07
8 = August.....	35	0.06
9 = September.....	23	0.04
10 = October.....	32	0.06
11 = November.....	34	0.06
12 = December.....	41	0.07
81 = NEVER USED OXYCONTIN Logically assigned.....	2278	4.13
85 = BAD DATA Logically assigned.....	40	0.07
89 = LEGITIMATE SKIP Logically assigned.....	16	0.03
91 = NEVER USED OXYCONTIN.....	50906	92.29
94 = DON'T KNOW.....	72	0.13
97 = REFUSED.....	52	0.09
98 = BLANK (NO ANSWER).....	289	0.52
99 = LEGITIMATE SKIP.....	1112	2.02

The computer recorded that you last used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused [TRREC FILL]. How old were you the last time you used any prescription tranquilizer in either of those ways?

TRNAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED TRANQUILIZERS

	Freq	Pct
RANGE = 1 - 81.....	3602	6.53
981 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
985 = BAD DATA Logically assigned.....	315	0.57
989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
991 = NEVER USED TRANQUILIZERS.....	50464	91.49
994 = DON'T KNOW.....	158	0.29
997 = REFUSED.....	53	0.10
998 = BLANK (NO ANSWER).....	130	0.24
999 = LEGITIMATE SKIP.....	433	0.78

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANYL¹

Len : 4 YEAR OF LAST TRANQUILIZER USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	1254	2.27
9981 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
9985 = BAD DATA Logically assigned.....	29	0.05
9989 = LEGITIMATE SKIP Logically assigned.....	35	0.06
9991 = NEVER USED TRANQUILIZERS.....	50464	91.49
9994 = DON'T KNOW.....	164	0.30
9997 = REFUSED.....	56	0.10
9998 = BLANK (NO ANSWER).....	436	0.79
9999 = LEGITIMATE SKIP.....	2720	4.93

PRIOR SUBSTANCE USE

In what month in [CURRENT YEAR] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU18a or LU18b] did you last use a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?

TRANMLU ¹	Len : 2 MONTH OF LAST TRANQUILIZER USE - RECODE	Freq	Pct
1 = January.....		94	0.17
2 = February.....		68	0.12
3 = March.....		116	0.21
4 = April.....		87	0.16
5 = May.....		86	0.16
6 = June.....		112	0.20
7 = July.....		118	0.21
8 = August.....		99	0.18
9 = September.....		88	0.16
10 = October.....		71	0.13
11 = November.....		82	0.15
12 = December.....		94	0.17
81 = NEVER USED TRANQUILIZERS Logically assigned.....		2	0.00
85 = BAD DATA Logically assigned.....		71	0.13
89 = LEGITIMATE SKIP Logically assigned.....		35	0.06
91 = NEVER USED TRANQUILIZERS.....		50464	91.49
94 = DON'T KNOW.....		241	0.44
97 = REFUSED.....		66	0.12
98 = BLANK (NO ANSWER).....		446	0.81
99 = LEGITIMATE SKIP.....		2720	4.93

NOTE: Data for STMAGLST, STIMYLU, and STIMMLU were edited for consistency with data for MTHAGLST, METHYLU, and METHMLU (see below) if respondents reported nonmedical use of methamphetamine in the core STIMULANTS module. In that context, nonmedical use of methamphetamine could include the prescription forms Desoxyn or Methedrine. Respondents in this survey year who reported methamphetamine use in the noncore SPECIAL DRUGS module also were asked questions about their last use of methamphetamine, without reference to prescription forms of the drug. STMAGLST, STIMYLU, and STIMMLU were not edited for consistency with data on the last use of methamphetamine for these additional noncore methamphetamine users. Consequently, STMAGLST, STIMYLU, and STIMMLU could indicate lifetime nonuse of "prescription" stimulants when the corresponding methamphetamine data in MTHAGLST, METHYLU, and METHMLU indicate that respondents were methamphetamine users. Therefore, documentation of codes for 81, 981, 9981, 91, 991, and 9991 in STMAGLST, STIMYLU, and STIMMLU specifically indicates that respondents had never used prescription stimulants nonmedically.

The computer recorded that you last used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused [STREC FILL]. How old were you the last time you used any prescription stimulant in either of these ways?

STMAGLST ¹	Len : 3 HOW OLD WERE YOU THE LAST TIME USED RX STIMULANTS	Freq	Pct
RANGE = 3 - 70.....		2914	5.28
981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....		13	0.02
985 = BAD DATA Logically assigned.....		138	0.25
989 = LEGITIMATE SKIP Logically assigned.....		10	0.02
991 = NEVER USED PRESCRIPTION STIMULANTS.....		51405	93.19
994 = DON'T KNOW.....		83	0.15
997 = REFUSED.....		29	0.05
998 = BLANK (NO ANSWER).....		202	0.37
999 = LEGITIMATE SKIP.....		366	0.66

PRIOR SUBSTANCE USE

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMYLU¹	Len : 4	YEAR OF LAST RX STIMULANT USE - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013	849	1.54
		9981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
		9985 = BAD DATA Logically assigned	20	0.04
		9989 = LEGITIMATE SKIP Logically assigned.....	19	0.03
		9991 = NEVER USED PRESCRIPTION STIMULANTS	51405	93.19
		9994 = DON'T KNOW.....	88	0.16
		9997 = REFUSED	31	0.06
		9998 = BLANK (NO ANSWER).....	364	0.66
		9999 = LEGITIMATE SKIP	2371	4.30

In what month in [CURRENT YEAR] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU19a or LU19b] did you last use a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMMLU¹	Len : 2	MONTH OF LAST RX STIMULANT USE - RECODE		
			Freq	Pct
		1 = January.....	63	0.11
		2 = February	50	0.09
		3 = March	75	0.14
		4 = April	60	0.11
		5 = May	89	0.16
		6 = June	68	0.12
		7 = July	66	0.12
		8 = August	52	0.09
		9 = September	46	0.08
		10 = October.....	53	0.10
		11 = November.....	56	0.10
		12 = December.....	82	0.15
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
		85 = BAD DATA Logically assigned	44	0.08
		89 = LEGITIMATE SKIP Logically assigned.....	19	0.03
		91 = NEVER USED PRESCRIPTION STIMULANTS	51405	93.19
		94 = DON'T KNOW.....	134	0.24
		97 = REFUSED	35	0.06
		98 = BLANK (NO ANSWER).....	379	0.69
		99 = LEGITIMATE SKIP	2371	4.30

NOTE: MTHNCFLG is a flag variable that indicates when respondents reported methamphetamine use in the noncore SPECIAL DRUGS module and MTHAGLST has nonmissing data.

MTHNCFLG¹	Len : 2	MTHAGLST COMING FROM NONCORE DATA		
			Freq	Pct
		1 = Nonmissing MTHAGLST based on noncore data.....	504	0.91
		98 = OTHERWISE.....	54656	99.09

PRIOR SUBSTANCE USE

The computer recorded that you last used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine] [MEREC FILL]. How old were you the last time you used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine]?

MTHAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 2 - 62.....	1670	3.03
981 = NEVER USED METHAMPHETAMINE Logically assigned	15	0.03
985 = BAD DATA Logically assigned	125	0.23
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED METHAMPHETAMINE.....	53091	96.25
994 = DON'T KNOW.....	61	0.11
997 = REFUSED	22	0.04
998 = BLANK (NO ANSWER).....	37	0.07
999 = LEGITIMATE SKIP	138	0.25

Did you last use [METHFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [METHFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [METHFILL]?

METHYLU¹

Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	306	0.55
9981 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
9985 = BAD DATA Logically assigned	12	0.02
9989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
9991 = NEVER USED METHAMPHETAMINE.....	53093	96.25
9994 = DON'T KNOW.....	61	0.11
9997 = REFUSED	24	0.04
9998 = BLANK (NO ANSWER).....	160	0.29
9999 = LEGITIMATE SKIP	1485	2.69

In what month in [CURRENT YEAR] did you last use [METHFILL]?

In what month in [YEAR FROM LU20a or LU20b] did you last use [METHFILL]?

METHMLU¹

Len : 2 MONTH OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
1 = January.....	24	0.04
2 = February	28	0.05
3 = March	24	0.04
4 = April	11	0.02
5 = May	25	0.05
6 = June	22	0.04
7 = July	29	0.05
8 = August	25	0.05
9 = September	22	0.04
10 = October.....	19	0.03
11 = November	24	0.04
12 = December	23	0.04
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
85 = BAD DATA Logically assigned	21	0.04
89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
91 = NEVER USED METHAMPHETAMINE.....	53093	96.25
94 = DON'T KNOW.....	77	0.14
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER).....	163	0.30
99 = LEGITIMATE SKIP	1485	2.69

PRIOR SUBSTANCE USE

The computer recorded that you last used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused [SVREC FILL]. How old were you the last time you used any prescription sedative in either of those ways?

SEDAGLST¹

Len : 3 HOW OLD WERE YOU THE LAST TIME USED SEDATIVES

	Freq	Pct
RANGE = 1 - 70.....	696	1.26
981 = NEVER USED SEDATIVES Logically assigned	20	0.04
985 = BAD DATA Logically assigned	56	0.10
989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
991 = NEVER USED SEDATIVES.....	54143	98.16
994 = DON'T KNOW.....	44	0.08
997 = REFUSED	5	0.01
998 = BLANK (NO ANSWER).....	142	0.26
999 = LEGITIMATE SKIP	53	0.10

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDYLU¹

Len : 4 YEAR OF LAST SEDATIVE USE - RECODE

	Freq	Pct
RANGE = 2011 - 2013.....	166	0.30
9981 = NEVER USED SEDATIVES Logically assigned	20	0.04
9985 = BAD DATA Logically assigned	6	0.01
9989 = LEGITIMATE SKIP Logically assigned.....	7	0.01
9991 = NEVER USED SEDATIVES.....	54143	98.16
9994 = DON'T KNOW.....	48	0.09
9997 = REFUSED	5	0.01
9998 = BLANK (NO ANSWER).....	196	0.36
9999 = LEGITIMATE SKIP	569	1.03

In what month in [CURRENT YEAR] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

In what month in [YEAR FROM LU21a or LU21b] did you last use a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?

SEDMLU¹

Len : 2 MONTH OF LAST SEDATIVE USE - RECODE

	Freq	Pct
1 = January.....	17	0.03
2 = February	11	0.02
3 = March	9	0.02
4 = April	13	0.02
5 = May	14	0.03
6 = June	7	0.01
7 = July.....	13	0.02
8 = August	4	0.01
9 = September	15	0.03
10 = October.....	11	0.02
11 = November	13	0.02
12 = December	17	0.03
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned.....	7	0.01
91 = NEVER USED SEDATIVES.....	54143	98.16
94 = DON'T KNOW.....	65	0.12
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER).....	196	0.36
99 = LEGITIMATE SKIP	569	1.03

PRIOR SUBSTANCE USE

NOTE: Values of 1 or 2 in the variables USEALCG, USEMJCG, and USEALMJ were reset to values of 11 or 12 if respondents were routed to the corresponding questions but one or more of the relevant age-at-first-use variables (e.g., ALCTRY and CIGTRY for USEALCG) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEALCG¹	Len : 2 USED ALC OR CIG FIRST WHEN [AFUFILL] YEARS OLD		
		Freq	Pct
	1 = Alcohol.....	1806	3.27
	2 = Cigarettes	1933	3.50
	3 = Alcohol LOGICALLY ASSIGNED	38	0.07
	4 = Cigarettes LOGICALLY ASSIGNED.....	26	0.05
	11 = Alcohol (see NOTE).....	17	0.03
	12 = Cigarettes (see NOTE)	10	0.02
	89 = LEGITIMATE SKIP Logically assigned.....	4	0.01
	91 = NEVER USED ALCOHOL/CIGARETTES	15404	27.93
	94 = DON'T KNOW.....	35	0.06
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	340	0.62
	99 = LEGITIMATE SKIP	35536	64.42

Earlier, the computer recorded that you started using marijuana and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEMJCG¹	Len : 2 USED MJ OR CIG FIRST WHEN [AFUFILL] YEARS OLD		
		Freq	Pct
	1 = Marijuana.....	1010	1.83
	2 = Cigarettes	1925	3.49
	3 = Marijuana LOGICALLY ASSIGNED	28	0.05
	4 = Cigarettes LOGICALLY ASSIGNED.....	22	0.04
	11 = Marijuana (see NOTE for USEALCG)	15	0.03
	12 = Cigarettes (see NOTE for USEALCG).....	16	0.03
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED MARIJUANA/CIGARETTES.....	24246	43.96
	94 = DON'T KNOW.....	18	0.03
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	168	0.30
	99 = LEGITIMATE SKIP	27705	50.23

Earlier, the computer recorded that you started using alcohol and marijuana when you were [AFUFILL] years old. Which did you use first?

USEALMJ¹	Len : 2 USED ALC OR MJ FIRST WHEN [AFUFILL] YEARS OLD		
		Freq	Pct
	1 = Alcohol.....	2604	4.72
	2 = Marijuana.....	983	1.78
	3 = Alcohol LOGICALLY ASSIGNED	33	0.06
	4 = Marijuana LOGICALLY ASSIGNED	39	0.07
	11 = Alcohol (see NOTE for USEALCG)	5	0.01
	12 = Marijuana (see NOTE for USEALCG)	11	0.02
	91 = NEVER USED ALCOHOL/MARIJUANA	16211	29.39
	94 = DON'T KNOW.....	26	0.05
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	241	0.44
	99 = LEGITIMATE SKIP	34996	63.44

PRIOR SUBSTANCE USE

NOTE: Values of 1, 2, or 3 in the variables USEACM and USENEXT were reset to values of 11, 12, or 13 if one or more of the relevant age-at-first-use variables (ALCTRY, CIGTRY, and MJAGE) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol, cigarettes and marijuana when you were [AFUFILL] years old. Which did you use first?

USEACM¹	Len : 2	USED ALC CIG OR MJ 1ST WHEN [AFUFILL] YEARS OLD		
			Freq	Pct
		1 = Alcohol.....	595	1.08
		2 = Cigarettes	699	1.27
		3 = Marijuana.....	247	0.45
		4 = Alcohol LOGICALLY ASSIGNED	9	0.02
		5 = Cigarettes LOGICALLY ASSIGNED.....	2	0.00
		6 = Marijuana LOGICALLY ASSIGNED	8	0.01
		11 = Alcohol (see NOTE).....	5	0.01
		12 = Cigarettes (see NOTE)	2	0.00
		13 = Marijuana (see NOTE)	2	0.00
		85 = BAD DATA Logically assigned	7	0.01
		91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA	15025	27.24
		94 = DON'T KNOW.....	12	0.02
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP	38490	69.78

After first using [FILL LU25], which of these did you use next?

USENEXT¹	Len : 2	WHAT DID YOU USE AFTER USING [FILL LU25]		
			Freq	Pct
		1 = Alcohol.....	590	1.07
		2 = Cigarettes	505	0.92
		3 = Marijuana.....	427	0.77
		4 = Alcohol LOGICALLY ASSIGNED	5	0.01
		5 = Cigarettes LOGICALLY ASSIGNED.....	13	0.02
		6 = Marijuana LOGICALLY ASSIGNED	10	0.02
		11 = Alcohol (see NOTE for USEACM).....	2	0.00
		12 = Cigarettes (see NOTE for USEACM)	4	0.01
		13 = Marijuana (see NOTE for USEACM)	2	0.00
		85 = BAD DATA Logically assigned	11	0.02
		91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA	15025	27.24
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	69	0.13
		99 = LEGITIMATE SKIP	38490	69.78

Earlier, the computer recorded that, during the past 30 days, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription pain relievers?

Please enter all of the ways that you got the prescription pain relievers you used in the past 30 days.

ANLRX1DR¹	Len : 2	GOT ONE+ PRSCRPS FOR PAIN RLVRs FROM JUST ONE DR		
			Freq	Pct
		1 = Response entered	260	0.47
		3 = Response entered LOG ASSN (from ANLOTHS2).....	1	0.00
		5 = Response entered LOG ASSN (from ANLGTLA2)	7	0.01
		6 = Response not entered.....	816	1.48
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED	51	0.09
		98 = BLANK (NO ANSWER).....	503	0.91

PRIOR SUBSTANCE USE

ANLRXDRS¹

Len : 2 I GOT PRSCRPS FOR PAIN RELIEVERS FROM TWO+ DR

	Freq	Pct
1 = Response entered	62	0.11
5 = Response entered LOG ASSN (from ANLGTLA2)	1	0.00
6 = Response not entered.....	1020	1.85
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	505	0.92

ANLRXFAK¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR PAIN RELIEVERS

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered.....	1074	1.95
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	505	0.92

ANLSTOLE¹

Len : 2 ISTOLE PN RLVRS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered.....	1075	1.95
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	505	0.92

ANLFRFRE¹

Len : 2 I GOT PAIN RELIEVERS FRM A FRND/RELATIVE FOR FREE

	Freq	Pct
1 = Response entered	562	1.02
3 = Response entered LOG ASSN (from ANLOTHS2).....	8	0.01
5 = Response entered LOG ASSN (from ANLGTLA2)	8	0.01
6 = Response not entered.....	506	0.92
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	504	0.91

ANLFRBUY¹

Len : 2 I BOUGHT THE PN RELIEVERS FRM A FRIEND OR RELATIV

	Freq	Pct
1 = Response entered	245	0.44
3 = Response entered LOG ASSN (from ANLOTHS2).....	2	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	5	0.01
6 = Response not entered.....	832	1.51
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	504	0.91

PRIOR SUBSTANCE USE

ANLFRTKE¹

Len : 2 I TOOK THE PNRLVRS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
1 = Response entered	93	0.17
3 = Response entered LOG ASSN (from ANLOTHS2)	2	0.00
5 = Response entered LOG ASSN (from ANLGTLA2)	4	0.01
6 = Response not entered.....	987	1.79
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	502	0.91

ANLDEALR¹

Len : 2 I BOUGHT THE PNRLVRS FRM DRUG DEALR/OTH STRANGER

	Freq	Pct
1 = Response entered	141	0.26
3 = Response entered LOG ASSN (from ANLOTHS2)	3	0.01
5 = Response entered LOG ASSN (from ANLGTLA2)	3	0.01
6 = Response not entered.....	936	1.70
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	505	0.92

ANLINET¹

Len : 2 I BOUGHT THE PAIN RELIEVERS ON THE INTERNET

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	1080	1.96
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	505	0.92

ANLOTHWY¹

Len : 2 I GOT THE PAIN RELIEVERS IN SOME OTHER WAY

	Freq	Pct
1 = Response entered	112	0.20
5 = Response entered LOG ASSN (from ANLGTLA2)	2	0.00
6 = Response not entered.....	970	1.76
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	31	0.06
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	503	0.91

PRIOR SUBSTANCE USE

ANLOTHS2¹

Len : 2 OTHER WAY RESP GOT PAIN REL USED IN PST 30 DAYS

	Freq	Pct
1 = Got one/more prescriptions from just one doctor.....	1	0.00
5 = Got it from a friend or relative for free.....	8	0.01
6 = Bought it from a friend or relative	2	0.00
7 = Took from a friend or relative without asking	2	0.00
8 = Bought it from a drug dealer or other stranger.....	4	0.01
10 = Got it in some other way	5	0.01
11 = From friend, relative, home; otherwise unspecfd.....	37	0.07
12 = Stole it or took it; otherwise unspecified	3	0.01
13 = Given to me; otherwise unspecified.....	4	0.01
15 = Dr office, clinic, hospital, pharmacy; how unspcfd	3	0.01
17 = Got it from a place of business; otherwise unspcfd.....	4	0.01
21 = Found it; otherwise unspecified	3	0.01
23 = Got it with prescription(s); otherwise unspecified.....	3	0.01
24 = Bought them at a pharmacy/store	7	0.01
72 = An OTC drug /OTC-only store reported.....	1	0.00
73 = Reason/condition for taking drug stated	1	0.00
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER).....	535	0.97
99 = LEGITIMATE SKIP (Used only methamphetamine)	970	1.76

You reported that you got the prescription pain relievers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription pain relievers that you used?

Please enter all of the ways that your friend or relative got the prescription pain relievers you used in the past 30 days.

ANLFF1DR¹

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVRs FROM 1 DR

	Freq	Pct
1 = Response entered	392	0.71
5 = Response entered LOG ASSN (from ANLFFLAS)	11	0.02
6 = Response not entered.....	118	0.21
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	32	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	599	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFDRS¹

Len : 2 FRIEND/RELATIVE GOT RX FOR PAIN RLVRs FROM >1 DR

	Freq	Pct
1 = Response entered	47	0.09
5 = Response entered LOG ASSN (from ANLFFLAS)	2	0.00
6 = Response not entered.....	467	0.85
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	601	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFAKE¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR PAIN RELIEVERS

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered.....	514	0.93
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	602	1.09
99 = LEGITIMATE SKIP	506	0.92

PRIOR SUBSTANCE USE

ANLFFSTL¹

Len : 2 FRND/RELAT STOLE PN RLVRs FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
1 = Response entered	4	0.01
6 = Response not entered.....	511	0.93
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	602	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFREE¹

Len : 2 FRND/RELAT GOT PN RLVRs FRM FRND/RELAT FOR FREE

	Freq	Pct
1 = Response entered	69	0.13
5 = Response entered LOG ASSN (from ANLFFLAS)	4	0.01
6 = Response not entered.....	444	0.80
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	600	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFBOT¹

Len : 2 FRND/RELAT BOUGHT PAIN RLVRs FROM FRND/RELAT

	Freq	Pct
1 = Response entered	63	0.11
5 = Response entered LOG ASSN (from ANLFFLAS)	4	0.01
6 = Response not entered.....	449	0.81
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	601	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFTAK¹

Len : 2 FRND/RELAT TOOK PN RLVRs FRM FRND/REL WO ASKING

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered.....	498	0.90
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	602	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFDLR¹

Len : 2 FRND/RELAT BOUGHT PN RLVRs FR DRG DEALER/STRANGR

	Freq	Pct
1 = Response entered	48	0.09
5 = Response entered LOG ASSN (from ANLFFLAS)	2	0.00
6 = Response not entered.....	466	0.84
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	601	1.09
99 = LEGITIMATE SKIP	506	0.92

PRIOR SUBSTANCE USE

ANLFFNET¹

Len : 2 FRIEND/RELATIVE BOUGHT PN RLVRs ON THE INTERNET

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered.....	513	0.93
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	602	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFOTH¹

Len : 2 FRIEND/RELATIVE GOT PAIN RLVRs SOME OTHER WAY

	Freq	Pct
1 = Response entered	27	0.05
5 = Response entered LOG ASSN (from ANLFFLAS)	1	0.00
6 = Response not entered.....	487	0.88
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	35	0.06
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER).....	602	1.09
99 = LEGITIMATE SKIP	506	0.92

ANLFFOSP¹

Len : 2 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS PST 30 D

	Freq	Pct
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	5	0.01
14 = He/she bought it; otherwise unspecified	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	2	0.00
21 = He/she found it; otherwise unspecified.....	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	2	0.00
24 = He/she bought them at a pharmacy/store.....	3	0.01
29 = He/she got drugs/money in exchange for sex	1	0.00
71 = He/she bought/obtained it outside of the US	1	0.00
72 = Over-the-counter drug reported.....	2	0.00
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	6625	12.01
94 = DON'T KNOW.....	8	0.01
98 = BLANK (NO ANSWER).....	649	1.18
99 = LEGITIMATE SKIP	993	1.80

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

ANLGLA2¹	Len : 2	HOW GOT PRSCRIP PAIN RLVR PAST 12 MOS/LAST TIME		
			Freq	Pct
		1 = I got a prescription from just one doctor	353	0.64
		2 = I got prescriptions from more than one doctor	32	0.06
		4 = I stole it from dr's office/clinic/hosp/pharmacy	7	0.01
		5 = I got it from a friend or relative for free	1057	1.92
		6 = I bought it from a friend or relative.....	248	0.45
		7 = I took it from friend/relative without asking.....	118	0.21
		8 = I bought it from a drug dealer or other stranger	106	0.19
		9 = I bought it on the Internet	4	0.01
		10 = I got it in some other way	96	0.17
		15 = I got it from friend/relative for free LOG ASSN.....	21	0.04
		17 = I took it from friend/relative w/o asking LOG ASSN	1	0.00
		18 = I bought it from drug dealer/oth stranger LOG ASSN	2	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED	56	0.10
		98 = BLANK (NO ANSWER).....	532	0.96
		99 = LEGITIMATE SKIP	837	1.52

ANLGTOS2¹	Len : 2	OTHER WAY RESP GOT PAIN REL USED THE LAST TIME		
			Freq	Pct
		5 = Got it from a friend or relative for free.....	21	0.04
		7 = Took from a friend or relative without asking.....	1	0.00
		8 = Bought it from a drug dealer or other stranger.....	2	0.00
		10 = Got it in some other way	14	0.03
		11 = From friend, relative, home; otherwise unspecfd.....	46	0.08
		17 = Got it from a place of business; otherwise unspecfd.....	5	0.01
		20 = Traded/bartered for it; sex not specified	3	0.01
		21 = Found it; otherwise unspecified	4	0.01
		73 = Reason/condition for taking drug stated	1	0.00
		74 = Name of drug reported, OTC unspecified.....	2	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	72	0.13
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED PAIN RELIEVERS.....	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	575	1.04
		99 = LEGITIMATE SKIP (Used only methamphetamine)	2764	5.01

PRIOR SUBSTANCE USE

You reported that you got the prescription pain reliever you last used from a friend or relative for free. How did your friend or relative get the last prescription pain reliever that you used?

ANLFFLAS¹	Len : 2	HOW FRND/RELAT GOT PAIN RELIEVERS THE LAST TIME		
			Freq	Pct
		1 = He/she got a prescription from just one doctor	741	1.34
		2 = He/she got prescriptions from more than one doctor	41	0.07
		3 = He/she wrote a fake prescription	3	0.01
		4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	3	0.01
		5 = He/she got it from a friend or relative for free	62	0.11
		6 = He/she bought it from a friend or relative	40	0.07
		7 = He/she took it from friend/relative without asking	18	0.03
		8 = He/she bought it from a drug dealer/other stranger	22	0.04
		9 = He/she bought it on the Internet	2	0.00
		10 = He/she got it in some other way	33	0.06
		11 = Got a prescrip from one dr LOG ASSN (ANLFFLSP=1)	1	0.00
		18 = Bought fr drg dealr/stranger LOG ASSN (ANLFFLSP=8)	2	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned	72	0.13
		91 = NEVER USED PAIN RELIEVERS	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW	83	0.15
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER)	651	1.18
		99 = LEGITIMATE SKIP	1804	3.27

ANLFFLSP¹	Len : 2	OTHER WAY FRND/RELAT GOT PAIN RELIEVERS		
			Freq	Pct
		1 = He/she got prescriptions from just one doctor	1	0.00
		8 = He/she bought it from drug dealer/other stranger	2	0.00
		11 = Fr friend/relat/home/co-worker; otherwise unspcfd	5	0.01
		13 = Given to him/her; otherwise unspecified	1	0.00
		14 = He/she bought it; otherwise unspecified	1	0.00
		15 = Dr office, clinic, hospital, pharmacy; how unspcfd	1	0.00
		17 = He/she got fr place of business; otherwise unspcfd	1	0.00
		18 = He/she got fr individual; how & relation unspcfd	1	0.00
		21 = He/she found it; otherwise unspecified	1	0.00
		23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
		24 = He/she bought them at a pharmacy/store	4	0.01
		72 = Over-the-counter drug reported	1	0.00
		73 = Reason/condition for taking drug stated	1	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned	72	0.13
		91 = NEVER USED PAIN RELIEVERS	46793	84.83
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	4783	8.67
		94 = DON'T KNOW	11	0.02
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER)	734	1.33
		99 = LEGITIMATE SKIP	2736	4.96

Earlier, the computer recorded that, during the past 30 days, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription tranquilizers?

Please enter all of the ways that you got the prescription tranquilizers you used in the past 30 days.

TRNRX1DR¹	Len : 2	I GOT 1+ PRSCRPS FOR TRANQUILIZERS FRM JST ONE DR		
			Freq	Pct
		1 = Response entered	65	0.12
		6 = Response not entered	341	0.62
		81 = NEVER USED TRANQUILIZERS Logically assigned	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
		94 = DON'T KNOW	6	0.01
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER)	194	0.35

PRIOR SUBSTANCE USE

TRNRXDRS¹	Len : 2 I GOT PRSCRPS FOR TRANQUILIZERS FROM TWO+ DR		
		Freq	Pct
	1 = Response entered	6	0.01
	6 = Response not entered.....	400	0.73
	81 = NEVER USED TRANQUILIZERS logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	194	0.35
TRNRXFAK¹	Len : 2 I WROTE FAKE PRESCRIPTIONS FOR TRANQUILIZERS		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	405	0.73
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	194	0.35
TRNSTOLE¹	Len : 2 I STOLE TRANQS FROM A DR'S OFF/CLIN/HOSP/PHARMCY		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	405	0.73
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	194	0.35
TRNFRFRE¹	Len : 2 I GOT TRANQUILIZERS FROM A FRND/RELATIVE FOR FREE		
		Freq	Pct
	1 = Response entered	218	0.40
	3 = Response entered LOG ASSN (from TRNOTHS2)	1	0.00
	5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00
	6 = Response not entered.....	187	0.34
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	193	0.35
TRNFRBUY¹	Len : 2 I BOUGHT THE TRANQS FROM A FRIEND OR RELATIVE		
		Freq	Pct
	1 = Response entered	83	0.15
	5 = Response entered LOG ASSN (from TRNGTLA2).....	2	0.00
	6 = Response not entered.....	322	0.58
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	193	0.35
TRNFRTKE¹	Len : 2 I TOOK THE TRANQS FROM A FRND/RELATIVE WO ASKING		
		Freq	Pct
	1 = Response entered	28	0.05
	6 = Response not entered.....	378	0.69
	81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
	91 = NEVER USED TRANQUILIZERS	50464	91.49
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	194	0.35

PRIOR SUBSTANCE USE

TRNDEALR¹

Len : 2 I BOUGHT THE TRANQS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
1 = Response entered	45	0.08
5 = Response entered LOG ASSN (from TRNGTLA2)	1	0.00
6 = Response not entered.....	361	0.65
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER).....	193	0.35

TRNINET¹

Len : 2 I BOUGHT THE TRANQUILIZERS ON THE INTERNET

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered.....	404	0.73
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER).....	194	0.35

TRNOTHWY¹

Len : 2 I GOT THE TRANQUILIZERS IN SOME OTHER WAY

	Freq	Pct
1 = Response entered	15	0.03
6 = Response not entered.....	391	0.71
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	6	0.01
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER).....	194	0.35

TRNOTHS2¹

Len : 2 OTHER WAY RESP GOT TRANQUILIZER IN PST 30 DAYS

	Freq	Pct
5 = Got it from a friend or relative for free.....	1	0.00
10 = Got it in some other way	2	0.00
11 = From friend, relative, home; otherwise unspecfd	6	0.01
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER).....	200	0.36
99 = LEGITIMATE SKIP (Used only methamphetamine)	391	0.71

You reported that you got the prescription tranquilizers you used in the past 30 days from a friend or relative for free.
How did your friend or relative get the prescription tranquilizers that you used?

Please enter all of the ways that your friend or relative got the prescription tranquilizers you used in the past 30 days.

TRNFF1DR¹

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM 1 DR

	Freq	Pct
1 = Response entered	150	0.27
5 = Response entered LOG ASSN (from TRNFFLAS)	3	0.01
6 = Response not entered.....	54	0.10
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	221	0.40
99 = LEGITIMATE SKIP	187	0.34

PRIOR SUBSTANCE USE

TRNFFDRS¹

Len : 2 FRIEND/RELATIVE GOT RX FOR TRANQS FROM >1 DR

	Freq	Pct
1 = Response entered	6	0.01
5 = Response entered LOG ASSN (from TRNFFLAS)	1	0.00
6 = Response not entered.....	199	0.36
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFAKE¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR TRANQS

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered.....	205	0.37
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFSTL¹

Len : 2 FRND/RELAT STOLE TRANQS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered.....	205	0.37
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFREE¹

Len : 2 FRND/RELAT GOT TRANQS FRM FRND/RELAT FOR FREE

	Freq	Pct
1 = Response entered	23	0.04
5 = Response entered LOG ASSN (from TRNFFLAS)	1	0.00
6 = Response not entered.....	182	0.33
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFBOT¹

Len : 2 FRIEND/RELATIVE BOUGHT TRANQS FROM FRND/RELAT

	Freq	Pct
1 = Response entered	27	0.05
6 = Response not entered.....	179	0.32
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

PRIOR SUBSTANCE USE

TRNFFTAK¹

Len : 2 FRND/RELAT TOOK TRANQS FRM FRND/REL WO ASKING

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	203	0.37
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFDLR¹

Len : 2 FRND/RELAT BOUGHT TRANQS FR DRUG DEALER/STRANGER

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered.....	189	0.34
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFNET¹

Len : 2 FRIEND/RELATIVE BOUGHT TRANQS ON THE INTERNET

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	203	0.37
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFOTH¹

Len : 2 FRIEND/RELATIVE GOT TRANQS SOME OTHER WAY

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered.....	197	0.36
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	11	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	222	0.40
99 = LEGITIMATE SKIP	187	0.34

TRNFFOSP¹

Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS PST 30 DY

	Freq	Pct
13 = Given to him/her; otherwise unspecified.....	2	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS	4067	7.37
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	234	0.42
99 = LEGITIMATE SKIP	384	0.70

PRIOR SUBSTANCE USE

Earlier, the computer recorded that, during the past 12 months, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription tranquilizer?

TRNGTLA2 ¹	Len : 2	HOW GOT PRSCRIP TRANQUILIZER PAST 12 MOS/LST TIME	Freq	Pct
		1 = I got a prescription from just one doctor	88	0.16
		2 = I got prescriptions from more than one doctor	8	0.01
		4 = I stole it from dr's office/clinic/hosp/pharmacy	3	0.01
		5 = I got it from a friend or relative for free	571	1.04
		6 = I bought it from a friend or relative.....	161	0.29
		7 = I took it from friend/relative without asking.....	44	0.08
		8 = I bought it from a drug dealer or other stranger	72	0.13
		10 = I got it in some other way	59	0.11
		15 = I got it from friend/relative for free LOG ASSN.....	5	0.01
		17 = I took it from friend/relative w/o asking LOG ASSN	3	0.01
		18 = I bought it from drug dealer/oth stranger LOG ASSN	4	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	31	0.06
		98 = BLANK (NO ANSWER).....	210	0.38
		99 = LEGITIMATE SKIP	361	0.65

TRNGTOS2 ¹	Len : 2	OTHER WAY RESP GOT TRANQUILIZER THE LAST TIME	Freq	Pct
		5 = Got it from a friend or relative for free.....	5	0.01
		7 = Took from a friend or relative without asking	3	0.01
		8 = Bought it from a drug dealer or other stranger.....	4	0.01
		10 = Got it in some other way	7	0.01
		11 = From friend, relative, home; otherwise unspecfd	26	0.05
		21 = Found it; otherwise unspecified	7	0.01
		73 = Reason/condition for taking drug stated	3	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		85 = BAD DATA Logically assigned	5	0.01
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	37	0.07
		98 = BLANK (NO ANSWER).....	226	0.41
		99 = LEGITIMATE SKIP (Used only methamphetamine)	1311	2.38

You reported that you got the prescription tranquilizer you last used from a friend or relative for free. How did your friend or relative get the last prescription tranquilizer that you used?

TRNFFLAS ¹	Len : 2	HOW FRND/RELAT GOT THE TRANQUILIZERS LAST TIME	Freq	Pct
		1 = He/she got a prescription from just one doctor	395	0.72
		2 = He/she got prescriptions from more than one doctor	13	0.02
		3 = He/she wrote a fake prescription.....	1	0.00
		5 = He/she got it from a friend or relative for free	46	0.08
		6 = He/she bought it from a friend or relative	31	0.06
		7 = He/she took it from friend/relative without asking	8	0.01
		8 = He/she bought it from a drug dealer/other stranger	27	0.05
		9 = He/she bought it on the Internet.....	1	0.00
		10 = He/she got it in some other way	18	0.03
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS	50464	91.49
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	261	0.47
		99 = LEGITIMATE SKIP	803	1.46

PRIOR SUBSTANCE USE

TRNFFLSP¹

Len : 2 OTHER WAY FRND/RELAT GOT TRANQUILIZERS

	Freq	Pct
11 = Fr friend/relat/home/co-worker; otherwise unspcfd	1	0.00
15 = Dr office, clinic, hospital, pharmacy; how unspcfd	1	0.00
23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
71 = He/she bought/obtained it outside of the US	2	0.00
81 = NEVER USED TRANQUILIZERS Logically assigned.....	2	0.00
91 = NEVER USED TRANQUILIZERS	50464	91.49
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3059	5.55
94 = DON'T KNOW	7	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER).....	292	0.53
99 = LEGITIMATE SKIP	1325	2.40

Earlier, the computer recorded that, during the past 30 days, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription stimulants?

Please enter all of the ways that you got prescription stimulants you used in the past 30 days.

STMRX1DR¹

Len : 2 I GOT ONE+ PRSCRPS FOR STIM FROM JUST ONE DR

	Freq	Pct
1 = Response entered	41	0.07
5 = Response entered LOG ASSN (from STMGTLA2).....	3	0.01
6 = Response not entered.....	260	0.47
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
94 = DON'T KNOW	3	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER).....	166	0.30
99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMRXDRS¹

Len : 2 I GOT PRSCRPS FOR STIMULANTS FROM TWO+ DR

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered.....	296	0.54
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
94 = DON'T KNOW	3	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER).....	168	0.30
99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMRXFAK¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR STIMULANTS

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	299	0.54
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
94 = DON'T KNOW	3	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER).....	168	0.30
99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMSTOLE¹

Len : 2 I STOLE STIMS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	299	0.54
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
94 = DON'T KNOW	3	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER).....	168	0.30
99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

PRIOR SUBSTANCE USE

STMFRFRE¹	Len : 2 I GOT STIMULANTS FROM A FRND/RELATIVE FOR FREE		
		Freq	Pct
	1 = Response entered	161	0.29
	3 = Response entered LOG ASSN (from STMOTHS2)	1	0.00
	5 = Response entered LOG ASSN (from STMGTLA2)	4	0.01
	6 = Response not entered.....	139	0.25
	81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
	91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
	93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	13	0.02
	98 = BLANK (NO ANSWER).....	165	0.30
	99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMFRBUY¹	Len : 2 I BOUGHT THE STIMS FROM A FRIEND OR RELATIVE		
		Freq	Pct
	1 = Response entered	97	0.18
	5 = Response entered LOG ASSN (from STMGTLA2)	2	0.00
	6 = Response not entered.....	203	0.37
	81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
	91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
	93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	13	0.02
	98 = BLANK (NO ANSWER).....	168	0.30
	99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMFRTE¹	Len : 2 I TOOK THE STIMS FROM A FRND/RELATIVE WO ASKING		
		Freq	Pct
	1 = Response entered	24	0.04
	6 = Response not entered.....	278	0.50
	81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
	91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
	93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	13	0.02
	98 = BLANK (NO ANSWER).....	168	0.30
	99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMDEALR¹	Len : 2 I BOUGHT THE STIMS FROM DRUG DEALR/OTH STRANGER		
		Freq	Pct
	1 = Response entered	29	0.05
	6 = Response not entered.....	273	0.49
	81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
	91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
	93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	13	0.02
	98 = BLANK (NO ANSWER).....	168	0.30
	99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMINET¹	Len : 2 I BOUGHT THE STIMULANTS ON THE INTERNET		
		Freq	Pct
	1 = Response entered	4	0.01
	6 = Response not entered.....	298	0.54
	81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
	91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
	93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS	2521	4.57
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	13	0.02
	98 = BLANK (NO ANSWER).....	168	0.30
	99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

PRIOR SUBSTANCE USE

STMOTHWY¹

Len : 2 I GOT THE STIMULANTS IN SOME OTHER WAY

	Freq	Pct
1 = Response entered	17	0.03
5 = Response entered LOG ASSN (from STMGTLA2).....	1	0.00
6 = Response not entered.....	284	0.51
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER).....	168	0.30
99 = LEGITIMATE SKIP (Used only methamphetamine)	735	1.33

STMOTHS2¹

Len : 2 OTHER WAY RESP GOT STIMULANT USED IN PST 30 DAYS

	Freq	Pct
5 = Got it from a friend or relative for free.....	3	0.01
10 = Got it in some other way	4	0.01
11 = From friend, relative, home; otherwise unspecfd	6	0.01
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	14	0.03
98 = BLANK (NO ANSWER).....	171	0.31
99 = LEGITIMATE SKIP (Used only methamphetamine)	1019	1.85

You reported that you got the prescription stimulants you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription stimulants that you used?

Please enter all of the ways that your friend or relative got the prescription stimulants you used in the past 30 days.

STMFF1DR¹

Len : 2 FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM 1 DR

	Freq	Pct
1 = Response entered	117	0.21
3 = Response entered LOG ASSN (from STMFFOSP).....	1	0.00
5 = Response entered LOG ASSN (from STMFFLAS).....	2	0.00
6 = Response not entered.....	30	0.05
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	185	0.34
99 = LEGITIMATE SKIP	874	1.58

STMFFDRS¹

Len : 2 FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM >1 DR

	Freq	Pct
1 = Response entered	4	0.01
6 = Response not entered.....	145	0.26
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP	874	1.58

STMFFAKE¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR STIMULANTS

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	146	0.26
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP	874	1.58

PRIOR SUBSTANCE USE

STMFFSTL¹

Len : 2 FRND/RELAT STOLE STIMS FRM DR/CLIN/HOSP/PHARM

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered.....	148	0.27
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP	874	1.58

STMFFREE¹

Len : 2 FRND/RELAT GOT STIMS FRM FRND/RELAT FOR FREE

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered.....	132	0.24
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP	874	1.58

STMFFBOT¹

Len : 2 FRIEND/RELATIVE BOUGHT STIMS FROM FRND/RELAT

	Freq	Pct
1 = Response entered	13	0.02
5 = Response entered LOG ASSN (from STMFFLAS)	2	0.00
6 = Response not entered.....	134	0.24
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP	874	1.58

STMFFTAK¹

Len : 2 FRND/RELAT TOOK STIMS FRM FRND/REL WO ASKING

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered.....	147	0.27
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP	874	1.58

STMFFDLR¹

Len : 2 FRND/RELAT BOUGHT STIMS FR DRUG DEALER/STRANGER

	Freq	Pct
1 = Response entered	14	0.03
5 = Response entered LOG ASSN (from STMFFLAS)	1	0.00
6 = Response not entered.....	135	0.24
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER).....	185	0.34
99 = LEGITIMATE SKIP	874	1.58

PRIOR SUBSTANCE USE

STMFFNET¹

Len : 2 FRIEND/RELATIVE BOUGHT STIMS ON THE INTERNET

	Freq	Pct
6 = Response not entered.....	149	0.27
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP.....	874	1.58

STMFFOTH¹

Len : 2 FRIEND/RELATIVE GOT STIMULANTS SOME OTHER WAY

	Freq	Pct
1 = Response entered.....	3	0.01
6 = Response not entered.....	146	0.26
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
94 = DON'T KNOW.....	10	0.02
97 = REFUSED.....	2	0.00
98 = BLANK (NO ANSWER).....	186	0.34
99 = LEGITIMATE SKIP.....	874	1.58

STMFFOSP¹

Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
1 = He/she got prescriptions from just one doctor.....	1	0.00
16 = He/she made/cooked it.....	1	0.00
20 = He/she traded/bartered for it; sex not specfd.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2521	4.57
98 = BLANK (NO ANSWER).....	198	0.36
99 = LEGITIMATE SKIP.....	1020	1.85

Earlier, the computer recorded that, during the past 12 months, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription stimulant?

STMGTLA2¹

Len : 2 HOW GOT PRSCRIP STIMULANT PAST 12 MOS/LAST TIME

	Freq	Pct
1 = I got a prescription from just one doctor.....	58	0.11
2 = I got prescriptions from more than one doctor.....	4	0.01
5 = I got it from a friend or relative for free.....	313	0.57
6 = I bought it from a friend or relative.....	152	0.28
7 = I took it from friend/relative without asking.....	31	0.06
8 = I bought it from a drug dealer or other stranger.....	36	0.07
9 = I bought it on the Internet.....	5	0.01
10 = I got it in some other way.....	20	0.04
15 = I got it from friend/relative for free LOG ASSN.....	5	0.01
16 = I bought it from a friend or relative LOG ASSN.....	2	0.00
17 = I took it from friend/relative w/o asking LOG ASSN.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	1939	3.52
94 = DON'T KNOW.....	14	0.03
97 = REFUSED.....	15	0.03
98 = BLANK (NO ANSWER).....	166	0.30
99 = LEGITIMATE SKIP (Used only methamphetamine).....	981	1.78

PRIOR SUBSTANCE USE

STMGTO52¹

Len : 2 OTHER WAY RESP GOT STIMULANT USED THE LAST TIME

	Freq	Pct
5 = Got it from a friend or relative for free.....	5	0.01
6 = Bought it from a friend or relative	2	0.00
7 = Took from a friend or relative without asking.....	1	0.00
10 = Got it in some other way	5	0.01
11 = From friend, relative, home; otherwise unspcfd.....	8	0.01
72 = An OTC drug /OTC-only store reported.....	1	0.00
73 = Reason/condition for taking drug stated.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS	1939	3.52
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER).....	180	0.33
99 = LEGITIMATE SKIP (Used only methamphetamine)	1582	2.87

You reported that you got the prescription stimulant you last used from a friend or relative for free. How did your friend or relative get the last prescription stimulant that you used?

STMFFLAS¹

Len : 2 HOW FRND/RELAT GOT STIMULANTS THE LAST TIME

	Freq	Pct
1 = He/she got a prescription from just one doctor	224	0.41
2 = He/she got prescriptions from more than one doctor	10	0.02
4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy	1	0.00
5 = He/she got it from a friend or relative for free	21	0.04
6 = He/she bought it from a friend or relative	16	0.03
7 = He/she took it from friend/relative without asking	3	0.01
8 = He/she bought it from a drug dealer/other stranger	12	0.02
9 = He/she bought it on the Internet.....	1	0.00
10 = He/she got it in some other way	6	0.01
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS	1939	3.52
94 = DON'T KNOW.....	19	0.03
98 = BLANK (NO ANSWER).....	200	0.36
99 = LEGITIMATE SKIP	1290	2.34

STMFFLSP¹

Len : 2 OTHER WAY FRND/RELAT GOT STIMULANTS

	Freq	Pct
11 = Fr friend/relat/home/co-worker; otherwise unspcfd.....	1	0.00
13 = Given to him/her; otherwise unspecified.....	1	0.00
15 = Dr office, clinic, hospital, pharmcy; how unspcfd.....	1	0.00
17 = He/she got fr place of business; otherwise unspcfd.....	1	0.00
72 = Over-the-counter drug reported.....	1	0.00
81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	13	0.02
91 = NEVER USED PRESCRIPTION STIMULANTS.....	51405	93.19
93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MONTHS	1939	3.52
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER).....	219	0.40
99 = LEGITIMATE SKIP	1578	2.86

Earlier, the computer recorded that, during the past 30 days, you used methamphetamine. How did you get this methamphetamine?

Please enter all of the ways that you got the methamphetamine you used in the past 30 days.

MTHFRFRE¹

Len : 2 I GOT METHAMP FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
1 = Response entered	61	0.11
6 = Response not entered.....	65	0.12
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	112	0.20

PRIOR SUBSTANCE USE

MTHFRBUY¹

Len : 2 I BOUGHT THE METHAMP FROM A FRIEND OR RELATIVE

	Freq	Pct
1 = Response entered	39	0.07
6 = Response not entered.....	87	0.16
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	112	0.20

MTHFRTKE¹

Len : 2 I TOOK THE METHAMP FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
1 = Response entered	5	0.01
6 = Response not entered.....	121	0.22
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	112	0.20

MTHDEALR¹

Len : 2 I BOUGHT THE METHAMP FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
1 = Response entered	31	0.06
3 = Response entered LOG ASSN (from MTHOTHS2).....	3	0.01
6 = Response not entered.....	92	0.17
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	112	0.20

MTHINET¹

Len : 2 I BOUGHT THE METHAMP ON THE INTERNET

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered.....	125	0.23
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	112	0.20

MTHOTHWY¹

Len : 2 I GOT THE METHAMP IN SOME OTHER WAY

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered.....	109	0.20
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	2	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	112	0.20

PRIOR SUBSTANCE USE

MTHOHS2¹

Len : 2 OTHER WAY RESP GOT METH USED IN PST 30 DAYS

	Freq	Pct
8 = Bought it from a drug dealer or other stranger.....	3	0.01
10 = Got it in some other way	4	0.01
11 = From friend, relative, home; otherwise unspecfd	3	0.01
23 = Got it with prescription(s); otherwise unspecified.....	3	0.01
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1866	3.38
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	113	0.20
99 = LEGITIMATE SKIP (Used only methamphetamine)	109	0.20

You reported that you got the Methamphetamine you used in the past 30 days from a friend or relative for free. How did your friend or relative get the Methamphetamine that you used?

Please enter all of the ways that your friend or relative got the Methamphetamine you used in the past 30 days.

MTHFFREE¹

Len : 2 FRND/RELAT GOT METHAMP FRM FRND/RELAT FOR FREE

	Freq	Pct
1 = Response entered	21	0.04
6 = Response not entered.....	31	0.06
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	137	0.25
99 = LEGITIMATE SKIP	65	0.12

MTHFFBOT¹

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP FROM FRND/RELAT

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered.....	35	0.06
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	137	0.25
99 = LEGITIMATE SKIP	65	0.12

MTHFFTAK¹

Len : 2 FRND/RELAT TOOK METHAMP FRM FRND/REL WO ASKING

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered.....	50	0.09
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	137	0.25
99 = LEGITIMATE SKIP	65	0.12

MTHFFDLR¹

Len : 2 FRND/RELAT BOUGHT METH FR DRUG DEALER/STRANGER

	Freq	Pct
1 = Response entered	15	0.03
6 = Response not entered.....	37	0.07
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	137	0.25
99 = LEGITIMATE SKIP	65	0.12

PRIOR SUBSTANCE USE

MTHFFNET¹

Len : 2 FRIEND/RELATIVE BOUGHT METHAMP ON THE INTERNET

	Freq	Pct
6 = Response not entered.....	52	0.09
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	137	0.25
99 = LEGITIMATE SKIP	65	0.12

MTHFFOTH¹

Len : 2 FRIEND/RELATIVE GOT METHAMPHET SOME OTHER WAY

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered.....	44	0.08
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER).....	137	0.25
99 = LEGITIMATE SKIP	65	0.12

MTHFFOSP¹

Len : 2 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE

	Freq	Pct
16 = He/she made/cooked it	2	0.00
32 = He/she got it thru the mail; Internet unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS.....	1865	3.38
94 = DON'T KNOW.....	4	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	146	0.26
99 = LEGITIMATE SKIP	109	0.20

Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.

Now think about the last time you used methamphetamine. How did you get this methamphetamine?

MTHGTLA2¹

Len : 2 HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME

	Freq	Pct
5 = I got it from a friend or relative for free	100	0.18
6 = I bought it from a friend or relative.....	34	0.06
7 = I took it from friend/relative without asking.....	7	0.01
8 = I bought it from a drug dealer or other stranger	63	0.11
10 = I got it in some other way	12	0.02
18 = I bought it from drug dealer/oth stranger LOG ASSN	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1663	3.01
94 = DON'T KNOW.....	3	0.01
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER).....	117	0.21
99 = LEGITIMATE SKIP	105	0.19

MTHGTOS2¹

Len : 2 OTHER WAY RESP GOT METH USED THE LAST TIME

	Freq	Pct
8 = Bought it from a drug dealer or other stranger.....	1	0.00
10 = Got it in some other way	2	0.00
11 = From friend, relative, home; otherwise unspecfd.....	3	0.01
13 = Given to me; otherwise unspecified.....	3	0.01
74 = Name of drug reported, OTC unspecified.....	1	0.00
81 = NEVER USED METHAMPHETAMINE Logically assigned	13	0.02
91 = NEVER USED METHAMPHETAMINE.....	53019	96.12
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1663	3.01
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP (Used only methamphetamine)	310	0.56

PRIOR SUBSTANCE USE

You reported that you got the Methamphetamine you last used from a friend or relative for free. How did your friend or relative get the last Methamphetamine that you used?

MTHFFLAS¹	Len : 2	HOW FRND/RELAT GOT METHAMPHETAMINE THE LAST TIME		
			Freq	Pct
		5 = He/she got it from a friend or relative for free	30	0.05
		6 = He/she bought it from a friend or relative	26	0.05
		7 = He/she took it from friend/relat without asking.....	1	0.00
		8 = He/she bought it from a drug dealer/other stranger	23	0.04
		10 = He/she got it in some other way	10	0.02
		15 = Got from frnd/relat for free LOG ASSN.....	1	0.00
		18 = Bought fr drg dealr/stranger LOG ASSN	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53032	96.14
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1663	3.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	143	0.26
		99 = LEGITIMATE SKIP	222	0.40

MTHFFLSP¹	Len : 2	OTHER WAY FRND/RELAT GOT METHAMPHETAMINE		
			Freq	Pct
		5 = He/she got it from a friend or relative for free	1	0.00
		8 = He/she bought it from drug dealer/other stranger	1	0.00
		16 = He/she made/cooked it	2	0.00
		18 = He/she got fr individual; how & relation unspcfd	1	0.00
		20 = He/she traded/bartered for it; sex not specfd.....	1	0.00
		23 = He/she got it w/prescription(s); otherwise unspcfd	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53032	96.14
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	1663	3.01
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	149	0.27
		99 = LEGITIMATE SKIP	302	0.55

Earlier, the computer recorded that, during the past 30 days, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription sedatives?

Please enter all of the ways that you got the prescription sedatives you used in the past 30 days.

SEDRX1DR¹	Len : 2	I GOT ONE+ PRSCRPS FOR SEDATIVES FROM JUST ONE DR		
			Freq	Pct
		1 = Response entered	16	0.03
		6 = Response not entered.....	31	0.06
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		91 = NEVER USED SEDATIVES.....	54143	98.16
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	154	0.28

SEDRXDRS¹	Len : 2	I GOT PRSCRPS FOR SEDATIVES FROM TWO+ DR		
			Freq	Pct
		1 = Response entered	1	0.00
		6 = Response not entered.....	46	0.08
		81 = NEVER USED SEDATIVES Logically assigned	20	0.04
		91 = NEVER USED SEDATIVES.....	54143	98.16
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	154	0.28

PRIOR SUBSTANCE USE

SEDRXFAK¹

Len : 2 I WROTE FAKE PRESCRIPTIONS FOR SEDATIVES

	Freq	Pct
5 = Response entered LOG ASSN (from SEDGTLA2)	1	0.00
6 = Response not entered.....	47	0.09
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	153	0.28

SEDSTOLE¹

Len : 2 I STOLE SEDS FROM A DR'S OFF/CLIN/HOSP/PHARMCY

	Freq	Pct
1 = Response entered	3	0.01
6 = Response not entered.....	44	0.08
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

SEDFRFRE¹

Len : 2 I GOT SEDATIVES FROM A FRND/RELATIVE FOR FREE

	Freq	Pct
1 = Response entered	19	0.03
6 = Response not entered.....	28	0.05
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

SEDFRBUY¹

Len : 2 I BOUGHT THE SEDS FROM A FRIEND OR RELATIVE

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered.....	41	0.07
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

SEDFRTKE¹

Len : 2 I TOOK THE SEDS FROM A FRND/RELATIVE WO ASKING

	Freq	Pct
1 = Response entered	2	0.00
6 = Response not entered.....	45	0.08
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

SEDDEALR¹

Len : 2 I BOUGHT THE SEDS FROM DRUG DEALR/OTH STRANGER

	Freq	Pct
1 = Response entered	1	0.00
6 = Response not entered.....	46	0.08
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

PRIOR SUBSTANCE USE

SEDINET¹

Len : 2 I BOUGHT THE SEDATIVES ON THE INTERNET

	Freq	Pct
6 = Response not entered.....	47	0.09
81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

SEDOTHWY¹

Len : 2 I GOT THE SEDATIVES IN SOME OTHER WAY

	Freq	Pct
1 = Response entered.....	2	0.00
6 = Response not entered.....	45	0.08
81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
94 = DON'T KNOW.....	5	0.01
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	154	0.28

SEDOTHS2¹

Len : 2 OTHER WAY RESP GOT SEDATIVE USED IN PST 30 DAYS

	Freq	Pct
10 = Got it in some other way.....	1	0.00
72 = An OTC drug /OTC-only store reported.....	1	0.00
81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
97 = REFUSED.....	3	0.01
98 = BLANK (NO ANSWER).....	159	0.29
99 = LEGITIMATE SKIP (Used only methamphetamine).....	45	0.08

You reported that you got the prescription sedatives you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription sedatives that you used?

Please enter all of the ways that your friend or relative got the prescription sedatives you used in the past 30 days.

SEDFF1DR¹

Len : 2 FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM 1 DR

	Freq	Pct
1 = Response entered.....	13	0.02
6 = Response not entered.....	6	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
98 = BLANK (NO ANSWER).....	162	0.29
99 = LEGITIMATE SKIP.....	28	0.05

SEDFFDRS¹

Len : 2 FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM >1 DR

	Freq	Pct
1 = Response entered.....	2	0.00
6 = Response not entered.....	17	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
98 = BLANK (NO ANSWER).....	162	0.29
99 = LEGITIMATE SKIP.....	28	0.05

SEDFFAKE¹

Len : 2 FRIEND/RELATIVE WROTE FAKE RX FOR SEDATIVES

	Freq	Pct
6 = Response not entered.....	19	0.03
81 = NEVER USED SEDATIVES Logically assigned.....	20	0.04
91 = NEVER USED SEDATIVES.....	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
98 = BLANK (NO ANSWER).....	162	0.29
99 = LEGITIMATE SKIP.....	28	0.05

PRIOR SUBSTANCE USE

SEDFFSTL¹	Len : 2 FRND/RELAT STOLE SEDATVS FRM DR/CLIN/HOSP/PHARM		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	18	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05
SEDFFREE¹	Len : 2 FRND/RELAT GOT SEDATIVES FRM FRND/RELAT FOR FREE		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	18	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05
SEDFFBOT¹	Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES FROM FRND/RELAT		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	18	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05
SEDFFTAK¹	Len : 2 FRND/RELAT TOOK SEDATIVES FRM FRND/REL WO ASKING		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	18	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05
SEDFFDLR¹	Len : 2 FRND/RELAT BOUGHT SEDTVS FR DRUG DEALER/STRANGER		
		Freq	Pct
	1 = Response entered	1	0.00
	6 = Response not entered.....	18	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05
SEDFFNET¹	Len : 2 FRIEND/RELATIVE BOUGHT SEDATIVES ON THE INTERNET		
		Freq	Pct
	6 = Response not entered.....	19	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05
SEDFFOTH¹	Len : 2 FRIEND/RELATIVE GOT SEDATIVES SOME OTHER WAY		
		Freq	Pct
	6 = Response not entered.....	19	0.03
	81 = NEVER USED SEDATIVES Logically assigned	20	0.04
	91 = NEVER USED SEDATIVES.....	54143	98.16
	93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	788	1.43
	98 = BLANK (NO ANSWER).....	162	0.29
	99 = LEGITIMATE SKIP	28	0.05

PRIOR SUBSTANCE USE

SEDFFOSP¹

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVES

	Freq	Pct
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS	788	1.43
98 = BLANK (NO ANSWER)	162	0.29
99 = LEGITIMATE SKIP	47	0.09

Earlier, the computer recorded that, during the past 12 months, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription sedative?

SEDGTLA2¹

Len : 2 HOW GOT PRSCRIP SEDATIVE PAST 12 MOS/LAST TIME

	Freq	Pct
1 = I got a prescription from just one doctor	16	0.03
5 = I got it from a friend or relative for free	51	0.09
6 = I bought it from a friend or relative	10	0.02
7 = I took it from friend/relative without asking	7	0.01
8 = I bought it from a drug dealer or other stranger	5	0.01
10 = I got it in some other way	11	0.02
15 = I got it from friend/relative for free LOG ASSN	1	0.00
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
94 = DON'T KNOW	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	157	0.28
99 = LEGITIMATE SKIP	45	0.08

SEDGTOS2¹

Len : 2 OTHER WAY RESP GOT SEDATIVE USED THE LAST TIME

	Freq	Pct
5 = Got it from a friend or relative for free	1	0.00
10 = Got it in some other way	4	0.01
74 = Name of drug reported, OTC unspecified	1	0.00
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SEDATIVES	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	161	0.29
99 = LEGITIMATE SKIP (Used only methamphetamine)	139	0.25

You reported that you got the prescription sedative you last used from a friend or relative for free. How did your friend or relative get the last prescription sedative that you used?

SEDFFLAS¹

Len : 2 HOW FRND/RELAT GOT SEDATIVES THE LAST TIME

	Freq	Pct
1 = He/she got a prescription from just one doctor	37	0.07
2 = He/she got prescriptions from more than one doctor	2	0.00
5 = He/she got it from a friend or relative for free	3	0.01
7 = He/she took it from friend/relative without asking	1	0.00
8 = He/she bought it from a drug dealer/other stranger	1	0.00
9 = He/she bought it on the Internet	1	0.00
10 = He/she got it in some other way	1	0.00
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
94 = DON'T KNOW	4	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	167	0.30
99 = LEGITIMATE SKIP	94	0.17

PRIOR SUBSTANCE USE

SEDFLSP¹

Len : 2 OTHER WAY FRND/RELAT GOT SEDATIVE

	Freq	Pct
81 = NEVER USED SEDATIVES Logically assigned	20	0.04
91 = NEVER USED SEDATIVES	54143	98.16
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	685	1.24
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	171	0.31
99 = LEGITIMATE SKIP	139	0.25

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

CIGYRBFR¹

Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
1 = Yes	13486	24.45
2 = No	4273	7.75
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED CIGARETTES	28008	50.78
94 = DON'T KNOW	116	0.21
97 = REFUSED	73	0.13
98 = BLANK (NO ANSWER)	163	0.30
99 = LEGITIMATE SKIP	9040	16.39

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

ALCYRBFR¹

Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes	28705	52.04
2 = No	9079	16.46
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	17005	30.83
94 = DON'T KNOW	239	0.43
97 = REFUSED	117	0.21
98 = BLANK (NO ANSWER)	12	0.02

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

COCYRBFR¹

Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes	1162	2.11
2 = No	4441	8.05
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED COCAINE	49491	89.72
94 = DON'T KNOW	28	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	13	0.02

RECODED PRIOR SUBSTANCE USE

RECODED PRIOR SUBSTANCE USE

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Recoded Drug Use and Prior Substance Use.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

MJPRIOR	Len : 1	MARIJUANA USE 12-23 MONTHS PRIOR TO INTERVIEW		
			Freq	Pct
		0 = No (Otherwise).....	45959	83.32
		1 = Used 12-23 Months Ago (MRJYRBFR=1).....	9201	16.68
MJPRIYR	Len : 1	MRJ USE 12-23 MONTHS PRIOR & PST YR MRJ USE		
			Freq	Pct
		0 = No (Otherwise).....	47962	86.95
		1 = Used in Prior Yr & Past Yr (MRJYR=1 & MJPRIOR=1).....	7198	13.05
MJPRNOYR	Len : 1	MRJ USE 12-23 MONTHS PRIOR & NO PST YR MRJ USE		
			Freq	Pct
		0 = No (Otherwise).....	53157	96.37
		1 = Used in Pr Yr NOT Pst Yr (MRJYR=0 and MJPRIOR=1)	2003	3.63

RECODED PRIOR SUBSTANCE USE

Note: The following five variables pertain to the source of a respondent's most recent nonmedical use of prescription pain relievers (ANLLTSC), prescription tranquilizers (TRNLTS2), prescription stimulants (STMLTS2), prescription sedatives (SEDLTS2), and methamphetamine (MTHLTSC4) within the past year.

For each variable, excluding MTHLTSC4, there are 11 mutually exclusive categories; 10 categories for specific sources and one category for those respondents who did not indicate using the drug in the past year. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 7 mutually exclusive categories for MTHLTSC4; 6 sources and one category for non past year users. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after selecting multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTAL2=99) were classified as having "No Past Year Rx Use" (STMLTS2=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories (including SAS missing) for the source of most recent prescription drug use in the past year for the variables, ANLLTSC, TRNLTS2, STMLTS2, and SEDLTS2:

1. Got From One Doctor (XXXGTLA2=1, 11 or only XXXRX1DR=1, 3, 5)
2. Got From More Than One Doctor (XXXGTLA2=2, 12 or only XXXRXDRS=1, 3, 5)
3. Wrote Fake Prescription (XXXGTLA2=3, 13 or only XXXRXFAK=1, 3, 5)
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy (XXXGTLA2=4, 14 or only XXXSTOLE=1, 3, 5)
5. Got From Friend or Relative for Free (XXXGTLA2=5, 15 or only XXXFRFRE=1, 3, 5)
6. Bought from Friend or Relative (XXXGTLA2=6, 16 or only XXXFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (XXXGTLA2=7, 17 or only XXXFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (XXXGTLA2=8, 18 or only XXXDEALR=1, 3, 5)
9. Bought on the Internet (XXXGTLA2=9, 19 or only XXXINET=1, 3, 5)
10. Got Some Other Way (XXXGTLA2=10 and XXXGTOS2=11-38, 71) or (only XXXOTHWY=1, 3, 5 and XXXOTHS2=11-38, 71))
11. No Past Year Use (XXXGTLA2=81, 89, 91, 93, 99)

(SAS Missing) Unknown/Invalid Source (XXXGTLA2=85, 94, 97, 98 or [XXXGTLA2=10 and XXXGTOS2=70, 72-75, 85, 94, 97, 98] or [XXXGTLA2=99 and only XXXOTHWY=1 and XXXOTHS2=70, 72-75, 85, 94, 97, 98])

ANLLTSC

Len : 2 SOURCE OF PAIN RELIEVERS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	672	1.22
1 = Got From One Doctor	531	0.96
2 = Got From More Than One Doctor	70	0.13
3 = Wrote Fake Prescription	6	0.01
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	11	0.02
5 = Got From Friend or Relative for Free	1453	2.63
6 = Bought from Friend or Relative	334	0.61
7 = Took from Friend or Relative without Asking	154	0.28
8 = Bought from Drug Dealer or Other Stranger	153	0.28
9 = Bought on the Internet	5	0.01
10 = Got Some Other Way	123	0.22
11 = No Past Year Use	51648	93.63

TRNLTS2

Len : 2 SOURCE OF TRANQUILIZERS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	278	0.50
1 = Got From One Doctor	142	0.26
2 = Got From More Than One Doctor	12	0.02
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	4	0.01
5 = Got From Friend or Relative for Free	761	1.38
6 = Bought from Friend or Relative	212	0.38
7 = Took from Friend or Relative without Asking	67	0.12
8 = Bought from Drug Dealer or Other Stranger	107	0.19
9 = Bought on the Internet	3	0.01
10 = Got Some Other Way	49	0.09
11 = No Past Year Use	53525	97.04

RECODED PRIOR SUBSTANCE USE

STMLTS2

Len : 2 SOURCE OF RX STIMULANTS FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	204	0.37
1 = Got From One Doctor	87	0.16
2 = Got From More Than One Doctor	8	0.01
3 = Wrote Fake Prescription	3	0.01
5 = Got From Friend or Relative for Free	432	0.78
6 = Bought from Friend or Relative	213	0.39
7 = Took from Friend or Relative without Asking	43	0.08
8 = Bought from Drug Dealer or Other Stranger	49	0.09
9 = Bought on the Internet	9	0.02
10 = Got Some Other Way	20	0.04
11 = No Past Year Use	54092	98.06

SEDLTS2

Len : 2 SOURCE OF SEDATIVES FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	169	0.31
1 = Got From One Doctor	32	0.06
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	6	0.01
5 = Got From Friend or Relative for Free	69	0.13
6 = Bought from Friend or Relative	14	0.03
7 = Took from Friend or Relative without Asking	9	0.02
8 = Bought from Drug Dealer or Other Stranger	5	0.01
10 = Got Some Other Way	8	0.01
11 = No Past Year Use	54848	99.43

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC4, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As indicated below, the imputed core-plus-noncore past year methamphetamine use variable (CPNMTHYR) was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:

5. From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=5, 15 or only MTHFRFRE=1, 3, 5)
6. Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=6, 16 or only MTHFRBUY=1, 3, 5)
7. Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=7, 17 or only MTHFRTKE=1, 3, 5)
8. Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=8, 18 or only MTHDEALR=1, 3, 5)
9. Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLA2=9, 19 or only MTHINET=1, 3, 5)
10. Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLA2=10 and MTHGTOS2=10, 11-38, 71 or only MTHOTHWY=1, 3, 5 and MTHOTHS2=10, 11-38, 71])
11. No Lifetime or Past Year Use (CPNMTHYR=0)

(SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLA2=85, 93, 94, 97, 98] or [MTHGTLA2=10 and MTHGTOS2=70, 72, 73, 74, 75, 85, 94, 97, 98] or [MTHGTLA2=99 and only MTHOTHWY=1 and MTHOTHS2=70, 72, 73, 74, 85, 94, 97, 98])}

Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

MTHLTSC4

Len : 2 SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE

	Freq	Pct
. = Unknown/Invalid Source	46	0.08
5 = Got From Friend or Relative for Free	126	0.23
6 = Bought from Friend or Relative	49	0.09
7 = Took from Friend or Relative without Asking	9	0.02
8 = Bought from Drug Dealer or Other Stranger	86	0.16
10 = Got Some Other Way	15	0.03
11 = No Past Year Use	54829	99.40

RECODED PRIOR SUBSTANCE USE

NOTE: The following 46 variables were created to capture all a respondent's reported sources of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

ANLRX1D2	Len : 1 GOT ONE+ RX FOR ANL FROM JUST ONE DOCTOR - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLRX1DR=1,3,5)	586	1.06
	2 = No (ANLRX1DR=6).....	268	0.49
	3 = Never/No Pst Mon Use (ANLRX1DR=81,89,91,93,99)	816	1.48
		53490	96.97
ANLRXDS2	Len : 1 GOT RX FOR ANL FROM 2 OR MORE DOCTORS - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLRXDRS=1,3,5)	587	1.06
	2 = No (ANLRXDRS=6)	63	0.11
	3 = Never/No Pst Mon Use (ANLRXDRS=81,89,91,93,99)	1020	1.85
		53490	96.97
ANLRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR ANL - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLRXFAK=1,3,5)	587	1.06
	2 = No (ANLRXFAK=6).....	9	0.02
	3 = Never/No Pst Mon Use (ANLRXFAK=81,89,91,93,99)	1074	1.95
		53490	96.97
ANLSTOL2	Len : 1 STOLE ANL FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLSTOLE=1,3,5).....	587	1.06
	2 = No (ANLSTOLE=6)	8	0.01
	3 = Never/No Pst Mon Use (ANLSTOLE=81,89,91,93,99)	1075	1.95
		53490	96.97
ANLFRFE2	Len : 1 GOT ANL FROM A FRIEND/RELATIVE FOR FREE - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLFRFRE=1,3,5)	586	1.06
	2 = No (ANLFRFRE=6).....	578	1.05
	3 = Never/No Pst Mon Use (ANLFRFRE=81,89,91,93,99)	506	0.92
		53490	96.97
ANLFRBY2	Len : 1 BOUGHT ANL FROM A FRIEND OR RELATIVE - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLFRBUY=1,3,5)	586	1.06
	2 = No (ANLFRBUY=6).....	252	0.46
	3 = Never/No Pst Mon Use (ANLFRBUY=81,89,91,93,99).....	832	1.51
		53490	96.97
ANLFRTK2	Len : 1 TOOK ANL FROM FRND/RELATIVE WITHOUT ASK - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLFRTKE=1,3,5).....	584	1.06
	2 = No (ANLFRTKE=6)	99	0.18
	3 = Never/No Pst Mon Use (ANLFRTKE=81,89,91,93,99)	987	1.79
		53490	96.97
ANLDEAL2	Len : 1 BOUGHT ANL FROM DRUG DEALR/OTH STRANGER - PST MON		
	. = Unknown Source (Otherwise)	Freq	Pct
	1 = Yes (ANLDEALR=1,3,5)	587	1.06
	2 = No (ANLDEALR=6).....	147	0.27
	3 = Never/No Pst Mon Use (ANLDEALR=81,89,91,93,99)	936	1.70
		53490	96.97

RECODED PRIOR SUBSTANCE USE

ANLINET2	Len : 1 BOUGHT ANL ON THE INTERNET - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	587	1.06
	1 = Yes (ANLINET=1,3,5)	3	0.01
	2 = No (ANLINET=6)	1080	1.96
	3 = Never/No Pst Mon Use (ANLINET=81,89,91,93,99)	53490	96.97

The following variable, ANLOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription pain relievers in "some other way" (ANLOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLOTHS2=70, 72, 73, 74, 75, 85, 94, 97, 98) or (2) a response to getting the prescription pain relievers "some other way" was unknown (ANLOTHWY=85, 94, 97, 98).

ANLOTHW2	Len : 1 GOT ANL IN SOME OTHER WAY - PST MON		
	.	Freq	Pct
	= Unknown/Invalid Source (See comment above)	614	1.11
	1 = Yes (ANLOTHWY=1,3,5 and ANLOTHS2=10,11-38,71)	69	0.13
	2 = No (ANLOTHWY=6 or [ANLOTHWY=1,3,5 & ANLOTHS2=1-9])	987	1.79
	3 = Never/No Pst Mon Use (ANLOTHWY=81,89,91,93,99)	53490	96.97

TRNRX1D2	Len : 1 GOT ONE+ RX FOR TRN FROM JUST ONE DOCTOR - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	221	0.40
	1 = Yes (TRNRX1DR=1,3,5)	65	0.12
	2 = No (TRNRX1DR=6)	341	0.62
	3 = Never/No Pst Mon Use (TRNRX1DR=81,89,91,93,99)	54533	98.86

TRNRXDS2	Len : 1 GOT RX FOR TRN FROM 2 OR MORE DOCTORS - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	221	0.40
	1 = Yes (TRNRXDRS=1,3,5)	6	0.01
	2 = No (TRNRXDRS=6)	400	0.73
	3 = Never/No Pst Mon Use (TRNRXDRS=81,89,91,93,99)	54533	98.86

TRNRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR TRN - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	221	0.40
	1 = Yes (TRNRXFAK=1,3,5)	1	0.00
	2 = No (TRNRXFAK=6)	405	0.73
	3 = Never/No Pst Mon Use (TRNRXFAK=81,89,91,93,99)	54533	98.86

TRNSTOL2	Len : 1 STOLE TRN FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	221	0.40
	1 = Yes (TRNSTOLE=1,3,5)	1	0.00
	2 = No (TRNSTOLE=6)	405	0.73
	3 = Never/No Pst Mon Use (TRNSTOLE=81,89,91,93,99)	54533	98.86

TRNFRFE2	Len : 1 GOT TRN FROM A FRIEND/RELATIVE FOR FREE - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	220	0.40
	1 = Yes (TRNFRFRE=1,3,5)	220	0.40
	2 = No (TRNFRFRE=6)	187	0.34
	3 = Never/No Pst Mon Use (TRNFRFRE=81,89,91,93,99)	54533	98.86

TRNFRBY2	Len : 1 BOUGHT TRN FROM A FRIEND OR RELATIVE - PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	220	0.40
	1 = Yes (TRNFRBUY=1,3,5)	85	0.15
	2 = No (TRNFRBUY=6)	322	0.58
	3 = Never/No Pst Mon Use (TRNFRBUY=81,89,91,93,99)	54533	98.86

RECODED PRIOR SUBSTANCE USE

TRNFRTK2	Len : 1	TOOK TRN FROM FRND/RELATIVE WITHOUT ASK - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	221	0.40
	1	= Yes (TRNFRTKE=1,3,5)	28	0.05
	2	= No (TRNFRTKE=6)	378	0.69
	3	= Never/No Pst Mon Use (TRNFRTKE=81,89,91,93,99)	54533	98.86

TRNDEAL2	Len : 1	BOUGHT TRN FROM DRUG DEALR/OTH STRANGER - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	220	0.40
	1	= Yes (TRNDEALR=1,3,5)	46	0.08
	2	= No (TRNDEALR=6)	361	0.65
	3	= Never/No Pst Mon Use (TRNDEALR=81,89,91,93,99)	54533	98.86

TRNINET2	Len : 1	BOUGHT TRANQUILIZERS ON THE INTERNET - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	221	0.40
	1	= Yes (TRNINET=1,3,5)	2	0.00
	2	= No (TRNINET=6)	404	0.73
	3	= Never/No Pst Mon Use (TRNINET=81,89,91,93,99)	54533	98.86

The following variable, TRNOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription tranquilizers in "some other way" (TRNOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNOTHS2=70, 72, 73, 74, 75, 85, 94, 97, 98) or (2) a response to getting the prescription tranquilizers "some other way" was unknown (TRNOTHWY=85, 94, 97, 98).

TRNOTHW2	Len : 1	GOT TRN IN SOME OTHER WAY - PST MON		
			Freq	Pct
	.	= Unknown Source (See comment above)	227	0.41
	1	= Yes (TRNOTHWY=1,3,5 and TRNOTHS2=10,11-38,71)	8	0.01
	2	= No (TRNOTHWY=6 or [TRNOTHWY=1,3,5 & TRNOTHS2=1-9])	392	0.71
	3	= Never/No Pst Mon Use (TRNOTHWY=81,89,91,93,99)	54533	98.86

STMRX1D2	Len : 1	GOT ONE+ RX FOR STM FROM JUST ONE DOCTOR - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	182	0.33
	1	= Yes (STMRX1DR=1,3,5)	44	0.08
	2	= No (STMRX1DR=6)	260	0.47
	3	= Never/No Pst Mon/Only MTH(STMRX1DR=81,89,91,93,99)	54674	99.12

STMRXDS2	Len : 1	GOT RX FOR STM FROM 2 OR MORE DOCTORS - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	184	0.33
	1	= Yes (STMRXDRS=1,3,5)	6	0.01
	2	= No (STMRXDRS=6)	296	0.54
	3	= Never/No Pst Mon/Only MTH(STMRXDRS=81,89,91,93,99)	54674	99.12

STMRXFK2	Len : 1	WROTE FAKE PRESCRIPTION FOR STM - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	184	0.33
	1	= Yes (STMRXFAK=1,3,5)	3	0.01
	2	= No (STMRXFAK=6)	299	0.54
	3	= Never/No Pst Mon/Only MTH(STMRXFAK=81,89,91,93,99)	54674	99.12

STMSTOL2	Len : 1	STOLE STM FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
			Freq	Pct
	.	= Unknown Source (Otherwise)	184	0.33
	1	= Yes (STMSTOLE=1,3,5)	3	0.01
	2	= No (STMSTOLE=6)	299	0.54
	3	= Never/No Pst Mon/Only MTH(STMSTOLE=81,89,91,93,99)	54674	99.12

RECODED PRIOR SUBSTANCE USE

STMFRFE2	Len : 1 GOT STM FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	181	0.33
	1 = Yes (STMFRFRE=1,3,5).....	166	0.30
	2 = No (STMFRFRE=6)	139	0.25
	3 = Never/No Pst Mon/Only MTH(STMFRFRE=81,89,91,93,99).....	54674	99.12

STMFRBY2	Len : 1 BOUGHT STM FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	184	0.33
	1 = Yes (STMFRBUY=1,3,5).....	99	0.18
	2 = No (STMFRBUY=6)	203	0.37
	3 = Never/No Pst Mon/Only MTH(STMFRBUY=81,89,91,93,99).....	54674	99.12

STMFRTK2	Len : 1 TOOK STM FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	184	0.33
	1 = Yes (STMFRTK=1,3,5).....	24	0.04
	2 = No (STMFRTK=6)	278	0.50
	3 = Never/No Pst Mon/Only MTH(STMFRTK=81,89,91,93,99)	54674	99.12

STMDEAL2	Len : 1 BOUGHT STM FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	184	0.33
	1 = Yes (STMDEALR=1,3,5).....	29	0.05
	2 = No (STMDEALR=6)	273	0.49
	3 = Never/No Pst Mon/Only MTH(STMDEALR=81,89,91,93,99).....	54674	99.12

STMINET2	Len : 1 BOUGHT STIMULANTS ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	184	0.33
	1 = Yes (STMINET=1,3,5)	4	0.01
	2 = No (STMINET=6)	298	0.54
	3 = Never/No Pst Mon/Only MTH(STMINET=81,89,91,93,99)	54674	99.12

The following variable, STMOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription stimulants in "some other way" (STMOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMOTHS2=70, 72, 73, 74, 75, 85, 94, 97, 98) or (2) a response to getting the prescription stimulants "some other way" was unknown (STMOTHWY=85, 94, 97, 98).

STMOTHW2	Len : 1 GOT STM IN SOME OTHER WAY - PST MON		
		Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	189	0.34
	1 = Yes (STMOTHWY=1,3,5 and STMOTHS2=10,11-38,71).....	10	0.02
	2 = No (STMOTHWY=6 or [STMOTHWY=1,3,5 & STMOTHS2=1-9])	287	0.52
	3 = Never/No Pst Mon/Only MTH(STMOTHWY=81,89,91,93,99)	54674	99.12

SEDRX1D2	Len : 1 GOT ONE+ RX FOR SED FROM JUST ONE DOCTOR - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDRX1DR=1,3,5).....	16	0.03
	2 = No (SEDRX1DR=6)	31	0.06
	3 = Never/No Pst Mon Use (SEDRX1DR=81,89,91,93,99)	54951	99.62

SEDRXDS2	Len : 1 GOT RX FOR SED FROM 2 OR MORE DOCTORS - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDRXDRS=1,3,5)	1	0.00
	2 = No (SEDRXDRS=6).....	46	0.08
	3 = Never/No Pst Mon Use (SEDRXDRS=81,89,91,93,99)	54951	99.62

RECODED PRIOR SUBSTANCE USE

SEDRXFK2	Len : 1 WROTE FAKE PRESCRIPTION FOR SED - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	161	0.29
	1 = Yes (SEDRXFAK=1,3,5)	1	0.00
	2 = No (SEDRXFAK=6)	47	0.09
	3 = Never/No Pst Mon Use (SEDRXFAK=81,89,91,93,99).....	54951	99.62

SEDSTOL2	Len : 1 STOLE SED FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDSTOLE=1,3,5)	3	0.01
	2 = No (SEDSTOLE=6).....	44	0.08
	3 = Never/No Pst Mon Use (SEDSTOLE=81,89,91,93,99).....	54951	99.62

SEDFRFE2	Len : 1 GOT SED FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFRFRE=1,3,5)	19	0.03
	2 = No (SEDFRFRE=6)	28	0.05
	3 = Never/No Pst Mon Use (SEDFRFRE=81,89,91,93,99).....	54951	99.62

SEDFRBY2	Len : 1 BOUGHT SED FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFRBUY=1,3,5).....	6	0.01
	2 = No (SEDFRBUY=6)	41	0.07
	3 = Never/No Pst Mon Use (SEDFRBUY=81,89,91,93,99)	54951	99.62

SEDFRTK2	Len : 1 TOOK SED FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFRTKE=1,3,5)	2	0.00
	2 = No (SEDFRTKE=6).....	45	0.08
	3 = Never/No Pst Mon Use (SEDFRTKE=81,89,91,93,99).....	54951	99.62

SEDDEAL2	Len : 1 BOUGHT SED FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDDEALR=1,3,5)	1	0.00
	2 = No (SEDDEALR=6)	46	0.08
	3 = Never/No Pst Mon Use (SEDDEALR=81,89,91,93,99).....	54951	99.62

SEDINET2	Len : 1 BOUGHT SEDATIVES ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	2 = No (SEDINET=6)	47	0.09
	3 = Never/No Pst Mon Use (SEDINET=81,89,91,93,99)	54951	99.62

The following variable, SEDOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription sedatives in "some other way" (SEDOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDOTHS2=70, 72, 73, 74, 75, 85, 94, 97, 98) or (2) a response to getting the prescription sedatives "some other way" was unknown (SEDOTHWY=85, 94, 97, 98).

SEDOTHW2	Len : 1 GOT SED IN SOME OTHER WAY - PST MON		
		Freq	Pct
	. = Unknown Source (See comment above).....	163	0.30
	1 = Yes (SEDOTHWY=1,3,5 and SEDOTHS2=10,11-38,71)	1	0.00
	2 = No (SEDOTHWY=6 or [SEDOTHWY=1,3,5 & SEDOTHS2=1-9]).....	45	0.08
	3 = Never/No Pst Mon Use (SEDOTHWY=81,89,91,93,99)	54951	99.62

RECODED PRIOR SUBSTANCE USE

MTHFRFE2	Len : 1 GOT MTH FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHFRFRE=85,93,94,97,98)	22	0.04
	1 = Yes (CPNMTHMN=1 and MTHFRFRE=1,3,5)	55	0.10
	2 = No (CPNMTHMN=1 and MTHFRFRE=6).....	62	0.11
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHFRBY2	Len : 1 BOUGHT MTH FROM A FRIEND OR RELATIVE - PST MON		
		Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHFRBUY=85,93,94,97,98)	22	0.04
	1 = Yes (CPNMTHMN=1 and MTHFRBUY=1,3,5)	35	0.06
	2 = No (CPNMTHMN=1 and MTHFRBUY=6).....	82	0.15
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHFRTK2	Len : 1 TOOK MTH FROM FRND/RELATIVE WITHOUT ASK - PST MON		
		Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHFRTKE=85,93,94,97,98).....	22	0.04
	1 = Yes (CPNMTHMN=1 and MTHFRTKE=1,3,5).....	5	0.01
	2 = No (CPNMTHMN=1 and MTHFRTKE=6).....	112	0.20
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHDEAL2	Len : 1 BOUGHT MTH FROM DRUG DEALR/OTH STRANGER - PST MON		
		Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHDEALR=85,93,94,97,98)	22	0.04
	1 = Yes (CPNMTHMN=1 and MTHDEALR=1,3,5)	34	0.06
	2 = No (CPNMTHMN=1 and MTHDEALR=6).....	83	0.15
	3 = No Past Month Use (CPNMTHMN=0).....	55021	99.75

MTHINET2	Len : 1 BOUGHT MTH ON THE INTERNET - PST MON		
		Freq	Pct
	. = Unknown Src (CPNMTHMN=1 & MTHINET=85,93,94,97,98)	22	0.04
	1 = Yes (CPNMTHMN=1 and MTHINET=1,3,5)	1	0.00
	2 = No (CPNMTHMN=1 and MTHINET=6)	116	0.21
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

The following variable, MTHOTHW2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHOTHS2=10, 11-38, 71). MTHOTHW2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) friends/relatives did not get methamphetamine in "some other way" (MTHOTHWY=6) or (2) friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHOTHS2=5-9). MTHOTHW2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHOTHWY=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHOTHS2=70, 72, 73, 74, 85, 94, 97, 98) or (2) a response to getting methamphetamine "some other way" was unknown (MTHOTHWY=85, 93, 94, 97, 98).

MTHOTHW2	Len : 1 GOT MTH IN SOME OTHER WAY - PST MON		
		Freq	Pct
	. = Unknown Source (See comment above).....	26	0.05
	1 = Yes (See comment above).....	9	0.02
	2 = No (See comment above)	104	0.19
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

RECODED PRIOR SUBSTANCE USE

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCFR), prescription tranquilizers (TRNSRCFR), prescription stimulants (STMSRCFR), prescription sedatives (SEDSRCFR), and methamphetamine (MTHSRCFR) within the past year.

For each variable, excluding MTHSRCFR, there are 11 mutually exclusive categories; 10 categories for specific sources that the friend/relative obtained the drug from and one category for a respondent who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 7 mutually exclusive categories for MTHSRCFR; 6 sources and one level for non past year users or past year users who obtained the drug from a valid source other than a friend or relative for free. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use. Anyone who was administered at least one of these four source questionnaire items, but did not have a valid answer for one or more of the four questions was generally classified as a SAS system missing '.' for these five variables.

During the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOS2 and XXXOTHS2, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source. For example, a respondent who indicated they obtained prescription pain relievers in some other way for their last use (ANLGTLA2=10) and then indicated the some other way was a specific city or state in the United States (ANLGTOS2=70) is classified as having a valid source not from a friend or relative for free (ANLSRCFR=11). However, this response is not a valid way of obtaining pain relievers; therefore, the respondent should have a SAS missing value for ANLSRCFR.

The overall impact of these inconsistencies is anticipated to be small since it is believed that most analysts will utilize these variables similar to how they are used in the detailed tables. That is, it is assumed that most users would either collapse or omit level 11 and the SAS missing level because only categories 1 through 10 apply to the source from which the friend/relative obtained the drug. As a result, it is recommended that the SAS missing and level 11 not be used as two distinct levels in analyses. Starting with the 2014 NSDUH, these 5 variables will no longer be available on the data file; only the corrected versions (XXXSRCF2) that combine SAS missing and level 11 into a single level will be available. To allow for comparability across years, the erroneous variables have been retained on the 2013 data file. For the 2013 NSDUH both the erroneous variables and the corrected variables have been retained.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLA2=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCFR=11).

Based on the following conditions, a respondent was classified in one of the following 12 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCFR, TRNSRCFR, STMSRCFR, and SEDSRCFR:

1. Got from One Doctor ((XXXGTLA2=5 and XXXFFLAS=1, 11) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLA2=5 and XXXFFLAS=2, 12) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLA2=5 and XXXFFLAS=3, 13) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLA2=5 and XXXFFLAS=4, 14) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got From Friend or Relative for Free ((XXXGTLA2=5 and XXXFFLAS=5, 15) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLA2=5 and XXXFFLAS=6, 16) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLA2=5 and XXXFFLAS=7, 17) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLA2=5 and XXXFFLAS=8, 18) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLA2=5 and XXXFFLAS=9, 19) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLA2=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free ((XXXGTLA2=1-4, 6-14, 16-19) or (XXXFFLAS=81, 89, 91, 93, 99 and XXXFFLSP=81, 89, 91, 93, 99 and XXXFRFRE=6, 81, 89, 83, 91, 93, 99))

(SAS Missing) Unknown/Invalid Source ((XXXGTLA2=5, 15, 89, 99 and XXXFRFRE=1, 3, 5 and (XXXFF1DR through XXXFFOTH=94, 97, 98 or multiple responses)) or [XXXGTLA2=85, 94, 97, 98] or [XXXGTLA2=10 and XXXGTOS2=85, 94, 97, 98] or [XXXGTLA2=15 and (XXXFF1DR=93 or XXXFFDRS=93 or XXXFFAKE=93 or XXXFFSTL=93 or XXXFFREE=93 or XXXFFBOT=93 or XXXFFTAK=93 or XXXFFDLR=93 or XXXFFNET=93)] or [XXXGTLA2=5 and XXXFFLAS=85, 94, 97, 98] or [XXXGTLA2=5 and XXXFFLAS=10 and XXXFFLSP=70, 72-75, 85, 94, 97, 98] or [XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=70, 72-75, 85, 94, 97, 98])

RECODED PRIOR SUBSTANCE USE

ANLSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = Unknown/Invalid Source	811	1.47
1 = Got From One Doctor	997	1.81
2 = Got From More Than One Doctor	59	0.11
3 = Wrote Fake Prescription	3	0.01
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	4	0.01
5 = Got From Friend or Relative for Free	81	0.15
6 = Bought from Friend or Relative	51	0.09
7 = Took from Friend or Relative without Asking	20	0.04
8 = Bought from Drug Dealer or Other Stranger	28	0.05
9 = Bought on the Internet	3	0.01
10 = Got Some Other Way	26	0.05
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	53077	96.22

TRNSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = Unknown/Invalid Source	322	0.58
1 = Got from One Doctor	521	0.94
2 = Got from More Than One Doctor	17	0.03
3 = Wrote Fake Prescription	1	0.00
5 = Got from Friend or Relative for Free	59	0.11
6 = Bought from Friend or Relative	44	0.08
7 = Took from Friend or Relative without Asking	10	0.02
8 = Bought from Drug Dealer or Other Stranger	35	0.06
9 = Bought on the Internet	2	0.00
10 = Got Some Other Way	6	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	54143	98.16

STMSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = Unknown/Invalid Source	232	0.42
1 = Got from One Doctor	303	0.55
2 = Got from More Than One Doctor	12	0.02
3 = Wrote Fake Prescription	1	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
5 = Got from Friend or Relative for Free	29	0.05
6 = Bought from Friend or Relative	21	0.04
7 = Took from Friend or Relative without Asking	4	0.01
8 = Bought from Drug Dealer or Other Stranger	18	0.03
9 = Bought on the Internet	1	0.00
10 = Got Some Other Way	4	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	54533	98.86

SEDSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = Unknown/Invalid Source	173	0.31
1 = Got from One Doctor	49	0.09
2 = Got from More Than One Doctor	4	0.01
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
5 = Got from Friend or Relative for Free	3	0.01
6 = Bought from Friend or Relative	1	0.00
7 = Took from Friend or Relative without Asking	2	0.00
8 = Bought from Drug Dealer or Other Stranger	1	0.00
9 = Bought on the Internet	1	0.00
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel	54925	99.57

RECODED PRIOR SUBSTANCE USE

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCFR, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As described in the comment above ANLSRCFR, during the 2013 data processing some errors were detected. Not all valid levels of the other-specify variables, XXXGTOS2 and XXXOTHS2, were considered when distinguishing between an unknown/invalid source and a valid source not from a friend or relative for free. Therefore, it is possible that some respondents currently classified as having a valid source of most recent use not from a friend or relative for free (XXXSRCFR=11) do not actually have a valid source.

Additionally, for MTHSRCFR, not all past 30 day users with a valid source other than a friend or relative for free have been correctly classified. In cases where the respondent legitimately skipped the source of last use question (MTHGTLA2=99) but gave a single valid source other than from a friend or relative for free to the past 30 day source question (MTHFRBUY=1,3 or MTHDEALR=1,3 or MTHFRTKE=1,3 or MTHINET=1,3 or (MTHOTHWY=1 and MTHOTHS2=valid "other" response, levels 11-34, 36, 38,39,71)), the respondent is classified as having an unknown/invalid source (MTHSRCFR=.) instead of being classified as having a valid source of most recent use not from a friend or relative for free (MTHSRCFR=11). For example, a respondent who answered the past 30 day question with the single response 'Bought from a drug dealer or other stranger' (MTHDEALR=1) would be skipped out of the source of last use question and would have a legitimate skip value (MTHGTLA2=99). This respondent is classified as having an unknown/invalid source (MTHSRCFR=.) based on the skip code; however, the respondent obtained the drug from a drug dealer or other stranger which is a valid source that is not from a friend or relative for free and should be classified accordingly (MTHSRCFR=11).

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=5, 15] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=6, 16] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=7, 17] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=8, 18] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=9, 19] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLA2=2, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}
11. No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free {CPNMTHYR=0 or [MTHGTLA2=6-9, 10, 16-19 and MTHGTOS2^(85, 94, 97)] or [MTHGTLA2=81, 89, 91, 93, 99 and MTHFFLSP=81, 89, 91, 93, 99 and MTHFRFRE=6, 81, 83, 91, 93, 99 and CPNMTHYR ne 1]}

(SAS Missing) Unknown/Invalid Source {CPNMTHYR=1 and [MTHGTLA2=85, 93, 94, 97, 98] or [MTHGTLA2=10 and MTHGTOS2 in(85, 94, 97, 98)] or [MTHGTLA2=15 and (MTHFFREE=93 or MTHFFBOT=93 or MTHFFTAK=93 or MTHFFDLR=93 or MTHFFNET=93)] or [MTHOTHWY=1 and MTHOTHS2 in(85, 94, 97)] and (MTHGTLA2 ^in(5, 15)] or [MTHGTLA2=5, 15 and MTHFFLAS=85, 94, 97, 98] or [MTHGTLA2=5, 15 and MTHFFLAS=10 and MTHFFLSP=70, 72-75, 85, 94, 97, 98]}

MTHSRCFR

Len : 2 SOURCE OF FRIEND OR RELATIVE'S METHAMPHETAMINES

	Freq	Pct
. = Unknown/Invalid Source	117	0.21
5 = Got from Friend or Relative for Free.....	42	0.08
6 = Bought from Friend or Relative	27	0.05
7 = Took from Friend or Relative without Asking.....	3	0.01
8 = Bought from Drug Dealer or Other Stranger.....	29	0.05
10 = Got Some Other Way.....	7	0.01
11 = No Pst Yr Use/Mst Recnt Use not from Fr/Rel.....	54935	99.59

RECODED PRIOR SUBSTANCE USE

NOTE: In the questionnaire, a respondent who used methamphetamine and prescription drugs in the past month was administered a question regarding the source of their past month use. Any respondent who gave multiple past month sources or was a past year user was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following 5 variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (ANLSRCF2), prescription tranquilizers (TRNSRCF2), prescription stimulants (STMSRCF2), prescription sedatives (SEDSRCF2), and methamphetamine (MTHSRCF2) within the past year. These 5 variables are similar to the previously defined source of a respondent's friend or relative's most recent nonmedical use variables (XXSRCFR) with the exception that SAS missing and level 11 have been combined into a single SAS missing level. Starting with the 2014 NSDUH, this version will be the only version available.

For each variable, excluding MTHSRCF2, there are 10 mutually exclusive categories for specific sources. Since methamphetamine is not available by prescription, the first 4 categories are not applicable thus there are only 6 mutually exclusive categories for MTHSRCF2. The categories for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.

Questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGLA2=99) were classified as having "No Lifetime or Past Year Rx Use" (STMSRCF2=).

Based on the following conditions, a respondent was classified in one of the following 11 categories for the source of most recent prescription drug use in the past year for the variables, ANLSRCF2, TRNSRCF2, STMSRCF2, and SEDSRCF2:

1. Got from One Doctor ((XXXGTLA2=5 and XXXFFLAS=1, 11) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFF1DR=1, 3, 5))
2. Got from More Than One Doctor ((XXXGTLA2=5 and XXXFFLAS=2, 12) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDRS=1, 3, 5))
3. Wrote Fake Prescription ((XXXGTLA2=5 and XXXFFLAS=3, 13) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFAKE=1, 3, 5))
4. Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLA2=5 and XXXFFLAS=4, 14) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFSTL=1, 3, 5))
5. Got from Friend or Relative for Free ((XXXGTLA2=5 and XXXFFLAS=5, 15) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFREE=1, 3, 5))
6. Bought from Friend or Relative ((XXXGTLA2=5 and XXXFFLAS=6, 16) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFBOT=1, 3, 5))
7. Took from Friend or Relative without Asking ((XXXGTLA2=5 and XXXFFLAS=7, 17) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFTAK=1, 3, 5))
8. Bought from Drug Dealer or Other Stranger ((XXXGTLA2=5 and XXXFFLAS=8, 18) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFDLR=1, 3, 5))
9. Bought on the Internet ((XXXGTLA2=5 and XXXFFLAS=9, 19) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and only XXXFFNET=1, 3, 5))
10. Got Some Other Way ((XXXGTLA2=5 and XXXFFLAS=10 and XXXFFLSP=valid "other" response, levels 11-36, 71) or (XXXGTLA2=89, 99, 15 and XXXFRFRE=1, 3, 5 and XXXFFOTH=1, 3, 5 and XXXFFOSP=valid "other" response, levels 11-36, 71))

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not from Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

ANLSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	53888	97.69
1 = Got from One Doctor.....	997	1.81
2 = Got from More Than One Doctor.....	59	0.11
3 = Wrote Fake Prescription	3	0.01
4 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	4	0.01
5 = Got from Friend or Relative for Free.....	81	0.15
6 = Bought from Friend or Relative	51	0.09
7 = Took from Friend or Relative without Asking.....	20	0.04
8 = Bought from Drug Dealer or Other Stranger.....	28	0.05
9 = Bought on the Internet	3	0.01
10 = Got Some Other Way.....	26	0.05

RECODED PRIOR SUBSTANCE USE

TRNSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	54465	98.74
1 = Got from One Doctor.....	521	0.94
2 = Got from More Than One Doctor.....	17	0.03
3 = Wrote Fake Prescription	1	0.00
5 = Got from Friend or Relative for Free.....	59	0.11
6 = Bought from Friend or Relative	44	0.08
7 = Took from Friend or Relative without Asking.....	10	0.02
8 = Bought from Drug Dealer or Other Stranger.....	35	0.06
9 = Bought on the Internet	2	0.00
10 = Got Some Other Way.....	6	0.01

STMSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S STIMULANTS

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	54765	99.28
1 = Got from One Doctor.....	303	0.55
2 = Got from More Than One Doctor.....	12	0.02
3 = Wrote Fake Prescription	1	0.00
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00
5 = Got from Friend or Relative for Free.....	29	0.05
6 = Bought from Friend or Relative	21	0.04
7 = Took from Friend or Relative without Asking.....	4	0.01
8 = Bought from Drug Dealer or Other Stranger.....	18	0.03
9 = Bought on the Internet	1	0.00
10 = Got Some Other Way.....	4	0.01

SEDSRCF2

Len : 2 REV SOURCE OF FRIEND OR RELATIVE'S SEDATIVES

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unknwn Src	55098	99.89
1 = Got from One Doctor.....	49	0.09
2 = Got from More Than One Doctor.....	4	0.01
4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
5 = Got from Friend or Relative for Free.....	3	0.01
6 = Bought from Friend or Relative	1	0.00
7 = Took from Friend or Relative without Asking.....	2	0.00
8 = Bought from Drug Dealer or Other Stranger.....	1	0.00
9 = Bought on the Internet	1	0.00

RECODED PRIOR SUBSTANCE USE

Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCF2, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.

As shown below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.8 of the Results from the 2008 NSDUH: National Findings for more information.

5. From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=5, 15] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFREE=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=5])}
6. Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=6, 16] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFBOT=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=6])}
7. Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=7, 17] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFTAK=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=7])}
8. Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=8, 18] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFDLR=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=8])}
9. Bought on the Internet {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=9, 19] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and only MTHFFNET=1, 3, 5] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=9])}
10. Some Other Way {CPNMTHYR=1 and ([MTHGTLA2=5, 15 and MTHFFLAS=10 and MTHFFLSP=valid "other" response, levels 11-36, 71] or [MTHGTLA2=89, 99 and MTHFRFRE=1, 3, 5 and MTHFFOTH=1, 3, 5 and MTHFFOSP=valid "other" response, levels 11-36, 71])}

(SAS Missing) No Past Year Use or Valid Source of Most Recent Use Not From Friend or Relative for Free or Unknown/Invalid Source (Otherwise)

MTHSRCF2 Len : 2 REV SOURCE OF FRIEND OR RELATIVES METHAMPHETAMINES

	Freq	Pct
. = No Pst Yr Use/Src Not Frnd, Rltive Free/Unkwn Src	55052	99.80
5 = Got from Friend or Relative for Free.....	42	0.08
6 = Bought from Friend or Relative	27	0.05
7 = Took from Friend or Relative without Asking	3	0.01
8 = Bought from Drug Dealer or Other Stranger	29	0.05
10 = Got Some Other Way.....	7	0.01

NOTE: The following 46 variables were created to capture all a respondent's friend or relative's reported source of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).

NOTE: For the following 40 variables, to produce estimates among adults with past month prescription drug use, the analysis will need to be restricted by the specific past month prescription drug use variable (XXXMON=1).

ANLFF1D2 Len : 1 FRD/REL GOT 1+ RX FOR ANL FRM JUST 1 DR-PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	643	1.17
1 = Yes (ANLFF1DR=1,3,5).....	403	0.73
2 = No (ANLFF1DR=6)	118	0.21
3 = Never/No Pst Mon Use (ANLFF1DR=81,89,91,93,99)	53996	97.89

ANLFFDS2 Len : 1 FRD/REL GOT RX FOR ANL FROM 2+ DRS-PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	648	1.17
1 = Yes (ANLFFDRS=1,3,5)	49	0.09
2 = No (ANLFFDRS=6).....	467	0.85
3 = Never/No Pst Mon Use (ANLFFDRS=81,89,91,93,99)	53996	97.89

ANLFFAK2 Len : 1 FRD/REL WROTE FAKE RX FOR ANL-PST MON

	Freq	Pct
. = Unknown Source (Otherwise)	649	1.18
1 = Yes (ANLFFAKE=1,3,5).....	1	0.00
2 = No (ANLFFAKE=6)	514	0.93
3 = Never/No Pst Mon Use (ANLFFAKE=81,89,91,93,99)	53996	97.89

RECODED PRIOR SUBSTANCE USE

ANLFFST2	Len : 1 FRD/REL STOLE ANL FROM DR/CLIN/HOSP/PHARM-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	649	1.18
	1 = Yes (ANLFFSTL=1,3,5)	4	0.01
	2 = No (ANLFFSTL=6)	511	0.93
	3 = Never/No Pst Mon Use (ANLFFSTL=81,89,91,93,99)	53996	97.89

ANLFFRE2	Len : 1 FRD/REL GOT ANL FROM A FRND/REL FOR FREE-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	647	1.17
	1 = Yes (ANLFFFREE=1,3,5)	73	0.13
	2 = No (ANLFFFREE=6)	444	0.80
	3 = Never/No Pst Mon Use (ANLFFFREE=81,89,91,93,99)	53996	97.89

ANLFFBY2	Len : 1 FRD/REL BOUGHT ANL FROM A FRND OR REL-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	648	1.17
	1 = Yes (ANLFFBOT=1,3,5)	67	0.12
	2 = No (ANLFFBOT=6)	449	0.81
	3 = Never/No Pst Mon Use (ANLFFBOT=81,89,91,93,99)	53996	97.89

ANLFFTK2	Len : 1 FRD/REL TOOK ANL FROM A FRND/REL WOUT ASK-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	649	1.18
	1 = Yes (ANLFFTAK=1,3,5)	17	0.03
	2 = No (ANLFFTAK=6)	498	0.90
	3 = Never/No Pst Mon Use (ANLFFTAK=81,89,91,93,99)	53996	97.89

ANLFFDL2	Len : 1 FRD/REL BGHT ANL FRM DRG DEALR/OTH STRNGR-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	648	1.17
	1 = Yes (ANLFFDLR=1,3,5)	50	0.09
	2 = No (ANLFFDLR=6)	466	0.84
	3 = Never/No Pst Mon Use (ANLFFDLR=81,89,91,93,99)	53996	97.89

ANLFFNT2	Len : 1 FRD/REL BOUGHT ANL ON THE INTERNET-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	649	1.18
	1 = Yes (ANLFFNET=1,3,5)	2	0.00
	2 = No (ANLFFNET=6)	513	0.93
	3 = Never/No Pst Mon Use (ANLFFNET=81,89,91,93,99)	53996	97.89

The following variable, ANLFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription pain relievers in "some other way" (ANLFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (ANLFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting the prescription pain relievers "some other way" was unknown (ANLFFOTH=85, 94, 97, 98).

ANLFFOT2	Len : 1 FRD/REL GOT ANL IN SOME OTHER WAY-PST MON		
	.	Freq	Pct
	= Unknown Source (See comment above)	660	1.20
	1 = Yes (ANLFFOTH=1,3,5 and ANLFFOSP=11-36,71)	17	0.03
	2 = No (ANLFFOTH=6 or [ANLFFOTH=1,3,5 & ANLFFOSP=1-9])	487	0.88
	3 = Never/No Pst Mon Use (ANLFFOTH=81,89,91,93,99)	53996	97.89

TRNFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR TRN FRM JUST 1 DR-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	233	0.42
	1 = Yes (TRNFF1DR=1,3,5)	153	0.28
	2 = No (TRNFF1DR=6)	54	0.10
	3 = Never/No Pst Mon Use (TRNFF1DR=81,89,91,93,99)	54720	99.20

RECODED PRIOR SUBSTANCE USE

TRNFFDS2	Len : 1	FRD/REL GOT RX FOR TRN FROM 2+ DRS-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFDRS=1,3,5)	234	0.42
	2	= No (TRNFFDRS=6)	7	0.01
	3	= Never/No Pst Mon Use (TRNFFDRS=81,89,91,93,99).....	199	0.36
			54720	99.20
TRNFFAK2	Len : 1	FRD/REL WROTE FAKE RX FOR TRN-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFAKE=1,3,5)	234	0.42
	2	= No (TRNFFAKE=6).....	1	0.00
	3	= Never/No Pst Mon Use (TRNFFAKE=81,89,91,93,99).....	205	0.37
			54720	99.20
TRNFFST2	Len : 1	FRD/REL STOLE TRN FROM DR/CLIN/HOSP/PHARM-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFSTL=1,3,5)	234	0.42
	2	= No (TRNFFSTL=6)	1	0.00
	3	= Never/No Pst Mon Use (TRNFFSTL=81,89,91,93,99).....	205	0.37
			54720	99.20
TRNFFRE2	Len : 1	FRD/REL GOT TRN FROM A FRND/REL FOR FREE-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFREE=1,3,5)	234	0.42
	2	= No (TRNFFREE=6).....	24	0.04
	3	= Never/No Pst Mon Use (TRNFFREE=81,89,91,93,99).....	182	0.33
			54720	99.20
TRNFFBY2	Len : 1	FRD/REL BOUGHT TRN FROM A FRND OR REL-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFBOT=1,3,5)	234	0.42
	2	= No (TRNFFBOT=6).....	27	0.05
	3	= Never/No Pst Mon Use (TRNFFBOT=81,89,91,93,99).....	179	0.32
			54720	99.20
TRNFFTK2	Len : 1	FRD/REL TOOK TRN FROM A FRND/REL WOUT ASK-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFTAK=1,3,5)	234	0.42
	2	= No (TRNFFTAK=6).....	3	0.01
	3	= Never/No Pst Mon Use (TRNFFTAK=81,89,91,93,99)	203	0.37
			54720	99.20
TRNFFDL2	Len : 1	FRD/REL BGHT TRN FRM DRG DEALR/OTH STRNGR-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFDLR=1,3,5)	234	0.42
	2	= No (TRNFFDLR=6).....	17	0.03
	3	= Never/No Pst Mon Use (TRNFFDLR=81,89,91,93,99)	189	0.34
			54720	99.20
TRNFFNT2	Len : 1	FRD/REL BOUGHT TRN ON THE INTERNET-PST MON		
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (TRNFFNET=1,3,5)	234	0.42
	2	= No (TRNFFNET=6).....	3	0.01
	3	= Never/No Pst Mon Use (TRNFFNET=81,89,91,93,99).....	203	0.37
			54720	99.20

RECODED PRIOR SUBSTANCE USE

The following variable, TRNFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription tranquilizers in "some other way" (TRNFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (TRNFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription tranquilizers "some other way" was unknown (TRNFFOTH=85, 94, 97, 98).

TRNFFOT2	Len : 1 FRD/REL GOT TRN IN SOME OTHER WAY-PST MON			
	.	= Unknown/Invalid Source (See comment above).....	Freq	Pct
	1	= Yes (TRNFFOTH=1,3,5 and TRNFFOSP=11-36,71)	241	0.44
	2	= No (TRNFFOTH=6 or [TRNFFOTH=1,3,5 & TRNFFOSP=1-9])	2	0.00
	3	= Never/No Pst Mon Use (TRNFFOTH=81,89,91,93,99).....	197	0.36
			54720	99.20
STMFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR STM FRM JUST 1 DR-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFF1DR=1,3,5)	197	0.36
	2	= No (STMFF1DR=6).....	120	0.22
	3	= Never/No Pst Mon/Only MTH(STMFF1DR=81,89,91,93,99)	30	0.05
			54813	99.37
STMFFDS2	Len : 1 FRD/REL GOT RX FOR STM FROM 2+ DRS-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFFDRS=1,3,5).....	198	0.36
	2	= No (STMFFDRS=6)	4	0.01
	3	= Never/No Pst Mon/Only MTH(STMFFDRS=81,89,91,93,99).....	145	0.26
			54813	99.37
STMFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR STM-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFFAKE=1,3,5)	198	0.36
	2	= No (STMFFAKE=6).....	3	0.01
	3	= Never/No Pst Mon/Only MTH(STMFFAKE=81,89,91,93,99)	146	0.26
			54813	99.37
STMFFST2	Len : 1 FRD/REL STOLE STM FROM DR/CLIN/HOSP/PHARM-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFFSTL=1,3,5).....	198	0.36
	2	= No (STMFFSTL=6)	1	0.00
	3	= Never/No Pst Mon/Only MTH(STMFFSTL=81,89,91,93,99).....	148	0.27
			54813	99.37
STMFFRE2	Len : 1 FRD/REL GOT STM FROM A FRND/REL FOR FREE-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFFREE=1,3,5)	198	0.36
	2	= No (STMFFREE=6)	17	0.03
	3	= Never/No Pst Mon/Only MTH(STMFFREE=81,89,91,93,99).....	132	0.24
			54813	99.37
STMFFBY2	Len : 1 FRD/REL BOUGHT STM FROM A FRND OR REL-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFFBOT=1,3,5)	198	0.36
	2	= No (STMFFBOT=6)	15	0.03
	3	= Never/No Pst Mon/Only MTH(STMFFBOT=81,89,91,93,99).....	134	0.24
			54813	99.37
STMFFTK2	Len : 1 FRD/REL TOOK STM FROM A FRND/REL WOUT ASK-PST MON			
	.	= Unknown Source (Otherwise)	Freq	Pct
	1	= Yes (STMFFTAK=1,3,5)	198	0.36
	2	= No (STMFFTAK=6).....	2	0.00
	3	= Never/No Pst Mon/Only MTH(STMFFTAK=81,89,91,93,99)	147	0.27
			54813	99.37

RECODED PRIOR SUBSTANCE USE

STMFFDL2	Len : 1 FRD/REL BGHT STM FRM DRG DEALR/OTH STRNGR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	197	0.36
	1 = Yes (STMFFDLR=1,3,5)	15	0.03
	2 = No (STMFFDLR=6).....	135	0.24
	3 = Never/No Pst Mon/Only MTH(STMFFDLR=81,89,91,93,99)	54813	99.37

STMFFNT2	Len : 1 FRD/REL BOUGHT STM ON THE INTERNET-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	198	0.36
	2 = No (STMFFNET=6).....	149	0.27
	3 = Never/No Pst Mon/Only MTH(STMFFNET=81,89,91,93,99)	54813	99.37

The following variable, STMFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription stimulants in "some other way" (STMFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (STMFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription stimulants "some other way" was unknown (STMFFOTH=85, 94, 97, 98).

STMFFOT2	Len : 1 FRD/REL GOT STM IN SOME OTHER WAY-PST MON		
		Freq	Pct
	. = Unknown/Invalid Source (See comment above).....	198	0.36
	1 = Yes (STMFFOTH=1,3,5 and STMFFOSP=11-36,71)	2	0.00
	2 = No (STMFFOTH=6 or [STMFFOTH=1,3,5 & STMFFOSP=1-9]).....	147	0.27
	3 = Never/No Pst Mon/Only MTH(STMFFOTH=81,89,91,93,99)	54813	99.37

SEDFF1D2	Len : 1 FRD/REL GOT 1+ RX FOR SED FRM JUST 1 DR-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFF1DR=1,3,5)	13	0.02
	2 = No (SEDFF1DR=6).....	6	0.01
	3 = Never/No Pst Mon Use (SEDFF1DR=81,89,91,93,99)	54979	99.67

SEDFFDS2	Len : 1 FRD/REL GOT RX FOR SED FROM 2+ DRS-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFFDRS=1,3,5)	2	0.00
	2 = No (SEDFFDRS=6)	17	0.03
	3 = Never/No Pst Mon Use (SEDFFDRS=81,89,91,93,99).....	54979	99.67

SEDFFAK2	Len : 1 FRD/REL WROTE FAKE RX FOR SED-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	2 = No (SEDFFAKE=6).....	19	0.03
	3 = Never/No Pst Mon Use (SEDFFAKE=81,89,91,93,99)	54979	99.67

SEDFFST2	Len : 1 FRD/REL STOLE SED FROM DR/CLIN/HOSP/PHARM-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFFSTL=1,3,5)	1	0.00
	2 = No (SEDFFSTL=6)	18	0.03
	3 = Never/No Pst Mon Use (SEDFFSTL=81,89,91,93,99).....	54979	99.67

SEDFFRE2	Len : 1 FRD/REL GOT SED FROM A FRND/REL FOR FREE-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFFREE=1,3,5)	1	0.00
	2 = No (SEDFFREE=6).....	18	0.03
	3 = Never/No Pst Mon Use (SEDFFREE=81,89,91,93,99).....	54979	99.67

SEDFFBY2	Len : 1 FRD/REL BOUGHT SED FROM A FRND OR REL-PST MON		
		Freq	Pct
	. = Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFFBOT=1,3,5)	1	0.00
	2 = No (SEDFFBOT=6).....	18	0.03
	3 = Never/No Pst Mon Use (SEDFFBOT=81,89,91,93,99).....	54979	99.67

RECODED PRIOR SUBSTANCE USE

SEDFFTK2	Len : 1 FRD/REL TOOK SED FROM A FRND/REL WOUT ASK-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFFTAK=1,3,5)	1	0.00
	2 = No (SEDFFTAK=6)	18	0.03
	3 = Never/No Pst Mon Use (SEDFFTAK=81,89,91,93,99)	54979	99.67

SEDFFDL2	Len : 1 FRD/REL BGHT SED FRM DRG DEALR/OTH STRNGR-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	162	0.29
	1 = Yes (SEDFFDLR=1,3,5)	1	0.00
	2 = No (SEDFFDLR=6)	18	0.03
	3 = Never/No Pst Mon Use (SEDFFDLR=81,89,91,93,99)	54979	99.67

SEDFFNT2	Len : 1 FRD/REL BOUGHT SED ON THE INTERNET-PST MON		
	.	Freq	Pct
	= Unknown Source (Otherwise)	162	0.29
	2 = No (SEDFFNET=6)	19	0.03
	3 = Never/No Pst Mon Use (SEDFFNET=81,89,91,93,99)	54979	99.67

The following variable, SEDFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription sedatives in "some other way" (SEDFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (SEDFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting prescription sedatives "some other way" was unknown (SEDFFOTH=85, 94, 97, 98).

SEDFFOT2	Len : 1 FRD/REL GOT SED IN SOME OTHER WAY-PST MON		
	.	Freq	Pct
	= Unknown Source (See comment above)	162	0.29
	2 = No (SEDFFOTH=6 or [SEDFFOTH=1,3,5 & SEDFFOSP=1-9])	19	0.03
	3 = Never/No Pst Mon Use (SEDFFOTH=81,89,91,93,99)	54979	99.67

MTHFFRE2	Len : 1 FRD/REL GOT MTH FROM A FRND/REL FOR FREE-PST MON		
	.	Freq	Pct
	= Unknwn Src (CPNMTHMN=1&MTHFFREE=85,93,94,97,98,99)	90	0.16
	1 = Yes (CPNMTHMN=1 and MTHFFREE=1,3,5)	21	0.04
	2 = No (CPNMTHMN=1 and MTHFFREE=6)	28	0.05
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHFFBY2	Len : 1 FRD/REL BOUGHT MTH FROM A FRND/REL-PAST MONTH		
	.	Freq	Pct
	= Unknwn Src (CPNMTHMN=1&MTHFFBOT=85,93,94,97,98,99)	90	0.16
	1 = Yes (CPNMTHMN=1 and MTHFFBOT=1,3,5)	15	0.03
	2 = No (CPNMTHMN=1 and MTHFFBOT=6)	34	0.06
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHFFTK2	Len : 1 FRD/REL TOOK MTH FRM A FRND/REL WOUT ASK-PST MON		
	.	Freq	Pct
	= Unknwn Src (CPNMTHMN=1&MTHFFTAK=85,93,94,97,98,99)	90	0.16
	1 = Yes (CPNMTHMN=1 and MTHFFTAK=1,3,5)	2	0.00
	2 = No (CPNMTHMN=1 and MTHFFTAK=6)	47	0.09
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHFFDL2	Len : 1 FRD/REL BGHT MTH FRM DRG DEALR/OTH STRNGR-PST MON		
	.	Freq	Pct
	= Unknwn Src (CPNMTHMN=1&MTHFFDLR=85,93,94,97,98,99)	90	0.16
	1 = Yes (CPNMTHMN=1 and MTHFFDLR=1,3,5)	15	0.03
	2 = No (CPNMTHMN=1 and MTHFFDLR=6)	34	0.06
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

MTHFFNT2	Len : 1 FRD/REL BOUGHT MTH ON THE INTERNET-PAST MONTH		
	.	Freq	Pct
	= Unknwn Src (CPNMTHMN=1&MTHFFNET=85,93,94,97,98,99)	90	0.16
	2 = No (CPNMTHMN=1 and MTHFFNET=6)	49	0.09
	3 = No Past Month Use (CPNMTHMN=0)	55021	99.75

RECODED PRIOR SUBSTANCE USE

The following variable, MTHFFOT2, was defined as yes if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as a valid other-specify source (MTHFFOSP=11-36, 71). MTHFFOT2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) that friends/relatives did not get methamphetamine in "some other way" (MTHFFOTH=6) or (2) that friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid other-specify source (MTHFFOSP=5-9). MTHFFOT2 was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHFFOTH=1, 3, 5) and their write-in response was classified as an invalid or unknown source (MTHFFOSP=70, 72-75, 85, 94, 97, 98), or (2) a response to friends/relatives getting methamphetamine in "some other way" was unknown (MTHFFOTH=85, 93, 94, 97, 98, 99).

MTHFFOT2	Len : 1	FRD/REL GOT MTH IN SOME OTHER WAY-PAST MONTH		
			Freq	Pct
	.	= Unknown Source (See comment above).....	94	0.17
	1	= Yes (See comment above).....	3	0.01
	2	= No (See comment above).....	42	0.08
	3	= No Past Month Use (CPNMTHMN=0).....	55021	99.75

SUBSTANCE TREATMENT

SUBSTANCE TREATMENT

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime use of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.

These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.

Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXEVER¹	Len : 2	EVER RECEIVED ALCOHOL OR DRUG TREATMENT		
			Freq	Pct
	1 = Yes		2842	5.15
	2 = No.....		36937	66.96
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	94 = DON'T KNOW.....		43	0.08
	97 = REFUSED		63	0.11
	98 = BLANK (NO ANSWER).....		345	0.63

During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?

TXYREVER¹	Len : 2	EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS		
			Freq	Pct
	1 = Yes		909	1.65
	2 = No.....		1822	3.30
	3 = Yes LOGICALLY ASSIGNED		108	0.20
	4 = No LOGICALLY ASSIGNED		2	0.00
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	97 = REFUSED		64	0.12
	98 = BLANK (NO ANSWER).....		390	0.71
	99 = LEGITIMATE SKIP (TXEVER=2)		36937	66.96

During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?

TXYRADG¹	Len : 2	TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS		
			Freq	Pct
	1 = Alcohol use only.....		272	0.49
	2 = Drug use only		277	0.50
	3 = Both alcohol and drug use		289	0.52
	5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED.....		3	0.01
	11 = Alcohol only (but last tmt for drugs reported)		25	0.05
	12 = Drugs only (but last tmt for alc reported)		38	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		3	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		65	0.12
	98 = BLANK (NO ANSWER).....		496	0.90
	99 = LEGITIMATE SKIP		38761	70.27

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?

TXYRHOSP¹	Len : 2	RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS		
			Freq	Pct
		1 = Yes	186	0.34
		2 = No.....	710	1.29
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	8	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP	38761	70.27

Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?

TXYRHPAD¹	Len : 2	HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		1 = Alcohol use.....	3	0.01
		2 = Drug use.....	10	0.02
		3 = Both alcohol and drug use	44	0.08
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	521	0.94
		99 = LEGITIMATE SKIP	39591	71.77

During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?

TXYRRFIN¹	Len : 2	RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO		
			Freq	Pct
		1 = Yes	240	0.44
		2 = No.....	636	1.15
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	26	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP	38761	70.27

Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?

TXYRINAD¹	Len : 2	RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		1 = Alcohol use.....	2	0.00
		2 = Drug use.....	6	0.01
		3 = Both alcohol and drug use	74	0.13
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	542	0.98
		99 = LEGITIMATE SKIP	39544	71.69

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?

TXYRRFOP¹	Len : 2	RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS		
			Freq	Pct
	1 = Yes		395	0.72
	2 = No.....		450	0.82
	3 = Yes LOGICALLY ASSIGNED		1	0.00
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....		54	0.10
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		4	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01	
	94 = DON'T KNOW.....	5	0.01	
	97 = REFUSED	65	0.12	
	98 = BLANK (NO ANSWER).....	498	0.90	
	99 = LEGITIMATE SKIP	38761	70.27	

Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?

TXYRPOAD¹	Len : 2	OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
	1 = Alcohol use.....		9	0.02
	2 = Drug use.....		8	0.01
	3 = Both alcohol and drug use	110	0.20	
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05	
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01	
	97 = REFUSED	64	0.12	
	98 = BLANK (NO ANSWER).....	559	1.01	
	99 = LEGITIMATE SKIP	39483	71.58	

During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?

TXYRMHC¹	Len : 2	RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO		
			Freq	Pct
	1 = Yes		250	0.45
	2 = No.....		616	1.12
	5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....		32	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		4	0.01
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01	
	94 = DON'T KNOW.....	6	0.01	
	97 = REFUSED	66	0.12	
	98 = BLANK (NO ANSWER).....	498	0.90	
	99 = LEGITIMATE SKIP	38761	70.27	

Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?

TXYRMHAD¹	Len : 2	MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
	1 = Alcohol use.....		4	0.01
	2 = Drug use.....		4	0.01
	3 = Both alcohol and drug use	54	0.10	
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05	
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01	
	97 = REFUSED	64	0.12	
	98 = BLANK (NO ANSWER).....	541	0.98	
	99 = LEGITIMATE SKIP	39566	71.73	

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?

TXYRTXER¹	Len : 2	RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS		
			Freq	Pct
		1 = Yes	125	0.23
		2 = No.....	760	1.38
		3 = Yes LOGICALLY ASSIGNED	16	0.03
		5 = Yes LOGICALLY ASSIGNED (from TXLYMN2).....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	66	0.12
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP	38761	70.27

Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?

TXYRERAD¹	Len : 2	EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		1 = Alcohol use.....	3	0.01
		2 = Drug use.....	14	0.03
		3 = Both alcohol and drug use	13	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	521	0.94
		99 = LEGITIMATE SKIP	39618	71.82

During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?

TXYRDOC¹	Len : 2	RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS		
			Freq	Pct
		1 = Yes	150	0.27
		2 = No.....	743	1.35
		5 = Yes LOGICALLY ASSIGNED (from TXLYMN2).....	11	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	66	0.12
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP	38761	70.27

Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?

TXYRDCAD¹	Len : 2	PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		2 = Drug use.....	6	0.01
		3 = Both alcohol and drug use	27	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	521	0.94
		99 = LEGITIMATE SKIP	39614	71.82

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?

TXYRJAIL¹	Len : 2	RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	86	0.16
		2 = No.....	812	1.47
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	4	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP	38761	70.27

Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?

TXYRJLAD¹	Len : 2	PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		1 = Alcohol use.....	2	0.00
		2 = Drug use.....	4	0.01
		3 = Both alcohol and drug use	20	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	517	0.94
		99 = LEGITIMATE SKIP	39626	71.84

During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?

TXYRSHG¹	Len : 2	RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS		
			Freq	Pct
		1 = Yes	456	0.83
		2 = No.....	423	0.77
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	25	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	66	0.12
		98 = BLANK (NO ANSWER).....	497	0.90
		99 = LEGITIMATE SKIP	38761	70.27

Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?

TXYRSGAD¹	Len : 2	SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		1 = Alcohol use.....	13	0.02
		2 = Drug use.....	14	0.03
		3 = Both alcohol and drug use	129	0.23
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	550	1.00
		99 = LEGITIMATE SKIP	39462	71.54

SUBSTANCE TREATMENT

During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?

TXYRSOP¹	Len : 2	RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS		
			Freq	Pct
		1 = Yes	224	0.41
		2 = No.....	601	1.09
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2)	68	0.12
		7 = Treatment location unknown, LOG ASSN	9	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	4	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	498	0.90
		99 = LEGITIMATE SKIP	38761	70.27

TXYROTS2¹	Len : 3	OTHER PLACE RECEIVED TRMT PAST 12 MONTHS		
			Freq	Pct
		2 = A res drug/alcohol rehab facility overnight.....	2	0.00
		3 = A drug or alcohol rehab facility as an outpatient.....	1	0.00
		5 = An emergency room.....	1	0.00
		6 = A private doctor's office.....	1	0.00
		7 = A prison or jail.....	1	0.00
		8 = Self-help group, Alcoholic/Narcotics Anonymous	2	0.00
		9 = Some other place.....	12	0.02
		40 = Home, family, friends	11	0.02
		41 = School, college	25	0.05
		42 = Church/religious/spiritual influence.....	16	0.03
		44 = Halfway house/group home	4	0.01
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfd	5	0.01
		47 = Commnty/city/county/state pgm or facil; unspcfd.....	5	0.01
		48 = Counselor, therapist, psychologist, psychiatrist	36	0.07
		49 = Court-mandated/sponsored program	26	0.05
		51 = Alcohol/drug class or education, locale unspcfd	9	0.02
		52 = Military/VA Hospital.....	5	0.01
		55 = Youth-oriented facility/organization/program	8	0.01
		56 = Mental hlth ctr/facility/hosp; ptnt status unspcfd	3	0.01
		58 = Other individual, relationship unspecified	3	0.01
		63 = Medical clinic	3	0.01
		64 = Methadone clinic/program.....	12	0.02
		65 = Name of facility/program given.....	62	0.11
		73 = Group counseling/therapy	3	0.01
		74 = Clinic; type unspecified	3	0.01
		78 = Outpatient facility; type and reason unspecified	4	0.01
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		985 = BAD DATA Logically assigned	15	0.03
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED	73	0.13
		998 = BLANK (NO ANSWER).....	514	0.93
		999 = LEGITIMATE SKIP	39362	71.36

Was the treatment you received in this other place for your alcohol use, your drug use, or both?

TXYROTAD¹	Len : 2	OTHER PLACE TRMT FOR ALC, DRUGS, OR BOTH		
			Freq	Pct
		1 = Alcohol use	4	0.01
		2 = Drug use.....	4	0.01
		3 = Both alcohol and drug use	54	0.10
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	555	1.01
		99 = LEGITIMATE SKIP	39552	71.70

SUBSTANCE TREATMENT

During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

TXYRVSER¹	Len : 2	EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO		
			Freq	Pct
		1 = Yes	51	0.09
		2 = No.....	538	0.98
		6 = NEVER USED RELEVANT DRUGS	33	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW	1	0.00
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	509	0.92
		99 = LEGITIMATE SKIP	39033	70.76

During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?

TXYRME2¹	Len : 3	# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS		
			Freq	Pct
		RANGE = 1 - 10.....	47	0.09
		31 = 31 or more	1	0.00
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED	69	0.13
		998 = BLANK (NO ANSWER).....	511	0.93
		999 = LEGITIMATE SKIP	39604	71.80

Are you currently receiving treatment or counseling for your [TXFILL1]?

TXRCVNOW¹	Len : 2	CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1		
			Freq	Pct
		1 = Yes	372	0.67
		2 = No.....	528	0.96
		4 = No LOGICALLY ASSIGNED	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW	3	0.01
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMR, NDTXSEDR, NDTXSODR, NDTXDGR1R, NDTXDGR2R, NDTXDGR3R, NDTXDGR4R, NDTXDGR5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.

During the past 12 months, did you need treatment or counseling for your alcohol or drug use?

NDTXNEDR¹	Len : 2	NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS		
			Freq	Pct
		1 = Yes	223	0.40
		2 = No.....	38548	69.88
		11 = Yes (TXYREVER=3).....	29	0.05
		12 = No (TXYREVER=3)	77	0.14
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW	28	0.05
		97 = REFUSED	69	0.13
		98 = BLANK (NO ANSWER).....	346	0.63
		99 = LEGITIMATE SKIP	911	1.65

SUBSTANCE TREATMENT

During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?

NDTXMORE¹	Len : 2	NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS		
			Freq	Pct
		1 = Yes	48	0.09
		2 = No.....	482	0.87
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	565	1.02
		99 = LEGITIMATE SKIP	39133	70.94

During the past 12 months, for which of the following drugs did you need additional treatment or counseling?

NDTMRALC¹	Len : 2	NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS		
			Freq	Pct
		1 = Response entered	21	0.04
		6 = Response not entered.....	27	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	567	1.03
		99 = LEGITIMATE SKIP	39615	71.82

NDTMRMJ¹	Len : 2	NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS		
			Freq	Pct
		1 = Response entered	11	0.02
		6 = Response not entered.....	37	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	567	1.03
		99 = LEGITIMATE SKIP	39615	71.82

NDTMRROC¹	Len : 2	NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS		
			Freq	Pct
		1 = Response entered	8	0.01
		6 = Response not entered.....	40	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	567	1.03
		99 = LEGITIMATE SKIP	39615	71.82

NDTMRHER¹	Len : 2	NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS		
			Freq	Pct
		1 = Response entered	13	0.02
		6 = Response not entered.....	35	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	567	1.03
		99 = LEGITIMATE SKIP	39615	71.82

NDTMRHAL¹	Len : 2	NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS		
			Freq	Pct
		1 = Response entered	1	0.00
		6 = Response not entered.....	47	0.09
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	567	1.03
		99 = LEGITIMATE SKIP	39615	71.82

SUBSTANCE TREATMENT

NDTMRINH¹	Len : 2 NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	46	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDTMRANL¹	Len : 2 NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS		
		Freq	Pct
	1 = Response entered	10	0.02
	6 = Response not entered.....	38	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDTMRTRN¹	Len : 2 NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	45	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDTMRSTM¹	Len : 2 NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	45	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDTMRSED¹	Len : 2 NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	45	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDTMROTH¹	Len : 2 NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	45	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

SUBSTANCE TREATMENT

During the past 12 months did you need treatment or counseling for your use of alcohol?

NDTXALCR¹	Len : 2	NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	111	0.20
		2 = No.....	108	0.20
		11 = Yes (TXYREVER=3).....	16	0.03
		12 = No (TXYREVER=3)	12	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	60	0.11
		98 = BLANK (NO ANSWER).....	38	0.07
		99 = LEGITIMATE SKIP	39888	72.31

During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?

NDTXMJR¹	Len : 2	NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS		
			Freq	Pct
		1 = Yes	40	0.07
		2 = No.....	151	0.27
		11 = Yes (TXYREVER=3).....	6	0.01
		12 = No (TXYREVER=3)	20	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	41	0.07
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP	39951	72.43

During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?

NDTXCOCR¹	Len : 2	NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	23	0.04
		2 = No.....	93	0.17
		11 = Yes (TXYREVER=3).....	3	0.01
		12 = No (TXYREVER=3)	10	0.02
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3)	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP	40075	72.65

During the past 12 months, did you need treatment or counseling for your use of heroin?

NDTXHERR¹	Len : 2	NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	21	0.04
		2 = No.....	21	0.04
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3)	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	6	0.01
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP	40149	72.79

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of hallucinogens?

NDTXHALR¹	Len : 2	NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		4	0.01
	2 = No.....		124	0.22
	11 = Yes (TXYREVER=3).....		1	0.00
	12 = No (TXYREVER=3)		14	0.03
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	97 = REFUSED		12	0.02
	98 = BLANK (NO ANSWER).....		119	0.22
	99 = LEGITIMATE SKIP		39959	72.44

During the past 12 months, did you need treatment or counseling for your use of inhalants?

NDTXINHR¹	Len : 2	NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		5	0.01
	2 = No.....		57	0.10
	12 = No (TXYREVER=3)		9	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	97 = REFUSED		14	0.03
	98 = BLANK (NO ANSWER).....		83	0.15
	99 = LEGITIMATE SKIP		40065	72.63

During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?

NDTXANLR¹	Len : 2	NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS		
			Freq	Pct
	1 = Yes		41	0.07
	2 = No.....		86	0.16
	11 = Yes (TXYREVER=3).....		5	0.01
	12 = No (TXYREVER=3)		12	0.02
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	89 = LEGITIMATE SKIP Logically assigned.....		1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	97 = REFUSED		20	0.04
	98 = BLANK (NO ANSWER).....		142	0.26
	99 = LEGITIMATE SKIP		39926	72.38

During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?

NDTXTRNR¹	Len : 2	NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS		
			Freq	Pct
	1 = Yes		8	0.01
	2 = No.....		91	0.16
	11 = Yes (TXYREVER=3).....		2	0.00
	12 = No (TXYREVER=3)		8	0.01
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		61	0.11
	99 = LEGITIMATE SKIP		40056	72.62

SUBSTANCE TREATMENT

During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?

NDTXSTMR¹	Len : 2	NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS		
			Freq	Pct
		1 = Yes	10	0.02
		2 = No.....	64	0.12
		3 = Yes LOGICALLY ASSIGNED	6	0.01
		11 = Yes (TXYREVER=3).....	2	0.00
		12 = No (TXYREVER=3)	7	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP	40074	72.65

During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?

NDTXSEDR¹	Len : 2	NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS		
			Freq	Pct
		1 = Yes	6	0.01
		2 = No.....	12	0.02
		12 = No (TXYREVER=3)	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	75	0.14
		99 = LEGITIMATE SKIP	40130	72.75

During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?

NDTXSODR¹	Len : 2	NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS		
			Freq	Pct
		1 = Yes	13	0.02
		2 = No.....	173	0.31
		5 = Drug Unknown LOGICALLY ASSIGNED	37	0.07
		11 = Yes (TXYREVER=3).....	1	0.00
		12 = No (TXYREVER=3)	28	0.05
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	69	0.13
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP	39536	71.68

NDTXDG1R¹	Len : 4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1		
			Freq	Pct
		322 = Methamphetamine ("ice" or "crank"), Meth.....	4	0.01
		805 = Cocaine, coca, cocaina, coke, perico	1	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
		813 = Cigarettes, tobacco (type unspecified)	1	0.00
		843 = Cold medicine, cold tablets <OTC>.....	1	0.00
		3023 = Adderall	2	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		9985 = BAD DATA Logically assigned	4	0.01
		9991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		9997 = REFUSED	69	0.13
		9998 = BLANK (NO ANSWER).....	413	0.75
		9999 = LEGITIMATE SKIP	39737	72.04

NDTXDG2R¹	Len : 4	OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2		
			Freq	Pct
		8009 = Allergy pills/antihistamine; type unspecified.....	1	0.00
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		9985 = BAD DATA Logically assigned	1	0.00
		9991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		9994 = DON'T KNOW	1	0.00
		9997 = REFUSED	69	0.13
		9998 = BLANK (NO ANSWER).....	424	0.77
		9999 = LEGITIMATE SKIP	39737	72.04

SUBSTANCE TREATMENT

NDTXDG3R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3

	Freq	Pct
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
9991 = NEVER USED ALCOHOL OR DRUGS	14898	27.01
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	69	0.13
9998 = BLANK (NO ANSWER)	426	0.77
9999 = LEGITIMATE SKIP	39737	72.04

NDTXDG4R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4

	Freq	Pct
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
9991 = NEVER USED ALCOHOL OR DRUGS	14898	27.01
9997 = REFUSED	69	0.13
9998 = BLANK (NO ANSWER)	427	0.77
9999 = LEGITIMATE SKIP	39737	72.04

NDTXDG5R¹

Len : 4 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5

	Freq	Pct
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
9991 = NEVER USED ALCOHOL OR DRUGS	14898	27.01
9997 = REFUSED	69	0.13
9998 = BLANK (NO ANSWER)	427	0.77
9999 = LEGITIMATE SKIP	39737	72.04

NOTE: NDTXEFTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").

During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?

NDTXEFTR¹

Len : 2 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS

	Freq	Pct
1 = Yes	64	0.12
2 = No	151	0.27
11 = Yes (see note)	31	0.06
12 = No (TXYREVER=3)	4	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS	14898	27.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	69	0.13
98 = BLANK (NO ANSWER)	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNHCV¹

Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER

	Freq	Pct
1 = Response entered	69	0.13
6 = Response not entered	167	0.30
11 = Response entered (TXYREVER=3 or NDTXEFTR=11)	3	0.01
13 = Response entered LOG ASSN (NDTXNEED/NDTXEFTR=11)	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS	14898	27.01
94 = DON'T KNOW	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER)	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

SUBSTANCE TREATMENT

NDTXLMCV¹

Len : 2 TREATMENT NOT COVERED ON HLTH CARE

	Freq	Pct
1 = Response entered	20	0.04
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	216	0.39
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDXTNTSP¹

Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT

	Freq	Pct
1 = Response entered	18	0.03
6 = Response not entered.....	219	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDXTYPE¹

Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED

	Freq	Pct
1 = Response entered	11	0.02
6 = Response not entered.....	228	0.41
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXREDY¹

Len : 2 NOT READY TO STOP USING [TXFILL2]

	Freq	Pct
1 = Response entered	62	0.11
6 = Response not entered.....	166	0.30
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	12	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXOPEN¹

Len : 2 NO OPENINGS IN THE PROGRAMS

	Freq	Pct
1 = Response entered	8	0.01
6 = Response not entered.....	229	0.42
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

SUBSTANCE TREATMENT

NDTXWHER¹

Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT

	Freq	Pct
1 = Response entered	30	0.05
6 = Response not entered.....	207	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	3	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXNBR¹

Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN

	Freq	Pct
1 = Response entered	25	0.05
6 = Response not entered.....	214	0.39
11 = Response entered (TXYREVER=3 or NDTXEFTTR=3)	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXJOB¹

Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB

	Freq	Pct
1 = Response entered	22	0.04
6 = Response not entered.....	218	0.40
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?

NDTXNOND¹

Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME

	Freq	Pct
1 = Response entered	12	0.02
3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
6 = Response not entered.....	221	0.40
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	4	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXHNDL¹

Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT

	Freq	Pct
1 = Response entered	26	0.05
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	210	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	3	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

SUBSTANCE TREATMENT

NDTXNHLP¹

Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
1 = Response entered	6	0.01
6 = Response not entered.....	233	0.42
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXBUSY¹

Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)

	Freq	Pct
1 = Response entered	9	0.02
6 = Response not entered.....	231	0.42
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXFOUT¹

Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT

	Freq	Pct
1 = Response entered	11	0.02
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	227	0.41
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	1	0.00
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

NDTXSOR¹

Len : 2 SOME OTHER REASON OR REASONS

	Freq	Pct
1 = Response entered	24	0.04
6 = Response not entered.....	211	0.38
11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	5	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	39536	71.68

During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?

NDTMREFT¹

Len : 2 MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS

	Freq	Pct
1 = Yes	27	0.05
2 = No.....	21	0.04
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER).....	567	1.03
99 = LEGITIMATE SKIP	39615	71.82

SUBSTANCE TREATMENT

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNHCV¹	Len : 2 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER		
		Freq	Pct
	1 = Response entered	18	0.03
	6 = Response not entered.....	28	0.05
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDMRLMCV¹	Len : 2 TREATMENT NOT COVERED ON HLTH CARE		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	43	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDMRNTSP¹	Len : 2 NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	44	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDMRTYPE¹	Len : 2 TREATMENT NOT FOUND FOR TYPE WANTED		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	44	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDMRREDY¹	Len : 2 NOT READY TO STOP USING ALCOHOL OR DRUGS		
		Freq	Pct
	1 = Response entered	15	0.03
	6 = Response not entered.....	31	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82
NDMROPEN¹	Len : 2 NO OPENINGS IN THE PROGRAMS		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	44	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

SUBSTANCE TREATMENT

NDMRWHER¹	Len : 2 DIDN'T KNOW WHERE TO GET TREATMENT		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	44	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

NDMRNBR¹	Len : 2 TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN		
		Freq	Pct
	1 = Response entered	5	0.01
	6 = Response not entered.....	41	0.07
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

NDMRJOB¹	Len : 2 TREATMENT MIGHT HAVE NEG. EFFECT ON JOB		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	44	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?

NDMRNOND¹	Len : 2 YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	43	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

NDMRHNDL¹	Len : 2 YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	43	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

NDMRNHLP¹	Len : 2 YOU DIDN'T THINK TREATMENT WOULD HELP		
		Freq	Pct
	6 = Response not entered.....	46	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

SUBSTANCE TREATMENT

NDMRBUSY¹	Len : 2 YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)		
		Freq	Pct
	6 = Response not entered.....	46	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

NDMRFOUT¹	Len : 2 DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT		
		Freq	Pct
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	45	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

NDMRSOR¹	Len : 2 SOME OTHER REASON OR REASONS		
		Freq	Pct
	1 = Response entered	4	0.01
	6 = Response not entered.....	42	0.08
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	567	1.03
	99 = LEGITIMATE SKIP	39615	71.82

How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?

TXLASREC¹	Len : 2 TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT		
		Freq	Pct
	1 = Within past 30 days -- that is, since [DATEFILL]	86	0.16
	2 = More than 30 days ago but within the past 12 mos	407	0.74
	3 = More than 12 months ago	1801	3.27
	7 = Still in treatment LOG ASSN (TXRCVNOW=1)	372	0.67
	8 = Treatment in past year LOGICALLY ASSIGNED	152	0.28
	9 = Treatment in lifetime LOGICALLY ASSIGNED.....	1	0.00
	13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	23	0.04
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	97 = REFUSED	63	0.11
	98 = BLANK (NO ANSWER).....	391	0.71
	99 = LEGITIMATE SKIP	36937	66.96

SUBSTANCE TREATMENT

NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.

What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?

What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?

TXLTYMN2¹	Len : 3 MAIN PLACE RCV TRMT LAST TIME/CURRENTLY		
		Freq	Pct
	1 = A hospital overnight as an inpatient	20	0.04
	2 = A res drug/alcohol rehab facility overnight.....	105	0.19
	3 = A drug or alcohol rehab facility as an outpatient.....	198	0.36
	4 = A mental health center or facility as outpatient	122	0.22
	5 = An emergency room.....	12	0.02
	6 = A private doctor's office.....	69	0.13
	7 = A prison or jail.....	24	0.04
	8 = Self-help group, Alcoholic/Narcotics Anonymous	181	0.33
	9 = Some other place.....	28	0.05
	40 = Home, family, friends	11	0.02
	41 = School, college	22	0.04
	42 = Church/religious/spiritual influence.....	8	0.01
	47 = Communt/city/county/state pgm or facil; unspcfd.....	4	0.01
	48 = Counselor, therapist, psychologist, psychiatrist	20	0.04
	49 = Court-mandated/sponsored program	19	0.03
	51 = Alcohol/drug class or education, locale unspcfd	3	0.01
	52 = Military/VA Hospital.....	3	0.01
	55 = Youth-oriented facility/organization/program	6	0.01
	64 = Methadone clinic/program.....	7	0.01
	65 = Name of facility/program given.....	21	0.04
	74 = Clinic; type unspecified	3	0.01
	981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	985 = BAD DATA Logically assigned	3	0.01
	989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
	991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	994 = DON'T KNOW.....	8	0.01
	997 = REFUSED	79	0.14
	998 = BLANK (NO ANSWER).....	496	0.90
	999 = LEGITIMATE SKIP	38759	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?

Are you currently receiving treatment or counseling for your use of alcohol?

TXLTYALC¹	Len : 2 LAST/CURRENT TREATMENT FOR ALCOHOL		
		Freq	Pct
	1 = Yes	495	0.90
	2 = No.....	336	0.61
	3 = Yes LOGICALLY ASSIGNED	3	0.01
	5 = Yes LOG ASSN (TXYRADG = 1).....	48	0.09
	6 = NEVER USED ALCOHOL (TXEVER = 1)	24	0.04
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
	85 = BAD DATA Logically assigned	3	0.01
	89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	2	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	67	0.12
	98 = BLANK (NO ANSWER).....	493	0.89
	99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38759	70.27

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?

Are you currently receiving treatment or counseling for your use of marijuana or hashish?

TXLYMJ¹	Len : 2	LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH		
			Freq	Pct
		1 = Yes	321	0.58
		2 = No.....	493	0.89
		3 = Yes LOGICALLY ASSIGNED	7	0.01
		6 = NEVER USED MARIJUANA (TXEVER = 1).....	103	0.19
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	476	0.86
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38760	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?

Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?

TXLYCOC¹	Len : 2	LAST/CURRENT TREATMENT FOR COCAINE/CRACK		
			Freq	Pct
		1 = Yes	127	0.23
		2 = No.....	340	0.62
		3 = Yes LOGICALLY ASSIGNED	6	0.01
		4 = No LOGICALLY ASSIGNED	1	0.00
		6 = NEVER USED COCAINE (TXEVER = 1).....	505	0.92
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	427	0.77
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38760	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of heroin?

Are you currently receiving treatment or counseling for your use of heroin?

TXLYHER¹	Len : 2	LAST/CURRENT TREATMENT FOR HEROIN		
			Freq	Pct
		1 = Yes	129	0.23
		2 = No.....	71	0.13
		3 = Yes LOGICALLY ASSIGNED	7	0.01
		6 = NEVER USED HEROIN (TXEVER = 1)	796	1.44
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	403	0.73
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38761	70.27

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?

Are you currently receiving treatment or counseling for your use of hallucinogens?

TXLTYHAL¹	Len : 2	LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
			Freq	Pct
		1 = Yes	89	0.16
		2 = No.....	408	0.74
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		6 = NEVER USED HALLUCINOGENS (TXEVER = 1)	477	0.86
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	430	0.78
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38760	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?

Are you currently receiving treatment or counseling for your use of inhalants?

TXLTYINH¹	Len : 2	LAST/CURRENT TREATMENT FOR INHALANTS		
			Freq	Pct
		1 = Yes	51	0.09
		2 = No.....	223	0.40
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		6 = NEVER USED INHALANTS (TXEVER = 1)	712	1.29
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	66	0.12
		98 = BLANK (NO ANSWER).....	416	0.75
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38761	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?

Are you currently receiving treatment or counseling for your use of prescription pain relievers?

TXLTYANL¹	Len : 2	LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS		
			Freq	Pct
		1 = Yes	211	0.38
		2 = No.....	319	0.58
		3 = Yes LOGICALLY ASSIGNED	4	0.01
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1)	430	0.78
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	442	0.80
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38761	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?

Are you currently receiving treatment or counseling for your use of prescription tranquilizers?

TXLTYTRN¹	Len : 2	LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS		
			Freq	Pct
		1 = Yes	107	0.19
		2 = No.....	285	0.52
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		6 = NEVER USED TRANQUILIZERS (TXEVER = 1)	590	1.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	423	0.77
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38761	70.27

SUBSTANCE TREATMENT

The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?

Are you currently receiving treatment or counseling for your use of prescription stimulants?

TXLTYSTM¹	Len : 2	LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS		
			Freq	Pct
		1 = Yes	82	0.15
		2 = No.....	215	0.39
		3 = Yes LOGICALLY ASSIGNED	28	0.05
		6 = NEVER USED STIMULANTS (TXEVER = 1).....	670	1.21
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	412	0.75
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38760	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?

Are you currently receiving treatment or counseling for your use of prescription sedatives?

TXLTYSED¹	Len : 2	LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES		
			Freq	Pct
		1 = Yes	29	0.05
		2 = No.....	58	0.11
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		6 = NEVER USED SEDATIVES (TXEVER = 1)	918	1.66
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	400	0.73
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4)	38761	70.27

The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?

Are you currently receiving treatment or counseling for your use of any other drug?

TXLTYSD¹	Len : 2	LAST/CURRENT TRMT FOR SOME OTHER DRUG		
			Freq	Pct
		1 = Yes	133	0.24
		2 = No.....	716	1.30
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	18	0.03
		7 = Treatment drug/alc unknown LOG ASSN.....	33	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

SUBSTANCE TREATMENT

What was the outcome of the treatment or counseling you last received?

TXLTYOU2¹	Len : 2	OUTCOME OF LAST/CURRENT TREATMENT		
			Freq	Pct
		1 = You are still in treatment	373	0.68
		2 = You successfully completed treatment.....	390	0.71
		3 = You left because you had a problem with program.....	26	0.05
		4 = You left b/c you couldn't afford to continue.....	20	0.04
		5 = You left because your family needed you.....	10	0.02
		6 = You left because you began using drugs again.....	19	0.03
		7 = Your last treatment had some other outcome.....	9	0.02
		41 = You left because you didn't need/want treatment	3	0.01
		48 = Discontinued treatment, success unknown	3	0.01
		49 = Completed treatment/tmt required, outcome unknown	7	0.01
		50 = You had other problems to deal with.....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	22	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED	73	0.13
		98 = BLANK (NO ANSWER).....	500	0.91
		99 = LEGITIMATE SKIP	38759	70.27

How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?

How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?

How long did you stay in treatment for your alcohol or drug use during your last treatment?

How long have you been in treatment for your alcohol or drug use so far?

Please indicate whether you want to give your answer in days, months, or years.

How many days have you been in treatment for your alcohol or drug use so far?

How many days did you stay in treatment for your alcohol or drug use the last time?

How many months have you been in treatment for your alcohol or drug use so far?

How many months did you stay in treatment for your alcohol or drug use the last time?

How many years have you been in treatment for your alcohol or drug use so far?

How many years did you stay in treatment for your alcohol or drug use the last time?

TXLTYDU2¹	Len : 5	# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE		
			Freq	Pct
		RANGE = 1 - 30.....	286	0.52
		31 = 31 or more	582	1.06
		99981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		99985 = BAD DATA Logically assigned	4	0.01
		99989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		99991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		99994 = DON'T KNOW	22	0.04
		99997 = REFUSED.....	82	0.15
		99998 = BLANK (NO ANSWER).....	496	0.90
		99999 = LEGITIMATE SKIP	38759	70.27

SUBSTANCE TREATMENT

Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?

Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYINS¹	Len : 2	HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	338	0.61
		2 = No.....	517	0.94
		3 = Yes LOGICALLY ASSIGNED	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED	76	0.14
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

Did Medicare pay for the last treatment you received, even if it paid only part of the cost?

Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYCARE¹	Len : 2	MEDICARE PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	183	0.33
		2 = No.....	646	1.17
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED	77	0.14
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYCAID¹	Len : 2	MEDICAID PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	194	0.35
		2 = No.....	635	1.15
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED	77	0.14
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

SUBSTANCE TREATMENT

Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?

Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYUBP¹	Len : 2	OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	169	0.31
		2 = No.....	660	1.20
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	65	0.12
		97 = REFUSED	73	0.13
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?

Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?

TXPYSAVE¹	Len : 2	OWN SAVINGS PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	406	0.74
		2 = No.....	464	0.84
		3 = Yes LOGICALLY ASSIGNED	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	73	0.13
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

Did family members pay for the last treatment you received, even if they paid only part of the cost?

Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?

TXPYFMLY¹	Len : 2	FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	241	0.44
		2 = No.....	629	1.14
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	74	0.13
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

SUBSTANCE TREATMENT

Did the courts pay for the last treatment you received, even if it paid only part of the cost?

Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYCORT¹	Len : 2	COURTS PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	98	0.18
		2 = No.....	765	1.39
		3 = Yes LOGICALLY ASSIGNED	4	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED	75	0.14
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?

Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYMILC¹	Len : 2	MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	30	0.05
		2 = No.....	815	1.48
		3 = Yes LOGICALLY ASSIGNED	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	47	0.09
		97 = REFUSED	75	0.14
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

Did your employer pay for the last treatment you received, even if it paid only part of the cost?

Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?

TXPYEMPL¹	Len : 2	EMPLOYER PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	38	0.07
		2 = No.....	831	1.51
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	8	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED	74	0.13
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

SUBSTANCE TREATMENT

Was your last treatment paid for by some other source besides those that have been listed?

Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?

TXPYSOS¹	Len : 2	SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT		
			Freq	Pct
		1 = Yes	87	0.16
		2 = No.....	755	1.37
		4 = No LOG ASSN (free trmt specified)	2	0.00
		5 = Yes, payment source not specified LOG ASSN.....	20	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED	76	0.14
		98 = BLANK (NO ANSWER).....	496	0.90
		99 = LEGITIMATE SKIP	38759	70.27

TXPYSP2¹	Len : 2	OTHER PAY FOR LAST/CURRENT TRMT - SPECIFY		
			Freq	Pct
		1 = Private health insurance	12	0.02
		2 = Medicare.....	2	0.00
		3 = Medicaid	2	0.00
		4 = Public assistance program other than Medicaid	1	0.00
		5 = Own savings or earnings	5	0.01
		6 = Family members	3	0.01
		7 = Courts.....	6	0.01
		8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlth.....	2	0.00
		9 = Employer	1	0.00
		10 = Free	7	0.01
		11 = Some other source.....	1	0.00
		12 = Friend/neighbor/sponsor/stipend.....	3	0.01
		14 = School	8	0.01
		15 = Treatment program/facility/provider	8	0.01
		16 = Indian Health Service/BIA/Tribe	6	0.01
		19 = Public assistance, welfare; otherwise unspecified	10	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	9	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	80	0.15
		98 = BLANK (NO ANSWER).....	545	0.99
		99 = LEGITIMATE SKIP	39516	71.64

Was the last treatment you received free?

Is the treatment you are currently receiving free?

TXPYFRE¹	Len : 2	LAST/CURRENT TREATMENT WAS/IS FREE		
			Freq	Pct
		1 = Yes	50	0.09
		2 = No.....	20	0.04
		3 = Yes LOGICALLY ASSIGNED	7	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	69	0.13
		98 = BLANK (NO ANSWER).....	535	0.97
		99 = LEGITIMATE SKIP	39552	71.70

SUBSTANCE TREATMENT

Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?

For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.

TXENROLL¹	Len : 2	ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]		
			Freq	Pct
	1 = Yes		328	0.59
	2 = No.....		2451	4.44
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	94 = DON'T KNOW.....		46	0.08
	97 = REFUSED		80	0.15
	98 = BLANK (NO ANSWER).....		390	0.71
	99 = LEGITIMATE SKIP (TXEVER=2)		36937	66.96

Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?

TXYRDTXO¹	Len : 2	WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS		
			Freq	Pct
	1 = Yes		137	0.25
	2 = No.....		580	1.05
	4 = No LOGICALLY ASSIGNED.....		165	0.30
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	94 = DON'T KNOW.....		15	0.03
	97 = REFUSED		76	0.14
	98 = BLANK (NO ANSWER).....		498	0.90
	99 = LEGITIMATE SKIP		38761	70.27

NOTE: The variables TXALONEV, TXALONAG, TXDRONEV, TXDRONAG, TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALONEV and TXALONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRONEV and TXDRONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime users of alcohol and other drugs.

NOTE: TXALONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALONEV=11). TXALONEV was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

TXALONEV¹	Len : 2	EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)		
			Freq	Pct
	1 = Yes		81	0.15
	11 = Yes (TXYREVER=3; see NOTE for TXALONEV).....		4	0.01
	12 = No (TXYREVER=3; see NOTE for TXALONEV)		9	0.02
	22 = No (but only alcohol user; see NOTE for TXALONEV)		35	0.06
	81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
	91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		362	0.66
	99 = LEGITIMATE SKIP		39732	72.03

SUBSTANCE TREATMENT

How old were you when you first received treatment for your alcohol use?

TXALONAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT FOR ALC USE		
			Freq	Pct
		RANGE = 5 - 78.....	83	0.15
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED	10	0.02
		998 = BLANK (NO ANSWER).....	398	0.72
		999 = LEGITIMATE SKIP	39741	72.05

NOTE: TXDRONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRONEV=11). TXDRONEV was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?

TXDRONEV¹	Len : 2	EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)		
			Freq	Pct
		1 = Yes.....	17	0.03
		11 = Yes (TXYREVER=3; see NOTE for TXDRONEV).....	3	0.01
		12 = No (TXYREVER=3; see NOTE for TXDRONEV).....	4	0.01
		22 = No (but only drug user; see NOTE for TXDRONEV)	8	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	13	0.02
		98 = BLANK (NO ANSWER).....	357	0.65
		99 = LEGITIMATE SKIP	39829	72.21

How old were you when you first received treatment or counseling for your drug use?

TXDRONAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 13 - 58.....	13	0.02
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED	13	0.02
		998 = BLANK (NO ANSWER).....	373	0.68
		999 = LEGITIMATE SKIP	39833	72.21

NOTE: TXALCDEV and TXDRGAEV were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDEV=11). TXALCDEV and TXDRGAEV were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDEV) or for their drug use (in the question corresponding to TXDRGAEV). Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?

TXALCDEV¹	Len : 2	EVER RCVD TMT FOR ALCOHOL USE (ALSO USED DRUGS)		
			Freq	Pct
		1 = Yes	1032	1.87
		2 = No.....	525	0.95
		11 = Yes (TXYREVER=3; see NOTE for TXALCDEV)	33	0.06
		12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	29	0.05
		22 = No (see NOTE for TXALCDEV)	146	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	42	0.08
		98 = BLANK (NO ANSWER).....	375	0.68
		99 = LEGITIMATE SKIP	38051	68.98

SUBSTANCE TREATMENT

How old were you when you first received treatment or counseling for your alcohol use?

TXALCDAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 64.....	1019	1.85
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	20	0.04
		997 = REFUSED	45	0.08
		998 = BLANK (NO ANSWER).....	544	0.99
		999 = LEGITIMATE SKIP	38605	69.99

Have you ever received treatment or counseling for your drug use?

TXDRGAEV¹	Len : 2	EVER RCVD TRMT FOR DRUG USE (ALSO USED ALCOHOL)		
			Freq	Pct
		1 = Yes	921	1.67
		2 = No.....	633	1.15
		11 = Yes (TXYREVER=3; see NOTE for TXALCDEV)	44	0.08
		12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	18	0.03
		22 = No (see NOTE for TXALCDEV)	146	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	45	0.08
		98 = BLANK (NO ANSWER).....	375	0.68
		99 = LEGITIMATE SKIP	38051	68.98

How old were you when you first received treatment or counseling for your drug use?

TXDRGAAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 2 - 68.....	904	1.64
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	17	0.03
		997 = REFUSED	46	0.08
		998 = BLANK (NO ANSWER).....	564	1.02
		999 = LEGITIMATE SKIP	38702	70.16

NOTE: The variables TXYALAGE, TXYALDRG, TXYALDAG, TXYDRAGE, TXYDRALC, TXYDRAAG, TXYADAAG, and TXYADDAG pertain to respondents who received substance treatment in the past 12 months. TXYALAGE, TXYALDRG, and TXYALDAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRAGE, TXYDRALC, and TXYDRAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYADAAG and TXYADDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.

Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?

TXYALAGE¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 65.....	287	0.52
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		985 = BAD DATA Logically assigned	4	0.01
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED	65	0.12
		998 = BLANK (NO ANSWER).....	501	0.91
		999 = LEGITIMATE SKIP	39368	71.37

SUBSTANCE TREATMENT

Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?

TXYALDRG¹	Len : 2	EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)		
			Freq	Pct
		1 = Yes	26	0.05
		2 = No.....	219	0.40
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=11)	17	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	64	0.12
		98 = BLANK (NO ANSWER).....	501	0.91
		99 = LEGITIMATE SKIP	39402	71.43

How old were you when you first received treatment or counseling for your drug use?

TXYALDAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 38.....	21	0.04
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		985 = BAD DATA Logically assigned	3	0.01
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED	64	0.12
		998 = BLANK (NO ANSWER).....	520	0.94
		999 = LEGITIMATE SKIP	39622	71.83

Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?

TXYDRAGE¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 62.....	310	0.56
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED	65	0.12
		998 = BLANK (NO ANSWER).....	507	0.92
		999 = LEGITIMATE SKIP	39347	71.33

Have you ever received treatment or counseling for your alcohol use?

TXYDRALC¹	Len : 2	EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)		
			Freq	Pct
		1 = Yes	38	0.07
		2 = No.....	241	0.44
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=12)	19	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		97 = REFUSED	65	0.12
		98 = BLANK (NO ANSWER).....	507	0.92
		99 = LEGITIMATE SKIP	39363	71.36

How old were you when you first received treatment or counseling for your alcohol use?

TXYDRAAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 38.....	34	0.06
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		997 = REFUSED	65	0.12
		998 = BLANK (NO ANSWER).....	530	0.96
		999 = LEGITIMATE SKIP	39604	71.80

SUBSTANCE TREATMENT

Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?

TXYADAAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE		
			Freq	Pct
		RANGE = 1 - 54.....	205	0.37
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED	74	0.13
		998 = BLANK (NO ANSWER).....	635	1.15
		999 = LEGITIMATE SKIP	39310	71.27

How old were you when you first received treatment or counseling for your drug use?

TXYADDAG¹	Len : 3	AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE		
			Freq	Pct
		RANGE = 1 - 54.....	206	0.37
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	29	0.05
		991 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		994 = DON'T KNOW.....	6	0.01
		997 = REFUSED	75	0.14
		998 = BLANK (NO ANSWER).....	636	1.15
		999 = LEGITIMATE SKIP	39310	71.27

NOTE: TXFGALAG is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALONAG, TXALCDAG, TXYALAGE, TXYDRAAG, or TXYADAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAG=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRADG.

TXFGALAG¹	Len : 2	CONSISTENCY OF ALC TX AGE WITH ALC AFU		
			Freq	Pct
		0 = 1st alc tx age consistent with alc AFU	1642	2.98
		1 = 1st alc tx age differs from alc AFU by 1 yr	19	0.03
		2 = 1st alc tx age differs from alc AFU by 2 yrs	4	0.01
		3 = 1st alc tx age differs from alc AFU by 3-4 yrs	5	0.01
		4 = 1st alc tx age differs from alc AFU by >=5 yrs	37	0.07
		5 = Never used alc in core but reported an alc tx age	8	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		98 = UNKNOWN.....	772	1.40
		99 = LEGITIMATE SKIP	37746	68.43

NOTE: TXFGDGAG is a "flag" variable that indicates when the first receipt of drug treatment in TXDRONAG, TXDRGAAG, TXYALDAG, TXYDRAGE, or TXYADDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAG=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRADG.

TXFGDGAG¹	Len : 2	CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS		
			Freq	Pct
		0 = 1st drug tx age consistent w/min drug AFU	1488	2.70
		1 = 1st drug tx age differs from min drug AFU by 1 yr	10	0.02
		2 = 1st drug tx age differs fr min drug AFU by 2 yrs	5	0.01
		3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs	4	0.01
		4 = 1st drug tx age differs fr min drug AFU by >=5 yrs	16	0.03
		5 = Never used drugs in core but reportd a drug tx age	6	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		98 = UNKNOWN.....	763	1.38
		99 = LEGITIMATE SKIP	37941	68.78

SUBSTANCE TREATMENT

NOTE: TXFGADAG is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAG=5 or TXFGDGAG=5, then TXFGADAG=5.

TXFGADAG¹	Len : 2	CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS		
			Freq	Pct
		0 = 1st tx age consistent w/minimum AFU	2318	4.20
		1 = 1st tx age differs from min AFU by 1 yr	28	0.05
		2 = 1st tx age differs from min AFU by 2 yrs	5	0.01
		3 = 1st tx age differs from min AFU by 3-4 yrs	8	0.01
		4 = 1st tx age differs from min AFU by >=5 yrs	51	0.09
		5 = Any lifetime nonuse with a related tx age	14	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		98 = UNKNOWN.....	872	1.58
		99 = LEGITIMATE SKIP	36937	66.96

The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.

During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?

TX12MSHG¹	Len : 2	WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS		
			Freq	Pct
		1 = Yes	522	0.95
		2 = No.....	38762	70.27
		5 = Yes LOGICALLY ASSIGNED (from skip pattern)	456	0.83
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		85 = BAD DATA Logically assigned	2	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED	83	0.15
		98 = BLANK (NO ANSWER).....	349	0.63

Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?

TX12SGAD¹	Len : 2	WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH		
			Freq	Pct
		1 = Alcohol use only.....	219	0.40
		2 = Drug use only	138	0.25
		3 = Both alcohol and drug use	159	0.29
		11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSGAD=1)	13	0.02
		12 = Drug use only LOGICALLY ASSIGNED (TXYRSGAD=2)	14	0.03
		13 = Both alcohol and drug use LOG ASSN (TXYRSGAD=3)	129	0.23
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned	29	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	14898	27.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	88	0.16
		98 = BLANK (NO ANSWER).....	447	0.81
		99 = LEGITIMATE SKIP	39024	70.75

SUBSTANCE TREATMENT

NOTE: TXSHGFLG compares the consistency of data in the self-help group variable TX12MSHG and the self-help group variable TXYRSHG. TXSHGFLG has a value of 1 when TX12MSHG was answered as "yes" but TXYRSHG indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLG has a value of 2 when TX12MSHG was answered as "yes" but TXYREVER or TXEVER indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLG has a value of 3 when TX12MSHG was not answered as "yes" but TXYRSHG indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLG has a value of 4 when TX12MSHG was answered as "yes" but TXYRSHG was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLG has a value of 5 when TX12MSHG was answered as "don't know" or "refused" but TXYRSHG was answered as "no."

TXSHGFLG ¹ Len : 2 CONSISTENCY FLAG BETWEEN TX12MSHG AND TXYRSHG		Freq	Pct
1 = TX12MSHG=1 but TXYRSHG=2 (see note).....		40	0.07
2 = TX12MSHG=1 but TXYREVER=2 or TXEVER=2 (see note).....		442	0.80
3 = TX12MSHG NE 1 but TXYRSHG=3 or 5 (see note).....		17	0.03
4 = TX12MSHG=1 but TXYRSHG=94, 97, or 98 (see note).....		32	0.06
5 = TX12MSHG=94 or 97 but TXYRSHG=2 (see note).....		7	0.01
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned		29	0.05
91 = NEVER USED ALCOHOL OR DRUGS.....		14898	27.01
98 = BLANK (NO ANSWER).....		39695	71.96

RECODED SUBSTANCE TREATMENT

RECODED SUBSTANCE TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Respondents who were routed into the Drug Treatment module based solely on their responses from the Special Drugs module questions were classified as not receiving substance use treatment.

NOTE: The following seven recoded variables contain information about receiving treatment at any location in lifetime or in the past year.

TXILALEV	Len : 1 RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXEVER=1)	52319	94.85
		2841	5.15

ALCTRMT	Len : 1 RCVD TRMT ANY LOC FOR ALC USE - PST YR		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXYRADG=1,3,4,6,11,12)	54536	98.87
		624	1.13

ILLTRMT	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG USE - PST YR		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXYRADG=2,3,5,6,11,12)	54528	98.85
		632	1.15

A respondent was classified as receiving treatment at any location in the past year for alcohol use but not illicit drug use, TXALNOIL, if they received only alcohol use treatment at any location in the past year (TXYRADG=1). Respondents with unknown illicit drug use treatment (TXYRADG=4) or who reported receiving alcohol use treatment only but in later treatment questions indicated receiving illicit drug use treatment (TXYRADG=11) are not classified as receiving treatment for alcohol use only.

TXALNOIL	Len : 1 RCVD TRMT ANY LOC FOR ALC BUT NOT ILL - PST YR		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXYRADG=1)	54888	99.51
		272	0.49

A respondent was classified as receiving treatment at any location in the past year for illicit drug use but not alcohol, TXILNOAL, if they received only illicit drug use treatment at any location in the past year (TXYRADG=2). Respondents with unknown alcohol use treatment (TXYRADG=5) or who reported receiving illicit drug use treatment only but in later treatment questions indicated receiving alcohol use treatment (TXYRADG=12) are not classified as receiving treatment for illicit drug use only.

TXILNOAL	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG BUT NOT ALC - PST YR		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXYRADG=2)	54883	99.50
		277	0.50

TXILLALC	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG OR ALC - PST YR		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXYREVER=1,3)	54143	98.16
		1017	1.84

TXILANAL	Len : 1 RCVD TRMT ANY LOC FOR ILL DRG AND ALC - PST YR		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXYRADG=3,6,11,12)	54808	99.36
		352	0.64

RECODED SUBSTANCE TREATMENT

NOTE: The following 11 recoded variables contain respondent information about receiving last or current treatment for various substances.

TXLTALC2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYALC=1,3,5)	54614	99.01
		546	0.99
TXLTMJ2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYMJ=1,3)	54832	99.41
		328	0.59
TXLTCOC2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR COCAINE		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYCOC=1,3)	55027	99.76
		133	0.24
TXLTHER2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HEROIN		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYHER=1,3)	55024	99.75
		136	0.25
TXLTHAL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYHAL=1,3)	55068	99.83
		92	0.17
TXLTINH2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYINH=1,3)	55108	99.91
		52	0.09
TXLTANL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYANL=1,3)	54945	99.61
		215	0.39
TXLTTRN2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYTRN=1,3)	55052	99.80
		108	0.20
TXLTSTM2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYSTM=1,3)	55050	99.80
		110	0.20
TXLTSED2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (TXLTYSED=1,3)	55129	99.94
		31	0.06

The following variable, TXLTILL2, was created by examination of the receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), and tranquilizers (TXLTTRN2).

TXLTILL2	Len : 1 RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS		
	0 = No/Unknown (Otherwise)	Freq	Pct
	1 = Yes (Any source variable=1)	54618	99.02
		542	0.98

RECODED SUBSTANCE TREATMENT

NOTE: The following 27 recoded variables contain payment information about respondent's last or current treatment.

TXPINS2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY INSURANCE		
	0 = No/Unknown (Otherwise).....	Freq 54819	Pct 99.38
	1 = Yes (TXPYINS=1,3).....	341	0.62
TXPCARE2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE		
	0 = No/Unknown (Otherwise).....	Freq 54976	Pct 99.67
	1 = Yes (TXPYCARE=1,3).....	184	0.33
TXPCAID2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICAID		
	0 = No/Unknown (Otherwise).....	Freq 54965	Pct 99.65
	1 = Yes (TXPYCAID=1,3).....	195	0.35
TXPPUBP2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST		
	0 = No/Unknown (Otherwise).....	Freq 54990	Pct 99.69
	1 = Yes (TXPPYPUBP=1,3).....	170	0.31
TXPSAVE2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS		
	0 = No/Unknown (Otherwise).....	Freq 54752	Pct 99.26
	1 = Yes (TXPYSAVE=1,3).....	408	0.74
TXPFMLY2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS		
	0 = No/Unknown (Otherwise).....	Freq 54918	Pct 99.56
	1 = Yes (TXPYFMLY=1,3).....	242	0.44
TXPCORT2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY COURTS		
	0 = No/Unknown (Otherwise).....	Freq 55058	Pct 99.82
	1 = Yes (TXPYCORT=1,3).....	102	0.18
TXPMILC2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HLT CARE		
	0 = No/Unknown (Otherwise).....	Freq 55129	Pct 99.94
	1 = Yes (TXPYMILC=1,3).....	31	0.06
TXPEMPL2	Len : 1 LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER		
	0 = No/Unknown (Otherwise).....	Freq 55122	Pct 99.93
	1 = Yes (TXPYEMPL=1,3).....	38	0.07
ALCPINS	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE		
	0 = No/Unknown (TXLTALC2=0 or TXPINS2=0).....	Freq 54970	Pct 99.66
	1 = Yes (TXLTALC2=1 and TXPINS2=1).....	190	0.34
ALCPCARE	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE		
	0 = No/Unknown (TXLTALC2=0 or TXPCARE2=0).....	Freq 55068	Pct 99.83
	1 = Yes (TXLTALC2=1 and TXPCARE2=1).....	92	0.17
ALCPCAID	Len : 1 LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID		
	0 = No/Unknown (TXLTALC2=0 or TXPCAID2=0).....	Freq 55067	Pct 99.83
	1 = Yes (TXLTALC2=1 and TXPCAID2=1).....	93	0.17

RECODED SUBSTANCE TREATMENT

ALCPPUBP	Len : 1	LAST/CURRENT ALC TREATMENT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXLTALC2=0 or TXPPUBP2=0)	Freq	Pct
		1 = Yes (TXLTALC2=1 and TXPPUBP2=1)	55080	99.85
			80	0.15
ALCPSAVE	Len : 1	LAST/CURRENT ALC TREATMENT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXLTALC2=0 or TXPSAVE2=0)	Freq	Pct
		1 = Yes (TXLTALC2=1 and TXPSAVE2=1)	54887	99.51
			273	0.49
ALCPFMLY	Len : 1	LAST/CURRENT ALC TREATMENT PAID FOR BY FAM MEMBERS		
		0 = No/Unknown (TXLTALC2=0 or TXPFMLY2=0)	Freq	Pct
		1 = Yes (TXLTALC2=1 and TXPFMLY2=1)	55018	99.74
			142	0.26
ALPCORT	Len : 1	LAST/CURRENT ALC TREATMENT PAID FOR BY COURTS		
		0 = No/Unknown (TXLTALC2=0 or TXPCORT2=0)	Freq	Pct
		1 = Yes (TXLTALC2=1 and TXPCORT2=1)	55099	99.89
			61	0.11
ALCPMILC	Len : 1	LAST/CURRENT ALC TRT PAID FOR BY MILT HLT CARE		
		0 = No/Unknown (TXLTALC2=0 or TXPMILC2=0)	Freq	Pct
		1 = Yes (TXLTALC2=1 and TXPMILC2=1)	55137	99.96
			23	0.04
ALCPEMPL	Len : 1	LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER		
		0 = No/Unknown (TXLTALC2=0 or TXPEMPL2=0)	Freq	Pct
		1 = Yes (TXLTALC2=1 and TXPEMPL2=1)	55129	99.94
			31	0.06
ILLPINS	Len : 1	LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE		
		0 = No/Unknown (TXLTILL2=0 or TXPINS2=0)	Freq	Pct
		1 = Yes (TXLTILL2=1 and TXPINS2=1)	54930	99.58
			230	0.42
ILLPCARE	Len : 1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE		
		0 = No/Unknown (TXLTILL2=0 or TXPCARE2=0)	Freq	Pct
		1 = Yes (TXLTILL2=1 and TXPCARE2=1)	55020	99.75
			140	0.25
ILLPCAID	Len : 1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICAID		
		0 = No/Unknown (TXLTILL2=0 or TXPCAID2=0)	Freq	Pct
		1 = Yes (TXLTILL2=1 and TXPCAID2=1)	55009	99.73
			151	0.27
ILLPPUBP	Len : 1	LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST		
		0 = No/Unknown (TXLTILL2=0 or TXPPUBP2=0)	Freq	Pct
		1 = Yes (TXLTILL2=1 and TXPPUBP2=1)	55039	99.78
			121	0.22
ILLPSAVE	Len : 1	LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS		
		0 = No/Unknown (TXLTILL2=0 or TXPSAVE2=0)	Freq	Pct
		1 = Yes (TXLTILL2=1 and TXPSAVE2=1)	54941	99.60
			219	0.40
ILLPFMLY	Len : 1	LAST/CURRENT ILL DRUG TRT PAID FOR BY FAM MEMBERS		
		0 = No/Unknown (TXLTILL2=0 or TXPFMLY2=0)	Freq	Pct
		1 = Yes (TXLTILL2=1 and TXPFMLY2=1)	54993	99.70
			167	0.30

RECODED SUBSTANCE TREATMENT

ILLPCORT	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY COURTS		
		Freq	Pct
	0 = No/Unknown (TXLTILL2=0 or TXPCORT2=0)	55086	99.87
	1 = Yes (TXLTILL2=1 and TXPCORT2=1)	74	0.13

ILLPMILC	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE		
		Freq	Pct
	0 = No/Unknown (TXLTILL2=0 or TXPMILC2=0)	55146	99.97
	1 = Yes (TXLTILL2=1 and TXPMILC2=1)	14	0.03

ILLPEMPL	Len : 1 LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER		
		Freq	Pct
	0 = No/Unknown (TXLTILL2=0 or TXPEMPL2=0)	55144	99.97
	1 = Yes (TXLTILL2=1 and TXPEMPL2=1)	16	0.03

NOTE: The following seven recoded variables contain information about receiving treatment at a specialty facility in the past year.

A respondent was classified as receiving treatment in the past year for alcohol use at a specialty facility, SPECTALC, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met either of these conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1, 4, 11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1, 3 or TXYRINAD=1, 3 or TXYRPOAD=1, 3 or TXYRMHAD=1, 3 or (TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64 and TXYROTAD=1, 3)).

SPECTALC	Len : 1 RCVD TRMT AT SPEC FAC FOR ALC - PST YR		
		Freq	Pct
	0 = No/Unknown (Otherwise)	54815	99.37
	1 = Yes (See comment above)	345	0.63

A respondent was classified as receiving treatment in the past year for illicit drug use at a specialty facility, SPECTILL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or a mental health center if they met either of these conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2, 5, 12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64).
2. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2, 3 or TXYRINAD=2, 3 or TXYRPOAD=2, 3 or TXYRMHAD=2, 3 or (TXYROTS2=1, 2, 3, 4, 9, 45, 56, 64 and TXYROTAD=2, 3)).

SPECTILL	Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG - PST YR		
		Freq	Pct
	0 = No/Unknown (Otherwise)	54744	99.25
	1 = Yes (See comment above)	416	0.75

RECODED SUBSTANCE TREATMENT

A respondent was classified as receiving treatment in the past year for alcohol use but not illicit drug use at a specialty facility, SPCALNIL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only alcohol treatment in the past year (TXYRADG=1) and that treatment was received at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11), the reported alcohol treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (LASTTXSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving only alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1 or TXYRINAD=1 or TXYRPOAD=1 or TXYRMHAD=1 or (TXYROTAD=1 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving illicit drug treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD NE 2, 3 or TXYRINAD NE 2, 3 or TXYRPOAD NE 2, 3 or TXYRMHAD NE 2, 3 or (TXYROTAD NE 2, 3 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) or TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRADG, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving alcohol only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRADG=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRADG=5).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol during their last or current treatment (TXYRADG=12).
3. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11) and the reported alcohol treatment was not at a specialty facility (TXYRHOSP=2, 94, 97, 98 and TXYRRFIN=2, 94, 97, 98 and TXYRRFOP=2, 94, 97, 98 and TXYRMHC=2, 94, 97, 98 and TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).
4. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drug use during their last or current treatment (TXYRADG=11) and their reported alcohol treatment was at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (LASTTXSP=1) and included treatment for illicit drug use.

SPCALNIL

Len : 1 RCVD TRMT AT SPEC FAC FOR ALC NOT ILL DRG - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54983	99.68
1 = Yes (See comment above).....	177	0.32

RECODED SUBSTANCE TREATMENT

A respondent was classified as receiving treatment in the past year for illicit drug use but not alcohol use at a specialty facility, SPCILNAL, that is a hospital (inpatient), a rehabilitation facility (in or outpatient), or at a mental health center if they met one of the following conditions:

1. Reported receiving only illicit drug treatment in the past year (TXYRADG=2) and that treatment was received at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81).
2. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12), the reported illicit drug treatment was received at one of the four specialty facilities (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81), and their last or current treatment was not at one of the four specialty facilities (LASTTXSP=0).
3. Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3, 6) and reported specifically receiving only illicit drug treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2 or TXYRINAD=2 or TXYRPOAD=2 or TXYRMHAD=2 or (TXYROTAD=2 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81)) but did not report specifically receiving alcohol treatment or illicit drug and alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD NE 1, 3 or TXYRINAD NE 1, 3 or TXYRPOAD NE 1, 3 or TXYRMHAD NE 1, 3 or (TXYROTAD NE 1, 3 and TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) or TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).

For the logically assigned levels of TXYRADG, the creation of this variable may be unclear; therefore, details for classifying respondents as not receiving illicit drug only treatment at a specialty facility for these logically assigned levels are below:

1. Reported receiving alcohol treatment in the past year but illicit drug treatment status is unknown (TXYRADG=4) or reported receiving illicit drug treatment in the past year but alcohol treatment status is unknown (TXYRADG=5).
2. Reported receiving only alcohol treatment in the past year but also reported receiving treatment for illicit drugs during their last or current treatment (TXYRADG=11).
3. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12) and the reported illicit drug treatment was not at a specialty facility (TXYRHOSP=2, 94, 97, 98 and TXYRRFIN=2, 94, 97, 98 and TXYRRFOP=2, 94, 97, 98 and TXYRMHC=2, 94, 97, 98 and TXYROTS2 NE 1-4, 45, 46, 56, 64, 76, 81).
4. Reported receiving only illicit drug treatment in the past year but also reported receiving treatment for alcohol use during their last or current treatment (TXYRADG=12) and their reported illicit drug treatment was at a specialty facility (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1-4, 45, 46, 56, 64, 76, 81) but their last or current treatment was at a specialty facility (LASTTXSP=1) and included treatment for alcohol use.

SPCILNAL Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG NOT ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54923	99.57
1 = Yes (See comment above).....	237	0.43

A respondent was classified as receiving treatment in the past year for illicit drug or alcohol use at a specialty facility, SPILLALC, if they reported receiving treatment for illicit drug or alcohol use in the past year (TXYREVER=1, 3) and treatment was received at either a hospital (inpatient), or rehabilitation facility (in or outpatient), or a mental health center (TXYRHOSP=1, 3, 5 or TXYRRFIN=1, 3, 5 or TXYRRFOP=1, 3, 5 or TXYRMHC=1, 3, 5 or TXYROTS2=1, 2, 3, 4, 9, 45, 56, 54).

SPILLALC Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG OR ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54525	98.85
1 = Yes (See comment above).....	635	1.15

SPILANAL Len : 1 RCVD TRMT AT SPEC FAC FOR ILL DRG AND ALC - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	55004	99.72
1 = Yes (SPECTILL=1 and SPECTALC=1).....	156	0.28

LASTTXSP Len : 1 LAST/CURRENT TRMT AT SPECIALTY FACILITY - PST YR

	Freq	Pct
0 = No/Unknown (Otherwise).....	54705	99.18
1 = Yes (TXLTMYN2=1-4,21,22,23,24,45,46,56,64,76,81).....	455	0.82

RECODED SUBSTANCE TREATMENT

NOTE: The following 24 recoded variables contain information about where a respondent received treatment in the past year.

NOTE: The following eight recoded variables contain information about where a respondent received alcohol treatment in the past year.

A respondent received treatment for alcohol use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5) and reported receiving treatment at the specific location for alcohol use or both illicit drug and alcohol use (TXYRXXAD=1, 3).
2. Received treatment in the past 12 months for alcohol use only (TXYRADG=1, 4, 11) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5).

ALCHOSP	Len : 1 RECEIVED ALC TRT AT A HOSPITAL IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 55043	Pct 99.79
	1 = Yes (See comment above).....	117	0.21
ALCRFIN	Len : 1 RECEIVED ALC TRT AT AN INP REHAB FAC IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 55016	Pct 99.74
	1 = Yes (See comment above ALCHOSP).....	144	0.26
ALCRFOP	Len : 1 RECEIVED ALC TRT AT AN OUTP REHAB FAC IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 54926	Pct 99.58
	1 = Yes (See comment above ALCHOSP).....	234	0.42
ALCMHC	Len : 1 RECEIVED ALC TRT AT A MNTL HLTH CNTR IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 55009	Pct 99.73
	1 = Yes (See comment above ALCHOSP).....	151	0.27
ALCTXER	Len : 1 RECEIVED ALC TRT AT AN EMERGENCY ROOM IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 55092	Pct 99.88
	1 = Yes (See comment above ALCHOSP).....	68	0.12
ALCDOC	Len : 1 RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 55081	Pct 99.86
	1 = Yes (See comment above ALCHOSP).....	79	0.14
ALCJAIL	Len : 1 RECEIVED ALC TRT AT A PRISON/JAIL IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 55109	Pct 99.91
	1 = Yes (See comment above ALCHOSP).....	51	0.09
ALCSHG	Len : 1 RECEIVED ALC TRT AT A SELF-HELP GROUP IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq 54857	Pct 99.45
	1 = Yes (See comment above ALCHOSP).....	303	0.55

RECODED SUBSTANCE TREATMENT

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug treatment in the past year.

A respondent received treatment for illicit drug use in the past year at the specified location if they met either of these conditions:

1. Received treatment in the past 12 months for both illicit drug and alcohol use (TXYRADG=3, 6) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5) and reported receiving treatment at the specific location for illicit drug use or both illicit drug and alcohol use (TXYRXXAD=2, 3).
2. Received treatment in the past 12 months for illicit drug use only (TXYRADG=2, 5, 12) and reported a positive response to the specific treatment location (TXYRXXX=1, 3, 5).

DRGHOSP	Len : 1 RCVD ILL DRUG TRT AT A HOSPITAL IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above).....	55040	99.78
		120	0.22

DRGRFIN	Len : 1 RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	54976	99.67
		184	0.33

DRGRFOP	Len : 1 RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	54854	99.45
		306	0.55

DRGMHC	Len : 1 RCVD ILL DRUG TRT AT A MNTL HLTH CNTR IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	54989	99.69
		171	0.31

DRGTXR	Len : 1 RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	55078	99.85
		82	0.15

DRGDOC	Len : 1 RCVD ILL DRUG TRT AT A DOCTOR'S OFFICE IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	55055	99.81
		105	0.19

DRGJAIL	Len : 1 RCVD ILL DRUG TRT AT A PRISON/JAIL IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	55103	99.90
		57	0.10

DRGSHG	Len : 1 RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (See comment above DRGHOSP).....	54861	99.46
		299	0.54

NOTE: The following eight recoded variables contain information about where a respondent received illicit drug or alcohol treatment in the past year.

LOCHOSP	Len : 1 RCVD ILL DRG/ALC TRT AT A HOSPITAL IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (TXYRHOSP=1,3,5).....	54966	99.65
		194	0.35

LOCRFIN	Len : 1 RCVD ILL DRG/ALC TRT AT INP REHAB FAC IN PAST YR		
	0 = No/Unknown (Otherwise).....	Freq	Pct
	1 = Yes (TXYRRFIN=1,3,5).....	54893	99.52
		267	0.48

RECODED SUBSTANCE TREATMENT

LOCRFOP	Len : 1	RCVD ILL DRG/ALC TRT AT OUTP REHAB FAC IN PAST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TXYRRFOP=1,3,5).....	54710	99.18
			450	0.82
LOCMHC	Len : 1	RCVD ILL DRG/ALC TRT AT MNTL HLTH CNTR IN PAST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TXYRMHC=1,3,5).....	54878	99.49
			282	0.51
LOCTXER	Len : 1	RCVD ILL DRG/ALC TRT AT AN ER IN PAST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TXYRTXER=1,3,5).....	55016	99.74
			144	0.26
LOCDOC	Len : 1	RCVD ILL DRG/ALC TRT AT A DR'S OFFICE IN PAST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TXYRDOC=1,3,5).....	54999	99.71
			161	0.29
LOCJAIL	Len : 1	RCVD ILL DRG/ALC TRT AT A PRISON/JAIL IN PAST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TXYRJAIL=1,3,5).....	55070	99.84
			90	0.16
LOCSHG	Len : 1	RCVD ILL DRG/ALC TRT AT SELF-HELP GROUP IN PAST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (TXYRSHG=1,3,5).....	54679	99.13
			481	0.87

NOTE: The following three recoded variables contain information about a respondent's need for treatment in the past year.

A respondent was classified as needing treatment for alcohol use in the past year, TXNEDALC, if they met any one of the following 3 criteria:

1. Dependent on alcohol in the past year (DEPNALC=1).
2. Alcohol abuse in the past year (ABUSEALC=1).
3. Received treatment for alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTALC=1).

TXNEDALC	Len : 1	NEEDED TREATMENT FOR ALCOHOL USE - PST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (See comment above).....	50738	91.98
			4422	8.02

A respondent was classified as needing treatment for illicit drug use in the past year, ILLNEED, if they met any one of the following 3 criteria:

1. Dependent on any illicit drug in the past year (DEPNILL=1).
2. Illicit drug abuse in the past year (ABUSEILL=1).
3. Received treatment for illicit drug use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1).

ILLNEED	Len : 1	NEEDED TREATMENT FOR ILLICIT DRUG USE - PST YR		
		0 = No/Unknown (Otherwise).....	Freq	Pct
		1 = Yes (See comment above).....	52554	95.28
			2606	4.72

RECODED SUBSTANCE TREATMENT

A respondent was classified as needing treatment for illicit drug or alcohol use in the past year, TXNDILAL, if they met any one of the following 3 criteria:

1. Dependent on any illicit drug or alcohol in the past year (DPILLALC=1).
2. Illicit drug or alcohol abuse in the past year (ABILLALC=1).
3. Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital (inpatient), rehabilitation facility (in or outpatient), or mental health center (SPILLALC=1).

TXNDILAL	Len : 1	NEEDED TREATMENT FOR ILL DRG OR ALC USE - PST YR		
		0 = No/Unknown (Otherwise).....	Freq 49168	Pct 89.14
		1 = Yes (See comment above).....	5992	10.86

NOTE: The following three recoded variables contain information about respondents feeling a need for treatment in the past year.

A respondent was classified as feeling a need for alcohol treatment in the past year, FLTNDALC, if they met either of these conditions:

1. Reported feeling a need for treatment for alcohol in the past year (NDTXNEDR=1, 11, 13 and NDTXALCR=1, 3, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for alcohol in the past year (NDTXMORE=1 and NDTMRALC=1).

FLTNDALC	Len : 1	FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR		
		1 = Yes (See comment above).....	Freq 148	Pct 0.27
		2 = No/Unknown (Otherwise).....	55012	99.73

A respondent was classified as feeling a need for illicit drug treatment in the past year, FLTNDILL, if they met either of these conditions:

1. Reported feeling a need for treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXNEDR=1, 11, 13 and NDTXMJR=1, 3, 11, 13), cocaine (NDTXNEDR=1, 11, 13 and NDTXCOCR=1, 3, 11, 13), heroin (NDTXNEDR=1, 11, 13 and NDTXHERR=1, 3, 11, 13), hallucinogens (NDTXNEDR=1, 11, 13 and NDTXHALR=1, 3, 11, 13), inhalants (NDTXNEDR=1, 11, 13 and NDTXINHR=1, 3, 11, 13), pain relievers (NDTXNEDR=1, 11, 13 and NDTXANLR=1, 3, 11, 13), tranquilizers (NDTXNEDR=1, 11, 13 and NDTXTRNR=1, 3, 11, 13), stimulants (NDTXNEDR=1, 11, 13 and NDTXSTMR=1, 3, 11, 13), sedatives (NDTXNEDR=1, 11, 13 and NDTXSEDR=1, 3, 11, 13), or some other drug (NDTXNEDR=1, 11, 13 and NDTXSODR=1, 3, 5, 11, 13).
2. Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTXMORE=1 and NDTMRMJ=1), cocaine (NDTXMORE=1 and NDTMRCOC=1), heroin (NDTXMORE=1 and NDTMRHER=1), hallucinogens (NDTXMORE=1 and NDTMRHAL=1), inhalants (NDTXMORE=1 and NDTMRINH=1), pain relievers (NDTXMORE=1 and NDTMRANL=1), tranquilizers (NDTXMORE=1 and NDTMRTRN=1), stimulants (NDTXMORE=1 and NDTMRSTM=1), sedatives (NDTXMORE=1 and NDTMRSED=1), or some other drug (NDTXMORE=1 and NDTMROTH=1).

FLTNDILL	Len : 1	FELT NEED FOR TRMT FOR ILLICIT DRUG USE - PST YR		
		1 = Yes (See comment above).....	Freq 191	Pct 0.35
		2 = No/Unknown (Otherwise).....	54969	99.65

FLNDILAL	Len : 1	FELT NEED FOR TRMT FOR ILL DRG OR ALC USE - PST YR		
		1 = Yes (NDTXNEDR=1,11,13 or NDTXMORE=1)	Freq 298	Pct 0.54
		2 = No/Unknown (Otherwise).....	54862	99.46

NOTE: The following three variables pertain to respondents feeling a need and making an effort to obtain treatment in the past year.

NOTE: A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year, NDEFXXX=1, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year, NDEFXXX=2, if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

NDEFALC	Len : 1	FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE		
		1 = Felt Need/Made Effort (See comment above)	Freq 69	Pct 0.13
		2 = Felt Need/Made No Effort (See comment above).....	79	0.14
		3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2).....	55012	99.73

RECODED SUBSTANCE TREATMENT

NDEFIL	Len : 1	FELT NEED/MADE EFFORT FOR TRT FOR ILLICIT DRG USE		
			Freq	Pct
		1 = Felt Need/Made Effort (See comment above)	74	0.13
		2 = Felt Need/Made No Effort (See comment above)	117	0.21
		3 = Felt No Need for Ill Drg Trmt/Unk (FLTNDILL=2)	54969	99.65

A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=1, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported making an effort to get treatment (NDTXEFTR=1, 11).
2. Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).

A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year, NDEFIA=2, if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:

1. Reported NOT making an effort to get treatment (NDTXEFTR=2, 12, 99).
2. Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2, 98, 99).

NDEFIA	Len : 1	FELT NEED/MADE EFFT FOR TRT FOR ILL DRG OR ALC USE		
			Freq	Pct
		1 = Felt Need/Made Effort (See comment above)	122	0.22
		2 = Felt Need/Made No Effort (See comment above)	176	0.32
		3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2)	54862	99.46

NOTE: The following three recoded variables define if a respondent needed treatment in the past year but did not receive treatment at a specialty facility (treatment gap).

The following variable, TXGAPALC, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXGAPALC	Len : 1	NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY		
			Freq	Pct
		0 = No/Unknown (Otherwise)	51083	92.61
		1 = Yes (TXNEDALC=1 and SPECTALC=0)	4077	7.39

The following variable, TXNOSPEC, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXNOSPEC	Len : 1	NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY		
			Freq	Pct
		0 = No/Unknown (Otherwise)	52970	96.03
		1 = Yes (ILLNEED=1 and SPECTILL=0)	2190	3.97

The following variable, TXGPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.

TXGPILAL	Len : 1	NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY		
			Freq	Pct
		0 = No/Unknown (Otherwise)	49803	90.29
		1 = Yes (TXNDILAL=1 and SPILLALC=0)	5357	9.71

NOTE: The following 14 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.

TXRNNHCV	Len : 1	NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	54862	99.46
		0 = No/Unknown (Otherwise)	207	0.38
		1 = Yes (FLNDILAL=1 & (NDTXNHCV or NDMRNNHCV=1,3,11,13))	91	0.16

TXRNLMCV	Len : 1	NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST		
			Freq	Pct
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	54862	99.46
		0 = No/Unknown (Otherwise)	271	0.49
		1 = Yes (FLNDILAL=1 & (NDTXLMCV or NDMRLMCV=1,3,11,13))	27	0.05

RECODED SUBSTANCE TREATMENT

TXRNTSP	Len : 1 NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXNTSP or NDMRNTSP=1,3,11,13))	275	0.50
		23	0.04
TXRNTYPE	Len : 1 NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDXTYPE or NDMRTYPE=1,3,11,13)).....	284	0.51
		14	0.03
TXRNNSTP	Len : 1 NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXREDY or NDMRREDY=1,3,11,13))	209	0.38
		89	0.16
TXRNOPEN	Len : 1 NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXOPEN or NDMROPEN=1,3,11,13)).....	285	0.52
		13	0.02
TXRNOWHER	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXWHER or NDMRWHER=1,3,11,13))	263	0.48
		35	0.06
TXRNNBR	Len : 1 NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXNBR or NDMRNBR=1,3,11,13)).....	267	0.48
		31	0.06
TXRNJOB	Len : 1 NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXJOB or NDMRJOB=1,3,11,13))	274	0.50
		24	0.04
TXRNNOND	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXNOND or NDMRNOND=1,3,11,13))	276	0.50
		22	0.04
TXRHNHDL	Len : 1 NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXHNHDL or NDMRHNDL=1,3,11,13)).....	265	0.48
		33	0.06
TXRNNHLP	Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP		
	. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	Freq	Pct
	0 = No/Unknown (Otherwise).....	54862	99.46
	1 = Yes (FLNDILAL=1 &(NDTXNHLP or NDMRNHLP=1,3,11,13))	291	0.53
		7	0.01

RECODED SUBSTANCE TREATMENT

TXRNBUSY

Len : 1 NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	54862	99.46
0 = No/Unknown (Otherwise).....	289	0.52
1 = Yes (FLNDILAL=1 &(NDTXBUSY or NDMRBUSY=1,3,11,13)).....	9	0.02

TXRNFOUT

Len : 1 NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS TO KNOW

	Freq	Pct
. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)	54862	99.46
0 = No/Unknown (Otherwise).....	284	0.51
1 = Yes (FLNDILAL=1 &(NDTXFOUT or NDMRFOUT=1,3,11,13)).....	14	0.03

PREGNANCY AND HEALTH CARE

PREGNANCY AND HEALTH CARE

The next questions are about your health and health care.

Are you currently pregnant?

PREGNANT	Len : 2 ARE YOU PREGNANT		
		Freq	Pct
	1 = Yes	762	1.38
	2 = No.....	23102	41.88
	85 = BAD DATA Logically assigned	1	0.00
	94 = DON'T KNOW.....	44	0.08
	97 = REFUSED	12	0.02
	98 = BLANK (NO ANSWER).....	43	0.08
	99 = LEGITIMATE SKIP	31196	56.56

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

NMERTMT2	Len : 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
		Freq	Pct
	RANGE = 0 - 30.....	53679	97.32
	31 = 31 or more	26	0.05
	985 = BAD DATA Logically assigned	4	0.01
	994 = DON'T KNOW.....	1125	2.04
	997 = REFUSED	320	0.58
	998 = BLANK (NO ANSWER).....	6	0.01

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

INHOSPYR	Len : 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS		
		Freq	Pct
	1 = Yes	4467	8.10
	2 = No.....	50445	91.45
	85 = BAD DATA Logically assigned	4	0.01
	94 = DON'T KNOW.....	176	0.32
	97 = REFUSED	62	0.11
	98 = BLANK (NO ANSWER).....	6	0.01

During the past 12 months, how many nights were you an inpatient in a hospital?

NMNGTHS2	Len : 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		Freq	Pct
	RANGE = 1 - 30.....	4329	7.85
	31 = 31 or more	55	0.10
	985 = BAD DATA Logically assigned	2	0.00
	994 = DON'T KNOW.....	71	0.13
	997 = REFUSED	74	0.13
	998 = BLANK (NO ANSWER).....	184	0.33
	999 = LEGITIMATE SKIP	50445	91.45

The following is a list of health conditions. Please read the list, and type in the numbers of any of these conditions that a doctor or other medical professional has ever told you that you had.

Please type in the numbers of any that apply.

LIFANXD	Len : 2 EVER HAD ANXIETY DISORDER		
		Freq	Pct
	1 = Response entered	4881	8.85
	6 = Response not entered.....	19215	34.84
	85 = BAD DATA Logically assigned	45	0.08
	94 = DON'T KNOW.....	684	1.24
	97 = REFUSED	456	0.83
	98 = BLANK (NO ANSWER).....	8	0.01
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15

PREGNANCY AND HEALTH CARE

LIFASMA	Len : 2 EVER HAD ASTHMA			
		Freq	Pct	
	1 = Response entered	8098	14.68	
	6 = Response not entered.....	15998	29.00	
	85 = BAD DATA Logically assigned	45	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	8	0.01	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFBRONC	Len : 2 EVER HAD BRONCHITIS			
		Freq	Pct	
	1 = Response entered	4476	8.11	
	6 = Response not entered.....	19620	35.57	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFCIRR	Len : 2 EVER HAD CIRRHOSIS OF THE LIVER			
		Freq	Pct	
	1 = Response entered	78	0.14	
	6 = Response not entered.....	24018	43.54	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFDEPRS	Len : 2 EVER HAD DEPRESSION			
		Freq	Pct	
	1 = Response entered	6118	11.09	
	6 = Response not entered.....	17978	32.59	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFDIAB	Len : 2 EVER HAD DIABETES			
		Freq	Pct	
	1 = Response entered	1921	3.48	
	6 = Response not entered.....	22175	40.20	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFHARTD	Len : 2 EVER HAD HEART DISEASE			
		Freq	Pct	
	1 = Response entered	964	1.75	
	6 = Response not entered.....	23132	41.94	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	

PREGNANCY AND HEALTH CARE

LIFHEPAT	Len : 2 EVER HAD HEPATITIS			
		Freq	Pct	
	1 = Response entered	287	0.52	
	6 = Response not entered.....	23809	43.16	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFHBP	Len : 2 EVER HAD HIGH BLOOD PRESSURE			
		Freq	Pct	
	1 = Response entered	5320	9.64	
	6 = Response not entered.....	18776	34.04	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFHIV	Len : 2 EVER HAD HIV/AIDS			
		Freq	Pct	
	1 = Response entered	72	0.13	
	6 = Response not entered.....	24024	43.55	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFLUNCA	Len : 2 EVER HAD LUNG CANCER			
		Freq	Pct	
	1 = Response entered	68	0.12	
	6 = Response not entered.....	24028	43.56	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFPANCR	Len : 2 EVER HAD PANCREATITIS			
		Freq	Pct	
	1 = Response entered	198	0.36	
	6 = Response not entered.....	23898	43.32	
	85 = BAD DATA Logically assigned	44	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	9	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFPNEU	Len : 2 EVER HAD PNEUMONIA			
		Freq	Pct	
	1 = Response entered	2397	4.35	
	6 = Response not entered.....	21699	39.34	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	

PREGNANCY AND HEALTH CARE

LIFSTDS	Len : 2 EVER HAD SEXUALLY TRANSMITTED DISEASE			
		Freq	Pct	
	1 = Response entered	1661	3.01	
	6 = Response not entered.....	22435	40.67	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFSINUS	Len : 2 EVER HAD SINUSITIS			
		Freq	Pct	
	1 = Response entered	2672	4.84	
	6 = Response not entered.....	21424	38.84	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFSLPAP	Len : 2 EVER HAD SLEEP APNEA			
		Freq	Pct	
	1 = Response entered	1547	2.80	
	6 = Response not entered.....	22549	40.88	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFSTROK	Len : 2 EVER HAD STROKE			
		Freq	Pct	
	1 = Response entered	266	0.48	
	6 = Response not entered.....	23830	43.20	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFTINN	Len : 2 EVER HAD TINNITUS			
		Freq	Pct	
	1 = Response entered	450	0.82	
	6 = Response not entered.....	23646	42.87	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	
LIFTUBRC	Len : 2 EVER HAD TUBERCULOSIS			
		Freq	Pct	
	1 = Response entered	140	0.25	
	6 = Response not entered.....	23956	43.43	
	85 = BAD DATA Logically assigned	43	0.08	
	94 = DON'T KNOW.....	684	1.24	
	97 = REFUSED	456	0.83	
	98 = BLANK (NO ANSWER).....	10	0.02	
	99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15	

PREGNANCY AND HEALTH CARE

LIFULCER

Len : 2 EVER HAD ULCER OR ULCERS

	Freq	Pct
1 = Response entered	1085	1.97
6 = Response not entered.....	23011	41.72
85 = BAD DATA Logically assigned	43	0.08
94 = DON'T KNOW.....	684	1.24
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP (LIFNONE=95).....	29871	54.15

LIFNONE

Len : 2 NONE OF THE ABOVE - NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
85 = BAD DATA Logically assigned	43	0.08
94 = DON'T KNOW.....	684	1.24
95 = Response entered	29871	54.15
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	24096	43.68

Which, if any, of these conditions did a doctor or other medical professional tell you that you had in the past 12 months?

YRANXD

Len : 2 DR SAID R HAD ANXIETY DISORDER IN PAST YEAR

	Freq	Pct
1 = Response entered	3390	6.15
6 = Response not entered.....	559	1.01
85 = BAD DATA Logically assigned	45	0.08
89 = LEGITIMATE SKIP Logically assigned.....	108	0.20
94 = DON'T KNOW.....	703	1.27
97 = REFUSED	471	0.85
98 = BLANK (NO ANSWER).....	8	0.01
99 = LEGITIMATE SKIP	49876	90.42

YRASMA

Len : 2 DR SAID R HAD ASTHMA IN PAST YEAR

	Freq	Pct
1 = Response entered	4292	7.78
6 = Response not entered.....	943	1.71
85 = BAD DATA Logically assigned	45	0.08
89 = LEGITIMATE SKIP Logically assigned.....	79	0.14
94 = DON'T KNOW.....	729	1.32
97 = REFUSED	474	0.86
98 = BLANK (NO ANSWER).....	8	0.01
99 = LEGITIMATE SKIP	48590	88.09

YRBRONC

Len : 2 DR SAID R HAD BRONCHITIS IN PAST YEAR

	Freq	Pct
1 = Response entered	1750	3.17
6 = Response not entered.....	1050	1.90
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	123	0.22
94 = DON'T KNOW.....	697	1.26
97 = REFUSED	462	0.84
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	51025	92.50

YRCIRR

Len : 2 DR SAID R HAD CIRRHOSIS OF THE LIVER IN PAST YR

	Freq	Pct
1 = Response entered	40	0.07
6 = Response not entered.....	22	0.04
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	142	0.26
94 = DON'T KNOW.....	684	1.24
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53763	97.47

PREGNANCY AND HEALTH CARE

YRDEPRS

Len : 2 DR SAID R HAD DEPRESSION IN PAST YEAR

	Freq	Pct
1 = Response entered	3739	6.78
6 = Response not entered.....	902	1.64
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	107	0.19
94 = DON'T KNOW.....	706	1.28
97 = REFUSED	469	0.85
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	49184	89.17

YRDIAB

Len : 2 DR SAID R HAD DIABETES IN PAST YEAR

	Freq	Pct
1 = Response entered	1561	2.83
6 = Response not entered.....	136	0.25
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	133	0.24
94 = DON'T KNOW.....	689	1.25
97 = REFUSED	460	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	52128	94.50

YRHARTD

Len : 2 DR SAID R HAD HEART DISEASE IN PAST YEAR

	Freq	Pct
1 = Response entered	693	1.26
6 = Response not entered.....	112	0.20
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	142	0.26
94 = DON'T KNOW.....	684	1.24
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53020	96.12

YRHEPAT

Len : 2 DR SAID R HAD HEPATITIS IN PAST YEAR

	Freq	Pct
1 = Response entered	128	0.23
6 = Response not entered.....	74	0.13
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	140	0.25
94 = DON'T KNOW.....	684	1.24
97 = REFUSED	458	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53623	97.21

YRHBP

Len : 2 DR SAID R HAD HIGH BLOOD PRESSURE IN PAST YEAR

	Freq	Pct
1 = Response entered	4097	7.43
6 = Response not entered.....	420	0.76
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	124	0.22
94 = DON'T KNOW.....	694	1.26
97 = REFUSED	464	0.84
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	49308	89.39

YRHIV

Len : 2 DR SAID R HAD HIV/AIDS IN PAST YEAR

	Freq	Pct
1 = Response entered	49	0.09
6 = Response not entered.....	11	0.02
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	140	0.25
94 = DON'T KNOW.....	685	1.24
97 = REFUSED	457	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53765	97.47

PREGNANCY AND HEALTH CARE

YRLUNCA

Len : 2 DR SAID R HAD LUNG CANCER IN PAST YEAR

	Freq	Pct
1 = Response entered	25	0.05
6 = Response not entered.....	22	0.04
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	142	0.26
94 = DON'T KNOW.....	684	1.24
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53778	97.49

YRPANCR

Len : 2 DR SAID R HAD PANCREATITIS IN PAST YEAR

	Freq	Pct
1 = Response entered	69	0.13
6 = Response not entered.....	69	0.13
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	141	0.26
94 = DON'T KNOW.....	685	1.24
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53687	97.33

YRPNEU

Len : 2 DR SAID R HAD PNEUMONIA IN PAST YEAR

	Freq	Pct
1 = Response entered	549	1.00
6 = Response not entered.....	801	1.45
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	137	0.25
94 = DON'T KNOW.....	689	1.25
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	52475	95.13

YRSTDS

Len : 2 DR SAID R HAD SEXUALLY TRANSMITTED DISEASE PST YR

	Freq	Pct
1 = Response entered	677	1.23
6 = Response not entered.....	379	0.69
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	138	0.25
94 = DON'T KNOW.....	685	1.24
97 = REFUSED	459	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	52769	95.67

YRSINUS

Len : 2 DR SAID R HAD SINUSITIS IN PAST YEAR

	Freq	Pct
1 = Response entered	1314	2.38
6 = Response not entered.....	603	1.09
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	135	0.24
94 = DON'T KNOW.....	688	1.25
97 = REFUSED	459	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	51908	94.10

YRSLPAP

Len : 2 DR SAID R HAD SLEEP APNEA IN PAST YEAR

	Freq	Pct
1 = Response entered	924	1.68
6 = Response not entered.....	324	0.59
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	126	0.23
94 = DON'T KNOW.....	696	1.26
97 = REFUSED	460	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	52577	95.32

PREGNANCY AND HEALTH CARE

YRSTROK

Len : 2 DR SAID R HAD STROKE IN PAST YEAR

	Freq	Pct
1 = Response entered	103	0.19
6 = Response not entered.....	94	0.17
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	140	0.25
94 = DON'T KNOW.....	685	1.24
97 = REFUSED	457	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53628	97.22

YRTINN

Len : 2 DR SAID R HAD TINNITUS IN PAST YEAR

	Freq	Pct
1 = Response entered	215	0.39
6 = Response not entered.....	137	0.25
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	139	0.25
94 = DON'T KNOW.....	686	1.24
97 = REFUSED	457	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53473	96.94

YRTUBRC

Len : 2 DR SAID R HAD TUBERCULOSIS IN PAST YEAR

	Freq	Pct
1 = Response entered	31	0.06
6 = Response not entered.....	34	0.06
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	142	0.26
94 = DON'T KNOW.....	684	1.24
97 = REFUSED	456	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53760	97.46

YRULCER

Len : 2 DR SAID R HAD ULCER OR ULCERS IN PAST YEAR

	Freq	Pct
1 = Response entered	430	0.78
6 = Response not entered.....	314	0.57
85 = BAD DATA Logically assigned	43	0.08
89 = LEGITIMATE SKIP Logically assigned.....	134	0.24
94 = DON'T KNOW.....	691	1.25
97 = REFUSED	457	0.83
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	53081	96.23

YRNONE

Len : 2 NONE OF THE ABOVE IN PAST YEAR

	Freq	Pct
85 = BAD DATA Logically assigned	43	0.08
94 = DON'T KNOW.....	780	1.41
95 = Response entered	7526	13.64
97 = REFUSED	502	0.91
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	46299	83.94

PREGNANCY AND HEALTH CARE

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

HTANSWER ¹	Len : 2	PREFERRED WAY TO REPORT HEIGHT	Freq	Pct
		1 = Feet/inches or inches only	53212	96.47
		2 = Meters/cm or cm only.....	1155	2.09
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW.....	490	0.89
		97 = REFUSED	293	0.53
		98 = BLANK (NO ANSWER).....	6	0.01

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

HTINCHE2 ¹	Len : 3	HEIGHT IN INCHES WITHOUT SHOES - RECODE	Freq	Pct
		RANGE = 55 - 75.....	53282	96.60
		985 = BAD DATA Logically assigned	340	0.62
		994 = DON'T KNOW.....	1160	2.10
		997 = REFUSED	372	0.67
		998 = BLANK (NO ANSWER).....	6	0.01

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

WTANSWER ¹	Len : 2	PREFERRED WAY TO REPORT WEIGHT	Freq	Pct
		1 = Pounds	53589	97.15
		2 = Kilograms.....	713	1.29
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW.....	395	0.72
		97 = REFUSED	453	0.82
		98 = BLANK (NO ANSWER).....	6	0.01

PREGNANCY AND HEALTH CARE

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

WTPOUND2¹	Len : 3	WEIGHT IN POUNDS - RECODE		
			Freq	Pct
		RANGE = 75 - 295.....	53644	97.25
		9985 = BAD DATA Logically assigned	119	0.22
		9994 = DON'T KNOW.....	808	1.46
		9997 = REFUSED	583	1.06
		9998 = BLANK (NO ANSWER).....	6	0.01

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

NMVSOPT2	Len : 3	# OUTPATIENT VISITS PAST 12 MOS - RECODE		
			Freq	Pct
		RANGE = 0 - 15.....	51717	93.76
		16 = 16 - 20 times.....	503	0.91
		17 = 21 - 25 times.....	178	0.32
		18 = 26 - 30 times.....	188	0.34
		19 = 31+ times.....	272	0.49
		985 = BAD DATA Logically assigned	4	0.01
		994 = DON'T KNOW.....	1983	3.59
		997 = REFUSED	309	0.56
		998 = BLANK (NO ANSWER).....	6	0.01

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

NMVSOEST	Len : 2	# TIMES VISITED DR ABOUT OWN HEALTH PST YR		
			Freq	Pct
		0 = I have not visited a dr in the past 12 mos	243	0.44
		1 = 1 time.....	195	0.35
		2 = 2-3 times.....	419	0.76
		3 = 4-5 times.....	291	0.53
		4 = 6-7 times.....	116	0.21
		5 = 8-9 times.....	103	0.19
		6 = 10-12 times.....	81	0.15
		7 = 13-15 times.....	45	0.08
		8 = 16 or more times.....	120	0.22
		85 = BAD DATA Logically assigned	1	0.00
		94 = DON'T KNOW.....	525	0.95
		97 = REFUSED	154	0.28
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP	52858	95.83

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

HPUSETOB	Len : 2	HEALTH PROF ASKED PST 12 MOS: TOBACCO USE		
			Freq	Pct
		1 = Yes	29534	53.54
		2 = No.....	14641	26.54
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW.....	420	0.76
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER).....	761	1.38
		99 = LEGITIMATE SKIP	9756	17.69

PREGNANCY AND HEALTH CARE

HPUSEALC

Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE

	Freq	Pct
1 = Yes	27642	50.11
2 = No.....	16534	29.97
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW.....	414	0.75
97 = REFUSED	49	0.09
98 = BLANK (NO ANSWER).....	761	1.38
99 = LEGITIMATE SKIP	9756	17.69

HPUSEDRG

Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE

	Freq	Pct
1 = Yes	22096	40.06
2 = No.....	21943	39.78
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW.....	549	1.00
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER).....	761	1.38
99 = LEGITIMATE SKIP	9756	17.69

NOTE: If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and that they never smoked tobacco in a pipe, codes of 83 or 93 in HPQTTTOB indicate that these respondents had not used tobacco products in the past 12 months. However, respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. Therefore, the code of 93 in HPQTTTOB also applied to respondents who smoked tobacco in a pipe in their lifetime but not in the past 30 days and who last used other tobacco products more than 12 months ago (or never used other tobacco products). If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91, 83, or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 89 or 99 in HPQTTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months. Also, beginning in 2014, respondents will not be asked the question corresponding to HPQTTTOB if they were lifetime but not past year users of tobacco products. Therefore, codes of 83 were assigned to HPQTTTOB if respondents were asked the question because they used tobacco products in their lifetime but not in the past 12 months, for consistency with similar respondents not being asked this question in future survey years.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

HPQTTTOB

Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
1 = Yes	6141	11.13
2 = No.....	7971	14.45
83 = DID NOT USE TOBACCO IN THE PAST 12 MOS Log assn.....	9738	17.65
85 = BAD DATA Logically assigned	238	0.43
91 = NEVER USED TOBACCO PRODUCTS	24983	45.29
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note)	1915	3.47
94 = DON'T KNOW.....	33	0.06
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER).....	230	0.42
99 = LEGITIMATE SKIP (No health care visits pst 12 mos)	3885	7.04

PREGNANCY AND HEALTH CARE

NOTE: In HPALCMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months.

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

HPALCMT		Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK		
			Freq	Pct
	1 = Yes		8994	16.31
	2 = No (Not entered)		3253	5.90
	85 = BAD DATA Logically assigned		4	0.01
	91 = NEVER USED ALCOHOL		17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS		5528	10.02
	94 = DON'T KNOW		453	0.82
	97 = REFUSED		385	0.70
	98 = BLANK (NO ANSWER)		485	0.88
	99 = LEGITIMATE SKIP		19053	34.54

HPALCFRQ		Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK		
			Freq	Pct
	1 = Yes		8406	15.24
	2 = No (Not entered)		3841	6.96
	85 = BAD DATA Logically assigned		1	0.00
	91 = NEVER USED ALCOHOL		17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS		5528	10.02
	94 = DON'T KNOW		453	0.82
	97 = REFUSED		385	0.70
	98 = BLANK (NO ANSWER)		488	0.88
	99 = LEGITIMATE SKIP		19053	34.54

HPALCPRB		Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS		
			Freq	Pct
	1 = Yes		1849	3.35
	2 = No (Not entered)		10398	18.85
	91 = NEVER USED ALCOHOL		17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS		5528	10.02
	94 = DON'T KNOW		453	0.82
	97 = REFUSED		385	0.70
	98 = BLANK (NO ANSWER)		489	0.89
	99 = LEGITIMATE SKIP		19053	34.54

HPALCCUT		Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING		
			Freq	Pct
	1 = Yes		773	1.40
	2 = No (Not entered)		11474	20.80
	91 = NEVER USED ALCOHOL		17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS		5528	10.02
	94 = DON'T KNOW		453	0.82
	97 = REFUSED		385	0.70
	98 = BLANK (NO ANSWER)		489	0.89
	99 = LEGITIMATE SKIP		19053	34.54

PREGNANCY AND HEALTH CARE

HPALCTX

Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
1 = Yes	577	1.05
2 = No (Not entered)	11670	21.16
91 = NEVER USED ALCOHOL	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	5528	10.02
94 = DON'T KNOW	453	0.82
97 = REFUSED	385	0.70
98 = BLANK (NO ANSWER)	489	0.89
99 = LEGITIMATE SKIP	19053	34.54

HPALCNOT

Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	5528	10.02
94 = DON'T KNOW	453	0.82
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS	13071	23.70
97 = REFUSED	385	0.70
98 = BLANK (NO ANSWER)	488	0.88
99 = LEGITIMATE SKIP	18229	33.05

NOTE: In HPDRGTLK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTLK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months. Also, a small number of respondents were routed to the question corresponding to HPDRGTLK but after the variables for most recent use of these drugs had been edited, it was determined that the respondents never used these drugs or that they last used any of them more than 12 months ago. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that respondents never used any of them, then HPDRGTLK was assigned a code of 11; otherwise, data in HPDRGTLK were overwritten with a code of 81. If respondents reported that a health professional discussed their drug use with them in the past 12 months but the edited variables for most recent use of these substances indicated that most recent use occurred more than 12 months ago, then HPDRGTLK was assigned a code of 21; otherwise, data in HPDRGTLK were overwritten with a code of 83.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

HPDRGTLK

Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
1 = Yes	1626	2.95
2 = No	7095	12.86
11 = Yes but never used (see NOTE)	1	0.00
21 = Yes but no past year use (see NOTE)	1	0.00
81 = NEVER USED MJ/COC/HER/HAL/INH/METH Log assn	2	0.00
83 = DID NOT USE ANY OF THESE DRUGS PST 12 MOS Log assn	1	0.00
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED MJ/COC/HER/HALL/INH/METH	31352	56.84
93 = DID NOT USE MJ/COC/HER/HAL/INH/METH IN PST 12 MOS	12141	22.01
94 = DON'T KNOW	43	0.08
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	724	1.31
99 = LEGITIMATE SKIP	2132	3.87

RECODED PREGNANCY AND HEALTH CARE

RECODED PREGNANCY AND HEALTH CARE

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

PREG	Len : 1 PREGNANT FEMALES AGED 12-44		
		Freq	Pct
	0 = Otherwise	54398	98.62
	1 = Pregnant Females Aged 12-44 (PREGNANT=1).....	762	1.38

PREG2	Len : 1 PREGNANCY STATUS OF FEMALES AGED 12-44		
		Freq	Pct
	. = Unknown (Otherwise)	100	0.18
	1 = Pregnant (PREGNANT=1)	762	1.38
	2 = Not Pregnant (PREGNANT=2).....	23102	41.88
	3 = Males/Females Not Aged 12-44 (PREGNANT=89,99)	31196	56.56

TRIMEST	Len : 1 CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44		
		Freq	Pct
	. = Unknown	9	0.02
	1 = 1st 3 Months of Pregnancy	230	0.42
	2 = 2nd 3 Months of Pregnancy	281	0.51
	3 = Last 3 Months of Pregnancy	242	0.44
	4 = Males/Not Pregnant Females (PREG=0)	54398	98.62

BMI2 was created from the variables WTPOUND2 and HTINCH2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCH2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCH2 had a value of 985, 994, 997, or 998.

BMI2	Len : 12 BODY MASS INDEX (BMI)		
		Freq	Pct
	RANGE = 9.373333333 - 68.557024793.....	52574	95.31
	. = Unknown (See comment above)	2586	4.69

NOTE: The following 40 recoded variables contain information about whether a doctor or other medical professional had told the respondent that they had a specific health condition in their lifetime or in the past year.

ANXDIF	Len : 1 HAD ANXIETY IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	1193	2.16
	0 = No (LIFANXD=6,99).....	49086	88.99
	1 = Yes (LIFANXD=1)	4881	8.85

ANXDYR	Len : 1 HAD ANXIETY IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	1227	2.22
	0 = No (YRANXD=6,89,99).....	50543	91.63
	1 = Yes (YRANXD=1)	3390	6.15

ASMALIF	Len : 1 HAD ASTHMA IN LIFETIME		
		Freq	Pct
	. = Unknown (Otherwise)	1193	2.16
	0 = No (LIFASMA=6,99)	45869	83.16
	1 = Yes (LIFASMA=1).....	8098	14.68

ASMAYR	Len : 1 HAD ASTHMA IN PAST YEAR		
		Freq	Pct
	. = Unknown (Otherwise)	1256	2.28
	0 = No (YRASMA=6,89,99).....	49612	89.94
	1 = Yes (YRASMA=1)	4292	7.78

RECODED PREGNANCY AND HEALTH CARE

BRONCLIF	Len : 1 HAD BRONCHITIS IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (LIFBRONC=6,99).....	49491	89.72
	1 = Yes (LIFBRONC=1)	4476	8.11

BRONCYR	Len : 1 HAD BRONCHITIS IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	1212	2.20
	0 = No (YRBRONC=6,89,99).....	52198	94.63
	1 = Yes (YRBRONC=1)	1750	3.17

CIRRLIF	Len : 1 HAD CIRRHOSIS OF THE LIVER IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (LIFCIRR=6,99).....	53889	97.70
	1 = Yes (LIFCIRR=1)	78	0.14

CIRRYR	Len : 1 HAD CIRRHOSIS OF THE LIVER IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (YRCIRR=6,89,99)	53927	97.76
	1 = Yes (YRCIRR=1)	40	0.07

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional that they had depression and are not created from variables in either the Adult or Adolescent Depression sections.

DEPRSLIF	Len : 1 HAD DEPRESSION IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (LIFDEPRS=6,99)	47849	86.75
	1 = Yes (LIFDEPRS=1).....	6118	11.09

DEPRSYR	Len : 1 HAD DEPRESSION IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	1228	2.23
	0 = No (YRDEPRS=6,89,99).....	50193	91.00
	1 = Yes (YRDEPRS=1).....	3739	6.78

DIABLIF	Len : 1 HAD DIABETES IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (LIFDIAB=6,99)	52046	94.35
	1 = Yes (LIFDIAB=1)	1921	3.48

DIABYR	Len : 1 HAD DIABETES IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	1202	2.18
	0 = No (YRDIAB=6,89,99)	52397	94.99
	1 = Yes (YRDIAB=1).....	1561	2.83

HARTDLIF	Len : 1 HAD HEART DISEASE IN LIFETIME		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (LIFHARTD=6,99)	53003	96.09
	1 = Yes (LIFHARTD=1).....	964	1.75

HARTDYR	Len : 1 HAD HEART DISEASE IN PAST YEAR		
	.	Freq	Pct
	= Unknown (Otherwise)	1193	2.16
	0 = No (YRHARTD=6,89,99).....	53274	96.58
	1 = Yes (YRHARTD=1).....	693	1.26

RECODED PREGNANCY AND HEALTH CARE

HEPATLIF	Len : 1	HAD HEPATITIS IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFHEPAT=6,99)	1193	2.16
	1	= Yes (LIFHEPAT=1)	53680	97.32
			287	0.52
HEPATYR	Len : 1	HAD HEPATITIS IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRHEPAT=6,89,99)	1195	2.17
	1	= Yes (YRHEPAT=1)	53837	97.60
			128	0.23
HBPLIF	Len : 1	HAD HIGH BLOOD PRESSURE IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFHBP=6,99)	1193	2.16
	1	= Yes (LIFHBP=1)	48647	88.19
			5320	9.64
HBPYR	Len : 1	HAD HIGH BLOOD PRESSURE IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRHBP=6,89,99)	1211	2.20
	1	= Yes (YRHBP=1)	49852	90.38
			4097	7.43
HIVLIF	Len : 1	HAD HIV/AIDS IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFHIV=6,99)	1193	2.16
	1	= Yes (LIFHIV=1)	53895	97.71
			72	0.13
HIVYR	Len : 1	HAD HIV/AIDS IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRHIV=6,89,99)	1195	2.17
	1	= Yes (YRHIV=1)	53916	97.74
			49	0.09
LUNCALIF	Len : 1	HAD LUNG CANCER IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFLUNCA=6,99)	1193	2.16
	1	= Yes (LIFLUNCA=1)	53899	97.71
			68	0.12
LUNCAYR	Len : 1	HAD LUNG CANCER IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRLUNCA=6,89,99)	1193	2.16
	1	= Yes (YRLUNCA=1)	53942	97.79
			25	0.05
PANCLIF	Len : 1	HAD PANCREATITIS IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFPANCR=6,99)	1193	2.16
	1	= Yes (LIFPANCR=1)	53769	97.48
			198	0.36
PANCRYR	Len : 1	HAD PANCREATITIS IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRPANCR=6,89,99)	1194	2.16
	1	= Yes (YRPANCR=1)	53897	97.71
			69	0.13

RECODED PREGNANCY AND HEALTH CARE

PNEULIF	Len : 1	HAD PNEUMONIA IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFPNEU=6,99).....	1193	2.16
	1	= Yes (LIFPNEU=1).....	51570	93.49
			2397	4.35

PNEUYR	Len : 1	HAD PNEUMONIA IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRPNEU=6,89,99).....	1198	2.17
	1	= Yes (YRPNEU=1).....	53413	96.83
			549	1.00

NOTE: The following two recoded variables contain information about whether the respondent was told by a doctor or other medical professional they had a Sexually Transmitted Disease (STD). STD includes chlamydia, gonorrhea, herpes, and syphilis.

STDSLIF	Len : 1	HAD SEXUALLY TRANSMITTED DISEASE IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFSTDS=6,99).....	1193	2.16
	1	= Yes (LIFSTDS=1).....	52306	94.83
			1661	3.01

STDSYR	Len : 1	HAD SEXUALLY TRANSMITTED DISEASE IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRSTDS=6,89,99).....	1197	2.17
	1	= Yes (YRSTDS=1).....	53286	96.60
			677	1.23

SINUSLIF	Len : 1	HAD SINUSITIS IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFSINUS=6,99).....	1193	2.16
	1	= Yes (LIFSINUS=1).....	51295	92.99
			2672	4.84

SINUSYR	Len : 1	HAD SINUSITIS IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRSINUS=6,89,99).....	1200	2.18
	1	= Yes (YRSINUS=1).....	52646	95.44
			1314	2.38

SLPAPLIF	Len : 1	HAD SLEEP APNEA IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFSLPAP=6,99).....	1193	2.16
	1	= Yes (LIFSLPAP=1).....	52420	95.03
			1547	2.80

SLPAPYR	Len : 1	HAD SLEEP APNEA IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRSLPAP=6,89,99).....	1209	2.19
	1	= Yes (YRSLPAP=1).....	53027	96.13
			924	1.68

STROKLIF	Len : 1	HAD STROKE IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFSTROK=6,99).....	1193	2.16
	1	= Yes (LIFSTROK=1).....	53701	97.35
			266	0.48

STROKYR	Len : 1	HAD STROKE IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRSTROK=6,89,99).....	1195	2.17
	1	= Yes (YRSTROK=1).....	53862	97.65
			103	0.19

RECODED PREGNANCY AND HEALTH CARE

TINNLF	Len : 1	HAD TINNITUS IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFTINN=6,99)	1193	2.16
	1	= Yes (LIFTINN=1)	53517	97.02
			450	0.82
TINNYR	Len : 1	HAD TINNITUS IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRTINN=6,89,99)	1196	2.17
	1	= Yes (YRTINN=1)	53749	97.44
			215	0.39
TUBRCLF	Len : 1	HAD TUBERCULOSIS IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFTUBRC=6,99)	1193	2.16
	1	= Yes (LIFTUBRC=1)	53827	97.58
			140	0.25
TUBRCYR	Len : 1	HAD TUBERCULOSIS IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRTUBRC=6,89,99)	1193	2.16
	1	= Yes (YRTUBRC=1)	53936	97.78
			31	0.06
ULCERLF	Len : 1	HAD ULCER(S) IN LIFETIME		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (LIFULCER=6,99)	1193	2.16
	1	= Yes (LIFULCER=1)	52882	95.87
			1085	1.97
ULCERYR	Len : 1	HAD ULCER(S) IN PAST YEAR		
	.	= Unknown (Otherwise)	Freq	Pct
	0	= No (YRULCER=6,89,99)	1201	2.18
	1	= Yes (YRULCER=1)	53529	97.04
			430	0.78

ADULT MENTAL HEALTH TREATMENT

ADULT MENTAL HEALTH TREATMENT

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.

AUINPYR¹	Len : 2 STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		Freq	Pct
	1 = Yes	447	0.81
	2 = No.....	36883	66.87
	85 = BAD DATA Logically assigned	4	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	33	0.06
	97 = REFUSED	53	0.10
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	17735	32.15

Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?

AUINPSYH¹	Len : 2 MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	110	0.20
	6 = Response not entered.....	306	0.55
	85 = BAD DATA Logically assigned	4	0.01
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	70	0.13
	98 = BLANK (NO ANSWER).....	37	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUINPGEN¹	Len : 2 MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	130	0.24
	6 = Response not entered.....	286	0.52
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	70	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUINMEDU¹	Len : 2 MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	100	0.18
	6 = Response not entered.....	316	0.57
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	70	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUINAHSP¹	Len : 2 MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		
		Freq	Pct
	1 = Response entered	37	0.07
	6 = Response not entered.....	379	0.69
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	70	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

ADULT MENTAL HEALTH TREATMENT

AUINRES ¹	Len : 2 MH TRMT IN RESID TRMT CENTER PST 12 MOS		
		Freq	Pct
	1 = Response entered	35	0.06
	6 = Response not entered.....	381	0.69
	94 = DON'T KNOW	14	0.03
	97 = REFUSED	70	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUINSFAC ¹	Len : 2 MH TRMT IN SOME OTHER FACIL PST 12 MOS		
		Freq	Pct
	1 = Response entered	36	0.07
	6 = Response not entered.....	380	0.69
	94 = DON'T KNOW	14	0.03
	97 = REFUSED	70	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?

AUNMPSY ²	Len : 3 # NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	104	0.19
	31 = 31 or more	4	0.01
	985 = BAD DATA Logically assigned	4	0.01
	994 = DON'T KNOW	1	0.00
	997 = REFUSED	71	0.13
	998 = BLANK (NO ANSWER).....	51	0.09
	999 = LEGITIMATE SKIP	54925	99.57

During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?

AUNMPGE ²	Len : 3 # NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	125	0.23
	31 = 31 or more	4	0.01
	994 = DON'T KNOW	1	0.00
	997 = REFUSED	70	0.13
	998 = BLANK (NO ANSWER).....	55	0.10
	999 = LEGITIMATE SKIP	54905	99.54

During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?

AUNMMED ²	Len : 3 # NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	97	0.18
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	70	0.13
	998 = BLANK (NO ANSWER).....	55	0.10
	999 = LEGITIMATE SKIP	54935	99.59

During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?

AUNMAHS ²	Len : 3 # NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	28	0.05
	31 = 31 or more	4	0.01
	994 = DON'T KNOW	3	0.01
	997 = REFUSED	72	0.13
	998 = BLANK (NO ANSWER).....	55	0.10
	999 = LEGITIMATE SKIP	54998	99.71

ADULT MENTAL HEALTH TREATMENT

During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?

AUNMRES2¹	Len : 3 # NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	25	0.05
	31 = 31 or more	10	0.02
	997 = REFUSED	70	0.13
	998 = BLANK (NO ANSWER).....	55	0.10
	999 = LEGITIMATE SKIP	55000	99.71

During the past 12 months, how many nights did you spend in some other type of facility for mental health care?

AUNMSFA2¹	Len : 3 # NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	30	0.05
	31 = 31 or more	1	0.00
	994 = DON'T KNOW.....	3	0.01
	997 = REFUSED	72	0.13
	998 = BLANK (NO ANSWER).....	55	0.10
	999 = LEGITIMATE SKIP	54999	99.71

Who paid or will pay for the inpatient mental health care you received during the past 12 months?

AUPINSLF¹	Len : 2 INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		Freq	Pct
	1 = Response entered	117	0.21
	6 = Response not entered.....	296	0.54
	85 = BAD DATA Logically assigned	4	0.01
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	37	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUPINOFM¹	Len : 2 INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		Freq	Pct
	1 = Response entered	13	0.02
	6 = Response not entered.....	400	0.73
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUPINPHI¹	Len : 2 INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		Freq	Pct
	1 = Response entered	68	0.12
	6 = Response not entered.....	345	0.63
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

AUPINMCR¹	Len : 2 INPATIENT MH CARE PAYMENT: MEDICARE		
		Freq	Pct
	1 = Response entered	96	0.17
	6 = Response not entered.....	317	0.57
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

ADULT MENTAL HEALTH TREATMENT

AUPINMCD¹	Len : 2 INPATIENT MH CARE PAYMENT: MEDICAID	Freq	Pct
	1 = Response entered	102	0.18
	6 = Response not entered.....	311	0.56
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02
AUPINREH¹	Len : 2 INPAT MH CARE PYMNT: REHABILITATION PROG	Freq	Pct
	1 = Response entered	7	0.01
	6 = Response not entered.....	406	0.74
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02
AUPINEMP¹	Len : 2 INPATIENT MH CARE PAYMENT: EMPLOYER	Freq	Pct
	1 = Response entered	12	0.02
	6 = Response not entered.....	401	0.73
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02
AUPINMIL¹	Len : 2 INPATIENT MH CARE PAYMENT: MILITARY SOURCE	Freq	Pct
	1 = Response entered	17	0.03
	6 = Response not entered.....	396	0.72
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02
AUPINPUB¹	Len : 2 INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE	Freq	Pct
	1 = Response entered	16	0.03
	6 = Response not entered.....	397	0.72
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02
AUPINPRV¹	Len : 2 INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE	Freq	Pct
	1 = Response entered	4	0.01
	6 = Response not entered.....	409	0.74
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02
AUPINFRE¹	Len : 2 INPATIENT MENTAL HEALTH CARE WAS FREE	Freq	Pct
	1 = Response entered	29	0.05
	6 = Response not entered.....	384	0.70
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	71	0.13
	98 = BLANK (NO ANSWER).....	41	0.07
	99 = LEGITIMATE SKIP	54619	99.02

ADULT MENTAL HEALTH TREATMENT

How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

AUPINFM2¹	Len : 2	AMT YOU/FAMILY PAID FOR INPAT MH CARE		
			Freq	Pct
		1 = Less than \$100	32	0.06
		2 = \$100 to \$200.....	13	0.02
		3 = \$201 to \$500.....	12	0.02
		4 = \$501 to \$900.....	7	0.01
		5 = \$901 to \$1,500.....	12	0.02
		6 = \$1,501 to \$2,000.....	8	0.01
		7 = \$2,001 to \$5,000.....	11	0.02
		8 = More than \$5,000.....	17	0.03
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	73	0.13
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP	54903	99.53

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.

During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.

- An outpatient mental health clinic or center
- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic
- A doctor's office that was not part of a clinic
- An outpatient medical clinic
- A partial day hospital or day treatment program
- Some other place

AUOPTYR¹	Len : 2	RCVD OUTPATIENT MH TRMT PST 12 MOS		
			Freq	Pct
		1 = Yes	2622	4.75
		2 = No.....	34618	62.76
		85 = BAD DATA Logically assigned.....	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	83	0.15
		97 = REFUSED	93	0.17
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP	17735	32.15

Where did you receive outpatient mental health treatment or counseling during the past 12 months?

AUOPMENT¹	Len : 2	MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS		
			Freq	Pct
		1 = Response entered	715	1.30
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1889	3.42
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED	100	0.18
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP	52354	94.91

AUOPTHER¹	Len : 2	MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS		
			Freq	Pct
		1 = Response entered	1475	2.67
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1128	2.04
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED	100	0.18
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP	52354	94.91

ADULT MENTAL HEALTH TREATMENT

AUOPDOC¹	Len : 2 MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS		
		Freq	Pct
	1 = Response entered	347	0.63
	6 = Response not entered.....	2258	4.09
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	100	0.18
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUOPCLNC¹	Len : 2 MH TRMT IN OUTPAT MED CLINIC PST 12 MOS		
		Freq	Pct
	1 = Response entered	172	0.31
	3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
	5 = Response entered LOG ASSN (from AUALOTS2)	1	0.00
	6 = Response not entered.....	2426	4.40
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	100	0.18
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUOPDTMT¹	Len : 2 MH TRMT IN DAY TREATMENT PGM PST 12 MOS		
		Freq	Pct
	1 = Response entered	53	0.10
	6 = Response not entered.....	2552	4.63
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	100	0.18
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUOPOTOP¹	Len : 2 MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		Freq	Pct
	1 = Response entered	182	0.33
	6 = Response not entered.....	2423	4.39
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	100	0.18
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUOPYRS2¹	Len : 2 OTH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS		
		Freq	Pct
	1 = An outpatient mental health clinic or center.....	1	0.00
	2 = Non-clinic therapist/psychologist/counselor.....	2	0.00
	4 = An outpatient medical clinic.....	6	0.01
	6 = Some other place.....	23	0.04
	8 = Family member(s)/home	6	0.01
	9 = School or university setting/clinic/center.....	44	0.08
	10 = Spiritual or religious advisor	9	0.02
	13 = Therapist/psychologist/counselor; locale unspecifd.....	7	0.01
	14 = A doctor's office; location unspecified.....	7	0.01
	15 = Work/parents' work/EAP/job trainng/career counslng.....	4	0.01
	18 = Military facility/VA.....	19	0.03
	22 = Health professional, not a Dr; non-mental health.....	3	0.01
	23 = Hospital/skilled nursing facilty; mntl hlth unspfd	3	0.01
	58 = Faith-based formal program/facility	3	0.01
	70 = Name of facility/program or description given.....	25	0.05
	72 = Reason for seeking help given	2	0.00
	85 = BAD DATA Logically assigned.....	4	0.01
	94 = DON'T KNOW.....	7	0.01
	97 = REFUSED	107	0.19
	98 = BLANK (NO ANSWER).....	101	0.18
	99 = LEGITIMATE SKIP	54777	99.31

ADULT MENTAL HEALTH TREATMENT

During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?

AUNMMEN2¹	Len : 3 # VISITS TO OUTPATIENT MH CNTR PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	646	1.17
	31 = 31 or more	50	0.09
	985 = BAD DATA Logically assigned	4	0.01
	994 = DON'T KNOW.....	16	0.03
	997 = REFUSED	104	0.19
	998 = BLANK (NO ANSWER).....	97	0.18
	999 = LEGITIMATE SKIP	54243	98.34

During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?

AUNMTHE2¹	Len : 3 # VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	1327	2.41
	31 = 31 or more	119	0.22
	994 = DON'T KNOW.....	25	0.05
	997 = REFUSED	106	0.19
	998 = BLANK (NO ANSWER).....	101	0.18
	999 = LEGITIMATE SKIP	53482	96.96

During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?

AUNMDOC2¹	Len : 3 # VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	334	0.61
	31 = 31 or more	4	0.01
	994 = DON'T KNOW.....	7	0.01
	997 = REFUSED	102	0.18
	998 = BLANK (NO ANSWER).....	101	0.18
	999 = LEGITIMATE SKIP	54612	99.01

During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?

AUNMCLN2¹	Len : 3 # VISITS TO OUTPAT MED CLINIC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	165	0.30
	31 = 31 or more	4	0.01
	994 = DON'T KNOW.....	7	0.01
	997 = REFUSED	102	0.18
	998 = BLANK (NO ANSWER).....	102	0.18
	999 = LEGITIMATE SKIP	54780	99.31

During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?

AUNMDTM2¹	Len : 3 # VISITS TO DAY TREATMENT PGM PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	47	0.09
	31 = 31 or more	5	0.01
	994 = DON'T KNOW.....	1	0.00
	997 = REFUSED	100	0.18
	998 = BLANK (NO ANSWER).....	101	0.18
	999 = LEGITIMATE SKIP	54906	99.54

During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?

AUNMOTO2¹	Len : 3 # VISIT OTPT SOME OTHER FACILITY PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	160	0.29
	31 = 31 or more	7	0.01
	994 = DON'T KNOW.....	7	0.01
	997 = REFUSED	108	0.20
	998 = BLANK (NO ANSWER).....	101	0.18
	999 = LEGITIMATE SKIP	54777	99.31

ADULT MENTAL HEALTH TREATMENT

Who paid or will pay for the outpatient mental health care you received during the past 12 months?

AUPOPSLF¹	Len : 2 OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR	Freq	Pct
	1 = Response entered	955	1.73
	6 = Response not entered.....	1624	2.94
	85 = BAD DATA Logically assigned	4	0.01
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	87	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUPOPOFM¹	Len : 2 OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU	Freq	Pct
	1 = Response entered	130	0.24
	6 = Response not entered.....	2449	4.44
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUPOPPHI¹	Len : 2 OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR	Freq	Pct
	1 = Response entered	861	1.56
	6 = Response not entered.....	1718	3.11
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUPOPMCR¹	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICARE	Freq	Pct
	1 = Response entered	319	0.58
	6 = Response not entered.....	2260	4.10
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUPOPMCD¹	Len : 2 OUTPATIENT MH CARE PAYMENT: MEDICAID	Freq	Pct
	1 = Response entered	347	0.63
	6 = Response not entered.....	2232	4.05
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUPOPREH¹	Len : 2 OUPAT MH CARE PYMNT: REHABILITATION PROG	Freq	Pct
	1 = Response entered	13	0.02
	6 = Response not entered.....	2566	4.65
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91
AUPOPEMP¹	Len : 2 OUTPATIENT MH CARE PAYMENT: EMPLOYER	Freq	Pct
	1 = Response entered	128	0.23
	6 = Response not entered.....	2451	4.44
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91

ADULT MENTAL HEALTH TREATMENT

AUOPMIL¹	Len : 2 OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		Freq	Pct
	1 = Response entered	116	0.21
	6 = Response not entered.....	2463	4.47
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91

AUOPPUB¹	Len : 2 OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		Freq	Pct
	1 = Response entered	83	0.15
	6 = Response not entered.....	2496	4.53
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91

AUOPPRV¹	Len : 2 OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		Freq	Pct
	1 = Response entered	50	0.09
	6 = Response not entered.....	2529	4.58
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91

AUOPFRE¹	Len : 2 OUTPATIENT MENTAL HEALTH CARE WAS FREE		
		Freq	Pct
	1 = Response entered	220	0.40
	6 = Response not entered.....	2359	4.28
	94 = DON'T KNOW.....	32	0.06
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	52354	94.91

Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?

AUOPMOS¹	Len : 2 PAYMENT FOR MOST OF OUTPATIENT MH CARE		
		Freq	Pct
	1 = Self or a family member living with you	123	0.22
	2 = A family member who does not live with you.....	19	0.03
	3 = Private health insurance	261	0.47
	4 = Medicare.....	88	0.16
	5 = Medicaid	32	0.06
	7 = Employer	29	0.05
	8 = VA or other military program	8	0.01
	9 = Other public source.....	8	0.01
	10 = Other private source	4	0.01
	11 = No one paid because the treatment was free	14	0.03
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	124	0.22
	99 = LEGITIMATE SKIP	54346	98.52

ADULT MENTAL HEALTH TREATMENT

How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.

AUPOPAMT¹	Len : 2	AMT YOU/FAMILY PAID FOR OUPAT MH CARE		
			Freq	Pct
		1 = Less than \$100	298	0.54
		2 = \$100 to \$200	170	0.31
		3 = \$201 to \$500	188	0.34
		4 = \$501 to \$900	130	0.24
		5 = \$901 to \$1,500	69	0.13
		6 = \$1,501 to \$2,000	46	0.08
		7 = \$2,001 to \$5,000	39	0.07
		8 = More than \$5,000	32	0.06
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	68	0.12
		97 = REFUSED	109	0.20
		98 = BLANK (NO ANSWER)	122	0.22
		99 = LEGITIMATE SKIP	53885	97.69

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?

AURXYR¹	Len : 2	TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS		
			Freq	Pct
		1 = Yes	4504	8.17
		2 = No	32802	59.47
		3 = Yes Logically assigned	1	0.00
		85 = BAD DATA Logically assigned	4	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	52	0.09
		97 = REFUSED	57	0.10
		98 = BLANK (NO ANSWER)	4	0.01
		99 = LEGITIMATE SKIP	17735	32.15

During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?

AUUNMTYR¹	Len : 2	NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS		
			Freq	Pct
		1 = Yes	2463	4.47
		2 = No	34806	63.10
		85 = BAD DATA Logically assigned	4	0.01
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	64	0.12
		97 = REFUSED	83	0.15
		98 = BLANK (NO ANSWER)	4	0.01
		99 = LEGITIMATE SKIP	17735	32.15

Which of these statements explains why you did not get the mental health treatment or counseling you needed?

AUUNCOST¹	Len : 2	NO MH TMT COULDN'T AFFORD COST		
			Freq	Pct
		1 = Response entered	1077	1.95
		3 = Response entered LOGICALLY ASSIGNED	2	0.00
		6 = Response not entered	1355	2.46
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW	14	0.03
		97 = REFUSED	94	0.17
		98 = BLANK (NO ANSWER)	72	0.13
		99 = LEGITIMATE SKIP	52542	95.25

ADULT MENTAL HEALTH TREATMENT

AUUNNBR¹	Len : 2 NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS	Freq	Pct
	1 = Response entered	281	0.51
	6 = Response not entered.....	2153	3.90
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25
AUUNJOB¹	Len : 2 NO MH TMT CONCERN ABOUT EFFECT ON JOB	Freq	Pct
	1 = Response entered	206	0.37
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	2227	4.04
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25
AUUNNCOV¹	Len : 2 NO MH TMT HEALTH INSUR DIDN'T COVER	Freq	Pct
	1 = Response entered	159	0.29
	6 = Response not entered.....	2275	4.12
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25
AUUNENUF¹	Len : 2 NO MH TMT NOT ENUF HEALTH INSUR COVERAGE	Freq	Pct
	1 = Response entered	223	0.40
	6 = Response not entered.....	2211	4.01
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25
AUUNWHER¹	Len : 2 NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC	Freq	Pct
	1 = Response entered	489	0.89
	3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
	6 = Response not entered.....	1940	3.52
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25
AUUNCFID¹	Len : 2 NO MH TMT CONCERN ABOUT CONFIDENTIALITY	Freq	Pct
	1 = Response entered	221	0.40
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	2212	4.01
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25
AUUNCMIT¹	Len : 2 NO MH TMT MIGHT BE COMMITTED/TAKE MEDS	Freq	Pct
	1 = Response entered	281	0.51
	3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
	6 = Response not entered.....	2149	3.90
	94 = DON'T KNOW.....	14	0.03
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	76	0.14
	99 = LEGITIMATE SKIP	52542	95.25

ADULT MENTAL HEALTH TREATMENT

Which of these statements explain why you did not get the mental health treatment or counseling you needed?

AUUNNOND¹	Len : 2 NO MH TMT DON'T THINK NEEDED AT THAT TIME		
		Freq	Pct
	1 = Response entered	253	0.46
	3 = Response entered LOGICALLY ASSIGNED.....	12	0.02
	6 = Response not entered.....	2167	3.93
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	97	0.18
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	52542	95.25
AUUNHNDL¹	Len : 2 NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT		
		Freq	Pct
	1 = Response entered	615	1.11
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	1815	3.29
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	97	0.18
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	52542	95.25
AUUNNHLP¹	Len : 2 NO MH TMT DIDN'T THINK TMT WOULD HELP		
		Freq	Pct
	1 = Response entered	236	0.43
	3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
	6 = Response not entered.....	2192	3.97
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	97	0.18
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	52542	95.25
AUUNBUSY¹	Len : 2 NO MH TMT DIDN'T HAVE TIME		
		Freq	Pct
	1 = Response entered	390	0.71
	3 = Response entered LOGICALLY ASSIGNED.....	11	0.02
	6 = Response not entered.....	2031	3.68
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	97	0.18
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	52542	95.25
AUUNFOUT¹	Len : 2 NO MH TMT DIDN'T WANT OTHERS TO FIND OUT		
		Freq	Pct
	1 = Response entered	180	0.33
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	2250	4.08
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	97	0.18
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	52542	95.25
AUUNNTSP¹	Len : 2 NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR		
		Freq	Pct
	1 = Response entered	107	0.19
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	2324	4.21
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	97	0.18
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	52542	95.25

ADULT MENTAL HEALTH TREATMENT

AUUNSOR¹

Len : 2 NO MH TMT FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	332	0.60
6 = Response not entered.....	2106	3.82
94 = DON'T KNOW	14	0.03
97 = REFUSED	94	0.17
98 = BLANK (NO ANSWER).....	72	0.13
99 = LEGITIMATE SKIP	52542	95.25

AUUNRIM2¹

Len : 2 MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO

	Freq	Pct
1 = You couldn't afford the cost.....	16	0.03
2 = Concerned neighbors/community have neg opinion	1	0.00
3 = Concerned might have a neg effect on your job	3	0.01
6 = You did not know where to go to get services	6	0.01
7 = Concerned info might not be kept confidential.....	1	0.00
8 = Concerned might be committed/take medicine.....	8	0.01
9 = You didn't think you needed treatment at the time.....	17	0.03
10 = You thought could handle problem w/o treatment	7	0.01
11 = You didn't think treatment would help.....	8	0.01
12 = Didn't have time (b/c of job, childcare, other).....	15	0.03
13 = Didn't want others to find out you needed treatmnt.....	6	0.01
14 = No transportation/too far away/hrs inconvenient.....	5	0.01
15 = Some other reason or reasons.....	11	0.02
16 = Afraid too painful/unpleasant/afraid of diagnosis	3	0.01
17 = Others dissuaded/didn't want you to/unsupportive	12	0.02
18 = You do not have any health insurance coverage.....	33	0.06
19 = Ashamed, embarrassed, afraid, or sign of weakness	17	0.03
21 = You did not want to; reason unspecified.....	8	0.01
22 = Unmotivated/depressed/confused/angry/unworthy	11	0.02
23 = Services unavailable in your area/services limited	6	0.01
24 = Didn't want to talk about your problems w/anyone.....	4	0.01
25 = Didn't like how treated/don't like Dr(s)/hospitals	12	0.02
26 = Attempted to get trmt,unsuccessful in finding help.....	23	0.04
27 = Concerned how the court system would treat you	5	0.01
28 = No program/counselor competent/comfortable with.....	8	0.01
29 = Just never went/made appointment/arrangements	8	0.01
32 = Too much red tape/hassle to get services	3	0.01
33 = There were no openings/long waiting list/delays	17	0.03
34 = You had other problems/issues to deal with	9	0.02
42 = Health ins wont accept preferred provider/tmt	4	0.01
71 = Mental hlth condition reportd; depression unspcfd	2	0.00
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	9	0.02
97 = REFUSED	104	0.19
98 = BLANK (NO ANSWER).....	92	0.17
99 = LEGITIMATE SKIP	54648	99.07

ADULT MENTAL HEALTH TREATMENT

Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.

Acupuncturist or acupressurist
Chiropractor
Herbalist
In-person support group or self-help group
Internet support group or chat room
Spiritual or religious advisor, such as a pastor, priest, rabbi
Telephone hotline
Massage therapist

Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?

AUALTYR¹	Len : 2	RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS		
			Freq	Pct
		1 = Yes	3462	6.28
		2 = No.....	33803	61.28
		3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2)	2	0.00
		85 = BAD DATA Logically assigned	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	62	0.11
		97 = REFUSED	87	0.16
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP	17735	32.15

From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?

AUALACUP¹	Len : 2	RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS		
			Freq	Pct
		1 = Response entered	301	0.55
		6 = Response not entered.....	3136	5.69
		85 = BAD DATA Logically assigned	4	0.01
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED	95	0.17
		98 = BLANK (NO ANSWER).....	68	0.12
		99 = LEGITIMATE SKIP	51539	93.44

AUALCHIR¹	Len : 2	RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS		
			Freq	Pct
		1 = Response entered	1421	2.58
		6 = Response not entered.....	2016	3.65
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED	95	0.17
		98 = BLANK (NO ANSWER).....	72	0.13
		99 = LEGITIMATE SKIP	51539	93.44

AUALHERB¹	Len : 2	RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS		
			Freq	Pct
		1 = Response entered	161	0.29
		6 = Response not entered.....	3276	5.94
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED	95	0.17
		98 = BLANK (NO ANSWER).....	72	0.13
		99 = LEGITIMATE SKIP	51539	93.44

AUALSGRP¹	Len : 2	RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS		
			Freq	Pct
		1 = Response entered	409	0.74
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	3025	5.48
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED	95	0.17
		98 = BLANK (NO ANSWER).....	72	0.13
		99 = LEGITIMATE SKIP	51539	93.44

ADULT MENTAL HEALTH TREATMENT

AUALINET¹	Len : 2 RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS		
		Freq	Pct
	1 = Response entered	172	0.31
	6 = Response not entered.....	3265	5.92
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	95	0.17
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	51539	93.44
AUALRELG¹	Len : 2 RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS		
		Freq	Pct
	1 = Response entered	832	1.51
	3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
	5 = Response entered LOG ASSN (from AUOPYRS2)	3	0.01
	6 = Response not entered.....	2599	4.71
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	95	0.17
	98 = BLANK (NO ANSWER).....	70	0.13
	99 = LEGITIMATE SKIP	51539	93.44
AUALHLIN¹	Len : 2 RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS		
		Freq	Pct
	1 = Response entered	66	0.12
	6 = Response not entered.....	3371	6.11
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	95	0.17
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	51539	93.44
AUALMASG¹	Len : 2 RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS		
		Freq	Pct
	1 = Response entered	1189	2.16
	6 = Response not entered.....	2248	4.08
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	95	0.17
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	51539	93.44
AUALOTH¹	Len : 2 RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS		
		Freq	Pct
	1 = Response entered	304	0.55
	6 = Response not entered.....	3133	5.68
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	95	0.17
	98 = BLANK (NO ANSWER).....	72	0.13
	99 = LEGITIMATE SKIP	51539	93.44

ADULT MENTAL HEALTH TREATMENT

AUALOTS2¹

Len : 2 OTH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY

	Freq	Pct
4 = In-person support group/self-help group	3	0.01
6 = Spiritual or religious advisor	7	0.01
9 = Other	29	0.05
20 = Home/family/friends	54	0.10
21 = Doctor/primary care doctor/medical; locale unspc	32	0.06
22 = Therapist/psychologist/counselor; locale unspcfd	51	0.09
23 = School/university counselor	4	0.01
24 = Military/VA/Veterans counselor or program/hospital	4	0.01
25 = Medical specialist(inc psychiatrist);locale unspfd.....	17	0.03
26 = Health professional, not a Dr.; locale unspecified	14	0.03
29 = Yoga, Tai Chi, Eastern exercise, Pilates	6	0.01
31 = Medication/taking medication	7	0.01
33 = Personal action/self-care/self-help (not meds/grp).....	10	0.02
36 = Homeopath/Naturopath.....	6	0.01
39 = Energy/biofield therapist (e.g., Reiki).....	6	0.01
42 = Therapy, type unspecified	3	0.01
44 = Mind/Body Therapy (e.g., biofeedback).....	6	0.01
50 = Mental Health; location and provider type unspcfd	3	0.01
70 = Name of facility/program or description given.....	15	0.03
71 = Reason for seeking help given	6	0.01
85 = BAD DATA Logically assigned	14	0.03
94 = DON'T KNOW.....	5	0.01
97 = REFUSED	97	0.18
98 = BLANK (NO ANSWER).....	89	0.16
99 = LEGITIMATE SKIP	54672	99.12

Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

AUMOTVYR¹

Len : 2 HOW PROMPTED TO GET MH TREATMENT PST 12 MOS

	Freq	Pct
1 = I decided on my own to get treatment	5834	10.58
2 = I got trmt bc someone else thought I should.....	887	1.61
3 = I was ordered to get treatment	381	0.69
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW.....	247	0.45
97 = REFUSED	209	0.38
98 = BLANK (NO ANSWER).....	171	0.31
99 = LEGITIMATE SKIP	47427	85.98

RECODED ADULT MENTAL HEALTH TREATMENT

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Treatment and Recoded Substance Treatment.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

AMHINP2	Len : 1 RCVD INPATIENT MENTAL HEALTH TRT IN PST YR		
	.	Freq	Pct
	= Unknown/Aged 12-17/Log Assign Yes (Otherwise).....	17830	32.32
	1 = Yes (AUINPYR=1)	447	0.81
	2 = No (AUINPYR=2).....	36883	66.87

The following variable, AMHOUTP3, is defined as SAS missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at "Some Other Place" (AUOPTYR=1, 3 and only AUOPOTOP=1, 3) and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73). In addition to the responses described above, respondents aged 12-17 and those coded as bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=85, 89, 94, 97, 98, 99) were also defined as SAS missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1, 3) and they did not indicate an alternative source or invalid outpatient location (AUOPYRS2 not=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73) as their only location for outpatient treatment.

AMHOUTP3	Len : 1 RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR		
	.	Freq	Pct
	= Unknown/Aged 12-17 (See comment above).....	17946	32.53
	1 = Yes (See comment above).....	2596	4.71
	2 = No (AUOPTYR=2)	34618	62.76

AMHRX2	Len : 1 RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR		
	.	Freq	Pct
	= Unknown/Aged 12-17/Log Assign Yes (Otherwise).....	17854	32.37
	1 = Yes (AURXYR=1)	4504	8.17
	2 = No (AURXYR=2).....	32802	59.47

AMHTXRC3	Len : 1 RCVD ANY MENTAL HEALTH TRT IN PST YR		
	.	Freq	Pct
	= Unknown/Aged 12-17 (Otherwise)	17936	32.52
	1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1).....	5434	9.85
	2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2)	31790	57.63

The following variable, AMHSVTYP, classifies what type of mental health treatment/counseling was received in the past year. Respondents who reported receiving treatment for mental health were classified in one of seven mutually exclusive categories. A respondent was assigned to level one if they reported receiving inpatient treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=2), to level two if they reported receiving outpatient treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=2), to level three if they reported receiving prescription medication treatment only (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=1), to level four if they reported receiving both inpatient and outpatient treatment only (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=2), to level five if they reported receiving inpatient and prescription medication treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=1), to level six if they reported receiving outpatient and prescription medication treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=1), or to level seven if they reported receiving inpatient, outpatient, and prescription medication treatment (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=1). Respondents who did not receive mental health treatment in the past year were assigned to level eight (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=2). Respondents whose specific treatment was not distinguishable due to missing values in one or more of the three source variables (AMHINP2, AMHOUTP3, or AMHRX2) were assigned a SAS missing.

AMHSVTYP	Len : 1 TYPE OF MENTAL HEALTH TRT RCVD IN PST YR		
	.	Freq	Pct
	= Unknown/Aged 12-17 (Otherwise)	17988	32.61
	1 = Inpatient Only (See comment above).....	111	0.20
	2 = Outpatient Only (See comment above).....	769	1.39
	3 = Presc Medication Only (See comment above).....	2614	4.74
	4 = Inpatient and Outpatient Only (See comment above).....	35	0.06
	5 = Inpatient and Presc Med Only (See comment above)	67	0.12
	6 = Outpatient and Presc Med Only (See comment above).....	1572	2.85
	7 = Inp & Outp & Presc Medication (See comment above).....	214	0.39
	8 = Did Not Receive MH Treatment (See comment above).....	31790	57.63

RECODED ADULT MENTAL HEALTH TREATMENT

The following variable, AMHSVNO, classifies the total number of types of mental health treatment/counseling services that a respondent received in the past year. The three possible types of treatment/counseling services are inpatient, outpatient, and prescription medication.

AMHSVNO	Len : 1	NUM OF TYPES OF MNT HLTH TRT SRVCS RCVD IN PST YR		
			Freq	Pct
	.	= Unknown/Aged 12-17 (Otherwise)	17988	32.61
	1	= Rcvd One Type of Treatment (AMHSVTYP=1,2,3)	3494	6.33
	2	= Rcvd Two Types of Treatment (AMHSVTYP=4,5,6)	1674	3.03
	3	= Rcvd All Three Types of Treatment (AMHSVTYP=7)	214	0.39
	4	= Did Not Receive MH Treatment (AMHSVTYP=8)	31790	57.63

The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "unmet need."

AMHTXND2	Len : 1	PERCEIVED NEED/DID NOT RCV MH TRT IN PST YR		
			Freq	Pct
	.	= Unknown/Aged 12-17 (Otherwise)	17891	32.43
	1	= Yes (AUUNMTYR=1)	2463	4.47
	2	= No (AUUNMTYR=2)	34806	63.10

AMHTXAND	Len : 1	PERCEIVED UNMET NEED AND RECEIPT OF MH TRT		
			Freq	Pct
	.	= Unknown/Aged 12-17 (Otherwise)	18001	32.63
	1	= Perc Need/No MH TRT (AMHTXND2=1 and AMHTXRC3=2)	1229	2.23
	2	= No Perc Need/No MH TRT (AMHTXND2=2 and AMHTXRC3=2)	30521	55.33
	3	= Perc Need/Rcvd MH TRT (AMHTXND2=1 and AMHTXRC3=1)	1226	2.22
	4	= No Perc Nd/Rcvd MH TRT (AMHTXND2=2 and AMHTXRC3=1)	4183	7.58

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. These variables were revised for the 2009 NSDUH to include those respondents who reported receiving NO outpatient mental health treatment (AMHOUTP3=2) in the No category for the location. This differs from the variables named similarly in the past as they were only defined for those respondents who reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) and those respondents who reported No outpatient mental health treatment were previously defined as SAS missing.

Only respondents who reported having received outpatient mental health treatment/counseling (AMHOUTP3=1) can be defined as having received it at the location. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.

MHLMNT3	Len : 1	RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR		
			Freq	Pct
	.	= Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	17963	32.57
	0	= No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPMENT=6])	36481	66.14
	1	= Yes (AMHOUTP3=1 and AUOPMENT=1,3)	716	1.30

MHLTHER3	Len : 1	RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR		
			Freq	Pct
	.	= Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	17963	32.57
	0	= No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPTHER=6])	35720	64.76
	1	= Yes (AMHOUTP3=1 and AUOPTHER=1,3)	1477	2.68

MHLDOC3	Len : 1	RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR		
			Freq	Pct
	.	= Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	17963	32.57
	0	= No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDOC=6])	36850	66.81
	1	= Yes (AMHOUTP3=1 and AUOPDOC=1,3)	347	0.63

MHLCCLNC3	Len : 1	RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR		
			Freq	Pct
	.	= Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise)	17964	32.57
	0	= No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPCLNC=6])	37018	67.11
	1	= Yes (AMHOUTP3=1 and AUOPCLNC=1,3)	178	0.32

RECODED ADULT MENTAL HEALTH TREATMENT

MHLDTMT3

Len : 1 RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR

	Freq	Pct
. = Unkwn MH Trt/Unkwn Source/Aged 12-17 (Otherwise).....	17963	32.57
0 = No (AMHOUTP3=2 or [AMHOUTP3=1 and AUOPDTMT=6]).....	37144	67.34
1 = Yes (AMHOUTP3=1 and AUOPDTMT=1,3).....	53	0.10

NOTE: The following variables, MHLSCHL3 and MHLOTH3, were created by examination of the other-specify write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable, MHLMT3.

The following variable, MHLSCHL3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRS2=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRS2=99), at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRS2=1-6, 12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-70), or if they did not receive outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLSCHL3

Len : 1 RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR

	Freq	Pct
. = Otherwise (See comment above).....	17987	32.61
0 = No (See comment above).....	37129	67.31
1 = Yes (See comment above).....	44	0.08

The following variable, MHLOTH3, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRS2=12, 13, 14, 15, 16, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 31, 32, 33, 40, 41, 44, 46, 47, 52, 53, 57, 58, 60-69). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 and AUOPYRS2=99), indicated some other location to be one of the six specified locations defined above (AUOPYRS2=1-6, 9, 43), provided a name of a facility (AUOPYRS2=70) as the 'other' location, or if reported not receiving outpatient mental health treatment in the past year (AMHOUTP3=2). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7, 8, 10, 11, 17, 22, 26, 30, 34, 35, 36, 37, 38, 39, 42, 45, 48, 49, 50, 51, 54, 55, 56, 59, 71, 72, 73), bad data, don't know, refused, or blank (AUOPYRS2=85, 94, 97, 98), aged 12-17 (AUOPYRS2=89, 99 and AMHOUTP3=.), or classified as missing for receiving outpatient treatment in the past year (AMHOUTP3=.) were set to SAS missing.

MHLOTH3

Len : 1 RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR

	Freq	Pct
. = Otherwise (See comment above).....	17987	32.61
0 = No (See comment above).....	37119	67.29
1 = Yes (See comment above).....	54	0.10

NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.

MHPDSL2

Len : 1 SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	52607	95.37
0 = No (AMHOUTP3=1 and AUPOPSLF=6).....	1609	2.92
1 = Yes (AMHOUTP3=1 and AUPOPSLF=1).....	944	1.71

MHPDOFM2

Len : 1 NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR

	Freq	Pct
. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise).....	52607	95.37
0 = No (AMHOUTP3=1 and AUPOPOFM=6).....	2424	4.39
1 = Yes (AMHOUTP3=1 and AUPOPOFM=1).....	129	0.23

RECODED ADULT MENTAL HEALTH TREATMENT

MHPDPHI2	Len : 1	PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUPOPPHI=6)	1694	3.07
	1	= Yes (AMHOUTP3=1 and AUPOPPHI=1)	859	1.56
MHPDMCR2	Len : 1	MEDICARE PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUPOPMCR=6)	2236	4.05
	1	= Yes (AMHOUTP3=1 and AUPOPMCR=1)	317	0.57
MHPDMCD2	Len : 1	MEDICAID PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt /Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUPOPMCD=6)	2208	4.00
	1	= Yes (AMHOUTP3=1 and AUPOPMCD=1)	345	0.63
MHPDREH2	Len : 1	REHAB PGM PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUPOPREH=6)	2541	4.61
	1	= Yes (AMHOUTP3=1 and AUPOPREH=1)	12	0.02
MHPDEMP2	Len : 1	EMPLOYER PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUPOPEMP=6)	2426	4.40
	1	= Yes (AMHOUTP3=1 and AUPOPEMP=1)	127	0.23
MHPDMIL2	Len : 1	VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUPOPMIL=6)	2437	4.42
	1	= Yes (AMHOUTP3=1 and AUPOPMIL=1)	116	0.21
MHPDPUB2	Len : 1	OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUOPPUB=6)	2470	4.48
	1	= Yes (AMHOUTP3=1 and AUOPPUB=1)	83	0.15
MHPDPRV2	Len : 1	OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUOPPPRV=6)	2503	4.54
	1	= Yes (AMHOUTP3=1 and AUOPPPRV=1)	50	0.09
MHPDFRE2	Len : 1	FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR		
			Freq	Pct
	.	= No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52607	95.37
	0	= No (AMHOUTP3=1 and AUOPPFRE=6)	2340	4.24
	1	= Yes (AMHOUTP3=1 and AUOPPFRE=1)	213	0.39

RECODED ADULT MENTAL HEALTH TREATMENT

NOTE: The following 15 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year. A respondent must have reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a follow-up question. The first 14 variables below were created by examination of the variables containing information on the fourteen specific reasons; while the last variable was created by examination of the most important other-specify reasons.

MHRCOST2	Len : 1 NO MH TRT IN PST YR B/C COULD NOT AFFORD COST		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNCOST=6).....	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNCOST=1,3)	1355	2.46
		1079	1.96
MHRNBRS2	Len : 1 NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNNBR=6).....	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNNBR=1,3)	2153	3.90
		281	0.51
MHRJOBS2	Len : 1 NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNJOB=6)	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNJOB=1,3)	2227	4.04
		207	0.38
MHRNCOV2	Len : 1 NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNNCOV=6)	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNNCOV=1,3)	2275	4.12
		159	0.29
MHRENUF2	Len : 1 NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNENUF=6).....	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNENUF=1,3)	2211	4.01
		223	0.40
MHRWHER2	Len : 1 NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNWHER=6).....	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNWHER=1,3)	1940	3.52
		494	0.90
MHRCFID2	Len : 1 NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNCFID=6)	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNCFID=1,3)	2212	4.01
		222	0.40
MHRCMIT2	Len : 1 NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNCMIT=6).....	52726	95.59
	1 = Yes (AMHTXND2=1 and AUUNCMIT=1,3)	2149	3.90
		285	0.52
MHRNOND2	Len : 1 NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED		
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	Freq	Pct
	0 = No (AMHTXND2=1 and AUUNNOND=6)	52728	95.59
	1 = Yes (AMHTXND2=1 and AUUNNOND=1,3)	2167	3.93
		265	0.48

RECODED ADULT MENTAL HEALTH TREATMENT

MHRHAND2	Len : 1 NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52728	95.59
	0 = No (AMHTXND2=1 and AUUNHNDL=6)	1815	3.29
	1 = Yes (AMHTXND2=1 and AUUNHNDL=1,3)	617	1.12

MHRNOHP2	Len : 1 NO MH TRT IN PST YR B/C DIDN'T THNK TRT WOULD HELP		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52728	95.59
	0 = No (AMHTXND2=1 and AUUNNHLP=6)	2192	3.97
	1 = Yes (AMHTXND2=1 and AUUNNHLP=1,3)	240	0.44

MHRTIME2	Len : 1 NO MH TRT IN PST YR B/C DIDN'T HAVE TIME		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52728	95.59
	0 = No (AMHTXND2=1 and AUUNBUSY=6)	2031	3.68
	1 = Yes (AMHTXND2=1 and AUUNBUSY=1,3)	401	0.73

MHRFOUT2	Len : 1 NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52728	95.59
	0 = No (AMHTXND2=1 and AUUNFOUT=6)	2250	4.08
	1 = Yes (AMHTXND2=1 and AUUNFOUT=1,3)	182	0.33

MHRTRAN2	Len : 1 NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52728	95.59
	0 = No (AMHTXND2=1 and AUUNNTSP=6)	2324	4.21
	1 = Yes (AMHTXND2=1 and AUUNNTSP=1,3)	108	0.20

The following variable, MHR SOTH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIM2=15-69). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AMHTXND2=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had appt for mental health treatment/counseling or did not report an other-specify reason for not receiving this treatment (AUUNSOR=1, 6 and AUUNRIM2=1-14, 70, 85, 94, 97, 98, 99).

MHR SOTH2	Len : 1 NO MH TRT IN PST YR B/C SOME OTHER REASON		
		Freq	Pct
	. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)	52724	95.58
	0 = No (See comment above)	2244	4.07
	1 = Yes (See comment above)	192	0.35

NOTE: The following four variables were created by using a combination of recoded adult mental health treatment and recoded substance treatment variables. Specifications on how the individual recoded adult mental health treatment variable was defined can be found above. Specifications on how the individual recoded substance treatment variable was defined can be found in the Recoded Substance Treatment section.

MHOSPTR2	Len : 1 RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR		
		Freq	Pct
	. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=0))	17925	32.50
	0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 and SPILLALC=0)	31512	57.13
	1 = MH or Sub Trt at Spc Fac(AMHTXRC3=1 or SPILLALC=1)	5723	10.38

MHNSPTR2	Len : 1 RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR		
		Freq	Pct
	. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=0))	17925	32.50
	0 = Otherwise (AGE2>=7 & (AMHTXRC3=2 SPILLALC=1))	32050	58.10
	1 = Mental Health Trt Only (AMHTXRC3=1 and SPILLALC=0)	5185	9.40

NMHSPTR2	Len : 1 RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR		
		Freq	Pct
	. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=1))	17747	32.17
	0 = Otherwise (AGE2>=7 & (AMHTXRC3=1 SPILLALC=0))	37135	67.32
	1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & SPILLALC=1)	278	0.50

RECODED ADULT MENTAL HEALTH TREATMENT

MHASPTR2

Len : 1 RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR

	Freq	Pct
. = Youth/Unkn (AGE2<7 (AMHTXRC3=. & SPILLALC=1)).....	17747	32.17
0 = Otherwise (AGE2>=7 & (AMHTXRC3=2 or SPILLALC=0))	37164	67.37
1 = MH and Sub Trt at Sp Fac (AMHTXRC3=1 & SPILLALC=1)	249	0.45

SOCIAL ENVIRONMENT

SOCIAL ENVIRONMENT

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

How many times have you moved in the past 5 years?

SNMOV5Y2¹	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		Freq	Pct
	0 = None.....	15185	27.53
	1 = One time.....	7959	14.43
	2 = Two times.....	5600	10.15
	3 = Three times.....	4142	7.51
	4 = Four times.....	1848	3.35
	5 = Five times.....	1021	1.85
	6 = Six or more times.....	1300	2.36
	985 = BAD DATA Logically assigned.....	3	0.01
	989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	994 = DON'T KNOW.....	232	0.42
	997 = REFUSED.....	130	0.24
	998 = BLANK (NO ANSWER).....	4	0.01
	999 = LEGITIMATE SKIP.....	17735	32.15

During the past 12 months, how many times have you sold illegal drugs?

SNYSELL¹	Len : 2 SOLD ILLEGAL DRUGS		
		Freq	Pct
	1 = 0 times.....	36236	65.69
	2 = 1 or 2 times.....	460	0.83
	3 = 3 to 5 times.....	169	0.31
	4 = 6 to 9 times.....	86	0.16
	5 = 10 or more times.....	334	0.61
	85 = BAD DATA Logically assigned.....	3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	34	0.06
	97 = REFUSED.....	98	0.18
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP.....	17735	32.15

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

SNYSTOLE¹	Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > \$50		
		Freq	Pct
	1 = 0 times.....	36753	66.63
	2 = 1 or 2 times.....	365	0.66
	3 = 3 to 5 times.....	85	0.15
	4 = 6 to 9 times.....	38	0.07
	5 = 10 or more times.....	85	0.15
	85 = BAD DATA Logically assigned.....	3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	24	0.04
	97 = REFUSED.....	67	0.12
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP.....	17735	32.15

SOCIAL ENVIRONMENT

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

SNYATTAK¹	Len : 2	ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
			Freq	Pct
		1 = 0 times.....	36524	66.21
		2 = 1 or 2 times.....	669	1.21
		3 = 3 to 5 times.....	99	0.18
		4 = 6 to 9 times.....	19	0.03
		5 = 10 or more times.....	25	0.05
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	55	0.10
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP.....	17735	32.15

How do you feel about adults trying marijuana or hashish once or twice?

SNFAMJEV¹	Len : 2	HOW YOU FEEL: ADLTS TRYING MJ/HASH		
			Freq	Pct
		1 = Neither approve nor disapprove.....	22169	40.19
		2 = Somewhat disapprove.....	4371	7.92
		3 = Strongly disapprove.....	10380	18.82
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	327	0.59
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP.....	17735	32.15

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

SNRLGSVC¹	Len : 2	PAST 12 MOS, HOW MANY RELIG. SERVICES		
			Freq	Pct
		1 = 0 times.....	15331	27.79
		2 = 1 to 2 times.....	4621	8.38
		3 = 3 to 5 times.....	3873	7.02
		4 = 6 to 24 times.....	4962	9.00
		5 = 25 to 52 times.....	4384	7.95
		6 = More than 52 times.....	3941	7.14
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	130	0.24
		97 = REFUSED.....	175	0.32
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP.....	17735	32.15

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

SNRLGIMP¹	Len : 2	MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
			Freq	Pct
		1 = Strongly Disagree.....	6296	11.41
		2 = Disagree.....	5485	9.94
		3 = Agree.....	13185	23.90
		4 = Strongly Agree.....	11792	21.38
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	309	0.56
		97 = REFUSED.....	350	0.63
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP.....	17735	32.15

SOCIAL ENVIRONMENT

Your religious beliefs influence how you make decisions in your life.

SNRLDCSN¹	Len : 2	MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
			Freq	Pct
		1 = Strongly Disagree	6560	11.89
		2 = Disagree	6796	12.32
		3 = Agree.....	13446	24.38
		4 = Strongly Agree.....	9995	18.12
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	297	0.54
		97 = REFUSED	322	0.58
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

It is important that your friends share your religious beliefs.

SNRLFRND¹	Len : 2	IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
			Freq	Pct
		1 = Strongly Disagree	12080	21.90
		2 = Disagree	14602	26.47
		3 = Agree.....	7294	13.22
		4 = Strongly Agree.....	2786	5.05
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	319	0.58
		97 = REFUSED	335	0.61
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

YOUTH EXPERIENCES

YOUTH EXPERIENCES

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

How many times have you moved in the past 5 years?

YEMOV5Y2¹	Len : 3 # TIMES MOVED IN PAST 5 YEARS		
		Freq	Pct
	0 = None	9469	17.17
	1 = One time	3586	6.50
	2 = Two times	1801	3.27
	3 = Three times	1212	2.20
	4 = Four times	563	1.02
	5 = Five times	268	0.49
	6 = Six or more times	350	0.63
	985 = BAD DATA Logically assigned	4	0.01
	994 = DON'T KNOW	429	0.78
	997 = REFUSED	51	0.09
	998 = BLANK (NO ANSWER)	3	0.01
	999 = LEGITIMATE SKIP	37424	67.85

Have you attended any type of school at any time during the past 12 months?

YEATNDYR¹	Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS		
		Freq	Pct
	1 = Yes	16448	29.82
	2 = No	1111	2.01
	85 = BAD DATA Logically assigned	5	0.01
	94 = DON'T KNOW	144	0.26
	97 = REFUSED	25	0.05
	98 = BLANK (NO ANSWER)	3	0.01
	99 = LEGITIMATE SKIP	37424	67.85

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

YERLGIMP¹	Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		Freq	Pct
	1 = Strongly Disagree	2197	3.98
	2 = Disagree	2626	4.76
	3 = Agree	7025	12.74
	4 = Strongly Agree	5390	9.77
	85 = BAD DATA Logically assigned	7	0.01
	94 = DON'T KNOW	328	0.59
	97 = REFUSED	159	0.29
	98 = BLANK (NO ANSWER)	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

YEHMSLYR¹	Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS		
		Freq	Pct
	1 = Yes	100	0.18
	2 = No	1137	2.06
	85 = BAD DATA Logically assigned	2	0.00
	94 = DON'T KNOW	27	0.05
	97 = REFUSED	16	0.03
	98 = BLANK (NO ANSWER)	6	0.01
	99 = LEGITIMATE SKIP	53872	97.66

YOUTH EXPERIENCES

Your religious beliefs influence how you make decisions in your life.

YERLDCSN¹	Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		Freq	Pct
	1 = Strongly Disagree	2502	4.54
	2 = Disagree	3622	6.57
	3 = Agree.....	6824	12.37
	4 = Strongly Agree.....	4305	7.80
	85 = BAD DATA Logically assigned.....	7	0.01
	94 = DON'T KNOW.....	323	0.59
	97 = REFUSED	149	0.27
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

YESCHFLT¹	Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
		Freq	Pct
	1 = You liked going to school a lot	5068	9.19
	2 = You kind of liked going to school.....	8229	14.92
	3 = You didn't like going to school very much.....	2363	4.28
	4 = You hated going to school.....	870	1.58
	85 = BAD DATA Logically assigned.....	3	0.01
	94 = DON'T KNOW.....	12	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	160	0.29
	99 = LEGITIMATE SKIP	38435	69.68

It is important that your friends share your religious beliefs.

YERLFRND¹	Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		Freq	Pct
	1 = Strongly Disagree	4955	8.98
	2 = Disagree	6836	12.39
	3 = Agree.....	3966	7.19
	4 = Strongly Agree.....	1391	2.52
	85 = BAD DATA Logically assigned.....	7	0.01
	94 = DON'T KNOW.....	434	0.79
	97 = REFUSED	143	0.26
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

YESCHWRK¹	Len : 2 HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS		
		Freq	Pct
	1 = Always	4593	8.33
	2 = Sometimes.....	8527	15.46
	3 = Seldom	2620	4.75
	4 = Never.....	774	1.40
	85 = BAD DATA Logically assigned.....	3	0.01
	94 = DON'T KNOW.....	24	0.04
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	160	0.29
	99 = LEGITIMATE SKIP	38435	69.68

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

YESCHIMP¹	Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE		
		Freq	Pct
	1 = Very important	7314	13.26
	2 = Somewhat important.....	6850	12.42
	3 = Somewhat unimportant.....	1809	3.28
	4 = Very unimportant	541	0.98
	85 = BAD DATA Logically assigned.....	3	0.01
	94 = DON'T KNOW.....	27	0.05
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER).....	160	0.29
	99 = LEGITIMATE SKIP	38435	69.68

YOUTH EXPERIENCES

How interesting do you think most of your courses at school during the past 12 months have been?

YESCHINT¹	Len : 2	HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS		
			Freq	Pct
		1 = Very interesting.....	4071	7.38
		2 = Somewhat interesting	8607	15.60
		3 = Somewhat boring.....	2885	5.23
		4 = Very boring	948	1.72
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED	21	0.04
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

YETCGJOB¹	Len : 2	HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS		
			Freq	Pct
		1 = Always	5659	10.26
		2 = Sometimes.....	7525	13.64
		3 = Seldom	2485	4.51
		4 = Never.....	833	1.51
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED	23	0.04
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

What were your grades for the last semester or grading period you completed?

YELSTGRD¹	Len : 2	GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED		
			Freq	Pct
		1 = An "A+", "A" or "A-minus" average	5396	9.78
		2 = A "B+", "B" or "B-minus" average	6577	11.92
		3 = A "C+", "C" or "C-minus" average	3012	5.46
		4 = A "D" or less than a "D" average	770	1.40
		5 = My school does not give these grades	491	0.89
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	210	0.38
		97 = REFUSED	106	0.19
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

YESTSCIG¹	Len : 2	HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES		
			Freq	Pct
		1 = None of them	3591	6.51
		2 = A few of them.....	9430	17.10
		3 = Most of them.....	2898	5.25
		4 = All of them.....	91	0.16
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	514	0.93
		97 = REFUSED	38	0.07
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

YOUTH EXPERIENCES

How many of the students in your grade at school would you say use marijuana or hashish?

YESTSMJ¹	Len : 2	HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH		
			Freq	Pct
		1 = None of them	4523	8.20
		2 = A few of them.....	6775	12.28
		3 = Most of them.....	4264	7.73
		4 = All of them.....	321	0.58
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	637	1.15
		97 = REFUSED	42	0.08
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

How many of the students in your grade at school would you say drink alcoholic beverages?

YESTSALC¹	Len : 2	HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL		
			Freq	Pct
		1 = None of them	3780	6.85
		2 = A few of them.....	6480	11.75
		3 = Most of them.....	5222	9.47
		4 = All of them.....	471	0.85
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	572	1.04
		97 = REFUSED	37	0.07
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

How many of the students in your grade at school would you say get drunk at least once a week?

YESTSDNK¹	Len : 2	HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY		
			Freq	Pct
		1 = None of them	6810	12.35
		2 = A few of them.....	6787	12.30
		3 = Most of them.....	1945	3.53
		4 = All of them.....	158	0.29
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	819	1.48
		97 = REFUSED	43	0.08
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents provide help with your homework when you needed it?

YEPCHKHW¹	Len : 2	PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS		
			Freq	Pct
		1 = Always	8889	16.11
		2 = Sometimes.....	4758	8.63
		3 = Seldom	1733	3.14
		4 = Never.....	1110	2.01
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED	40	0.07
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

YOUTH EXPERIENCES

During the past 12 months, how often did your parents provide help with your homework when you needed it?

YEPHLPHW¹	Len : 2	PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS		
			Freq	Pct
		1 = Always	9404	17.05
		2 = Sometimes.....	3764	6.82
		3 = Seldom	1697	3.08
		4 = Never.....	1606	2.91
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	47	0.09
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

During the past 12 months, how often did your parents make you do chores around the house?

YEPCHORE¹	Len : 2	PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS		
			Freq	Pct
		1 = Always	9001	16.32
		2 = Sometimes.....	6549	11.87
		3 = Seldom	1496	2.71
		4 = Never.....	590	1.07
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED	35	0.06
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how often did your parents limit the amount of time you watched TV?

YEPLMTTV¹	Len : 2	PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
			Freq	Pct
		1 = Always	2153	3.90
		2 = Sometimes.....	4848	8.79
		3 = Seldom	3442	6.24
		4 = Never.....	7122	12.91
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	118	0.21
		97 = REFUSED	45	0.08
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

YEPLMTSN¹	Len : 2	PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
			Freq	Pct
		1 = Always	6673	12.10
		2 = Sometimes.....	4487	8.13
		3 = Seldom	2514	4.56
		4 = Never.....	2612	4.74
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	190	0.34
		97 = REFUSED	86	0.16
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP	38435	69.68

During the past 12 months, how often did your parents let you know when you'd done a good job?

YEPGDJOB¹	Len : 2	PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
			Freq	Pct
		1 = Always	9599	17.40
		2 = Sometimes.....	5474	9.92
		3 = Seldom	1771	3.21
		4 = Never.....	787	1.43
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED	34	0.06
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

YOUTH EXPERIENCES

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

YEPPROUD¹	Len : 2	TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
			Freq	Pct
		1 = Always	10006	18.14
		2 = Sometimes.....	5061	9.18
		3 = Seldom	1836	3.33
		4 = Never.....	732	1.33
		85 = BAD DATA Logically assigned	5	0.01
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED	39	0.07
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

YEYARGUP¹	Len : 2	ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		
			Freq	Pct
		1 = 0 times.....	3269	5.93
		2 = 1 or 2 times.....	4973	9.02
		3 = 3 to 5 times.....	3713	6.73
		4 = 6 to 9 times.....	1920	3.48
		5 = 10 or more times.....	3587	6.50
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW.....	168	0.30
		97 = REFUSED	97	0.18
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times have you gotten into a serious fight at school or work?

YEYFGTSW¹	Len : 2	GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
			Freq	Pct
		1 = 0 times.....	14426	26.15
		2 = 1 or 2 times.....	2513	4.56
		3 = 3 to 5 times.....	480	0.87
		4 = 6 to 9 times.....	108	0.20
		5 = 10 or more times.....	115	0.21
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED	37	0.07
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

YEYFGTGP¹	Len : 2	TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
			Freq	Pct
		1 = 0 times.....	15647	28.37
		2 = 1 or 2 times.....	1533	2.78
		3 = 3 to 5 times.....	299	0.54
		4 = 6 to 9 times.....	69	0.13
		5 = 10 or more times.....	84	0.15
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED	35	0.06
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

YOUTH EXPERIENCES

During the past 12 months, how many times have you carried a handgun?

YEYHGUN¹	Len : 2	CARRIED A HANDGUN		
			Freq	Pct
		1 = 0 times.....	16948	30.73
		2 = 1 or 2 times.....	466	0.84
		3 = 3 to 5 times.....	107	0.19
		4 = 6 to 9 times.....	37	0.07
		5 = 10 or more times.....	87	0.16
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37424	67.85

During the past 12 months, how many times have you sold illegal drugs?

YEYSELL¹	Len : 2	SOLD ILLEGAL DRUGS		
			Freq	Pct
		1 = 0 times.....	17189	31.16
		2 = 1 or 2 times.....	247	0.45
		3 = 3 to 5 times.....	87	0.16
		4 = 6 to 9 times.....	50	0.09
		5 = 10 or more times.....	95	0.17
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37424	67.85

During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?

YEYSTOLE¹	Len : 2	STOLEN/TRIED TO STEAL ANYTHING WORTH >\$50		
			Freq	Pct
		1 = 0 times.....	17118	31.03
		2 = 1 or 2 times.....	376	0.68
		3 = 3 to 5 times.....	82	0.15
		4 = 6 to 9 times.....	35	0.06
		5 = 10 or more times.....	45	0.08
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37424	67.85

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

YEYATTAK¹	Len : 2	ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
			Freq	Pct
		1 = 0 times.....	16677	30.23
		2 = 1 or 2 times.....	806	1.46
		3 = 3 to 5 times.....	103	0.19
		4 = 6 to 9 times.....	36	0.07
		5 = 10 or more times.....	33	0.06
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37424	67.85

YOUTH EXPERIENCES

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

YEPPKCIG¹	Len : 2	HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
			Freq	Pct
		1 = Neither approve nor disapprove	661	1.20
		2 = Somewhat disapprove	555	1.01
		3 = Strongly disapprove	16241	29.44
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	195	0.35
		97 = REFUSED	75	0.14
		98 = BLANK (NO ANSWER)	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you think your parents would feel about you trying marijuana or hashish once or twice?

YEPMJEV¹	Len : 2	HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
			Freq	Pct
		1 = Neither Approve or Disapprove	825	1.50
		2 = Somewhat Disapprove	1349	2.45
		3 = Strongly Disapprove	15300	27.74
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	171	0.31
		97 = REFUSED	82	0.15
		98 = BLANK (NO ANSWER)	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you think your parents would feel about you using marijuana or hashish once a month or more?

YEPMJMO¹	Len : 2	HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
			Freq	Pct
		1 = Neither Approve or Disapprove	743	1.35
		2 = Somewhat Disapprove	1035	1.88
		3 = Strongly Disapprove	15681	28.43
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	190	0.34
		97 = REFUSED	78	0.14
		98 = BLANK (NO ANSWER)	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

YEPALDLY¹	Len : 2	HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
			Freq	Pct
		1 = Neither Approve or Disapprove	566	1.03
		2 = Somewhat Disapprove	1139	2.06
		3 = Strongly Disapprove	15760	28.57
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	180	0.33
		97 = REFUSED	82	0.15
		98 = BLANK (NO ANSWER)	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you feel about someone your age smoking one or more packs of cigarettes a day?

YEGPKCIG¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
			Freq	Pct
		1 = Neither approve nor disapprove	1459	2.65
		2 = Somewhat disapprove	1923	3.49
		3 = Strongly disapprove	14109	25.58
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	170	0.31
		97 = REFUSED	66	0.12
		98 = BLANK (NO ANSWER)	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

YOUTH EXPERIENCES

How do you feel about someone your age trying marijuana or hashish once or twice?

YEGMJVR¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
			Freq	Pct
		1 = Neither approve nor disapprove	3634	6.59
		2 = Somewhat disapprove	2681	4.86
		3 = Strongly disapprove	11182	20.27
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW	167	0.30
		97 = REFUSED	63	0.11
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you feel about someone your age using marijuana once a month or more?

YEGMJMO¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY		
			Freq	Pct
		1 = Neither approve nor disapprove	3712	6.73
		2 = Somewhat disapprove	2583	4.68
		3 = Strongly disapprove	11191	20.29
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW	173	0.31
		97 = REFUSED	67	0.12
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

YEGALDLY¹	Len : 2	HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY		
			Freq	Pct
		1 = Neither approve nor disapprove	1948	3.53
		2 = Somewhat disapprove	2715	4.92
		3 = Strongly disapprove	12832	23.26
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW	163	0.30
		97 = REFUSED	68	0.12
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

YEFKICIG¹	Len : 2	HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY		
			Freq	Pct
		1 = Neither approve nor disapprove	1878	3.40
		2 = Somewhat disapprove	2924	5.30
		3 = Strongly disapprove	12620	22.88
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW	233	0.42
		97 = REFUSED	71	0.13
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you think your close friends would feel about you trying marijuana or hashish once or twice?

YEFMJVR¹	Len : 2	HOW YOU FEEL FRIENDS USING MJ 1X/MO		
			Freq	Pct
		1 = Neither approve nor disapprove	3695	6.70
		2 = Somewhat disapprove	2877	5.22
		3 = Strongly disapprove	10845	19.66
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW	238	0.43
		97 = REFUSED	71	0.13
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

YOUTH EXPERIENCES

How do you think your close friends would feel about you using marijuana or hashish once a month or more?

YEFMJMO¹	Len : 2	HOW YOU FEEL FRIENDS USING MJ MONTHLY		
			Freq	Pct
		1 = Neither approve nor disapprove	3507	6.36
		2 = Somewhat disapprove	2694	4.88
		3 = Strongly disapprove	11209	20.32
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW	243	0.44
		97 = REFUSED	73	0.13
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

YEFALDLY¹	Len : 2	HOW YOU FEEL FRIENDS DRINKING ALC DAILY		
			Freq	Pct
		1 = Neither approve nor disapprove	2378	4.31
		2 = Somewhat disapprove	3017	5.47
		3 = Strongly disapprove	12005	21.76
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW	245	0.44
		97 = REFUSED	81	0.15
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP	37424	67.85

NOTE: In the variables YETLKPAP, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

YETLKNON¹	Len : 2	THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
			Freq	Pct
		1 = Response entered	809	1.47
		6 = Response not entered.....	16472	29.86
		11 = Response entered (& other responses entered).....	263	0.48
		85 = BAD DATA Logically assigned	5	0.01
		94 = DON'T KNOW	110	0.20
		97 = REFUSED	72	0.13
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP	37424	67.85

YETLKPAP¹	Len : 2	MY MOTHER/FATHER/GUARDIAN		
			Freq	Pct
		1 = Response entered	12453	22.58
		6 = Response not entered.....	4998	9.06
		11 = Response entered (YETLKNON=11)	93	0.17
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW	110	0.20
		97 = REFUSED	72	0.13
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP	37424	67.85

YETLKBGF¹	Len : 2	MY BOYFRIEND/GIRLFRIEND		
			Freq	Pct
		1 = Response entered	4795	8.69
		6 = Response not entered.....	12651	22.94
		11 = Response entered (YETLKNON=11)	98	0.18
		94 = DON'T KNOW	110	0.20
		97 = REFUSED	72	0.13
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP	37424	67.85

YOUTH EXPERIENCES

YETLKOTA¹

Len : 2 SOME OTHER ADULT

	Freq	Pct
1 = Response entered	4721	8.56
6 = Response not entered.....	12734	23.09
11 = Response entered (YETLKNON=11)	89	0.16
94 = DON'T KNOW.....	110	0.20
97 = REFUSED	72	0.13
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	37424	67.85

YETLKSOP¹

Len : 2 SOME OTHER PERSON

	Freq	Pct
1 = Response entered	5865	10.63
6 = Response not entered.....	11554	20.95
11 = Response entered (YETLKNON=11)	125	0.23
94 = DON'T KNOW.....	110	0.20
97 = REFUSED	72	0.13
98 = BLANK (NO ANSWER).....	10	0.02
99 = LEGITIMATE SKIP	37424	67.85

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

YEPRTDNG¹

Len : 2 HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	Freq	Pct
1 = Yes	9754	17.68
2 = No.....	7688	13.94
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW.....	206	0.37
97 = REFUSED	78	0.14
98 = BLANK (NO ANSWER).....	3	0.01
99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

YEPRBSLV¹

Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes	4036	7.32
2 = No.....	13287	24.09
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW.....	341	0.62
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER).....	3	0.01
99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

YEVIOPRV¹

Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes	2330	4.22
2 = No.....	15184	27.53
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW.....	158	0.29
97 = REFUSED	54	0.10
98 = BLANK (NO ANSWER).....	3	0.01
99 = LEGITIMATE SKIP	37424	67.85

YOUTH EXPERIENCES

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

YEDGPRGP¹	Len : 2	ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL		
			Freq	Pct
	1 = Yes		2033	3.69
	2 = No.....		15504	28.11
	85 = BAD DATA Logically assigned		7	0.01
	94 = DON'T KNOW.....		120	0.22
	97 = REFUSED		69	0.13
	98 = BLANK (NO ANSWER).....		3	0.01
	99 = LEGITIMATE SKIP		37424	67.85

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

YESLFHLP¹	Len : 2	AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING		
			Freq	Pct
	1 = Yes		660	1.20
	2 = No.....		16838	30.53
	85 = BAD DATA Logically assigned		7	0.01
	94 = DON'T KNOW.....		151	0.27
	97 = REFUSED		77	0.14
	98 = BLANK (NO ANSWER).....		3	0.01
	99 = LEGITIMATE SKIP		37424	67.85

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

YEPRGSTD¹	Len : 2	PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS		
			Freq	Pct
	1 = Yes		1569	2.84
	2 = No.....		15986	28.98
	85 = BAD DATA Logically assigned		7	0.01
	94 = DON'T KNOW.....		103	0.19
	97 = REFUSED		68	0.12
	98 = BLANK (NO ANSWER).....		3	0.01
	99 = LEGITIMATE SKIP		37424	67.85

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

YESCHACT¹	Len : 2	# OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS		
			Freq	Pct
	0 = None.....		2725	4.94
	1 = One		4386	7.95
	2 = Two		4642	8.42
	3 = 3 or more		5854	10.61
	85 = BAD DATA Logically assigned		7	0.01
	94 = DON'T KNOW.....		70	0.13
	97 = REFUSED		48	0.09
	98 = BLANK (NO ANSWER).....		4	0.01
	99 = LEGITIMATE SKIP		37424	67.85

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

YECOMACT¹	Len : 2	# OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS		
			Freq	Pct
	0 = None.....		4158	7.54
	1 = One		4745	8.60
	2 = Two		3823	6.93
	3 = 3 or more		4809	8.72
	85 = BAD DATA Logically assigned		7	0.01
	94 = DON'T KNOW.....		136	0.25
	97 = REFUSED		54	0.10
	98 = BLANK (NO ANSWER).....		4	0.01
	99 = LEGITIMATE SKIP		37424	67.85

YOUTH EXPERIENCES

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

YEFAIACT¹	Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
0 = None.....		6772	12.28
1 = One		4074	7.39
2 = Two		2300	4.17
3 = 3 or more.....		4374	7.93
85 = BAD DATA Logically assigned.....		7	0.01
94 = DON'T KNOW.....		140	0.25
97 = REFUSED		65	0.12
98 = BLANK (NO ANSWER).....		4	0.01
99 = LEGITIMATE SKIP		37424	67.85

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

YEOTHACT¹	Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS	Freq	Pct
0 = None.....		10574	19.17
1 = One		3728	6.76
2 = Two		1549	2.81
3 = 3 or more.....		1727	3.13
85 = BAD DATA Logically assigned.....		7	0.01
94 = DON'T KNOW.....		96	0.17
97 = REFUSED		51	0.09
98 = BLANK (NO ANSWER).....		4	0.01
99 = LEGITIMATE SKIP		37424	67.85

During the past 12 months have you had a special class about drugs or alcohol in school?

YEDECLAS¹	Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL	Freq	Pct
1 = Yes		6882	12.48
2 = No.....		9528	17.27
85 = BAD DATA Logically assigned.....		5	0.01
94 = DON'T KNOW.....		104	0.19
97 = REFUSED		45	0.08
98 = BLANK (NO ANSWER).....		161	0.29
99 = LEGITIMATE SKIP		38435	69.68

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

YEDERGLR¹	Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS	Freq	Pct
1 = Yes		10462	18.97
2 = No.....		5938	10.77
85 = BAD DATA Logically assigned.....		5	0.01
94 = DON'T KNOW.....		116	0.21
97 = REFUSED		43	0.08
98 = BLANK (NO ANSWER).....		161	0.29
99 = LEGITIMATE SKIP		38435	69.68

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

YEDESPCL¹	Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS	Freq	Pct
1 = Yes		6214	11.27
2 = No.....		10130	18.36
85 = BAD DATA Logically assigned.....		5	0.01
94 = DON'T KNOW.....		168	0.30
97 = REFUSED		47	0.09
98 = BLANK (NO ANSWER).....		161	0.29
99 = LEGITIMATE SKIP		38435	69.68

YOUTH EXPERIENCES

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

YEPVNTYR¹	Len : 2	SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
			Freq	Pct
		1 = Yes	12737	23.09
		2 = No.....	4750	8.61
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW.....	184	0.33
		97 = REFUSED	54	0.10
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

YERLGSVC¹	Len : 2	PAST 12 MOS, HOW MANY RELIG. SERVICES		
			Freq	Pct
		1 = 0 times.....	6297	11.42
		2 = 1 to 2 times.....	2503	4.54
		3 = 3 to 5 times.....	1478	2.68
		4 = 6 to 24 times	2080	3.77
		5 = 25 to 52 times	2118	3.84
		6 = More than 52 times	2768	5.02
		85 = BAD DATA Logically assigned	7	0.01
		94 = DON'T KNOW.....	377	0.68
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP	37424	67.85

RECODED YOUTH EXPERIENCES

RECODED YOUTH EXPERIENCES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

MVIN5YR2	Len : 1 NUMBER OF TIMES YOUTH MOVED IN PST 5 YRS		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = More than One Time (YEMOV5Y2=2 to 6).....	37911	68.73
	2 = None or One Time (YEMOV5Y2=0,1)	4194	7.60
		13055	23.67
SCHFELT	Len : 1 HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	38630	70.03
	2 = Didn't Like Very Much/Hated (YESCHFLT=3,4)	13297	24.11
		3233	5.86
TCHGJOB	Len : 1 TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Always/Sometimes (YETCGJOB=1,2)	38658	70.08
	2 = Seldom/Never (YETCGJOB=3,4).....	13184	23.90
		3318	6.02
AVGGRADE	Len : 1 GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = D or Lower (YELSTGRD=4).....	39405	71.44
	2 = A, B, or C (YELSTGRD=1,2,3).....	770	1.40
		14985	27.17
STNDSCIG	Len : 1 STUDENTS IN YTH GRADE SMOKE CIGARETTES		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Most/All (YESTSCIG=3,4).....	39150	70.98
	2 = None/Few (YESTSCIG=1,2).....	2989	5.42
		13021	23.61
STNDSMJ	Len : 1 STUDENTS IN YTH GRADE USE MARIJUANA/HASHISH		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Most/All (YESTSMJ=3,4)	39277	71.21
	2 = None/Few (YESTSMJ=1,2).....	4585	8.31
		11298	20.48
STNDALC	Len : 1 STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Most/All (YESTSALC=3,4)	39207	71.08
	2 = None/Few (YESTSALC=1,2).....	5693	10.32
		10260	18.60
STNDNDK	Len : 1 STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Most/All (YESTSDNK=3,4)	39460	71.54
	2 = None/Few (YESTSDNK=1,2).....	2103	3.81
		13597	24.65
PARCHKHW	Len : 1 PARENTS CHECK IF HOMEWORK DONE IN PST YR		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Always/Sometimes (YEPCHKHW=1,2).....	38670	70.11
	2 = Seldom/Never (YEPCHKHW=3,4)	13647	24.74
		2843	5.15
PARHLPHW	Len : 1 PARENTS HELP WITH HOMEWORK IN PST YR		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Always/Sometimes (YEPHLPHW=1,2).....	38689	70.14
	2 = Seldom/Never (YEPHLPHW=3,4)	13168	23.87
		3303	5.99

RECODED YOUTH EXPERIENCES

PRCHORE2	Len : 1 PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37524	68.03
PRLMTTV2	Len : 1 PARENTS LIMIT AMOUNT OF TV IN PST YR		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37595	68.16
PARLMTSN	Len : 1 PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		38874	70.47
PRGDJOB2	Len : 1 PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37529	68.04
PRPROUD2	Len : 1 PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37525	68.03
ARGUPAR	Len : 1 TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37698	68.34
YOFIGHT2	Len : 1 YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37518	68.02
YOGRPFT2	Len : 1 YOUTH FOUGHT WITH GROUP VS OTHER GROUP		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37528	68.03
YOHGUN2	Len : 1 YOUTH CARRIED A HANDGUN		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37515	68.01
YOSELL2	Len : 1 YOUTH SOLD ILLEGAL DRUGS		
		Freq	Pct
		.	= Unknown/Aged 18+ (Otherwise)
		37492	67.97

RECODED YOUTH EXPERIENCES

YOSTOLE2	Len : 1	YOUTH STOLE/TRIED TO STEAL ITEM >\$50		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= One or More Times (YEYSTOLE=2,3,4,5)	37504	67.99
	2	= None (YEYSTOLE=1)	538	0.98
			17118	31.03
YOATTAK2	Len : 1	YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= One or More Times (YEYATTAK=2,3,4,5)	37505	67.99
	2	= None (YEYATTAK=1)	978	1.77
			16677	30.23
PRPKCIG2	Len : 1	YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly Disapprove (YEPPKCIG=3)	37703	68.35
	2	= Somewhat Disapprove or Neither (YEPPKCIG=1,2)	16241	29.44
			1216	2.20
PRMJEV2	Len : 1	YTH THINK: PARENTS FEEL ABT YTH TRY MJ/HASH		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly Disapprove (YEPMJEVR=3)	37686	68.32
	2	= Somewhat Disapprove or Neither (YEPMJEVR=1,2)	15300	27.74
			2174	3.94
PRMJMO	Len : 1	YTH THINK: PARENTS FEEL ABT YTH USE MJ/HASH MNTHLY		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly Disapprove (YEPMJMO=3)	37701	68.35
	2	= Somewhat Disapprove or Neither (YEPMJMO=1,2)	15681	28.43
			1778	3.22
PRALDLY2	Len : 1	YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly Disapprove (YEPALDLY=3)	37695	68.34
	2	= Somewhat Disapprove or Neither (YEPALDLY=1,2)	15760	28.57
			1705	3.09
YFLPKCG2	Len : 1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly/Somewhat Disapprove (YEGPKCIG=2,3)	37669	68.29
	2	= Neither Approve Nor Disapprove (YEGPKCIG=1)	16032	29.06
			1459	2.65
YFLTMRJ2	Len : 1	HOW YTH FEELS: PEERS TRY MJ/HASH		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly/Somewhat Disapprove (YEGMJEV2=2,3)	37663	68.28
	2	= Neither Approve Nor Disapprove (YEGMJEV2=1)	13863	25.13
			3634	6.59
YFLMJMO	Len : 1	HOW YTH FEELS: PEERS USING MJ/HASH MONTHLY		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly/Somewhat Disapprove (YEGMJMO=2,3)	37674	68.30
	2	= Neither Approve Nor Disapprove (YEGMJMO=1)	13774	24.97
			3712	6.73
YFLADLY2	Len : 1	HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1	= Strongly/Somewhat Disapprove (YEGALDLY=2,3)	37665	68.28
	2	= Neither Approve Nor Disapprove (YEGALDLY=1)	15547	28.19
			1948	3.53

RECODED YOUTH EXPERIENCES

FRDPCIG2	Len : 1 YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFPCIG=2,3)	37738	68.42
	2 = Neither Approve Nor Disapprove (YEFPCIG=1)	15544	28.18
		1878	3.40

FRDMEVR2	Len : 1 YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MJ/HASH		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFMJEV=2,3)	37743	68.42
	2 = Neither Approve Nor Disapprove (YEFMJEV=1)	13722	24.88
		3695	6.70

FRDMJMON	Len : 1 YTH THINK: CLSE FRNDS FEEL ABT YTH USE MJ/HASH MON		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3)	37750	68.44
	2 = Neither Approve Nor Disapprove (YEFMJMO=1)	13903	25.20
		3507	6.36

FRDADLY2	Len : 1 YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Strongly/Somewhat Disapprove (YEFADLY=2,3)	37760	68.46
	2 = Neither Approve Nor Disapprove (YEFADLY=1)	15022	27.23
		2378	4.31

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as SAS missing.

TALKPROB	Len : 1 WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS		
	. = Otherwise (See comment above)	Freq	Pct
	1 = No One (YETLKNON=1)	37879	68.67
	2 = Someone (YETLKPAR,YETLKBGF,YETLKOTA,or YETLKSOP=1)	809	1.47
		16472	29.86

PRTALK3	Len : 1 TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Yes (YEPRTDNG=1)	37718	68.38
	2 = No (YEPRTDNG=2)	9754	17.68
		7688	13.94

PRBSOLV2	Len : 1 PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Yes (YEPRBSLV=1)	37837	68.59
	2 = No (YEPRBSLV=2)	4036	7.32
		13287	24.09

PREVIOL2	Len : 1 PARTICIPATED IN VIOLENCE PREVENTION PROGRAM		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Yes (YEVIOPRV=1)	37646	68.25
	2 = No (YEVIOPRV=2)	2330	4.22
		15184	27.53

PRVDRGO2	Len : 1 PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL		
	. = Unknown/Aged 18+ (Otherwise)	Freq	Pct
	1 = Yes (YEDGPRGP=1)	37623	68.21
	2 = No (YEDGPRGP=2)	2033	3.69
		15504	28.11

RECODED YOUTH EXPERIENCES

GRPCNSL2	Len : 1 PARTICIPATED IN PROGRAM TO HELP SUBSTANCE ABUSE		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	37662	68.28
	1 = Yes (YESLFHLP=1)	660	1.20
	2 = No (YESLFHLP=2)	16838	30.53

PREGPGM2	Len : 1 PARTICIPATED IN PREG/STD PREVENTION PROGRAM		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	37605	68.17
	1 = Yes (YEPRGSTD=1)	1569	2.84
	2 = No (YEPRGSTD=2)	15986	28.98

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "2 or More Activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as SAS missing. To be included in the "None or 1 Activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

YTHACT2	Len : 1 YTH PARTICIPATED IN YOUTH ACTIVITIES		
	.	Freq	Pct
	. = Otherwise/Aged 18+ (See comment above)	37515	68.01
	1 = None or 1 Activity (See comment above)	2409	4.37
	2 = 2 or More Activities (See comment above)	15236	27.62

DRPRVME3	Len : 1 YTH SEEN DRUG PREVENTION MESSAGE OUTSIDE SCHOOL		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	37673	68.30
	1 = Yes (YEPVNTYR=1)	12737	23.09
	2 = No (YEPVNTYR=2)	4750	8.61

ANYEDUC3	Len : 1 YTH HAD ANY DRUG EDUCATION IN SCHOOL		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	38761	70.27
	1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1)	12111	21.96
	2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2)	4288	7.77

RLGATTD	Len : 1 NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	37916	68.74
	1 = 25 or More (YERLGSVC=5,6)	4886	8.86
	2 = Less than 25 (YERLGSVC=1,2,3,4)	12358	22.40

RLGIMPT	Len : 1 RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	37922	68.75
	1 = Agree/Strongly Agree (YERLGIMP=3,4)	12415	22.51
	2 = Strongly Disagree/Disagree (YERLGIMP=1,2)	4823	8.74

RLGDCSN	Len : 1 RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	37907	68.72
	1 = Agree/Strongly Agree (YERLDCSN=3,4)	11129	20.18
	2 = Strongly Disagree/Disagree (YERLDCSN=1,2)	6124	11.10

RLGFRND	Len : 1 IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS		
	.	Freq	Pct
	. = Unknown/Aged 18+ (Otherwise)	38012	68.91
	1 = Agree/Strongly Agree (YERLFRND=3,4)	5357	9.71
	2 = Strongly Disagree/Disagree (YERLFRND=1,2)	11791	21.38

MENTAL HEALTH

MENTAL HEALTH

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

DSTNRV30¹	Len : 2	HOW OFTEN FELT NERVOUS PAST 30 DAYS		
			Freq	Pct
		1 = All of the time	861	1.56
		2 = Most of the time	1807	3.28
		3 = Some of the time.....	7684	13.93
		4 = A little of the time	13997	25.38
		5 = None of the time	12896	23.38
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED	94	0.17
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

During the past 30 days, how often did you feel hopeless?

DSTHOP30¹	Len : 2	HOW OFTEN FELT HOPELESS PAST 30 DAYS		
			Freq	Pct
		1 = All of the time	672	1.22
		2 = Most of the time	1106	2.01
		3 = Some of the time.....	3692	6.69
		4 = A little of the time	7447	13.50
		5 = None of the time	24322	44.09
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	70	0.13
		97 = REFUSED	108	0.20
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

During the past 30 days, how often did you feel restless or fidgety?

DSTRST30¹	Len : 2	HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS		
			Freq	Pct
		1 = All of the time	864	1.57
		2 = Most of the time	1847	3.35
		3 = Some of the time.....	6746	12.23
		4 = A little of the time	10858	19.68
		5 = None of the time	16887	30.61
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	114	0.21
		97 = REFUSED	101	0.18
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

MENTAL HEALTH

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

DSTCHR30¹	Len : 2	HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP		
			Freq	Pct
		1 = All of the time	579	1.05
		2 = Most of the time	1203	2.18
		3 = Some of the time	3473	6.30
		4 = A little of the time	7094	12.86
		5 = None of the time	24895	45.13
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	73	0.13
		97 = REFUSED	100	0.18
		98 = BLANK (NO ANSWER)	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

During the past 30 days, how often did you feel that everything was an effort?

DSTEFF30¹	Len : 2	HOW OFT FELT EVERYTHING EFFORT PST 30 DYS		
			Freq	Pct
		1 = All of the time	1777	3.22
		2 = Most of the time	2526	4.58
		3 = Some of the time	5645	10.23
		4 = A little of the time	9775	17.72
		5 = None of the time	17333	31.42
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	235	0.43
		97 = REFUSED	126	0.23
		98 = BLANK (NO ANSWER)	5	0.01
		99 = LEGITIMATE SKIP	17735	32.15

During the past 30 days, how often did you feel down on yourself, no good or worthless?

DSTNGD30¹	Len : 2	HOW OFT FELT DOWN/WTHLSS/NO GOOD PST 30 DYS		
			Freq	Pct
		1 = All of the time	704	1.28
		2 = Most of the time	1336	2.42
		3 = Some of the time	3521	6.38
		4 = A little of the time	7513	13.62
		5 = None of the time	24159	43.80
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	75	0.14
		97 = REFUSED	108	0.20
		98 = BLANK (NO ANSWER)	6	0.01
		99 = LEGITIMATE SKIP	17735	32.15

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

DSTWORST¹	Len : 2	MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS		
			Freq	Pct
		1 = Yes	12757	23.13
		2 = No	24409	44.25
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	133	0.24
		97 = REFUSED	116	0.21
		98 = BLANK (NO ANSWER)	7	0.01
		99 = LEGITIMATE SKIP	17735	32.15

MENTAL HEALTH

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

DSTNRV12¹	Len : 2	HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS		
			Freq	Pct
		1 = All of the time	1488	2.70
		2 = Most of the time	3247	5.89
		3 = Some of the time.....	4294	7.78
		4 = A little of the time	2822	5.12
		5 = None of the time	887	1.61
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED	121	0.22
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP	42145	76.41

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

DSTHOP12¹	Len : 2	HOW OFTEN FELT HOPELESS IN WORST MONTH		
			Freq	Pct
		1 = All of the time	1321	2.39
		2 = Most of the time	2337	4.24
		3 = Some of the time.....	3185	5.77
		4 = A little of the time	2844	5.16
		5 = None of the time	3050	5.53
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED	122	0.22
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP	42145	76.41

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

DSTRST12¹	Len : 2	HOW OFTEN FELT RESTLESS IN WORST MONTH		
			Freq	Pct
		1 = All of the time.....	1187	2.15
		2 = Most of the time	2291	4.15
		3 = Some of the time.....	3673	6.66
		4 = A little of the time	3331	6.04
		5 = None of the time	2246	4.07
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED	126	0.23
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP	42145	76.41

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

DSTCHR12¹	Len : 2	HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH		
			Freq	Pct
		1 = All of the time	1382	2.51
		2 = Most of the time	2331	4.23
		3 = Some of the time.....	3016	5.47
		4 = A little of the time	2922	5.30
		5 = None of the time	3085	5.59
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED	125	0.23
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP	42145	76.41

MENTAL HEALTH

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

DSTEFF12¹	Len : 2	HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON		
			Freq	Pct
		1 = All of the time.....	1631	2.96
		2 = Most of the time	2573	4.66
		3 = Some of the time.....	3224	5.84
		4 = A little of the time	3165	5.74
		5 = None of the time	2106	3.82
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED	128	0.23
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP	42145	76.41

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

DSTNGD12¹	Len : 2	HOW OFTEN FELT NO GOOD IN WORST MONTH		
			Freq	Pct
		1 = All of the time.....	1326	2.40
		2 = Most of the time	2081	3.77
		3 = Some of the time.....	2742	4.97
		4 = A little of the time	2881	5.22
		5 = None of the time	3701	6.71
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	127	0.23
		98 = BLANK (NO ANSWER).....	140	0.25
		99 = LEGITIMATE SKIP	42145	76.41

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

IMPREMEM¹	Len : 2	DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS		
			Freq	Pct
		1 = No difficulty.....	15138	27.44
		2 = Mild difficulty	10044	18.21
		3 = Moderate difficulty.....	3962	7.18
		4 = Severe difficulty	972	1.76
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	124	0.22
		97 = REFUSED	77	0.14
		99 = LEGITIMATE SKIP	24840	45.03

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

IMPCONCN¹	Len : 2	DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS		
			Freq	Pct
		1 = No difficulty.....	13383	24.26
		2 = Mild difficulty	10665	19.33
		3 = Moderate difficulty.....	4732	8.58
		4 = Severe difficulty	1345	2.44
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	115	0.21
		97 = REFUSED	77	0.14
		99 = LEGITIMATE SKIP	24840	45.03

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

IMPGOUT¹	Len : 2	DIFFICULTY GOING OUT ONE MO IN PST 12 MO		
			Freq	Pct
		1 = No difficulty	20679	37.49
		2 = Mild difficulty	4958	8.99
		3 = Moderate difficulty	2798	5.07
		4 = Severe difficulty	1067	1.93
		5 = You didn't leave the house on your own	644	1.17
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	86	0.16
		97 = REFUSED	85	0.15
		99 = LEGITIMATE SKIP	24840	45.03

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

IMPGOUTM¹	Len : 2	EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE		
			Freq	Pct
		1 = Yes	392	0.71
		2 = No	250	0.45
		94 = DON'T KNOW	2	0.00
		97 = REFUSED	85	0.15
		98 = BLANK (NO ANSWER)	88	0.16
		99 = LEGITIMATE SKIP	54343	98.52

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

IMPPEOP¹	Len : 2	DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M		
			Freq	Pct
		1 = No difficulty	17923	32.49
		2 = Mild difficulty	6585	11.94
		3 = Moderate difficulty	3277	5.94
		4 = Severe difficulty	1374	2.49
		5 = You didn't deal with people you did not know well	964	1.75
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned	1	0.00
		94 = DON'T KNOW	110	0.20
		97 = REFUSED	84	0.15
		99 = LEGITIMATE SKIP	24840	45.03

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

IMPPEOPM¹	Len : 2	EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR		
			Freq	Pct
		1 = Yes	473	0.86
		2 = No	487	0.88
		94 = DON'T KNOW	4	0.01
		97 = REFUSED	84	0.15
		98 = BLANK (NO ANSWER)	112	0.20
		99 = LEGITIMATE SKIP	54000	97.90

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

IMPSOC¹	Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO		
		Freq	Pct
	1 = No difficulty	17121	31.04
	2 = Mild difficulty	6474	11.74
	3 = Moderate difficulty.....	3644	6.61
	4 = Severe difficulty	1733	3.14
	5 = You didn't participate in social activities	1176	2.13
	85 = BAD DATA Logically assigned	2	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	82	0.15
	97 = REFUSED	87	0.16
	99 = LEGITIMATE SKIP	24840	45.03

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

IMPSOCM¹	Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL		
		Freq	Pct
	1 = Yes	715	1.30
	2 = No.....	459	0.83
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	87	0.16
	98 = BLANK (NO ANSWER).....	84	0.15
	99 = LEGITIMATE SKIP	53813	97.56

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

IMPHHLD¹	Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO		
		Freq	Pct
	1 = No difficulty	17254	31.28
	2 = Mild difficulty	7255	13.15
	3 = Moderate difficulty.....	3754	6.81
	4 = Severe difficulty	1533	2.78
	5 = You didn't take care of household responsibilities	360	0.65
	85 = BAD DATA Logically assigned	2	0.00
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW	77	0.14
	97 = REFUSED	84	0.15
	99 = LEGITIMATE SKIP	24840	45.03

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

IMPHHLD¹	Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS		
		Freq	Pct
	1 = Yes	233	0.42
	2 = No.....	126	0.23
	94 = DON'T KNOW.....	1	0.00
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	79	0.14
	99 = LEGITIMATE SKIP	54637	99.05

MENTAL HEALTH

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

IMPRES¹	Len : 2	DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO		
			Freq	Pct
		1 = No difficulty	17775	32.22
		2 = Mild difficulty	6886	12.48
		3 = Moderate difficulty.....	3008	5.45
		4 = Severe difficulty	1155	2.09
		5 = You didn't work or go to school	1299	2.35
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW	96	0.17
		97 = REFUSED	98	0.18
		99 = LEGITIMATE SKIP	24840	45.03

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

IMPRES¹	Len : 2	DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL		
			Freq	Pct
		1 = Yes	338	0.61
		2 = No.....	946	1.72
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	98	0.18
		99 = LEGITIMATE SKIP	53665	97.29

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

IMPWORK¹	Len : 2	DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO		
			Freq	Pct
		1 = No difficulty	15865	28.76
		2 = Mild difficulty	8624	15.63
		3 = Moderate difficulty.....	3336	6.05
		4 = Severe difficulty	1020	1.85
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED	86	0.16
		99 = LEGITIMATE SKIP	26139	47.39

You mentioned having difficulty with or being unable to do such things as [FILLS].

During the past 12 months, about how many weeks did you have these kinds of difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

IMPWEEKS¹	Len : 2	NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH		
			Freq	Pct
		RANGE = 1 - 52.....	20982	38.04
		94 = DON'T KNOW.....	772	1.40
		97 = REFUSED	236	0.43
		98 = BLANK (NO ANSWER).....	147	0.27
		99 = LEGITIMATE SKIP	33023	59.87

During that/those [imweek1fill] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

IMPDYFRQ¹	Len : 2	HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES		
			Freq	Pct
		1 = Every day	1160	2.10
		2 = Most days	6465	11.72
		3 = Only one or two days a week	13290	24.09
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	254	0.46
		98 = BLANK (NO ANSWER).....	919	1.67
		99 = LEGITIMATE SKIP	33023	59.87

MENTAL HEALTH

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

IMPYDAYS¹	Len : 3	HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK		
			Freq	Pct
		RANGE = 0 - 365.....	21507	38.99
		994 = DON'T KNOW.....	343	0.62
		997 = REFUSED	140	0.25
		998 = BLANK (NO ANSWER).....	147	0.27
		999 = LEGITIMATE SKIP	33023	59.87

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [datefill] up to and including today, did you seriously think about trying to kill yourself?

SUICTHNK¹	Len : 2	SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS		
			Freq	Pct
		1 = Yes	2126	3.85
		2 = No.....	35106	63.64
		85 = BAD DATA Logically assigned	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED	133	0.24
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP	17735	32.15

During the past 12 months, did you make any plans to kill yourself?

SUICPLAN¹	Len : 2	MAKE PLANS TO KILL YOURSELF PST 12 MOS		
			Freq	Pct
		1 = Yes	690	1.25
		2 = No.....	1434	2.60
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	134	0.24
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP	52842	95.80

During the past 12 months, did you try to kill yourself?

SUICTRY¹	Len : 2	TRY TO KILL YOURSELF PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	345	0.63
		2 = No.....	1779	3.23
		85 = BAD DATA Logically assigned	3	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	133	0.24
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP	52842	95.80

RECODED MENTAL HEALTH

RECODED MENTAL HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following two sections: Mental Health and Recoded Substance Dependence and Abuse.

Recoded variables were defined to measure psychological distress, Serious Mental Illness (SMI) and other levels of mental illness, as well as suicide ideation. A logistic regression model revised in 2012 is used to determine the predicted probability of SMI. The predicted mental illness variables (e.g., SMIYR_U, AMIYR_U) that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the K6 variables (including serious psychological distress) or WHODAS variables in any analyses. Specific details about the creation and use of the distress and mental illness variables can be found in the Recoded Mental Health Appendix.

NOTE: The following five variables contain information about psychological distress. The 2008 NSDUH was the first survey year where variables on past month psychological distress (K6SCMON and SPDMON) were available and these variables were used beginning with the 2008 Detailed Tables. A second set of variables describes past year psychological distress (K6SCYR, K6SCMAX, and SPDYR). The past year distress variables, K6SCMAX and SPDYR, were created based on data from the past month K6 items and the worst month in the past year K6 items. Prior to the 2008 NSDUH, past year distress was based only on the worst month in the past year K6 items (SPD_UADJ). Due to the addition of the past month K6 items, it was determined that past year SPD in 2008 and later years is not comparable with years prior to 2008. In order to be able to make comparisons of SPD estimates across years, statistically adjusted variables were created for 2005-2007. The 2005-2007 adjusted past year SPD recodes, K6SMXADJ and SPDYRADJ, can be renamed to the 2008 SPD variable names for use in analyses that use data from 2005 and subsequent years.

The following variable, K6SCMON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCMON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

K6SCMON		Len : 2	K6 TOTAL SCORE IN PAST MONTH		
				Freq	Pct
	RANGE = 0 - 24.....			37424	67.85
	. = Aged 12-17 (AGE2<7)			17736	32.15
SPDMON		Len : 1	PAST MONTH SERIOUS PSYCH DISTRESS INDICATOR		
				Freq	Pct
	. = Aged 12-17 (K6SCMON=.)			17736	32.15
	0 = No (K6SCMON<13)			34818	63.12
	1 = Yes (K6SCMON>=13)			2606	4.72

RECODED MENTAL HEALTH

NOTE: The two variables directly above are defined based on questions asking about a respondent's level of psychological distress over the past 30 days. Respondents were then asked if there was a month in the past 12 months when they felt more depressed, anxious, or emotionally stressed than they felt in the past 30 days. This level of psychological distress is referenced as the "worst month in past year" in the following documentation.

The following variable, K6SCYR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer you up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on yourself, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" and all other responses were coded 0. These assigned values were summed across the six items to calculate a total score for K6SCYR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, K6SCYR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

K6SCYR	Len : 2 K6 TOTAL SCORE IN WORST MONTH OF PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24.....	12757	23.13
	. = Aged 12-17 (AGE2<7) or DSTWORST=2	42403	76.87

The following variable, K6SCMAX, is defined to be the higher K6 score between the past month K6 total score (K6SCMON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (K6SCYR) variable.

K6SCMAX	Len : 2 WORST K6 TOTAL SCORE IN PAST YEAR		
		Freq	Pct
	RANGE = 0 - 24.....	37424	67.85
	. = Aged 12-17 (AGE2<7)	17736	32.15

SPDYR	Len : 1 PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR		
		Freq	Pct
	. = Aged 12-17 (K6SCMAX=.).....	17736	32.15
	0 = No (K6SCMAX<13).....	31814	57.68
	1 = Yes (K6SCMAX>=13).....	5610	10.17

NOTE: The following four variables present suicide information based on responses to the suicidal ideation screen.

MHSUITHK	Len : 1 SERIOUSLY THOUGHT ABOUT KILLING SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise)	17928	32.50
	0 = No (SUICTHNK=2)	35106	63.64
	1 = Yes (SUICTHNK=1).....	2126	3.85

The following suicide variable, MHSUTK_U, is used in the 2012 mental illness prediction model. It is defined differently than MHSUITHK which is used in the mental health detailed tables. See the mental illness variables further down in this section and the Recoded Mental Health Appendix for more details.

MHSUTK_U	Len : 1 SERIOUS TGHT ABT KILL SLF PY - 'UNKN' IMP AS 'NO'		
		Freq	Pct
	. = Aged 12-17 (AGE2<7)	17736	32.15
	0 = No/Unknown (AGE2>=7 and MHSUITHK=.,0)	35298	63.99
	1 = Yes (AGE2>=7 and MHSUITHK=1)	2126	3.85

MHSUIPLN	Len : 1 MADE PLANS TO KILL SELF IN PAST YEAR		
		Freq	Pct
	. = Aged 12-17/Unknown (Otherwise)	17930	32.51
	0 = No (SUICPLAN=2 or MHSUITHK=0)	36540	66.24
	1 = Yes (SUICPLAN=1)	690	1.25

RECODED MENTAL HEALTH

MHSUITRY

Len : 1 ATTEMPTED TO KILL SELF IN PAST YEAR

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	17930	32.51
0 = No (SUICTRY=2 or MHSUITHK=0)	36885	66.87
1 = Yes (SUICTRY=1)	345	0.63

NOTE: The following 10 variables pertain to the creation of the variables on mental illness. These variables include total scores from the psychological distress and impairment scales, the predicted probability of serious mental illness (SMI), and indicators of various levels of mental illness. Until 2012, a model developed for the 2008 NSDUH was used to determine mental illness status. A revised and improved model predicting mental illness was used starting with the 2012 NSDUH. All mental illness estimates presented in detailed or mental health detailed tables from the 2008 NSDUH and onward have been updated; thus, these estimates are based on the revised model. Additional details about the creation and use of these variables are provided in the Recoded Mental Health Appendix.

The following variable, WSPDSC2, is an alternative version of the original worst K6 total score in the past year (K6SCMAX) with values ranging from 0 to 17 rather than 0 to 24. The original total score variable is documented previously in this section with the psychological distress variables. This alternative total score was calculated by assigning a value of 0 when K6SCMAX had a value from 0 to 7 and assigning a value of 1 to 17 when K6SCMAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

WSPDSC2

Len : 2 ALTERNATIVE WORST K6 TOTAL SCORE

	Freq	Pct
RANGE = 0 - 17.....	37424	67.85
. = Aged 12-17 (AGE2<7)	17736	32.15

NOTE: The following two variables, WHODASC2 and WHODASC3, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables K6SCMON and K6SCYR) at least "a little of the time" (i.e., K6SCMON greater than 0 or K6SCYR greater than 0) were asked about remembering to do things they needed to do (IMPREMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRES, IMPRESM), and getting daily work done as quickly as needed (IMPWORK, IMPRESM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the original WHODAS total score, WHODASC2, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" were assigned a value of a 3 as having "severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC2 which ranges from 0 to 24.

For the alternative WHODAS total score, WHODASC3, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" were assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses and nonresponses for each activity. These assigned values were summed to calculate a total score for WHODASC3 which ranges from 0 to 8. The alternative version of the WHODAS total score (WHODASC3) was used in the regression model to determine SMI, since it was thought that the sum of a dichotomous measure might fit better than the sum of a linear continuous measure.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

WHODASC2

Len : 2 WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24.....	37424	67.85
. = Aged 12-17 (AGE2<7)	17736	32.15

WHODASC3

Len : 1 ALTERNATIVE WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 8.....	37424	67.85
. = Aged 12-17 (AGE2<7)	17736	32.15

RECODED MENTAL HEALTH

NOTE: The following 11 mental illness variables are based on the 2012 mental illness prediction model. These variables are not comparable with similarly named variables (based on the 2008 mental illness prediction model) in previous NSDUHs; thus, these variables were renamed by appending “_U” to the previous variable names. Starting with the 2014 NSDUH, new mental illness variable names end only with a “U” and there are no existing similarly named 2008 model based variables. Recommendations concerning the analysis of the mental illness variables derived from the predicted probability of SMI (SMIPP_U) are noted in the documentation above SMIYR_U. Variables based on the 2008 mental illness prediction model are not being provided for the 2012 and future NSDUHs. All the 2008 model-based mental illness variables typically found in this section have been removed from the 2008-2011 NSDUH data files and replaced with the revised 2012 model based mental illness variables. The only exception is SMIPP (the SMI predicted probability based on the 2008 model) which remains available on the 2008-2011 NSDUH data files. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

In order to be able to make comparisons of SMI estimates across years, SMI variables were created for 2005-2007 based on an alternative model. The 2005-2007 SMI recodes, SMIPP_A and SMIYR_A, are considered comparable with the variables SMIPP_U and SMIYR_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables. Specific details about these 2005-2007 variables are provided in the Recoded Mental Health Appendix.

The following variable, SMIPP_U, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 revised logistic regression model. SMIPP_U was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

SMIPP_U Len : 12 PREDICTED SERIOUS MENTAL ILLNESS PROB REVISED			
		Freq	Pct
RANGE = 0.0025409721 - 0.9291205406.....		37424	67.85
. = Aged 12-17 (AGE2<7)		17736	32.15

NOTE: The following six variables (SMIYR_U, AMIYR_U, SMMIYR_U, MMIYR_U, LMIYR_U, and LMMIYRU) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

In order to be able to make comparisons of SMI estimates across years, SMI variables were created for 2005-2007 based on an alternative model. The 2005-2007 SMI recodes, SMIPP_A and SMIYR_A, are considered comparable with the variables SMIPP_U and SMIYR_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables. The same analysis recommendation noted above also applies for the 2005-2007 SMIYR_A variable. Specific details about these 2005-2007 variables are provided in the Recoded Mental Health Appendix.

The following variable, SMIYR_U, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.260573529) then SMIYR_U=1, and if SMIPP_U is less than the cutoff point then SMIYR_U=0. This indicator is not comparable with SMI variables prior to 2008, in which SMI was only based on psychological distress. Also, this indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

SMIYR_U Len : 1 SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB			
		Freq	Pct
. = Aged 12-17 (AGE2<7)		17736	32.15
0 = No Past Year SMI (See comment above).....		35595	64.53
1 = Past Year SMI (See comment above)		1829	3.32

The following variable, AMIYR_U, is an indicator for Any Mental Illness (AMI) based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.0192519810) then AMIYR_U=1, and if SMIPP_U is less than the cutoff point then AMIYR_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

AMIYR_U Len : 1 AMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB			
		Freq	Pct
. = Aged 12-17 (AGE2<7)		17736	32.15
0 = No Past Yr Any Mental Illness (See comment above)		29801	54.03
1 = Past Year Any Mental Illness (See comment above).....		7623	13.82

RECODED MENTAL HEALTH

The following variable, SMMIYR_U, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 revised predicted probability of SMI (SMIPP_U). If SMIPP_U is greater than or equal to a specified cutoff point (0.077686285365) then SMMIYR_U=1, and if SMIPP_U is less than the cutoff point then SMMIYR_U=0. This indicator based on the 2012 model is not comparable with the indicator based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

SMMIYR_U	Len : 1	SMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB		
			Freq	Pct
.	= Aged 12-17 (AGE2<7)		17736	32.15
0	= No Past Year SMMI (See comment above)		33621	60.95
1	= Past Year SMMI (See comment above)		3803	6.89

The following variable, MMIYR_U, is an indicator for Moderate Mental Illness (MMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

MMIYR_U	Len : 1	MOD MI IND (1/0) BASED ON REVISED PRED SMI PROB		
			Freq	Pct
.	= Aged 12-17 (AGE2<7)		17736	32.15
0	= No Past Year MMI (Otherwise)		35450	64.27
1	= Past Year MMI (SMMIYR_U=1 and SMIYR_U=0)		1974	3.58

The following variable, LMIYR_U, is an indicator for Mild (Low) Mental Illness (LMI). This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

LMIYR_U	Len : 1	MILD MI IND (1/0) BASED ON REVISED PRED SMI PROB		
			Freq	Pct
.	= Aged 12-17 (AGE2<7)		17736	32.15
0	= No Past Year LMI (Otherwise)		33604	60.92
1	= Past Year LMI (AMIYR_U=1 and SMMIYR_U=0)		3820	6.93

The following variable, LMMIYRU, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

LMMIYRU	Len : 1	LMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB		
			Freq	Pct
.	= Aged 12-17 (AGE2 < 7)		17736	32.15
0	= No Past Year LMMI (Otherwise)		31630	57.34
1	= Past Year LMMI (LMIYR_U=1 or MMIYR_U=1)		5794	10.50

The following variable, MI_CAT_U, is a categorical mental illness indicator. This indicator derived from mental illness variables based on the 2012 model is not comparable with the indicator derived from mental illness variables based on the 2008 model. Please note that MI_CAT_U is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

MI_CAT_U	Len : 1	CATEGORICAL MI INDICATOR REVISED		
			Freq	Pct
.	= Aged 12-17 (AGE2<7)		17736	32.15
0	= No Past Year MI (SMIYR_U & LMIYR_U & MMIYR_U=0)		29801	54.03
1	= Past Year Mild Mental Illness (LMIYR_U=1)		3820	6.93
2	= Past Year Moderate Mental Illness (MMIYR_U=1)		1974	3.58
3	= Past Year Serious Mental Illness (SMIYR_U=1)		1829	3.32

RECODED MENTAL HEALTH

NOTE: The following three variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPP_U) with drug or alcohol dependence or abuse in the past year. These variables based on the 2012 mental illness prediction model are not comparable with similarly named variables from previous years using SMI based on the 2008 mental illness prediction model. Starting with the 2014 NSDUH, new combination recodes end only with a "U" and there are no existing similarly named 2008 model based variables. Please note that SMIDA2_U, AMIDA2_U, and LMMIADAU are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of the mental illness variables used in these recodes can be found in the Recoded Mental Health Appendix. Specific information about the dependence or abuse variables used in these recodes can be found in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.

SMIDA2_U	Len : 1	SMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)		
			Freq	Pct
	.	= Aged 12-17 (SMIYR_U=.)	17736	32.15
	1	= Yes (SMIYR_U=1 and ABODILAL=1)	554	1.00
	2	= No (SMIYR_U=0 or ABODILAL=0)	36870	66.84
AMIDA2_U	Len : 1	AMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)		
			Freq	Pct
	.	= Aged 12-17 (AMIYR_U=.)	17736	32.15
	1	= Yes (AMIYR_U=1 and ABODILAL=1)	1835	3.33
	2	= No (AMIYR_U=0 or ABODILAL=0)	35589	64.52
LMMIADAU	Len : 1	LMMI AND DRUG/ALCOHOL DEP OR ABUSE (1/0)		
			Freq	Pct
	.	= Aged 12-17 (LMMIYRU=.)	17736	32.15
	0	= No (LMMIYRU=0 or ABODILAL=0)	36143	65.52
	1	= Yes (LMMIYRU=1 and ABODILAL=1)	1281	2.32

ADULT DEPRESSION

ADULT DEPRESSION

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

NOTE: All of the respondents aged 18 or older were asked the questions in the Adult Depression module in this current survey year. In the 2004 survey, a subset of the adults was asked these questions.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

ADDPREV¹	Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD		
		Freq	Pct
	1 = Yes	12088	21.91
	2 = No.....	25160	45.61
	85 = BAD DATA Logically assigned	3	0.01
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	56	0.10
	97 = REFUSED	109	0.20
	98 = BLANK (NO ANSWER).....	8	0.01
	99 = LEGITIMATE SKIP	17735	32.15

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

ADDSCV¹	Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE		
		Freq	Pct
	1 = Yes	3161	5.73
	2 = No.....	21987	39.86
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	65	0.12
	97 = REFUSED	112	0.20
	98 = BLANK (NO ANSWER).....	11	0.02
	99 = LEGITIMATE SKIP	29823	54.07

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

ADLOSEV¹	Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		Freq	Pct
	1 = Yes	1071	1.94
	2 = No.....	20920	37.93
	89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
	94 = DON'T KNOW.....	65	0.12
	97 = REFUSED	108	0.20
	98 = BLANK (NO ANSWER).....	11	0.02
	99 = LEGITIMATE SKIP	32984	59.80

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

ADDPDISC¹	Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		Freq	Pct
	1 = Yes	11070	20.07
	2 = No.....	1008	1.83
	85 = BAD DATA Logically assigned	3	0.01
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	135	0.24
	99 = LEGITIMATE SKIP	42934	77.84

ADULT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

ADDPLSIN¹	Len : 2	EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
			Freq	Pct
		1 = Yes	9510	17.24
		2 = No.....	2561	4.64
		85 = BAD DATA Logically assigned	3	0.01
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP	42934	77.84

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

ADDLSIN¹	Len : 2	EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED		
			Freq	Pct
		1 = Yes	1560	2.83
		2 = No.....	1599	2.90
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	159	0.29
		99 = LEGITIMATE SKIP	51840	93.98

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

ADLSI2WK¹	Len : 2	PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR		
			Freq	Pct
		1 = Yes	211	0.38
		2 = No.....	855	1.55
		94 = DON'T KNOW.....	5	0.01
		98 = BLANK (NO ANSWER).....	184	0.33
		99 = LEGITIMATE SKIP	53905	97.72

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

ADDPR2WK¹	Len : 2	TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR		
			Freq	Pct
		1 = Yes	9045	16.40
		2 = No.....	6143	11.14
		85 = BAD DATA Logically assigned	3	0.01
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED	22	0.04
		98 = BLANK (NO ANSWER).....	156	0.28
		99 = LEGITIMATE SKIP	39752	72.07

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

ADWRHRS¹	Len : 2	TIME THAT MOST SEVERE/FREQUENT MOOD LASTED		
			Freq	Pct
		1 = Less than 1 hour	796	1.44
		2 = At least 1 hour but no more than 3 hours	2331	4.23
		3 = At least 3 hours but no more than 5 hours.....	2263	4.10
		4 = 5 hours or more	3781	6.85
		85 = BAD DATA Logically assigned	3	0.01
		94 = DON'T KNOW.....	70	0.13
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	247	0.45
		99 = LEGITIMATE SKIP	45654	82.77

ADULT DEPRESSION

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

ADWRDST¹	Len : 2	HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS		
			Freq	Pct
		1 = Mild.....	1061	1.92
		2 = Moderate	3559	6.45
		3 = Severe	2758	5.00
		4 = Very Severe.....	1044	1.89
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED	13	0.02
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	46450	84.21

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

ADWRCHR¹	Len : 2	EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP		
			Freq	Pct
		1 = Often.....	2130	3.86
		2 = Sometimes.....	3966	7.19
		3 = Rarely.....	1763	3.20
		4 = Never.....	566	1.03
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	46450	84.21

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

ADWRIMP¹	Len : 2	EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES		
			Freq	Pct
		1 = Often.....	1266	2.30
		2 = Sometimes.....	3031	5.49
		3 = Rarely.....	2383	4.32
		4 = Never.....	1749	3.17
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED	17	0.03
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	46450	84.21

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

ADPPROB¹	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			Freq	Pct
		1 = Yes	6665	12.08
		2 = No.....	1572	2.85
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	46659	84.59

ADULT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

ADWRPROB¹	Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
		Freq	Pct
	1 = Yes	4522	8.20
	2 = No.....	2112	3.83
	94 = DON'T KNOW.....	26	0.05
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER).....	264	0.48
	99 = LEGITIMATE SKIP	48231	87.44

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

ADWRAGE¹	Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED		
		Freq	Pct
	RANGE = 1 - 95.....	6523	11.83
	985 = BAD DATA Logically assigned	2	0.00
	994 = DON'T KNOW.....	121	0.22
	997 = REFUSED	19	0.03
	998 = BLANK (NO ANSWER).....	264	0.48
	999 = LEGITIMATE SKIP	48231	87.44

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

ADWRDEPR¹	Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		Freq	Pct
	1 = Yes	5084	9.22
	2 = No.....	1548	2.81
	94 = DON'T KNOW.....	25	0.05
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	264	0.48
	99 = LEGITIMATE SKIP	48231	87.44

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

ADWRDISC¹	Len : 2 WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY		
		Freq	Pct
	1 = Yes	5250	9.52
	2 = No.....	1380	2.50
	94 = DON'T KNOW.....	25	0.05
	97 = REFUSED	10	0.02
	98 = BLANK (NO ANSWER).....	264	0.48
	99 = LEGITIMATE SKIP	48231	87.44

ADULT DEPRESSION

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

ADWRLSIN¹	Len : 2	WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
			Freq	Pct
		1 = Yes	5092	9.23
		2 = No.....	1544	2.80
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	264	0.48
		99 = LEGITIMATE SKIP	48231	87.44

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

ADWRPLSR¹	Len : 2	WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS		
			Freq	Pct
		1 = Yes	4279	7.76
		2 = No.....	2341	4.24
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	264	0.48
		99 = LEGITIMATE SKIP	48231	87.44

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

ADWRELES¹	Len : 2	WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY		
			Freq	Pct
		1 = Yes	3877	7.03
		2 = No.....	2183	3.96
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	286	0.52
		99 = LEGITIMATE SKIP	48778	88.43

Did you have a much larger appetite than usual nearly every day?

ADWREMOR¹	Len : 2	WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY		
			Freq	Pct
		1 = Yes	1151	2.09
		2 = No.....	1042	1.89
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	286	0.52
		99 = LEGITIMATE SKIP	52655	95.46

Did you gain weight without trying to during that [TIMEFILL] period of time?

ADWRGAIN¹	Len : 2	WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
			Freq	Pct
		1 = Yes	1156	2.10
		2 = No.....	1034	1.87
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	286	0.52
		99 = LEGITIMATE SKIP	52655	95.46

ADULT DEPRESSION

Did you gain weight without trying to because you were growing?

ADWRGROW¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
			Freq	Pct
	1 = Yes		95	0.17
	2 = No.....		413	0.75
	94 = DON'T KNOW.....		4	0.01
	98 = BLANK (NO ANSWER).....		321	0.58
	99 = LEGITIMATE SKIP		54327	98.49

Did you gain weight without trying to because you were pregnant?

ADWRPREG¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
			Freq	Pct
	1 = Yes		54	0.10
	2 = No.....		715	1.30
	94 = DON'T KNOW.....		1	0.00
	97 = REFUSED		2	0.00
	98 = BLANK (NO ANSWER).....		161	0.29
	99 = LEGITIMATE SKIP		54227	98.31

How many pounds did you gain? Please enter your answer as a whole number.

ADWRGNL2¹	Len : 3	WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
			Freq	Pct
	RANGE = 0 - 20.....		562	1.02
	21 = 21 to 25 pounds		67	0.12
	22 = 26 to 30 pounds		98	0.18
	23 = 31 to 35 pounds		21	0.04
	24 = 36 to 40 pounds		71	0.13
	25 = 41 to 45 pounds		17	0.03
	26 = 46 to 50 pounds		63	0.11
	27 = 51 or more pounds.....		85	0.15
	994 = DON'T KNOW.....		19	0.03
	997 = REFUSED		4	0.01
	998 = BLANK (NO ANSWER).....		315	0.57
	999 = LEGITIMATE SKIP		53838	97.60

Did you lose weight without trying to?

ADWRLOSE¹	Len : 2	WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
			Freq	Pct
	1 = Yes		3124	5.66
	2 = No.....		1770	3.21
	94 = DON'T KNOW.....		41	0.07
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		292	0.53
	99 = LEGITIMATE SKIP		49928	90.51

Did you lose weight without trying to because you were sick or on a diet?

ADWRDIET¹	Len : 2	WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
			Freq	Pct
	1 = Yes		728	1.32
	2 = No.....		2389	4.33
	94 = DON'T KNOW.....		7	0.01
	98 = BLANK (NO ANSWER).....		338	0.61
	99 = LEGITIMATE SKIP		51698	93.72

ADULT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

ADWRLSL2¹	Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		Freq	Pct
	RANGE = 0 - 20.....	1846	3.35
	21 = 21 to 25 pounds.....	112	0.20
	22 = 26 to 30 pounds.....	176	0.32
	23 = 31 to 35 pounds.....	32	0.06
	24 = 36 to 40 pounds.....	49	0.09
	25 = 41 to 45 pounds.....	21	0.04
	26 = 46 to 50 pounds.....	42	0.08
	27 = 51 or more pounds.....	56	0.10
	994 = DON'T KNOW.....	59	0.11
	997 = REFUSED.....	3	0.01
	998 = BLANK (NO ANSWER).....	338	0.61
	999 = LEGITIMATE SKIP.....	52426	95.04

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

ADWRSLEP¹	Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		Freq	Pct
	1 = Yes.....	4963	9.00
	2 = No.....	1111	2.01
	94 = DON'T KNOW.....	18	0.03
	97 = REFUSED.....	4	0.01
	98 = BLANK (NO ANSWER).....	286	0.52
	99 = LEGITIMATE SKIP.....	48778	88.43

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

ADWRSMOR¹	Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		Freq	Pct
	1 = Yes.....	692	1.25
	2 = No.....	423	0.77
	94 = DON'T KNOW.....	12	0.02
	97 = REFUSED.....	6	0.01
	98 = BLANK (NO ANSWER).....	286	0.52
	99 = LEGITIMATE SKIP.....	53741	97.43

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

ADWRENRG¹	Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		Freq	Pct
	1 = Yes.....	5580	10.12
	2 = No.....	497	0.90
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED.....	6	0.01
	98 = BLANK (NO ANSWER).....	286	0.52
	99 = LEGITIMATE SKIP.....	48778	88.43

Did you talk or move more slowly than is normal for you nearly every day?

ADWRSLOW¹	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		Freq	Pct
	1 = Yes.....	3567	6.47
	2 = No.....	2474	4.49
	94 = DON'T KNOW.....	49	0.09
	97 = REFUSED.....	6	0.01
	98 = BLANK (NO ANSWER).....	286	0.52
	99 = LEGITIMATE SKIP.....	48778	88.43

ADULT DEPRESSION

Did anyone else notice that you were talking or moving slowly?

ADWRSLNO¹	Len : 2	WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
			Freq	Pct
	1 = Yes		2577	4.67
	2 = No.....		958	1.74
	94 = DON'T KNOW.....		32	0.06
	98 = BLANK (NO ANSWER).....		341	0.62
	99 = LEGITIMATE SKIP		51252	92.92

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

ADWRJITT¹	Len : 2	WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
			Freq	Pct
	1 = Yes		597	1.08
	2 = No.....		1910	3.46
	94 = DON'T KNOW.....		17	0.03
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		52345	94.90

Did anyone else notice that you were restless?

ADWRJINO¹	Len : 2	WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS		
			Freq	Pct
	1 = Yes		441	0.80
	2 = No.....		148	0.27
	94 = DON'T KNOW.....		8	0.01
	98 = BLANK (NO ANSWER).....		308	0.56
	99 = LEGITIMATE SKIP		54255	98.36

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

ADWRTHOT¹	Len : 2	WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING		
			Freq	Pct
	1 = Yes		3213	5.82
	2 = No.....		2835	5.14
	94 = DON'T KNOW.....		39	0.07
	97 = REFUSED		9	0.02
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

Did you have a lot more trouble concentrating than usual nearly every day?

ADWRCONC¹	Len : 2	WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
			Freq	Pct
	1 = Yes		4417	8.01
	2 = No.....		1649	2.99
	94 = DON'T KNOW.....		22	0.04
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

ADWRDCSN¹	Len : 2	WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
			Freq	Pct
	1 = Yes		3474	6.30
	2 = No.....		2586	4.69
	94 = DON'T KNOW.....		30	0.05
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

ADULT DEPRESSION

Did you feel that you were not as good as other people nearly every day?

ADWRNOGD¹	Len : 2	WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
			Freq	Pct
	1 = Yes		4406	7.99
	2 = No.....		1669	3.03
	94 = DON'T KNOW.....		15	0.03
	97 = REFUSED		6	0.01
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

Did you feel totally worthless nearly every day?

ADWRWRTH¹	Len : 2	WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
			Freq	Pct
	1 = Yes		3287	5.96
	2 = No.....		1116	2.02
	94 = DON'T KNOW.....		3	0.01
	98 = BLANK (NO ANSWER).....		307	0.56
	99 = LEGITIMATE SKIP		50447	91.46

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

ADWRDLOT¹	Len : 2	WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
			Freq	Pct
	1 = Yes		3229	5.85
	2 = No.....		2845	5.16
	94 = DON'T KNOW.....		8	0.01
	97 = REFUSED		14	0.03
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

During that period, did you ever think that it would be better if you were dead?

ADWRDBTR¹	Len : 2	WHEN PRBLMS WORST THNK IT WOULD BE BETTER IF DEAD		
			Freq	Pct
	1 = Yes		3009	5.46
	2 = No.....		3063	5.55
	94 = DON'T KNOW.....		7	0.01
	97 = REFUSED		17	0.03
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

Did you think about committing suicide?

ADWRSTHK¹	Len : 2	WHEN PRBLMS WORST THINK ABOUT COMMITTING SUICIDE		
			Freq	Pct
	1 = Yes		2362	4.28
	2 = No.....		3708	6.72
	94 = DON'T KNOW.....		8	0.01
	97 = REFUSED		18	0.03
	98 = BLANK (NO ANSWER).....		286	0.52
	99 = LEGITIMATE SKIP		48778	88.43

Did you make a suicide plan?

ADWRSPLN¹	Len : 2	WHEN PRBLMS WORST MAKE A SUICIDE PLAN		
			Freq	Pct
	1 = Yes		847	1.54
	2 = No.....		1514	2.74
	94 = DON'T KNOW.....		1	0.00
	98 = BLANK (NO ANSWER).....		312	0.57
	99 = LEGITIMATE SKIP		52486	95.15

ADULT DEPRESSION

Did you make a suicide attempt?

ADWRSATP¹	Len : 2 WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
	1 = Yes	Freq	Pct
	2 = No.....	567	1.03
	94 = DON'T KNOW.....	1790	3.25
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER).....	1	0.00
	99 = LEGITIMATE SKIP	312	0.57
		52486	95.15

AD_MDEA1¹	Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
	1 = Has symptom.....	Freq	Pct
	2 = Does not have symptom	5621	10.19
	94 = DON'T KNOW.....	1011	1.83
	97 = REFUSED	25	0.05
	98 = OTHER MISSING/NOT APPLICABLE	8	0.01
	99 = LEGITIMATE SKIP	30759	55.76
		17736	32.15

AD_MDEA2¹	Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS		
	1 = Has symptom.....	Freq	Pct
	2 = Does not have symptom	5498	9.97
	94 = DON'T KNOW.....	1142	2.07
	97 = REFUSED	17	0.03
	98 = OTHER MISSING/NOT APPLICABLE	8	0.01
	99 = LEGITIMATE SKIP	30759	55.76
		17736	32.15

AD_MDEA3¹	Len : 2 CHANGES IN APPETITE OR WT		
	1 = Has symptom.....	Freq	Pct
	2 = Does not have symptom	5257	9.53
	94 = DON'T KNOW.....	784	1.42
	97 = REFUSED	46	0.08
	98 = OTHER MISSING/NOT APPLICABLE	9	0.02
	99 = LEGITIMATE SKIP	31328	56.79
		17736	32.15

AD_MDEA4¹	Len : 2 SLEEP PROBLEMS		
	1 = Has symptom.....	Freq	Pct
	2 = Does not have symptom	5655	10.25
	94 = DON'T KNOW.....	418	0.76
	97 = REFUSED	17	0.03
	98 = OTHER MISSING/NOT APPLICABLE	6	0.01
	99 = LEGITIMATE SKIP	31328	56.79
		17736	32.15

AD_MDEA5¹	Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
	1 = Has symptom.....	Freq	Pct
	2 = Does not have symptom	3018	5.47
	94 = DON'T KNOW.....	3038	5.51
	98 = OTHER MISSING/NOT APPLICABLE	40	0.07
	99 = LEGITIMATE SKIP	31328	56.79
		17736	32.15

AD_MDEA6¹	Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
	1 = Has symptom.....	Freq	Pct
	2 = Does not have symptom	5580	10.12
	94 = DON'T KNOW.....	497	0.90
	97 = REFUSED	13	0.02
	98 = OTHER MISSING/NOT APPLICABLE	6	0.01
	99 = LEGITIMATE SKIP	31328	56.79
		17736	32.15

ADULT DEPRESSION

AD_MDEA7¹	Len : 2	FELT WORTHLESS NEARLY EVERY DAY		
			Freq	Pct
		1 = Has symptom.....	3287	5.96
		2 = Does not have symptom	2806	5.09
		94 = DON'T KNOW.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE	31328	56.79
		99 = LEGITIMATE SKIP	17736	32.15

AD_MDEA8¹	Len : 2	INABILITY TO CONCENTRATE OR MAKE DECISIONS		
			Freq	Pct
		1 = Has symptom.....	4847	8.79
		2 = Does not have symptom	1220	2.21
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	6	0.01
		98 = OTHER MISSING/NOT APPLICABLE	31328	56.79
		99 = LEGITIMATE SKIP	17736	32.15

AD_MDEA9¹	Len : 2	ANY THOUGHTS OR PLANS OF SUICIDE		
			Freq	Pct
		1 = Has symptom.....	3911	7.09
		2 = Does not have symptom	2164	3.92
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	17	0.03
		98 = OTHER MISSING/NOT APPLICABLE	31328	56.79
		99 = LEGITIMATE SKIP	17736	32.15

ADSMDEA¹	Len : 2	SCORE OF SYMPTOM INDICATORS 1 THRU 9		
			Freq	Pct
		1 = Has 5 or more symptoms.....	5548	10.06
		2 = Has less than 5 symptoms	1097	1.99
		94 = SUM OF SYMPTOMS AND DON'T KNOW >=5.....	15	0.03
		97 = SUM OF SYMPTOMS AND REFUSED >=5	5	0.01
		98 = OTHER MISSING/NOT APPLICABLE	30759	55.76
		99 = LEGITIMATE SKIP	17736	32.15

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

ADPBINTF¹	Len : 2	WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE		
			Freq	Pct
		1 = Not at all	159	0.29
		2 = A little.....	822	1.49
		3 = Some.....	1743	3.16
		4 = A lot.....	1970	3.57
		5 = Extremely.....	963	1.75
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	302	0.55
		99 = LEGITIMATE SKIP	49191	89.18

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

ADPBDLYA¹	Len : 2	WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS		
			Freq	Pct
		1 = Often.....	1371	2.49
		2 = Sometimes.....	2570	4.66
		3 = Rarely	1149	2.08
		4 = Never.....	407	0.74
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	302	0.55
		99 = LEGITIMATE SKIP	49350	89.47

ADULT DEPRESSION

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

ADPBRMBR¹	Len : 2	RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
			Freq	Pct
		1 = Yes	3712	6.73
		2 = No.....	1914	3.47
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	302	0.55
		99 = LEGITIMATE SKIP	49191	89.18

How old were you?

ADPBAGE¹	Len : 3	AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 89.....	5473	9.92
		985 = BAD DATA Logically assigned	2	0.00
		994 = DON'T KNOW.....	181	0.33
		997 = REFUSED	7	0.01
		998 = BLANK (NO ANSWER).....	306	0.55
		999 = LEGITIMATE SKIP	49191	89.18

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

ADPBNUM¹	Len : 4	# TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
			Freq	Pct
		RANGE = 1 - 1000.....	5161	9.36
		9994 = DON'T KNOW.....	459	0.83
		9997 = REFUSED	47	0.09
		9998 = BLANK (NO ANSWER).....	302	0.55
		9999 = LEGITIMATE SKIP	49191	89.18

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

ADPB2WK¹	Len : 2	FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS		
			Freq	Pct
		1 = Yes	3097	5.61
		2 = No.....	2510	4.55
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED	15	0.03
		98 = BLANK (NO ANSWER).....	302	0.55
		99 = LEGITIMATE SKIP	49191	89.18

ADULT DEPRESSION

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables ADPSHMG1, ADPSHMG2, ADPSHMG3, and ADPSHMG4 no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

ADPSHMG1 ¹ Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT			
		Freq	Pct
0 = No Interference		116	0.21
1 = Mild - 1		83	0.15
2 = Mild - 2		195	0.35
3 = Mild - 3		261	0.47
4 = Moderate - 4		280	0.51
5 = Moderate - 5		536	0.97
6 = Moderate - 6		431	0.78
7 = Severe - 7		404	0.73
8 = Severe - 8		357	0.65
9 = Severe - 9		170	0.31
10 = Very Severe Interference		255	0.46
94 = DON'T KNOW		6	0.01
97 = REFUSED		3	0.01
98 = BLANK (NO ANSWER)		362	0.66
99 = LEGITIMATE SKIP		51701	93.73

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

ADPSWORK ¹ Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK			
		Freq	Pct
0 = No Interference		275	0.50
1 = Mild - 1		165	0.30
2 = Mild - 2		279	0.51
3 = Mild - 3		338	0.61
4 = Moderate - 4		304	0.55
5 = Moderate - 5		438	0.79
6 = Moderate - 6		328	0.59
7 = Severe - 7		290	0.53
8 = Severe - 8		234	0.42
9 = Severe - 9		160	0.29
10 = Very Severe Interference		273	0.49
94 = DON'T KNOW		8	0.01
97 = REFUSED		5	0.01
98 = BLANK (NO ANSWER)		362	0.66
99 = LEGITIMATE SKIP		51701	93.73

ADULT DEPRESSION

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

ADPSRELS¹	Len : 2	HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS		
			Freq	Pct
		0 = No Interference	121	0.22
		1 = Mild - 1	107	0.19
		2 = Mild - 2	206	0.37
		3 = Mild - 3	250	0.45
		4 = Moderate - 4	252	0.46
		5 = Moderate - 5	416	0.75
		6 = Moderate - 6	363	0.66
		7 = Severe - 7	388	0.70
		8 = Severe - 8	399	0.72
		9 = Severe - 9	265	0.48
		10 = Very Severe Interference	322	0.58
		94 = DON'T KNOW	5	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	362	0.66
		99 = LEGITIMATE SKIP	51701	93.73

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

ADPSSOC¹	Len : 2	HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE		
			Freq	Pct
		0 = No Interference	93	0.17
		1 = Mild - 1	88	0.16
		2 = Mild - 2	157	0.28
		3 = Mild - 3	220	0.40
		4 = Moderate - 4	227	0.41
		5 = Moderate - 5	401	0.73
		6 = Moderate - 6	352	0.64
		7 = Severe - 7	424	0.77
		8 = Severe - 8	396	0.72
		9 = Severe - 9	343	0.62
		10 = Very Severe Interference	388	0.70
		94 = DON'T KNOW	5	0.01
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER)	362	0.66
		99 = LEGITIMATE SKIP	51701	93.73

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables ADPSHMG, ADPSWORK, ADPSRELS, and ADPSSOC are no longer asked the question corresponding to ADPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to ADPSHMG through ADPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

ADPSDAYS¹	Len : 3	# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
			Freq	Pct
		RANGE = 0 - 365	2990	5.42
		994 = DON'T KNOW	77	0.14
		997 = REFUSED	9	0.02
		998 = BLANK (NO ANSWER)	365	0.66
		999 = LEGITIMATE SKIP	51719	93.76

ADULT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

ADSEEDOC¹	Len : 2	SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Yes	2355	4.27
		2 = No.....	3294	5.97
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	302	0.55
		99 = LEGITIMATE SKIP	49191	89.18

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

ADFAMDOC¹	Len : 2	GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	1135	2.06
		6 = Response not entered.....	1212	2.20
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	312	0.57
		99 = LEGITIMATE SKIP	52485	95.15

ADOTHD¹	Len : 2	OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	211	0.38
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
		6 = Response not entered.....	2128	3.86
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	312	0.57
		99 = LEGITIMATE SKIP	52485	95.15

ADPSYCH¹	Len : 2	PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	740	1.34
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1606	2.91
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	312	0.57
		99 = LEGITIMATE SKIP	52485	95.15

ADPSYMD¹	Len : 2	PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	763	1.38
		6 = Response not entered.....	1584	2.87
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	11	0.02
		98 = BLANK (NO ANSWER).....	312	0.57
		99 = LEGITIMATE SKIP	52485	95.15

ADULT DEPRESSION

ADSOCWRK¹	Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	260	0.47
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	2085	3.78
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15
ADCOUNS¹	Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	692	1.25
	3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
	6 = Response not entered.....	1651	2.99
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15
ADOTMHP¹	Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	153	0.28
	6 = Response not entered.....	2194	3.98
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15
ADNURSE¹	Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	141	0.26
	3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
	6 = Response not entered.....	2203	3.99
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15
ADRELIG¹	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		Freq	Pct
	1 = Response entered	348	0.63
	3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
	6 = Response not entered.....	1995	3.62
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15
ADHERBAL¹	Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	92	0.17
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	2253	4.08
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15
ADOTHHLP¹	Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	81	0.15
	6 = Response not entered.....	2266	4.11
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	11	0.02
	98 = BLANK (NO ANSWER).....	312	0.57
	99 = LEGITIMATE SKIP	52485	95.15

ADULT DEPRESSION

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

ADTMTNOW¹	Len : 2	CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD		
			Freq	Pct
		1 = Yes	1239	2.25
		2 = No.....	1112	2.02
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	312	0.57
		99 = LEGITIMATE SKIP	52485	95.15

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

ADRX12MO¹	Len : 2	TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	1985	3.60
		2 = No.....	3666	6.65
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	302	0.55
		99 = LEGITIMATE SKIP	49191	89.18

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

ADRXNOW¹	Len : 2	CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
			Freq	Pct
		1 = Yes	1580	2.86
		2 = No.....	404	0.73
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP	52857	95.82

During the past 12 months, how much has this prescription medication helped you?

ADRXHLP¹	Len : 2	HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO		
			Freq	Pct
		1 = Not at all	139	0.25
		2 = A little.....	252	0.46
		3 = Some	510	0.92
		4 = A lot	661	1.20
		5 = Extremely.....	417	0.76
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP	52857	95.82

During the past 12 months, how much has treatment or counseling helped you?

ADTMTHLP¹	Len : 2	HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
			Freq	Pct
		1 = Not at all	347	0.63
		2 = A little.....	395	0.72
		3 = Some	577	1.05
		4 = A lot	648	1.17
		5 = Extremely.....	365	0.66
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER).....	312	0.57
		99 = LEGITIMATE SKIP	52485	95.15

RECODED ADULT DEPRESSION

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Due to questionnaire changes in 2008, these MDE variables are not directly comparable to MDE variables from 2004 to 2008. Adjusted lifetime and past year MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. The youth MDE variables continue to remain comparable between 2004 and 2012. Specific details about the analysis of MDE data can be found in the Recoded Depression Variable Documentation Appendix.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMDEA=1).

An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMDEA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMDEA=98) and the respondent reported at least one of the following:
 - i. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2), discouraged about how things were going in life (ADDSCFV=2), and lost interest in most things usually enjoyable (ADLOSEV=2).
 - ii. Experienced the feelings in (i), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDP2WK=2).
 - iii. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
 - iv. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
 - v. Experienced the feelings in (i) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADPPROB=2).

AMDELT	Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise)	18058	32.74
	1 = Yes (ADSMDEA=1)	5548	10.06
	2 = No (See comment above)	31554	57.20

AMDEYR	Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
	.	Freq	Pct
	= Aged 12-17/Unknown (Otherwise)	18116	32.84
	1 = Yes (AMDELT=1 & ADPB2WK=1)	3053	5.53
	2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2])	33991	61.62

RECODED ADULT DEPRESSION

The following adult MDE variable, AMDEY2_U, is used in the 2012 mental illness prediction model. It is defined differently than AMDEYR which is used in the Mental Health Detailed Tables. See the mental illness variables in the Recoded Mental Health section of this codebook and the Recoded Mental Health Appendix for more details on the 2012 mental illness prediction model.

AMDEY2_U	Len : 1 ADULT PAST YEAR MDE - 'UNKNOWN' IMPUTED AS 'NO'		
		Freq	Pct
.	= Aged 12-17 (AGE2<7)	17736	32.15
0	= No/Unknown (AGE2>=7 and AMDEYR=.,2).....	34371	62.31
1	= Yes (AGE2>=7 and AMDEYR=1).....	3053	5.53

NOTE: The following 25 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (AMDELT) or the past year MDE variable (AMDEYR).

ATXMDEYR	Len : 1 ADULT: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49511	89.76
0	= No (ADSEEDOC=2).....	3294	5.97
1	= Yes (ADSEEDOC=1)	2355	4.27

ARXMDEYR	Len : 1 ADULT: USED RX MEDICATION FOR MDE IN PAST YEAR		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49509	89.76
0	= No (ADRX12MO=2)	3666	6.65
1	= Yes (ADRX12MO=1)	1985	3.60

The following variable, AMDETXXR, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

AMDETXXR	Len : 1 ADULT: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49508	89.75
0	= No (ATXMDEYR=0 and ARXMDEYR=0)	2928	5.31
1	= Yes (ATXMDEYR=1 or ARXMDEYR=1)	2724	4.94

ADOCMDE	Len : 1 ADULT: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
0	= No (ADSEEDOC=2 or ADFAMDOC=6)	4506	8.17
1	= Yes (ADFAMDOC=1,3)	1135	2.06

AOMDMDE	Len : 1 ADULT: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR		
		Freq	Pct
.	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
0	= No (ADSEEDOC=2 or ADOTHDOC=6)	5422	9.83
1	= Yes (ADOTHDOC=1,3)	219	0.40

APSY1MDE	Len : 1 ADULT: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR		
		Freq	Pct
.	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
0	= No (ADSEEDOC=2 or ADPSYCH=6).....	4900	8.88
1	= Yes (ADPSYCH=1,3)	741	1.34

APSY2MDE	Len : 1 ADULT: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR		
		Freq	Pct
.	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
0	= No (ADSEEDOC=2 or ADPSYMD=6)	4878	8.84
1	= Yes (ADPSYMD=1,3)	763	1.38

RECODED ADULT DEPRESSION

ASOCMDE	Len : 1 ADULT: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
	0 = No (ADSEEDOC=2 or ADSOCWRK=6)	5379	9.75
	1 = Yes (ADSOCWRK=1,3)	262	0.47
ACOUNMDE	Len : 1 ADULT: SAW/TALK TO COUNSELOR ABOUT MDE IN PAST YR		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
	0 = No (ADSEEDOC=2 or ADCOUNS=6)	4945	8.96
	1 = Yes (ADCOUNS=1,3)	696	1.26
AOMHMDE	Len : 1 ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT MDE-PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
	0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter])	5487	9.95
	1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered).....	154	0.28
ANURSMDE	Len : 1 ADULT: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
	0 = No (ADSEEDOC=2 or ADNURSE=6)	5497	9.97
	1 = Yes (ADNURSE=1,3).....	144	0.26
ARELMDE	Len : 1 ADULT: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
	0 = No (ADSEEDOC=2 or ADRELIG=6)	5289	9.59
	1 = Yes (ADRELIG=1,3)	352	0.64
AHBCHMDE	Len : 1 ADULT: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY		
	.	Freq	Pct
	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	49519	89.77
	0 = No (ADSEEDOC=2 or ADHERBAL=6).....	5547	10.06
	1 = Yes (ADHERBAL=1,3)	94	0.17

The following variable, AOTHMDE, defines an adult as having seen or talked to another professional about MDE during the past year if s/he entered a valid write-in response other than the responses that matched existing categories.

An adult was classified as NOT having seen or talked to another professional about MDE during the past year, AOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6).
3. Write-in response entered matched an existing category.

AOTHMDE	Len : 1 ADULT: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR		
	.	Freq	Pct
	= Aged 12-17/Unknwn/Legit Skip/Invalid Spec. Resp.....	49543	89.82
	0 = No (See comment above)	5588	10.13
	1 = Yes (See comment above).....	29	0.05

RECODED ADULT DEPRESSION

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

AHLTMDE	Len : 1 ADULT: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49519	89.77
0	= No (See comment above)	3411	6.18
1	= Yes (See comment above).....	2230	4.04

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

AALTMDE	Len : 1 ADULT: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49519	89.77
0	= No (See comment above)	5230	9.48
1	= Yes (See comment above).....	411	0.75

AMDEHPRX	Len : 1 ADULT: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49510	89.76
0	= No (AHLTMDE=0 and ARXMDEYR=0).....	3030	5.49
1	= Yes (AHLTMDE=1 or ARXMDEYR=1)	2620	4.75

AMDEHPO	Len : 1 ADULT: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49511	89.76
0	= No (AHLTMDE=0 or ARXMDEYR=1).....	5015	9.09
1	= Yes (AHLTMDE=1 and ARXMDEYR=0)	634	1.15

AMDERXO2	Len : 1 ADULT: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49517	89.77
0	= No (ARXMDEYR=0 or AHLTMDE=1).....	5262	9.54
1	= Yes (ARXMDEYR=1 and AHLTMDE=0)	381	0.69

AMDEHARX	Len : 1 ADULT: SAW HEALTH PROF AND RX MED FOR MDE IN PY		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	49518	89.77
0	= No (AHLTMDE=0 or ARXMDEYR=0).....	4047	7.34
1	= Yes (AHLTMDE=1 and ARXMDEYR=1)	1595	2.89

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a adult's life.

ASDSHOM2	Len : 1 ADULT: MDE ROLE IMPAIRMENT - HOME MANAGEMENT		
		Freq	Pct
.	= Aged 12-17/Unkn/Legit Skip (Otherwise)	52072	94.40
1	= None (ADPSHMGT=0).....	116	0.21
2	= Mild (ADPSHMGT=1,2,3).....	539	0.98
3	= Moderate (ADPSHMGT=4,5,6)	1247	2.26
4	= Severe (ADPSHMGT=7,8,9).....	931	1.69
5	= Very Severe (ADPSHMGT=10).....	255	0.46

RECODED ADULT DEPRESSION

ASDSWRK2	Len : 1 ADULT: MDE ROLE IMPAIRMENT - ABILITY TO WORK		
		Freq	Pct
.	= Aged 12-17/Unkn/Legit Skip (Otherwise)	52076	94.41
1	= None (ADPSWORK=0)	275	0.50
2	= Mild (ADPSWORK=1,2,3)	782	1.42
3	= Moderate (ADPSWORK=4,5,6)	1070	1.94
4	= Severe (ADPSWORK=7,8,9)	684	1.24
5	= Very Severe (ADPSWORK=10)	273	0.49

ASDSREL2	Len : 1 ADULT: MDE ROLE IMPAIRMENT - CLOSE RELATIONSHIPS		
		Freq	Pct
.	= Aged 12-17/Unkn/Legit Skip (Otherwise)	52071	94.40
1	= None (ADPSRELS=0)	121	0.22
2	= Mild (ADPSRELS=1,2,3)	563	1.02
3	= Moderate (ADPSRELS=4,5,6)	1031	1.87
4	= Severe (ADPSRELS=7,8,9)	1052	1.91
5	= Very Severe (ADPSRELS=10)	322	0.58

ASDSSOC2	Len : 1 ADULT: MDE ROLE IMPAIRMENT - SOCIAL LIFE		
		Freq	Pct
.	= Aged 12-17/Unkn/Legit Skip (Otherwise)	52071	94.40
1	= None (ADPSSOC=0)	93	0.17
2	= Mild (ADPSSOC=1,2,3)	465	0.84
3	= Moderate (ADPSSOC=4,5,6)	980	1.78
4	= Severe (ADPSSOC=7,8,9)	1163	2.11
5	= Very Severe (ADPSSOC=10)	388	0.70

The following variable, ASDSOVL2, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2).

ASDSOVL2	Len : 1 ADULT: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT		
		Freq	Pct
.	= Aged 12-17/Unknown/Legitimate Skip (Otherwise)	52066	94.39
1	= None (See comment above)	18	0.03
2	= Mild (See comment above)	197	0.36
3	= Moderate (See comment above)	882	1.60
4	= Severe (See comment above)	1381	2.50
5	= Very Severe (See comment above)	616	1.12

The following variable, AMDEIMP, is derived from the maximum severity level of MDE role impairment (ASDSOVL2) and is restricted to adults with past year MDE (AMDEYR).

AMDEIMP	Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT		
		Freq	Pct
.	= Aged 12-17/Unknown (Otherwise)	18119	32.85
1	= Yes (AMDEYR=1 and ASDSOVL2=4,5)	1982	3.59
2	= No (AMDEYR=2 or ASDSOVL2=1,2,3)	35059	63.56

YOUTH MENTAL HEALTH TREATMENT

YOUTH MENTAL HEALTH TREATMENT

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.

During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUHOSPYR¹	Len : 2 STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		Freq	Pct
	1 = Yes	389	0.71
	2 = No.....	17198	31.18
	85 = BAD DATA Logically assigned.....	11	0.02
	94 = DON'T KNOW.....	78	0.14
	97 = REFUSED	56	0.10
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUHOSPN2¹	Len : 3 # NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	350	0.63
	31 = 31 or more	10	0.02
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	17	0.03
	997 = REFUSED	68	0.12
	998 = BLANK (NO ANSWER).....	83	0.15
	999 = LEGITIMATE SKIP	54622	99.02

Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

YUHOSUIC¹	Len : 2 STAYED IN HOSP BEC THOUGHT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	156	0.28
	6 = Response not entered.....	200	0.36
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	83	0.15
	99 = LEGITIMATE SKIP	54622	99.02

YUHODEPR¹	Len : 2 STAYED IN HOSP BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	143	0.26
	6 = Response not entered.....	213	0.39
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOFEAR¹	Len : 2 STAYED IN HOSP BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	49	0.09
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	306	0.55
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YOUTH MENTAL HEALTH TREATMENT

YUHOBKRU¹	Len : 2 STAYED IN HOSP BEC BREAKING RULES/ACTING OUT		
		Freq	Pct
	1 = Response entered	47	0.09
	6 = Response not entered.....	309	0.56
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOEATP¹	Len : 2 STAYED IN HOSP BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	28	0.05
	6 = Response not entered.....	328	0.59
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

What was the other emotional or behavioral problem for which you last stayed overnight in a hospital?

YUHOANGR¹	Len : 2 STAYED IN HOSP BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	19	0.03
	6 = Response not entered.....	330	0.60
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOHITE¹	Len : 2 STAYED IN HOSP BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	13	0.02
	6 = Response not entered.....	336	0.61
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOFMLY¹	Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	30	0.05
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	318	0.58
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOFRND¹	Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	1 = Response entered	9	0.02
	6 = Response not entered.....	340	0.62
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOOTPP¹	Len : 2 STAYED IN HOSP BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	7	0.01
	6 = Response not entered.....	342	0.62
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YOUTH MENTAL HEALTH TREATMENT

YUHOSCHL¹	Len : 2 STAYED IN HOSP BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	27	0.05
	6 = Response not entered.....	322	0.58
	94 = DON'T KNOW.....	16	0.03
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

YUHOSOR¹	Len : 2 STAYED IN HOSP FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	93	0.17
	6 = Response not entered.....	263	0.48
	94 = DON'T KNOW.....	13	0.02
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54622	99.02

During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YURSIDYR¹	Len : 2 STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		Freq	Pct
	1 = Yes	175	0.32
	2 = No.....	17394	31.53
	85 = BAD DATA Logically assigned	11	0.02
	94 = DON'T KNOW.....	76	0.14
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?

YURSIDN2¹	Len : 3 # NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	149	0.27
	31 = 31 or more	17	0.03
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	8	0.01
	997 = REFUSED	77	0.14
	998 = BLANK (NO ANSWER).....	81	0.15
	999 = LEGITIMATE SKIP	54818	99.38

Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?

YURSSUIC¹	Len : 2 STAYED IN RESID CTR BEC THOT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	96	0.17
	6 = Response not entered.....	69	0.13
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	81	0.15
	99 = LEGITIMATE SKIP	54818	99.38

YURSDEPR¹	Len : 2 STAYED IN RESID CTR BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	87	0.16
	6 = Response not entered.....	78	0.14
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YOUTH MENTAL HEALTH TREATMENT

YURSFEAR¹	Len : 2 STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	28	0.05
	6 = Response not entered.....	137	0.25
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSBKRU¹	Len : 2 STAYED IN RESID CTR BEC BRKING RULES/ACT OUT		
		Freq	Pct
	1 = Response entered	33	0.06
	6 = Response not entered.....	132	0.24
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSEATP¹	Len : 2 STAYED IN RESID CTR BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	21	0.04
	6 = Response not entered.....	144	0.26
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

What was the other emotional or behavioral problem for which you last stayed overnight in a residential treatment center?

YURSANGR¹	Len : 2 STAYED IN RESID CTR BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	12	0.02
	6 = Response not entered.....	150	0.27
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSFITE¹	Len : 2 STAYED IN RESID CTR BEC HAD GOTN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	4	0.01
	6 = Response not entered.....	158	0.29
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSFMLY¹	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	12	0.02
	6 = Response not entered.....	150	0.27
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSFERN¹	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	1 = Response entered	6	0.01
	6 = Response not entered.....	156	0.28
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YOUTH MENTAL HEALTH TREATMENT

YURSOTPP¹	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	4	0.01
	6 = Response not entered.....	158	0.29
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSSCHL¹	Len : 2 STAYED IN RESID CTR BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	9	0.02
	6 = Response not entered.....	153	0.28
	94 = DON'T KNOW.....	8	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

YURSSOR¹	Len : 2 STAYED IN RESID CTR FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	21	0.04
	6 = Response not entered.....	144	0.26
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	80	0.15
	98 = BLANK (NO ANSWER).....	91	0.16
	99 = LEGITIMATE SKIP	54818	99.38

During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUFCARYR¹	Len : 2 SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS		
		Freq	Pct
	1 = Yes	77	0.14
	2 = No.....	17490	31.71
	85 = BAD DATA Logically assigned	11	0.02
	94 = DON'T KNOW.....	78	0.14
	97 = REFUSED	76	0.14
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUFCARN2¹	Len : 3 # NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 21.....	51	0.09
	31 = 31 or more	11	0.02
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	11	0.02
	997 = REFUSED	80	0.15
	998 = BLANK (NO ANSWER).....	83	0.15
	999 = LEGITIMATE SKIP	54914	99.55

Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?

YUFCSUIC¹	Len : 2 STAYED IN FOST CARE BEC THOT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	25	0.05
	6 = Response not entered.....	46	0.08
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	83	0.15
	99 = LEGITIMATE SKIP	54914	99.55

YOUTH MENTAL HEALTH TREATMENT

YUFCDEPR¹	Len : 2 STAYED IN FOST CARE BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	19	0.03
	6 = Response not entered.....	52	0.09
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCFEAR¹	Len : 2 STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	8	0.01
	6 = Response not entered.....	63	0.11
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCBKRU¹	Len : 2 STAYED IN FOST CARE BEC BRKING RULES/ACT OUT		
		Freq	Pct
	1 = Response entered	18	0.03
	6 = Response not entered.....	53	0.10
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCEATP¹	Len : 2 STAYED IN FOST CARE BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	2	0.00
	6 = Response not entered.....	69	0.13
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

What was the other emotional or behavioral problem for which you last stayed overnight or longer in foster care or a therapeutic foster care home?

YUFCANGR¹	Len : 2 STAYED IN FOST CARE BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	8	0.01
	6 = Response not entered.....	63	0.11
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCFITE¹	Len : 2 STAYED IN FOST CARE BEC HAD GOTN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	68	0.12
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCFMLY¹	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	11	0.02
	3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
	6 = Response not entered.....	57	0.10
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YOUTH MENTAL HEALTH TREATMENT

YUFCFRND¹	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	6 = Response not entered.....	71	0.13
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCOTPP¹	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	3	0.01
	6 = Response not entered.....	68	0.12
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCSCHL¹	Len : 2 STAYED IN FOST CARE BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	6	0.01
	6 = Response not entered.....	65	0.12
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

YUFCSOR¹	Len : 2 STAYED IN FOST CARE FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	7	0.01
	6 = Response not entered.....	64	0.12
	94 = DON'T KNOW.....	3	0.01
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	54914	99.55

During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

YUDYTXYP¹	Len : 2 SPENT TIME IN DAY TRMT PROG PAST 12 MOS		
		Freq	Pct
	1 = Yes	351	0.64
	2 = No.....	17216	31.21
	85 = BAD DATA Logically assigned	11	0.02
	94 = DON'T KNOW.....	80	0.15
	97 = REFUSED	74	0.13
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUDYTXN2¹	Len : 3 # TIMES VISITED DAY TRMT PROG PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	317	0.57
	31 = 31 or more	12	0.02
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	18	0.03
	997 = REFUSED	78	0.14
	998 = BLANK (NO ANSWER).....	85	0.15
	999 = LEGITIMATE SKIP	54640	99.06

YOUTH MENTAL HEALTH TREATMENT

Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUDYSUIC¹	Len : 2 VISITED DAY TRMT BEC THOT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	123	0.22
	6 = Response not entered.....	217	0.39
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	85	0.15
	99 = LEGITIMATE SKIP	54640	99.06

YUDYDEPR¹	Len : 2 VISITED DAY TRMT BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	202	0.37
	6 = Response not entered.....	138	0.25
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYFEAR¹	Len : 2 VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	71	0.13
	3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
	6 = Response not entered.....	265	0.48
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYBKRU¹	Len : 2 VISITED DAY TRMT BEC BRKING RULES/ACT OUT		
		Freq	Pct
	1 = Response entered	63	0.11
	3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
	6 = Response not entered.....	274	0.50
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYEATP¹	Len : 2 VISITED DAY TRMT BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	35	0.06
	6 = Response not entered.....	305	0.55
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

What was the other emotional or behavioral problem for which you last visited a partial day hospital or day treatment program?

YUDYANGR¹	Len : 2 VISITED DAY TRMT BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	52	0.09
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	286	0.52
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YOUTH MENTAL HEALTH TREATMENT

YUDYFITE¹	Len : 2 VISITED DAY TRMT BEC HAD GOTTN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	10	0.02
	6 = Response not entered.....	329	0.60
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYFMLY¹	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	65	0.12
	6 = Response not entered.....	274	0.50
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYFRND¹	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	1 = Response entered	27	0.05
	6 = Response not entered.....	312	0.57
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYOTPP¹	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	24	0.04
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	314	0.57
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYSCHL¹	Len : 2 VISITED DAY TRMT BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	46	0.08
	6 = Response not entered.....	293	0.53
	94 = DON'T KNOW.....	5	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

YUDYSOR¹	Len : 2 VISITED DAY TRMT FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	74	0.13
	6 = Response not entered.....	266	0.48
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	81	0.15
	98 = BLANK (NO ANSWER).....	95	0.17
	99 = LEGITIMATE SKIP	54640	99.06

During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?

YUMHCRYR¹	Len : 2 RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS		
		Freq	Pct
	1 = Yes	559	1.01
	2 = No.....	16995	30.81
	85 = BAD DATA Logically assigned.....	11	0.02
	94 = DON'T KNOW.....	92	0.17
	97 = REFUSED	75	0.14
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

YOUTH MENTAL HEALTH TREATMENT

During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?

YUMHCRN2¹	Len : 3 # TIMES VISITED MENT HLTH CLNC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	497	0.90
	31 = 31 or more	25	0.05
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	34	0.06
	997 = REFUSED	78	0.14
	998 = BLANK (NO ANSWER).....	97	0.18
	999 = LEGITIMATE SKIP	54419	98.66

Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUMHSUIC¹	Len : 2 VISITED MH CLNC BEC THOUGHT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	218	0.40
	6 = Response not entered.....	323	0.59
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	97	0.18
	99 = LEGITIMATE SKIP	54419	98.66

YUMHDEPR¹	Len : 2 VISITED MH CLNC BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	335	0.61
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	204	0.37
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66

YUMHFEAR¹	Len : 2 VISITED MH CLNC BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	127	0.23
	3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
	6 = Response not entered.....	407	0.74
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66

YUMHBKRU¹	Len : 2 VISITED MH CLNC BEC BREAKING RULES/ACTING OUT		
		Freq	Pct
	1 = Response entered	97	0.18
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	442	0.80
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66

YUMHEATP¹	Len : 2 VISITED MH CLNC BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	67	0.12
	6 = Response not entered.....	474	0.86
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66

YOUTH MENTAL HEALTH TREATMENT

What was the other emotional or behavioral problem for which you last visited a mental health clinic or center?

YUMHANGR¹	Len : 2 VISITED MH CLNC BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	82	0.15
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	456	0.83
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66
YUMHFITE¹	Len : 2 VISITE MH CLNC BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	21	0.04
	6 = Response not entered.....	518	0.94
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66
YUMHFMLY¹	Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	96	0.17
	6 = Response not entered.....	443	0.80
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66
YUMHFRND¹	Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	1 = Response entered	41	0.07
	6 = Response not entered.....	498	0.90
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66
YUMHOTPP¹	Len : 2 VISITED MH CLNC BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	42	0.08
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	496	0.90
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66
YUMHSCHL¹	Len : 2 VISITED MH CLNC BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	73	0.13
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	464	0.84
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	84	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66
YUMHSOR¹	Len : 2 VISITED MH CLNC FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	93	0.17
	6 = Response not entered.....	448	0.81
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	107	0.19
	99 = LEGITIMATE SKIP	54419	98.66

YOUTH MENTAL HEALTH TREATMENT

During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUTPSTYR¹	Len : 2	RCVD EMOT TRMT FROM THERAPIST PST 12 MOS		
			Freq	Pct
		1 = Yes	1926	3.49
		2 = No.....	15611	28.30
		85 = BAD DATA Logically assigned	11	0.02
		94 = DON'T KNOW.....	106	0.19
		97 = REFUSED	78	0.14
		98 = BLANK (NO ANSWER).....	4	0.01
		99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUTPSTN2¹	Len : 3	# TIMES VISITED THERAPIST PAST 12 MONTHS		
			Freq	Pct
		RANGE = 1 - 30.....	1640	2.97
		31 = 31 or more	125	0.23
		985 = BAD DATA Logically assigned	10	0.02
		994 = DON'T KNOW.....	152	0.28
		997 = REFUSED	87	0.16
		998 = BLANK (NO ANSWER).....	111	0.20
		999 = LEGITIMATE SKIP	53035	96.15

Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUTPSUIC¹	Len : 2	VISITED THERAPIST BEC THOT/TRIED TO KILL SELF		
			Freq	Pct
		1 = Response entered	435	0.79
		6 = Response not entered.....	1455	2.64
		85 = BAD DATA Logically assigned	10	0.02
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	99	0.18
		98 = BLANK (NO ANSWER).....	111	0.20
		99 = LEGITIMATE SKIP	53035	96.15

YUTPDEPR¹	Len : 2	VISITED THERAPIST BEC YOU FELT DEPRESSED		
			Freq	Pct
		1 = Response entered	933	1.69
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	953	1.73
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	99	0.18
		98 = BLANK (NO ANSWER).....	121	0.22
		99 = LEGITIMATE SKIP	53035	96.15

YUTPFEAR¹	Len : 2	VISITED THERAPIST BEC YOU FELT AFRAID/TENSE		
			Freq	Pct
		1 = Response entered	371	0.67
		3 = Response entered LOGICALLY ASSIGNED.....	34	0.06
		6 = Response not entered.....	1485	2.69
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	99	0.18
		98 = BLANK (NO ANSWER).....	121	0.22
		99 = LEGITIMATE SKIP	53035	96.15

YUTPBKRU¹	Len : 2	VISITED THERAPIST BEC BRKING RULES/ACT OUT		
			Freq	Pct
		1 = Response entered	329	0.60
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	1558	2.82
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED	99	0.18
		98 = BLANK (NO ANSWER).....	121	0.22
		99 = LEGITIMATE SKIP	53035	96.15

YOUTH MENTAL HEALTH TREATMENT

YUTPEATP¹

Len : 2 VISITED THERAPIST BEC YOU HAD EATING PROBS

	Freq	Pct
1 = Response entered	202	0.37
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	1687	3.06
94 = DON'T KNOW.....	15	0.03
97 = REFUSED	99	0.18
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP	53035	96.15

What was the other emotional or behavioral problem for which you last visited a private therapist, psychologist, psychiatrist, social worker or counselor?

YUTPANGR¹

Len : 2 VISITED THERAPIST BEC HAD TRBLE CONTRLNG ANGER

	Freq	Pct
1 = Response entered	253	0.46
3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
6 = Response not entered.....	1627	2.95
94 = DON'T KNOW.....	19	0.03
97 = REFUSED	104	0.19
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP	53035	96.15

YUTPFITE¹

Len : 2 VISITED THERAPIST BEC HAD GOTN INTO PHYS FIGHTS

	Freq	Pct
1 = Response entered	57	0.10
6 = Response not entered.....	1824	3.31
94 = DON'T KNOW.....	19	0.03
97 = REFUSED	104	0.19
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP	53035	96.15

YUTPFMLY¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT HOME/FAMILY

	Freq	Pct
1 = Response entered	473	0.86
3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
6 = Response not entered.....	1398	2.53
94 = DON'T KNOW.....	19	0.03
97 = REFUSED	104	0.19
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP	53035	96.15

YUTPFRND¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH FRIENDS

	Freq	Pct
1 = Response entered	212	0.38
3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
6 = Response not entered.....	1667	3.02
94 = DON'T KNOW.....	19	0.03
97 = REFUSED	104	0.19
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP	53035	96.15

YUTPOTPP¹

Len : 2 VISITED THERAPIST BEC HAD PRBLMS WITH OTHERS

	Freq	Pct
1 = Response entered	157	0.28
3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
6 = Response not entered.....	1721	3.12
94 = DON'T KNOW.....	19	0.03
97 = REFUSED	104	0.19
98 = BLANK (NO ANSWER).....	121	0.22
99 = LEGITIMATE SKIP	53035	96.15

YOUTH MENTAL HEALTH TREATMENT

YUTPSCHL¹	Len : 2 VISITED THERAPIST BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	286	0.52
	3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
	6 = Response not entered.....	1589	2.88
	94 = DON'T KNOW.....	19	0.03
	97 = REFUSED	104	0.19
	98 = BLANK (NO ANSWER).....	121	0.22
	99 = LEGITIMATE SKIP	53035	96.15

YUTPSOR¹	Len : 2 VISITED THERAPIST FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	420	0.76
	6 = Response not entered.....	1470	2.66
	94 = DON'T KNOW.....	15	0.03
	97 = REFUSED	99	0.18
	98 = BLANK (NO ANSWER).....	121	0.22
	99 = LEGITIMATE SKIP	53035	96.15

During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

YUIHTPYR¹	Len : 2 RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS		
		Freq	Pct
	1 = Yes	573	1.04
	2 = No.....	16957	30.74
	85 = BAD DATA Logically assigned	11	0.02
	94 = DON'T KNOW.....	112	0.20
	97 = REFUSED	79	0.14
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?

YUIHTPN2¹	Len : 2 #TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	489	0.89
	31 = 31 or more	24	0.04
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	50	0.09
	997 = REFUSED	89	0.16
	998 = BLANK (NO ANSWER).....	117	0.21
	999 = LEGITIMATE SKIP	54381	98.59

Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?

YUIHSUIC¹	Len : 2 SAW IN HOME COUNS BEC THOT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	108	0.20
	6 = Response not entered.....	443	0.80
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	92	0.17
	98 = BLANK (NO ANSWER).....	117	0.21
	99 = LEGITIMATE SKIP	54381	98.59

YUIHDEPR¹	Len : 2 SAW IN HOME COUNS BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	260	0.47
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	289	0.52
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	92	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YOUTH MENTAL HEALTH TREATMENT

YUIHFEAR¹	Len : 2 SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	82	0.15
	3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
	6 = Response not entered.....	464	0.84
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	92	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHBKRU¹	Len : 2 SAW IN HOME COUNS BEC BRKING RULES/ACT OUT		
		Freq	Pct
	1 = Response entered	98	0.18
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	452	0.82
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	92	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHEATP¹	Len : 2 SAW IN HOME COUNS BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	51	0.09
	6 = Response not entered.....	500	0.91
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	92	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

What was the other emotional or behavioral problem for which you last saw an in-home therapist, counselor, or family preservation worker?

YUIHANGR¹	Len : 2 SAW IN HOME COUNS BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	65	0.12
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	483	0.88
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHFITE¹	Len : 2 SAW IN HOME COUNS BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	14	0.03
	6 = Response not entered.....	535	0.97
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHFMLY¹	Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	120	0.22
	3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
	6 = Response not entered.....	425	0.77
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YOUTH MENTAL HEALTH TREATMENT

YUIHFRND¹	Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	1 = Response entered	45	0.08
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	503	0.91
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHOTPP¹	Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	34	0.06
	6 = Response not entered.....	515	0.93
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHSCHL¹	Len : 2 SAW IN HOME COUNS BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	70	0.13
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	478	0.87
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	94	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

YUIHSOR¹	Len : 2 SAW IN HOME COUNS FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	94	0.17
	6 = Response not entered.....	457	0.83
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	92	0.17
	98 = BLANK (NO ANSWER).....	127	0.23
	99 = LEGITIMATE SKIP	54381	98.59

During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUFDOCYR¹	Len : 2 RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS		
		Freq	Pct
	1 = Yes	506	0.92
	2 = No.....	17004	30.83
	85 = BAD DATA Logically assigned.....	11	0.02
	94 = DON'T KNOW.....	128	0.23
	97 = REFUSED	83	0.15
	98 = BLANK (NO ANSWER).....	4	0.01
	99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUFDOCN2¹	Len : 3 # TIMES RCVD TRMT FROM FAMLY DOC PST 12 MOS		
		Freq	Pct
	RANGE = 1 - 30.....	456	0.83
	31 = 31 or more	6	0.01
	985 = BAD DATA Logically assigned	10	0.02
	994 = DON'T KNOW.....	36	0.07
	997 = REFUSED	91	0.16
	998 = BLANK (NO ANSWER).....	133	0.24
	999 = LEGITIMATE SKIP	54428	98.67

YOUTH MENTAL HEALTH TREATMENT

Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?

YUFDSUIC¹	Len : 2 SAW FAMLY DOC BEC THOUGHT/TRIED TO KILL SELF		
		Freq	Pct
	1 = Response entered	93	0.17
	6 = Response not entered.....	379	0.69
	85 = BAD DATA Logically assigned	10	0.02
	94 = DON'T KNOW.....	21	0.04
	97 = REFUSED	96	0.17
	98 = BLANK (NO ANSWER).....	133	0.24
	99 = LEGITIMATE SKIP	54428	98.67

YUFDEPR¹	Len : 2 SAW FAMLY DOC BEC YOU FELT DEPRESSED		
		Freq	Pct
	1 = Response entered	215	0.39
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	256	0.46
	94 = DON'T KNOW.....	21	0.04
	97 = REFUSED	96	0.17
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67

YUFDFEAR¹	Len : 2 SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE		
		Freq	Pct
	1 = Response entered	77	0.14
	3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
	6 = Response not entered.....	387	0.70
	94 = DON'T KNOW.....	21	0.04
	97 = REFUSED	96	0.17
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67

YUFDBKRU¹	Len : 2 SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT		
		Freq	Pct
	1 = Response entered	66	0.12
	6 = Response not entered.....	406	0.74
	94 = DON'T KNOW.....	21	0.04
	97 = REFUSED	96	0.17
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67

YUFDEATP¹	Len : 2 SAW FAMLY DOC BEC YOU HAD EATING PROBS		
		Freq	Pct
	1 = Response entered	60	0.11
	6 = Response not entered.....	412	0.75
	94 = DON'T KNOW.....	21	0.04
	97 = REFUSED	96	0.17
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67

What was the other emotional or behavioral problem for which you last visited a pediatrician or other family doctor?

YUFDANGR¹	Len : 2 SAW FAMLY DOC BEC HAD TRBLE CONTRLNG ANGER		
		Freq	Pct
	1 = Response entered	26	0.05
	6 = Response not entered.....	437	0.79
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	103	0.19
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67

YOUTH MENTAL HEALTH TREATMENT

YUFDITE ¹	Len : 2 SAW FAMLY DOC BEC HAD GOTTEN INTO PHYS FIGHTS		
		Freq	Pct
	1 = Response entered	8	0.01
	6 = Response not entered.....	455	0.82
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	103	0.19
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67
YUDFMLY ¹	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT HOME/FAMILY		
		Freq	Pct
	1 = Response entered	42	0.08
	6 = Response not entered.....	421	0.76
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	103	0.19
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67
YUDFRND ¹	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH FRIENDS		
		Freq	Pct
	1 = Response entered	20	0.04
	6 = Response not entered.....	443	0.80
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	103	0.19
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67
YUFDOTPP ¹	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS WITH OTHERS		
		Freq	Pct
	1 = Response entered	17	0.03
	6 = Response not entered.....	446	0.81
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	103	0.19
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67
YUFDSCHL ¹	Len : 2 SAW FAMLY DOC BEC HAD PRBLMS AT SCHOOL		
		Freq	Pct
	1 = Response entered	53	0.10
	3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
	6 = Response not entered.....	408	0.74
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	103	0.19
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67
YUFDSOR ¹	Len : 2 SAW FAMLY DOC FOR SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	127	0.23
	6 = Response not entered.....	345	0.63
	94 = DON'T KNOW.....	21	0.04
	97 = REFUSED	96	0.17
	98 = BLANK (NO ANSWER).....	143	0.26
	99 = LEGITIMATE SKIP	54428	98.67

YOUTH MENTAL HEALTH TREATMENT

Sometimes students get treatment or counseling through the school system. This counseling is often provided by school social workers, school psychologists or school counselors.

During the past 12 months, that is, since [DATEFILL], did you receive any treatment or counseling from a school social worker, a school psychologist, or a school counselor for emotional or behavioral problems that were not caused by alcohol or drugs?

YUSWSCYR¹	Len : 2	RCVD EMOT TMT FROM SCH/SOC WORKER IN PST 12 MOS		
			Freq	Pct
		1 = Yes	1753	3.18
		2 = No.....	14541	26.36
		85 = BAD DATA Logically assigned	8	0.01
		94 = DON'T KNOW	92	0.17
		97 = REFUSED	81	0.15
		98 = BLANK (NO ANSWER).....	150	0.27
		99 = LEGITIMATE SKIP	38535	69.86

Think about the last time you talked with a school social worker, school psychologist, or school counselor about emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your talk?

YUSWSUIC¹	Len : 2	TALKED W/SCH SOC WORK BEC THOT/TRIED TO KILL SELF		
			Freq	Pct
		1 = Response entered	231	0.42
		6 = Response not entered.....	1472	2.67
		85 = BAD DATA Logically assigned	8	0.01
		94 = DON'T KNOW	30	0.05
		97 = REFUSED	101	0.18
		98 = BLANK (NO ANSWER).....	242	0.44
		99 = LEGITIMATE SKIP	53076	96.22

YUSWDEPR¹	Len : 2	TALKED W/SCH SOC WORK BEC YOU FELT DEPRESSED		
			Freq	Pct
		1 = Response entered	686	1.24
		6 = Response not entered.....	1017	1.84
		94 = DON'T KNOW	30	0.05
		97 = REFUSED	101	0.18
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22

YUSWFEAR¹	Len : 2	TALKED W/SCH SOC WORK BEC YOU FELT AFRAID/TENSE		
			Freq	Pct
		1 = Response entered	307	0.56
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
		6 = Response not entered.....	1388	2.52
		94 = DON'T KNOW	30	0.05
		97 = REFUSED	101	0.18
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22

YUSWBKRU¹	Len : 2	TALKED W/SCH SOC WORK BEC BRKING RULES/ACT OUT		
			Freq	Pct
		1 = Response entered	306	0.55
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	1390	2.52
		94 = DON'T KNOW	30	0.05
		97 = REFUSED	101	0.18
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22

YUSWEATP¹	Len : 2	TALKED W/SCH SOC WORK BEC YOU HAD EATING PROBS		
			Freq	Pct
		1 = Response entered	107	0.19
		6 = Response not entered.....	1596	2.89
		94 = DON'T KNOW	30	0.05
		97 = REFUSED	101	0.18
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22

YOUTH MENTAL HEALTH TREATMENT

What was the other reason for your last talk with a school social worker, school psychologist or school counselor?

YUSWANGR ¹	Len : 2	TALKED W/SCH SOC WORK BEC HAD TRBLE CONTRLNG ANGR		
			Freq	Pct
		1 = Response entered	165	0.30
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	1529	2.77
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22
YUSWFITE ¹	Len : 2	TLKED W/SCH COUNS BEC HAD GOTTEN INTO PHYS FIGHTS		
			Freq	Pct
		1 = Response entered	58	0.11
		6 = Response not entered.....	1639	2.97
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22
YUSWFMLY ¹	Len : 2	TALKED W/SCH SOC WORK BEC HAD PRBLMS AT HOME/FMLY		
			Freq	Pct
		1 = Response entered	266	0.48
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	1422	2.58
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22
YUSWFRND ¹	Len : 2	TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH FRIENDS		
			Freq	Pct
		1 = Response entered	294	0.53
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	1398	2.53
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22
YUSWOTPP ¹	Len : 2	TALKED W/SCH SOC WORK BEC HAD PRBLMS WITH OTHERS		
			Freq	Pct
		1 = Response entered	158	0.29
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1537	2.79
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22
YUSWSCHL ¹	Len : 2	TALKED W/SCH SOC WORK BEC HAD PRBLMS AT SCHOOL		
			Freq	Pct
		1 = Response entered	321	0.58
		3 = Response entered LOGICALLY ASSIGNED.....	35	0.06
		6 = Response not entered.....	1341	2.43
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED	104	0.19
		98 = BLANK (NO ANSWER).....	250	0.45
		99 = LEGITIMATE SKIP	53076	96.22

YOUTH MENTAL HEALTH TREATMENT

YUSWSOR¹

Len : 2 TALKED W/SCH SOC WORK FOR SOME OTHER REASON

	Freq	Pct
1 = Response entered	340	0.62
6 = Response not entered.....	1363	2.47
94 = DON'T KNOW	30	0.05
97 = REFUSED	101	0.18
98 = BLANK (NO ANSWER).....	250	0.45
99 = LEGITIMATE SKIP	53076	96.22

At any time during the past 12 months, that is since [DATEFILL], did you attend a school for students with emotional or behavioral problems?

YUSCEMYR¹

Len : 2 ATTEND SCH FOR STUDENTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
1 = Yes	622	1.13
2 = No.....	15698	28.46
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	76	0.14
97 = REFUSED	71	0.13
98 = BLANK (NO ANSWER).....	150	0.27
99 = LEGITIMATE SKIP	38535	69.86

Regular schools sometimes provide programs for students with emotional or behavioral problems.

At any time during the past 12 months, did you participate in a school program that was just for students with emotional or behavioral problems?

YUSCPGYR¹

Len : 2 ATTND SCH PGM FOR STDNTS W/EMOT PRBLMS PST 12 MOS

	Freq	Pct
1 = Yes	278	0.50
2 = No.....	15425	27.96
94 = DON'T KNOW	66	0.12
97 = REFUSED	76	0.14
98 = BLANK (NO ANSWER).....	158	0.29
99 = LEGITIMATE SKIP	39157	70.99

These next questions are about experiences with the justice system.

During the past 12 months, that is, since [DATEFILL], did you stay overnight or longer in any type of juvenile detention center, sometimes called "juvie", prison, or jail?

YUJVDTON¹

Len : 2 STAYED OVRNT/LONGER IN JAIL/JUV DET PST 12 MOS

	Freq	Pct
1 = Yes	187	0.34
2 = No.....	17414	31.57
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	55	0.10
97 = REFUSED	65	0.12
98 = BLANK (NO ANSWER).....	4	0.01
99 = LEGITIMATE SKIP	37424	67.85

During the past 12 months, how many nights altogether did you stay in any type of juvenile detention center, prison or jail?

YUJVDTN2¹

Len : 3 # NIGHTS IN JAIL OR JUV DET IN PST 12 MOS

	Freq	Pct
RANGE = 1 - 7.....	113	0.20
8 = 8 or more	68	0.12
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	1	0.00
997 = REFUSED	70	0.13
998 = BLANK (NO ANSWER).....	60	0.11
999 = LEGITIMATE SKIP	54838	99.42

YOUTH MENTAL HEALTH TREATMENT

Sometimes, the court system provides treatment or counseling in juvenile detention centers, prisons or jails. These services are often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.

While you were in a juvenile detention center, prison or jail during the past 12 months, did you receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?

YUJVDTYR¹

Len : 2 RCVD EMOT TMT IN JAIL/JUV DET IN PST 12 MOS

	Freq	Pct
1 = Yes	56	0.10
2 = No.....	129	0.23
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW.....	1	0.00
97 = REFUSED	66	0.12
98 = BLANK (NO ANSWER).....	60	0.11
99 = LEGITIMATE SKIP	54838	99.42

RECODED YOUTH MENTAL HEALTH TREATMENT

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: The following recoded variables contain information about whether youths received mental health care in the past year from each of 11 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.

YHOSP	Len : 1	STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUHOSPYR=2,4).....	37573	68.12
	1	= Yes (YUHOSPYR=1).....	17198	31.18
			389	0.71
YRESID	Len : 1	STAYED IN RESID CTR FOR EMOT TRMT IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YURSIDYR=2,4).....	37591	68.15
	1	= Yes (YURSIDYR=1).....	17394	31.53
			175	0.32
YFOST	Len : 1	SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUFCARYR=2,4).....	37593	68.15
	1	= Yes (YUFCARYR=1).....	17490	31.71
			77	0.14
YDAYTRT	Len : 1	SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUDYTXYR=2,4).....	37593	68.15
	1	= Yes (YUDYTXYR=1).....	17216	31.21
			351	0.64
YCLIN	Len : 1	RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUMHCRYR=2,4).....	37606	68.18
	1	= Yes (YUMHCRYR=1).....	16995	30.81
			559	1.01
YTHER	Len : 1	RCVD EMOT TRMT FROM THERAPIST IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUTPSTYR=2,4).....	37623	68.21
	1	= Yes (YUTPSTYR=1).....	15611	28.30
			1926	3.49
YHOME	Len : 1	RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUIHTPYR=2,4).....	37630	68.22
	1	= Yes (YUIHTPYR=1).....	16957	30.74
			573	1.04
YPED	Len : 1	RCVD EMOT TRMT FROM FAMLY DOC IN PST YR		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YUFDOCYR=2,4).....	37650	68.26
	1	= Yes (YUFDOCYR=1).....	17004	30.83
			506	0.92

RECODED YOUTH MENTAL HEALTH TREATMENT

YSPEC

Len : 1 ATTND SCHOOL OR PROGRAM FOR EMOT PROB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	37763	68.46
0 = No ((YUSCEMYR=2 and YUSCPGYR=2) or YEATNDYR=2)	16497	29.91
1 = Yes (YUSCEMYR=1 or YUSCPGYR=1)	900	1.63

YSHSW

Len : 1 TLKD W/SCH SOC WKR/PSY/COUNS FOR EMOT PROB PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	37755	68.45
0 = No (YUSWSCYR=2 or YEATNDYR=2).....	15652	28.38
1 = Yes (YUSWSCYR=1)	1753	3.18

YJAIL

Len : 1 YTH RCVD SVCS FOR EMOT PROB IN PY IN JUV JUSTICE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	37561	68.09
0 = No (YUJVDTYR=2 or YUJVDTON=2).....	17543	31.80
1 = Yes (YUJVDTYR=1)	56	0.10

NOTE: The following eight variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.

The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHIN

Len : 1 YTH RCVD SPEC INPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	37614	68.19
0 = No (YHOSP, YRESID, and YFOST=0).....	17065	30.94
1 = Yes (YHOSP, YRESID, or YFOST=1).....	481	0.87

The following variable, ANYMHIN2, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of two specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following two sources of treatment variables: stayed overnight in hospital (YHOSP) and stayed in residential treatment facility (YRESID). Youths who reported a positive response (source variable=1) to either question were included in the yes category. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults, were included in the unknown/18+ category.

Prior to the 2013 NSDUH, a variable (ANYMHIN) on the receipt of inpatient or residential mental health treatment that included the spent time in foster care variable (YFOST) was included on the data files. During the 2013 NSDUH process, it was determined that treatment received through foster care should not be included in the specialty treatment category instead; thus the revised variable ANYMHIN2 that does not include foster care was created and is available for all years back to 2002.

ANYMHIN2

Len : 1 REV YTH RCVD SPEC INPATIENT MH SERVICES IN PY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	37601	68.17
0 = No (YHOSP=0 and YRESID=0)	17114	31.03
1 = Yes (YHOSP=1 or YRESID=1)	445	0.81

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of 4 specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 4 source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 4 questions were included in the yes category regardless of how many of the 4 questions they answered. Youths who did not report a positive response, but answered all 4 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHOUT	Len : 1	YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY		
	.	= Unknown/Aged 18+ (Otherwise)	Freq	Pct
	0	= No (YDAYTRT, YCLIN, YTHER, and YHOME=0)	37654	68.26
	1	= Yes (YDAYTRT, YCLIN, YTHER, or YHOME=1)	15232	27.61
			2274	4.12

The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYSMH	Len : 1	YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR		
	.	= Unknown/Aged 18+ (See comment above).....	Freq	Pct
	0	= No (All above source variables=0)	37673	68.30
	1	= Yes (Any above source variable=1)	15003	27.20
			2484	4.50

The following variable, ANYSMH2, indicates whether a youth reported receiving specialty mental health services in the past year from any of six specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following six source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the six questions were included in the yes category regardless of how many of the six questions they answered. Youths who did not report a positive response, but answered all six of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

Prior to the 2013 NSDUH, a variable (ANYSMH) on the receipt of specialty mental health treatment that included the spent time in foster care variable (YFOST) was included in the data files. During the 2013 NSDUH process, it was determined that treatment received through foster care should be included in the nonspecialty treatment category instead; thus the revised variable ANYSMH2 was created and is available for all years back to 2002.

ANYSMH2	Len : 1	REV YTH RCVD SPECIALTY MENTAL HLTH SRVC IN PST YR		
	.	= Unknown/Aged 18+ (See comment above).....	Freq	Pct
	0	= No (All above source variables=0)	37668	68.29
	1	= Yes (Any above source variable=1)	15017	27.22
			2475	4.49

The following variable, ANYNSMH, indicates whether a youth reported receiving nonspecialty mental health services in the past year from any of five specific nonspecialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following five source of treatment variables: school social worker, school psychologist, or school counselor (YSHSW), special school or program within a regular school for students with emotional or behavioral problems (YSPEC), pediatrician or other family doctor (YPED), juvenile detention center, prison, or jail (YJAIL), and foster care or therapeutic foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the five questions were included in the yes category regardless of how many of the five questions they answered. Youths who did not report a positive response, but answered all five of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYNSMH	Len : 1	YTH RCVD NONSPECIALTY MENTAL HLTH SRVC IN PST YR		
	.	= Unknown/Aged 18+ (See comment above).....	Freq	Pct
	0	= No (All above source variables=0)	37887	68.69
	1	= Yes (Any above source variable=1)	14516	26.32
			2757	5.00

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, ANYMHED2, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school social worker, school psychologists, or school counselors for problems (YSHSW) and attended a special school or participated in a special program at a regular school for problems (YSPEC). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category. This variable is not comparable with variables named similarly in past NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

ANYMHED2	Len : 1	YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR		
			Freq	Pct
.	= Unknown/Aged 18+ (Otherwise)		37806	68.54
0	= No (YSHSW=0 and YSPEC=0)		14975	27.15
1	= Yes (YSHSW=1 or YSPEC=1)		2379	4.31

The following variable, ANYSEDMF, indicates whether a youth reported receiving specialty mental health services along with services from education, general medicine (family doctor/pediatrician), or foster care or therapeutic foster care settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following four source of treatment variables: received specialty mental health services (ANYSMH2), education setting-based mental health services (ANYMHED2), treatment from a family doctor/pediatrician (YPED), and foster care or therapeutic foster care (YFOST). Included in the unknown/18+ category were youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH2=, or {ANYSMH2=1 and (none of ANYMHED2, YPED, or YFOST equal 1 but at least one is missing)}} and adults.

ANYSEDMF	Len : 1	YTH RCVD SPEC MH AND ED, MED, OR FOST SRVC IN PY		
			Freq	Pct
.	= Unknown/Aged 18+ (See comment above)		37672	68.30
0	= No (ANYSMH2=0 or (ANYMHED2=0, YPED=0, & YFOST=0))		16365	29.67
1	= Yes (ANYSMH2=1 & (ANYMHED2=1, YPED=1, or YFOST=1))		1123	2.04

NOTE: The following 12 variables contain information on the number of times a youth received mental health services from specific mental health sources.

HOSPVS	Len : 1	# NIGHTS YTH STAYED IN HOSP FOR MH SRVC IN PY		
			Freq	Pct
.	= Unknown/18+ (Otherwise)		37602	68.17
1	= 1 Night (YUHOSPN2=1)		146	0.26
2	= 2 Nights (YUHOSPN2=2)		45	0.08
3	= 3-6 Nights (YUHOSPN2=3-6)		84	0.15
4	= 7-24 Nights (YUHOSPN2=7-24)		73	0.13
5	= 25 or More Nights (YUHOSPN2=25-31)		12	0.02
6	= No Nights (YUHOSPYR=2)		17198	31.18

RESIDVS	Len : 1	# NIGHTS YTH STAYED IN RESID CTR FOR MH SRVC IN PY		
			Freq	Pct
.	= Unknown/18+ (Otherwise)		37600	68.17
1	= 1 Night (YURSIDN2=1)		43	0.08
2	= 2 Nights (YURSIDN2=2)		14	0.03
3	= 3-6 Nights (YURSIDN2=3-6)		41	0.07
4	= 7-24 Nights (YURSIDN2=7-24)		48	0.09
5	= 25 or More Nights (YURSIDN2=25-31)		20	0.04
6	= No Nights (YURSIDYR=2)		17394	31.53

FOSTVS	Len : 1	# NIGHTS YTH STAYED IN FOST CARE FOR MH SRVC IN PY		
			Freq	Pct
.	= Unknown/18+ (Otherwise)		37608	68.18
1	= 1 Night (YUFCARN2=1)		27	0.05
2	= 2 Nights (YUFCARN2=2)		6	0.01
3	= 3-6 Nights (YUFCARN2=3-6)		4	0.01
4	= 7-24 Nights (YUFCARN2=7-24)		14	0.03
5	= 25 or More Nights (YUFCARN2=25-31)		11	0.02
6	= No Nights (YUFCARYR=2)		17490	31.71

RECODED YOUTH MENTAL HEALTH TREATMENT

DYTXVST

Len : 1 # TIMES YTH VISITED DAY TRMT PROG IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	37615	68.19
1 = 1 Visit (YUDYTXN2=1).....	112	0.20
2 = 2 Visits (YUDYTXN2=2).....	62	0.11
3 = 3-6 Visits (YUDYTXN2=3-6).....	69	0.13
4 = 7-24 Visits (YUDYTXN2=7-24).....	60	0.11
5 = 25 or More Visits (YUDYTXN2=25-31).....	26	0.05
6 = No Visits (YUDYTXR=2).....	17216	31.21

CLINVST

Len : 1 # TIMES YTH VISITED MENT HLTH CLIN IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	37643	68.24
1 = 1 Visit (YUMHCRN2=1)	144	0.26
2 = 2 Visits (YUMHCRN2=2).....	65	0.12
3 = 3-6 Visits (YUMHCRN2=3-6)	148	0.27
4 = 7-24 Visits (YUMHCRN2=7-24)	128	0.23
5 = 25 or More Visits (YUMHCRN2=25-31).....	37	0.07
6 = No Visits (YUMHCRYR=2).....	16995	30.81

THERVST

Len : 1 # TIMES YTH VISITED THERAPIST IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	37784	68.50
1 = 1 Visit (YUTPSTN2=1).....	339	0.61
2 = 2 Visits (YUTPSTN2=2)	221	0.40
3 = 3-6 Visits (YUTPSTN2=3-6).....	549	1.00
4 = 7-24 Visits (YUTPSTN2=7-24).....	479	0.87
5 = 25 or More Visits (YUTPSTN2=25-31)	177	0.32
6 = No Visits (YUTPSTYR=2)	15611	28.30

HOMEVST

Len : 1 # TIMES YTH RCVD IN-HOME COUNSELING IN PY

	Freq	Pct
. = Unknown/18+ (Otherwise)	37690	68.33
1 = 1 Time (YUIHTPN2=1).....	134	0.24
2 = 2 Times (YUIHTPN2=2).....	77	0.14
3 = 3-6 Times (YUIHTPN2=3-6).....	152	0.28
4 = 7-24 Times (YUIHTPN2=7-24).....	106	0.19
5 = 25 or More Times (YUIHTPN2=25-31)	44	0.08
6 = No Times (YUIHTPYR=2)	16957	30.74

The following variable, SPINVST2, indicates how many overnight stays were reported at an inpatient/residential specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2) and residential treatment center (YURSIDN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR=2 and YURSIDYR=2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for either of the locations (YUHOSPYR or YURSIDYR=85, 94, 97, 98 OR either of YUHOSPN2 or YURSIDN2=985, 994, 997, 998), unless the overnight stays for the service with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

Prior to the 2013 NSDUH, a different version of the variable for number of visits or overnight stays at an inpatient/residential specialty mental health service in the past year, SPINVST, was created that included the variables YUFCARN2 and YUFCARYR that determined the number of visits in foster care. During the 2013 NSDUH process, it was determined that treatment received through foster care should be included in the nonspecialty treatment category instead; thus the variable SPINVST2 was created.

SPINVST2

Len : 1 # NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SRVC

	Freq	Pct
. = Unknown/18+ (See comment above)	37646	68.25
1 = 1 Overnight Stay (See comment above)	129	0.23
2 = 2 Overnight Stays (See comment above).....	63	0.11
3 = 3-6 Overnight Stays (See comment above).....	70	0.13
4 = 7-24 Overnight Stays (See comment above).....	102	0.18
5 = 25 or More Overnight Stays (See comment above).....	36	0.07
6 = No Overnight Stays (See comment above)	17114	31.03

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SPOUTVST, indicates how many times a specialty outpatient mental health service was visited in the past year. The number of visits is calculated by adding the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and an in-home therapist (YUIHTPN2). A value of 6 (No Visits) was assigned whenever a respondent said they had used none of the services (YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2 all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits was unknown for any of the 4 locations (any of YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=85, 94, 97, 98 OR any of YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits) was assigned. A missing value was also assigned for respondents aged 18 or older.

SPOUTVST	Len : 1 # TIMES YTH VISITED A SPECIALTY OUTPATIENT MH SRVC		
		Freq	Pct
.	= Unknown/18+ (See comment above)	37884	68.68
1	= 1 Visit (See comment above)	316	0.57
2	= 2 Visits (See comment above)	279	0.51
3	= 3-6 Visits (See comment above)	571	1.04
4	= 7-24 Visits (See comment above)	588	1.07
5	= 25 or more Visits (See comment above)	290	0.53
6	= No Visits (See comment above)	15232	27.61

The following variable, SMHVST2, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2) and residential treatment center (YURSIDN2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPN2, YURSIDN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2 all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 6 locations (any of YUHOSPN2, YURSIDN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=85, 94, 97, 98 OR any of YUHOSPN2, YURSIDN2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2=985, 994, 997, 998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.

Prior to the 2013 NSDUH, a different version of the variable for number of visits or overnight stays at a specialty mental health service in the past year, SMHVST, was created that included the variables YUFCARN2 and YUFCARYR to determine the number of visits in foster care. During the 2013 NSDUH process, it was determined that treatment received through foster care should be included in the nonspecialty treatment category instead; thus the revised variable SMHVST2 was created.

SMHVST2	Len : 1 # STAYS/VISITS YTH MADE TO SPEC MH SERVICE		
		Freq	Pct
.	= Unknown/18+ (See comment above)	37936	68.77
1	= 1 Visit/Overnight Stay (See comment above)	381	0.69
2	= 2 Visits/Overnight Stays (See comment above)	293	0.53
3	= 3-6 Visits/Overnight Stays (See comment above)	580	1.05
4	= 7-24 Visits/Overnight Stays (See comment above)	628	1.14
5	= 25 or More Visits/Stays (See comment above)	325	0.59
6	= No Visits/Stays (See comment above)	15017	27.22

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similar named variables found in previous NSDUHs due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included.

The following variable, SIMHSUI2, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC) or residential treatment center (YURSSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSUI2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C TRIED SUIC		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54818	99.38
0	= Reason Not Indicated (Otherwise)	163	0.30
1	= Reason Indicated (Any source variable=1,3)	179	0.32

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHDPR2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEPR) or residential treatment center (YURSDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHDPR2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C DEPRESSED		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54820	99.38
0	= Reason Not Indicated (Otherwise)	171	0.31
1	= Reason Indicated (Any source variable=1,3).....	169	0.31

The following variable, SIMHFEA2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR) or residential treatment center (YURSFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFEA2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C AFRAID/TENSE		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54824	99.39
0	= Reason Not Indicated (Otherwise)	276	0.50
1	= Reason Indicated (Any source variable=1,3).....	60	0.11

The following variable, SIMHBRK2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU) or residential treatment center (YURSBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHBRK2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C BROKE RULES		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54823	99.39
0	= Reason Not Indicated (Otherwise)	277	0.50
1	= Reason Indicated (Any source variable=1,3).....	60	0.11

The following variable, SIMHEAT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP) or residential treatment center (YURSEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHEAT2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C EATING PRBLMS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	296	0.54
1	= Reason Indicated (Any source variable=1,3).....	39	0.07

The following variable, SIMHANG2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR) or residential treatment center (YURSANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHANG2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C ANGER CONTROL		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	308	0.56
1	= Reason Indicated (Any source variable=1,3).....	27	0.05

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHFIT2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFFITE) or residential treatment center (YURSFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFIT2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C PHYS FIGHT		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	320	0.58
1	= Reason Indicated (Any source variable=1,3).....	15	0.03

The following variable, SIMHFML2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY) or residential treatment center (YURSFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFML2	Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C HOME/FAM PROB		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54824	99.39
0	= Reason Not Indicated (Otherwise)	298	0.54
1	= Reason Indicated (See comment above)	38	0.07

The following variable, SIMHFRD2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND) or residential treatment center (YURSFRRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHFRD2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C PROB W/FRND		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	324	0.59
1	= Reason Indicated (Any source variable=1,3).....	11	0.02

The following variable, SIMHOTP2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP) or residential treatment center (YURSOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital or residential treatment center was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTP2	Len : 1 YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	326	0.59
1	= Reason Indicated (See comment above)	9	0.02

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SIMHSCH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL) or residential treatment center (YURSSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHSCH2	Len : 1 REV YTH LST RCVD INPT SP MH SVC B/C PROB AT SCH		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	301	0.55
1	= Reason Indicated (Any source variable=1,3).....	34	0.06

The following variable, SIMHMEN2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHMEN2	Len : 1 YTH RCVD LAST INPT SPEC MH SRVC B/C DIAG MNTL DIS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54825	99.39
0	= Reason Not Indicated (Otherwise)	331	0.60
1	= Reason Indicated (See comment above)	4	0.01

The following variable, SIMHOTH3, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital or residential treatment center was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from either of these inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SIMHOTH3	Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	54824	99.39
0	= Reason Not Indicated (Otherwise)	309	0.56
1	= Reason Indicated (See comment above)	27	0.05

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one outpatient specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.

The following variable, SOMHSUI, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following sources: visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHSUI	Len : 1 YTH RCVD LAST OUTPT SPEC MH SRVC B/C TRIED SUIC		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53058	96.19
0	= Reason Not Indicated (Otherwise)	1562	2.83
1	= Reason Indicated (Any source variable=1,3).....	540	0.98

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SOMHDP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), and received treatment from in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHDP	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C DEPRESSED		
			Freq	Pct
	.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53040	96.16
	0	= Reason Not Indicated (Otherwise)	1017	1.84
	1	= Reason Indicated (Any source variable=1,3).....	1103	2.00

The following variable, SOMHFEA, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), and received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFEA	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C AFRAID/TENSE		
			Freq	Pct
	.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53057	96.19
	0	= Reason Not Indicated (Otherwise)	1621	2.94
	1	= Reason Indicated (Any source variable=1,3).....	482	0.87

The following variable, SOMHBRK, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), and received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHBRK	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C BROKE RULE		
			Freq	Pct
	.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53060	96.19
	0	= Reason Not Indicated (Otherwise)	1680	3.05
	1	= Reason Indicated (Any source variable=1,3).....	420	0.76

The following variable, SOMHEAT, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), and received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHEAT	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C EATING PROBS		
			Freq	Pct
	.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53068	96.21
	0	= Reason Not Indicated (Otherwise)	1858	3.37
	1	= Reason Indicated (Any source variable=1,3).....	234	0.42

The following variable, SOMHANGR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems controlling anger. This recode was created by examination of the following source variables: visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), and received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHANGR	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C ANGER CONTROL		
			Freq	Pct
	.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53059	96.19
	0	= Reason Not Indicated (Otherwise)	1769	3.21
	1	= Reason Indicated (Any source variable=1,3).....	332	0.60

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SOMHFITE, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), and received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFITE	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C PHYS FIGHT		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		53069	96.21
0	= Reason Not Indicated (Otherwise)		2015	3.65
1	= Reason Indicated (Any source variable=1,3)		76	0.14

The following variable, SOMHFMLY, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), and received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for visits to a day treatment program, mental health center, private therapist, and treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFMLY	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C HOME/FAM PROB		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		53054	96.18
0	= Reason Not Indicated (Otherwise)		1508	2.73
1	= Reason Indicated (See comment above)		598	1.08

The following variable, SOMHFRND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), and received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHFRND	Len : 1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB W/ FRND		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		53062	96.20
0	= Reason Not Indicated (Otherwise)		1843	3.34
1	= Reason Indicated (Any source variable=1,3)		255	0.46

The following variable, SOMHOTPP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had had problems with people other than family or friends. This recode was created by examination of the following source variables: visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), and received treatment from an in-home therapist (YUIHOTPP) because they had problems with people other than family or friends, as well as the write-in other-specify variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHOTPP	Len : 1	YTH RCVD LST OUTP SPC MH SRVC B/C PROB W/ OTH PERS		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		53065	96.20
0	= Reason Not Indicated (Otherwise)		1891	3.43
1	= Reason Indicated (See comment above)		204	0.37

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SOMHSCHL, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), and received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHSCHL	Len : 1 YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB AT SCH		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53060	96.19
0	= Reason Not Indicated (Otherwise)	1729	3.13
1	= Reason Indicated (Any source variable=1,3).....	371	0.67

The following variable, SOMHMEND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was based only on responses to other specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHMEND	Len : 1 YTH RCVD LAST OUTPT SPEC MH SRVC B/C DIAG MNTL DIS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53070	96.21
0	= Reason Not Indicated (Otherwise)	2039	3.70
1	= Reason Indicated (See comment above)	51	0.09

The following variable, SOMHOTH2, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because of some other reasons. This recode was created based only on responses to other-specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the write-in other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SOMHOTH2	Len : 1 YTH RCVD LAST OUTPT SPEC MH SRVC B/C OTHER REASONS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	53061	96.19
0	= Reason Not Indicated (Otherwise)	1865	3.38
1	= Reason Indicated (See comment above)	234	0.42

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs. These variables are not comparable to similar named variables found in previous NSDUHs due to the relocation of foster care into the nonspecialty treatment category instead of the specialty treatment category where it previously was included.

The following variable, SMHSUI2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSUI2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC TRIED SUIC		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52949	95.99
0	= Reason Not Indicated (Otherwise)	1608	2.92
1	= Reason Indicated (Any source variable=1,3).....	603	1.09

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHDPR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHDPR2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC DEPRESSED		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52930	95.96
0	= Reason Not Indicated (Otherwise)	1083	1.96
1	= Reason Indicated (Any source variable=1,3).....	1147	2.08

The following variable, SMHFEA2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFEA2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC AFRAID/TENSE		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52958	96.01
0	= Reason Not Indicated (Otherwise)	1694	3.07
1	= Reason Indicated (Any source variable=1,3).....	508	0.92

The following variable, SMHBRK2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHBRK2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC BROKE RULES		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52960	96.01
0	= Reason Not Indicated (Otherwise)	1752	3.18
1	= Reason Indicated (Any source variable=1,3).....	448	0.81

The following variable, SMHEAT2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHEAT2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC EATING PROBS		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52971	96.03
0	= Reason Not Indicated (Otherwise)	1938	3.51
1	= Reason Indicated (Any source variable=1,3).....	251	0.46

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHANGR2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHANGR2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC ANGER CNTRL		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52962	96.02
0	= Reason Not Indicated (Otherwise)	1848	3.35
1	= Reason Indicated (Any source variable=1,3).....	350	0.63

The following variable, SMHFITE2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOHITE), residential treatment center (YURSHITE), or visited a day treatment program (YUDYHITE), mental health center (YUMHHITE), private therapist (YUTPHITE), or received treatment from an in-home therapist (YUIHHITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFITE2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC PHYS FIGHT		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52972	96.03
0	= Reason Not Indicated (Otherwise)	2101	3.81
1	= Reason Indicated (Any source variable=1,3).....	87	0.16

The following variable, SMHFMLY2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFMLY2	Len : 1 YTH RCVD LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52955	96.00
0	= Reason Not Indicated (Otherwise)	1586	2.88
1	= Reason Indicated (See comment above)	619	1.12

The following variable, SMHFRND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHFRND2	Len : 1 REV YTH LST RCVD SP MH SVC IN PY BC PROB W/FRND		
		Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)	52967	96.02
0	= Reason Not Indicated (Otherwise)	1933	3.50
1	= Reason Indicated (Any source variable=1,3).....	260	0.47

RECODED YOUTH MENTAL HEALTH TREATMENT

The following variable, SMHOTPP2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1, 3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTPP2	Len : 1	YTH RCVD LST SPC MH SRVC IN PY B/C PRB W/ OTH PERS		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		52970	96.03
0	= Reason Not Indicated (Otherwise)		1982	3.59
1	= Reason Indicated (See comment above)		208	0.38

The following variable, SMHSCHL2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHSCHL2	Len : 1	REV YTH LST RCVD SP MH SVC IN PY BC PROB AT SCH		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		52965	96.02
0	= Reason Not Indicated (Otherwise)		1798	3.26
1	= Reason Indicated (Any source variable=1,3).....		397	0.72

The following variable, SMHMEND2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHMEND2	Len : 1	YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		52975	96.04
0	= Reason Not Indicated (Otherwise)		2130	3.86
1	= Reason Indicated (See comment above)		55	0.10

The following variable, SMHOTH3, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason. Adults, youths that did not report receiving services from any of the 6 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.

SMHOTH3	Len : 1	YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS		
			Freq	Pct
.	= No Trt/Unknwn Reason/Aged 18+ (See comment above)		52964	96.02
0	= Reason Not Indicated (Otherwise)		1940	3.52
1	= Reason Indicated (See comment above)		256	0.46

RECODED YOUTH MENTAL HEALTH TREATMENT

NOTE: The following 13 variables, SHSWXXX, indicate whether a respondent last talked with their school social worker, school psychologist, or school counselor in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school social worker, school psychologist, or school counselor (YUSWXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school social worker, school psychologist, or school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category. These variables are not comparable with variables named SHCNXXX in previous NSDUHs due to questionnaire changes in the Youth Mental Health Utilization module.

SHSWSUI	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C TRIED SUIC		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	Freq	Pct
	0	= Reason Not Indicated (See comment above)	53516	97.02
	1	= Reason Indicated (YUSWSUI=1,3)	1413	2.56
			231	0.42
SHSWDPR	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C DEPRESSED		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWDPR=1,3)	958	1.74
			686	1.24
SHSWFEA	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C AFRD/TENSE		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWFEAR=1,3)	1329	2.41
			315	0.57
SHSWBRK	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C BROKE RULE		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWBRKU=1,3)	1331	2.41
			313	0.57
SHSWEAT	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C EATNG PROB		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWEATP=1,3)	1537	2.79
			107	0.19
SHSWANGR	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C ANGR CNTRL		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWANGR=1,3)	1476	2.68
			168	0.30
SHSWFITE	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PHYS FIGHT		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWFITE=1,3)	1586	2.88
			58	0.11
SHSWFMLY	Len : 1	YTH LAST TLKD W/ SCH SOC WKR IN PY B/C HME/FAM PRB		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWFMLY=1,3 or home/fam prob)	1368	2.48
			276	0.50
SHSWFRND	Len : 1	YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C FRND PROB		
	.	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)	Freq	Pct
	0	= Reason Not Indicated (See comment above SHSWSUI)	53516	97.02
	1	= Reason Indicated (YUSWFRND=1,3)	1345	2.44
			299	0.54

RECODED YOUTH MENTAL HEALTH TREATMENT

SHSWOTPP	Len : 1 YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C PRB W/ OTH		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	53516	97.02
	0 = Reason Not Indicated (See comment above SHSWSUI)	1472	2.67
	1 = Reason Indicated(YUSWOTPP=1,3 or problem w/others)	172	0.31

SHWSCHL	Len : 1 YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C SCHL PROB		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	53516	97.02
	0 = Reason Not Indicated (See comment above SHSWSUI)	1288	2.34
	1 = Reason Indicated (YUSWSCHL=1,3).....	356	0.65

SHSWMEND	Len : 1 YTH LAST TLKD W/ SCH SOC WRK IN PY B/C DG MNTL DIS		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	53516	97.02
	0 = Reason Not Indicated (See comment above SHSWSUI)	1639	2.97
	1 = Reason Indicated (Diagnosed with mental disorder)	5	0.01

For the following variable, SHSWOTH2, a respondent was classified as having indicated that they talked with school social worker for some other reason.

SHSWOTH2	Len : 1 YTH LAST TLKD W/ SCH SOC WRKR IN PY B/C OTH REASON		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	53516	97.02
	0 = Reason Not Indicated (See comment above SHSWSUI)	1511	2.74
	1 = Reason Indicated (Indicated some other reason)	133	0.24

NOTE: The following 13 variables, FDOCXXX, indicate whether a respondent last talked with their family doctor or pediatrician in the past year because of respective reasons. Youths were assigned a "Reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their family doctor or pediatrician (YUFDXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a family doctor or pediatrician in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.

FDOCSUI	Len : 1 YTH LAST SAW FAM DOC IN PY B/C TRIED SUIC		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	54738	99.23
	0 = Reason Not Indicated (See comment above)	329	0.60
	1 = Reason Indicated (YUFD SUIC=1,3).....	93	0.17

FDOCDPR	Len : 1 YTH LAST SAW FAM DOC IN PY B/C DEPRESSED		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54736	99.23
	0 = Reason Not Indicated (See comment above FDOCSUI)	208	0.38
	1 = Reason Indicated (YUFDDEPR=1,3)	216	0.39

FDOCFEA	Len : 1 YTH LAST SAW FAM DOC IN PY B/C AFRAID/TENSE		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738	99.23
	0 = Reason Not Indicated (See comment above FDOCSUI)	337	0.61
	1 = Reason Indicated (YUFD FEAR=1,3).....	85	0.15

FDOCBRK	Len : 1 YTH LAST SAW FAM DOC IN PY B/C BROKE RULES		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738	99.23
	0 = Reason Not Indicated (See comment above FDOCSUI)	356	0.65
	1 = Reason Indicated (YUFD BKRU=1,3)	66	0.12

FDOCEAT	Len : 1 YTH LAST SAW FAM DOC IN PY B/C EATING PROBS		
	.	Freq	Pct
	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738	99.23
	0 = Reason Not Indicated (See comment above FDOCSUI)	362	0.66
	1 = Reason Indicated (YUFD EATP=1,3).....	60	0.11

RECODED YOUTH MENTAL HEALTH TREATMENT

FDOCANGR	Len : 1 YTH LAST SAW FAM DOC IN PY B/C ANGER CONTROL		
	.	No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	396 0.72
	1	= Reason Indicated (YUFDANGR=1,3).....	26 0.05

FDOCFITE	Len : 1 YTH LAST SAW FAM DOC IN PY B/C PHYS FIGHT		
	.	No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	414 0.75
	1	= Reason Indicated (YUFDITE=1,3)	8 0.01

FDOCFMLY	Len : 1 YTH LAST SAW FAM DOC IN PY B/C HOME/FAM PROB		
	.	No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	380 0.69
	1	= Reason Indicated (YUFDFMLY=1,3 or home/fam prob).....	42 0.08

FDOCFRND	Len : 1 YTH LAST SAW FAM DOC IN PY B/C PROB W/ FRND		
	.	No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	402 0.73
	1	= Reason Indicated (YUDFRND=1,3)	20 0.04

FDOCOTPP	Len : 1 YTH LAST SAW FAM DOC IN PY B/C PROB W/ OTHER PERS		
	.	No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	405 0.73
	1	= Reason Indicated(YUFDOTPP=1,3 or problem w/others)	17 0.03

FDOCSCHL	Len : 1 YTH LAST SAW FAM DOC IN PY B/C PROB AT SCH		
	.	No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	367 0.67
	1	= Reason Indicated (YUFDSCHL=1,3).....	55 0.10

FDOCMEND	Len : 1 YTH LAST SAW FAM DOC IN PY B/C DIAG MNTL DIS		
	.	No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	410 0.74
	1	= Reason Indicated (Diagnosed with mental disorder)	12 0.02

For the following variable, FDOCOTH2, a respondent was classified as having indicated that they talked with their family doctor or pediatrician for some other reason.

FDOCOTH2	Len : 1 YTH LAST SAW FAM DOC IN PY B/C OTHER REASONS		
	.	No/Unkn Trt/Unkn Reason/Aged 18+ (See comment).....	54738 99.23
	0	= Reason Not Indicated (See comment above FDOCSUI)	386 0.70
	1	= Reason Indicated (Indicated some other reason)	36 0.07

ADOLESCENT DEPRESSION

ADOLESCENT DEPRESSION

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

YODPREV¹	Len : 2	EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD		
			Freq	Pct
	1 = Yes		7886	14.30
	2 = No.....		9630	17.46
	85 = BAD DATA Logically assigned		10	0.02
	94 = DON'T KNOW.....		112	0.20
	97 = REFUSED		94	0.17
	98 = BLANK (NO ANSWER).....		4	0.01
	99 = LEGITIMATE SKIP		37424	67.85

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

YODSCEV¹	Len : 2	EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS		
			Freq	Pct
	1 = Yes		805	1.46
	2 = No.....		8859	16.06
	85 = BAD DATA Logically assigned		1	0.00
	94 = DON'T KNOW.....		94	0.17
	97 = REFUSED		78	0.14
	98 = BLANK (NO ANSWER).....		13	0.02
	99 = LEGITIMATE SKIP		45310	82.14

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

YOLOSEV¹	Len : 2	EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
			Freq	Pct
	1 = Yes		1360	2.47
	2 = No.....		7519	13.63
	85 = BAD DATA Logically assigned		1	0.00
	94 = DON'T KNOW.....		88	0.16
	97 = REFUSED		64	0.12
	98 = BLANK (NO ANSWER).....		13	0.02
	99 = LEGITIMATE SKIP		46115	83.60

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

YODPDISC¹	Len : 2	FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
			Freq	Pct
	1 = Yes		6548	11.87
	2 = No.....		1283	2.33
	85 = BAD DATA Logically assigned		9	0.02
	94 = DON'T KNOW.....		45	0.08
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		117	0.21
	99 = LEGITIMATE SKIP		47148	85.47

ADOLESCENT DEPRESSION

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

YODPLSIN¹	Len : 2	EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
			Freq	Pct
	1 = Yes		5489	9.95
	2 = No.....		2351	4.26
	85 = BAD DATA Logically assigned		9	0.02
	94 = DON'T KNOW.....		35	0.06
	97 = REFUSED		11	0.02
	98 = BLANK (NO ANSWER).....		117	0.21
	99 = LEGITIMATE SKIP		47148	85.47

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

YODSLSIN¹	Len : 2	EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED		
			Freq	Pct
	1 = Yes		425	0.77
	2 = No.....		372	0.67
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		133	0.24
	99 = LEGITIMATE SKIP		54222	98.30

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

YOLSI2WK¹	Len : 2	PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR		
			Freq	Pct
	1 = Yes		159	0.29
	2 = No.....		1184	2.15
	94 = DON'T KNOW.....		16	0.03
	97 = REFUSED		1	0.00
	98 = BLANK (NO ANSWER).....		166	0.30
	99 = LEGITIMATE SKIP		53634	97.23

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

YODPR2WK¹	Len : 2	TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR		
			Freq	Pct
	1 = Yes		4943	8.96
	2 = No.....		3681	6.67
	85 = BAD DATA Logically assigned		9	0.02
	94 = DON'T KNOW.....		52	0.09
	97 = REFUSED		15	0.03
	98 = BLANK (NO ANSWER).....		124	0.22
	99 = LEGITIMATE SKIP		46336	84.00

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

YOWRHRS¹	Len : 2	TIME THAT MOST SEVERE/FREQUENT MOOD LASTED		
			Freq	Pct
	1 = Less than 1 hour.....		825	1.50
	2 = At least 1 hour but no more than 3 hours		1477	2.68
	3 = At least 3 hours but no more than 5 hours.....		1152	2.09
	4 = 5 hours or more		1572	2.85
	85 = BAD DATA Logically assigned		9	0.02
	94 = DON'T KNOW.....		65	0.12
	97 = REFUSED		11	0.02
	98 = BLANK (NO ANSWER).....		241	0.44
	99 = LEGITIMATE SKIP		49808	90.30

ADOLESCENT DEPRESSION

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

YOWRDST¹	Len : 2	HOW STRONG WERE BAD FEELINGS DURING 2 WKS		
			Freq	Pct
	1 = Mild.....		622	1.13
	2 = Moderate		1780	3.23
	3 = Severe		1287	2.33
	4 = Very Severe.....		522	0.95
	94 = DON'T KNOW.....		52	0.09
	97 = REFUSED		14	0.03
	98 = BLANK (NO ANSWER).....		250	0.45
	99 = LEGITIMATE SKIP		50633	91.79

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

YOWRCHR¹	Len : 2	BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP		
			Freq	Pct
	1 = Often.....		1312	2.38
	2 = Sometimes.....		1797	3.26
	3 = Not very often		851	1.54
	4 = Never.....		286	0.52
	94 = DON'T KNOW.....		20	0.04
	97 = REFUSED		11	0.02
	98 = BLANK (NO ANSWER).....		250	0.45
	99 = LEGITIMATE SKIP		50633	91.79

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

YOWRIMP¹	Len : 2	MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES		
			Freq	Pct
	1 = Often.....		754	1.37
	2 = Sometimes.....		1523	2.76
	3 = Not very often		1133	2.05
	4 = Never.....		826	1.50
	94 = DON'T KNOW.....		31	0.06
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		250	0.45
	99 = LEGITIMATE SKIP		50633	91.79

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

YODPPROB¹	Len : 2	EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
			Freq	Pct
	1 = Yes		3214	5.83
	2 = No.....		952	1.73
	94 = DON'T KNOW.....		11	0.02
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		250	0.45
	99 = LEGITIMATE SKIP		50725	91.96

ADOLESCENT DEPRESSION

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

YOWRPROB¹	Len : 2	ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
			Freq	Pct
		1 = Yes	2505	4.54
		2 = No.....	692	1.25
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	269	0.49
		99 = LEGITIMATE SKIP	51677	93.69

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

YOWRAGE¹	Len : 3	AGE WHEN WORST PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 17.....	3114	5.65
		994 = DON'T KNOW.....	81	0.15
		997 = REFUSED	19	0.03
		998 = BLANK (NO ANSWER).....	269	0.49
		999 = LEGITIMATE SKIP	51677	93.69

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

YOWRDEPR¹	Len : 2	WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
			Freq	Pct
		1 = Yes	2369	4.29
		2 = No.....	825	1.50
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	269	0.49
		99 = LEGITIMATE SKIP	51677	93.69

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

YOWRDISC¹	Len : 2	WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY		
			Freq	Pct
		1 = Yes	2399	4.35
		2 = No.....	791	1.43
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	269	0.49
		99 = LEGITIMATE SKIP	51677	93.69

ADOLESCENT DEPRESSION

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

YOWRLSIN¹	Len : 2	WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
			Freq	Pct
	1 = Yes		2457	4.45
	2 = No.....		739	1.34
	94 = DON'T KNOW.....		10	0.02
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		269	0.49
	99 = LEGITIMATE SKIP		51677	93.69

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

YOWRPLSR¹	Len : 2	WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS		
			Freq	Pct
	1 = Yes		2225	4.03
	2 = No.....		973	1.76
	94 = DON'T KNOW.....		11	0.02
	97 = REFUSED		5	0.01
	98 = BLANK (NO ANSWER).....		269	0.49
	99 = LEGITIMATE SKIP		51677	93.69

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

YOWRELES¹	Len : 2	WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY		
			Freq	Pct
	1 = Yes		1621	2.94
	2 = No.....		1337	2.42
	94 = DON'T KNOW.....		20	0.04
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		51896	94.08

Did you eat much more than usual almost every day?

YOWREMOR¹	Len : 2	WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
			Freq	Pct
	1 = Yes		503	0.91
	2 = No.....		839	1.52
	94 = DON'T KNOW.....		16	0.03
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		53517	97.02

Did you gain weight without trying to during that [TIMEFILL] period of time?

YOWRGAIN¹	Len : 2	WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
			Freq	Pct
	1 = Yes		396	0.72
	2 = No.....		940	1.70
	94 = DON'T KNOW.....		25	0.05
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		53517	97.02

ADOLESCENT DEPRESSION

Did you gain weight without trying to because you were growing?

YOWRGROW¹	Len : 2	WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
			Freq	Pct
	1 = Yes		147	0.27
	2 = No.....		220	0.40
	94 = DON'T KNOW.....		29	0.05
	98 = BLANK (NO ANSWER).....		307	0.56
	99 = LEGITIMATE SKIP		54457	98.73

Did you gain weight without trying to because you were pregnant?

YOWRPREG¹	Len : 2	WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
			Freq	Pct
	1 = Yes		3	0.01
	2 = No.....		193	0.35
	98 = BLANK (NO ANSWER).....		135	0.24
	99 = LEGITIMATE SKIP		54829	99.40

How many pounds did you gain?

Please enter your answer as a whole number.

YOWRGNL2¹	Len : 3	WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
			Freq	Pct
	RANGE = 0 - 20.....		147	0.27
	21 = 21 to 25 pounds		11	0.02
	22 = 26 to 30 pounds		18	0.03
	23 = 31 to 35 pounds		2	0.00
	24 = 36 to 40 pounds		12	0.02
	25 = 41 to 45 pounds		1	0.00
	26 = 46 to 50 pounds		10	0.02
	27 = 51 or more pounds.....		15	0.03
	994 = DON'T KNOW.....		28	0.05
	997 = REFUSED		2	0.00
	998 = BLANK (NO ANSWER).....		307	0.56
	999 = LEGITIMATE SKIP		54607	99.00

Did you lose weight without trying to?

YOWRLOSE¹	Len : 2	WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
			Freq	Pct
	1 = Yes		1205	2.18
	2 = No.....		1332	2.41
	94 = DON'T KNOW.....		50	0.09
	97 = REFUSED		3	0.01
	98 = BLANK (NO ANSWER).....		281	0.51
	99 = LEGITIMATE SKIP		52289	94.80

Did you lose weight without trying to because you were sick or on a diet?

YOWRDIET¹	Len : 2	WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
			Freq	Pct
	1 = Yes		398	0.72
	2 = No.....		799	1.45
	94 = DON'T KNOW.....		8	0.01
	98 = BLANK (NO ANSWER).....		334	0.61
	99 = LEGITIMATE SKIP		53621	97.21

ADOLESCENT DEPRESSION

How many pounds did you lose?

Please enter your answer as a whole number.

YOWRLSL2¹	Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		Freq	Pct
	RANGE = 0 - 20.....	679	1.23
	21 = 21 to 25 pounds.....	14	0.03
	22 = 26 to 30 pounds.....	23	0.04
	23 = 31 to 35 pounds.....	5	0.01
	24 = 36 to 40 pounds.....	6	0.01
	25 = 41 to 45 pounds.....	2	0.00
	26 = 46 to 50 pounds.....	7	0.01
	27 = 51 or more pounds.....	7	0.01
	994 = DON'T KNOW.....	62	0.11
	997 = REFUSED	2	0.00
	998 = BLANK (NO ANSWER).....	334	0.61
	999 = LEGITIMATE SKIP	54019	97.93

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

YOWRSLEP¹	Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		Freq	Pct
	1 = Yes	2264	4.10
	2 = No.....	697	1.26
	94 = DON'T KNOW.....	19	0.03
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

YOWRSMOR¹	Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		Freq	Pct
	1 = Yes	365	0.66
	2 = No.....	344	0.62
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	54160	98.19

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

YOWRENRG¹	Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		Freq	Pct
	1 = Yes	2577	4.67
	2 = No.....	388	0.70
	94 = DON'T KNOW.....	18	0.03
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

YOWRSLOW¹	Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		Freq	Pct
	1 = Yes	2098	3.80
	2 = No.....	866	1.57
	94 = DON'T KNOW.....	19	0.03
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

ADOLESCENT DEPRESSION

Did anyone else notice that you were talking or moving more slowly than usual?

YOWRSLNO¹	Len : 2	WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
			Freq	Pct
	1 = Yes		1373	2.49
	2 = No.....		701	1.27
	94 = DON'T KNOW.....		23	0.04
	97 = REFUSED		1	0.00
	98 = BLANK (NO ANSWER).....		300	0.54
	99 = LEGITIMATE SKIP		52762	95.65

Were you so restless or jittery that you walked up or down or couldn't sit still?

YOWRJITT¹	Len : 2	WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
			Freq	Pct
	1 = Yes		236	0.43
	2 = No.....		633	1.15
	94 = DON'T KNOW.....		15	0.03
	97 = REFUSED		4	0.01
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		53994	97.89

Did anyone else notice that you couldn't sit still?

YOWRJINO¹	Len : 2	WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL		
			Freq	Pct
	1 = Yes		124	0.22
	2 = No.....		105	0.19
	94 = DON'T KNOW.....		7	0.01
	98 = BLANK (NO ANSWER).....		297	0.54
	99 = LEGITIMATE SKIP		54627	99.03

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

YOWRTHOT¹	Len : 2	WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP		
			Freq	Pct
	1 = Yes		2085	3.78
	2 = No.....		861	1.56
	94 = DON'T KNOW.....		33	0.06
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		51896	94.08

On most days, did you have a lot more trouble than usual keeping your mind on things?

YOWRCONC¹	Len : 2	WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS		
			Freq	Pct
	1 = Yes		2400	4.35
	2 = No.....		568	1.03
	94 = DON'T KNOW.....		11	0.02
	97 = REFUSED		7	0.01
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		51896	94.08

ADOLESCENT DEPRESSION

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

YOWRDCSN¹	Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		Freq	Pct
	1 = Yes	1823	3.30
	2 = No.....	1126	2.04
	94 = DON'T KNOW.....	28	0.05
	97 = REFUSED	9	0.02
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

Did you feel that you were not as good as other people nearly every day?

YOWRNOGD¹	Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		Freq	Pct
	1 = Yes	2424	4.39
	2 = No.....	543	0.98
	94 = DON'T KNOW.....	12	0.02
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

Did you feel totally worthless nearly every day?

YOWRWRTH¹	Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
		Freq	Pct
	1 = Yes	1837	3.33
	2 = No.....	575	1.04
	94 = DON'T KNOW.....	6	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER).....	297	0.54
	99 = LEGITIMATE SKIP	52439	95.07

The next questions are about thoughts of death or suicide.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you often think a lot about death, either your own, someone else's, or death in general?

YOWRDLOT¹	Len : 2 WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
		Freq	Pct
	1 = Yes	1824	3.31
	2 = No.....	1126	2.04
	94 = DON'T KNOW.....	10	0.02
	97 = REFUSED	26	0.05
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

During that period, did you ever think that it would be better if you were dead?

YOWRDBTR¹	Len : 2 WHEN PRBLMS WRST THINK IT WOULD BE BETTER IF DEAD		
		Freq	Pct
	1 = Yes	1784	3.23
	2 = No.....	1157	2.10
	94 = DON'T KNOW.....	17	0.03
	97 = REFUSED	28	0.05
	98 = BLANK (NO ANSWER).....	278	0.50
	99 = LEGITIMATE SKIP	51896	94.08

ADOLESCENT DEPRESSION

Did you think about killing yourself?

YOWRSTHK¹	Len : 2	WHEN PRBLMS WORST THINK ABOUT KILLING YOURSELF		
			Freq	Pct
	1 = Yes		1510	2.74
	2 = No.....		1417	2.57
	94 = DON'T KNOW.....		16	0.03
	97 = REFUSED		43	0.08
	98 = BLANK (NO ANSWER).....		278	0.50
	99 = LEGITIMATE SKIP		51896	94.08

Did you make a plan to kill yourself?

YOWRSPLN¹	Len : 2	WHEN PRBLMS WORST MAKE A PLAN TO KILL YOURSELF		
			Freq	Pct
	1 = Yes		732	1.33
	2 = No.....		765	1.39
	94 = DON'T KNOW.....		3	0.01
	97 = REFUSED		10	0.02
	98 = BLANK (NO ANSWER).....		337	0.61
	99 = LEGITIMATE SKIP		53313	96.65

Did you make a suicide attempt or try to kill yourself?

YOWRSATP¹	Len : 2	WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
			Freq	Pct
	1 = Yes		485	0.88
	2 = No.....		1013	1.84
	94 = DON'T KNOW.....		4	0.01
	97 = REFUSED		8	0.01
	98 = BLANK (NO ANSWER).....		337	0.61
	99 = LEGITIMATE SKIP		53313	96.65

YO_MDEA1¹	Len : 2	SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
			Freq	Pct
	1 = Has symptom.....		2661	4.82
	2 = Does not have symptom		536	0.97
	94 = DON'T KNOW.....		14	0.03
	97 = REFUSED		3	0.01
	98 = OTHER MISSING/NOT APPLICABLE		14522	26.33
	99 = LEGITIMATE SKIP		37424	67.85

YO_MDEA2¹	Len : 2	LOST INTEREST OR PLEASURE IN MOST THINGS		
			Freq	Pct
	1 = Has symptom.....		2831	5.13
	2 = Does not have symptom		502	0.91
	94 = DON'T KNOW.....		21	0.04
	97 = REFUSED		5	0.01
	98 = OTHER MISSING/NOT APPLICABLE		14377	26.06
	99 = LEGITIMATE SKIP		37424	67.85

YO_MDEA3¹	Len : 2	CHANGES IN APPETITE OR WT		
			Freq	Pct
	1 = Has symptom.....		2179	3.95
	2 = Does not have symptom		754	1.37
	94 = DON'T KNOW.....		45	0.08
	97 = REFUSED		8	0.01
	98 = OTHER MISSING/NOT APPLICABLE		14750	26.74
	99 = LEGITIMATE SKIP		37424	67.85

ADOLESCENT DEPRESSION

YO_MDEA4 ¹	Len : 2 SLEEP PROBLEMS		
		Freq	Pct
		1 = Has symptom.....	2629 4.77
		2 = Does not have symptom	338 0.61
		94 = DON'T KNOW.....	14 0.03
		97 = REFUSED	5 0.01
		98 = OTHER MISSING/NOT APPLICABLE	14750 26.74
		99 = LEGITIMATE SKIP	37424 67.85
YO_MDEA5 ¹	Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		Freq	Pct
		1 = Has symptom.....	1497 2.71
		2 = Does not have symptom	1458 2.64
		94 = DON'T KNOW.....	30 0.05
		97 = REFUSED	1 0.00
		98 = OTHER MISSING/NOT APPLICABLE	14750 26.74
		99 = LEGITIMATE SKIP	37424 67.85
YO_MDEA6 ¹	Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
		Freq	Pct
		1 = Has symptom.....	2577 4.67
		2 = Does not have symptom	388 0.70
		94 = DON'T KNOW.....	18 0.03
		97 = REFUSED	3 0.01
		98 = OTHER MISSING/NOT APPLICABLE	14750 26.74
		99 = LEGITIMATE SKIP	37424 67.85
YO_MDEA7 ¹	Len : 2 FELT WORTHLESS NEARLY EVERY DAY		
		Freq	Pct
		1 = Has symptom.....	1837 3.33
		2 = Does not have symptom	1137 2.06
		94 = DON'T KNOW.....	6 0.01
		97 = REFUSED	6 0.01
		98 = OTHER MISSING/NOT APPLICABLE	14750 26.74
		99 = LEGITIMATE SKIP	37424 67.85
YO_MDEA8 ¹	Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		Freq	Pct
		1 = Has symptom.....	2642 4.79
		2 = Does not have symptom	318 0.58
		94 = DON'T KNOW.....	20 0.04
		97 = REFUSED	6 0.01
		98 = OTHER MISSING/NOT APPLICABLE	14750 26.74
		99 = LEGITIMATE SKIP	37424 67.85
YO_MDEA9 ¹	Len : 2 ANY THOUGHTS OR PLANS OF SUICIDE		
		Freq	Pct
		1 = Has symptom.....	2171 3.94
		2 = Does not have symptom	781 1.42
		94 = DON'T KNOW.....	13 0.02
		97 = REFUSED	21 0.04
		98 = OTHER MISSING/NOT APPLICABLE	14750 26.74
		99 = LEGITIMATE SKIP	37424 67.85
YODSMMDE ¹	Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		Freq	Pct
		1 = Has 5 or more symptoms.....	2680 4.86
		2 = Has less than 5 symptoms	655 1.19
		94 = SUM OF SYMPTOMS AND DON'T KNOW >=5.....	17 0.03
		97 = SUM OF SYMPTOMS AND REFUSED >=5	7 0.01
		98 = OTHER MISSING/NOT APPLICABLE	14377 26.06
		99 = LEGITIMATE SKIP	37424 67.85

ADOLESCENT DEPRESSION

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

YOPBINTF¹	Len : 2	WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE		
			Freq	Pct
		1 = Not at all	169	0.31
		2 = A little.....	570	1.03
		3 = Some	882	1.60
		4 = A lot	798	1.45
		5 = Extremely.....	335	0.61
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	298	0.54
		99 = LEGITIMATE SKIP	52096	94.45

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

YOPBDLYA¹	Len : 2	WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS		
			Freq	Pct
		1 = Often.....	486	0.88
		2 = Sometimes.....	1221	2.21
		3 = Not very often	642	1.16
		4 = Never.....	227	0.41
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	298	0.54
		99 = LEGITIMATE SKIP	52265	94.75

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

YOPBRMBR¹	Len : 2	RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
			Freq	Pct
		1 = Yes	1606	2.91
		2 = No.....	1133	2.05
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	298	0.54
		99 = LEGITIMATE SKIP	52096	94.45

How old were you?

YOPBAGE¹	Len : 3	AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
			Freq	Pct
		RANGE = 1 - 17.....	2623	4.76
		994 = DON'T KNOW.....	125	0.23
		997 = REFUSED	9	0.02
		998 = BLANK (NO ANSWER).....	307	0.56
		999 = LEGITIMATE SKIP	52096	94.45

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

YOPBNUM¹	Len : 4	# TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
			Freq	Pct
		RANGE = 1 - 1000.....	2373	4.30
		9994 = DON'T KNOW.....	336	0.61
		9997 = REFUSED	57	0.10
		9998 = BLANK (NO ANSWER).....	298	0.54
		9999 = LEGITIMATE SKIP	52096	94.45

ADOLESCENT DEPRESSION

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

YOPB2WK¹	Len : 2	FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS		
			Freq	Pct
		1 = Yes	1845	3.34
		2 = No.....	843	1.53
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED	19	0.03
		98 = BLANK (NO ANSWER).....	298	0.54
		99 = LEGITIMATE SKIP	52096	94.45

NOTE: Beginning with the 2008 survey, the questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC no longer allow respondents to choose the category 95 (ACTIVITY DOES NOT APPLY).

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

YOPSHMGT¹	Len : 2	HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES		
			Freq	Pct
		0 = No Problems.....	116	0.21
		1 = Mild - 1.....	84	0.15
		2 = Mild - 2.....	135	0.24
		3 = Mild - 3.....	157	0.28
		4 = Moderate - 4	182	0.33
		5 = Moderate - 5	288	0.52
		6 = Moderate - 6	270	0.49
		7 = Severe - 7	218	0.40
		8 = Severe - 8.....	190	0.34
		9 = Severe - 9.....	82	0.15
		10 = Very Severe Problems	113	0.20
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP	52939	95.97

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

YOPSWORK¹	Len : 2	HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK		
			Freq	Pct
		0 = No Problems.....	94	0.17
		1 = Mild - 1.....	74	0.13
		2 = Mild - 2.....	121	0.22
		3 = Mild - 3.....	142	0.26
		4 = Moderate - 4	161	0.29
		5 = Moderate - 5	279	0.51
		6 = Moderate - 6	254	0.46
		7 = Severe - 7	216	0.39
		8 = Severe - 8	200	0.36
		9 = Severe - 9.....	133	0.24
		10 = Very Severe Problems	162	0.29
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP	52939	95.97

ADOLESCENT DEPRESSION

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

YOPSRELS¹	Len : 2	HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM		
			Freq	Pct
		0 = No Problems.....	74	0.13
		1 = Mild - 1.....	52	0.09
		2 = Mild - 2.....	94	0.17
		3 = Mild - 3.....	111	0.20
		4 = Moderate - 4.....	155	0.28
		5 = Moderate - 5.....	224	0.41
		6 = Moderate - 6.....	207	0.38
		7 = Severe - 7.....	241	0.44
		8 = Severe - 8.....	258	0.47
		9 = Severe - 9.....	195	0.35
		10 = Very Severe Problems.....	227	0.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP.....	52939	95.97

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

YOPSSOC¹	Len : 2	HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE		
			Freq	Pct
		0 = No Problems.....	72	0.13
		1 = Mild - 1.....	52	0.09
		2 = Mild - 2.....	83	0.15
		3 = Mild - 3.....	130	0.24
		4 = Moderate - 4.....	138	0.25
		5 = Moderate - 5.....	216	0.39
		6 = Moderate - 6.....	210	0.38
		7 = Severe - 7.....	253	0.46
		8 = Severe - 8.....	236	0.43
		9 = Severe - 9.....	204	0.37
		10 = Very Severe Problems.....	240	0.44
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	376	0.68
		99 = LEGITIMATE SKIP.....	52939	95.97

NOTE: Beginning with the 2008 survey, respondents who answered "don't know" or "refused" to questions corresponding to the variables YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC are no longer asked the question corresponding to YOPSDAYS unless they entered a response of 1 to 10 in at least one of the other questions corresponding to YOPSHMGT through YOPSSOC.

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

YOPSDAYS¹	Len : 3	# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
			Freq	Pct
		RANGE = 0 - 365.....	1757	3.19
		994 = DON'T KNOW.....	71	0.13
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	381	0.69
		999 = LEGITIMATE SKIP.....	52945	95.98

ADOLESCENT DEPRESSION

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

YOSEEDOC¹	Len : 2	SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Yes	898	1.63
		2 = No.....	1838	3.33
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED	13	0.02
		98 = BLANK (NO ANSWER).....	298	0.54
		99 = LEGITIMATE SKIP	52096	94.45

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

To select more than one answer from the list, press the space bar between each number you type. When you have finished, press the [ENTER] key to go to the next question.

YOFAMDOC¹	Len : 2	GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	204	0.37
		6 = Response not entered.....	676	1.23
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER).....	315	0.57
		99 = LEGITIMATE SKIP	53934	97.78

YOOTHD¹	Len : 2	OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	28	0.05
		6 = Response not entered.....	852	1.54
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER).....	315	0.57
		99 = LEGITIMATE SKIP	53934	97.78

YOPSYCH¹	Len : 2	PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	274	0.50
		6 = Response not entered.....	606	1.10
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER).....	315	0.57
		99 = LEGITIMATE SKIP	53934	97.78

YOPSYMD¹	Len : 2	PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
			Freq	Pct
		1 = Response entered	210	0.38
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	668	1.21
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER).....	315	0.57
		99 = LEGITIMATE SKIP	53934	97.78

ADOLESCENT DEPRESSION

YOSOCWRK¹	Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	137	0.25
	6 = Response not entered.....	743	1.35
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78
YOCOUNS¹	Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	549	1.00
	3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
	6 = Response not entered.....	330	0.60
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78
YOOTHMHP¹	Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	67	0.12
	6 = Response not entered.....	813	1.47
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78
YONURSE¹	Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	72	0.13
	6 = Response not entered.....	808	1.46
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78
YORELIG¹	Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		Freq	Pct
	1 = Response entered	95	0.17
	6 = Response not entered.....	785	1.42
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78
YOHERBAL¹	Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	27	0.05
	6 = Response not entered.....	853	1.55
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78
YOOTHPL¹	Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		Freq	Pct
	1 = Response entered	34	0.06
	6 = Response not entered.....	846	1.53
	94 = DON'T KNOW.....	11	0.02
	97 = REFUSED	20	0.04
	98 = BLANK (NO ANSWER).....	315	0.57
	99 = LEGITIMATE SKIP	53934	97.78

ADOLESCENT DEPRESSION

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

YOTMTNOW¹	Len : 2	CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD		
			Freq	Pct
		1 = Yes	389	0.71
		2 = No.....	508	0.92
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER).....	315	0.57
		99 = LEGITIMATE SKIP	53934	97.78

During the past 12 months, did you take prescription medication that was prescribed for[NUMPROBS]?

YORX12MO¹	Len : 2	TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
			Freq	Pct
		1 = Yes	410	0.74
		2 = No.....	2339	4.24
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	298	0.54
		99 = LEGITIMATE SKIP	52096	94.45

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

YORXNOW¹	Len : 2	CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
			Freq	Pct
		1 = Yes	286	0.52
		2 = No.....	124	0.22
		97 = REFUSED	5	0.01
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP	54435	98.69

During the past 12 months, how much has this prescription medication helped you?

YORXHLP¹	Len : 2	HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS		
			Freq	Pct
		1 = Not at all	56	0.10
		2 = A little.....	70	0.13
		3 = Some	93	0.17
		4 = A lot	118	0.21
		5 = Extremely.....	67	0.12
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED	9	0.02
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP	54435	98.69

During the past 12 months, how much has treatment or counseling helped you?

YOTMTHLP¹	Len : 2	HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
			Freq	Pct
		1 = Not at all	158	0.29
		2 = A little.....	170	0.31
		3 = Some	226	0.41
		4 = A lot	222	0.40
		5 = Extremely.....	114	0.21
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED	13	0.02
		98 = BLANK (NO ANSWER).....	315	0.57
		99 = LEGITIMATE SKIP	53934	97.78

RECODED ADOLESCENT DEPRESSION

RECODED ADOLESCENT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

NOTE: Starting with the 2004 NSDUH, respondents were administered separate age-appropriate depression modules designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. All adolescent (youth) respondents aged 12 to 17 were asked questions from the Youth Depression module. The 2004 NSDUH only asked a subsample of adults aged 18 or older the questions from the Adult Depression module, but starting in 2005, all adults were administered the questionnaire module.

From 2004 through 2007, a single set of variables was created containing the recoded MDE data for both adult and adolescent respondents combined. In 2008, instead of a single set of variables, two recoded sets of MDE variables were created for adolescents and adults separately. This change was due to the presence of context effects in the adult estimates stemming from changes in the mental health module which precedes the adult depression section within the questionnaire. Based on an analysis of the 2008 data that evaluated the presence of context effects, it was determined that the adult depression estimates in 2008 and later years are not comparable with years prior to 2008, and the variables were therefore renamed to indicate the lack of comparability. The youth depression estimates were not impacted by the 2008 adult questionnaire changes and are considered comparable across years. Therefore, only the youth depression variables that were previously defined for both adults and youth had to be renamed. Multi-year trend analyses can be performed by renaming the recoded adolescent depression variables the same across years. Youth depression variables that did not require renaming are noted specifically in the comments above the variables below. See the 2008 Recoded Mental Health Appendix for more detailed information on the 2008 changes.

In 2009, changes were made to the youth mental health service utilization (YMHSU) questions that preceded the adolescent depression questions. These changes included the replacement of five questions that asked about receipt of special education services and school counseling, and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors. Due to this change, a context effect analysis was done using data from the first 6 months of the 2009 NSDUH and sought to determine whether changes in the YMHSU module affected responses to the first three adolescent depression questions and the lifetime and past year MDE estimates. The results of the analysis showed these changes in 2009 did not appear to affect the estimates of adolescent MDE; therefore, no further variable changes were needed.

Additional details on these adolescent depression recoded variables as well as sample SAS code showing how to rename the variables for multi-year analyses are provided in the Recoded Depression Variable Documentation Appendix.

The following variable, YMDELT, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELT=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1).

An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
2. If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=98) and the respondent reported at least one of the following:
3.
 4.
 1. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YODPREV=2), discouraged or hopeless about how things were going in life (YODSCEV=2), and lost interest and became bored with most things usually enjoyable (YOLOSEV=2).
 2. Experienced the feelings in (i), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
 3. Experienced the feelings in (i) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHRS=1).
 4. Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
 5. Experienced the feelings in (i) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).
- 5.

YMDELT	Len : 1	YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)		
	.	= Aged 18+/Unknown (Otherwise)	Freq	Pct
			37761	68.46
	1	= Yes (YODSMMDE=1)	2680	4.86

RECODED ADOLESCENT DEPRESSION

	2 = No (See comment above)	14719	26.68
YMDEYR	Len : 1 YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)		
	. = Aged 18+/Unknown (Otherwise)	Freq 37838	Pct 68.60
	1 = Yes (YMDEL1=1 & YOPB2WK=1)	1814	3.29
	2 = No (YMDEL1=2 or [YMDEL1=1 & YOPB2WK=2])	15508	28.11
YMDEADA	Len : 1 YOUTH: PAST YEAR MDE AND SUB DEP OR ABUSE		
	. = Aged 18+/Unknown (Otherwise)	Freq 37838	Pct 68.60
	0 = No (YMDEYR=2 or ABODILAL=0)	17064	30.94
	1 = Yes (YMDEYR=1 & ABODILAL=1)	258	0.47

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDEL1) or the past year MDE variable (YMDEYR).

YTXMDEYR	Len : 1 YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR		
	. = Aged 18+/Unknown (Otherwise)	Freq 52424	Pct 95.04
	0 = No (YOSEEDOC=2)	1838	3.33
	1 = Yes (YOSEEDOC=1)	898	1.63
YRXMDEYR	Len : 1 YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR		
	. = Aged 18+/Unknown (Otherwise)	Freq 52411	Pct 95.02
	0 = No (YORX12MO=2)	2339	4.24
	1 = Yes (YORX12MO=1)	410	0.74

In the following variable, YMDETXXR, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

YMDETXXR	Len : 1 YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR		
	. = Aged 18+/Unknown (Otherwise)	Freq 52422	Pct 95.04
	0 = No (YTXMDEYR=0 and YRXMDEYR=0)	1763	3.20
	1 = Yes (YTXMDEYR=1 or YRXMDEYR=1)	975	1.77
YDOCMD	Len : 1 YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq 52442	Pct 95.07
	0 = No (YOSEEDOC=2 or YOFAMDOC=6)	2514	4.56
	1 = Yes (YOFAMDOC=1,3)	204	0.37
YOMDMDE	Len : 1 YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq 52442	Pct 95.07
	0 = No (YOSEEDOC=2 or YOOTHDOC=6)	2690	4.88
	1 = Yes (YOOTHDOC=1,3)	28	0.05
YPSY1MDE	Len : 1 YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq 52442	Pct 95.07
	0 = No (YOSEEDOC=2 or YOPSYCH=6)	2444	4.43
	1 = Yes (YOPSYCH=1,3)	274	0.50
YPSY2MDE	Len : 1 YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq 52442	Pct 95.07
	0 = No (YOSEEDOC=2 or YOPSYMD=6)	2506	4.54
	1 = Yes (YOPSYMD=1,3)	212	0.38

RECODED ADOLESCENT DEPRESSION

YSOCMDE	Len : 1 YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq	Pct
	0 = No (YOSEEDOC=2 or YOSOCWRK=6)	52442	95.07
	1 = Yes (YOSOCWRK=1,3)	2581	4.68
		137	0.25
YCOUNMDE	Len : 1 YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq	Pct
	0 = No (YOSEEDOC=2 or YOCOUNS=6)	52442	95.07
	1 = Yes (YOCOUNS=1,3)	2168	3.93
		550	1.00
YOMHMDE	Len : 1 YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABT MDE-PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq	Pct
	0 = No (YOSEEDOC=2 or [YOOOTHMHP=6 & No Writ-in Enter])	52442	95.07
	1 = Yes (YOOOTHMHP=1,3 or Write-in Response Entered)	2646	4.80
		72	0.13
YNURSMDE	Len : 1 YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq	Pct
	0 = No (YOSEEDOC=2 or YONURSE=6)	52442	95.07
	1 = Yes (YONURSE=1,3)	2646	4.80
		72	0.13
YRELMDE	Len : 1 YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq	Pct
	0 = No (YOSEEDOC=2 or YORELIG=6)	52442	95.07
	1 = Yes (YOELIG=1,3)	2623	4.76
		95	0.17
YHBCHMDE	Len : 1 YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY		
	. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	Freq	Pct
	0 = No (YOSEEDOC=2 or YOHERBAL=6)	52442	95.07
	1 = Yes (YOHERBAL=1,3)	2691	4.88
		27	0.05

The following variable, YOTHMDE, defines an adolescent as having seen or talked to another professional about MDE during the past year, YOTHMDE=1, if s/he entered a valid write-in response other than the responses that matched the existing categories.

An adolescent was classified as NOT having seen or talked to another professional about MDE during the past year, YOTHMDE=0, if s/he met either of these conditions:

1. Reported NOT seeing or talking to a medical doctor or other professional during the past year (YOSEEDOC=2).
2. Response not entered for whether other mental health professional was seen or talked to during the past year (YOOOTHMHP=6).
3. Write-in response entered matched an existing category.

YOTHMDE	Len : 1 YOUTH: SAW/TALK TO OTHER PROF ABOUT MDE IN PST YR		
	. = Aged 18+/Unknown/Legit Skip/Invalid Spec. Resp.	Freq	Pct
	0 = No (See comment above)	52449	95.09
	1 = Yes (See comment above)	2698	4.89
		13	0.02

The following variable, YHLMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMDE=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

YHLMDE	Len : 1 YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR		
	. = Aged 18+/Unknown (Otherwise)	Freq	Pct
	0 = No (See comment above)	52442	95.07
	1 = Yes (See comment above)	1868	3.39
		850	1.54

RECODED ADOLESCENT DEPRESSION

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

YALTMDE	Len : 1 YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	52442	95.07
	0 = No (See comment above)	2602	4.72
	1 = Yes (See comment above).....	116	0.21

YMDEHPRX	Len : 1 YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	52434	95.06
	0 = No (YHLMDE=0 and YRXMDEYR=0).....	1792	3.25
	1 = Yes (YHLMDE=1 or YRXMDEYR=1).....	934	1.69

YMDEHPO	Len : 1 YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	52433	95.06
	0 = No (YHLMDE=0 or YRXMDEYR=1).....	2204	4.00
	1 = Yes (YHLMDE=1 and YRXMDEYR=0).....	523	0.95

YMDERXO2	Len : 1 YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	52420	95.03
	0 = No (YRXMDEYR=0 or YHLMDE=1).....	2666	4.83
	1 = Yes (YRXMDEYR=1 and YHLMDE=0).....	74	0.13

YMDEHARX	Len : 1 YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	52419	95.03
	0 = No (YHLMDE=0 or YRXMDEYR=0).....	2415	4.38
	1 = Yes (YHLMDE=1 and YRXMDEYR=1).....	326	0.59

YMDEIMDA	Len : 1 YOUTH: PY MDE W/ SEV IMPAIRMT AND SUB DEP OR ABUSE		
	.	Freq	Pct
	= Aged 18+/Unknown (Otherwise)	37840	68.60
	0 = No (MDEIMPY=2 or ABODILAL=0).....	17107	31.01
	1 = Yes (MDEIMPY=1 & ABODILAL=1).....	213	0.39

NOTE: The following five variables were not renamed in 2008 since they were originally only defined for youth; therefore, no changes are needed for these in order to generate analyses across years.

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

YSDSHOME	Len : 1 YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME		
	.	Freq	Pct
	= Aged 18+/Unknown/Legitimate Skip (Otherwise)	53325	96.67
	1 = None (YOPSHMGT=0)	116	0.21
	2 = Mild (YOPSHMGT=1,2,3)	376	0.68
	3 = Moderate (YOPSHMGT=4,5,6)	740	1.34
	4 = Severe (YOPSHMGT=7,8,9).....	490	0.89
	5 = Very Severe (YOPSHMGT=10)	113	0.20

YSDSWRK	Len : 1 YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK		
	.	Freq	Pct
	= Aged 18+/Unknown/Legitimate Skip (Otherwise)	53324	96.67
	1 = None (YOPSWORK=0).....	94	0.17
	2 = Mild (YOPSWORK=1,2,3).....	337	0.61
	3 = Moderate (YOPSWORK=4,5,6)	694	1.26
	4 = Severe (YOPSWORK=7,8,9)	549	1.00
	5 = Very Severe (YOPSWORK=10).....	162	0.29

RECODED ADOLESCENT DEPRESSION

YSDSREL

Len : 1 YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53322	96.67
1 = None (YOPSRELS=0)	74	0.13
2 = Mild (YOPSRELS=1,2,3).....	257	0.47
3 = Moderate (YOPSRELS=4,5,6)	586	1.06
4 = Severe (YOPSRELS=7,8,9).....	694	1.26
5 = Very Severe (YOPSRELS=10).....	227	0.41

YSDSSOC

Len : 1 YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53326	96.68
1 = None (YOPSSOC=0)	72	0.13
2 = Mild (YOPSSOC=1,2,3).....	265	0.48
3 = Moderate (YOPSSOC=4,5,6).....	564	1.02
4 = Severe (YOPSSOC=7,8,9)	693	1.26
5 = Very Severe (YOPSSOC=10)	240	0.44

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

YSDSOVRL

Len : 1 YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53320	96.66
1 = None (See comment above)	6	0.01
2 = Mild (See comment above)	85	0.15
3 = Moderate (See comment above).....	418	0.76
4 = Severe (See comment above)	901	1.63
5 = Very Severe (See comment above)	430	0.78

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

MDEIMPY

Len : 1 YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	37840	68.60
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5).....	1320	2.39
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3)	16000	29.01

CONSUMPTION OF ALCOHOL

CONSUMPTION OF ALCOHOL

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items. This note applies to variables in this section marked by a¹.

The next few questions return to the topic of alcohol. Remember that by a drink, we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

CADRLAST¹	Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS		
		Freq	Pct
	RANGE = 1 - 80.....	23693	42.95
	985 = BAD DATA Logically assigned	7	0.01
	991 = NEVER USED ALCOHOL.....	17005	30.83
	993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	994 = DON'T KNOW.....	178	0.32
	997 = REFUSED	131	0.24
	998 = BLANK (NO ANSWER).....	406	0.74

This last time you drank, were you alone or were you with one or more other people?

CADRPEOP¹	Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK		
		Freq	Pct
	1 = I was alone the last time I drank.....	325	0.59
	2 = I was with one other person the last time I drank.....	810	1.47
	3 = I was with >one other person the last time I drank.....	3809	6.91
	85 = BAD DATA Logically assigned	4	0.01
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	23	0.04
	97 = REFUSED	41	0.07
	98 = BLANK (NO ANSWER).....	336	0.61
	99 = LEGITIMATE SKIP	19067	34.57

Where did you drink alcoholic beverages this last time you drank?

CADRCAR¹	Len : 2 I DRANK IN A CAR OR OTHER VEHICLE		
		Freq	Pct
	1 = Response entered	179	0.32
	3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
	6 = Response not entered.....	4699	8.52
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	36	0.07
	97 = REFUSED	91	0.16
	98 = BLANK (NO ANSWER).....	338	0.61
	99 = LEGITIMATE SKIP	19067	34.57

CADRHOM¹	Len : 2 I DRANK AT MY HOME		
		Freq	Pct
	1 = Response entered	1588	2.88
	3 = Response entered LOGICALLY ASSIGNED.....	16	0.03
	6 = Response not entered.....	3277	5.94
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	36	0.07
	97 = REFUSED	91	0.16
	98 = BLANK (NO ANSWER).....	338	0.61
	99 = LEGITIMATE SKIP	19067	34.57

CONSUMPTION OF ALCOHOL

CADROTHM¹

Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
1 = Response entered	2562	4.64
3 = Response entered LOGICALLY ASSIGNED.....	53	0.10
6 = Response not entered.....	2266	4.11
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER).....	340	0.62
99 = LEGITIMATE SKIP	19067	34.57

CADRPUBL¹

Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
1 = Response entered	209	0.38
3 = Response entered LOGICALLY ASSIGNED.....	11	0.02
6 = Response not entered.....	4661	8.45
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER).....	340	0.62
99 = LEGITIMATE SKIP	19067	34.57

CADRBAR¹

Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
1 = Response entered	265	0.48
3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
6 = Response not entered.....	4610	8.36
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER).....	340	0.62
99 = LEGITIMATE SKIP	19067	34.57

CADREVNT¹

Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
1 = Response entered	99	0.18
3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
6 = Response not entered.....	4778	8.66
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER).....	340	0.62
99 = LEGITIMATE SKIP	19067	34.57

CADRSCHL¹

Len : 2 I DRANK AT SCHOOL

	Freq	Pct
1 = Response entered	97	0.18
3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
6 = Response not entered.....	4780	8.67
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER).....	340	0.62
99 = LEGITIMATE SKIP	19067	34.57

CONSUMPTION OF ALCOHOL

CADROTH¹

Len : 2 I DRANK AT SOME OTHER PLACE

	Freq	Pct
1 = Response entered	479	0.87
6 = Response not entered.....	4402	7.98
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	36	0.07
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER).....	340	0.62
99 = LEGITIMATE SKIP	19067	34.57

CADROTS2¹

Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	Freq	Pct
1 = I drank in a car or other vehicle	4	0.01
2 = I drank at my home	18	0.03
3 = I drank at someone else's home	63	0.11
4 = I drank at a park, on a beach, or in a parking lot.....	12	0.02
5 = I drank in a restaurant, bar or club	8	0.01
6 = I drank at a concert or sports game.....	5	0.01
7 = I drank at school	4	0.01
8 = I drank at some other place.....	7	0.01
9 = At respondent's place of work/business	8	0.01
11 = In a boat, ship, water vessel.....	5	0.01
14 = At a cabin, cottage, vacation home/vacation condo.....	8	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec	28	0.05
16 = On a farm/ranch/or in barn; R's home unspec	4	0.01
17 = At a house/apt/garage; no other information	21	0.04
18 = At a swimming pool.....	3	0.01
20 = River/lake/waterfront/harbor; park/beach unspfd.....	17	0.03
22 = Camping/hunting/fishing; no other information	25	0.05
23 = Street/road/alley/neighborhood	7	0.01
24 = Outside; park, beach, parkng lot, water unspcfd.....	37	0.07
26 = Place of entertainment; club/sports/concert unspec	3	0.01
27 = Place of business; work/restartn/bar/bowling unspec	3	0.01
29 = In a dorm/dorm room	11	0.02
30 = At a fraternity/sorority house or event.....	6	0.01
33 = Inside a building; home/school/business unspcfd	12	0.02
35 = At a party/wedding/celebration/event; no othr info	87	0.16
70 = City/State/Country/vacation, location unspecified	20	0.04
85 = BAD DATA Logically assigned	25	0.05
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	7	0.01
97 = REFUSED	112	0.20
98 = BLANK (NO ANSWER).....	376	0.68
99 = LEGITIMATE SKIP	23469	42.55

Did you pay for the last alcoholic beverage that you drank?

CABUYFRE¹

Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK

	Freq	Pct
1 = Yes	1355	2.46
2 = No.....	3583	6.50
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	22	0.04
97 = REFUSED	48	0.09
98 = BLANK (NO ANSWER).....	336	0.61
99 = LEGITIMATE SKIP	19067	34.57

CONSUMPTION OF ALCOHOL

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

CAGVMONY¹	Len : 2	DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE		
			Freq	Pct
		1 = I bought it myself.....	346	0.63
		2 = I gave money to someone else who bought it for me.....	996	1.81
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	403	0.73
		99 = LEGITIMATE SKIP.....	22650	41.06

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

CABUYWHO¹	Len : 2	STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL		
			Freq	Pct
		1 = I bought it at a store/restaurant/bar/club/event.....	293	0.53
		2 = I bought it from another person.....	52	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	416	0.75
		99 = LEGITIMATE SKIP.....	23646	42.87

At which of these places did you buy the last alcoholic beverage that you drank?

CABPLACE¹	Len : 2	WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE		
			Freq	Pct
		1 = I bought it at a liquor/convenience/grocery store.....	209	0.38
		2 = I bought it at a restaurant, bar or club.....	78	0.14
		3 = I bought it at a concert, sports or other event.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	417	0.76
		99 = LEGITIMATE SKIP.....	23698	42.96

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

CABUNDAG¹	Len : 2	BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+		
			Freq	Pct
		1 = Under age 21.....	19	0.03
		2 = Age 21 or older.....	32	0.06
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	419	0.76
		99 = LEGITIMATE SKIP.....	23939	43.40

Who bought the alcoholic beverage for you?

CAGVWHO¹	Len : 2	WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU		
			Freq	Pct
		1 = My parent or guardian.....	31	0.06
		2 = Another family member who is 21 or older.....	100	0.18
		3 = Someone not related to me who is 21 or older.....	733	1.33
		4 = Someone under age 21.....	89	0.16
		91 = NEVER USED ALCOHOL.....	17005	30.83
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	418	0.76
		99 = LEGITIMATE SKIP.....	22996	41.69

CONSUMPTION OF ALCOHOL

How did you get the last alcoholic beverage that you drank?

CAFREWHO¹

Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK

	Freq	Pct
1 = My parent or guardian.....	378	0.69
2 = Another family member who is 21 or older.....	484	0.88
3 = Someone not related to me who is 21 or older.....	1204	2.18
4 = Someone under age 21.....	627	1.14
5 = I took it from home.....	279	0.51
6 = I took it from someone else's home.....	121	0.22
7 = I got it some other way.....	325	0.59
11 = My parent or guardian LOGICALLY ASSIGNED.....	1	0.00
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED.....	12	0.02
14 = Someone under age 21 LOGICALLY ASSIGNED.....	3	0.01
15 = I took it from home LOGICALLY ASSIGNED.....	3	0.01
16 = I took it from someone else's home LOGICALLY ASSN.....	5	0.01
85 = BAD DATA Logically assigned.....	2	0.00
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	31	0.06
97 = REFUSED.....	115	0.21
98 = BLANK (NO ANSWER).....	403	0.73
99 = LEGITIMATE SKIP.....	20422	37.02

CAFRESP2¹

Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = My parent or guardian gave it to me.....	1	0.00
3 = Someone not related & 21 y-o or older gave to me.....	12	0.02
4 = Someone under age 21 gave it to me.....	3	0.01
5 = I took it from home.....	3	0.01
6 = I took it from someone else's home.....	5	0.01
7 = I got it some other way.....	19	0.03
9 = I bought/ordered it; not asked for ID.....	3	0.01
10 = I bought/ordered it with a fake ID/similar.....	4	0.01
12 = I bought/ordered it; how unspecified.....	8	0.01
13 = Got/bought it in a store/liquor store; how unspcfd.....	7	0.01
14 = Got frm bartender/at bar/restaurant;age/how unspc.....	4	0.01
16 = Got it at party/celebration; no other info.....	16	0.03
17 = I made my own.....	3	0.01
19 = I took/got/stole it; location unspcfd or unclear.....	12	0.02
20 = Someone else stole the alcohol.....	3	0.01
21 = Given by/got from relative; age unspecified.....	5	0.01
22 = Given by/got fr friend/acquaint; age/how unspc.....	127	0.23
23 = Given by/got fr oth non-relative; age/how unspcfd.....	6	0.01
24 = Given by/got from person; age/relationship unspc.....	6	0.01
28 = Bought by someone else; age/relationship unspc.....	6	0.01
30 = Just there/already there; no other information.....	4	0.01
31 = Just got it/had it; no other information.....	6	0.01
33 = Found it; person's home unspecified.....	4	0.01
85 = BAD DATA Logically assigned.....	16	0.03
91 = NEVER USED ALCOHOL.....	17005	30.83
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
94 = DON'T KNOW.....	20	0.04
97 = REFUSED.....	161	0.29
98 = BLANK (NO ANSWER).....	436	0.79
99 = LEGITIMATE SKIP.....	23515	42.63

CONSUMPTION OF ALCOHOL

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRG¹	Len : 2	ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING		
			Freq	Pct
		1 = Yes	2642	4.79
		2 = No.....	2671	4.84
		81 = NEVER USED ALC OR NEVER USED OTHER DRUGS Log assn	4	0.01
		83 = DIDNT USE ALC OR DIDNT USE DRG PST 30 DYS Log assn	2	0.00
		85 = BAD DATA Logically assigned	3	0.01
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24452	44.33
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24586	44.57
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED	62	0.11
		98 = BLANK (NO ANSWER).....	715	1.30

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

CADRKMRJ¹	Len : 2	MARIJUANA OR HASHISH		
			Freq	Pct
		1 = Response entered	585	1.06
		5 = Response entered LOG ASSN (from skip pattern)	1873	3.40
		6 = Response not entered.....	57	0.10
		85 = BAD DATA Logically assigned	1	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	263	0.48
		99 = LEGITIMATE SKIP	3334	6.04

CADRKCO¹	Len : 2	COCAINE OR 'CRACK'		
			Freq	Pct
		1 = Response entered	61	0.11
		5 = Response entered LOG ASSN (from skip pattern)	24	0.04
		6 = Response not entered.....	116	0.21
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP	5851	10.61

CADRKHER¹	Len : 2	HEROIN		
			Freq	Pct
		1 = Response entered	22	0.04
		5 = Response entered LOG ASSN (from skip pattern)	2	0.00
		6 = Response not entered.....	19	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
		98 = BLANK (NO ANSWER).....	15	0.03
		99 = LEGITIMATE SKIP	6057	10.98

CONSUMPTION OF ALCOHOL

CADRKHAL¹

Len : 2 HALLUCINOGENS

	Freq	Pct
1 = Response entered	23	0.04
5 = Response entered LOG ASSN (from skip pattern)	3	0.01
6 = Response not entered.....	199	0.36
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER).....	107	0.19
99 = LEGITIMATE SKIP	5783	10.48

CADRKINH¹

Len : 2 INHALANTS

	Freq	Pct
1 = Response entered	3	0.01
5 = Response entered LOG ASSN (from skip pattern)	3	0.01
6 = Response not entered.....	36	0.07
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
98 = BLANK (NO ANSWER).....	78	0.14
99 = LEGITIMATE SKIP	5995	10.87

CADRKANL¹

Len : 2 PRESCRIPTION PAIN RELIEVERS

	Freq	Pct
1 = Response entered	93	0.17
5 = Response entered LOG ASSN (from skip pattern)	33	0.06
6 = Response not entered.....	251	0.46
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER).....	169	0.31
99 = LEGITIMATE SKIP	5568	10.09

CADRKTRN¹

Len : 2 PRESCRIPTION TRANQUILIZERS

	Freq	Pct
1 = Response entered	22	0.04
5 = Response entered LOG ASSN (from skip pattern)	5	0.01
6 = Response not entered.....	148	0.27
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
94 = DON'T KNOW.....	1	0.00
98 = BLANK (NO ANSWER).....	55	0.10
99 = LEGITIMATE SKIP	5885	10.67

CADRKSTM¹

Len : 2 PRESCRIPTION STIMULANTS

	Freq	Pct
1 = Response entered	11	0.02
5 = Response entered LOG ASSN (from skip pattern)	5	0.01
6 = Response not entered.....	124	0.22
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
98 = BLANK (NO ANSWER).....	56	0.10
99 = LEGITIMATE SKIP	5919	10.73

CONSUMPTION OF ALCOHOL

CADRMTH¹

Len : 2 METHAMPHETAMINE

	Freq	Pct
1 = Response entered	26	0.05
5 = Response entered LOG ASSN (from skip pattern)	6	0.01
6 = Response not entered.....	33	0.06
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
98 = BLANK (NO ANSWER).....	47	0.09
99 = LEGITIMATE SKIP	6003	10.88

CADRKSED¹

Len : 2 PRESCRIPTION SEDATIVES

	Freq	Pct
1 = Response entered	2	0.00
5 = Response entered LOG ASSN (from skip pattern)	2	0.00
6 = Response not entered.....	11	0.02
89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	24456	44.34
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	24588	44.58
98 = BLANK (NO ANSWER).....	30	0.05
99 = LEGITIMATE SKIP	6070	11.00

NOTE: Variables pertaining to consumption of 5 or more drinks or 4 or more drinks in a single occasion have been edited with respect to ED4FLAG. ED4FLAG takes into account the editing of the variables NODR30A and DR5DAY in the core ALCOHOL module.

ED4FLAG¹

Len : 2 ANY REPORT OF 4 OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
0 = No report of 4 or 5+ drinks or not applicable.....	41774	75.73
1 = Report of 4 drinks in NODR30A; no rpt 5+ drinks.....	549	1.00
2 = Report of 5+ drinks in NODR30A or DR5DAY	12562	22.77
12 = Report of 5+ drinks LOGICALLY ASSIGNED	54	0.10
85 = BAD DATA Logically assigned	221	0.40

[Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime.] Have you ever had 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

CABNGEV¹

Len : 2 EVER HAD 5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
1 = Yes	10273	18.62
2 = No.....	14740	26.72
3 = Yes LOGICALLY ASSIGNED	8	0.01
4 = No LOGICALLY ASSIGNED	14	0.03
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	12929	23.44
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL.....	17005	30.83
94 = DON'T KNOW.....	63	0.11
97 = REFUSED	109	0.20
98 = BLANK (NO ANSWER).....	16	0.03

[Earlier the computer recorded that you had 5 or more drinks on the same occasion in the past 30 days.] How old were you the first time you had 5 or more drinks on the same occasion?

CABNGAGE¹

Len : 3 AGE 1ST TIME HAD 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 2 - 79.....	21995	39.87
985 = BAD DATA Logically assigned	469	0.85
991 = NEVER USED ALCOHOL.....	17005	30.83
994 = DON'T KNOW.....	604	1.09
997 = REFUSED	146	0.26
998 = BLANK (NO ANSWER).....	187	0.34
999 = LEGITIMATE SKIP	14754	26.75

CONSUMPTION OF ALCOHOL

NOTE: EIBNGAGE is an "editing indicator" for the variable CABNGAGE. The default value of EIBNGAGE is 1, when no editing has been done to CABNGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGAGE has values of 2 when values in CABNGAGE have logically been replaced with other values as part of the data editing procedures.

EIBNGAGE¹	Len : 1	EDITING INDICATOR FOR CABNGAGE		
			Freq	Pct
		1 = Questionnaire data (or bad data/legitimate skip)	55110	99.91
		2 = Logically assigned data.....	50	0.09

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 5 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

CABNGYFU¹	Len : 4	YEAR OF FIRST 5+ DRINKS ON SAME OCCASION - RECODE		
			Freq	Pct
		RANGE = 2011 - 2013	3936	7.14
		9985 = BAD DATA Logically assigned	84	0.15
		9989 = LEGITIMATE SKIP Logically assigned.....	92	0.17
		9991 = NEVER USED ALCOHOL.....	17005	30.83
		9994 = DON'T KNOW	622	1.13
		9997 = REFUSED	151	0.27
		9998 = BLANK (NO ANSWER).....	657	1.19
		9999 = LEGITIMATE SKIP	32613	59.12

NOTE: EIBNGYFU is an "editing indicator" for the variable CABNGYFU. The default value of EIBNGYFU is 1, when no editing has been done to CABNGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGYFU has values of 2 when values in CABNGYFU have logically been replaced with other values as part of the data editing procedures.

EIBNGYFU¹	Len : 1	EDITING INDICATOR FOR CABNGYFU		
			Freq	Pct
		1 = Questionnaire data (or bad data/legitimate skip)	55122	99.93
		2 = Logically assigned data.....	38	0.07

In what month in [CURRENT YEAR] did you first have 5 or more drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have 5 or more drinks on the same occasion?

CABNGMFU¹	Len : 2	MONTH OF 5+ DRINKS ON SAME OCCASION - RECODE		
			Freq	Pct
		1 = January.....	471	0.85
		2 = February	220	0.40
		3 = March	297	0.54
		4 = April	240	0.44
		5 = May	283	0.51
		6 = June	395	0.72
		7 = July	435	0.79
		8 = August	216	0.39
		9 = September	258	0.47
		10 = October.....	285	0.52
		11 = November	200	0.36
		12 = December	351	0.64
		85 = BAD DATA Logically assigned	138	0.25
		89 = LEGITIMATE SKIP Logically assigned.....	92	0.17
		91 = NEVER USED ALCOHOL.....	17005	30.83
		94 = DON'T KNOW.....	825	1.50
		97 = REFUSED	160	0.29
		98 = BLANK (NO ANSWER).....	676	1.23
		99 = LEGITIMATE SKIP	32613	59.12

CONSUMPTION OF ALCOHOL

NOTE: EIBNGMFU is an "editing indicator" for the variable CABNGMFU. The default value of EIBNGMFU is 1, when no editing has been done to CABNGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGMFU has values of 2 when values in CABNGMFU have logically been replaced with other values as part of the data editing procedures.

EIBNGMFU¹	Len : 1 EDITING INDICATOR FOR CABNGMFU		
		Freq	Pct
	1 = Questionnaire data (or bad data/legitimate skip)	55136	99.96
	2 = Logically assigned data.....	24	0.04

Have you ever had 4 or more drinks on the same occasion?

CA4FDEV¹	Len : 2 EVER HAD 4 OR MORE DRINKS ON THE SAME OCCASION		
		Freq	Pct
	1 = Yes	1216	2.20
	2 = No.....	7683	13.93
	3 = Yes LOGICALLY ASSIGNED	1	0.00
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	11062	20.05
	91 = NEVER USED ALCOHOL.....	17005	30.83
	94 = DON'T KNOW.....	28	0.05
	97 = REFUSED	44	0.08
	98 = BLANK (NO ANSWER).....	24	0.04
	99 = LEGITIMATE SKIP	18097	32.81

NOTE: The distributions for CA4FDDYS, EI4FDDYS, CA4FDAGE, EI4FDAGE, CA4FDYFU, EI4FDYFU, CA4FDMFU, and EI4FDMFU for the 2006 survey are not comparable to the corresponding distributions in this survey year. A sizable number of female respondents in 2006 were incorrectly skipped out of the items corresponding to the variables CA4FDDYS and CA4FDAGE. In turn, the error for CA4FDAGE affected female respondents' eligibility to be asked the items corresponding to CA4FDYFU and CA4FDMFU. This error was corrected for the 2007 survey.

During the past 30 days, that is, since [DATEFILL], on how many days did you have 4 or more drinks on the same occasion?

CA4FDDYS¹	Len : 2 # DAYS HAD 4+ DRINKS SAME OCCASION PAST 30 DAYS		
		Freq	Pct
	RANGE = 0 - 30.....	8459	15.34
	85 = BAD DATA Logically assigned	151	0.27
	91 = NEVER USED ALCOHOL.....	17005	30.83
	93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	13740	24.91
	94 = DON'T KNOW.....	196	0.36
	97 = REFUSED	78	0.14
	98 = BLANK (NO ANSWER).....	93	0.17
	99 = LEGITIMATE SKIP	15438	27.99

NOTE: EI4FDDYS is an "editing indicator" for the variable CA4FDDYS. The default value of EI4FDDYS is 1, when no editing has been done to CA4FDDYS, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDDYS has values of 2 when values in CA4FDDYS have logically been replaced with other values as part of the data editing procedures.

EI4FDDYS¹	Len : 1 EDITING INDICATOR FOR CA4FDDYS		
		Freq	Pct
	1 = Questionnaire data (or bad data/legitimate skip)	53686	97.33
	2 = Logically assigned data.....	1474	2.67

How old were you the first time you had 4 or more drinks on the same occasion?

CA4FDAGE¹	Len : 3 AGE 1ST TIME HAD 4 OR MORE DRINKS SAME OCCASION		
		Freq	Pct
	RANGE = 4 - 74.....	11505	20.86
	985 = BAD DATA Logically assigned	194	0.35
	991 = NEVER USED ALCOHOL.....	17005	30.83
	994 = DON'T KNOW.....	481	0.87
	997 = REFUSED	80	0.15
	998 = BLANK (NO ANSWER).....	115	0.21
	999 = LEGITIMATE SKIP	25780	46.74

CONSUMPTION OF ALCOHOL

NOTE: EI4FDAGE is an "editing indicator" for the variable CA4FDAGE. The default value of EI4FDAGE is 1, when no editing has been done to CA4FDAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDAGE has values of 2 when values in CA4FDAGE have logically been replaced with other values as part of the data editing procedures.

EI4FDAGE¹	Len : 1 EDITING INDICATOR FOR CA4FDAGE		
		Freq	Pct
	1 = Questionnaire data (or bad data/legitimate skip)	54737	99.23
	2 = Logically assigned data.....	423	0.77

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have 4 or more drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

CA4FDYFU¹	Len : 4 YEAR OF FIRST 4+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	RANGE = 2011 - 2013.....	2021	3.66
	9985 = BAD DATA Logically assigned	58	0.11
	9989 = LEGITIMATE SKIP Logically assigned.....	152	0.28
	9991 = NEVER USED ALCOHOL.....	17005	30.83
	9994 = DON'T KNOW.....	491	0.89
	9997 = REFUSED	86	0.16
	9998 = BLANK (NO ANSWER).....	313	0.57
	9999 = LEGITIMATE SKIP	35034	63.51

NOTE: EI4FDYFU is an "editing indicator" for the variable CA4FDYFU. The default value of EI4FDYFU is 1, when no editing has been done to CA4FDYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDYFU has values of 2 when values in CA4FDYFU have logically been replaced with other values as part of the data editing procedures.

EI4FDYFU¹	Len : 1 EDITING INDICATOR FOR CA4FDYFU		
		Freq	Pct
	1 = Questionnaire data (or legitimately skipped)	55107	99.90
	2 = Logically assigned data.....	53	0.10

In what month in [CURRENT YEAR] did you first have 4 or more drinks on the same occasion?

In what month in [YEAR FROM CA14a or CA14b] did you first have 4 or more drinks on the same occasion?

CA4FDMFU¹	Len : 2 MONTH OF 4+ DRINKS ON SAME OCCASION - RECODE		
		Freq	Pct
	1 = January.....	217	0.39
	2 = February	122	0.22
	3 = March	140	0.25
	4 = April	121	0.22
	5 = May	150	0.27
	6 = June	222	0.40
	7 = July.....	229	0.42
	8 = August.....	119	0.22
	9 = September.....	136	0.25
	10 = October.....	134	0.24
	11 = November.....	105	0.19
	12 = December.....	189	0.34
	85 = BAD DATA Logically assigned.....	84	0.15
	89 = LEGITIMATE SKIP Logically assigned.....	150	0.27
	91 = NEVER USED ALCOHOL.....	17005	30.83
	94 = DON'T KNOW.....	570	1.03
	97 = REFUSED	91	0.16
	98 = BLANK (NO ANSWER).....	340	0.62
	99 = LEGITIMATE SKIP	35036	63.52

CONSUMPTION OF ALCOHOL

NOTE: EI4FDMFU is an "editing indicator" for the variable CA4FDMFU. The default value of EI4FDMFU is 1, when no editing has been done to CA4FDMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDMFU has values of 2 when values in CA4FDMFU have logically been replaced with other values as part of the data editing procedures.

EI4FDMFU¹	Len : 1	EDITING INDICATOR FOR CABNGMFU		
			Freq	Pct
		1 = Questionnaire data (or bad data/legitimate skip)	55047	99.80
		2 = Logically assigned data.....	113	0.20

RECODED CONSUMPTION OF ALCOHOL

RECODED CONSUMPTION OF ALCOHOL

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

UADPEOP	Len : 1	SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE		
			Freq	Pct
	.	= Unknown (Otherwise)	404	0.73
	1	= Drank Alone (CADRPEOP=1)	325	0.59
	2	= Drank with One Other Person (CADRPEOP=2)	810	1.47
	3	= Drank with Two or More Other People (CADRPEOP=3)	3809	6.91
	4	= No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99)	49812	90.30

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

UADCAR	Len : 1	MOST RECENT ALCOHOL USE IN A CAR		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADRCAR=1,3)	182	0.33
	2	= No (CADRCAR=6)	4699	8.52

UADHOME	Len : 1	MOST RECENT ALCOHOL USE AT HOME		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADRHOME=1,3)	1604	2.91
	2	= No (CADRHOME=6)	3277	5.94

UADOTHM	Len : 1	MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADROTHM=1,3)	2615	4.74
	2	= No (CADROTHM=6)	2266	4.11

UADPUBL	Len : 1	MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADRPUBL=1,3)	220	0.40
	2	= No (CADRPUBL=6)	4661	8.45

UADBAR	Len : 1	MOST RECENT ALCOHOL USE AT RESTAURANT, BAR OR CLUB		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADRBAR=1,3)	271	0.49
	2	= No (CADRBAR=6)	4610	8.36

UADEVNT	Len : 1	MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADREVNT=1,3)	103	0.19
	2	= No (CADREVNT=6)	4778	8.66

UADSCHL	Len : 1	MOST RECENT ALCOHOL USE AT SCHOOL		
			Freq	Pct
	.	= Unknown/No PM Use/Aged 21+ (Otherwise)	50279	91.15
	1	= Yes (CADRSCHL=1,3)	101	0.18
	2	= No (CADRSCHL=6)	4780	8.67

RECODED CONSUMPTION OF ALCOHOL

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

UADROTH	Len : 1 MOST RECENT ALCOHOL USE AT SOME OTHER PLACE		
		Freq	Pct
	. = Unknown/No PM Use/Aged 21+ (See comment above).....	50352	91.28
	1 = Yes (CADROTH=1 and CADROTS2=8-40)	292	0.53
	2 = No (See comment above)	4516	8.19

UADOTSP	Len : 1 OTHER LOCATIONS OF MOST RECENT ALCOHOL USE		
		Freq	Pct
	. = Unknown (CADROTS2=70,85,94,97,98).....	540	0.98
	1 = Party, Wedding, or Celebration (CADROTS2=35).....	87	0.16
	2 = Outside; Location Not Specified (CADROTS2=24).....	37	0.07
	3 = Hotel, Motel, or Resort (CADROTS2=15).....	28	0.05
	4 = Camping, Hunting, or Fishing (CADROTS2=22)	25	0.05
	5 = Cabin, Cottage, Vacation Home, Etc. (CADROTS2=14)	8	0.01
	6 = Dorm room (CADROTS2=29)	11	0.02
	7 = Other Location, Nonuser, or Aged 21+ (Otherwise).....	54424	98.67

UADPAID	Len : 1 UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL		
		Freq	Pct
	. = Unknown (Otherwise)	410	0.74
	1 = Yes (CABUYFRE=1).....	1355	2.46
	2 = No (CABUYFRE=2).....	3583	6.50
	3 = No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99).....	49812	90.30

A respondent was assigned a value of UADMONY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONY=89,91,93,99).

UADMONY	Len : 1 UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL		
		Freq	Pct
	. = Unknown (Otherwise)	423	0.77
	1 = Bought Myself (CAGVMONY=1)	346	0.63
	2 = Gave Money to Someone Else to Buy (CAGVMONY=2).....	996	1.81
	3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above).....	53395	96.80

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89,91,93,99).

UADBWHO	Len : 1 HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL		
		Freq	Pct
	. = Unknown (Otherwise)	424	0.77
	1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1).....	293	0.53
	2 = Bought From Another Person (CABUYWHO=2)	52	0.09
	3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above)	54391	98.61

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89,91,93,99).

UADPLACE	Len : 1 WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL		
		Freq	Pct
	. = Unknown (Otherwise)	424	0.77
	1 = Bought at Liquor/Grocery Store (CABPLACE=1)	209	0.38
	2 = Bought at a Restaurant/Bar/Club (CABPLACE=2)	78	0.14
	3 = Bought at a Concert/Sports/Event (CABPLACE=3).....	6	0.01
	4 = No PM Alc/21+/Prsn/No Pay, Buy (See comment above)	54443	98.70

RECODED CONSUMPTION OF ALCOHOL

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89,91,93,99).

UADBUND	Len : 1	AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER		
			Freq	Pct
.		= Unknown (Otherwise)	425	0.77
1		= Under Age 21 (CABUNDAG=1)	19	0.03
2		= Aged 21 or Older (CABUNDAG=2)	32	0.06
3		= No PM Alc/21+/Plce/No Pay, Buy (See comment above)	54684	99.14

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89,91,93,99).

UADCAG	Len : 1	WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL		
			Freq	Pct
.		= Unknown (Otherwise)	466	0.84
1		= Parent or Guardian (CAGVWHO=1)	31	0.06
2		= Another Family Member Aged 21 or Older (CAGVWHO=2)	100	0.18
3		= Someone Not Related Aged 21 or Older (CAGVWHO=3)	733	1.33
4		= Someone Under the Age of 21 (CAGVWHO=4)	89	0.16
5		= No PM Alc/21+/No Pay/Buy Self (See comment above)	53741	97.43

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFWHO	Len : 1	WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL		
			Freq	Pct
.		= Unknown (See comment above)	633	1.15
1		= Parent or Guardian (CAFREWHO=1,11)	379	0.69
2		= Another Family Member, 21 or Older (CAFREWHO=2,12)	484	0.88
3		= Someone Not Related, 21 or Older (CAFREWHO=3,13)	1216	2.20
4		= Someone Under the Age of 21 (CAFREWHO=4,14)	630	1.14
5		= Took From My Home (CAFREWHO=5,15)	282	0.51
6		= Took From Someone Else's Home (CAFREWHO=6,16)	126	0.23
7		= Some Other Way (CAFREWHO=7 & CAFRESP2=7-43)	243	0.44
8		= No PM Alc/Aged 21+/Pay (See comment above)	51167	92.76

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

UADFRD	Len : 1	MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD		
			Freq	Pct
.		= Unknown (See comment above)	633	1.15
1		= Got From a Friend (CAFREWHO=7 & CAFRESP2=22)	128	0.23
2		= Not From a Friend (See comment above)	3232	5.86
3		= No PM Alc/Aged 21+/Pay (See comment above)	51167	92.76

NOTE: The following 12 variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

DRKMRJ	Len : 1	USED MARIJUANA WITH LAST ALCOHOL USE		
			Freq	Pct
.		= Unknown (Otherwise)	267	0.48
0		= No (CADRKMRJ=6,81,83,89,91,93,99)	52435	95.06
1		= Yes (CADRKMRJ=1,5)	2458	4.46

RECODED CONSUMPTION OF ALCOHOL

DRKCOC	Len : 1 USED COCAINE WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	64	0.12
0	= No (CADRKOC=6,81,83,89,91,93,99)	55011	99.73
1	= Yes (CADRKOC=1,5)	85	0.15

DRKHER	Len : 1 USED HEROIN WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	15	0.03
0	= No (CADRKHER=6,81,83,89,91,93,99)	55121	99.93
1	= Yes (CADRKHER=1,5)	24	0.04

DRKHAL	Len : 1 USED HALLUCINOGENS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	108	0.20
0	= No (CADRKHAL=6,81,83,89,91,93,99)	55026	99.76
1	= Yes (CADRKHAL=1,5)	26	0.05

DRKINH	Len : 1 USED INHALANTS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	78	0.14
0	= No (CADRKINH=6,81,83,89,91,93,99)	55076	99.85
1	= Yes (CADRKINH=1,5)	6	0.01

DRKANL	Len : 1 USED PAIN RELIEVERS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	170	0.31
0	= No (CADRKANL=6,81,83,89,91,93,99)	54864	99.46
1	= Yes (CADRKANL=1,5)	126	0.23

DRKTRN	Len : 1 USED TRANQUILIZERS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	56	0.10
0	= No (CADRKTRN=6,81,83,89,91,93,99)	55077	99.85
1	= Yes (CADRKTRN=1,5)	27	0.05

DRKSTM	Len : 1 USED STIMULANTS WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	56	0.10
0	= No (CADRKSTM=6,81,83,89,91,93,99)	55088	99.87
1	= Yes (CADRKSTM=1,5)	16	0.03

The following variable, DRKMTH, was created to capture the respondent's use of methamphetamine with his or her most recent use of alcohol. A positive response was assigned if the respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1, 5) and if he or she reported methamphetamine use in the core Stimulants module or he or she reported its use in the noncore Special Drugs module and they did not report methamphetamine use in the core Stimulants module because he or she did not consider it to be a prescription drug. A negative response was assigned if the respondent reported no methamphetamine use with his or her most recent alcohol use or reported never having used alcohol or methamphetamine or not having used in the past 30 days (CADRMTH=6,81,83,89,91,93,99). A negative response could also be assigned if a respondent reported methamphetamine use with his or her most recent alcohol use (CADRMTH=1,5) but he or she did not report ever having used methamphetamine in the core Stimulants module or in the noncore Specialty Drug module because they did not consider it to be a prescription drug.

DRKMTH	Len : 1 USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	47	0.09
0	= No (See comment above)	55081	99.86
1	= Yes (See comment above)	32	0.06

DRKSED	Len : 1 USED SEDATIVES WITH LAST ALCOHOL USE		
		Freq	Pct
.	= Unknown (Otherwise)	30	0.05
0	= No (CADRKSED=6,81,83,89,91,93,99)	55126	99.94
1	= Yes (CADRKSED=1,5)	4	0.01

RECODED CONSUMPTION OF ALCOHOL

The following variable, DRKSUM, was created to capture the use of any illicit drug with the respondent's most recent use of alcohol. It was created by examination of the following variables: DRKMRJ, DRKCOC, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of the individual drug variables. A negative response was assigned if a respondent answered 'No' to all drug variables or the respondent was not a past month user of any illicit drugs (SUMMON=0). If neither of these was true, then DRKSUM was set to missing.

DRKSUM	Len : 1	USED ILLICIT DRUGS WITH LAST ALCOHOL USE		
			Freq	Pct
	.	= Unknown (See comment above)	212	0.38
	0	= No (See comment above)	52313	94.84
	1	= Yes (See comment above)	2635	4.78

The following variable, DRKIEM, was created to capture the use of any illicit drug other than marijuana with the respondent's most recent use of alcohol. It was created by examination of the following recoded variables: DRKCOC, DRKHER, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of these individual drugs. A negative response was assigned if a respondent answered 'No' to all of these drugs or they were not a past month user of any illicit drug other than marijuana (IEMMON=0). If neither of these was true, then DRKIEM was set to missing.

DRKIEM	Len : 1	USED ILLICIT DRUGS OTHR THAN MRJ WITH LAST ALC USE		
			Freq	Pct
	.	= Unknown (See comment above)	91	0.16
	0	= No (See comment above)	54784	99.32
	1	= Yes (See comment above)	285	0.52

HOUSEHOLD COMPOSITION (ROSTER)

HOUSEHOLD COMPOSITION (ROSTER)

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

EDFAM18	Len : 2 EDITED INDICATOR: FAMILY IN HH 18 OR OLDER		
	0 = R has other family members >=18	Freq	Pct
	1 = R does not have other family members >=18	46878	84.99
	98 = UNKNOWN.....	8224	14.91
		58	0.11
IMOTHER	Len : 1 MOTHER IN HH		
	1 = R is 12-17, mother in hh.....	Freq	Pct
	2 = R is 12-17, no mother in hh.....	16247	29.45
	3 = R is 12-17, don't know whether mother is in hh	1469	2.66
	4 = R is 18 or older	20	0.04
		37424	67.85
IFATHER	Len : 1 FATHER IN HH		
	1 = R is 12-17, father in hh.....	Freq	Pct
	2 = R is 12-17, no father in hh.....	12664	22.96
	3 = R is 12-17, don't know whether father is in hh	5050	9.16
	4 = R is 18 or older	22	0.04
		37424	67.85
NRCH17_2	Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD		
	RANGE = 0 - 2.....	Freq	Pct
	. = Missing	52887	95.88
	3 = 3 or more	87	0.16
		2186	3.96
IRHHSIZ2	Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH		
	1 = One person in household.....	Freq	Pct
	2 = Two people in household.....	3558	6.45
	3 = Three people in household.....	11082	20.09
	4 = Four people in household	12350	22.39
	5 = Five people in household	14026	25.43
	6 = 6 or more people in household.....	8111	14.70
		6033	10.94
IIHHSIZ2	Len : 1 IRHHSIZ2-IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data	55114	99.92
		46	0.08
IRKI17_2	Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH		
	1 = No children under 18.....	Freq	Pct
	2 = One child under 18	21217	38.46
	3 = Two children under 18	13023	23.61
	4 = Three or more children under 18.....	11940	21.65
		8980	16.28
IIKI17_2	Len : 1 IRKI17_2-IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq	Pct
	3 = Statistically imputed data	54981	99.68
		179	0.32
IRHH65_2	Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65		
	1 = No people 65 or older in household	Freq	Pct
	2 = One person 65 or older in household	49737	90.17
	3 = Two or more people 65 or older in household	3689	6.69
		1734	3.14

HOUSEHOLD COMPOSITION (ROSTER)

IIHH65_2	Len : 1 IRHH65_2-IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	54839	99.42
	2 = Logically assigned data.....	36	0.07
	3 = Statistically imputed data	285	0.52

IRFAMSZ2	Len : 1 IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD		
		Freq	Pct
	1 = One R's family member in household.....	6736	12.21
	2 = Two R's family members in household.....	10692	19.38
	3 = Three R's family members in household	11496	20.84
	4 = Four R's family members in household	13270	24.06
	5 = Five R's family members in household.....	7618	13.81
	6 = Six or more R's family members in household.....	5348	9.70

IIFAMSZ2	Len : 1 IRFAMSZ2 - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55059	99.82
	2 = Logically Assigned data	11	0.02
	3 = Statistically Imputed data	90	0.16

IRKIDFA2	Len : 1 IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17		
		Freq	Pct
	1 = No R'S family mbrs in HH aged 0-17.....	21648	39.25
	2 = One R'S family mbrs in HH aged 0-17.....	12963	23.50
	3 = Two R'S family mbrs in HH aged 0-17.....	11810	21.41
	4 = Three or more R'S family mbrs in HH aged 0-17	8739	15.84

IIKIDFA2	Len : 1 IRKIDFA2 - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	55036	99.78
	3 = Statistically Imputed data	124	0.22

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive.

NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Medicare is a health insurance program for persons 65 and older and for certain disabled persons. Is [SAMPLE MEMBER A] covered by Medicare?

MEDICARE	Len : 2 COVERED BY MEDICARE		
		Freq	Pct
	1 = Yes	3245	5.88
	2 = No.....	51706	93.74
	94 = DON'T KNOW.....	173	0.31
	97 = REFUSED	24	0.04
	98 = BLANK (NO ANSWER).....	12	0.02

HOUSEHOLD COMPOSITION (ROSTER)

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for low income and disabled persons. The Medicaid program in [STATE FILL] is also called [MEDIFILL].

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

CAIDCHIP	Len : 2 COVERED BY MEDICAID/CHIP		Freq	Pct
1 = Yes			11691	21.19
2 = No.....			42936	77.84
85 = BAD DATA Logically assigned			28	0.05
94 = DON'T KNOW.....			457	0.83
97 = REFUSED			36	0.07
98 = BLANK (NO ANSWER).....			12	0.02

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

(These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.)

CHAMPUS	Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY		Freq	Pct
1 = Yes			1931	3.50
2 = No.....			52984	96.06
94 = DON'T KNOW.....			209	0.38
97 = REFUSED			24	0.04
98 = BLANK (NO ANSWER).....			12	0.02

Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

PRVHLTIN	Len : 2 COVERED BY PRIVATE INSURANCE		Freq	Pct
1 = Yes			32664	59.22
2 = No.....			22062	40.00
94 = DON'T KNOW.....			384	0.70
97 = REFUSED			38	0.07
98 = BLANK (NO ANSWER).....			12	0.02

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association?

GRPHLTIN	Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		Freq	Pct
1 = Yes			29430	53.35
2 = No.....			3110	5.64
94 = DON'T KNOW.....			124	0.22
97 = REFUSED			38	0.07
98 = BLANK (NO ANSWER).....			396	0.72
99 = LEGITIMATE SKIP (PRVHLTIN = 2).....			22062	40.00

HOUSEHOLD COMPOSITION (ROSTER)

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

HLTINALC	Len : 2	ALCOHOL ABUSE OR ALCOHOLISM		
			Freq	Pct
		1 = Yes	14210	25.76
		2 = No.....	3612	6.55
		94 = DON'T KNOW.....	14835	26.89
		97 = REFUSED	45	0.08
		98 = BLANK (NO ANSWER).....	396	0.72
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	22062	40.00

Drug abuse?

HLTINDRG	Len : 2	DRUG ABUSE		
			Freq	Pct
		1 = Yes	14179	25.71
		2 = No.....	3733	6.77
		94 = DON'T KNOW.....	14738	26.72
		97 = REFUSED	52	0.09
		98 = BLANK (NO ANSWER).....	396	0.72
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	22062	40.00

Mental or emotional problems?

HLTINMNT	Len : 2	MENTAL OR EMOTIONAL DIFFICULTIES		
			Freq	Pct
		1 = Yes	21350	38.71
		2 = No.....	2561	4.64
		94 = DON'T KNOW.....	8747	15.86
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER).....	396	0.72
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	22062	40.00

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

HLTINNOS	Len : 2	COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)		
			Freq	Pct
		1 = Yes	1294	2.35
		2 = No.....	8033	14.56
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED	3	0.01
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP	45783	83.00

During the past 12 months, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

HLCNOTYR	Len : 2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS		
			Freq	Pct
		1 = Yes	3636	6.59
		2 = No.....	42864	77.71
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	121	0.22
		97 = REFUSED	43	0.08
		98 = BLANK (NO ANSWER).....	460	0.83
		99 = LEGITIMATE SKIP	8033	14.56

During the past 12 months, about how many months were [FILL WEREWAS] without any kind of health insurance or coverage?

HLCNOTMO	Len : 2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE		
			Freq	Pct
		RANGE = 1 - 12.....	3608	6.54
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED	43	0.08
		98 = BLANK (NO ANSWER).....	584	1.06
		99 = LEGITIMATE SKIP	50897	92.27

HOUSEHOLD COMPOSITION (ROSTER)

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

HLCLAST	Len : 2	TIME SINCE LAST HAD HEALTH CARE COVERAGE		
			Freq	Pct
		1 = Within the past 6 months	1259	2.28
		2 = More than 6 months ago, but within the past year	894	1.62
		3 = More than 1 year ago, but within the past 3 years	1968	3.57
		4 = More than 3 years ago	2551	4.62
		5 = Never had coverage.....	1287	2.33
		94 = DON'T KNOW.....	73	0.13
		97 = REFUSED	44	0.08
		98 = BLANK (NO ANSWER).....	463	0.84
		99 = LEGITIMATE SKIP	46621	84.52

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

HLLOSRSN	Len : 2	MAIN REASON STOPPED COVERED BY HEALTH INSURANCE		
			Freq	Pct
		1 = Pers in family w/health ins lost job/chng employer	1354	2.45
		2 = Lost Medicaid/Med Assist b/c new job/incr income.....	529	0.96
		3 = Lost Medicaid/Med Assist some other reason	599	1.09
		4 = Cost is too high/can't afford premiums	1659	3.01
		5 = Became ineligible because of age or leaving school	1071	1.94
		6 = Employer does not offer coverage, or not eligible.....	395	0.72
		7 = Got divorced or separated from person w/insurance	113	0.20
		8 = Death of spouse or parent.....	53	0.10
		9 = Insurance company refused coverage	94	0.17
		10 = Don't need it.....	252	0.46
		11 = Received Medicaid/med insur only while pregnant.....	276	0.50
		12 = Some other reason	309	0.56
		85 = BAD DATA Logically assigned	6	0.01
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED	51	0.09
		98 = BLANK (NO ANSWER).....	463	0.84
		99 = LEGITIMATE SKIP	47908	86.85

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

HLNVCOST	Len : 2	COST TOO HIGH		
			Freq	Pct
		1 = Response entered	712	1.29
		6 = Response not entered.....	569	1.03
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	45	0.08
		98 = BLANK (NO ANSWER).....	477	0.86
		99 = LEGITIMATE SKIP	53353	96.72

HLNVOFFR	Len : 2	EMPLOYER DOESN'T OFFER		
			Freq	Pct
		1 = Response entered	232	0.42
		6 = Response not entered.....	1049	1.90
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	45	0.08
		98 = BLANK (NO ANSWER).....	477	0.86
		99 = LEGITIMATE SKIP	53353	96.72

HLNVREF	Len : 2	INSURANCE COMPANY REFUSED COVERAGE		
			Freq	Pct
		1 = Response entered	31	0.06
		6 = Response not entered.....	1250	2.27
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	45	0.08
		98 = BLANK (NO ANSWER).....	477	0.86
		99 = LEGITIMATE SKIP	53353	96.72

HOUSEHOLD COMPOSITION (ROSTER)

HLNVNEED	Len : 2 DON'T NEED IT		
		Freq	Pct
	1 = Response entered	231	0.42
	6 = Response not entered.....	1050	1.90
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	45	0.08
	98 = BLANK (NO ANSWER).....	477	0.86
	99 = LEGITIMATE SKIP	53353	96.72

HLNVSOR	Len : 2 NEVER HAD HLTH INS SOME OTHER REASON		
		Freq	Pct
	1 = Response entered	125	0.23
	6 = Response not entered.....	1156	2.10
	94 = DON'T KNOW.....	4	0.01
	97 = REFUSED	45	0.08
	98 = BLANK (NO ANSWER).....	477	0.86
	99 = LEGITIMATE SKIP	53353	96.72

Starting in 2002, missing values in the variables describing the type of health insurance were imputed. In particular, missing values in the edited variables PRVHLTIN (private health insurance), MEDICARE, CAIDCHIP (Medicaid/children's state-assisted health insurance), CHAMPUS, and a modified version of HLTINNOS (other health insurance) were imputed. The overall health insurance variable was then created by combining the information from the detailed imputation- revised variables in the variable IRINSUR4. This differs from the method used in 1999-2001 where the edited health insurance variables were combined before imputation to create a recoded overall health insurance variable (INSUR3), the missing values of which were imputed in the variable IRINSUR3. As in previous years, missing values in PRVHLTIN were imputed. However, the name has changed (IRPINSUR in 1999-2001, IRPRVHLT in 2002) to reflect the fact that the imputation of missing values in PRVHLTIN was univariate from 1999-2001, and multivariate (with the other detailed variables) in 2002.

IRMCDCHP	Len : 1 IMPUTATION REVISED CAIDCHIP		
		Freq	Pct
	1 = Yes, respondent does have Medicaid/CHIP	11854	21.49
	2 = No, respondent does not have Medicaid/CHIP	43306	78.51

IIMCDCHP	Len : 1 IMPUTATION INDICATOR FOR IRMCDCHP		
		Freq	Pct
	1 = Questionnaire data	54627	99.03
	3 = Statistically imputed data	533	0.97

IRMEDICR	Len : 1 IMPUTATION-REVISED MEDICARE		
		Freq	Pct
	1 = Yes, respondent does have Medicare	3257	5.90
	2 = No, respondent does not have Medicare.....	51903	94.10

IIMEDICR	Len : 1 IMPUTATION INDICATOR FOR IRMEDICR		
		Freq	Pct
	1 = Questionnaire data	54951	99.62
	3 = Statistically imputed data	209	0.38

IRCHMPUS	Len : 1 IMPUTATION-REVISED CHAMPUS		
		Freq	Pct
	1 = Yes, R has Tricare, Champus, VA, Military health.....	1936	3.51
	2 = No,R doesn't have Tricare,Chmps,VA,Military health	53224	96.49

IICHMPUS	Len : 1 IMPUTATION INDICATOR FOR IRCHMPUS		
		Freq	Pct
	1 = Questionnaire data	54915	99.56
	3 = Statistically imputed data	245	0.44

IRPRVHLT	Len : 1 IMPUTATION-REVISED PRIVATE HEALTH INSURANCE		
		Freq	Pct
	1 = Yes, R does have private health insurance	32890	59.63
	2 = No, R does not have private health insurance.....	22270	40.37

HOUSEHOLD COMPOSITION (ROSTER)

IIPRVHLT	Len : 1	IMPUTATION INDICATOR FOR IRPRVHLT		
			Freq	Pct
		1 = Questionnaire data	54726	99.21
		3 = Statistically imputed data	434	0.79

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

- (1) Not Covered by Private Insurance (IRPRVHLT=2)
- (2) Not Covered by Medicare (IRMEDICR=2)
- (3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)

Otherwise, they are not eligible and IROTHHLT=99.

IROTHHLT	Len : 2	IMPUTATION-REVISED OTHER HEALTH INSURANCE		
			Freq	Pct
		1 = Yes, R is covered by other health insurance	1325	2.40
		2 = No, R is not covered by other health insurance	8168	14.81
		99 = Legitimate Skip	45667	82.79

IIOTHHLT	Len : 1	IMPUTATION INDICATOR FOR IROTHHLT		
			Freq	Pct
		1 = Questionnaire data	9326	16.91
		3 = Statistically imputed data	507	0.92
		9 = LEGITIMATE SKIP	45327	82.17

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

HLCALLFG	Len : 2	FLAG IF EVERY FORM OF HEALTH INS REPORTED		
			Freq	Pct
		1 = Answered yes to all current health insurance Qs.....	3	0.01
		98 = BLANK (NO ANSWER).....	55157	99.99

HLCALL99	Len : 2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN		
			Freq	Pct
		1 = Yes (see comment above)	3	0.01
		98 = BLANK (NO ANSWER).....	55157	99.99

NOTE: The following variable, ANYHLT12, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.

ANYHLT12	Len : 2	COVERED BY ANY HEALTH INSURANCE - RECODE		
			Freq	Pct
		1 = Yes	46621	84.52
		2 = No.....	8033	14.56
		94 = DON'T KNOW.....	447	0.81
		97 = REFUSED	43	0.08
		98 = OTHER MISSING	16	0.03

HOUSEHOLD COMPOSITION (ROSTER)

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

- (1) Covered by private insurance (IRPRVHLT=1)
- (2) Covered by Medicare (IRMEDICR=1)
- (3) Covered by Medicaid/CHIPCOV (IRMCDCHP=1)
- (4) Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1)
- (5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions.

- (1) Not Covered by private insurance (IRPRVHLT=2)
- (2) Not Covered by Medicare (IRMEDICR=2)
- (3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)
- (4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)
- (5) Not Covered by other health insurance (IROTHHLT=2)

IRINSUR4	Len : 1	IMPUTATION-REVISED OVERALL HEALTH INSURANCE		
		1 = Yes, respondent is covered by health insurance	Freq	Pct
		2 = No, respondent is not covered by health insurance.....	46992	85.19
			8168	14.81
IIINSUR4	Len : 1	IRINSUR4 IMPUTATION INDICATOR		
		1 = Questionnaire data	Freq	Pct
		3 = Statistically imputed data	54653	99.08
			507	0.92
OTHINS	Len : 1	OTHER HEALTH INSURANCE		
		1 = Yes (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1)	Freq	Pct
		2 = No (Otherwise).....	6230	11.29
			48930	88.71
IRFAMSOC	Len : 1	IMP. REVISED - FAM RECEIVE SS OR RR PAYMENTS		
		1 = Yes	Freq	Pct
		2 = No.....	8430	15.28
			46730	84.72
IIFAMSOC	Len : 1	IRFAMSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data	Freq	Pct
		3 = Statistically imputed data	54546	98.89
			614	1.11

HOUSEHOLD COMPOSITION (ROSTER)

IRFAMWAG	Len : 1	IMP. REVISED - FAM REC INCOME FROM JOB		
			Freq	Pct
	1 = Yes		48758	88.39
	2 = No.....		6402	11.61
IIFAMWAG	Len : 1	IRFAMWAG - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		54996	99.70
	3 = Statistically imputed data		164	0.30
IRFAMSSI	Len : 1	IMP. REVISED - FAM RECEIVE SSI		
			Freq	Pct
	1 = Yes		4423	8.02
	2 = No.....		50737	91.98
IIFAMSSI	Len : 1	IRFAMSSI - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		54301	98.44
	3 = Statistically imputed data		859	1.56
IRFSTAMP	Len : 1	IMP. REVISED - RESP/OTH FAM MEM REC FOOD STAMPS		
			Freq	Pct
	1 = Yes		12352	22.39
	2 = No.....		42808	77.61
IIFSTAMP	Len : 1	IRFSTAMP - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		54935	99.59
	3 = Statistically imputed data		225	0.41
IRFAMPMT	Len : 1	IMP. REVISED - FAM RECEIVE PUBLIC ASSIST		
			Freq	Pct
	1 = Yes		2038	3.69
	2 = No.....		53122	96.31
IIFAMPMT	Len : 1	IRFAMPMT - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		54722	99.21
	3 = Statistically imputed data		438	0.79
IRFAMSVC	Len : 1	IMP. REVISED - FAM REC WELFARE/JOB PL/CHILDCARE		
			Freq	Pct
	1 = Yes		2648	4.80
	2 = No.....		52512	95.20
IIFAMSVC	Len : 1	IRFAMSVC - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		54842	99.42
	3 = Statistically imputed data		318	0.58
IRWELMOS	Len : 2	IMP. REVISED - NO.OF MONTHS ON WELFARE		
			Freq	Pct
	RANGE = 1 - 12.....		3932	7.13
	99 = LEGITIMATE SKIP		51228	92.87
IIWELMOS	Len : 1	IRWELMOS - IMPUTATION INDICATOR		
			Freq	Pct
	1 = Questionnaire data		3727	6.76
	3 = Statistically imputed data		670	1.21
	9 = LEGITIMATE SKIP		50763	92.03

HOUSEHOLD COMPOSITION (ROSTER)

IRPINC3

Len : 1 RECODE - IMP.REVISED-RESP'S TOT INC

	Freq	Pct
1 = Less than \$10,000 (Including Loss)	31816	57.68
2 = \$10,000 - \$19,999.....	8241	14.94
3 = \$20,000 - \$29,999.....	4658	8.44
4 = \$30,000 - \$39,999.....	3187	5.78
5 = \$40,000 - \$49,999.....	2266	4.11
6 = \$50,000 - \$74,999.....	2662	4.83
7 = \$75,000 or more	2330	4.22

IIPINC3

Len : 1 IRPINC3 - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	53676	97.31
3 = Statistically imputed data	1484	2.69

IRFAMIN3

Len : 1 RECODE - IMP.REVISED - TOT FAM INCOME

	Freq	Pct
1 = Less than \$10,000 (Including Loss)	5622	10.19
2 = \$10,000 - \$19,999.....	7426	13.46
3 = \$20,000 - \$29,999.....	6462	11.72
4 = \$30,000 - \$39,999.....	5686	10.31
5 = \$40,000 - \$49,999.....	5693	10.32
6 = \$50,000 - \$74,999.....	8861	16.06
7 = \$75,000 or more	15410	27.94

IIFAMIN3

Len : 1 IRFAMIN3 - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	48514	87.95
2 = Logically assigned data.....	1067	1.93
3 = Statistically imputed data	5579	10.11

RECODED INCOME AND INSURANCE

RECODED INCOME AND INSURANCE

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).

GOVTPROG	Len : 1 PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS		
		Freq	Pct
	1 = YES (ANY SOURCE VARIABLE=1)	14786	26.81
	2 = NO (ALL SOURCE VARIABLES=2).....	40374	73.19

INCOME	Len : 1 TOTAL FAMILY INCOME RECODE		
		Freq	Pct
	1 = Less than \$20,000	13048	23.65
	2 = \$20,000 - \$49,999.....	17841	32.34
	3 = \$50,000 - \$74,999.....	8861	16.06
	4 = \$75,000 or More	15410	27.94

The following variable, POVERTY2, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold.

POVERTY2 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. However, for the unbounded highest level of income, an effective family income of \$120,000 was assigned. Effective family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to SAS missing and do not have a valid value for this variable.

POVERTY2	Len : 1 POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)		
		Freq	Pct
	. = Persons Aged 18 to 22 Living in a College Dorm	636	1.15
	1 = Living in Poverty (See comment above).....	12332	22.36
	2 = Income Up to 2X Fed Pov Thresh (See comment above).....	12118	21.97
	3 = Income > 2X Fed Pov Thresh (See comment above).....	30074	54.52

QUARTER	Len : 1 QUARTER INDICATOR		
		Freq	Pct
	1 = Quarter 1	12813	23.23
	2 = Quarter 2	14828	26.88
	3 = Quarter 3	14358	26.03
	4 = Quarter 4	13161	23.86

INTERVIEW INFORMATION

INTERVIEW INFORMATION

LANGVER	Len : 2	LANGUAGE VERSION		
			Freq	Pct
	1 = English.....		53344	96.71
	2 = Spanish		1816	3.29
GQTYPE2	Len : 1	TYPE OF GROUP QUARTER		
			Freq	Pct
	= Not a Group Quarter		54366	98.56
	C = College Dorm		662	1.20
	O = Other.....		132	0.24

CORE DEMOGRAPHICS

DEMOGRAPHICS

CORE DEMOGRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE2	Len : 2	RECODE - FINAL EDITED AGE		
			Freq	Pct
		1 = Respondent is 12 years old.....	2725	4.94
		2 = Respondent is 13 years old.....	2925	5.30
		3 = Respondent is 14 years old.....	3039	5.51
		4 = Respondent is 15 years old.....	3006	5.45
		5 = Respondent is 16 years old.....	3058	5.54
		6 = Respondent is 17 years old.....	2983	5.41
		7 = Respondent is 18 years old.....	2343	4.25
		8 = Respondent is 19 years old.....	2122	3.85
		9 = Respondent is 20 years old.....	2244	4.07
		10 = Respondent is 21 years old.....	2220	4.02
		11 = Respondent is 22 or 23 years old.....	4643	8.42
		12 = Respondent is 24 or 25 years old.....	4570	8.28
		13 = Respondent is between 26 and 29 years old.....	2557	4.64
		14 = Respondent is between 30 and 34 years old.....	2889	5.24
		15 = Respondent is between 35 and 49 years old.....	7511	13.62
		16 = Respondent is between 50 and 64 years old.....	3936	7.14
		17 = Respondent is 65 years old or older.....	2389	4.33

How many times have you been married?

NOMARR2	Len : 2	NUMBER OF TIMES MARRIED		
			Freq	Pct
		1 = One time.....	13650	24.75
		2 = Two or more times.....	3660	6.64
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	10	0.02
		99 = LEGITIMATE SKIP.....	37837	68.59

Have you ever been in the United States' armed forces?

SERVICE	Len : 2	EVER BEEN IN THE US ARMED FORCES		
			Freq	Pct
		1 = Yes.....	2069	3.75
		2 = No.....	38320	69.47
		85 = BAD DATA Logically assigned.....	17	0.03
		94 = DON'T KNOW.....	1	0.00
		99 = LEGITIMATE SKIP.....	14753	26.75

Are you currently on active duty in the United States' armed forces, in a reserves component, or now separated or retired from either reserves or active duty?

MILSTAT	Len : 2	CURRENT MILITARY STATUS		
			Freq	Pct
		2 = In a reserves component.....	177	0.32
		3 = Now separated/retired from reserves/active duty.....	1888	3.42
		85 = BAD DATA Logically assigned.....	17	0.03
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		99 = LEGITIMATE SKIP.....	53073	96.22

CORE DEMOGRAPHICS

Have you ever served on active duty in the United States Armed Forces or Reserve components?

Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

ACTDEVER	Len : 2	EVER ON ACTIVE DUTY IN US MILITARY/RESERV		
			Freq	Pct
		1 = Yes	1543	2.80
		2 = No.....	525	0.95
		85 = BAD DATA Logically assigned	17	0.03
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP	53073	96.22

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

ACTD2001	Len : 2	SEPTEMBER 2001 OR LATER		
			Freq	Pct
		1 = Yes	439	0.80
		2 = No (not entered).....	1102	2.00
		85 = BAD DATA Logically assigned	17	0.03
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP	53598	97.17

ACTD9001	Len : 2	AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)		
			Freq	Pct
		1 = Yes	352	0.64
		2 = No (not entered).....	1189	2.16
		85 = BAD DATA Logically assigned	17	0.03
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP	53598	97.17

ACTD7590	Len : 2	MAY 1975 TO JULY 1990		
			Freq	Pct
		1 = Yes	351	0.64
		2 = No (not entered).....	1190	2.16
		85 = BAD DATA Logically assigned	17	0.03
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP	53598	97.17

ACTDVIET	Len : 2	VIETNAM ERA (AUGUST 1964 TO APRIL 1975)		
			Freq	Pct
		1 = Yes	392	0.71
		2 = No (not entered).....	1149	2.08
		85 = BAD DATA Logically assigned	17	0.03
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP	53598	97.17

ACTDPRIV	Len : 2	ANY TIME BEFORE VIETNAM ERA (AUGUST 1964)		
			Freq	Pct
		1 = Yes	286	0.52
		2 = No (not entered).....	1254	2.27
		85 = BAD DATA Logically assigned	18	0.03
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP	53598	97.17

CORE DEMOGRAPHICS

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

COMBATPY

Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
1 = YES	672	1.22
2 = NO	866	1.57
85 = BAD DATA Logically assigned	17	0.03
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	2	0.00
99 = LEGITIMATE SKIP	53598	97.17

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

HEALTH

Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent	15001	27.20
2 = Very good	22168	40.19
3 = Good	13575	24.61
4 = Fair	3714	6.73
5 = Poor	692	1.25
94 = DON'T KNOW	9	0.02
97 = REFUSED	1	0.00

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.

IRSEX	Len : 1	IMPUTATION REVISED GENDER		
			Freq	Pct
		1 = Male	26331	47.74
		2 = Female	28829	52.26

IRMARIT	Len : 2	IMPUTATION REVISED MARITAL STATUS		
			Freq	Pct
		1 = Married	12881	23.35
		2 = Widowed.....	950	1.72
		3 = Divorced or Separated	3489	6.33
		4 = Never Been Married.....	29151	52.85
		99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	8689	15.75

IIMARIT	Len : 1	IMPUTATION INDICATOR MARITAL STATUS		
			Freq	Pct
		1 = Marital status from questionnaire	46460	84.23
		3 = Marital status statistically imputed.....	11	0.02
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	8689	15.75

IREduc2	Len : 2	RECODE - IMPUTATION REVISED EDUCATION		
			Freq	Pct
		1 = Fifth grade or less	1391	2.52
		2 = Sixth grade	2947	5.34
		3 = Seventh grade	2996	5.43
		4 = Eighth grade	3627	6.58
		5 = Ninth grade	3863	7.00
		6 = Tenth grade	3960	7.18
		7 = Eleventh grade	4445	8.06
		8 = Twelfth grade	12071	21.88
		9 = Freshman/13th year.....	4280	7.76
		10 = Sophomore/14th year or Junior/15th year	7110	12.89
		11 = Senior/16th year or Grad/Prof School (or higher)	8470	15.36

IIEduc2	Len : 1	IMPUTATION REVISED EDUCATION INDICATOR		
			Freq	Pct
		1 = Education from questionnaire	55155	99.99
		3 = Education statistically imputed	5	0.01

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

CATAGE	Len : 1 AGE CATEGORY			
			Freq	Pct
	1 = 12-17 Years Old.....	17736	32.15	
	2 = 18-25 Years Old.....	18142	32.89	
	3 = 26-34 Years Old.....	5446	9.87	
	4 = 35 or Older.....	13836	25.08	
CATAG2	Len : 1 AGE CATEGORY RECODE (3 LEVELS)			
			Freq	Pct
	1 = 12-17 Years Old.....	17736	32.15	
	2 = 18-25 Years Old.....	18142	32.89	
	3 = 26 or Older.....	19282	34.96	
CATAG3	Len : 1 AGE CATEGORY RECODE (5 LEVELS)			
			Freq	Pct
	1 = 12-17 Years Old.....	17736	32.15	
	2 = 18-25 Years Old.....	18142	32.89	
	3 = 26-34 Years Old.....	5446	9.87	
	4 = 35-49 Years Old.....	7511	13.62	
	5 = 50 or Older.....	6325	11.47	
CATAG6	Len : 1 AGE CATEGORY RECODE (6 LEVELS)			
			Freq	Pct
	1 = 12-17 Years Old.....	17736	32.15	
	2 = 18-25 Years Old.....	18142	32.89	
	3 = 26-34 Years Old.....	5446	9.87	
	4 = 35-49 Years Old.....	7511	13.62	
	5 = 50-64 Years Old.....	3936	7.14	
	6 = 65 or Older.....	2389	4.33	
CATAG7	Len : 1 AGE CATEGORY RECODE (7 LEVELS)			
			Freq	Pct
	1 = 12-13 Years Old.....	5650	10.24	
	2 = 14-15 Years Old.....	6045	10.96	
	3 = 16-17 Years Old.....	6041	10.95	
	4 = 18-20 Years Old.....	6709	12.16	
	5 = 21-25 Years Old.....	11433	20.73	
	6 = 26-34 Years Old.....	5446	9.87	
	7 = 35 or Older.....	13836	25.08	
PREGAGE2	Len : 1 PREGNANCY AGE CATEGORY RECODE			
			Freq	Pct
	1 = 15-17 Years Old.....	9047	16.40	
	2 = 18-25 Years Old.....	18142	32.89	
	3 = 26-44 Years Old.....	10401	18.86	
	4 = Otherwise (12-14, 45 or Older).....	17570	31.85	
SEXAGE	Len : 1 COMBINED GENDER BY AGE CATEGORY INDICATOR			
			Freq	Pct
	1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1).....	9119	16.53	
	2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1)	8617	15.62	
	3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2).....	8523	15.45	
	4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2)	9619	17.44	
	5 = Otherwise	19282	34.96	
NEWRACE2	Len : 1 RACE/HISPANICITY RECODE (7 LEVELS)			
			Freq	Pct
	1 = NonHispanic White.....	32768	59.41	
	2 = NonHispanic Black/African American	7267	13.17	
	3 = NonHispanic Native American/Alaska Native.....	802	1.45	
	4 = NonHispanic Native Hawaiian/Other Pacific Islander.....	298	0.54	
	5 = NonHispanic Asian.....	2279	4.13	
	6 = NonHispanic more than one race	2035	3.69	
	7 = Hispanic.....	9711	17.61	

RECODED DEMOGRAPHICS

SEXTRACE

Len : 1 COMBINED GENDER BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hisp (IRSEX=1 and NEWRACE2=1).....	15680	28.43
2 = Female, White, Not Hisp (IRSEX=2 and NEWRACE2=1).....	17088	30.98
3 = Male, Black, Not Hisp (IRSEX=1 and NEWRACE2=2)	3332	6.04
4 = Female, Black, Not Hisp (IRSEX=2 and NEWRACE2=2)	3935	7.13
5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7).....	4691	8.50
6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7)	5020	9.10
7 = Male or Female, Other Races (Otherwise)	5414	9.82

EDUCCAT2

Len : 1 EDUCATION RECODE

	Freq	Pct
1 = Less than high school (IREduc2<=7 and AGE2>=7)	5705	10.34
2 = High school graduate (IREduc2=8 and AGE2>=7)	11869	21.52
3 = Some college (IREduc2=9-10 and AGE2>=7)	11380	20.63
4 = College graduate (IREduc2=11 and AGE2>=7)	8470	15.36
5 = 12 to 17 year olds (AGE2<=6)	17736	32.15

HEALTH2

Len : 1 OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
1 = Excellent (HEALTH=1).....	15001	27.20
2 = Very Good (HEALTH=2)	22168	40.19
3 = Good (HEALTH=3)	13575	24.61
4 = Fair/Poor (HEALTH=4,5).....	4406	7.99

NON-CORE DEMOGRAPHICS

NON-CORE DEMOGRAPHICS

For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.

How many times in the past 12 months have you moved?

MOVEPYR2	Len : 3 #TIMES MOVED PAST 12 MONTHS - RECODE		
		Freq	Pct
	0 = 0 times.....	37630	68.22
	1 = 1 time.....	10506	19.05
	2 = 2 times.....	3597	6.52
	3 = 3 or more times.....	2561	4.64
	994 = DON'T KNOW.....	11	0.02
	997 = REFUSED	1	0.00
	998 = BLANK (NO ANSWER).....	854	1.55

NOTE: EIMOVPIR is an indicator of editing to MOVESPY2. The default value for EIMOVPIR is 1, when no editing was done to MOVESPY2. EIMOVPIR has a value of 2 when the item corresponding to MOVESPY2 had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5Y2 or YEMOV5Y2 indicated zero moves in the past 5 years.

EIMOVYRR	Len : 1 EDITING INDICATOR FOR MOVESPY2		
		Freq	Pct
	1 = Questionnaire data	30506	55.30
	2 = Logically assigned data.....	24654	44.70

NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPY2 and moves in the past 5 years from either SNMOV5Y2 or YEMOV5Y2. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPY2, SNMOV5Y2, or YEMOV5Y2 in these situations.

MOVYRFRG	Len : 2 CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2		
		Freq	Pct
	1 = Moves in past yr greater than moves in past 5 yrs	449	0.81
	98 = BLANK (NO ANSWER).....	54711	99.19

NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.

SCHENRL	Len : 2 NOW ENROLLED IN ANY SCHOOL		
		Freq	Pct
	1 = Yes	26953	48.86
	2 = No.....	28179	51.09
	3 = Yes LOGICALLY ASSIGNED (LFSCWH2=778).....	3	0.01
	5 = Yes LOGICALLY ASSIGNED (LFSCWH2=601).....	5	0.01
	11 = Yes (SCHDSKIP = 30).....	7	0.01
	94 = DON'T KNOW.....	2	0.00
	97 = REFUSED	2	0.00
	98 = BLANK (NO ANSWER).....	9	0.02

NON-CORE DEMOGRAPHICS

NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.

What grade or year of school are you now attending? Please tell me the number from the card.

What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.

EDUCATN2	Len : 2	WHAT GRADE IN NOW/WILL BE IN		
			Freq	Pct
		1 = 5th Grade or lower	63	0.11
		2 = 6th Grade	981	1.78
		3 = 7th Grade	2702	4.90
		4 = 8th Grade	2937	5.32
		5 = 9th Grade	3167	5.74
		6 = 10th Grade.....	3050	5.53
		7 = 11th Grade.....	2943	5.34
		8 = 12th Grade.....	2763	5.01
		9 = College or university/1st year	2269	4.11
		10 = College or university/2nd Year, 3rd year	3608	6.54
		11 = College or university/4th Year, 5th or higher year.....	2467	4.47
		98 = BLANK (NO ANSWER).....	31	0.06
		99 = LEGITIMATE SKIP	28179	51.09

NOTE: The variable SDNTFTPT corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

SDNTFTPT	Len : 2	FULL OR PART TIME		
			Freq	Pct
		1 = FULL-TIME	24500	44.42
		2 = PART-TIME	2441	4.43
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED	2	0.00
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP	28179	51.09

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured?

SCHDSICK	Len : 2	HOW MANY DAYS MISSED SCHOOL FROM SICK		
			Freq	Pct
		RANGE = 1 - 30.....	7731	14.02
		0 = None.....	13264	24.05
		90 = SCHOOL NOT IN SESSION.....	3415	6.19
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED	4	0.01
		98 = BLANK (NO ANSWER).....	38	0.07
		99 = LEGITIMATE SKIP	30620	55.51

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there?

SCHDSKIP	Len : 2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
			Freq	Pct
		RANGE = 1 - 30.....	3269	5.93
		0 = None.....	17772	32.22
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	38	0.07
		99 = LEGITIMATE SKIP	34035	61.70

NON-CORE DEMOGRAPHICS

Have you received a high school diploma?

HSDIPLMA	Len : 2 RECEIVED DIPLOMA		
		Freq	Pct
	1 = Yes	4264	7.73
	2 = No.....	2069	3.75
	3 = Yes LOGICALLY ASSIGNED	5	0.01
	4 = No LOGICALLY ASSIGNED.....	64	0.12
	89 = LEGITIMATE SKIP Logically assigned.....	8	0.01
	94 = DON'T KNOW.....	2	0.00
	98 = BLANK (NO ANSWER).....	11	0.02
	99 = LEGITIMATE SKIP	48737	88.36

Have you received a GED certificate of high school completion?

HSGED	Len : 2 RECEIVED GED		
		Freq	Pct
	1 = Yes	527	0.96
	2 = No.....	1549	2.81
	89 = LEGITIMATE SKIP Logically assigned.....	8	0.01
	98 = BLANK (NO ANSWER).....	75	0.14
	99 = LEGITIMATE SKIP	53001	96.09

Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.

LFSCHWH2	Len : 3 WHY YOU LEFT SCHOOL		
		Freq	Pct
	1 = School was boring or I didn't want to be there	346	0.63
	2 = I got pregnant/I got someone pregnant	301	0.55
	3 = I got in trouble or expelled for selling drugs	33	0.06
	4 = I got in trouble or expelled for using drugs.....	17	0.03
	5 = I got in trouble or expelled some other reason.....	155	0.28
	6 = I often got into trouble	114	0.21
	7 = I had to get a job (or work more hours)	221	0.40
	8 = I was getting bad grades.....	111	0.20
	9 = I wasn't learning anything.....	62	0.11
	10 = I got married (or moved in with boy/girlfriend).....	38	0.07
	11 = I moved fr another country/didn't enroll/lang prob.....	65	0.12
	12 = I was treated badly at school.....	90	0.16
	13 = I became ill (or injured)	51	0.09
	14 = I went to jail/prison	30	0.05
	15 = I had responsibilities at home/personal problems	306	0.55
	16 = Other reason.....	28	0.05
	41 = Family member became ill/sick/died.....	4	0.01
	46 = Learning disabled	4	0.01
	50 = Moved away; didn't enroll, got behind, or unspec	16	0.03
	51 = Skipping school/excessive absenteeism	4	0.01
	52 = Too expensive/couldn't afford	6	0.01
	54 = No transportation/school too far away	3	0.01
	56 = Grade,credit discrepancies/lacked credits/document.....	16	0.03
	59 = Wasn't requird/didn't have to go/not needed/custom	14	0.03
	60 = Against my religion/beliefs	5	0.01
	66 = Too old	4	0.01
	71 = Didn't pass/take end of grade/school test.....	14	0.03
	601 = Home schooling	5	0.01
	605 = Completed HS/certificate, general.....	6	0.01
	606 = Received GED	2	0.00
	607 = Pursuing GED/proficiency exam/re-enrolling	4	0.01
	778 = I am still in school.....	3	0.01
	992 = Other unknown	2	0.00
	994 = DON'T KNOW.....	1	0.00
	997 = REFUSED	3	0.01
	998 = BLANK (NO ANSWER).....	75	0.14
	999 = LEGITIMATE SKIP	53001	96.09

NON-CORE DEMOGRAPHICS

How old were you when you stopped attending school?

LFTSCHA2

Len : 3 AGE WHEN STOPPED ATTENDING SCHOOL

	Freq	Pct
RANGE = 11 - 18.....	1930	3.50
10 = Left at age 10 or younger.....	9	0.02
19 = Left at age 19 or older.....	118	0.21
985 = BAD DATA Logically assigned.....	12	0.02
989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
994 = DON'T KNOW.....	5	0.01
997 = REFUSED.....	2	0.00
998 = BLANK (NO ANSWER).....	75	0.14
999 = LEGITIMATE SKIP.....	53001	96.09

The last question has to do with telephones in your household. How many different telephone numbers do you have in this household? Please don't include cellular phones in your answer. Also, don't count business numbers or extensions with the same number.

TELNO2

Len : 2 # OF TELEPHONE LINES IN HOUSEHOLD

	Freq	Pct
0 = None.....	27088	49.11
1 = One.....	27196	49.30
2 = Two or more.....	820	1.49
94 = DON'T KNOW.....	17	0.03
97 = REFUSED.....	25	0.05
98 = BLANK (NO ANSWER).....	14	0.03

RECODED NON-CORE DEMOGRAPHICS

RECODED NON-CORE DEMOGRAPHICS

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATN2=9, 10, 11), and a full-time student (SDNTFTPT=1). Respondents in the category "Other Persons Aged 18-22" include those not enrolled in school, enrolled in college part-time, enrolled in other grades either full or part-time, or enrolled with no other information available.

COLLENR	Len : 1 COLLEGE ENROLLMENT - FULL TIME		
		Freq	Pct
	. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98)	2	0.00
	1 = FT College Student Aged 18-22 (See comment above)	4310	7.81
	2 = Other Persons Aged 18-22 (See comment above)	6934	12.57
	3 = Persons Aged 12-17, 23 or Older.....	43914	79.61

A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1, 3, 5, 11), enrolled at the college level (EDUCATN2=9, 10, 11), and if they were a full-time (SDNTFTPT=1) or part-time (SDNTFTPT=2) student. Otherwise, a respondent was defined as not enrolled in college (SCHENRL=2, 4) or in the category "Other Persons Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).

COLLENR2	Len : 1 COLLEGE ENROLLMENT		
		Freq	Pct
	. = Unknwn Enrollment, Aged 18-22 (SCHENRL=94,97,98)	2	0.00
	1 = FT College Student Aged 18-22 (See comment above)	4310	7.81
	2 = PT College Student Aged 18-22 (See comment above)	915	1.66
	3 = Not Enrolled Aged 18-22 (See comment above)	4881	8.85
	4 = Other Persons Aged 18-22 (See comment above)	1138	2.06
	5 = Persons Aged 12-17, 23 or Older.....	43914	79.61

EMPLOYMENT AND WORKPLACE

EMPLOYMENT AND WORKPLACE

NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.

JBSTATR2	Len : 2	WORK SITUATION IN PAST WEEK - RECODE		
			Freq	Pct
		1 = Worked at full-time job, past week	17044	30.90
		2 = Worked at part time job, past week	8023	14.54
		3 = Has job or volunteer worker, did not work past wk	2642	4.79
		4 = Unemployed/on layoff, looking for work.....	3803	6.89
		5 = Disabled	1560	2.83
		6 = Keeping house full-time	2065	3.74
		7 = In school/training.....	6179	11.20
		8 = Retired.....	2106	3.82
		9 = Does not have a job, some other reason.....	3033	5.50
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP	8689	15.75

NOTE: The industry variable WRKIDST2 corresponds to the variable WRKINDU2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKIDST2 with data in WRKINDU2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

Which of these categories best describes the business or industry in which you work?

WRKIDST2	Len : 4	TYPE OF BUSINESS OR INDUSTRY		
			Freq	Pct
		1 = Agriculture, Forestry, Fishing, & Hunting.....	487	0.88
		2 = Mining.....	213	0.39
		3 = Construction	1782	3.23
		4 = Manufacturing, Nondurable Goods	913	1.66
		5 = Manufacturing, Durable Goods	1390	2.52
		6 = Transportation & Utilities.....	966	1.75
		7 = Information & Communications	455	0.82
		8 = Wholesale Trade, Durable Goods.....	206	0.37
		9 = Wholesale Trade, Nondurable Goods	326	0.59
		10 = Retail Trade	3864	7.01
		11 = Finance, Insur, Real Estate, Rental & Leasing.....	1282	2.32
		12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt	2731	4.95
		13 = Education, Health & Social Services	5841	10.59
		14 = Arts/Entertain/Recreation/Accommodation/Food Svcs	4865	8.82
		15 = Public Administration	902	1.64
		16 = Other Services (Except Public Admin)	1550	2.81
		9990 = NOT REPORTED/NOT CODABLE	63	0.11
		9994 = DON'T KNOW.....	5	0.01
		9997 = REFUSED	18	0.03
		9998 = BLANK (NO ANSWER).....	12	0.02
		9999 = LEGITIMATE SKIP	27289	49.47

Even though you did not work at any time last week, did you have a job or business?

WRKHAVJB	Len : 2	DID YOU HAVE A JOB OR BUSINESS		
			Freq	Pct
		1 = Yes	2771	5.02
		2 = No.....	18600	33.72
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED	7	0.01
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP	33770	61.22

EMPLOYMENT AND WORKPLACE

How many hours did you work last week at all jobs or businesses?

WRKHRSW2	Len : 3	HOW MANY HOURS WORKED LAST WEEK		
			Freq	Pct
		RANGE = 1 - 60.....	24177	43.83
		61 = 61 or more	879	1.59
		994 = DON'T KNOW.....	25	0.05
		997 = REFUSED	7	0.01
		998 = BLANK (NO ANSWER).....	9	0.02
		999 = LEGITIMATE SKIP	30063	54.50

NOTE: The occupation variable WRKOCUP2 corresponds to the variable WRKOCCU2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKOCUP2 with data in WRKOCCU2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.

What kind of work do you do? That is, what is your occupation?

WRKOCUP2	Len : 4	KIND OF WORK/JOB TITLE PRIMARY JOB		
			Freq	Pct
		1 = Executive/Administrative/Managerial/Financial.....	2565	4.65
		2 = Professional (not Education/Entertainment/Media).....	2429	4.40
		3 = Education and Related Occupations	1554	2.82
		4 = Entertainers, Sports, Media, and Communications.....	670	1.21
		5 = Technicians and Related Support Occupations.....	1576	2.86
		6 = Sales Occupations.....	3533	6.41
		7 = Office & Administrative Support Workers	3397	6.16
		8 = Protective Service Occupations	582	1.06
		9 = Service Occupations, Except Protective.....	5963	10.81
		10 = Farming, Fishing, & Forestry Occupations	318	0.58
		11 = Installation, Maintenance & Repair Workers.....	771	1.40
		12 = Construction Trades & Extraction Workers.....	1451	2.63
		13 = Production, Machinery Setters/Operators/Tenders.....	1395	2.53
		14 = Transportation & Material Moving Workers	1596	2.89
		9990 = NOT REPORTED/NOT CODABLE	31	0.06
		9997 = REFUSED	23	0.04
		9998 = BLANK (NO ANSWER).....	17	0.03
		9999 = LEGITIMATE SKIP	27289	49.47

Which of these categories best describes the business in which you work?

WRKBZCA2	Len : 2	CATEG THAT BEST DESCR BUSINESS YOU WORK IN		
			Freq	Pct
		1 = Private for-profit company or business	18431	33.41
		2 = Private not-for-profit company or business.....	2217	4.02
		3 = Local government (city, county, etc.).....	1899	3.44
		4 = State government	1505	2.73
		5 = Federal/Foreign government or international.....	699	1.27
		6 = Self-employed in an incorporated business.....	948	1.72
		7 = Self-employed in an unincorporated business.....	1403	2.54
		8 = Working without pay in a family business/farm.....	138	0.25
		94 = DON'T KNOW.....	594	1.08
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP	27289	49.47

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

WRKEDYR	Len : 2	PAST 12 MOS, WORKED AT ANY JOB		
			Freq	Pct
		1 = Yes	5335	9.67
		2 = No.....	13264	24.05
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED	8	0.01
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP	36541	66.25

EMPLOYMENT AND WORKPLACE

Have you been self-employed at any time during the past 12 months?

WRKSLFEM	Len : 2 PAST 12 MOS, SELF EMPLOYED		
		Freq	Pct
	1 = Yes	2616	4.74
	2 = No.....	28008	50.78
	3 = Yes LOGICALLY ASSIGNED (raw var not blank)	91	0.16
	5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2460	4.46
	94 = DON'T KNOW.....	12	0.02
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER).....	12	0.02
	99 = LEGITIMATE SKIP	21953	39.80

How many different employers, including yourself, have you had in the past 12 months?

WRKJOBS2	Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS		
		Freq	Pct
	1 = One	22180	40.21
	2 = Two	7925	14.37
	3 = Three.....	2109	3.82
	4 = Four or more.....	952	1.73
	94 = DON'T KNOW.....	19	0.03
	97 = REFUSED	10	0.02
	98 = BLANK (NO ANSWER).....	12	0.02
	99 = LEGITIMATE SKIP	21953	39.80

During the past 12 months, was there ever a time when you did not have at least one job or business?

WRKUNEMP	Len : 2 PAST 12 MOS, TIME WITH NO JOB		
		Freq	Pct
	1 = Yes	6210	11.26
	2 = No.....	21631	39.22
	94 = DON'T KNOW.....	9	0.02
	97 = REFUSED	9	0.02
	98 = BLANK (NO ANSWER).....	11	0.02
	99 = LEGITIMATE SKIP	27290	49.47

In how many weeks during the past 12 months did you not have at least one job or business?

WRKUNWKS	Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS		
		Freq	Pct
	RANGE = 1 - 52.....	6141	11.13
	85 = BAD DATA Logically assigned	18	0.03
	94 = DON'T KNOW.....	47	0.09
	97 = REFUSED	13	0.02
	98 = BLANK (NO ANSWER).....	20	0.04
	99 = LEGITIMATE SKIP	48921	88.69

WRKLSTY2	Len : 4 WHAT YEAR LAST WORKED		
		Freq	Pct
	RANGE = 1974 - 2013.....	11565	20.97
	9985 = BAD DATA Logically assigned	1	0.00
	9991 = NEVER WORKED AT A JOB OR BUSINESS.....	6928	12.56
	9994 = DON'T KNOW.....	94	0.17
	9997 = REFUSED	15	0.03
	9998 = BLANK (NO ANSWER).....	16	0.03
	9999 = LEGITIMATE SKIP	36541	66.25

EMPLOYMENT AND WORKPLACE

NOTE: The industry variable WRKIDSY2 corresponds to the variable WRKINDY2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKIDSY2 with data in WRKINDY2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same.

Which of these categories best describes the business or industry in which you worked?

WRKIDSY2 Len : 4 TYPE OF BUSINESS OR INDUSTRY			
		Freq	Pct
1 = Agriculture, Forestry, Fishing, & Hunting		177	0.32
2 = Mining		27	0.05
3 = Construction		345	0.63
4 = Manufacturing, Nondurable Goods		166	0.30
5 = Manufacturing, Durable Goods		208	0.38
6 = Transportation & Utilities		113	0.20
7 = Information & Communications		68	0.12
8 = Wholesale Trade, Durable Goods		27	0.05
9 = Wholesale Trade, Nondurable Goods		56	0.10
10 = Retail Trade		854	1.55
11 = Finance, Insur, Real Estate, Rental & Leasing		130	0.24
12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt		577	1.05
13 = Education, Health & Social Services		827	1.50
14 = Arts/Entertain/Recreation/Accommodation/Food Svcs		1344	2.44
15 = Public Administration		118	0.21
16 = Other Services (Except Public Admin)		275	0.50
9990 = NOT REPORTED/NOT CODABLE		19	0.03
9994 = DON'T KNOW		2	0.00
9997 = REFUSED		10	0.02
9998 = BLANK (NO ANSWER)		12	0.02
9999 = LEGITIMATE SKIP		49805	90.29

NOTE: The occupation variable WRKOCUY2 corresponds to the variable WRKOCCY2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKOCUY2 with data in WRKOCCY2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same.

What kind of work did you do? That is, what was your occupation?

WRKOCUY2 Len : 4 KIND OF WORK/JOB TITLE PRIMARY JOB			
		Freq	Pct
1 = Executive/Administrative/Managerial/Financial		193	0.35
2 = Professional (not Education/Entertainment/Media)		180	0.33
3 = Education and Related Occupations		207	0.38
4 = Entertainers, Sports, Media, and Communications		137	0.25
5 = Technicians and Related Support Occupations		188	0.34
6 = Sales Occupations		799	1.45
7 = Office & Administrative Support Workers		619	1.12
8 = Protective Service Occupations		123	0.22
9 = Service Occupations, Except Protective		1683	3.05
10 = Farming, Fishing, & Forestry Occupations		146	0.26
11 = Installation, Maintenance & Repair Workers		104	0.19
12 = Construction Trades & Extraction Workers		336	0.61
13 = Production, Machinery Setters/Operators/Tenders		275	0.50
14 = Transportation & Material Moving Workers		333	0.60
9990 = NOT REPORTED/NOT CODABLE		8	0.01
9997 = REFUSED		10	0.02
9998 = BLANK (NO ANSWER)		14	0.03
9999 = LEGITIMATE SKIP		49805	90.29

EMPLOYMENT AND WORKPLACE

Which of these categories best describes the business in which you worked?

WRKBZCY2	Len : 2	CATEG THAT BEST DESCR BUSINESS YOU WORKED		
			Freq	Pct
		1 = Private for-profit company or business	3739	6.78
		2 = Private not-for-profit company or business	349	0.63
		3 = Local government (city, county, etc.)	415	0.75
		4 = State government	217	0.39
		5 = Federal/Foreign government or international	134	0.24
		6 = Self-employed in an incorporated business	96	0.17
		7 = Self-employed in an unincorporated business	192	0.35
		8 = Working without pay in a family business/farm	47	0.09
		94 = DON'T KNOW	142	0.26
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER)	14	0.03
		99 = LEGITIMATE SKIP	49805	90.29

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

WORKDAYS	Len : 2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
			Freq	Pct
		RANGE = 1 - 30	6071	11.01
		0 = None	21742	39.42
		85 = BAD DATA Logically assigned	14	0.03
		94 = DON'T KNOW	18	0.03
		97 = REFUSED	14	0.03
		98 = BLANK (NO ANSWER)	12	0.02
		99 = LEGITIMATE SKIP	27289	49.47

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?

WORKBLAH	Len : 2	# DAYS SKIPPED WORK PAST 30 DAYS		
			Freq	Pct
		RANGE = 1 - 30	2343	4.25
		0 = None	25489	46.21
		85 = BAD DATA Logically assigned	2	0.00
		94 = DON'T KNOW	13	0.02
		97 = REFUSED	12	0.02
		98 = BLANK (NO ANSWER)	12	0.02
		99 = LEGITIMATE SKIP	27289	49.47

Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?

LOCSIZE	Len : 2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
			Freq	Pct
		1 = Less than 10 people	7989	14.48
		2 = 10-24 people	6194	11.23
		3 = 25-99 people	6510	11.80
		4 = 100-499 people	4296	7.79
		5 = 500 people or more	2755	4.99
		94 = DON'T KNOW	95	0.17
		97 = REFUSED	20	0.04
		98 = BLANK (NO ANSWER)	12	0.02
		99 = LEGITIMATE SKIP	27289	49.47

At your workplace, is there a written policy about employee use of alcohol or drugs?

DRGPLCY	Len : 2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
			Freq	Pct
		1 = Yes	20082	36.41
		2 = No	6303	11.43
		94 = DON'T KNOW	1464	2.65
		97 = REFUSED	10	0.02
		98 = BLANK (NO ANSWER)	12	0.02
		99 = LEGITIMATE SKIP	27289	49.47

EMPLOYMENT AND WORKPLACE

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

PLCYCOV	Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		Freq	Pct
	1 = Only alcohol.....	192	0.35
	2 = Only drugs.....	682	1.24
	3 = Both alcohol and drugs.....	18868	34.21
	94 = DON'T KNOW.....	339	0.61
	97 = REFUSED.....	11	0.02
	98 = BLANK (NO ANSWER).....	1476	2.68
	99 = LEGITIMATE SKIP.....	33592	60.90

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

WKDRGED	Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		Freq	Pct
	1 = Yes.....	8668	15.71
	2 = No.....	18043	32.71
	3 = Don't remember.....	945	1.71
	94 = DON'T KNOW.....	191	0.35
	97 = REFUSED.....	12	0.02
	98 = BLANK (NO ANSWER).....	12	0.02
	99 = LEGITIMATE SKIP.....	27289	49.47

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

DRGPRGM	Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		Freq	Pct
	1 = Yes.....	9748	17.67
	2 = No.....	14115	25.59
	94 = DON'T KNOW.....	3981	7.22
	97 = REFUSED.....	15	0.03
	98 = BLANK (NO ANSWER).....	12	0.02
	99 = LEGITIMATE SKIP.....	27289	49.47

Does your workplace ever test its employees for alcohol use?

USALCTST	Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE		
		Freq	Pct
	1 = Yes.....	7591	13.76
	2 = No.....	18663	33.83
	94 = DON'T KNOW.....	1596	2.89
	97 = REFUSED.....	9	0.02
	98 = BLANK (NO ANSWER).....	12	0.02
	99 = LEGITIMATE SKIP.....	27289	49.47

Does your workplace ever test its employees for drug use?

USDRGTST	Len : 2 WORKPLACE TESTS FOR DRUG USAGE		
		Freq	Pct
	1 = Yes.....	12394	22.47
	2 = No.....	14185	25.72
	94 = DON'T KNOW.....	1271	2.30
	97 = REFUSED.....	9	0.02
	98 = BLANK (NO ANSWER).....	12	0.02
	99 = LEGITIMATE SKIP.....	27289	49.47

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

TSTHIRE	Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS		
		Freq	Pct
	1 = Yes.....	10445	18.94
	2 = No.....	1956	3.55
	94 = DON'T KNOW.....	181	0.33
	97 = REFUSED.....	10	0.02
	98 = BLANK (NO ANSWER).....	1321	2.39
	99 = LEGITIMATE SKIP.....	41247	74.78

EMPLOYMENT AND WORKPLACE

Does your workplace test its employees for drug or alcohol use on a random basis?

TSTRAND

Len : 2 TEST ON RANDOM BASIS

	Freq	Pct
1 = Yes	7276	13.19
2 = No.....	4592	8.32
94 = DON'T KNOW.....	715	1.30
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER).....	1321	2.39
99 = LEGITIMATE SKIP	41247	74.78

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

FIRSTPOS

Len : 2 WHAT HAPPENS FIRST TIME CAUGHT

	Freq	Pct
1 = Handled on indiv basis/policy does not spec what.....	2124	3.85
2 = Employee is fired	6371	11.55
3 = Employee is referred for treatment or counseling	1986	3.60
4 = Nothing happens.....	65	0.12
5 = Something else happens	338	0.61
94 = DON'T KNOW.....	1698	3.08
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER).....	1321	2.39
99 = LEGITIMATE SKIP	41247	74.78

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?
Would you say more likely, less likely, or would it make no difference to you?

WRKHIR

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
1 = More likely	10971	19.89
2 = Less likely	1291	2.34
3 = Would it make no difference to you	15531	28.16
94 = DON'T KNOW.....	51	0.09
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER).....	12	0.02
99 = LEGITIMATE SKIP	27289	49.47

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?
Would you say more likely, less likely, or would it make no difference to you?

WORKRAND

Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
1 = More likely	8998	16.31
2 = Less likely	2583	4.68
3 = Would make no difference	16212	29.39
94 = DON'T KNOW.....	52	0.09
97 = REFUSED	14	0.03
98 = BLANK (NO ANSWER).....	12	0.02
99 = LEGITIMATE SKIP	27289	49.47

IMPUTED EMPLOYMENT AND WORKPLACE

IMPUTED EMPLOYMENT AND WORKPLACE

The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR2 for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.

EMPSTATY	Len : 2	IMPUTATION REVISED EMPLOYMENT STATUS		
			Freq	Pct
		1 = Employed full time	18134	32.88
		2 = Employed part time	9474	17.18
		3 = Unemployed	4174	7.57
		4 = Other (incl. not in labor force)	14689	26.63
		99 = 12-14 year olds	8689	15.75

IIEMPSTY	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS		
			Freq	Pct
		1 = Employment status from questionnaire	46436	84.18
		3 = Employment statistically imputed	35	0.06
		9 = 12-14 years old	8689	15.75

II2EMSTY	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS)		
			Freq	Pct
		1 = Employment status from questionnaire	46436	84.18
		3 = Emp. statistically imputed (unrestricted)	16	0.03
		4 = Emp. stat. imp. (restr. to full-time or part-time)	19	0.03
		9 = 12-14 years old	8689	15.75

EMPSTAT4 is a recode of EMPSTATY and AGE2. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.

EMPSTAT4	Len : 2	IMPUTATION REVISED EMPLOYMENT STATUS 18+		
			Freq	Pct
		1 = Employed full time	17889	32.43
		2 = Employed part time	7384	13.39
		3 = Unemployed	3050	5.53
		4 = Other (incl. not in labor force)	9101	16.50
		99 = 12-17 year olds	17736	32.15

IIEMPST4	Len : 1	IMPUTATION INDICATOR EMPLOYMENT STATUS 18+		
			Freq	Pct
		1 = Employment status from questionnaire	37392	67.79
		3 = Employment statistically imputed	32	0.06
		9 = 12-17 years old	17736	32.15

II2EMST4	Len : 1	IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS)		
			Freq	Pct
		1 = Employment status from questionnaire	37392	67.79
		3 = Emp. statistically imputed (unrestricted)	16	0.03
		4 = Emp. stat. imp. (restr. to full-time or part-time)	16	0.03
		9 = 12-17 years old	17736	32.15

INCOME AND INSURANCE

INCOME AND INSURANCE

PRXYDATA

Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS

	Freq	Pct
1 = Yes	19361	35.10
2 = No.....	47	0.09
94 = DON'T KNOW.....	39	0.07
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER).....	62	0.11
99 = LEGITIMATE SKIP (Respondent answering)	35641	64.61

COUNTY

GEOGRAPHIC

COUNTY

The variable PDEN00 is based on 2000 Census data and the June 2003 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN00	Len : 1 POPULATION DENSITY 2000		
		Freq	Pct
	1 = Segment in a CBSA with 1 million or more persons	23469	42.55
	2 = Segm. in a CBSA with fewer than 1 million persons	27227	49.36
	3 = Segment not in a CBSA	4464	8.09

COUTYP2	Len : 1 COUNTY METRO/NONMETRO STATUS (3-LEVEL)		
		Freq	Pct
	1 = Large Metro	24599	44.60
	2 = Small Metro	18786	34.06
	3 = Nonmetro.....	11775	21.35

SEGMENT

SEGMENT

Â The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas - areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.Â
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries. SDTSAs were called State Designated American Indian Statistical Areas (SDAISAs) for Census 2000.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Â

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a 'majority' AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN002. MAIIN002 is based on 2000 census data.

Â

Â

MAIIN002

Len : 2 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
1 = Segment in an American Indian area	1275	2.31
2 = Segment not in an American Indian area	53885	97.69

SAMPLE WEIGHTING AND ESTIMATION VARS

SAMPLE WEIGHTING AND ESTIMATION VARS

ANALWT_C Len : 8 FIN PRSN-LEVEL SMPLE WGHT

VESTR Len : 5 ANALYSIS STRATUM

VEREP Len : 2 ANALYSIS REPLICATE

INDEX

INDEX

AALTMDE	499	ADPB2WK	490	ALCCUT1X	198
ABDILAAL	256	ADPBAGE	490	ALCCUTDN	197
ABILANAL	255	ADPBDLYA	489	ALCCUTEV	198
ABILLALC	255	ADPBINTF	489	ALCDBAYS	25
ABODALC	255	ADPBNUM	490	ALCDOC	395
ABODANL	255	ADPBRMBR	490	ALCEMCTD	199
ABODCOC	255	ADPSDAYS	492	ALCEMOPB	199
ABODHAL	255	ADPSHMG	491	ALCEVER	22
ABODHER	256	ADPSRELS	492	ALCFLAG	131
ABODIEM	256	ADPSSOC	492	ALCFMCTD	201
ABODILAL	256	ADPSWORK	491	ALCFMFPB	201
ABODILL	256	ADPSYCH	493	ALCGTOVR	196
ABODINH	256	ADPSYMD	493	ALCHOSP	395
ABODMRJ	256	ADRELIG	494	ALCJAIL	395
ABODPSY	256	ADRX12MO	495	ALCKPLMT	197
ABODED	256	ADRXHLP	495	ALCLAWTR	201
ABODSTM	256	ADRXNOW	495	ALCLIMIT	196
ABODTRN	256	ADSEEDOC	493	ALCLOTTM	196
ABUSEALC	253	ADSMMDA	489	ALCLSACT	200
ABUSEANL	253	ADSOCWRK	494	ALCLSEFX	197
ABUSECOC	253	ADTMTHLP	495	ALCMDAYS	150
ABUSEHAL	254	ADTMTNOW	495	ALCMFU	23
ABUSEHER	254	ADWRAGE	482	ALCMHC	395
ABUSEIEM	255	ADWRCHR	481	ALCMLU	288
ABUSEILL	254	ADWRCONC	486	ALCMON	131
ABUSEINH	254	ADWRDBTR	487	ALCNDMOR	197
ABUSEMRJ	254	ADWRDCSN	486	ALCPCAD	390
ABUSEPSY	255	ADWRDEPR	482	ALCPCARE	390
ABUSESED	254	ADWRDIET	484	ALPCORT	391
ABUSESTM	254	ADWRDISC	482	ALCPDANG	200
ABUSETRN	254	ADWRDLOT	487	ALCPEMPL	391
ABUSEXMJ	255	ADWRDST	481	ALCPFMLY	391
ACOUNMDE	498	ADWRELES	483	ALCPHCTD	200
ACTD2001	593	ADWREMR	483	ALCPHLPB	199
ACTD7590	593	ADWRENRG	485	ALCPINS	390
ACTD9001	593	ADWRGAIN	483	ALCPMILC	391
ACTDEVER	593	ADWRGNL2	484	ALCPPUBP	391
ACTDPRIV	593	ADWRGROW	484	ALCPSAVE	391
ACTDVLET	593	ADWRHRS	480	ALCREC	23
AD_MDEA1	488	ADWRIMP	481	ALCRFIN	395
AD_MDEA2	488	ADWRJINO	486	ALCRFOP	395
AD_MDEA3	488	ADWRJITT	486	ALCSERP	200
AD_MDEA4	488	ADWRLOSE	484	ALCSHG	395
AD_MDEA5	488	ADWRLSIN	483	ALCTRM	388
AD_MDEA6	488	ADWRLSL2	485	ALCTRY	22
AD_MDEA7	489	ADWRNOGD	487	ALCTXER	395
AD_MDEA8	489	ADWRPLSR	483	ALCWD2SX	198
AD_MDEA9	489	ADWRPREG	484	ALCWDSMT	199
ADCOUNS	494	ADWRPROB	482	ALCYDAYS	149
ADDEFGR	177	ADWRSATP	488	ALCYFU	22
ADDEMONR	177	ADWRSLEP	485	ALCYLU	287
ADDERALL	168	ADWRSLNO	486	ALCYR	131
ADDEREC	170	ADWRSLOW	485	ALCYRBFR	331
ADDEYRR	177	ADWRSMOR	485	ALCYRTOT	23
ADDPDISC	479	ADWRSPLN	487	ALDAYPMO	24
ADDPLSIN	480	ADWRSTHK	487	ALDAYPWK	24
ADDPPOB	481	ADWRTHOT	486	ALDAYPYR	24
ADDP2WK	480	ADWRWRTH	487	ALDYSFG	25
ADDPREV	479	AEROS	53	ALFQFLG	23
ADDSCEV	479	AEROS2	140	ALTOTFG	23
ADDSLSIN	480	AGE2	592	AMBIEN	168
ADFAMDOC	493	AHBMCHDE	498	AMBIFLGR	177
ADHERBAL	494	AHLMDE	499	AMBIMONR	178
ADLOSEV	479	AL30EST	25	AMBIREC	170
ADLSI2WK	480	ALBSTWAY	24	AMBIYRR	177
ADNURSE	494	ALCAFU	148	AMDEHARX	499
ADOCMDE	497	ALCAFU2	148	AMDEHPO	499
ADOTHDOC	493	ALCAFU3	148	AMDEHPRX	499
ADOTHHLP	494	ALCAGLST	287	AMDEIMP	500
ADOTHMHP	494	ALCAVGM	151	AMDELT	496

INDEX

AMDERXO2.....	499	ANLGTOVR.....	224	AUALOTS2.....	435
AMDETXRX.....	497	ANLINET.....	306	AUALRELG.....	434
AMDEY2_U.....	497	ANLINET2.....	336	AUALSGRP.....	433
AMDEYR.....	496	ANLKPLMT.....	225	AUALTYR.....	433
AMDXPHEN.....	146	ANLLAWTR.....	228	AUINAHSP.....	420
AMHINP2.....	436	ANLLIMIT.....	224	AUINMEDU.....	420
AMHOUTP3.....	436	ANLLOTTM.....	224	AUINPGEN.....	420
AMHRX2.....	436	ANLLSACT.....	228	AUINPSYH.....	420
AMHSVNO.....	437	ANLLSEFX.....	225	AUINPYR.....	420
AMHSVTYP.....	436	ANLLTSC.....	333	AUINRESD.....	421
AMHTXAND.....	437	ANLMON.....	134	AUINSFAC.....	421
AMHTXND2.....	437	ANLNDMOR.....	225	AUMOTVYR.....	435
AMHTXRC3.....	436	ANLNOLST.....	64	AUNMAHS2.....	421
AMIDA2_U.....	478	ANLOTHS2.....	307	AUNMCLN2.....	426
AMIYR_U.....	476	ANLOTHW2.....	336	AUNMDOC2.....	426
AMYLNIT.....	52	ANLOTHWY.....	306	AUNMDTM2.....	426
AMYLNIT2.....	140	ANLPDANG.....	228	AUNMMED2.....	421
AMYTAL.....	97	ANLPHCTD.....	227	AUNMMEN2.....	426
AMYTAL2.....	147	ANLPHLPB.....	227	AUNMOTO2.....	426
ANALAGE.....	69	ANLRX1D2.....	335	AUNMPGE2.....	421
ANALMFU.....	70	ANLRX1DR.....	304	AUNMPSY2.....	421
ANALMLU.....	297	ANLRXDRS.....	305	AUNMRES2.....	422
ANALNEWA.....	65	ANLRXDS2.....	335	AUNMSFA2.....	422
ANALNEWB.....	67	ANLRXFAK.....	305	AUNMTHE2.....	426
ANALNEWC.....	68	ANLRXFK2.....	335	AUOPCLNC.....	425
ANALNEWD.....	68	ANLSERPB.....	228	AUOPDOC.....	425
ANALNEWE.....	69	ANLSRCF2.....	344	AUOPDTMT.....	425
ANALREC.....	70	ANLSRCFR.....	342	AUOPMENT.....	424
ANALWT_C.....	614	ANLSTOL2.....	335	AUOPOTOP.....	425
ANALYFU.....	69	ANLSTOLE.....	305	AUOPOTHER.....	424
ANALYLU.....	296	ANLWD3SX.....	226	AUOPTYR.....	424
ANLAGLST.....	296	ANLWDSMT.....	226	AUOPYRS2.....	425
ANLCARD.....	61	ANLYR.....	134	AUPINEMP.....	423
ANLCUT1X.....	226	ANLYRTOT.....	70	AUPINFM2.....	424
ANLCUTDN.....	225	ANURSMDE.....	498	AUPINFRE.....	423
ANLCUTEV.....	225	ANXDIF.....	415	AUPINMCD.....	423
ANLDEAL2.....	335	ANXDYR.....	415	AUPINMCR.....	422
ANLDEALR.....	306	ANYBARB.....	148	AUPINMIL.....	423
ANLEMCTD.....	227	ANYEDUC3.....	464	AUPINOFM.....	422
ANLEMOPB.....	227	ANYHLT2.....	586	AUPINPHI.....	422
ANLEVER.....	69	ANYMHED2.....	526	AUPINPRV.....	423
ANLFF1D2.....	346	ANYMHIN.....	524	AUPINPUB.....	423
ANLFF1DR.....	307	ANYMHIN2.....	524	AUPINREH.....	423
ANLFFAK2.....	346	ANYMHOUT.....	525	AUPINSLF.....	422
ANLFFAKE.....	307	ANYNSMH.....	525	AUPOPAMT.....	429
ANLFFBOT.....	308	ANYSEDMF.....	526	AUPOPEMP.....	427
ANLFFBY2.....	347	ANYSMH.....	525	AUPOPFRE.....	428
ANLFFDL2.....	347	ANYSMH2.....	525	AUPOPMCD.....	427
ANLFFDLR.....	308	AOMDMDE.....	497	AUPOPMCR.....	427
ANLFFDRS.....	307	AOMHMDE.....	498	AUOPPMIL.....	428
ANLFFDS2.....	346	AOTHMDE.....	498	AUOPPMOS.....	428
ANLFFFLAS.....	311	APPSELDG.....	186	AUPOPOFM.....	427
ANLFFFLSP.....	311	APSY1MDE.....	497	AUPOPPHI.....	427
ANLFFNET.....	309	APSY2MDE.....	497	AUOPPPRV.....	428
ANLFFNT2.....	347	ARELMDE.....	498	AUOPPPUB.....	428
ANLFFOSP.....	309	ARGUPAR.....	461	AUOPPREH.....	427
ANLFFOT2.....	347	ARXMDEYR.....	497	AUOPPSLF.....	427
ANLFFOTH.....	309	ASDSHOM2.....	499	AURXYR.....	429
ANLFFRE2.....	347	ASDSOVL2.....	500	AUUNBUSY.....	431
ANLFFREE.....	308	ASDSREL2.....	500	AUUNCFID.....	430
ANLFFST2.....	347	ASDSSOC2.....	500	AUUNCMIT.....	430
ANLFFSTL.....	308	ASDSWRK2.....	500	AUUNCOST.....	429
ANLFFTAK.....	308	ASMALIF.....	415	AUUNENUF.....	430
ANLFFTK2.....	347	ASMAYR.....	415	AUUNFOUT.....	431
ANLFLAG.....	134	ASOCMDE.....	498	AUUNHNDL.....	431
ANLFMCTD.....	229	ATARAX.....	76	AUUNJOB.....	430
ANLFMFPPB.....	229	ATARAX2.....	143	AUUNMTYR.....	429
ANLFRBUY.....	305	ATXMDEYR.....	497	AUUNNBR.....	430
ANLFRBY2.....	335	AUALACUP.....	433	AUUNNCOV.....	430
ANLFRFE2.....	335	AUALCHIR.....	433	AUUNNHLP.....	431
ANLFRFRE.....	305	AUALHERB.....	433	AUUNNOND.....	431
ANLFRTK2.....	335	AUALHLIN.....	434	AUUNNTSP.....	431
ANLFRTKE.....	306	AUALINET.....	434	AUUNRM2.....	432
ANLGTLA2.....	310	AUALMASG.....	434	AUUNSOR.....	432
ANLGTOS2.....	310	AUALOTH.....	434	AUUNWHER.....	430

INDEX

AVGGRADE.....	460	CAGVWHO.....	566	CIGFNLKE.....	192
BENZOS.....	145	CAIDCHIP.....	582	CIGFNSMK.....	192
BINGEDRK.....	139	CATAG2.....	596	CIGINCRS.....	195
BINGEHVY.....	139	CATAG3.....	596	CIGINCTL.....	192
BKARSON.....	259	CATAG6.....	596	CIGINFLU.....	194
BKBURGL.....	258	CATAG7.....	596	CIGIRTL.....	191
BKDRUG.....	259	CATAGE.....	596	CIGLOTMR.....	195
BKDRUNK.....	259	CC30EST.....	32	CIGMDAYS.....	150
BKDRVINF.....	259	CCBSTWAY.....	31	CIGMFU.....	5
BKFRAUD.....	260	CCDAYPMO.....	32	CIGMLU.....	283
BKLARCNY.....	257	CCDAYPWK.....	32	CIGMON.....	130
BKMVTHFT.....	257	CCDAYPYR.....	32	CIGNMCHG.....	194
BKOTH.....	260	CCFQLG.....	31	CIGNOINF.....	195
BKOTHOF2.....	261	CCTOTFG.....	31	CIGOFRSM.....	4
BKPOSTOB.....	259	CDCGMO.....	138	CIGPDAY.....	150
BKROB.....	258	CDNOCGMO.....	138	CIGPLANE.....	193
BKSEXNR.....	260	CDUFLAG.....	138	CIGREC.....	5
BKSMASLT.....	258	CG30EST.....	6	CIGREGDY.....	193
BKSRVIOL.....	258	CGR30BR2.....	20	CIGREGNM.....	194
BLNT30C1.....	189	CGR30USE.....	19	CIGREGWK.....	193
BLNT30C2.....	189	CGRAGLST.....	286	CIGRNOUT.....	193
BLNT30DY.....	188	CGRFLAG.....	130	CIGSATIS.....	195
BLNTAGE.....	187	CGRMON.....	130	CIGSVLHR.....	194
BLNTEVER.....	187	CGRYR.....	130	CIGTRY.....	4
BLNTMFU.....	188	CH30EST.....	15	CIGWAKE.....	196
BLNTNOMJ.....	189	CHAMPUS.....	582	CIGWILYR.....	4
BLNTREC.....	188	CHEWEVER.....	13	CIGYFU.....	4
BLNTYFU.....	187	CHEWMFU.....	14	CIGYLU.....	282
BLRECFL2.....	188	CHEWMLU.....	286	CIGYR.....	130
BMI2.....	415	CHEWREC.....	14	CIGYRBFR.....	331
BOOKED.....	257	CHEWTRY.....	13	CIRRLIF.....	416
BRONCLIF.....	416	CHEWYFU.....	13	CIRRYR.....	416
BRONCYR.....	416	CHEWYLU.....	285	CLEFLU.....	52
BUSPAR.....	76	CHHYD.....	97	CLEFLU2.....	140
BUSPAR2.....	143	CHHYD2.....	147	CLINVST.....	527
BUTISOL.....	97	CHW30BR2.....	15	COCAGE.....	30
BUTISOL2.....	147	CHW30USE.....	14	COCAGLST.....	288
CA4FDAGE.....	572	CHWAGLST.....	285	COCCUT1X.....	207
CA4FDDYS.....	572	CHWFLAG.....	131	COCCUTDN.....	207
CA4FDEV.....	572	CHWMON.....	131	COCCUTEV.....	207
CA4FDMFU.....	573	CHWYR.....	131	COCEMCTD.....	209
CA4FDYFU.....	573	CI30EST.....	19	COCEMOPB.....	208
CABNGAGE.....	570	CIG100LF.....	10	COCEVER.....	30
CABNGEV.....	570	CIG1PACK.....	150	COCFLAG.....	132
CABNGMFU.....	571	CIG30AV.....	6	COCFLBLU.....	208
CABNGYFU.....	571	CIG30BR2.....	7	COCFMCTD.....	211
CABPLACE.....	566	CIG30MEN.....	8	COCFMFPB.....	210
CABUNDAG.....	566	CIG30MLN.....	8	COCGTOVR.....	206
CABUYFRE.....	565	CIG30RO2.....	9	COCKPLMT.....	206
CABUYWHO.....	566	CIG30TPE.....	8	COCLAWTR.....	210
CADRBAR.....	564	CIG30USE.....	5	COCLIMIT.....	206
CADRCAR.....	563	CIGAFU.....	148	COCLOTTM.....	206
CADREVNT.....	564	CIGAGE.....	9	COCLSACT.....	209
CADRHOM.....	563	CIGAGLST.....	282	COCLSEFX.....	207
CADRKANL.....	569	CIGALCMO.....	138	COCMDAYS.....	150
CADRKCO.....	568	CIGAREVR.....	17	COCMFU.....	30
CADRKDRG.....	568	CIGARMFU.....	18	COCMLU.....	289
CADRKHAL.....	569	CIGARMLU.....	287	COCMON.....	132
CADRKHER.....	568	CIGARREC.....	19	COCNDMOR.....	207
CADRKINH.....	569	CIGARTRY.....	18	COCNEEDL.....	163
CADRKMRJ.....	568	CIGARYFU.....	18	COCPDANG.....	210
CADRKMT.....	570	CIGARYLU.....	286	COCPHCTD.....	209
CADRKSED.....	570	CIGAVGD.....	151	COCPLHPB.....	209
CADRKSTM.....	569	CIGAVGM.....	151	COCREC.....	31
CADRKTRN.....	569	CIGAVOID.....	192	COCSERPB.....	210
CADRLAST.....	563	CIGCRAGP.....	191	COCUS30A.....	32
CADROTH.....	565	CIGCRAVE.....	191	COCWD2SX.....	208
CADROTHM.....	564	CIGDLLST.....	283	COCWDSMT.....	208
CADROTS2.....	565	CIGDLMFU.....	10	COCYDAYS.....	149
CADRPEOP.....	563	CIGDLMLU.....	284	COCYFU.....	30
CADRPUBL.....	564	CIGDLYFU.....	9	COCYLU.....	288
CADRSCHL.....	564	CIGDLYLU.....	283	COCYR.....	132
CAFRESP2.....	567	CIGDLYMO.....	9	COCYRBFR.....	331
CAFREWHO.....	567	CIGEVER.....	4	COCYRTOT.....	31
CAGVMONY.....	566	CIGFLAG.....	130	CODEINE.....	61

INDEX

CODEINE2.....	141	DETAMP2.....	145	EI4FDDYS.....	572
COLDFLGR.....	178	DEXED.....	85	EI4FDMFU.....	574
COLDMEDS.....	169	DEXED2.....	145	EI4FDYFU.....	573
COLDMONR.....	178	DIABLIF.....	416	EIBNGAGE.....	571
COLDREC.....	170	DIABYR.....	416	EIBNGMFU.....	572
COLDYR1.....	171	DIDREX.....	85	EIBNGYFU.....	571
COLDYR2.....	172	DIDREX2.....	145	EIMOVYRR.....	598
COLDYR3.....	173	DIETPIL2.....	145	EMPSTAT4.....	610
COLDYR4.....	173	DIETPILS.....	84	EMPSTATY.....	610
COLDYR5.....	173	DILAUD.....	61	EQUANIL.....	76
COLDYRR.....	178	DILAUD2.....	141	EQUANIL2.....	143
COLLENR.....	602	DNICNSP.....	250	ESKAT.....	86
COLLENR2.....	602	DPILANAL.....	253	ESKAT2.....	146
COMBATPY.....	594	DPILLALC.....	253	ETHER.....	53
CONDLREC.....	163	DR5DAY.....	25	ETHER2.....	140
COUTYP2.....	612	DRGDOC.....	396	FDOCANGR.....	540
CPNMTHFG.....	136	DRGHOSP.....	396	FDOCBRK.....	539
CPNMTHMN.....	136	DRGJAIL.....	396	FDOC DPR.....	539
CPNMTHYR.....	136	DRGMHC.....	396	FDOCEAT.....	539
CPNNDFLG.....	176	DRGPLCY.....	607	FDOCFEA.....	539
CPNNDMTH.....	177	DRGPRGM.....	608	FDOCFITE.....	540
CPNNDSTM.....	177	DRGRFIN.....	396	FDOCFMLY.....	540
CPNPSYFG.....	137	DRGRFOP.....	396	FDOCFRND.....	540
CPNPSYMN.....	137	DRGSHG.....	396	FDOCMEND.....	540
CPNPSYR.....	137	DRGTXR.....	396	FDOCOTH2.....	540
CPNSTMFG.....	135	DRIVALC2.....	264	FDOCOTPP.....	540
CPNSTMMN.....	135	DRIVALD2.....	264	FDOC SCHL.....	540
CPNSTMYR.....	135	DRIVDRG2.....	264	FDOCSUI.....	539
CR30EST.....	35	DRKANL.....	578	FILEDATE.....	3
CRAKREC.....	34	DRKCOC.....	578	FIORICET.....	61
CRBSTWAY.....	34	DRKHAL.....	578	FIORICT2.....	141
CRDAYPMO.....	35	DRKHER.....	578	FIORINAL.....	62
CRDAYPWK.....	35	DRKIEM.....	579	FIORINL2.....	141
CRDAYPYR.....	34	DRKINH.....	578	FIRSTPOS.....	609
CRFQFLG.....	34	DRKMRJ.....	577	FLEXERIL.....	76
CRKAGE.....	33	DRKMTH.....	578	FLEXERL2.....	144
CRKAGLST.....	289	DRKSED.....	578	FLNDILAL.....	398
CRKEVER.....	33	DRKSTM.....	578	FLTNDALC.....	398
CRKFLAG.....	132	DRKSUM.....	579	FLTNDILL.....	398
CRKMFU.....	33	DRKTRN.....	578	FOSTVST.....	526
CRKMLU.....	290	DRPRVME3.....	464	FRDADLY2.....	463
CRKMON.....	132	DRVALDR.....	262	FRDMEVR2.....	463
CRKUS30A.....	35	DRVAONLY.....	262	FRDMJMON.....	463
CRKYFU.....	33	DRVDONLY.....	262	FRDPCIG2.....	463
CRKYL.....	289	DRVFLAG.....	262	FTNDDNSP.....	250
CRKYR.....	132	DSTCHR12.....	467	FUALC18.....	152
CRKYRTOT.....	34	DSTCHR30.....	466	FUALC21.....	152
CRTOTFG.....	34	DSTEFF12.....	468	FUANL18.....	153
CYLERT.....	85	DSTEFF30.....	466	FUANL21.....	153
CYLERT2.....	145	DSTHOP12.....	467	FUCD218.....	151
DALMANE.....	97	DSTHOP30.....	465	FUCD221.....	151
DALMANE2.....	147	DSTNGD12.....	468	FUCGR18.....	151
DARVTYL2.....	141	DSTNGD30.....	466	FUCGR21.....	151
DARVTYLC.....	60	DSTNRV12.....	467	FUCIG18.....	151
DCIGAFU.....	148	DSTNRV30.....	465	FUCIG21.....	151
DCIGMON.....	138	DSTRST12.....	467	FUCOC18.....	152
DEMEROL.....	61	DSTRST30.....	465	FUCOC21.....	152
DEMEROL2.....	141	DSTWORST.....	466	FUCRK18.....	152
DEPNALC.....	251	DYTXVST.....	527	FUCRK21.....	152
DEPNANL.....	251	ECSAGE.....	50	FUECS18.....	153
DEPNDCOC.....	251	ECSAGLST.....	294	FUECS21.....	153
DEPNDHAL.....	251	ECSFLAG.....	133	FUHAL18.....	153
DEPNHER.....	251	ECSMFU.....	51	FUHAL21.....	153
DEPNDIEM.....	252	ECSMLU.....	295	FUHER18.....	152
DEPNDILL.....	252	ECSMON.....	133	FUHER21.....	152
DEPNDINH.....	251	ECSREC.....	51	FUIEM18.....	155
DEPNDMRJ.....	252	ECSTASY.....	40	FUIEM21.....	155
DEPNDPSY.....	253	ECSYFU.....	50	FUINH18.....	153
DEPNSED.....	252	ECSYLU.....	294	FUINH21.....	153
DEPNDSTM.....	252	ECSYR.....	133	FULSD18.....	153
DEPNDTRN.....	252	ED4FLAG.....	570	FULSD21.....	153
DEPNDXMJ.....	252	EDFAM18.....	580	FUMJ18.....	152
DEPRSLIF.....	416	EDUCATN2.....	599	FUMJ21.....	152
DEPRSYR.....	416	EDUCCAT2.....	597	FUMTH18.....	154
DETAMP.....	85	EI4FDAGE.....	573	FUMTH21.....	154

INDEX

FUOXY18.....	154	HALNEWE.....	45	HLFQFLG.....	46
FUOXY21.....	154	HALNOLST.....	40	HLLOSRSN.....	584
FUPCP18.....	153	HALPDANG.....	219	HLNVCOST.....	584
FUPCP21.....	153	HALPHCTD.....	219	HLNVNEED.....	585
FUPSY18.....	154	HALPHLPB.....	218	HLNVOFFR.....	584
FUPSY21.....	154	HALSERPB.....	219	HLNVREF.....	584
FUSED18.....	154	HALYDAYS.....	149	HLNVSOR.....	585
FUSED21.....	154	HALYFU.....	45	HLTINALC.....	583
FUSLT18.....	152	HALYLU.....	291	HLTINDRG.....	583
FUSLT21.....	152	HALYR.....	133	HLTINMNT.....	583
FUSTM18.....	154	HALYRTOT.....	46	HLTINNOS.....	583
FUSTM21.....	154	HARTDLIF.....	416	HLTOTFG.....	46
FUSUM18.....	155	HARTDYR.....	416	HOMEVST.....	527
FUSUM21.....	155	HBPLIF.....	417	HOSPVST.....	526
FUTRN18.....	154	HBPYR.....	417	HPALCAMT.....	413
FUTRN21.....	154	HEALTH.....	594	HPALCCUT.....	413
GAS.....	52	HEALTH2.....	597	HPALCFRQ.....	413
GAS2.....	140	HEOTNDL.....	157	HPALCNOT.....	414
GHB.....	168	HEOTOTH.....	157	HPALCPRB.....	413
GHBFLGR.....	178	HEOTSMK.....	157	HPALCTX.....	414
GHBMONR.....	178	HEOTSNF.....	157	HPDRGTLK.....	414
GHBREC.....	169	HEOTSP.....	157	HPQTTQB.....	412
GHBYYR.....	178	HEPATLIF.....	417	HPUSEALC.....	412
GLUE.....	52	HEPATYR.....	417	HPUSEDRG.....	412
GLUE2.....	140	HER30USE.....	38	HPUSETOB.....	411
GNNDCLN.....	167	HERAGE.....	36	HR30EST.....	38
GNNDGET2.....	168	HERAGLST.....	290	HRBSTWAY.....	37
GNNDLSH1.....	167	HERCUT1X.....	213	HRDAYPMO.....	38
GNNDLSH2.....	167	HERCUTDN.....	212	HRDAYPWK.....	38
GNNDREUS.....	167	HERCUTEV.....	212	HRDAYPYR.....	37
GOVTPROG.....	590	HEREMCTD.....	214	HRFQFLG.....	37
GQTYPE2.....	591	HEREMOPB.....	214	HRNDLREC.....	158
GRPCNSL2.....	464	HEREVER.....	36	HRSMKREC.....	156
GRPHLTIN.....	582	HERFLAG.....	132	HRSNFREC.....	156
GRSKCOCC.....	185	HERFMCTD.....	216	HRTOTFG.....	37
GRSKCREG.....	185	HERFMFPB.....	216	HSDIPLMA.....	600
GRSKD4_5.....	185	HERGTOVR.....	211	HSGED.....	600
GRSKD5WK.....	186	HERKPLMT.....	212	HTANSWER.....	410
GRSKHREG.....	185	HERLAWTR.....	215	HTINCHE2.....	410
GRSKHTRY.....	185	HERLIMIT.....	211	HVYDRK2.....	139
GRSKLREG.....	185	HERLOTTM.....	211	HYDCODOP.....	143
GRSKLTRY.....	185	HERLSACT.....	215	HYDROCD2.....	141
GRSKMOCC.....	185	HERLSEFX.....	212	HYDROCOD.....	62
GRSKMREG.....	185	HERMFU.....	36	IEMAGE.....	138
GRSKPKCG.....	185	HERMLU.....	291	IEMFLAG.....	138
HAL30USE.....	48	HERMON.....	132	IEMMON.....	138
HALAGLST.....	291	HERNDMOR.....	212	IEMYFU.....	138
HALCION.....	97	HERNEEDL.....	157	IEMYR.....	138
HALCION2.....	147	HERPDANG.....	215	IFATHER.....	580
HALCUTDN.....	218	HERPHCTD.....	214	I12ALCD5.....	118
HALCUTEV.....	218	HERPHLPB.....	214	I12ALCFM.....	118
HALDAFLG.....	216	HERREC.....	37	I12ALCFY.....	112
HALEMCTD.....	218	HERSERPB.....	215	I12ALCRC.....	106
HALEMOPB.....	218	HERSMOK2.....	177	I12ANLFL.....	114
HALFLAG.....	133	HERSMOKE.....	156	I12ANLRC.....	110
HALFMCTD.....	220	HERSNIF2.....	177	I12CGRFM.....	117
HALFMFPB.....	220	HERSNIFF.....	156	I12CGRRC.....	104
HALGTOVR.....	217	HERWD3SX.....	213	I12CHWFM.....	117
HALKPLMT.....	217	HERWDSMT.....	213	I12CHWRC.....	105
HALLAGE.....	45	HERYFU.....	36	I12CIGFM.....	117
HALLAWTR.....	220	HERYLU.....	290	I12CIGRC.....	104
HALLIMIT.....	217	HERYR.....	132	I12COCFM.....	119
HALLOTTM.....	216	HERYRTOT.....	37	I12COCFY.....	113
HALLREC.....	46	HIVLIF.....	417	I12COCRC.....	107
HALLSACT.....	219	HIVYR.....	417	I12CRKFM.....	119
HALLSEFX.....	217	HL30EST.....	48	I12CRKFY.....	113
HALMDAYS.....	150	HLBSTWAY.....	47	I12CRKRC.....	107
HALMFU.....	46	HLCALL99.....	586	I12ECSRC.....	109
HALMLU.....	292	HLCALLFG.....	586	I12EMST4.....	610
HALMON.....	133	HLCLAST.....	584	I12EMSTY.....	610
HALNDMOR.....	217	HLCNOTMO.....	583	I12HALFM.....	120
HALNEWA.....	41	HLCNOTYR.....	583	I12HALFY.....	114
HALNEWB.....	43	HLDAYPMO.....	47	I12HALRC.....	108
HALNEWC.....	44	HLDAYPWK.....	47	I12HERFM.....	120
HALNEWD.....	44	HLDAYPYR.....	47	I12HERFY.....	113

INDEX

II2HERRC	108	IIECSRC	109	IITRNAGE	127
II2INHFM	120	IIECSYFU	126	IITRNFY	115
II2INHFY	114	IIEDUC2	595	IITRNR	110
II2INHRC	109	IIEMPST4	610	IITRNYFU	128
II2LSDRC	108	IIEMPSTY	610	IWELMOS	588
II2MJFM	119	IIFAMIN3	589	ILALMON	139
II2MJFY	112	IIFAMPMT	588	ILANDALC	139
II2MJRC	107	IIFAMSOC	587	ILLNEED	397
II2MTHFY	116	IIFAMSSI	588	ILLPCAID	391
II2MTHRC	111	IIFAMSVC	588	ILLPCARE	391
II2OXYFY	115	IIFAMSZ2	581	ILLPCORT	392
II2OXYRC	110	IIFAMWAG	588	ILLPEMPL	392
II2PCPRC	109	IIFSTAMP	588	ILLPFMLY	391
II2SEDFY	116	IIHALAGE	125	ILLPINS	391
II2SEDR	111	IIHALFM	120	ILLPMILC	392
II2SLTRC	105	IIHALFY	113	ILLPPUBP	391
II2SNFFM	118	IIHALRC	108	ILLPSAVE	391
II2SNFRC	106	IIHALYFU	125	ILLTRMT	388
II2STMFY	115	IIHERAGE	124	ILORALC	139
II2STMRC	111	IIHERFM	120	ILTOALMN	139
II2TRNFY	115	IIHERFY	113	IMOTHER	580
II2TRNRC	110	IIHERRC	107	IMPCONCN	468
IIALCAGE	123	IIHERYFU	125	IMPDYFRQ	471
IIALCD5	118	IIHH65_2	581	IMPGOUT	469
IIALCFM	118	IIHHSIZ2	580	IMPGOUTM	469
IIALCFY	112	IIINHAGE	126	IMPHHLD	470
IIALCRC	106	IIINHFM	120	IMPHHLD	470
IIALCYFU	123	IIINHFM	114	IMPPEOP	469
IIANLAGE	127	IIINHRC	109	IMPPEOPM	469
IIANLFY	114	IIINHYFU	126	IMPREMEM	468
IIANLRC	109	IIINSUR4	587	IMPRESP	471
IIANLYFU	127	IIKI17_2	580	IMPRESM	471
IICD2YFU	121	IIKIDFA2	581	IMPSOC	470
IICDUAGE	121	IILSDAGE	125	IMPSOCM	470
IICGAVD	246	IILSDRC	108	IMPWEEKS	471
IICGCRGP	245	IILSDYFU	125	IMPWORK	471
IICGCRV	245	IIMARIT	595	IMPYDAYS	472
IICGINCR	249	IIMCDCHP	585	IN30EST	59
IICGINFL	248	IIMEDICR	585	INBSTWAY	58
IICGIRTB	245	IIMJAGE	123	INCOME	590
IICGLMR	249	IIMJFM	119	INDAYPMO	58
IICGNCG	248	IIMJFY	112	INDAYPWK	58
IICGNCTL	246	IIMJRC	106	INDAYPYR	58
IICGNINF	249	IIMJYFU	123	INFQFLG	57
IICGPLN	246	IIMTHAGE	128	INHAGE	56
IICGRAGE	121	IIMTHFY	115	INHAGLST	295
IICGRFM	117	IIMTHRC	111	INHCUTDN	221
IICGRGDY	247	IIMTHYFU	128	INHCUTEV	222
IICGRGNM	247	IIOTHHLT	586	INHDI30A	59
IICGRGWK	247	IIOXYAGE	127	INHEMCTD	222
IICGROUT	247	IIOXYFY	114	INHEMOPB	222
IICGRR	104	IIOXYRC	110	INHEVER	56
IICGRYFU	122	IIOXYFYFU	127	INHFLAG	134
IICGSAT	249	IIPCPAGE	126	INHFMCTD	224
IICGSLHR	248	IIPCPRC	108	INHFMFPB	223
IICHMPUS	585	IIPCPYFU	126	INHGTQVR	220
IICHWAGE	122	IIPINC3	589	INHKLMT	221
IICHWFM	117	IIPPLF	104	INHLOWTR	223
IICHWRC	105	IIPPMN	105	INHLMIT	221
IICHWYFU	122	IIPRVHLT	586	INHLOTTM	220
IICIGAGE	121	IISEDAGE	129	INHLSACT	223
IICIGFM	117	IISEDYFU	116	INHLSAFX	221
IICIGRC	104	IISEDRC	111	INHMDAYS	150
IICIGYFU	121	IISEDYFU	129	INHMFU	57
IICOCAGE	124	IISLTAGE	122	INHMLU	296
IICOCFM	119	IISLTRC	105	INHMON	134
IICOCFY	112	IISLTYFU	122	INHNDMOR	221
IICOCRC	107	IISNFAGE	123	INHNEWA	54
IICOCYFU	124	IISNFFM	118	INHNEWB	55
IICRKAGE	124	IISNFRC	106	INHNEWC	55
IICRKFM	119	IISNFYFU	123	INHNEWD	55
IICRKFY	113	IISTMAGE	128	INHNEW	55
IICRKRC	107	IISTMFY	115	INHNLST	54
IICRKYFU	124	IISTMRC	110	INHOSPYR	402
IIECSSAGE	126	IISTMYFU	128	INHDPANG	223

INDEX

INHPHCTD.....	222	IRFSTAMP.....	588	KETAMONR.....	178
INHPHLPB.....	222	IRHALAGE.....	125	KETAREC.....	174
INHREC.....	57	IRHALFM.....	120	KETAYRR.....	178
INHSERPB.....	223	IRHALFY.....	113	KLONOP12.....	143
INHYDAYS.....	149	IRHALRC.....	108	KLONOPIN.....	75
INHYFU.....	56	IRHALYFU.....	125	LANGVER.....	591
INHYLJ.....	295	IRHERAGE.....	124	LASTTXSP.....	394
INHYR.....	134	IRHERFM.....	120	LFSCWHW2.....	600
INHYRTOT.....	57	IRHERFY.....	113	LFTSCHA2.....	601
INTOTFG.....	57	IRHERRC.....	107	LGAS.....	53
IONAMIN.....	86	IRHERYFU.....	124	LGAS2.....	140
IONAMIN2.....	146	IRHH65_2.....	580	LIBRIUM.....	76
IRALCAGE.....	123	IRHHSI22.....	580	LIBRIUM2.....	144
IRALCD5.....	118	IRINHAGE.....	126	LIFANXD.....	402
IRALCFM.....	118	IRINHFM.....	120	LIFASMA.....	403
IRALCFY.....	112	IRINHFY.....	114	LIFBRONC.....	403
IRALCRC.....	106	IRINHRC.....	109	LIFCIRR.....	403
IRALCYFU.....	123	IRINHYFU.....	126	LIFDEPRS.....	403
IRANLAGE.....	127	IRINSUR4.....	587	LIFDIAB.....	403
IRANLFY.....	114	IRKI17_2.....	580	LIFHARTD.....	403
IRANLRC.....	109	IRKIDFA2.....	581	LIFHBP.....	404
IRANLYFU.....	127	IRLSDAGE.....	125	LIFHEPAT.....	404
IRCD2YFU.....	121	IRLSDR.....	108	LIFHIV.....	404
IRCDUAGE.....	121	IRLSDYFU.....	125	LIFLUNCA.....	404
IRCGAVD.....	246	IRMARIT.....	595	LIFNONE.....	406
IRCGCRGP.....	245	IRMCDCHP.....	585	LIFPANC.....	404
IRCGCRV.....	245	IRMEDICR.....	585	LIFPNEU.....	404
IRCGINCR.....	249	IRMJAGE.....	123	LIFSINUS.....	405
IRCGINFL.....	248	IRMJFM.....	119	LIFSLPAP.....	405
IRCGIRTB.....	245	IRMJFY.....	112	LIFSTDS.....	405
IRCGLMR.....	249	IRMJRC.....	106	LIFSTROK.....	405
IRCGNCG.....	248	IRMJYFU.....	123	LIFTINN.....	405
IRCGNCTL.....	246	IRMTHAGE.....	128	LIFTUBRC.....	405
IRCGNINF.....	248	IRMTHFY.....	115	LIFULCER.....	406
IRCGPLN.....	246	IRMTHRC.....	111	LIMBTRL2.....	144
IRCGRAGE.....	121	IRMTHYFU.....	128	LIMBTROL.....	77
IRCGRFM.....	117	IROTHHLT.....	586	LMIYR_U.....	477
IRCGRGDY.....	247	IROXYAGE.....	127	LMMIADAU.....	478
IRCGRGNM.....	247	IROXYFY.....	114	LMMIYRU.....	477
IRCGRGWK.....	247	IROXYRC.....	110	LOCDOC.....	397
IRCGROUT.....	246	IROXYFYFU.....	127	LOCHOSP.....	396
IRCGRRC.....	104	IRPCPAGE.....	125	LOCJAIL.....	397
IRCGRYFU.....	122	IRPCPRC.....	108	LOCMHC.....	397
IRCGSAT.....	249	IRPCPYFU.....	126	LOCRFIN.....	396
IRCGSLHR.....	248	IRPINC3.....	589	LOCRFOP.....	397
IRCHMPUS.....	585	IRPIPLF.....	104	LOCSHG.....	397
IRCHWAGE.....	122	IRPIPMN.....	105	LOCSIZE.....	607
IRCHWFM.....	117	IRPRVHLT.....	585	LOCTXER.....	397
IRCHWRC.....	105	IRSEDAGE.....	128	LSD.....	39
IRCHWYFU.....	122	IRSEDFY.....	116	LSDAGE.....	48
IRCIAGE.....	121	IRSEDR.....	111	LSDAGLST.....	292
IRCIJFM.....	117	IRSEDYFU.....	129	LSDFLAG.....	133
IRCIJRC.....	104	IRSEX.....	595	LSDMFU.....	49
IRCIJYFU.....	121	IRSLTAGE.....	122	LSDMLU.....	293
IRCOCAGE.....	124	IRSLTRC.....	105	LSDMON.....	133
IRCOCFM.....	119	IRSLTYFU.....	122	LSDREC.....	49
IRCOCFY.....	112	IRSNFAGE.....	122	LSDYFU.....	48
IRCOCRC.....	107	IRSNFFM.....	118	LSDYLU.....	292
IRCOCYFU.....	124	IRSNFRC.....	106	LSDYR.....	133
IRCRKAGE.....	124	IRSNFYFU.....	123	LUNCALIF.....	417
IRCRKFM.....	119	IRSTMAGE.....	128	LUNCAYR.....	417
IRCRKFY.....	113	IRSTMFY.....	115	MAIIN002.....	613
IRCRKRC.....	107	IRSTMRC.....	110	MAZANOR.....	86
IRCRKYFU.....	124	IRSTMYFU.....	128	MAZANOR2.....	146
IRECSAGE.....	126	IRTRNAGE.....	127	MAZINDOL.....	146
IRECSRC.....	109	IRTRNFY.....	115	MDEIMPY.....	562
IRECSYFU.....	126	IRTRNRC.....	110	MEDICARE.....	581
IREUC2.....	595	IRTRNYFU.....	128	MEDMJALL.....	190
IRFAMIN3.....	589	IRWELMOS.....	588	MEDMJST2.....	190
IRFAMPMT.....	588	JBSTATR2.....	603	MEDMJYR.....	190
IRFAMSOC.....	587	K6SCMAX.....	474	MEPROB.....	77
IRFAMSSI.....	588	K6SCMON.....	473	MEPROB2.....	144
IRFAMSVC.....	588	K6SCYR.....	474	MEPROBPD.....	145
IRFAMSZ2.....	581	KETAFLGR.....	178	MESC.....	39
IRFAMWAG.....	588	KETAMINE.....	169	MESC2.....	140

INDEX

METHAGE	93	MJREC	27	MRJGTOVR	202
METHAQ	96	MJYFU	26	MRJKPLMT	202
METHAQ2	147	MJYRTOT	27	MRJLAWTR	205
METHDES	84	MMBATJOB	270	MRJLIMIT	202
METHDES2	145	MMBCLOSE	271	MRJLOTTM	201
METHDEXM	147	MMBGIVE	271	MRJLSACT	204
METHDON	62	MMBPLACE	270	MRJLSEFX	203
METHDON2	141	MMBPLOS2	270	MRJMDAYS	150
METHMFU	94	MMBSELL	271	MRJMLU	282
METHMLU	301	MMBT30DY	266	MRJMON	132
METHREC	94	MMBTOPYR	265	MRJNDMOR	202
METHYFU	93	MMBTREC1	265	MRJPDANG	205
METHYLU	301	MMBTREC2	265	MRJPHCTD	204
MHASPTR2	442	MMBUYWHO	269	MRJPHLPB	204
MHLCLNC3	437	MMFCLOSE	278	MRJSERP8	205
MHLDOC3	437	MMFGIVE	278	MRJYDAYS	149
MHLDTMT3	438	MMFKEEP	278	MRJYLU	281
MHLMNT3	437	MMFPLACE	277	MRJYR	132
MHLOTH3	438	MMFPLOS2	277	MRJYRBF8	281
MHLSCHL3	438	MMFREWHO	277	MRTOTFG	27
MHLTHER3	437	MMFSELL	278	MTABSTWY	161
MHNSPTR2	441	MMGETMJ	265	MTADYPMO	162
MHOSPTR2	441	MMGGIVE	276	MTADYPWK	162
MHPDEMP2	439	MMGKEEP	276	MTADYPYR	162
MHPDFRE2	439	MMGSELL	276	MTAFQFLG	161
MHPDMCD2	439	MMIYR_U	477	MTANDLRC	159
MHPDMCR2	439	MMJNPCAT	267	MTBSTWAY	95
MHPDMIL2	439	MMJNPCTB	266	MTDAYPMO	95
MHPDOFM2	438	MMJNTLOO	266	MTDAYPWK	95
MHPDPHI2	439	MMJNTNUM	266	MTDAYPYR	95
MHPDPRV2	439	MMLS10GM	267	MTFQFLG	94
MHPDPUB2	439	MMLS5LBS	268	MTHAAGE	160
MHPDREH2	439	MMLSGMS	267	MTHAGLST	301
MHPDSLF2	438	MMLSLBS	268	MTHAMFU	161
MHRCFID2	440	MMLSOZS	268	MTHAMP	158
MHRCMIT2	440	MMLSPCAT	269	MTHANEDL	159
MHRCOST2	440	MMLSPCTB	268	MTHAREC	159
MHRENUF2	440	MMLSUNIT	267	MTHAYFU	160
MHRFOUT2	441	MMT30FRQ	272	MTHAYTOT	161
MHRHAND2	441	MMTCLOSE	275	MTHDEAL2	340
MHRJOBS2	440	MMTGIVE	276	MTHDEALR	323
MHRNBRS2	440	MMTJNTLS	272	MTHEVCK	159
MHRNCOV2	440	MMTJNTNM	272	MTHFFBOT	324
MHRNOHP2	441	MMTJWRCB	272	MTHFFBY2	351
MHRNOND2	440	MMTJWRTH	273	MTHFFDL2	351
MHRSOH2	441	MMTKEEP	275	MTHFFDLR	324
MHRTIME2	441	MMTLGMS	273	MTHFFLAS	326
MHRTRAN2	441	MMTLOZS	273	MTHFFLSP	326
MHRWHER2	440	MMTLUNIT	273	MTHFFNET	325
MHSUIPLN	474	MMTLWRCB	274	MTHFFNT2	351
MHSUITHK	474	MMTLWRTH	274	MTHFFOSP	325
MHSUITRY	475	MMTPLACE	275	MTHFFOT2	352
MHSUTK_U	474	MMTPLOS2	275	MTHFFOTH	325
MI_CAT_U	477	MMTRADE	271	MTHFFRE2	351
MILSTAT	592	MMTRD30D	271	MTHFFREE	324
MILTOWN	77	MMTRDREC	272	MTHFFTAK	324
MILTOWN2	144	MMTRDWHO	274	MTHFFTK2	351
MJAFU	149	MMTSELL	276	MTHFLAG	135
MJAGE	26	MORPHIN2	141	MTHFRBUY	323
MJDAY30A	28	MORPHINE	62	MTHFRBY2	340
MJEVER	26	MOVEPYR2	598	MTHFRFE2	340
MJFQFLG	27	MOVYRFRG	598	MTHFRFRE	322
MJMFU	26	MR30EST	29	MTHFRFK2	340
MJOFLAG	137	MRBSTWAY	27	MTHFRKE	323
MJOMON2	138	MRDAYPMO	28	MTHGTLA2	325
MJOYR2	137	MRDAYPWK	28	MTHGTOS2	325
MJPBTFRM	279	MRDAYPYR	28	MTHINET	323
MJPBTPL2	279	MRJAGLST	281	MTHINET2	340
MJPBTPL3	280	MRJCUTDN	203	MTHLTSC4	334
MJPFREGT	280	MRJCUTEV	203	MTHMON	135
MJPFRL2	280	MRJEMCTD	204	MTHNCFLG	300
MJPGOT	279	MRJEMOPB	203	MTHNEEDL	158
MJPRIOR	332	MRJFLAG	132	MTHNORSN	160
MJPRIYR	332	MRJFMCTD	206	MTHNOSP	160
MJPRNOYR	332	MRJFMFPB	205	MTHOTHS2	324

INDEX

MTHOTHW2	340	NDTXTRNR	363	PCPYLU	293
MTHOTHWY	323	NDXTYPE	366	PCPYR	133
MTHSRCF2	346	NDTXWHER	367	PDEN00	612
MTHSRCFR	343	NEDCOC	176	PERCTYL2	141
MTHYR	135	NEDFLG01	176	PERCTYLX	60
MTHYRTOT	94	NEDHER	176	PEYOTE	39
MTNDLREC	158	NEDLRECR	175	PEYOTE2	139
MTTOTFG	94	NEDMTH	177	PHENCOD	63
MUSCRELX	145	NEDSTM	177	PHENCOD2	141
MVIN5YR2	460	NEMBBAR2	147	PHENOBAR	98
MXMJPNLT	263	NEMBBARB	96	PHENOBR2	147
NDEFALC	398	NEWACE2	596	PIPE30DY	21
NDEFIA	399	NILALMON	139	PIPEVER	21
NDEFIL	399	NITOXID	53	PIFLAG	130
NDLREC06	176	NITOXID2	140	PIPMON	130
NDMRBUSY	371	NMERTMT2	402	PLACIDY2	147
NDMRFOUT	371	NMHSPTR2	441	PLACIDYL	98
NDMRHNDL	370	NMNGTHS2	402	PLCYCOV	608
NDMRJOB	370	NMVSOEST	411	PLEGINE	86
NDMRLMCV	369	NMVSOPT2	411	PLEGINE2	146
NDMRNBR	370	NOBOOKY2	257	PNEULIF	418
NDMRNHCV	369	NODR30A	25	PNEUYR	418
NDMRNHLP	370	NOMARR2	592	POVERTY2	590
NDMRNOND	370	NRCH17_2	580	PRALDLY2	462
NDMRNTSP	369	OBLA	86	PRBSOLV2	463
NDMROPEN	369	OBLA2	146	PRBSTWAY	71
NDMRREDY	369	OSTNEEDL	162	PRCHORE2	461
NDMRSOR	371	OSTNLREC	163	PRDAYPMO	71
NDMRTYPE	369	OTCFLAG	173	PRDAYPWK	72
NDMRWHER	370	OTDGNDLA	164	PRDAYPYR	71
NDSSANSP	250	OTDGNDLB	165	PREG	415
NDSSDNSP	250	OTDGNDLG	166	PREG2	415
NDTMRALC	360	OTDGNDL	166	PREGAGE2	596
NDTMRANL	361	OTDGNDL	166	PREGNANT	402
NDTMRARC	360	OTDGNEDL	163	PREGPGM2	464
NDTMRFT	368	OTHANL	142	PRELUDIN	87
NDTMRHAL	360	OTHINS	587	PRELUDN2	146
NDTMRHER	360	OTHSED	148	PREVIOL2	463
NDTMRINH	361	OTHSTM	146	PRFQFLG	71
NDTMRMJ	360	OTHTRN	144	PRGDJOB2	461
NDTMROTH	361	OXBSTWAY	74	PRLMTTV2	461
NDTMRSED	361	OXDAYPMO	74	PRMJEV2	462
NDTMRSTM	361	OXDAYPWK	74	PRMJMO	462
NDTMRTRN	361	OXDAYPYR	74	PROB	264
NDTXALCR	362	OXFQFLG	73	PROBATON	261
NDTXANLR	363	OXTOTFG	73	PROCODNP	142
NDTXBUSY	368	OXYAGLST	297	PROPOXY	63
NDTXCOCR	362	OXYCAGE	72	PROPOXY2	142
NDTXDG1R	364	OXYCMFU	73	PRPKCIG2	462
NDTXDG2R	364	OXYCMLU	298	PRPROUD2	461
NDTXDG3R	365	OXYCODP2	143	PRALK3	463
NDTXDG4R	365	OXYCONTN	62	PRTOTFG	70
NDTXDG5R	365	OXYCREC	73	PRVDRGO2	463
NDTXEFTR	365	OXYCYFU	72	PRVHLTIN	582
NDTXFOUT	368	OXYCYLU	297	PRXYDATA	611
NDTXHALR	363	OXYFLAG	134	PSILCY	39
NDTXHERR	362	OXYMON	134	PSILCY2	140
NDTXHNDL	367	OXYR	134	PSYAGE2	136
NDTXINH	363	OXYRTOT	73	PSYFLAG2	136
NDTXJOB	367	PANCRLIF	417	PSYMON2	136
NDTXLMCV	366	PANCRYR	417	PSYFUF2	137
NDTXMJR	362	PARCHKH	460	PSYR2	136
NDTXMORE	360	PARHLPHW	460	QUARTER	590
NDTXNBR	367	PARLMTSN	461	QUESTID2	3
NDTXNEDR	359	PAROL	264	RDIFCOC	186
NDTXNHCV	365	PAROLREL	261	RDIFCRK	186
NDTXNHLP	368	PCP	39	RDIFHER	186
NDTXNOND	367	PCPAGE	49	RDIFLSD	186
NDTXNTSP	366	PCPAGLST	293	RDIFMJ	186
NDTXOPEN	366	PCPFLAG	133	RESIDVST	526
NDTXREDY	366	PCPMFU	50	RESTTMA2	147
NDTXSEDR	364	PCPMLU	294	RESTTMAZ	96
NDTXSODR	364	PCPMON	133	RITMPHE2	145
NDTXSOR	368	PCPREC	50	RITMPHEN	84
NDTXSTMR	364	PCPYFU	49	RK5ALDLY	182

INDEX

RK5ALWK.....	182	SEDFFTK2.....	351	SIMHBRK2.....	529
RKCOCOCC.....	181	SEDFLAG.....	136	SIMHDPR2.....	529
RKCOCREG.....	181	SEDFMCTD.....	244	SIMHEAT2.....	529
RKDIFCOC.....	183	SEDFMFPP.....	244	SIMHFEA2.....	529
RKDIFCRK.....	183	SEDFRBUY.....	327	SIMHFIT2.....	530
RKDIFHER.....	183	SEDFRBY2.....	339	SIMHFML2.....	530
RKDIFLSD.....	182	SEDFRFE2.....	339	SIMHFRD2.....	530
RKFQDBLT.....	184	SEDFRFRE.....	327	SIMHMEN2.....	531
RKFQDNGR.....	183	SEDFRTK2.....	339	SIMHOTH3.....	531
RKFQPBLT.....	184	SEDFRTKE.....	327	SIMHOTP2.....	530
RKFQRSKY.....	184	SEDGTLA2.....	330	SIMHSCH2.....	531
RKHERREG.....	181	SEDGTOS2.....	330	SIMHSUI2.....	528
RKLSDREG.....	181	SEDGTOVR.....	239	SINUSLIF.....	418
RKTRYHER.....	181	SEDINET.....	328	SINUSYR.....	418
RKTRYLSD.....	180	SEDINET2.....	339	SK65A.....	63
RLGATTD.....	464	SEDKPLMT.....	240	SK65A2.....	142
RLGDCSN.....	464	SEDLAWTR.....	244	SLPAPLIF.....	418
RLGFRND.....	464	SEDLIMIT.....	240	SLPAPYR.....	418
RLGIMPT.....	464	SEDLTTM.....	239	SLT30BR2.....	17
ROHYPNL2.....	144	SEDLFACT.....	243	SLT30FAV.....	17
ROHYPNOL.....	77	SEDLSEFX.....	240	SLTMFU.....	16
RSKDIFMJ.....	182	SEDLTS2.....	334	SLTREC.....	16
RSKMJOCC.....	180	SEDMFU.....	102	SLTTRY.....	15
RSKMJREG.....	180	SEDMLU.....	302	SLTYFU.....	16
RSKPKCIG.....	180	SEDMON.....	136	SMHANGR2.....	536
RSKSELL.....	183	SEDNDMOR.....	240	SMHBRK2.....	535
RSNMRJMO.....	189	SEDNEWA.....	99	SMHDPR2.....	535
RSNOMRJ.....	189	SEDNEWB.....	100	SMHEAT2.....	535
RTDALHAL.....	148	SEDNEWC.....	100	SMHFEA2.....	535
SALVDIV.....	169	SEDNEWD.....	100	SMHFITE2.....	536
SALVFLGR.....	178	SEDNEWE.....	100	SMHFMLY2.....	536
SALVMONR.....	179	SEDNOLST.....	98	SMHFRND2.....	536
SALVREC.....	174	SEDOH2S.....	328	SMHMEND2.....	537
SALVYRR.....	178	SEDOH2W.....	339	SMHOTH3.....	537
SANOREX.....	87	SEDOH2WY.....	328	SMHOTPP2.....	537
SANOREX2.....	146	SEDPDANG.....	243	SMHSCHL2.....	537
SCHDSICK.....	599	SEDPHCTD.....	243	SMHSUI2.....	534
SCHDSKIP.....	599	SEDPHLPB.....	242	SMHVST2.....	528
SCHENRL.....	598	SEDPHLPB.....	242	SMIDA2_U.....	478
SCHFELT.....	460	SEDPHLPB.....	242	SMIPP_U.....	476
SDNTFTPT.....	599	SEDPHLPB.....	242	SMIYR_U.....	476
SEDAGE.....	101	SEDPHLPB.....	242	SMKFLAG.....	130
SEDAGLST.....	302	SEDPHLPB.....	242	SMKMON.....	130
SEDCARD.....	96	SEDPHLPB.....	242	SMKYR.....	130
SEDCUT1X.....	241	SEDPHLPB.....	242	SMMIYR_U.....	477
SEDCUTDN.....	240	SEDPHLPB.....	242	SN30EST.....	12
SEDCUTEV.....	241	SEDPHLPB.....	242	SNF30BR2.....	12
SEDDAFLG.....	239	SEDPHLPB.....	242	SNF30USE.....	12
SEDDEAL2.....	339	SEDPHLPB.....	242	SNFAGLST.....	284
SEDDEALR.....	327	SEDPHLPB.....	242	SNFAMJEV.....	444
SEDEMCTD.....	242	SEDPHLPB.....	242	SNFEVER.....	10
SEDEMOPB.....	242	SEDPHLPB.....	242	SNFFLAG.....	131
SEDEVER.....	101	SEDPHLPB.....	242	SNFMON.....	131
SEDFF1D2.....	350	SEDPHLPB.....	242	SNFREC.....	11
SEDFF1DR.....	328	SEDPHLPB.....	242	SNFYR.....	131
SEDFFAK2.....	350	SEDPHLPB.....	242	SNMOV5Y2.....	443
SEDFFAKE.....	328	SEDPHLPB.....	242	SNRLDCSN.....	445
SEDFFBOT.....	329	SEDPHLPB.....	242	SNRLFRND.....	445
SEDFFBY2.....	350	SEDPHLPB.....	242	SNRLGIMP.....	444
SEDFFDL2.....	351	SEDPHLPB.....	242	SNRLGSVC.....	444
SEDFFDLR.....	329	SEDPHLPB.....	242	SNUFMFU.....	11
SEDFFDRS.....	328	SEDPHLPB.....	242	SNUFMLU.....	285
SEDFFDS2.....	350	SEDPHLPB.....	242	SNUFTRY.....	10
SEDFFLAS.....	330	SEDPHLPB.....	242	SNUFYFU.....	11
SEDFFLSP.....	331	SEDPHLPB.....	242	SNUFYLU.....	284
SEDFFNET.....	329	SEDPHLPB.....	242	SNYATTAK.....	444
SEDFFNT2.....	351	SEDPHLPB.....	242	SNYSELL.....	443
SEDFFOSP.....	330	SEDPHLPB.....	242	SNYSTOLE.....	443
SEDFFOT2.....	351	SEDPHLPB.....	242	SOLVENT.....	53
SEDFFOTH.....	329	SEDPHLPB.....	242	SOLVENT2.....	140
SEDFFRE2.....	350	SEDPHLPB.....	242	SOMA.....	77
SEDFFREE.....	329	SEDPHLPB.....	242	SOMA2.....	144
SEDFFST2.....	350	SEDPHLPB.....	242	SOMHANGR.....	532
SEDFFSTL.....	329	SEDPHLPB.....	242	SOMHBRK.....	532
SEDFFTAK.....	329	SEDPHLPB.....	242	SOMHDPR.....	532

INDEX

SOMHEAT	532	STMFFTK2	349	TALKPROB	463
SOMHFEA	532	STMFLAG	135	TALWIN	63
SOMHFITE	533	STMFLBLU	236	TALWIN2	142
SOMHFMLY	533	STMFMCTD	239	TALWINNX	64
SOMHFRND	533	STMFMFPB	238	TALWINX2	142
SOMHMEND	534	STMFRBUY	318	TCHGJOB	460
SOMHOTH2	534	STMFRBY2	338	TELNO2	601
SOMHOTPP	533	STMFRFE2	338	TENUATE	87
SOMHSCHL	534	STMFRFRE	318	TENUATE2	146
SOMHSUI	531	STMFRTK2	338	THERVST	527
SPCALNIL	393	STMFRTKE	318	TINNLIF	419
SPCILNAL	394	STMGTLA2	321	TINNYR	419
SPDMON	473	STMGTOS2	322	TOBALCMN	139
SPDYR	474	STMGTOVR	234	TOBFLAG	131
SPECTALC	392	STMINET	318	TOBMON	131
SPECTILL	392	STMINET2	338	TOBYR	131
SPILANAL	394	STMKPLMT	234	TRAMADL2	142
SPILLALC	394	STMLAWTR	238	TRAMADOL	64
SPINVST2	527	STMLIMIT	234	TRAMADP	143
SPOUTVST	528	STMLOTTM	234	TRANAGE	81
SPPAINT	53	STMLSACT	237	TRANMFU	82
SPPAINT2	140	STMLSEFX	235	TRANMLU	299
STADOL	63	STMLTS2	334	TRANREC	82
STADOL2	142	STMMON	135	TRANXEN2	144
STBSTWAY	92	STMNDMOR	235	TRANXENE	78
STDAYPMO	92	STMNOLST	87	TRANYFU	81
STDAYPWK	93	STMOTHS2	319	TRANYLU	298
STDAYPYR	92	STMOTHW2	338	TRBSTWAY	83
STDSLIF	418	STMOTHWY	319	TRDAYPMO	83
STDSYR	418	STMPDANG	238	TRDAYPWK	83
STFQFLG	92	STMPHCTD	237	TRDAYPYR	83
STIMAGE	90	STMPHLPB	237	TRFQFLG	82
STIMFU	91	STMRX1D2	337	TRIMEST	415
STIMMLU	300	STMRX1DR	317	TRNAGLST	298
STIMNEWA	88	STMRXDRS	317	TRNCARD	75
STIMNEWB	89	STMRXDS2	337	TRNCUTDN	230
STIMNEWC	89	STMRXFAK	317	TRNCUTEV	231
STIMNEWD	89	STMRXFK2	337	TRNDEAL2	337
STIMNEWE	90	STMSERPB	238	TRNDEALR	313
STIMREC	91	STMSRCF2	345	TRNEMCTD	231
STIMYFU	90	STMSRCFR	342	TRNEMOPB	231
STIMYLU	300	STMSTOL2	337	TRNEVER	81
STMAGLST	299	STMSTOLE	317	TRNEWA	79
STMCARD	85	STMWD2SX	236	TRNEWB	80
STMCUT1X	235	STMWDSMT	236	TRNEWC	80
STMCUTDN	235	STMYDAYS	149	TRNEWD	80
STMCUTEV	235	STMYR	135	TRNEWE	80
STMDAFLG	233	STMYRTOT	91	TRNFF1D2	347
STMDEAL2	338	STNDALC	460	TRNFF1DR	313
STMDEALR	318	STNDDNK	460	TRNFFAK2	348
STMEMCTD	237	STNDSCIG	460	TRNFFAKE	314
STMEMOPB	236	STNDSMJ	460	TRNFFBOT	314
STMEVER	90	STNEDL06	175	TRNFFBY2	348
STMFF1D2	349	STNEEDLR	175	TRNFFDL2	348
STMFF1DR	319	STNLRC06	176	TRNFFDLR	315
STMFFAK2	349	STNLRECR	175	TRNFFDRS	314
STMFFAKE	319	STROKLIF	418	TRNFFDS2	348
STMFFBOT	320	STROKYR	418	TRNFFLAS	316
STMFFBY2	349	STTOTFG	91	TRNFFLSP	317
STMFFDL2	350	SUICPLAN	472	TRNFFNET	315
STMFFDLR	320	SUICTHNK	472	TRNFFNT2	348
STMFFDRS	319	SUICTRY	472	TRNFFOSP	315
STMFFDS2	349	SUMAGE	137	TRNFFOT2	349
STMFFLAS	322	SUMFLAG	137	TRNFFOTH	315
STMFFLSP	322	SUMMON	137	TRNFFRE2	348
STMFFNET	321	SUMYFU	137	TRNFFREE	314
STMFFNT2	350	SUMYR	137	TRNFFST2	348
STMFFOSP	321	SVBSTWAY	103	TRNFFSTL	314
STMFFOT2	350	SVDAYPMO	103	TRNFFTAK	315
STMFFOTH	321	SVDAYPWK	103	TRNFFTK2	348
STMFFRE2	349	SVDAYPYR	103	TRNFMCTD	233
STMFFREE	320	SVFQFLG	102	TRNFMFPB	233
STMFFST2	349	SVTOTFG	102	TRNFRBUY	312
STMFFSTL	320	TALACEN	63	TRNFRBY2	336
STMFFTAK	320	TALACEN2	142	TRNFRFE2	336

INDEX

TRNFRFRE.....	312	TXLTCOC2.....	389	TXYRERAD.....	356
TRNFRTK2.....	337	TXLTHAL2.....	389	TXYREVER.....	353
TRNFRTKE.....	312	TXLTHER2.....	389	TXYRHOSP.....	354
TRNGTLA2.....	316	TXLTILL2.....	389	TXYRHPAD.....	354
TRNGTOS2.....	316	TXLTINH2.....	389	TXYRINAD.....	354
TRNGTOVR.....	229	TXLTMJ2.....	389	TXYRJAIL.....	357
TRNINET.....	313	TXLTSED2.....	389	TXYRJLAD.....	357
TRNINET2.....	337	TXLTSTM2.....	389	TXYRMHAD.....	355
TRNKPLMT.....	230	TXLTTRN2.....	389	TXYRMHC.....	355
TRNLAWTR.....	233	TXLTYALC.....	372	TXYRNME2.....	359
TRNLIMIT.....	230	TXLTYANL.....	374	TXYROTAD.....	358
TRNLOTTM.....	229	TXLTYCOC.....	373	TXYROTS2.....	358
TRNLSACT.....	232	TXLTYDU2.....	376	TXYRPOAD.....	355
TRNLSEFX.....	230	TXLTYHAL.....	374	TXYRRFIN.....	354
TRNLTS2.....	333	TXLTYHER.....	373	TXYRRFOP.....	355
TRNNDMOR.....	230	TXLTYINH.....	374	TXYRSGAD.....	357
TRNOLST.....	78	TXLTYMJ.....	373	TXYRSHG.....	357
TRNOTHS2.....	313	TXLTYMN2.....	372	TXYRSOP.....	358
TRNOTHW2.....	337	TXLTYOU2.....	376	TXYRTXER.....	356
TRNOTHWY.....	313	TXLTYSOD.....	375	TXYRVSER.....	359
TRNPDANG.....	232	TXLTYSOD.....	375	UADBAR.....	575
TRNPCHTD.....	232	TXLTYSTM.....	375	UADBUND.....	577
TRNPHLPB.....	231	TXLTYTRN.....	374	UADBWHO.....	576
TRNRX1D2.....	336	TXNDILAL.....	398	UADCAG.....	577
TRNRX1DR.....	311	TXNEDALC.....	397	UADCAR.....	575
TRNRXDRS.....	312	TXNOSPEC.....	399	UADEVNT.....	575
TRNRXDS2.....	336	TXPCAI2.....	390	UADFRD.....	577
TRNRXFAK.....	312	TXPCARE2.....	390	UADFWHO.....	577
TRNRXFK2.....	336	TXPCORT2.....	390	UADHOME.....	575
TRNSERPB.....	232	TXPEMPL2.....	390	UADMONY.....	576
TRNSRCF2.....	345	TXPFMLY2.....	390	UADOTHM.....	575
TRNSRCFR.....	342	TXPINS2.....	390	UADOTSP.....	576
TRNSTOL2.....	336	TXPMILC2.....	390	UADPAID.....	576
TRNSTOLE.....	312	TXPPUBP2.....	390	UADPEOP.....	575
TRNYRTOT.....	82	TXPSAVE2.....	390	UADPLACE.....	576
TRQFLAG.....	134	TXPYCAID.....	377	UADPUBL.....	575
TRQMON.....	134	TXPYCARE.....	377	UADROTH.....	576
TRQYR.....	134	TXPYCORT.....	379	UADSCHL.....	575
TRTOTFG.....	82	TXPYEMPL.....	379	ULCERLIF.....	419
TRYPFLGR.....	179	TXPYFMLY.....	378	ULCERYR.....	419
TRYPMONR.....	179	TXPYFRE.....	380	ULTRAM.....	64
TRYPREC.....	174	TXPYINS.....	377	ULTRAM2.....	142
TRYPTMN.....	169	TXPYMILC.....	379	USALCTST.....	608
TRYPYRR.....	179	TXPPUBP.....	378	USDRGTST.....	608
TSTHIRE.....	608	TXPYSAVE.....	378	USEACM.....	304
TSTRAND.....	609	TXPYSOS.....	380	USEALCG.....	303
TUBRCLIF.....	419	TXPYS2.....	380	USEALMJ.....	303
TUBRCYR.....	419	TXRCVNOW.....	359	USEMJCG.....	303
TUINAL.....	98	TXRNBUSY.....	401	USENEXT.....	304
TUINAL2.....	148	TXRNFOUT.....	401	VALMDIA2.....	143
TX12MSHG.....	386	TXRNHNDL.....	400	VALMDIAZ.....	75
TX12SGAD.....	386	TXRNJOB.....	400	VEREP.....	614
TXALCDAG.....	383	TXRNLMCV.....	399	VESTR.....	614
TXALCDEV.....	382	TXRNNBR.....	400	VICOLOR.....	60
TXALNOIL.....	388	TXRNNHCV.....	399	VICOLOR2.....	141
TXALONAG.....	382	TXRNNHLP.....	400	VISTAR.....	78
TXALONEV.....	381	TXRNNOND.....	400	VISTAR2.....	144
TXDRGAAG.....	383	TXRNNSTP.....	400	WHODASC2.....	475
TXDRGAEV.....	383	TXRNNSTP.....	400	WHODASC3.....	475
TXDRONAG.....	382	TXRNOPEN.....	400	WKDRGED.....	608
TXDRONEV.....	382	TXRNTPY.....	400	WORKBLAH.....	607
TXENROLL.....	381	TXRNWHER.....	400	WORKDAYS.....	607
TXEVER.....	353	TXSHGFLG.....	387	WORKRAND.....	609
TXFGADAG.....	386	TXYADAAG.....	385	WRKBZCA2.....	604
TXFGALAG.....	385	TXYADDAG.....	385	WRKBZCY2.....	607
TXFGDGAG.....	385	TXYALAGE.....	383	WRKEDYR.....	604
TXGAPALC.....	399	TXYALDAG.....	384	WRKHAVJB.....	603
TXGPILAL.....	399	TXYALDRG.....	384	WRKHIRE.....	609
TXILALEV.....	388	TXYDRAAG.....	384	WRKHRSW2.....	604
TXILANAL.....	388	TXYDRAGE.....	384	WRKIDST2.....	603
TXILLALC.....	388	TXYDRALC.....	384	WRKIDSY2.....	606
TXILNOAL.....	388	TXYRADG.....	353	WRKJOBS2.....	605
TXLASREC.....	371	TXYRDCAD.....	356	WRKLSTY2.....	605
TXLTALC2.....	389	TXYRDOC.....	356	WRKOCUP2.....	604
TXLTANL2.....	389	TXYRDTXO.....	381	WRKOCUY2.....	606

INDEX

WRKSLFEM.....	605	YFLADLY2.....	462	YOTMTNOW.....	557
WRKUNEMP.....	605	YFLMJMO.....	462	YOWRAGE.....	544
WRKUNWKS.....	605	YFLPKCG2.....	462	YOWRCHR.....	543
WSPDSC2.....	475	YFLTMRJ2.....	462	YOWRCONC.....	548
WTANSWER.....	410	YFOST.....	523	YOWRDBTR.....	549
WTPOUND2.....	411	YHBCHMDE.....	560	YOWRDCSN.....	549
YNAXATV2.....	143	YHLTMDDE.....	560	YOWRDEPR.....	544
YNAXATVN.....	75	YHOME.....	523	YOWRDIET.....	546
YALTMDE.....	561	YHOSP.....	523	YOWRDISC.....	544
YCLIN.....	523	YJAIL.....	524	YOWRDLOT.....	549
YCOUNMDE.....	560	YMDEADA.....	559	YOWRDST.....	543
YDAYTRT.....	523	YMDEHARX.....	561	YOWRELES.....	545
YDOCMDE.....	559	YMDEHPO.....	561	YOWREMOR.....	545
YEATNDYR.....	446	YMDEHPRX.....	561	YOWRENRG.....	547
YECOMACT.....	457	YMDEIMDA.....	561	YOWRGAIN.....	545
YEDECLAS.....	458	YMDLT.....	558	YOWRGNL2.....	546
YEDERGLR.....	458	YMDERXO2.....	561	YOWRGROW.....	546
YEDESPCL.....	458	YMDETXR.....	559	YOWRHRS.....	542
YEDGPRGP.....	457	YMDEYR.....	559	YOWRIMP.....	543
YEFIACT.....	458	YNURSMDE.....	560	YOWRJINO.....	548
YEFALDLY.....	455	YO_MDEA1.....	550	YOWRJITT.....	548
YEFMJEVR.....	454	YO_MDEA2.....	550	YOWRLOSE.....	546
YEFMJMO.....	455	YO_MDEA3.....	550	YOWRLSIN.....	545
YEFKPCIG.....	454	YO_MDEA4.....	551	YOWRLSL2.....	547
YEGALDLY.....	454	YO_MDEA5.....	551	YOWRNOGD.....	549
YEGMJEVR.....	454	YO_MDEA6.....	551	YOWRPLSR.....	545
YEGMJMO.....	454	YO_MDEA7.....	551	YOWRPREG.....	546
YEGKPCIG.....	453	YO_MDEA8.....	551	YOWRPROB.....	544
YEHMSLYR.....	446	YO_MDEA9.....	551	YOWRSATP.....	550
YELSTGRD.....	448	YOATTAK2.....	462	YOWRSLEP.....	547
YEMOV5Y2.....	446	YOCOUNS.....	556	YOWRSLNO.....	548
YEOTHACT.....	458	YODPDISC.....	541	YOWRSLOW.....	547
YEPALDLY.....	453	YODPLSIN.....	542	YOWRSMOR.....	547
YEPCHKHW.....	449	YODPPROB.....	543	YOWRSPLN.....	550
YEPCHORE.....	450	YODPR2WK.....	542	YOWRSTHK.....	550
YEPGDJOB.....	450	YODPREV.....	541	YOWRTHOT.....	548
YEPHLPWH.....	450	YODSCEV.....	541	YOWRWRT.....	549
YEPLMTSN.....	450	YODSLSIN.....	542	YPED.....	523
YEPLMTTV.....	450	YODSMMDE.....	551	YPSY1MDE.....	559
YEPMJEVR.....	453	YOFAMDOC.....	555	YPSY2MDE.....	559
YEPMJMO.....	453	YOFIGHT2.....	461	YRANXD.....	406
YEPKPCIG.....	453	YOGRPFT2.....	461	YRASMA.....	406
YEPPROUD.....	451	YOHERBAL.....	556	YRBRONC.....	406
YEPRBSLV.....	456	YOHGUN2.....	461	YRCIRR.....	406
YEPRGSTD.....	457	YOLOSEV.....	541	YRDEPRS.....	407
YEPRTDNG.....	456	YOLSI2WK.....	542	YRDIAB.....	407
YEPVNTYR.....	459	YOMDMDE.....	559	YRELMDE.....	560
YERLDCSN.....	447	YOMHMDE.....	560	YRESID.....	523
YERLFRND.....	447	YONURSE.....	556	YRHARTD.....	407
YERLGIMP.....	446	YOOTHDOD.....	555	YRHBP.....	407
YERLGSVC.....	459	YOOTHHLP.....	556	YRHEPAT.....	407
YESCHACT.....	457	YOOTHMHP.....	556	YRHIV.....	407
YESCHFLT.....	447	YOPB2WK.....	553	YRLUNCA.....	408
YESCHIMP.....	447	YOPBAGE.....	552	YRNONE.....	409
YESCHINT.....	448	YOPBDLYA.....	552	YRPANCR.....	408
YESCHWRK.....	447	YOPBINTF.....	552	YRPNEU.....	408
YESLFHLP.....	457	YOPBNUM.....	552	YRSINUS.....	408
YESTSALC.....	449	YOPBRMBR.....	552	YRSLPAP.....	408
YESTSCIG.....	448	YOPSDAYS.....	554	YRSTDS.....	408
YESTSDNK.....	449	YOPSHMGT.....	553	YRSTROK.....	409
YESTSMJ.....	449	YOPSRELS.....	554	YRTINN.....	409
YETCGJOB.....	448	YOPSSOC.....	554	YRTUBRC.....	409
YETLKBGF.....	455	YOPSWORK.....	553	YRULCER.....	409
YETLKNON.....	455	YOPSYCH.....	555	YRXMDEYR.....	559
YETLKOTA.....	456	YOPSYMD.....	555	YSDSHOME.....	561
YETLKPAR.....	455	YORELIG.....	556	YSDSOVRL.....	562
YETLKSOP.....	456	YORX12MO.....	557	YSDSREL.....	562
YEVIOPRV.....	456	YORXHLP.....	557	YSDSSOC.....	562
YEYARGUP.....	451	YORXNOW.....	557	YSDSWRK.....	561
YEYATTAK.....	452	YOSEEDOC.....	555	YSHSW.....	524
YEYFGTGP.....	451	YOSELL2.....	461	YSOCMDE.....	560
YEYFGTSW.....	451	YOSOCWRK.....	556	YSPEC.....	524
YEHGUN.....	452	YOSTOLE2.....	462	YTHACT2.....	464
YEYSELL.....	452	YOTHMDE.....	560	YTHER.....	523
YEYSTOLE.....	452	YOTMTHLP.....	557	YTXMDEYR.....	559

INDEX

YUDYANGR.....	508	YUMHCRN2.....	510
YUDYBKRU.....	508	YUMHCRYR.....	509
YUDYDEPR.....	508	YUMHDEPR.....	510
YUDYEATP.....	508	YUMHEATP.....	510
YUDYFEAR.....	508	YUMHFEAR.....	510
YUDYFITE.....	509	YUMHFITE.....	511
YUDYFMLY.....	509	YUMHFMLY.....	511
YUDYFRND.....	509	YUMHFRND.....	511
YUDYOTPP.....	509	YUMHOTPP.....	511
YUDYSCHL.....	509	YUMHSCHL.....	511
YUDYSOR.....	509	YUMHSOR.....	511
YUDYSUIC.....	508	YUMHSUIC.....	510
YUDYTXN2.....	507	YURSANGR.....	504
YUDYTXYR.....	507	YURSBKRU.....	504
YUFCANGR.....	506	YURSDEPR.....	503
YUFCARN2.....	505	YURSEATP.....	504
YUFCARYR.....	505	YURSFEAR.....	504
YUFCBKRU.....	506	YURSFITE.....	504
YUFCDEPR.....	506	YURSFMLY.....	504
YUFCEATP.....	506	YURSFERN.....	504
YUFCFEAR.....	506	YURSIDN2.....	503
YUFCFITE.....	506	YURSIDYR.....	503
YUFCFMLY.....	506	YURSOTPP.....	505
YUFCFRND.....	507	YURSSCHL.....	505
YUFCOTPP.....	507	YURSSOR.....	505
YUFCSCHL.....	507	YURSSUIC.....	503
YUFCSOR.....	507	YUSCEMYR.....	521
YUFCSUIC.....	505	YUSCPGYR.....	521
YUFDANGR.....	517	YUSWANGR.....	520
YUFDBKRU.....	517	YUSWBKRU.....	519
YUFDDEPR.....	517	YUSWDEPR.....	519
YUFDEATP.....	517	YUSWEATP.....	519
YUFDFEAR.....	517	YUSWFEAR.....	519
YUFDFITE.....	518	YUSWFITE.....	520
YUFDFMLY.....	518	YUSWFMLY.....	520
YUFDFRND.....	518	YUSWFRND.....	520
YUFDOCN2.....	516	YUSWOTPP.....	520
YUFDOCYR.....	516	YUSWSCHL.....	520
YUFDOTPP.....	518	YUSWSCYR.....	519
YUFDSCHL.....	518	YUSWSOR.....	521
YUFDSOR.....	518	YUSWSUIC.....	519
YUFDSUIC.....	517	YUTPANGR.....	513
YUHOANGR.....	502	YUTPBKRU.....	512
YUHOBKRU.....	502	YUTPDEPR.....	512
YUHODEPR.....	501	YUTPEATP.....	513
YUHOEATP.....	502	YUTPFEAR.....	512
YUHOFEAR.....	501	YUTPFITE.....	513
YUHOFITE.....	502	YUTPFMLY.....	513
YUHOFMLY.....	502	YUTPFRND.....	513
YUHOFERN.....	502	YUTPOTPP.....	513
YUHOOTPP.....	502	YUTPSCHL.....	514
YUHOSCHL.....	503	YUTPSOR.....	514
YUHOSOR.....	503	YUTPSTN2.....	512
YUHOSPN2.....	501	YUTPSTYR.....	512
YUHOSPYR.....	501	YUTPSUIC.....	512
YUHOSUIC.....	501		
YUIHANGR.....	515		
YUIHBKRU.....	515		
YUIHDEPR.....	514		
YUIHEATP.....	515		
YUIHFEAR.....	515		
YUIHFITE.....	515		
YUIHFMLY.....	515		
YUIHFRND.....	516		
YUIHOTPP.....	516		
YUIHSCHL.....	516		
YUIHSOR.....	516		
YUIHSUIC.....	514		
YUIHTPN2.....	514		
YUIHTPYR.....	514		
YUJVDTN2.....	521		
YUJVDTON.....	521		
YUJVDTYR.....	522		
YUMHANGR.....	511		
YUMHBKRU.....	510		

INDEX

APPENDIX A

Drug Codes for Open-Ended Questions

APPENDIX A

Drug Codes for Open-Ended Questions (2013 CAI NSDUH)

Numerical Listing

NOTE: Due to changes in the survey instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

Code	Definition
101	Butisol
102	Buticaps
103	Amytal
104	Mebaral
105	Placidyl, Ethchlorvynol
106	Doriden
107	Noludar
108	Nembutal
109	Seconal
110	Tuinal
111	Dalmane, Flurazepam
112	Restoril, Temazepam
113	Halcion, Triazolam
114	Amobarbital
115	Phenobarbital
116	Methaqualone, Sopor, Quaalude [see also 138]
117	Chloral hydrate, Noctec
118	Pentobarbital, Pentothal, Sodium pentothal, Thiopental
119	Secobarbital
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED
121	USED SEDATIVE, DON'T KNOW NAME
122	Over-the-counter sleep aid; not specified <OTC>
123	Unisom <OTC>
124	Yellow jackets
126	Sominex <OTC>
127	Nytol <OTC>
128	Nervine <OTC>
129	Reds
130	Phenergan, Promethazine
131	Haldol, Haloperidol
132	Sleepettes <OTC>
136	Dimetapp <OTC>
137	7-14
138	Mandrax, Mandrix [see also 116]
139	Black widows
140	Seldane

Code	Definition
141	Dilantin
142	Belladonna
145	Red devil(s)
146	Bentyl, Dicyclomine
148	Actifed <OTC>
152	Eskabarb
153	Luminal
154	Alurate
156	Sodium barbital
157	Barbiturates
159	Octanox
163	Blue meanies
164	Yellow zombies
171	NyQuil <OTC>
172	Dream Ease <OTC>
173	Wafers
174	Ambien, Stilnox, Zolpidem
176	Melatonin <OTC>
177	Bean
178	Quetiapine, Seroquel
179	Water tee [sic]
180	Tylenol P.M. <OTC>
181	Excedrin P.M. <OTC>
182	Melzone
183	Mysoline
184	Red and blues
186	Butalbital
187	Belladonna plant/flower/root, deadly nightshade
188	Estazolam, Prosom
189	Sonata, Zaleplon
190	Dormin <OTC>
191	Blues
192	Promazine
193	Meclizine
194	Quiet World <OTC>
195	Lotusate, Talbutal
196	Simply Sleep <OTC>
197	Topamax, Topiramate
198	Seducaps
199	Ansiovit <OTC>

Code	Definition
201	Valium, Diazepam
202	Librium, Chlordiazepoxide HCl
203	Limbitrol [see also 276]
204	Menrium
205	Serax, Oxazepam
206	Tranxene, Clorazepate, Tranxilium
207	Ativan, Lorazepam, Orfidal
208	Centrax
209	Xanax, Alprazolam, Tafil, Xanax bars
210	Paxipam
211	BuSpar, Buspirone
212	Miltown
213	Equanil
214	Deprol
215	Vistaril
216	Atarax, Hydroxyzine
217	Durrax
219	SK-Lygen
220	Meproamate
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
222	USED TRANQUILIZER, DON'T KNOW NAME
223	Carbacot, Marbaxin, Methocarbamol, Robaxin
224	Triavil
225	Desyrel, Trazodone hydrochloride
226	Stelazine, Trifluoperazine HCl
227	Thorazine
228	Amitriptyline, Elavil
229	Librax
230	Compazine, Prochlorperazine
232	Mellaril
233	Trilafon, Perphenazine
234	Flexeril, Cyclobenzaprine
235	Imipramine
237	Dormicum, Hypnovel, Midazolam, Versed
240	Lithium carbonate, Lithonate
241	Prozac, Fluoxetine
242	Equagesic
243	Etrafon
245	Tryptophan
246	Klonopin, Clonazepam, Diocam, Rivotril
247	Adapin, Doxepin, Sinequan
249	Asendin
250	Aventyl, Nortab, Nortriptyline, Pamelor
252	Strawberry whip cream
257	Zestril
259	Desipramine, Norpramin

Code	Definition
260	PCB
262	Prolixin
263	Vivactil
266	Verstran
267	Marezine
268	Rohypnol, Flunitrazepam, roche, roofies
270	Torzien
271	Sertraline hydrochloride, Zoloft
275	Loxitane
276	Limbitrol DS [see also 203]
278	Benzodiazepines
280	Ketaset
281	Blue ringer
282	Clozapine, Clozaril
283	Paroxetine, Paxil
284	Tofranil
285	Risperdal, Risperdol, Risperidone
288	Baclofen
289	Olanzapine, Zyprexa
290	Skelaxin
290	Metaxalone
291	Celexa, Citalopram
292	Serzone
293	Anafranil, Clomipramine
294	Fluvoxamine, Luvox
295	Mirtazapine, Remeron
296	Novoxapam
297	Cafia
298	Acepromazine, PromAce
299	Code no longer used
301	Dexedrine
302	Dexamyl
303	Eskatrol
304	Benzedrine
305	Biphetamine
306	Desoxyn
307	Tenuate, Diethylpropion
308	Tepanil
309	Benzphetamine, Didrex
310	Plegine
311	Preludin
312	Ionamin
313	Acxion, Adipex-P, Fastin, Phentermine
314	Pondimin, Fenfluramine
315	Voramil
316	Sanorex
317	Mazanor
318	Ritalin, Methylphenidate
319	Cylert
320	Dextroamphetamine

Code	Definition
321	Methedrine
322	Methamphetamine ("ice" or "crank"), Meth [see also 3126]
323	Obedrin-L.A.
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
325	USED STIMULANT, DON'T KNOW NAME
326	White cross
327	Black beauties, black beauty
328	Pink hearts
329	Bird's eggs, robin's eggs, speckled eggs
330	Blue birds, blue jays, blue robins, speckled bird
331	Blancs, whites
332	Ephedrine
333	357 Magnum, Magnum 44 <OTC>
334	Crossroads, cross tops
335	Dexatrim <OTC> [see also 347, 378]
336	Diet pills
337	White molly
339	Amphetamines
341	Pink roses
342	Purple hearts
343	Nitroglycerine
344	Bennies
345	Black molly
346	Marax
347	Phenylpropanolamine <OTC> [see also 335, 378]
348	Crystal
349	Bontril, Melfiat, Phendimetrazine
351	Cathinone, cat, khat, q'at
352	Lemons
353	No-Doz <OTC>
354	Vivarin <OTC>
355	Crystal meth
356	Dexies
357	Heart-shaped black pills
358	20/20
359	Criss cross
360	Rainbow speed
363	Bam(s)
364	Pseudoephedrine <OTC>
366	Duromine
368	Peanut butter crank
369	Artane [see also 8329]
371	Cogentin
374	Christmas tree(s)
376	TAC
377	Albuterol, Pro-Air, Proventil, Ventolin
378	Control <OTC> [see also 335, 347]

Code	Definition
379	Hearts
380	Pink ladies
381	P.O.T.C.
382	Footballs, pink footballs, purple footballs
383	Pre-Sate
384	Little crosses
385	Little pink ones
386	Herbal ecstasy
388	Pink lemon
390	Max Alert
393	OP 33
394	Debs
395	Black cats
396	Black RJs, RJ8
397	F-40
398	Pink crosses
401	Darvon
402	Dolene
403	SK-65
404	Wygesic
405	Levo-Dromoran
406	Percodan, Roxiprin
407	Demerol, Meperidine
408	Dilaudid, Hydromorphone
409	Tylenol with Codeine, Tylenol 3, Tylenol 4
410	Phenaphen with Codeine, Phenaphen 3
411	Talwin
412	Talwin NX
413	Talacen
414	Propoxyphene
415	Codeine
416	Anileridine
417	Morphine, Roxanol
418	Methadone, Dolophine
419	Stadol, Stadol NS
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED
421	USED ANALGESIC, DON'T KNOW NAME
422	Motrin
423	Percocet
424	Fioricet
425	Advil <OTC>
426	Fiorinal
427	Darvocet, Darvocet-N
429	Frost 222
430	Aspirin, Ecotrin, Empirin <OTC>
431	Tylox
432	Rufen

Code	Definition
433	Paregoric
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic, Lorcet-HD, Lorcet Plus, Maxidone, Norco, Zydone
435	Tylenol, Tylenol Extra-Strength <OTC>
436	Bufferin <OTC>
438	Anaprox, Naprosyn, Naproxen, Naxen
439	222, Canadian 222
442	Ibuprofen
443	Diflunisal, Dolobid
444	Aspirin with Codeine, Empirin 3, Empirin 4
445	Dolex, Norgesic Forte
447	Synalgos, Synalgos DC
450	Acetaminophen, including non-Tylenol brands <OTC>
453	Organidin with Codeine
454	Novocain, Procaine
455	Fiorinal with Codeine
457	T's and blues, tee's and b's, tops and bottoms
458	Finalin, Mepergan, Mepergan Fortis, Meprozone
462	Norflex
465	Actiq, Fentanyl, Duragesic, Sublimaze
466	Midol <OTC>
467	Tolectin
468	Excedrin <OTC>
469	Leritine
470	Cafergot
471	Butazolidin
472	Indocin, Indomethacin
473	Pyridium
476	Duradrin, Isocom, Midrin
477	Melumbrina, Neo-Melumbrina
478	Nogirtronia
480	Robitussin AC with Codeine
481	Acular, Dolac, Ketorolac tromethamine, Torradlo
487	Ariel
490	Nalbuphine, Nubain
491	PDR
495	Red cross
496	Ultram
498	Mefenamic acid, Ponstan, Ponstel
499	Aleve <OTC>
501	Gasoline or lighter fluids
502	Spray paints
503	Other aerosol sprays
504	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue

Code	Definition
505	Lacquer thinner or other paint solvents
506	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507	Halothane, ether, or other anesthetics; chloroform
508	Nitrous oxide, "whippets," dentist gas
509	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2r spot remover, Typewash
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED
511	Markers, felt-tip pens, ink pens, Sharpies
512	Incense
516	CHC, chlorofluorocarbon, Freon, refrigerant
517	Toluol
518	Acetone, nail polish remover
519	Helium
520	Old paint, paint
521	Propane [see also 525, 544]
522	Liquid TV (MTV), TV tuner, TV11Y
523	Matches
524	White-Out [see also 509]
525	Butane [see also 521, 544]
526	Nail polish
527	Phenyl nitrate
528	Whipped-cream can
529	Moth balls
531	Candy, powdered candy, sugar
533	Window sealant
534	Deodorant [see also 827]
536	Fire halt
537	Air horn, boat horn, condensed horn
539	ScotchGard
540	PAM
541	Binaca
542	Brasso, lens cleaner, spirits of ammonia
543	Liquid oxygen, oxygen
544	Lighter gases, not specified [see also 521, 525]
545	Car tailpipe exhaust fumes, Carbon monoxide, CO, gasoline motor exhaust fumes
546	Leather protector, suede protector
548	Cologne, isopropanol vapors, rubbing alcohol, perfume
550	Methyl chloride
551	Oven cleaner
553	Pixie sticks
554	Insect killer (e.g., Raid)
555	Chillers
556	Energine

Code	Definition
557	Hagwash [sic], Hogwash
558	Kool Aid
559	LOLOY
560	Dishwashing detergent, laundry detergent, soap
561	Amputee gas cleanser
562	Ban apple gas
563	Acetylene
564	Electric contact cleaner
565	Trichloroethane
566	Smoked tea from Lipton tea bag
567	Pertussin spray
568	Tally
569	Peganento
571	Black jack
572	Etam
573	Furniture polish
574	Tornado
576	C.A.T.
577	Rave runners
580	Medusa
582	WD-40
585	TCL
586	Carbon from empty soft drink bottle
587	Mineral ice
588	Antifreeze
589	Tire shine/tire cleaner
590	Canned air, compressed air
591	Air brush propellant, air brush cartridge
592	Computer air duster, computer cleaner, dust-off, dust X
594	Starting fluid
595	Chlorine
596	Femo clay
597	Trichloronitrate
598	Ethylene dichloride
599	Potpourri
601	LSD ("acid") [see also 618]
602	Peyote
603	Mescaline
604	Psilocybin (mushrooms), sclerotia, shrooms
605	PCP ("angel dust," phencyclidine)
606	"Ecstasy" (MDMA), X-TC, "X"
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
609	Jimson weed
610	Crystal T
611	Greens
612	Happy stick, sherm, sherman, shermstick
613	Duckweed

Code	Definition
614	MDA, Methylenedioxy amphetamine
615	Homemade drugs
616	DET, Dimethyltryptamine, DMT
617	Morning glory seeds, morning glory tendrils, ricea
618	Acid paper, blotter (acid) [see also 601]
619	Tic
620	Blue dragon
621	Red dragon
622	Microdot(s), green microdot, purple microdot
623	Mickey, mickey mouse club, mickey mousers
624	Orange sunshine, sunshine, yellow sunshine
625	Window, window pane, 4-way pane, 4-way
626	Jet fuel
627	Hawaiian wood rose, Hawaiian Woodrose seeds
628	Hawaiian rosebud seed tea
629	Rocket Fuel
630	Black Owsley
631	Purple Owsley
633	Mr. Natural
634	Unicorn
635	Ginseng seeds, ginseng weed
636	DOM, STP
637	Purple haze
639	Nutmeg, Mace
640	Purple pyramid
642	Pink Floyd
643	Mount queen, queen
645	Thai stick
648	Designer drugs
650	Datura stramonium, daytura, thorn apple
651	Mellow Yellow
652	ALD-52
653	Cricket, cricketshit
654	Eve
655	Flying elephant
656	Mars
657	Orange barrel
658	Special K, Ketamine
659	Boat
660	Bufotenin ,Toad, toad licking
662	Kanepolin
663	Animal tranquilizer, horse tranquilizer
664	Purple fingers
665	Paniolis
666	Zonick
668	Yellow tiny pills

Code	Definition
669	Stropharia
670	Monkey dust
672	Suncrush
673	Orange
674	Pee-pope
677	Skunk II
678	Banana peels
679	Hell bells
681	Lovely
682	Kif
686	Spider in my feet
687	Spray
688	AMP
690	RID
691	Maximum impact
693	Lemon drops
695	Angel's trumpet
698	2C-B, Bromo mescaline, Nexus
699	BOHA-49B
701	OTHER Opiates, NOT OTHERWISE SPECIFIED
702	Heroin
703	Opium
704	Dope
705	Speedball (heroin + cocaine)
706	Smack
707	Black tar heroin
709	Poppy
710	Laudanum
711	Shirka
801	OTHER Drugs, NOT OTHERWISE SPECIFIED
802	THC, cannabinol, marinol, tetrahydrocannabinol
803	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
804	Hashish
805	Cocaine, coca, cocaína, coke, perico, Coca
806	Crack, rock
807	Alcohol, beer, ethanol, EtOH, pink champagne
808	All of the ones I've tried
809	Pills
810	Freebase
812	Cigars
813	Cigarettes, tobacco (type unspecified)
814	Caffeine <OTC>
815	Coffee <OTC>
816	Smokeless tobacco, snuff, chewing tobacco

Code	Definition
817	Hard stuff
818	Nicotine
819	Inderal, Propranolol
820	Penicillin
821	Amoxicillin, Ampicillin, Pentrexyl
822	Rabbit tobacco
824	Steroids
825	Theo-Dur
826	Alupent
827	Aluminum chloride [see also 534]
828	Tetracycline
829	Robitussin DM <OTC>
830	Mad bull
831	Honey oil
832	Primo
833	Bone
834	Loveboat
836	Antabuse
837	Paris 400
840	Over-the-counter cough medicine (contents unspecified) <OTC>
841	Allerest <OTC>, Contac <OTC>
843	Antihistamine, cold medicine, cold tablets <OTC>
844	Blood pressure medication
846	Erythromycin
847	GHB, NSC, gamma hydroxybutyrate
848	Liquid vitamin, vitamin pills <OTC>
849	Monosodium glutamate (MSG) <OTC>
850	Slack
852	Formaldehyde, wak [sic], whack (embalming fluid)
854	Juice
857	Wicki stick
858	Antibiotic
865	Diuretics, water pills
866	Boomers
867	Boron
873	Contraceptives, Ferutal, Mircette, Ortho Novum,
874	Premarin
875	Buds
876	Glass
877	Methazolamide
880	Frios
881	YLOALE
883	Dextromethorphan hydrobromide <OTC>
884	Snow
885	Drixoral <OTC>
886	Spanish fly
891	Famotidine, Pepcid
892	Carafate, Sucralfate

Code	Definition
893	Estrogen
894	Depakene, Depakote, Valproic acid
895	Tagamet, Cimetidine
896	Catapres, Clonidine
897	Synthroid, Levothyroxine
898	Propylene
899	Bromophen
900	Not a drug
900	Non-drug reason given for a drug
1001	Benadryl, Diphenhydramine <OTC>
1002	Dimenhydrinate, Dramamine, sea/motion sickness pill <OTC>
1003	Donnatal
1004	Valerian <OTC>
1005	Imovane, Zopiclone
1006	Oxcarbazepine, Trileptal
1007	Robitussin P.M. <OTC>
1008	Rohr 714, Rorer 714
1009	Mogadon, Nitrazepam
1010	Diprivan, Propofol
1011	Lunesta
1012	Brevital, Methohexital
1013	Ambien CR
1014	Tylenol Flu Nighttime <OTC>
1015	Wild lettuce
1016	Phenazepam
1017	Ramelteon, Rozerem
1018	Advil PM <OTC>
1019	Donormyl <OTC>
1020	Hyoscine, Levo-duboisine, Scopolamine
1021	Seroquel XR
1022	Atropine
1023	Relaxen <OTC>
1024	Homemade sedative
1025	Acetaminophen P.M., including non-Tylenol brands <OTC>
1026	Moon drops <OTC>
1027	ZzzQuil <OTC>
2001	Sanoma, Soma, Carisoprodol
2002	Muscle relaxers
2003	Zanies, zannies, zans, zany bars
2004	Bromazepam, Lexillum, Lexomil, Lexotan, Lexotanil
2005	Insidon, Opipramol
2006	Chlorzoxazone
2007	R2
2008	747
2009	Droperidol, Inapsine
2010	Buscopan, Espacil

Code	Definition
2011	Lexapro
2012	Geodon, Ziprasidone
2013	Hyoscyamine, Levsin
2014	Methoxisal, Robaxisal
2015	Flexodin
2016	Xanax XR
2017	Motival
2018	4 Bar, Quad Bar
2019	Soma Compound
2020	Invega
2022	Tetrazepam
2023	Tandrilax
2024	Muscoril, Myoril, Neoflax, Thiocolchicoside
2025	Clobazam
2026	Sedoxil
3001	Brown and clear
3002	Pep ups
3003	Primatene tablets <OTC>
3004	Black Cadillac
3006	Green amps
3007	Nasal inhalant
3008	Miniwhites
3009	Ephedrone, Methcathinone
3010	KOOD12
3011	Escalation
3012	Stud 100, stud the rock
3013	Tweek
3014	Uptime
3015	Fen-Phen (fenfluramine and phentermine)
3017	Dayquil <OTC>
3018	Up-johns
3019	Peppies
3020	White powder
3021	Blue balls
3023	Adderall
3024	Yohimbe
3025	Moles [sic]
3026	Bupropion, Wellbutrin, Zyban
3027	Energy pills
3028	Blackbirds
3029	Soccerballs
3030	Red hearts
3031	Brethine, Bricanyl, Terbutaline
3032	Heads up
3033	Metabolife <OTC>
3034	Speckleberry
3035	Blacks
3036	Ripped fuel <OTC>
3037	Effexor
3038	Obenil

Code	Definition
3039	Theophed
3040	Hyper pills
3041	Desbutal
3042	30-30
3043	Brown bodies
3044	Caffeine pills <OTC>
3045	Stay awakes <OTC>
3047	Sudafed <OTC>
3048	Diet Pep <OTC>
3049	Truck driver's speed
3050	Mini thins
3051	Betel nut, beetlenut
3052	Speed; otherwise unspecified
3053	Maxair, Pirbuterol
3054	Up you(r) gas <OTC>
3055	Clenbuterol
3056	Xenadrine <OTC>
3057	Diet Fuel <OTC>
3058	Metabolift <OTC>
3059	Metabolize and Save <OTC>
3060	Hydroxycut <OTC>
3061	Metab-O-Lite <OTC>
3062	Homemade stimulants
3063	Dymetadrine <OTC>
3064	Ephedra, Ma Huang
3065	MA-300 <OTC>
3066	Alert Blue and Clear <OTC>
3067	Spancap
3068	Mini Two-way Action <OTC>
3069	DextroStat
3070	Synatan
3071	Adipokinetix <OTC>
3072	Purple Blast <OTC>
3073	Over-the-counter diet pill; otherwise unspecified <OTC>
3074	Stay Trim <OTC>
3075	Inibex
3076	Norephedrine <OTC>
3077	Concerta
3078	Blue and clears
3079	Orlistat, Xenical
3080	Meridia, Sibutramine
3081	P2P, Phenyl-2-propanone
3082	Fat burner; not otherwise specified
3083	Redotex
3084	Cartwheels
3085	Thermo Carb <OTC>
3086	Adderall XR
3087	Strattera
3088	Super Stingers <OTC>
3089	Christina, Tina
3090	Modafinil, Provigil
3091	Black bombers

Code	Definition
3092	Metadate CD
3093	Supercaps
3094	Dexmethylphenidate, Focalin
3095	LoCarb Turbo <OTC>
3096	Yaba
3097	Bamadex
3098	Zantrex 3 <OTC>
3099	Asenlix, Clobenzorex
3100	Over-the-counter stimulant; not otherwise specified <OTC>
3101	Dexitac Stay Alert Stimulant. <OTC>
3102	Methylin
3103	RedLine. <OTC>
3104	Slimquick. <OTC>
3105	Affinato
3106	Sedalmerck
3107	Guarana. <OTC>
3108	Wellbutrin XL
3109	Dietrex <OTC>
3110	Dexfenfluramine, Redux
3111	LDX, Lisdexamfetamine dimesylate, Vyvanse
3113	Levophed bitartrate, Norepinephrine
3114	Ritalin LA
3115	Isometheptene
3116	MCAT, Mephedrone
3117	Methedrone
3118	alli weight loss pills <OTC>
3119	MDPV, Methylenedioxypyrovalerone
3120	DetoxaTrim <OTC>
3121	Obitol
3122	Armodafinil, Nuvigil
3123	Adrafinil, Olmifon
3124	Focalin XR
3125	3, 4-Ethylenedioxy-N-methylamphetamine, EDMA, MDMC
3126	Pervitin [see also 322]
3127	4-FMA, 4-Fluoromethamphetamine
3128	Jet-Alert <OTC>
3129	JavaSLIM green coffee extract <OTC>
3187	Greenies
3188	Anorex, Leptoprin <OTC>
3189	BetaLean <OTC>
3190	Primatene Mist <OTC>
4001	Actron, Ketoprofen, Orudis, Oruvail
4002	Imitrex, Sumatriptan
4005	Etodolac, Lodine
4007	Happy pills
4008	Brown gel pills
4009	Smilies
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol
4013	Fenoprofen, Nalfon

Code	Definition
4014	Akineton, Biperiden
4018	Nuprin <OTC>
4022	Buprenex
4023	Pamprin <OTC>
4024	Reynol [sic]
4025	Viserol [sic]
4026	Ventrex [sic]
4027	Rorer
4028	Arthrotec
4029	Feldine, Piroxicam
4030	Triple "S"
4031	Cough syrup/medicine with Codeine
4032	Flarex
4033	Vicoprofen
4034	Lilly red
4035	Nabumetone, Relafin
4036	Stagesic
4037	Kadian, MS Contin
4038	Propacet
4039	Daypro, Oxyprozin
4040	Ridaura
4041	Maxalt
4042	M-33
4043	Tramadol
4044	Hydrocodone
4045	Dolgic, Phrenilin Forte, Sedapap
4046	Oxycodone or unspecified oxycodone products
4047	Roxicet
4049	Headache power <OTC>
4050	Percogesic <OTC>
4051	Celebrex
4052	Endocet
4053	Codydramol
4054	Zomax
4055	Vioxx
4056	Cataflam, Diclofenac, Voltaren
4057	Mejoral
4058	Totem poles
4059	Zomig, Zolmitriptan
4060	Ansaid, Flurbiprophen, Majezik
4061	Oramorph SR
4062	Iophen-C Liquid
4063	Naprelan
4064	Epidrin
4065	Roxicodone
4066	Suprax
4067	OxyContin
4068	Roxilox
4069	Benflogin
4070	Flexagen <OTC>
4071	Syncol
4072	Oxycet

Code	Definition
4073	Temgesic
4074	Provil <OTC>
4075	Disalcid, Salflex, Salsalate
4076	Over-the-counter pain reliever; not otherwise specified <OTC>
4077	Tee's
4078	Spasmoproxyn
4079	Anbesol <OTC>
4080	Morphidex
4081	Avamigran
4082	Analgin, Dipyrone, Metamizol, Metamizole, Novalgin, Prodolin
4083	Ultracet
4084	Aktren
4085	Advil Migraine <OTC>
4086	Parafon Forte
4087	Torbugesic/Torbutrol (veterinary butorphanol) [see also 419]
4088	Synthetic heroin
4089	Brompton's solution/mixture
4090	Dorixina
4091	K4
4092	Pain reliever lotion, rub; not specified
4093	Tylenol, Solpadeine
4094	Tombstones
4095	Dihydrocodeine
4096	Bextra, Valdecocib
4097	Tussionex
4098	Banamine
4099	Anacin <OTC>
4100	Excedrin Migraine <OTC>
4101	Myprodol
4102	Meloxicam, Mobic
4103	Terpin Hydrate with Codeine
4104	Dolo-Neurobion
4105	Hydrocodone with APAP; otherwise unspecified
4106	Atroveran
4107	Panlor
4108	Homemade analgesics
4109	Suboxone
4110	Avinza
4111	Clinoril, Sulinac
4112	Saridone
4113	Cosanyl
4114	Nimesulide
4115	Pantopon
4116	Phenergan with Codeine, promethazine with Codeine
4117	Oxy-IR
4118	Sufenta, Sufentanil
4119	Buprenorphine, Subutex
4120	Numorphan, Opana, Oxymorphone
4121	Dorflex

Code	Definition
4122	Combiflam
4123	Dolorex
4124	Relpax
4125	Hycodan, Hydromet, Tussigon
4126	Panafen Plus
4127	Panadeine
4128	Ibuprofen 200 mg/Children's ibuprofen <OTC>
4129	Naproxen Sodium 220 mg <OTC>
4130	Dalgan, Dezocine
4131	Diconal, Dipipanone
4132	Embeda
4133	Tramadol extended release, otherwise specified
4134	Ultram ER
4135	Arcoxia, Etoricoxib
4136	Sedalmex <OTC>
4137	Nucynta
4138	Sprix
4139	Bute tabs, Phenylbutazone
4140	Opana ER (extended release)
4141	Alfenta, Alfentanil
4142	Remifentanil
4143	Vicotuss
4144	Bancap HC
5001	Bleach
5003	Methane
5004	Ink print, paper
5005	Cobra rush
5006	Brake fluid
5007	Fly nap
5008	R-R
5011	Ozone
5012	Negros
5013	Lebel 12
5014	Spray O Buzz
5015	MCH
5016	Masking tape, tape adhesive
5017	Oil, lubricant; otherwise unspecified
5018	B-12 (Spanish)
5019	Melted plastic
5020	Wet cement
5021	Octane booster
5022	Carbon dioxide, CO ₂ , CO ₂ tank, cryogenic cleaning spray, dry ice blasting, dry ice hits
5023	Double eagle
5024	Candle, citronella candle
5025	Lime salt
5026	Silly putty
5027	Benzene
5028	Carburetor cleaner, engine cleaner

Code	Definition
5029	Floor wax
5030	Polyurethane spray
5031	Naphtha
5032	Nitrogen
5033	Sur-noxem
5034	Hippie crack
5035	Brake cleaner
5036	Wart remover
5037	Wood filler, wood putty
5038	Tywall
5039	Acetate
5040	Methanol, wood alcohol
5042	Fuels other than gasoline
5043	Carbona
5044	Powdered cleansers; e.g. Ajax, Comet, Boraxo
5045	Cleaner; not otherwise specified
5046	Glass/window cleaner
5047	Tetrafluoroethylene
5048	MEK, Methyl ethyl ketone
5049	Hand sanitizer; contents unspecified
5050	Burned rubber
5051	Hair chemicals
5052	Silly String
5053	Electronics cleaner
5054	Gum freezer, gum remover
5055	PVC
5056	Eucalyptus oil
5057	Argon
5058	Sealers/sealants; type unspecified
5059	Transmission fluid
5060	Crayons
5061	Lip balm, lip gloss
5062	Amazing Elastic Plastic
5063	Drano/drain cleaner; aerosol unspecified
5064	Erasers
5065	Nail polish dryer, quick drying treatment for nails
5066	Simply Green
5067	Wet Ones wipes
5068	Smoke from a fire
5069	Febreze
5070	Silicone
5071	Purell
5072	Air blast
5073	Goof off
5074	Floor wax stripper
5075	Pine-sol
5076	Water/stain repellant; type unspecified
5077	Resistol
5078	Axe body spray
5079	Shellac

Code	Definition
5080	Tetrachloroethene
5081	Photographic development fluid
5082	Chalk dust
5083	Ethyl chloride
5084	Dry cleaning fluid/solvent
5085	Toilet bowl hook-ons
5086	Dry Fab
5087	Tennis balls, ping pong balls
5088	Jungle juice
5089	Tattoo Goo Color Guard Spray
5090	PVC Cleaner
5091	Germ-X
5092	Burning/ignited permanent marker
5093	Goo Gone
5094	Scotch Brite
5095	"The Works" shower cleaner
5096	Hemp rope
5097	Lysol; aerosol unspecified
5098	Axe/Axe deodorant; aerosol unspecified
5099	HydroCide
5100	TCE, Trichlorethylene
5101	Difluoroethane
5102	Xylene; otherwise unspecified
5103	Shoe dye
5104	Shoe cleaner; otherwise unspecified
5105	Sulfur; otherwise unspecified
5106	Carbon tetrachloride
5107	Alcanfor, camphor
5108	Tag body spray
5109	Tinactin antifungal spray
5110	Graffiti eraser
5111	Homemade napalm
5112	Lotion (body, hand); contents unspecified
5113	Disinfectant; contents unspecified
5114	Green gas propellant
5115	Polish; contents unspecified
5116	Vinegar
5117	Turpentine
5118	Spray adhesive
5119	Battery acid
5120	Ignition spray
5121	Tetrafluoroethane
5122	Leather cleaner
5123	Fixative
5124	Bromine
5125	Difluoromethane
5126	Rubber rejuvenator
5127	Airsoft propellant
5128	Floor sealer
5129	Smoke bomb
5130	Glow stick

Code	Definition
5169	Baking soda
5170	Baby powder
5171	Mouthwash
5172	Shampoo
5173	Tire inflator/sealer; aerosol unspecified
5174	Belt dressing
5175	Acetylene chloride
6001	Collapsing little birds
6003	Cocahina
6004	Hallucinogen seeds
6005	Sassafras, Sassafras tea
6006	Super X
6007	Bathtub
6008	8-Ball
6010	Atrepabelladona (flower)
6012	Cloud 9, cloud 13
6013	Lion's tail, wild dagga
6014	Indo
6015	Crysta
6016	Nas
6017	Meesha
6019	Black dust, black duct [sic]
6021	Snake bite kit (anti-venom)
6022	Tequila worm, agave worm
6023	Euphoria
6024	Blue Jesus
6025	Yellow jell
6026	KJ
6027	Judyfly
6028	Laced flower
6029	DXM
6030	Root
6031	Strychnine
6032	TSP
6033	Ramstein
6034	Pigface
6035	Campana (flower)
6036	Coco weed
6037	Fry
6038	Triplets, trips
6039	Blue Hawaii
6040	Dank
6041	Leaky leak
6042	Super K
6043	Diviner's sage, Salvia divinorum
6044	Gel caps, gel tabs
6045	Blackboards
6046	Aquafoot
6047	Water
6048	Dex
6049	Locoseeds, locoweed seeds
6050	High roller

Code	Definition
6051	Tryptamine, not otherwise specified
6052	Acrylic resin
6053	Toothpicks
6054	Spiny apples
6055	Liberty caps
6056	Wet
6057	Silk
6058	Purple life
6059	Satan flower
6060	Ololiuhqui
6061	5-MeO-DMT
6062	Madderwort, wormwood
6063	Foxglove
6064	Marigold buttons
6065	3CPO
6066	Purple rain
6067	Venus
6068	Blue ice
6069	Peach
6070	DTP
6071	Sinicuichi
6072	JUNO
6073	Rolls
6074	LSA
6075	Trinity
6076	Lemon 714
6077	San Pedro
6078	Trumpet flowers/seeds; type unspecified
6079	Sugar cubes
6080	Purple passion
6081	Shabu
6083	CCC, "Triple C," C3 <OTC>
6084	Devil dust
6085	Dips
6086	Flakes
6087	Ibogaine
6088	Brugmansia
6089	Cake
6090	Heaven
6091	Ergot, rye mold
6092	TCP
6093	Mitsubishi
6094	Mushrooms, specifically not psilocybin
6095	Super cool, super kool
6096	Bananadine
6097	Banana slug slime
6098	Dust; not otherwise specified
6099	Kathmandu Temple Kiff
6100	2C-T-7, T7, blue mystic
6101	Alice in Wonderland
6102	Absinthe
6103	Ayahuasca, Yage, Yahe

Code	Definition
6104	Tish
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6106	Paramethoxyamphetamine, PMA
6107	Ambrosia
6108	Gorilla biscuits
6109	2, 5-Dimethoxyamphetamine, DMA
6110	Mad dog
6111	Syrian rue
6112	2C-T-2
6113	Candy flip
6114	Molly; not otherwise specified
6115	Foxy
6116	Nepenthes
6117	Dragon (with color; not blue/red)
6118	Adrenochrome
6119	Scoop
6120	Lucky seven
6121	Cactus; specifically not peyote
6122	MMDA
6123	Mighty Quinn
6124	Mormon tea
6125	MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I
6127	Skittles
6128	Henbane
6129	Beaner
6130	5-MeO-DiPT, foxy methoxy
6131	Mandrakes
6132	Amanita mushrooms, fly agaric, Muscimol
6133	Acorus calamus, sweet flag
6134	Anadenanthera colubrina, cohoba, vilca, yopo
6135	5-MeO-AMT
6136	Spook
6137	Harmaline
6138	2,5-Dimethoxy-4-ethyl-phenethylamine, 2C-E
6139	2,5-Dimethoxy-4-chlorophenethylamine, 2C-C
6140	MIPT, N-Methyl-N-isopropyltryptamine
6141	Dipropyltryptamine, DPT
6142	Snake venom
6143	2C-X
6144	Di-isopropyl-tryptamine, DiPT
6145	Scooby snacks
6146	5-MeO; otherwise unspecified
6147	Phenethylamines; otherwise unspecified

Code	Definition
6148	Mimosa tree bark
6149	Tiletamine
6150	Mantis root
6151	Matrix
6152	Cigarette dipped in embalming fluid
6153	Asthmador
6154	2,5-Dimethoxy-4-methylphenethylamine, 2C-D
6155	5-MeO-T, 5-Methoxytryptamine
6156	TMA, Trimethoxyamphetamine
6157	Taters
6158	Mulberry seeds/plant
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T
6160	Wacky Weed
6161	Thujone
6162	4-MeO-DMT
6163	Devil's trumpet
6164	Tenocyclidine
6165	PMMA, Paramethoxymethamphetamine
6166	BZP, Benzylpiperazine
6167	4-HO-DMT, Psilocin
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI
6169	2,5-Dimethoxy-4-chloroamphetamine, DOC
6170	Moonflower/pod; otherwise unspecified
6171	4-Acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT
6172	2,5-Dimethoxy-4-(2-fluoroethylthio)phenethylamine, 2C-T-21
6173	2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB
6174	bk-MDMA, Methylone
6175	4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT, Iprocin
6176	3C-Bromo-Dragonfly, DOB-Dragonfly
6177	4-Acetoxy-DiPT, 4-Acetoxy-N,N-diisopropyltryptamine
6178	4-Acetoxy-DMT
6179	4-Hydroxy-MIPT, 4-hydroxy-N, N-methyl-isopropyltryptamine
6180	2C-BCB, TCB-2
6181	4-HO-MET, N-Ethyl-4-hydroxy-N-methyltryptamine
6182	4-Propyl-2,5-dimethoxyphenethylamine
6183	5-MeO-DALT, N, N-diallyl-5-methoxytryptamine
6184	Orange peels
6185	25I-NBOMe, BOM-CI, Cimbi-5, NBOMe-2C-I

Code	Definition
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine
6187	Mugwort
6188	25B-NBOMe, NBOMe-2C-B
6189	25C-NBOMe, NBOMe-2C-C
6190	2, 5-Dimethoxy-4-fluorobenzaldehyde, 2C-F
6191	CI-400, Eticyclidine, PCE
6192	5-MeO-MiPT, 5-methoxy-N-methyl-N-isopropyltryptamine
6193	Fungus; otherwise specified
6194	MDMA derivative; otherwise unspecified
6195	LSZ, Lysergic acid 2,4-dimethylazetidide
6196	Changa
8001	Robitussin elixir
8002	Zantac
8003	Yesca
8004	Guaifenesin
8005	Imodium AD <OTC>
8006	Laxative <OTC>
8007	Gabapentin, Neurontin
8008	Antidepressant; type unspecified
8009	Allergy pills/antihistamine; type unspecified
8010	Zyrtec, Cetirizine <OTC>
8011	Herb, flower, plant; type unspecified
8012	Coriciden <OTC>
8013	Maalox <OTC>
8014	Throat spray/lozenge; type unspecified <OTC>
8015	Bengay <OTC>
8016	Icy Hot <OTC>
8017	Buscapina
8018	Claritromicina
8019	Azithromycin, Z-pack, Zithromax
8020	Allegra, Altiva
8021	Cipro, Ciprofloxacin, Ciloxam
8022	Creatine <OTC>
8023	Myoflex <OTC>
8024	Asthma inhaler, asthma medication, bronchial dilators
8025	Alavert D, Claritin D, or similar <OTC>
8026	Powder
8027	Alavert, Claritin, Loratadine <OTC>
8028	Bactine <OTC>
8029	Flexall <OTC>
8030	Tums <OTC>
8031	Sugar pills
8032	Prilosec, Mopral
8033	Heart medication; type unspecified

Code	Definition
8034	Nutri-calm <OTC>
8035	Prednisone
8036	Norvasc
8037	Thermochrome 5000 <OTC>
8038	Coldact
8039	Kaopectate <OTC>
8040	Trioxsalen
8041	Garlic, garlic oil, garlic tablets <OTC>
8042	Alka Seltzer <OTC>
8043	Accolate
8044	Cephelaxin, Keflex
8045	Gas-X, Mylicon <OTC>
8046	Slim Fast <OTC>
8047	Pepcid AC <OTC>
8048	Theophylline
8049	Sorbitol
8050	Tavist D <OTC>
8051	Sinex <OTC>
8052	Bactrim, Septra
8053	Dristan <OTC>
8054	Beclovent, Beconase
8055	Flonase
8056	Vicks VapoRub/inhaler <OTC>
8057	Natacyn, Natamycin ophthalmic
8058	Cough medicine/syrup; type unspecified
8059	Peroxyl <OTC>
8060	Blue nitro
8061	Entex LA
8062	Mylanta <OTC>
8063	Heparin
8064	Triaminic <OTC>
8065	Tylenol Cold Medication <OTC>
8066	Viagra
8067	Testosterone
8068	Hemorrhoid cream
8069	Decadron, Dexamethasone
8070	Advil Cold and Sinus <OTC>
8071	Augmentin
8072	Deca-Durabolin, Nandrolone decanoate
8073	Deconamine
8074	Fansidar
8075	Effergin <OTC>
8076	Sanzolol, Stanazolol, Winstrol
8077	Azmacort
8078	Vitamin K
8079	Insulin
8080	Depotrone
8081	Primobolan
8082	Robinul
8083	Testosterone cyprionate
8084	Methadrostenol <OTC>

Code	Definition
8085	Anti-psychotics/schizophrenic; type unspecified
8086	Provera
8087	Benzocaine
8088	Dianabol
8089	Sustanol <OTC>
8090	Sustanon, Sustenon
8091	Benzedrex <OTC>
8092	Decaderm
8093	Stacker 2, Stacker 3, <OTC>
8094	Pepto Bismol <OTC>
8095	Over-the-counter asthma pills; not specified <OTC>
8096	Thermicore <OTC>
8097	Tizanidine, Zanaflex
8098	Potassium chloride
8099	Somatech
8100	Kava Kava <OTC>
8101	Colace <OTC>
8102	Nasacort, Triamcinolone
8103	Testosterona 200, Testosterone 300
8104	Thermadrene <OTC>
8105	Sustiva
8106	Methoxy-7 <OTC>
8107	Diovan, Valsartan
8108	Atenonol
8109	Apple cider and vinegar pills <OTC>
8110	Over-the-counter drug/pills; type unspecified <OTC>
8111	Silver chloride
8112	hCG, Human Chorionic Gonadotropin
8113	Test 250, Test 400 <OTC>
8114	Lidocaine
8115	Vicks 44 <OTC>
8116	Herbal Ease <OTC>
8117	Hydrocortisone
8118	Smoking; not otherwise specified
8119	Regal medicated oil
8120	Difulcan
8121	Invirase
8122	Trenbol
8123	Tylenol Sinus <OTC>
8124	Deca-diabolin
8125	Comtrex <OTC>
8126	Valtrex
8127	Damiana <OTC>
8128	Glucosamine <OTC>
8129	Equipoise, Equipoise
8130	Zantac 75 <OTC>
8131	Acacia Gum, carbisol <OTC>
8132	D-bol, Liquid D-bol
8133	Mega Teen <OTC>
8134	Glucophage, Metformin

Code	Definition
8135	Verapamil
8136	Montekulast, Singulair
8137	5-HTP, 5-Hydroxytryptophan <OTC>
8138	Chlorphenamine maleate, Chlorpheniramine maleate, Piriton <OTC>
8139	Chloroquine, Nivaquine
8140	Anamine
8141	Gamma butyrolactone, GBL
8142	Conex Plus
8143	Mycelex
8144	Clarinox, Desloratadine
8145	Cooking extracts (vanilla, lemon, etc.) <OTC>
8146	Tabcin <OTC>
8147	Tylenol Flu <OTC>
8148	Met-Rx <OTC>
8149	Desenfriol <OTC>
8150	Biolex wound gel <OTC>
8151	Flu shot; otherwise unspecified
8152	Thermogenics; otherwise unspecified <OTC>
8153	Nexium
8154	Beta Blocker; otherwise unspecified
8155	Telithromycin
8156	Flumethasone
8157	Colirio
8158	Lipitor
8159	Loperamide, Virola
8160	Eprosartan, Teveten
8161	Echinacea <OTC>
8162	Prevacid
8163	Ditropan
8164	Testosterone propionate
8165	Anavar
8166	White girl
8167	T3, Tri-iodothyronine
8168	Fluoride
8169	TheraFlu <OTC>
8170	Muscle stimulator spray; contents unspecified
8171	Dietary supplements; otherwise unspecified
8172	Cortisone
8173	Chlorhexidine, Exidine
8174	Betadine, Efodine, Iodine <OTC>
8175	CortiSlim <OTC>
8176	TrimSpa <OTC>
8177	Face/body cleanser; contents unspecified
8178	Norateen
8179	Artemesia
8180	Avonex

Code	Definition
8181	Corgard
8182	Clindamycin
8183	St. John's Wort <OTC>
8184	Ondansetron, Periset, Zofran
8185	Pro Plus <OTC>
8186	Lomotil
8187	Xylocaine
8188	Anadrol
8189	Furosemide, Lasix
8190	Benegal
8191	L-Dopa
8192	Delsym, Dextromethorphan polistirex <OTC>
8193	Pertussin <OTC>
8194	Afrin <OTC>
8195	Anti-seizures; type unspecified
8196	Hirudoid
8197	Chronic
8198	Handle bars
8199	Neurobion
8200	Dan(s), Dan Dan(s); no other information
8201	Watson(s); no other information
8202	Intal
8203	Bar; otherwise unspecified
8204	Phloroglucinol, Spasfon
8205	Tylenol Allergy <OTC>
8206	Delatestryl, Testosterone enanthate
8207	Terpin Hydrate
8208	Romilar, form unspecified
8209	Red Bull Energy Drink <OTC>
8210	Mylan(s); no other information
8211	Precose
8212	Finaplix Gold, Trembolona QV75, Trenbolone
8213	Ranitidine
8214	Robo, Robo tripping
8215	Yager's liniment <OTC>
8216	Red Dawn GHR Release <OTC>
8217	Anti-diarrhea medication; type unspecified
8218	Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]
8219	A & D ointment <OTC>
8220	Lavender <OTC>
8221	Omnadren
8222	Protein-based weight gain product, type unspecified
8223	Chocolate
8224	Oxytocin, Pitocin, Syntocinon
8225	Cymbalta, Duloxetine
8226	Bitrex

Code	Definition
8227	Sativa; otherwise unspecified
8228	Boldo
8229	ADHD/ADD medication; otherwise unspecified
8230	Advair
8231	Tussin medication, no other information
8232	Rat/rodent poison; contents unspecified
8233	Keppra, Levetiracetam
8234	Lamisil
8235	Benzonatate, Tessalon
8236	Lyrica, Pregabalin
8237	Kratom
8238	Decongestant; type unspecified
8239	Drotaverine, Drotin
8240	Lamictal, Lamotrigine
8241	Chemotherapy; drug unspecified
8242	Albucid
8243	Guaifenesin
8244	Superdrol <OTC>
8245	Human growth hormone (HGH)
8246	Phenoxyl
8247	Abilify, Aripiprazole
8248	Nano Vapor <OTC>
8249	DMG, N,N-Dimethylglycine HCl <OTC>
8250	Boldenone
8251	Orange oil
8252	Humatrope
8253	Pancof
8254	Green hornet
8255	Sulfuride
8256	Phenylephrine <OTC>
8257	Hoodia product/supplement <OTC>
8258	Vivonex <OTC>
8259	Roloids <OTC>
8260	Dextromine
8261	Chlorophyll <OTC>
8262	Green tea/green tea supplement <OTC>
8263	Stimulin <OTC>
8264	Lipozene <OTC>
8265	Apresoline, Hydralazine
8266	Alka Seltzer Plus <OTC>
8267	Quinine
8268	Protonix
8269	Acai berry supplement (pill, powder, liquid) <OTC>
8270	No-Xplode <OTC>
8271	Catnip
8272	Tri Tren 150, Triple Trenbolone Blend
8273	Goofballs
8274	Terramycin
8275	Obesitol, Safflower oil <OTC>

Code	Definition
8276	Bitter grass, Calea zacatechichi, Dream herb
8277	XL-3
8278	Bufotoxin
8279	Coumadin, Warfarin
8280	MucinexDM <OTC>
8281	Antiseptic; contents unspecified
8282	Salt, Sodium chloride
8283	Synthetic cannabinoids (e.g., K2, Spice, JWH-018)
8284	Desvenlafaxine, Prestiq
8285	Mirapex, Pramipexole
8286	Advant, Atacand, Candesartan
8287	CP 55, 940
8288	Azor
8289	Ear drops; contents unspecified
8290	Dependal-M, Furazolidone, Furoxone
8291	Ritz and Ts, Ts and rits, Ts and Rs
8292	Cigarettes baked/smoked with toothpaste
8293	Lean (Promethazine with codeine mixed with Sprite)
8294	Stevia <OTC>
8295	Tenex
8296	Acetazolamide, Diamox
8297	TussiCaps
8298	Jack3d <OTC>
8299	Broncolin <OTC>
8300	Zylortim <OTC>
8301	Bath salts, otherwise unspecified
8302	Cloud 10 Chill shots <OTC>
8303	Zicam <OTC>
8304	Phenphedrine <OTC>
8305	Anti-anxiety medication; type unspecified
8306	Flu medication; no other information
8307	ExtenZe <OTC>
8308	Devil's club
8309	Mucinex <OTC>
8310	DMAA, Methylhexanamine
8311	Zombie Matter
8312	Intuniv
8313	Medithane
8314	Cloud 10 Ultra
8315	Synthetic cannabis; otherwise unspecified
8316	Piracetam
8317	Namenda
8318	AM-2201
8319	Methotrexate
8320	Abraxane
8321	Botanical Slimming <OTC>
8322	Horny goat weed

Code	Definition
8323	Benzathine benzylpenicillin, Penadur
8324	Lamb's ear
8325	Drostanolone propionate, Masteron
8326	Dalay
8327	7H
8328	Metamine
8329	Artane, Parkopan [see also 369]
8330	Bipolar disorder medication; type unspecified
8331	Diophenyl-T
8332	Myristicin
8333	Moringa
8334	OxyElite Pro
8335	Metatabs
8336	Peridan
8337	Collagen

Alphabetical Listing

NOTE: Due to changes in the NSDUH instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

Definition	Code
10 Ultra, Cloud	8314
10, Chill Shots, Cloud <OTC>	8302
100, Stud	3012
12, Lebel	5013
13, Cloud	6012
150, Tri Tren	8272
2, Stacker <OTC>	8093
2,5-Dimethoxy-4-(2-fluoroethylthio) phenethylamine	6172
2,5-Dimethoxy-4-bromoamphetamine	6173
2,5-Dimethoxy-4-chloroamphetamine	6169
2,5-Dimethoxy-4-chlorophenethylamine	6139
2,5-Dimethoxy-4-ethyl-phenethylamine	6138
2,5-Dimethoxy-4-fluorobenzaldehyde	6190
2,5-Dimethoxy-4-iodoamphetamine	6168
2,5-Dimethoxy-4-iodophenethylamine	6126
2,5-Dimethoxy-4-methylphenethylamine	6154
2,5-Dimethoxy-4-methylthiophenethylamine	6159
2,5-Dimethoxyamphetamine	6109
20/20	358
200, Testosterona	8103
2201, AM-	8318
222	439
222, Canadian	439
222, Frost	429
250, Test <OTC>	8113
25B-NBOMe	6188
25C-NBOMe	6189
25I-NBOMe	6185
2C-B	698
2C-B, NBOMe-	6188
2C-BCB	6180
2C-C	6139
2C-C, NBOMe-	6189
2C-D	6154
2C-E	6138
2C-F	6190
2C-I	6126
2C-I, NBOMe-	6185

Definition	Code
2C-T	6159
2C-T-2	6112
2C-T-21	6172
2C-T-7	6100
2C-X	6143
3,4-Ethylenedioxy-N-methylamphetamine	3125
3,4-Methylenedioxy-N-Ethylamphetamine	6125
300, AM-<OTC>	3065
300, Testosterone	8103
30-30	3042
33, OP	393
357 Magnum <OTC>	333
3C-Bromo-Dragonfly	6176
3CPO	6065
3-IT	6105
3-MeO-2-Oxo-PCE	6186
4 Bar	2018
40, F-	397
400, CI-	6191
400, Paris	837
400, Test <OTC>	8113
44, Magnum <OTC>	333
44, Vicks <OTC>	8115
49B, BOHA-	699
4-Acetoxy-DiPT	6177
4-Acetoxy-DMT	6178
4-Acetoxy-N, N-diisopropyltryptamine	6177
4-Acetoxy-N,N-dimethyltryptamine	6171
4-AcO-DMT	6171
4-Fluoromethamphetamine	3127
4-FMA	3127
4-HO-DiPT	6175
4-HO-DMT	6167
4-HO-MET	6181
4-Hydroxy-MIPT	6179
4-Hydroxy-N,N-diisopropyltryptamine	6175
4-Hydroxy-N,N-methyl-isopropyltryptamine	6179
4-MeO-DMT	6162
4-Propyl-2, 5-dimethoxyphenethylamine	6182
4-way	625
4-way pane	625

Definition	Code
5, Cimbi-	6185
5000, Thermochrome <OTC>	8037
52, ALD-	652
5-HTP <OTC>	8137
5-Hydroxytryptophan <OTC>	8137
5-MeO; otherwise unspecified	6146
5-MeO-AMT	6135
5-MeO-DALT	6183
5-MeO-DiPT	6130
5-MeO-DMT	6061
5-MeO-MiPT	6192
5-MeO-T	6155
5-Methoxytryptamine	6155
7-14	137
714, Lemon	6076
714, Rohr	1008
714, Rorer	1008
747	2008
75, Zantac <OTC>	8130
7H	8327
8-Ball	6008
9, Cloud	6012
A & D ointment <OTC>	8219
Abilify	8247
Abraxane	8320
Absinthe	6102
Acacia Gum	8131
Acai berry supplement (pill, powder, liquid) <OTC>	8269
Accolate	8043
Acepromazine	298
Acetaminophen <OTC>	450
Acetaminophen P.M., incl non-Tylenol brands <OTC>	1025
Acetate	5039
Acetazolamide	8296
Acetone	518
Acetoxy-DiPT, 4-	6177
Acetoxy-N,N-dimethyltryptamine, 4-	6171
Acetylene	563
Acetylene chloride	5175
Acid	601
Acid paper	618
Acid, battery	5119
Acid, Blotter	618
Acid, Mefenamic	498
Acid, Valproic	894
AcO-DMT, 4-	6171
Acorus calamus	6133
Acrylic resin	6052
Actifed <OTC>	148
Action, Mini Two-way <OTC>	3068

Definition	Code
Actiq	465
Actron	4001
Acular	481
Acxion	313
AD, Imodium <OTC>	8005
Adapin	247
ADD medication, ADHD/; otherwise unspecified	8229
Adderall	3023
Adderall XR	3086
ADHD/ADD medication; otherwise unspecified	8229
Adhesive tape	5016
Adhesive, spray	5118
Adipex-P	313
Adipokinetix <OTC>	3071
Adrafinil	3123
Adrenalin	3046
Adrenochrome	6118
Advair	8230
Advant	8286
Advil <OTC>	425
Advil Cold and Sinus <OTC>	8070
Advil Migraine <OTC>	4085
Advil PM <OTC>	1018
Aerosol sprays other than spray paints	503
Affinato	3105
Afrin <OTC>	8194
Agaric, Fly	6132
Agave worm	6022
Aid, Kool	558
Air blast	5072
Air brush cartridge	591
Air brush propellant	591
Air duster, Computer	592
Air horn	537
Air, Canned	590
Air, Compressed	590
Air, Pro-	377
Airplane glue	504
Airsoft propellant	5127
Akineton	4014
Aktren	4084
Alavert <OTC>	8027
Alavert D <OTC>	8025
Albucid	8242
Albuterol	377
Alcanfor	5107
Alcohol	807
Alcohol, Rubbing	548
Alcohol, Wood	5040
ALD-52	652

Definition	Code
Alert Blue and Clear <OTC>	3066
Alert Stimulant, Dexitac Stay <OTC>	3101
Alert, Jet- <OTC>	3128
Alert, Max	390
Aleve <OTC>	499
Alfenta	4141
Alfentanil	4141
Alice in Wonderland	6101
Alka Seltzer <OTC>	8042
Alka Seltzer Plus <OTC>	8266
All of the ones I've tried	808
Allegra	8020
Allerest <OTC>	841
Allergy pills/antihistamine; type unspecified	8009
Allergy, Tylenol <OTC>	8205
alli weight loss pills <OTC>	3118
Alpha-methyltryptamine	6105
Alprazolam	209
Altiva	8020
Aluminum chloride	827
Alupent	826
Alurate	154
AM-2201	8318
AM-300 <OTC>	3065
Amanita mushrooms	6132
Amazing Elastic Plastic	5062
Ambien	174
Ambien CR	1013
Ambrosia	6107
Amitriptyline	228
Ammonia, Spirits of	542
Amobarbital	114
Amoxicillin	821
AMP	688
Amphetamine, 2,5-Dimethoxy	6109
Amphetamine, 2,5-Dimethoxy-4-chloro	6169
Amphetamine, 2,5-Dimethoxy-4-iodo	6168
Amphetamine, Methylenedioxy	614
Amphetamine, Paramethoxy	6106
Amphetamines	339
Ampicillin	821
Amps, Green	3006
Amputee gas cleanser	561
AMT	6105
AMT, 5-MeO	6135
Amyl nitrite	506
Amytal	103
Anacin <OTC>	4099
Anadenanthrea colubrina	6134
Anadrol	8188

Definition	Code
Anafranil	293
Analgesics, Homemade	4108
Analgin	4082
Anamine	8140
Anaprox	438
Anavar	8165
Anbesol <OTC>	4079
Anesthetics other than halothane and ether	507
Anexsia	434
Angel dust	605
Angel's trumpet	695
Anileridine	416
Animal tranquilizer	663
Anorex <OTC>	3188
Ansaid	4060
Ansiovit <OTC>	199
Antabuse	836
Anti-anxiety medication; type unspecified	8305
Antibiotic	858
Antidepressant; type unspecified	8008
Anti-diarrhea medication; type unspecified	8217
Antifreeze	588
Antifungal spray, Tinactin	5109
Antihistamine	843
Antihistamine, Allergy pills/; type unspecified	8009
Antipsychotics/schizophrenic; type unspecified	8085
Anti-seizures; type unspecified	8195
Antiseptic; type unspecified	8281
Anxiety medication, Anti-; type unspecified	8305
Apple cider and vinegar pills <OTC>	8109
Apple gas, Ban	562
Apple, Thorn	650
Apples, Spiny	6054
Apresoline	8265
Aquafoot	6046
Arcoxia	4135
Argon	5057
Ariel	487
Aripiprazole	8247
Armodafinil	3122
Artane	8329
Artane [used before 2012]	369
Artemesia	8179
Arthrotec	4028
Asendin	249
Asenlix	3099
Aspirin <OTC>	430
Aspirin with Codeine	444

Definition	Code
Asthma inhaler	8024
Asthma medication	8024
Asthma pills, Over-the-counter; not otherwise specified <OTC>	8095
Asthmador	6153
Atacand	8286
Atarax	216
Atenonol	8108
Ativan	207
Atrepabelladona (flower)	6010
Atretol	4011
Atropine	1022
Atroveran	4106
Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]	8218
Augmentin	8071
Avamigran	4081
Aventyl	250
Avinza	4110
Avonex	8180
Awakes, Stay <OTC>	3045
Axe body spray	5078
Axe/Axe deodorant; aerosol unspecified	5098
Ayahuasca	6103
Azithromycin	8019
Azmacort	8077
Azor	8288
B-12 (Spanish)	5018
Baby powder	5170
Baclofen	288
Bactine <OTC>	8028
Bactrim	8052
Baked/smoked with toothpaste, Cigarettes	8292
Baking soda	5169
Ball, 8-	6008
Balls, Blue	3021
Balls, Moth	529
Balls, Ping pong	5087
Balls, Tennis	5087
Balm, Lip	5061
Bam(s)	363
Bamadex	3097
Ban apple gas	562
Banamine	4098
Banana peels	678
Banana slug slime	6097
Bananadine	6096
Bancap HC	4144
Bar, 4	2018
Bar, quad	2018

Definition	Code
Bar; otherwise unspecified	8203
Barbital, Sodium	156
Barbiturates	157
Bark, Mimosa tree	6148
Barrel, Orange	657
Bars, Handle	8198
Bars, Xanax	209
Bars, Zany	2003
Bath salts, otherwise unspecified	8301
Bathtub	6007
Battery acid	5119
Bean	177
Beaner	6129
Beauties, Black	327
Beauty, Black	327
Beclovent	8054
Beconase	8054
Beer	807
Beetlenut	3051
Belladona	142
Belladona flower	187
Belladona plant	187
Belladona root	187
Bells, Hell	679
Belt dressing	5174
Benadryl	1001
Benegal	8190
Benflogin	4069
Bengay <OTC>	8015
Bennies	344
Bentyl	146
Benzathine benzylpenicillin	8323
Benzedrex <OTC>	8091
Benzedrine	304
Benzene	5027
Benzocaine	8087
Benzodiazepines	278
Benzonatate	8235
Benzphetamine	309
Benzylpenicillin, Benzathine	8323
Benzylpiperazine	6166
Berry supplement (pill, powder, liquid), Acai <OTC>	8269
Beta Blocker; otherwise unspecified	8154
Betadine <OTC>	8174
BetaLean <OTC>	3189
Betel nut	3051
Bextra	4096
Binaca	541
Biolex wound gel <OTC>	8150
Biperiden	4014
Biphetamine	305
Bipolar disorder medication; type unspecified	8330

Definition	Code
Bird eggs	329
Bird, Speckled	330
Birds, Blue	330
Birds, Collapsing little	6001
Biscuits, Gorilla	6108
Bismol, Pepto <OTC>	8094
Bitartrate, Levophed	3113
Bite kit, Snake	6021
Bitrex	8226
Bitter grass	8276
bk-MDMA	6174
Black beauties	327
Black beauty	327
Black bombers	3091
Black Cadillac	3004
Black cats	395
Black duct [sic]	6019
Black dust	6019
Black jack	571
Black molly	345
Black Owsley	630
Black pills, Heart-shaped	357
Black RJs	396
Black tar heroin	707
Black widows	139
Blackbirds	3028
Blackboards	6045
Blacks	3035
Blancs	331
Blast, Air	5072
Blast, Purple <OTC>	3072
Blasting, Dry ice	5022
Bleach	5001
Blend, Triple Trenbolone	8272
Blocker, Beta; otherwise unspecified	8154
Blood pressure medication	844
Blotter (acid)	618
Blue and Clear, Alert <OTC>	3066
Blue and clears	3078
Blue balls	3021
Blue birds	330
Blue dragon	620
Blue Hawaii	6039
Blue ice	6068
Blue jays	330
Blue Jesus	6024
Blue meanies	163
Blue mystic	6100
Blue nitro	8060
Blue ringer	281
Blue robins	330
Blues	191
Blues, Red and	184
Blues, T's and	457

Definition	Code
Boat	659
Boat horn	537
Bodies, Brown	3043
Body cleanser, Face/; contents unspecified	8177
Body spray, Axe	5078
Body spray, Tag	5108
BOHA-49B	699
Boldenone	8250
Boldo	8228
Bolt	506
Bomb, Smoke	5129
Bombers, Black	3091
BOM-CI	6185
Bone	833
Bontril	349
Boomers	866
Booster, Octane	5021
Boron	867
Botanical Slimming <OTC>	8321
Bottle, Carbon from empty soft drink	586
Bottoms, Tops and	457
Bowl hook-ons, Toilet	5085
Brake cleaner	5035
Brake fluid	5006
Brasso	542
Brethnine	3031
Brevital	1012
Bricanyl	3031
Brite, Scotch	5094
Brolamfetamine	6173
Bromazepam	2004
Bromine	5124
Bromo mescaline	698
Bromophen	899
Brompton's solution/mixture	4089
Bronchial dilators	8024
Broncolin <OTC>	8299
Brown and clear	3001
Brown bodies	3043
Brown gel pills	4008
Brugmansia	6088
Brush cartridge, Air	591
Brush propellant, Air	591
B's, Tee's and	457
Buds	875
Bufferin <OTC>	436
Bufotenin	660
Bufotoxin	8278
Bull Energy Drink, Red <OTC>	8209
Bull, Mad	830
Buprenex	4022
Buprenorphine	4119
Bupropion	3026

Definition	Code
Burned rubber	5050
Burner, Fat; not otherwise specified	3082
Burning/ignited permanent marker	5092
Buscapina	8017
Buscopan	2010
BuSpar	211
Buspirone	211
Butalbital	186
Butane	525
Butazolidin	471
Bute tabs	4139
Buticaps	102
Butisol	101
Butorphanol, Torbugesic/Torbutrol (veterinary)	4087
Butter crank, Peanut	368
Butyrolactone, Gamma	8141
BZP	6166
Calea zacatechichi	8276
Camphor	5107
Candesartan	8286
Cannabinoids (e.g. K2l Spice, JWH-018), Synthetic	8283
Cannabinol	802
Cannabis, Synthetic; otherwise unspecified	8315
Carbamazepine	4011
Carbatrol	4011
Carbon dioxide	5022
Carbon from empty soft drink bottle	586
Carbon monoxide	545
Carbon tetrachloride	5106
Cartridge, Air brush	591
Cataflam	4056
Catapres	896
Catnip	8271
Cats, Black	395
CCC	6083
CD, Metadate	3092
Celebrex	4051
Celexa	291
Cement, Rubber	504
Cement, Wet	5020
Centrax	208
Cephelaxin	8044
Cetirizine <OTC>	8010
Chalk dust	5082
Champagne, Pink	807
Changa	6196
CHC	516
Chemical glue	504
Chemicals, Hair	5051
Chemotherapy; drug unspecified	8241

Definition	Code
Chewing tobacco	816
Children's ibuprofen <OTC>	4128
Chill Shots, Cloud 10 <OTC>	8302
Chillers	555
Chloral hydrate	117
Chlordiazepoxide	202
Chlorhexidine	8173
Chloride, Acetylene	5175
Chloride, Aluminum	827
Chloride, Ethyl	5083
Chloride, Methyl	550
Chloride, Potassium	8098
Chloride, Silver	8111
Chloride, Sodium	8282
Chlorine	595
Chloroamphetamine, 2,5-dimethoxy-4-	6169
Chlorofluorocarbon	516
Chloroform	507
Chlorophenethylamine, 2-5-dimethoxy-4-	6139
Chlorophyll <OTC>	8261
Chloroquine	8139
Chlorphenamine maleate	8138
Chlorpheniramine maleate	8138
Chlorzoxazone	2006
Chocolate	8223
Chorionic Gonadatropin, Human	8112
Christina	3089
Christmas tree(s)	374
Chronic	8197
CI, BOM-	6185
CI-400	6191
Cider and vinegar pills, Apple <OTC>	8109
Cigarette dipped in embalming fluid	6152
Cigarettes baked/smoked with toothpaste	8292
Cigarettes, (type unspecified)	813
Cigars	812
Ciloxan	8021
Cimbi-5	6185
Cimetidine	895
Cipro	8021
Ciprofloxacin	8022
Citalopram	291
Citronella candle	5024
Clarinox	8144
Claritin <OTC>	8027
Claritin D <OTC>	8025
Claritromicina	8018
Clay, Femo	596
Cleaner, "The Works" shower	5095
Cleaner, Brake	5035

Definition	Code
Cleaner, Carburetor	5028
Cleaner, Computer	592
Cleaner, Drano/Drain; aerosol unspecified	5063
Cleaner, Electronics	5053
Cleaner, Engine	5028
Cleaner, Glass/window	5046
Cleaner, Leather	5121
Cleaner, Lens	542
Cleaner, not otherwise specified	5045
Cleaner, Oven	551
Cleaner, PVC	5090
Cleaner, Shoe; otherwise unspecified	5104
Cleaner, Tire shine/tire	589
Cleaning fluid/solvent, Dry	5084
Cleaning fluids	509
Cleaning spray, Cryogenic	5022
Cleanser, Face/body; contents unspecified	8177
Cleansers, Powdered; e.g. Ajax, Comet, Boraxo	5044
Clear, Alert Blue and <OTC>	3066
Clear, Brown and	3001
Clears, Blue and	3078
Clenbuterol	3053
Clindamycin	8182
Clinoril	4111
Clobazam	2025
Clobenzorex	3099
Clomipramine	293
Clonazepam	246
Clonidine	896
Clorazepate	206
Cloud 10 Chill Shots <OTC>	8302
Cloud 10 Ultra	8314
Cloud 13	6012
Cloud 9	6012
Cloves	639
Clozapine	282
Clozaril	282
Club, Devil's	8308
Club, Mickey Mouse	623
CO	545
CO ₂	5022
CO ₂ tank	5022
Cobra rush	5005
Coca	805
Cocahina	6003
Cocaína	805
Cocaine	805
Coco weed	6036
Codeine	415
Codeine mixed with Sprite), Lean (Promethazine with	8293

Definition	Code
Codeine, Aspirin with	444
Codeine, Cough syrup/medicine with	4031
Codeine, Fiorinal with	455
Codeine, Organidin with	453
Codeine, Phenaphen with	410
Codeine, Promethazine with	4116
Codeine, Robitussin AC with	480
Codeine, Terpin Hydrate with	4103
Codeine, Tylenol with	409
Codydramol	4053
Coffee <OTC>	815
Coffee extract, JavaSLIM green <OTC>	3129
Cogentin	371
Co-Gesic	434
Cohoba	6134
Coke	805
Colace <OTC>	8101
Cold and Sinus, Advil <OTC>	8070
Cold Medication, Tylenol <OTC>	8065
Cold medicine <OTC>	843
Cold tablets <OTC>	843
Coldact	8038
Colirio	8157
Collagen	8337
Collapsing little birds	6001
Cologne	548
Color Guard Spray, Tattoo Goo	5089
Colubrina, Anadenanthrea	6134
Combiflam	4122
Compazine	230
Compound, Soma	2019
Compressed air	590
Computer air duster	592
Computer cleaner	592
Comtrex <OTC>	8125
Concerta	3077
Condensed horn	537
Conex Plus	8142
Contac <OTC>	841
Contact cleaner, Electric	564
Contin, MS	4037
Contraceptives	873
Control	378
Cooking extracts (vanilla, lemon, etc.) <OTC>	8145
Cool, Super	6095
Corgard	8181
Coriciden <OTC>	8012
Correction fluids	509
CortiSlim <OTC>	8175
Cortisone	8172
Cosanyl	4113

Definition	Code
Cough medicine, over-the-counter (contents unspecified) <OTC>	840
Cough medicine/syrup; type unspecified	8058
Cough syrup/medicine with Codeine	4031
Coumadin	8279
CP 55, 940	8287
CR, Ambien	1013
Crack	806
Crack, Hippie	5034
Crank [see also 3126]	322
Crank, Peanut butter	368
Crayons	5060
Cream, Hemorrhoid	8068
Cream, Strawberry whip	252
Creatine <OTC>	8022
Cricket	653
Cricketshit	653
Criss Cross	359
Cross tops	334
Cross, Criss	359
Cross, Red	495
Cross, White	326
Crosses, Little	384
Crosses, Pink	398
Crossroads	334
Cryogenic cleaning spray	5022
Crysta	6015
Crystal	348
Crystal meth	355
Crystal T	610
Cubes, Sugar	6079
Cyclobenzaprine	234
Cylert	319
Cymbalta	8225
Cyprionate, Testosterone	8083
D, Alavert <OTC>	8025
D, Claritin <OTC>	8025
D, Tavist <OTC>	8050
Dagga, wild	6013
Dalay	8326
Dalga	4130
Dalmane	111
Damiana <OTC>	8127
Dan Dan(s); no other information	8200
Dan(s)	8200
Darvocet	427
Darvocet-N	427
Darvon	401
Datura stramonium	650
Dawn GHR Release, Red <OTC>	8216
Daypro	4039
Dayquil <OTC>	3017

Definition	Code
Daytura	650
D-bol	8132
D-bol, Liquid	8132
DC, Synalgos	447
Deadly nightshade	187
Debs	394
Decaderm	8092
Deca-diabolin	8124
Decadron	8069
Deca-Durabolin	8072
Deconamine	8073
Deconate, Nandralone	8072
Decongestant; type unspecified	8238
Deficit disorder meds, Attention; type unspecified [added in 2006; changed to code 8229 beginning in 2007]	8218
Degreasers	509
Delatestryl	8206
Delsym <OTC>	8192
Demerol	407
Dentist gas	508
Deodorant	534
Deodorant, Axe/Axe; aerosol unspecified	5098
Depakene	894
Depakote	894
Dependal-M	8290
Depotrone	8080
Deprol	214
Desbutal	3041
Desenfrinol <OTC>	8149
Designer drugs	648
Desipramine	259
Desloratadine	8144
Desoxyn	306
Desvenlafaxine	8284
Desyrel	225
DET	616
Detergent, Dishwashing	560
Detergent, Laundry	560
DetoxaTrim <OTC>	3120
Development fluid, Photographic	5081
Devil dust	6084
Devil(s), Red	145
Devil's club	8308
Devil's trumpet	6163
Dex	6048
Dexamethasone	8069
Dexamyl	302
Dexatrim <OTC>	335
Dexedrine	301
Dexfenfluramine	3110
Dexies	356

Definition	Code
Dexitac Stay Alert Stimulant <OTC>	3101
Dexmethylphenidate	3094
Dextroamphetamine	320
Dextromethorphan hydrobromide <OTC>	883
Dextromethorphan polistirex <OTC>	8192
Dextromine	8260
DextroStat	3069
Dezocine	4130
Diamox	8296
Dianabol	8088
Diarrhea medication, Anti; type unspecified	8217
Dichloride, Ethylene	598
Diclofenac	4056
Diconal	4131
Dicyclomine	146
Didrex	309
Diet Fuel <OTC>	3057
Diet Pep <OTC>	3048
Diet pill, Over-the-counter; not otherwise specified <OTC>	3073
Diet pills	336
Dietary supplements; otherwise unspecified	8171
Diethylpropion	307
Dietrex <OTC>	3109
Diffunisal	443
Difluoroethane	5101
Difluoromethane	5125
Difulcan	8120
Dihydrocodeine	4095
Di-isopropyl-tryptamine	6144
Dilantin	141
Dilators, Bronchial	8024
Dilaudid	408
Dimenhydrinate <OTC>	1002
Dimetapp <OTC>	136
Dimethoxy-4-(2-fluoroethylthio) phenethylamine, 2,5-	6172
Dimethoxy-4-chloroamphetamine, 2,5-	6169
Dimethoxy-4-chlorophenethylamine, 2-5-	6139
Dimethoxy-4-ethyl-phenethylamine, 2-5-	6138
Dimethoxy-4-iodoamphetamine, 2,5-	6168
Dimethoxy-4-methylphenethylamine, 2,5-	6154
Dimethoxy-4-methylthiophenethylamine, 2,5-	6159
Dimethoxyamphetamine, 2,5-	6109
Dimethylglycine HCl, N,N- <OTC>	8249
Dimethyltryptamine	616

Definition	Code
Dimethyltryptamine, 4-acetoxy-N,N-	6171
Diocam	246
Diophenyl-T	8331
Diovan	8107
Dioxide, Carbon	5022
Diphenhydramine <OTC>	1001
Dipipanone	4131
Dipped in embalming fluid, Cigarette	6152
Diprivan	1010
Dipropyltryptamine	6141
Dips	6085
DiPT	6144
DiPT, 4-Acetoxy	6177
DiPT, 4-HO	6175
Dipyrone	4082
Disalcid	4075
Dishwashing detergent	560
Disinfectant; contents unspecified	5113
Disorder medication; type unspecified, Bipolar	8330
Disorder meds, Attention deficit; type unspecified; [added in 2006; changed to code 8229 beginning in 2007]	8218
Ditropan	8163
Diuretics	865
Diviner's sage	6043
Divinorum, Salvia	6043
DMA	6109
DMAA	8310
DMG	8249
DMT	616
DMT, 4-Acetoxy	6178
DMT, 4-AcO-	6171
DMT, 4-HO-	6167
DMT, 4-MeO-	6162
DMT, 5-MeO-	6061
DOB	6173
DOB-Dragonfly	6176
DOC	6169
Dog, Mad	6110
DOI	6168
Dolac	481
Dolene	402
Dolox	445
Dolgic	4045
Dolobid	443
Dolo-Neurobion	4104
Dolophine	418
Dolorex	4123
DOM	636
Donnatal	1003
Donormyl <OTC>	1019
Dopa, L-	8191

Definition	Code
Dope	704
Dorflex	4121
Doriden	106
Dorixina	4090
Dormicum	237
Dormin <OTC>	190
Double eagle	5023
Downers	120
Doxepin	247
DPT	6141
Dragon (with color; not blue/red)	6117
Dragon, Blue	620
Dragon, Red	621
Dragonfly, 3C-Bromo-	6176
Dragonfly, DOB-	6176
Drain cleaner, Drano/; aerosol unspecified	5063
Dramamine <OTC>	1002
Drano/drain cleaner; aerosol unspecified	5063
Dream Ease <OTC>	172
Dream herb	8276
Dressing, Belt	5174
Drink, Red Bull Energy <OTC>	8209
Dristan <OTC>	8053
Driver's speed, Truck	3049
Drixoral <OTC>	885
Droperidol	2009
Drops, Lemon	693
Drops, Moon <OTC>	1026
Drostanolone propionate	8325
Drotaverine	8239
Drotin	8239
Drug/pills, Over-the-counter; type unspecified <OTC>	8110
Drugs, Designer	648
Drugs, Homemade	615
Dry cleaning fluid/solvent	5084
Dry ice blasting	5022
Dry ice hits	5022
Dryer, Nail polish	5065
Drying treatment for nails, quick	5065
DTP	6070
Dubosine, Levo-	1020
Duckweed	613
Duct, Black [sic]	6019
Duloxetine	8225
Durabolin, Deca-	8072
Duradin	476
Duragesic	465
Duromine	366
Durrax	217
Dust, Angel	605
Dust, Black	6019

Definition	Code
Dust, Chalk	5082
Dust, Devil	6084
Dust, Monkey	670
Dust; not otherwise specified	6098
Duster, Computer air	592
DXM	6029
Dye, Shoe	5103
Dymetadrine <OTC>	3063
Eagle, Double	5023
Ear drops; contents unspecified	8289
Ear, Lamb's	8324
Ease, Dream <OTC>	172
Ease, Herbal <OTC>	8116
Echinacea <OTC>	8161
Ecotrin <OTC>	430
Ecstasy	606
Ecstasy, Herbal	386
EDMA	3125
Effergin <OTC>	8075
Effexor	3037
Efodine <OTC>	8174
Eggs, Bird	329
Eggs, Robin's	329
Eggs, Speckled	329
Elastic Plastic, Amazing	5062
Electric contact cleaner	564
Electronics cleaner	5053
Elephant, Flying	655
Elixir, Robitussin	8001
Embalming fluid	852
Embalming fluid, Cigarette dipped in	6152
Embeda	4132
Empirin <OTC>	430
Empirin 3	444
Empirin 4	444
Empty soft drink bottle, Carbon from	586
Enanthate, Testosterone	8206
Endocet	4052
Energine	556
Energy Drink, Red Bull <OTC>	8209
Energy pills	3027
Engine cleaner	5028
Entex LA	8061
Ephedra	3064
Ephedrine	332
Ephedrone	3009
Epidrin	4064
Epinephrine	3046
Epitol	4011
Eprosartan	8160
Equagesic	242
Equanil	213
Equipoise	8129

Definition	Code
ER (extended release), Opana	4140
ER, Ultram	4134
Eraser, Graffiti	5110
Erasers	5064
Ergot	6091
Erythromycin	846
Escalation	3011
Eskabarb	152
Eskatrol	303
Espacil	2010
Estazolam	188
Estrogen	893
Etam	572
Ethanol	807
Ethchlorvynol	105
Ether	507
Ethyl chloride	5083
Ethyl ketone, Methyl	5048
Ethylamphetamine, 3,4-Methylenedioxy-N-	6125
Ethylene dichloride	598
Ethyl-phenethylamine, 2-5-dimethoxy-4-	6138
Eticyclidine	6191
Etodolac	4005
EtOH	807
Etoricoxib	4135
Etrafon	243
Eucalyptus oil	5056
Euphoria	6023
Eve	654
Excedrin <OTC>	468
Excedrin Migraine <OTC>	4100
Excedrin P.M. <OTC>	181
Exhaust fumes, Car tailpipe	545
Exhaust fumes, Gasoline motor	545
Exidine	8173
ExtenZe <OTC>	8307
Extract, JavaSLIM green coffee <OTC>	3129
Extracts, Cooking (vanilla, lemon, etc.) <OTC>	8145
Extra-Strength, Tylenol <OTC>	435
F-40	397
Fab, Dry	5086
Face/body cleanser; contents unspecified	8177
Famotidine	891
Fansidar	8074
Fast, Slim <OTC>	8046
Fastin	313
Fat burner; not otherwise specified	3082
Febreze	5069

Definition	Code
Feet, Spider in my	686
Feldine	4029
Felt-tip pens	511
Femo clay	596
Fenfluramine	314
Fenfluramine and phentermine, Fen-Phen	3015
Fenoprofen	4013
Fen-Phen (fenfluramine and phentermine)	3015
Fentanyl	465
Ferutal	873
Filler, Wood	5037
Finalin	458
Finaplex Gold	8212
Fingers, Purple	664
Fioricet	424
Fiorinal	426
Fiorinal with Codeine	455
Fire halt	536
Fire, Smoke from a	5068
Fixative	5123
Flag, Sweet	6133
Flakes	6086
Flarex	4032
Flexagen <OTC>	4070
Flexall <OTC>	8029
Flexeril	234
Flexodin	2015
Flip, Candy	6113
Flonase	8055
Floor sealer	5128
Floor wax	5029
Floor wax stripper	5074
Flower, Atrepabelladona	6010
Flower, Belladona	187
Flower, Campana	6035
Flower, Laced	6028
Flower, plant, Herb; type unspecified	8011
Flower, Satan	6059
Flowers/seeds, Trumpet; type unspecified	6078
Floyd, Pink	642
Flu medication; no other information	8306
Flu Nighttime, Tylenol <OTC>	1014
Flu shot; otherwise unspecified	8151
Flu, Tylenol <OTC>	8147
Fluid), Whack (embalming	852
Fluid, Brake	5006
Fluid, Cigarette dipped in embalming	6152
Fluid, Photographic development	5081
Fluid, Starting	594
Fluid, Transmission	5059
Fluid/Solvent, Dry cleaning	5084

Definition	Code
Fluids, Cleaning	509
Fluids, Correction	509
Fluids, Lighter	501
Flumethasone	8156
Flunitrazepam	268
Fluoride	8168
Fluoroethylthio) phenethylamine, 2,5-dimethoxy-4-(2-	6172
Fluoromethamphetamine, 4-	3127
Fluoxetine	241
Flurazepam	111
Flurbiprophen	4060
Fluvoxamine	294
Fly agaric	6132
Fly, Spanish	886
Flying elephant	655
Flynep	5007
FMA, 4-	3127
Focalin	3094
Focalin XR	3124
Football, Pink	382
Footballs	382
Footballs, Purple	382
Formaldehyde	852
Forte, Norgesic	445
Forte, Parafon	4086
Forte, Phrenilin	4045
Fortis, Mepergan	458
Foxglove	6063
Foxy	6115
Foxy methoxy	6130
Freebase	810
Freezer, Gum	5054
Freon	516
Frios	880
Frost 222	429
Fry	6037
Fuel, Diet <OTC>	3057
Fuel, Jet	626
Fuel, Ripped <OTC>	3036
Fuel, Rocket	629
Fuels other than gasoline	5042
Fumes, Car tailpipe exhaust	545
Fumes, Gasoline motor exhaust	545
Fungus; otherwise specified	6193
Furazolidone	8290
Furniture polish	573
Furosemide	8189
Furoxone	8290
Gabapentin	8007
Gain product; Protein-based weight; type unspecified	8222
Gamma butyrolactone	8141

Definition	Code
Gamma hydroxybutyrate	847
Garlic <OTC>	8041
Garlic oil <OTC>	8041
Garlic tablets <OTC>	8041
Gas propellant, Green	5114
Gas, Ban apple	562
Gas, Dentist	508
Gas, Up you(r) <OTC>	3054
Gases, Lighter; not specified	544
Gasoline	501
Gasoline motor exhaust fumes	545
Gasoline, Fuels other than	5042
Gas-X <OTC>	8045
GBL	8141
Gel caps	6044
Gel pills, Brown	4008
Gel tabs	6044
Gel, Biolex wound <OTC>	8150
Geodon	2012
Germ-X	5091
GHB	847
GHR Release, Red Dawn <OTC>	8216
Ginseng seeds	635
Ginseng weed	635
Girl, White	8166
Glass	876
Glass/window cleaner	5046
Glory seeds, Morning	617
Glory tendrils, Morning	617
Gloss, Lip	5061
Glow stick	5130
Glucophage	8134
Glucosamine <OTC>	8128
Glue	504
Glue, Airplane	504
Glue, Chemical	504
Glue, Model	504
Glue, Super	504
Glutamate (MSG), Monosodium <OTC>	849
Goat weed, Horny	8322
Gold, Finaplix	8212
Gonadatropin, Human Chorionic	8112
Gone, Goo	5093
Goo Color Guard Spray, Tattoo	5089
Goo Gone	5093
Goof off	5073
Goofballs	8273
Gorilla biscuits	6108
Graffiti eraser	5110
Grass, Bitter	8276
Green amps	3006
Green coffee extract, JavaSLIM <OTC>	3129

Definition	Code
Green gas propellant	5114
Green hornet	8254
Green microdot	622
Green tea <OTC>	8262
Green tea supplement <OTC>	8262
Green, Simply	5066
Greenies	3187
Greens	611
Growth hormone (HGH), Human	8245
Guaifenesin	8004
Guaifenex	8243
Guarana <OTC>	3107
Guard Spray, Tattoo Goo Color	5089
Gum freezer	5054
Gum remover	5054
Gum, Acacia	8131
Hagwash [sic]	557
Hair chemicals	5051
Halcion	113
Haldol	131
Hallucinogen seeds	6004
Haloperidol	131
Halothane	507
Halt, Fire	536
Hand sanitizer; contents unspecified	5049
Handle bars	8198
Happy pills	4007
Happy stick	612
Hard stuff	817
Harmaline	6137
Hashish	804
Hawaii, Blue	6039
Hawaiian rosebud seed tea	628
Hawaiian wood rose	627
Hawaiian Woodrose seeds	627
Haze, Purple	637
HC, Bancap	4144
hCG	8112
HCl, N,N-Dimethylglycine <OTC>	8249
HCl, Trifluoperazine	226
HD, Lorcet-	434
Headache powder <OTC>	4049
Heads up	3032
Hearts	379
Hearts, Pink	328
Hearts, Purple	342
Hearts, Red	3030
Heart-shaped black pills	357
Heaven	6090
Helium	519
Hell bells	679
Hemorrhoid cream	8068
Hemp rope	5096

Definition	Code
Henbane	6128
Heparin	8063
Herb, Dream	8276
Herb, flower, plant; type unspecified	8011
Herb, Natural	6011
Herbal Ease <OTC>	8116
Herbal ecstasy	386
Heroin	702
Heroin, Black tar	707
Heroin, Synthetic	4088
HGH, Human growth hormone	8245
High roller	6050
Hippie crack	5034
Hits, Dry ice	5022
HO-DMT, 4-	6167
Hogwash	557
Homemade analgesics	4108
Homemade drugs	615
Homemade napalm	5111
Homemade sedative	1024
Homemade stimulants	3062
Honey oil	831
Hoodia product/supplement <OTC>	8257
Hook-ons, Toilet bowl	5085
Hormone (HGH), Human growth	8245
Horn, Air	537
Horn, Boat	537
Horn, Condensed	537
Hornet, Green	8254
Horny goat weed	8322
Horse tranquilizer	663
Hot, Icy <OTC>	8016
Huang, Ma	3064
Human Chorionic Gonadotropin	8112
Human growth hormone (HGH)	8245
Humatrope	8252
Hycodan	4125
Hydralazine	8265
Hydrate with Codeine, Terpin	4103
Hydrate, Chloral	117
Hydrate, Terpin	8207
Hydrobromide, Dextromethorphan <OTC>	883
Hydrochloride, Sertraline	271
Hydrochloride, Trazodone	225
HydroCide	5099
Hydrocodone	4044
Hydrocodone with APAP; otherwise unspecified	4105
Hydrocortisone	8117
Hydromet	4125
Hydromorphone	408
Hydroxybutyrate, Gamma	847
Hydroxycut <OTC>	3060

Definition	Code
Hydroxyzine	216
Hyoscine	1020
Hyoscyamine	2013
Hyper pills	3040
Hypnovel	237
Ibogaine	6087
Ibuprofen	442
Ibuprofen 200 mg <OTC>	4128
Ibuprofen, Children's <OTC>	4128
Ice [see also 3126]	322
Ice blasting, Dry	5022
Ice hits, Dry	5022
Ice, Blue	6068
Ice, Mineral	587
Icy Hot <OTC>	8016
Ignition spray	5120
Imipramine	235
Imitrex	4002
Imodium AD <OTC>	8005
Imovane	1005
Impact, Maximum	691
In my feet, Spider	686
Inapsine	2009
Incense	512
Inderal	819
Indo	6014
Indocin	472
Indomethacin	472
Inflator/sealer, Tire; aerosol unspecified	5173
Inhalant, Nasal	3007
Inhaler, Asthma	8024
Inhaler, Vicks VapoRub/ <OTC>	8056
Inibex	3075
Ink pens	511
Ink print	5004
Insect killer (e.g. Raid)	554
Insidon	2005
Insulin	8079
Intal	8202
Intuniv	8312
Invega	2020
Invirase	8121
Iodine <OTC>	8174
Iodoamphetamine, 2,5-dimethoxy-4-	6168
Ionamin	312
Iophen-C Liquid	4062
Iprocin	6175
Isobutyl nitrate	506
Isocom	476
Isometheptene	3115

Definition	Code
Isopropanol vapors	548
Isopropyl-tryptamine, Di-	6144
Isopropyltryptamine, 5-methoxy-N-methyl-N-	6192
Isopropyltryptamine, N-Methyl-N-	6140
IT-290	6105
Jack, Black	571
Jack3d <OTC>	8298
Jackets, Yellow	124
JavaSLIM green coffee extract <OTC>	3129
Jays, Blue	330
Jell, Yellow	6025
Jesus, Blue	6024
Jet Fuel	626
Jet-Alert <OTC>	3128
Jimson weed	609
John's Wort, St. <OTC>	8183
Judyfly	6027
Juice	854
Juice, Jungle	5088
Jungle juice	5088
JUNO	6072
K, Special	658
K, Super	6042
K, Vitamin	8078
K2	8283
K2r spot remover	509
K4	4091
Kadian	4037
Kanepolin	662
Kaopectate <OTC>	8039
Kathmandu Temple Kiff	6099
Kava Kava <OTC>	8100
Keflex	8044
Keppra	8233
Ketamine	658
Ketaset	280
Ketone, Methyl ethyl	5048
Ketoprofen	4001
Ketorolac tromethamine	481
Khat	351
Kief [sic]	682
Kif	682
Kiff, Kathmandu Temple	6099
Killer, Insect (e.g. Raid)	554
Kit, Snake bite	6021
KJ	6026
Klonopin	246
KOOD12	3010

Definition	Code
Kool Aid	558
Kool, Super	6095
Kratom	8237
LA, Entex	8061
LA, Ritalin	3114
Laced flower	6028
Lacquer thinner	505
Ladies, Pink	380
Lamb's ear	8324
Lamictal	8240
Lamisil	8234
Lamotrigine	8240
Lasix	8189
Laudanum	710
Laundry detergent	560
Lavendar <OTC>	8220
Laxative <OTC>	8006
LDX	3111
Leak, Leaky	6041
Leaky leak	6041
Lean (Promethazine with codeine mixed with Sprite)	8293
Leather cleaner	5122
Leather protector	546
Lebel 12	5013
Lemon 714	6076
Lemon Drops	693
Lemon), Cooking extracts (vanilla, etc. <OTC>	8145
Lemon, Pink	388
Lemons	352
Lens cleaner	542
Leptoprin <OTC>	3188
Leritine	469
Lettuce, Wild	1015
Levetiracetam	8233
Levo-Dromoran	405
Levo-duboisine	1020
Levophed bitartrate	3113
Levothyroxine	897
Levsin	2012
Lexapro	2011
Lexillum	2004
Lexomil	2004
Lexotan	2004
Lexotanil	2004
Liberty caps	6055
Librax	229
Librium	202
Lidocaine	8114
Life, Purple	6058
Lighter fluids	501
Lighter gases, not specified	544

Definition	Code
Lilly red	4034
Limbitrol [see also 276]	203
Limbitrol DS [see also 203]	276
Lime salt	5025
Liniment, Yager's	8215
Lion's tail	6013
Lip balm	5061
Lip gloss	5061
Lipitor	8158
Lipozene <OTC>	8264
Lipton tea bag, Smoked tea from	566
Liquid D-bol	8132
Liquid oxygen	543
Liquid Paper [see also 524]	509
Liquid TV (MTV)	522
Liquid vitamin <OTC>	848
Liquid, Iophen-C	4062
Liquid, Shoeshine	504
Lisdexamfetamine dimesylate	3111
Lithium carbonate	240
Lithonate	240
Little birds, Collapsing	6001
Little crosses	384
Little pink ones	385
LoCarb Turbo <OTC>	3095
Locker room odorizer	506
Locoweed seeds	6049
Locoweeds	6049
Lodine	4005
LOLOY	559
Lomotil	8186
Loperamide	8159
Loratadine <OTC>	8027
Lorazepam	207
Lorcet Plus	434
Lorcet-HD	434
Loss pills, all weight <OTC>	3118
Lotion (body, hand); contents unspecified	5112
Lotion, rub, Pain reliever; not specified	4092
Lotusate	195
Loveboat	834
Lovely	681
Loxitane	275
Lozenge, Throat spray; type unspecified <OTC>	8014
LSA	6074
LSD	601
LSZ	6195
Lubricant, Oil; otherwise unspecified	5017
Lucky seven	6120
Luminal	153
Lunesta	1011

Definition	Code
Luvox	294
Lyrica	8236
Lysergic acid 2,4-dimethylazetidine	6195
Lysol; aerosol unspecified	5097
M-33	4042
Ma Huang	3064
Maalox <OTC>	8013
Mad Bull	830
Mad dog	6110
Madderwort	6062
Magnum 44 <OTC>	333
Magnum, 357 <OTC>	333
Majezik	4060
Maleate, Chlorphenamine	8138
Maleate, Chlorpheniramine	8138
Mandrakes	6131
Mandrax [see also 116]	138
Mandrix [see also 116]	138
Mantis root	6150
Marax	346
Marbaxin	223
Marezine	267
Marigold buttons	6064
Marijuana	803
Marinol	802
Marker, Burning/ignited permanent	5092
Markers	511
MarrJane [sic]	803
Mars	656
Mary Jane	803
Masking tape	5016
Masteron	8325
Matches	523
Matrix	6151
Matter, Zombie	8311
Max Alert	390
Maxair	3053
Maxalt	4041
Maxidone	434
Maximum impact	691
Mazanor	317
MCAT	3116
MCH	5015
MDA	614
MDE	6125
MDEA	6125
MDMA	606
MDMA derivative; otherwise unspecified	6194
MDMA, bk-	6174
MDMC	3125
MDPV	3119
Meanies, Blue	163

Definition	Code
Mebaral	104
Meclizine	193
Medicated oil, Regal	8119
Medication, ADHD/ADD; otherwise unspecified	8229
Medication, Anti-anxiety; type unspecified	8305
Medication, Anti-diarrhea; type unspecified	8217
Medication, Asthma	8024
Medication, Blood pressure	844
Medication, Flu; no other information	8306
Medication, Tylenol Cold <OTC>	8065
Medication; type unspecified, Bipolar disorder	8330
Medicine with Codeine, Cough syrup/	4031
Medicine, Cold <OTC>	843
Medicine, over-the-counter cough (contents unspecified) <OTC>	840
Medicine/syrup, Cough; type unspecified	8058
Medithane	8313
Meds, Attention deficit disorder; type unspecified [added in 2006; changed to code 8229 beginning in 2007]	8218
Medusa	580
Meesha	6017
Mefenamic acid	498
Mega Teen <OTC>	8133
Mejoral	4057
MEK	5048
Melatonin <OTC>	176
Melfiat	349
Mellaril	232
Mellow Yellow	651
Meloxicam	4102
Melted plastic	5019
Melumbrina	477
Melzone	182
Menrium	204
MeO-AMT, 5-	6135
MeO-DMT, 4-	6162
Mepergan	458
Mepergan Fortis	458
Meperidine	407
Mephedrone	3116
Meproamate	220
Meprozone	458
Meridia	3080
Mescaline	603
Mescaline, Bromo	698
Metabolife <OTC>	3033

Definition	Code
Metabolift <OTC>	3058
Metab-O-Lite <OTC>	3061
Metabolize and Save <OTC>	3059
Metamine	8328
Metamizol	4082
Metamizole	4082
Metatabs	8335
Metaxalone	290
Metformin	8134
Meth [see also 3126]	322
Meth, Crystal	355
Methadone	418
Methadrosthenol <OTC>	8084
Methamphetamine [see also 3126]	322
Methamphetamine, 4-Fluoro	3127
Methamphetamine, Paramethoxy	6165
Methane	5003
Methanol	5040
Methaqualone [see also 138]	116
Methazolamide	877
Methcathinone	3009
Methedrine	321
Methedrone	3117
Methocarbamol	223
Methohexital	1012
Methotrexate	8319
Methoxetamine	6186
Methoxisal	2014
Methoxy, Foxy	6130
Methoxy-7 <OTC>	8106
Methyl chloride	550
Methyl ethyl ketone	5048
Methylenedioxy amphetamine	614
Methylenedioxypyrovalerone	3119
Methylhexanamine	8310
Methylin	3102
Methyl-N-isopropyltryptamine, N-	6140
Methylone	6174
Methylphenethylamine, 2,5-dimethoxy-4-	6154
Methylphenidate	318
Methylthiophenethylamine, 2,5-dimethoxy-4-	6159
Methyltryptamine, Alpha-	6105
Met-Rx <OTC>	8148
Mickey	623
Mickey Mouse club	623
Mickey mousers	623
Microdot(s)	622
Microdot, Green	622
Microdot, Purple	622
Midazolam	237
Midol <OTC>	466

Definition	Code
Midrin	476
Mighty Quinn	6123
Migraine, Advil <OTC>	4085
Migraine, Excedrin <OTC>	4100
Miltown	212
Mimosa tree bark	6148
Mineral ice	587
Mini Thins	3050
Mini Two-way action <OTC>	3060
Miniwhites	3008
MIPT	6140
MiPT, 5-MeO-	6192
Mirapex	8285
Mircette	873
Mirtazapine	295
Mist, Primatene <OTC>	3190
Mitsubishi	6093
Mixture, Brompton's solution/	4089
MJ	803
MMDA	6122
Mobic	4102
Modafinil	3090
Model glue	504
Mogadon	1009
Mold, Rye	6091
Moles [sic]	3025
Molly, Black	345
Molly, White	337
Molly; not otherwise specified	6114
Monkey dust	670
Monosodium glutamate (MSG) <OTC>	849
Montekulast	8136
Moon drops <OTC>	1026
Moonflower/pod; otherwise unspecified	6170
Mopral	8032
Moringa	8333
Mormon tea	6124
Morning glory seeds	617
Morning glory tendrils	617
Morphidex	4080
Morphine	417
Moth balls	529
Motion sickness pill <OTC>	1002
Motival	2017
Motor exhaust fumes, Gasoline	545
Motrin	422
Motrin IB <OTC>	4048
Mount queen	643
Mouse club, Mickey	623
Mousers, Mickey	623
Mouthwash	5171

Definition	Code
Mr. Natural	633
MS Contin	4037
MSG, Monosodium glutamate <OTC>	849
MTV, Liquid TV	522
Mucinex <OTC>	8309
Mucinex DM <OTC>	8280
Mugwort	6187
Mulberry seeds/plant	6158
Muscimol	6132
Muscle relaxers	2002
Muscle stimulator spray; contents unspecified	8170
Muscoril	2024
Mushrooms	604
Mushrooms, Amanita	6132
Mushrooms, specifically not psilocybin	6094
MXE	6186
My feet, Spider in	686
Mycelelex	8143
Mylan(s); no other information	8210
Mylanta <OTC>	8062
Mylicon <OTC>	8045
Myoflex <OTC>	8023
Myoril	2024
Myprodol	4101
Myristicin	8332
Mysoline	183
Mystic, blue	6100
N, Darvocet-	427
N, N-diallyl-5-methoxytryptaminemethoxytryptamine	6183
N,N-Dimethylglycine HCl <OTC>	8249
Nabumetone	4035
Nail polish	526
Nail polish dryer	5065
Nail polish remover	518
Nails, Quick drying treatment for	5065
Nalbuphine	490
Nalfron	4013
Namenda	8317
Nandrolone decanoate	8072
Nano Vapor <OTC>	8248
Nap, Fly	5007
Napalm, Homemade	5111
Naphtha	5031
Naprelan	4063
Naprosyn	438
Naproxen	438
Naproxen Sodium 220 mg <OTC>	4129
Nas	6016
Nasacort	8102

Definition	Code
Nasal Inhalant	3007
Natacyn	8057
Natamycin ophthalmic	8057
Natural, Mr.	633
Naxen	438
NBOMe, 25B-	6188
NBOMe, 25C-	6189
NBOMe, 25I-	6815
NBOMe-2C-B	6188
NBOMe-2C-C	6189
NBOMe-2C-I	6185
N-Dimethyltryptamine, 4-acetoxy-N	6171
Negros	5012
Nembutal	108
Neoflax	2024
Neo-Melumbrina	477
Nepenthes	6116
Nervine <OTC>	128
N-Ethyl-4-hydroxy-N-methyltryptamine	6181
Neurobion	8199
Neurobion, Dolo-	4104
Neurontin	8007
Nexium	8153
Nexus	698
Nicotine	818
Nightshade, Deadly	187
Nighttime, Tylenol Flu <OTC>	1014
Nimesulide	4114
N-isopropyltryptamine, N-Methyl-	6140
Nitrate, Isobutyl	506
Nitrate, Phenyl	527
Nitrazepam	1009
Nitrite, Amyl	506
Nitro, Blue	8060
Nitrogen	5032
Nitroglycerine	343
Nitrous oxide	508
Nivaquine	8139
N-Methyl-N-isopropyltryptamine	6140
Noctec	117
No-Doz <OTC>	353
Nogirtonia	478
Noludar	107
Norateen	8178
Norco	434
Norephedrine <OTC>	3076
Norepinephrine	3113
Norflex	462
Norgesic Forte	445
Norpramin	259
Nortab	250
Nortriptyline	250
Norvasc	8036

Definition	Code
Novalgin	4082
Novocain	454
Novoxapam	296
No-Xplode <OTC>	8270
NS, Stadol	419
NSC	847
Nubain	490
Nucynta	4137
Numorphan	4120
Nuprin <OTC>	4018
Nut, Betel	3051
Nutmeg	639
Nutri-calm <OTC>	8034
Nuvigil	3122
NyQuil <OTC>	171
Nytol <OTC>	127
Obedrin-L.A.	323
Obenil	3038
Obesitol <OTC>	8275
Obitol	3121
Octane booster	5021
Octanox	159
Odansetron	8184
Odorizer, Locker room	506
Off, Goof	5073
Oil, Eucalyptus	5056
Oil, Honey	831
Oil, lubricant; otherwise unspecified	5017
Oil, Orange	8251
Oil, Regal medicated	8119
Oil, Safflower <OTC>	8275
Ointment, A & D <OTC>	8219
Olanzapine	289
Old paint	520
Olmifon	3123
Ololiuhqui	6060
Omnadren	8221
Ondansetron	8184
Ones wipes, Wet	5067
Ones, Little pink	385
OP 33	393
Opana	4120
Opana ER (extended release)	4140
Opipramol	2005
Opium	703
Oramorph SR	4061
Orange	673
Orange barrel	657
Orange oil	8251
Orange peels	6184
Orange sunshine	624
Orfidal	207

Definition	Code
Organidin with Codeine	453
Orlistat	3079
Ortho Novum	873
Orudis	4001
Oruvail	4001
Other aerosol sprays besides spray paints	503
Other anesthetics besides halothane and ether	507
Other paint solvents besides lacquer thinner	505
Oven cleaner	551
Over-the-counter asthma pills; not otherwise specified <OTC>	8095
Over-the-counter cough medicine (contents unspecified) <OTC>	840
Over-the-counter diet pill; not otherwise specified <OTC>	3073
Over-the-counter drug/pills; type unspecified <OTC>	8110
Over-the-counter pain reliever; not otherwise specified <OTC>	4076
Over-the-counter stimulant; not otherwise specified <OTC>	3100
Owsley, Black	630
Owsley, Purple	631
Oxazepam	205
Oxcarbazepine	1006
Oxide, Nitrous	508
Oxycet	4072
Oxycodone or unspecified oxycodone products	4046
OxyContin	4067
OxyElite Pro	8334
Oxygen	543
Oxygen, Liquid	543
Oxy-IR	4117
Oxymorphone	4120
Oxyprozin	4039
Oxytocin	8224
Ozone	5011
P.M., Excedrin <OTC>	181
P.M., including non-Tylenol brands, Acetaminophen	1025
P.M., Robitussin <OTC>	1007
P.M., Tylenol <OTC>	180
P.O.T.C.	381
P2P	3081
Pack, Z-	8019
Pain reliever lotion, rub; not specified	4092
Pain reliever, Over-the-counter; not otherwise specified <OTC>	4076

Definition	Code
Paint	520
Paint solvents other than lacquer thinner	505
Paint, Old	520
Paints, Spray	502
PAM	540
Pamelor	250
Pamprin <OTC>	4023
Panadeine	4127
Panafen Plus	4126
Pancof	8253
Pane, 4-way	625
Pane, Window	625
Paniolis	665
Panlor	4107
Pantopon	4115
Paper	5004
Paper, Acid	618
Paper, Liquid	509
Parafon Forte	4086
Paramethoxyamphetamine	6106
Paramethoxymethamphetamine	6165
Paregoric	433
Paris 400	837
Parkopan	8329
Paroxetine	283
Passion, Purple	6080
Paxil	283
Paxipam	210
PCB	260
PCE	6191
PCP	605
PDR	491
Peach	6069
Peanut butter crank	368
Pedro, San	6078
Peels, Banana	678
Peels, Orange	6184
Pee-pope	674
Peganento	569
Penadur	8323
Penicillin	820
Pens, Felt-tip	511
Pens, Ink	511
Pentobarbital	118
Pentothal	118
Pentothal, Sodium	118
Pentrexyl	821
Pep spice	8283
Pep ups	3002
Pep, Diet <OTC>	3048
Pepcid	891
Pepcid AC <OTC>	8047

Definition	Code
Peppies	3019
Pepto Bismol <OTC>	8094
Percocet	423
Percodan	406
Percogesic <OTC>	4050
Perfume	548
Perico	805
Peridan	8336
Periset	8184
Permanent marker, Burning/ignited	5992
Peroxyl <OTC>	8059
Perphenazine	233
Pertussin spray	567
Pervitin [see also 322]	3126
Peyote	602
Phen, Fen (fenfluramine and phentermine)	3015
Phenaphen 3	410
Phenaphen with Codeine	410
Phenazepam	1016
Phencyclidine	605
Phendimetrazine	349
Phenergan	130
Phenergan with Codeine	4116
Phenethylamine, 2,5-Dimethoxy-4-(2-fluoroethylthio)	6172
Phenethylamine, 2,5-Dimethoxy-4-chloro	6139
Phenethylamine, 2,5-Dimethoxy-4-ethyl-	6138
Phenethylamine, 2,5-Dimethoxy-4-iodo	6126
Phenethylamine, 2,5-Dimethoxy-4-methyl	6154
Phenethylamine, 2,5-Dimethoxy-4-methylthio	6159
Phenethylamines; otherwise unspecified	6147
Phenobarbital	115
Phenoxy	8246
Phenphedrine <OTC>	8304
Phentametrizine	349
Phentermine	313
Phentermine and fenfluramine, Fen-Phen	3015
Phenyl nitrate	527
Phenyl-2-propanone	3081
Phenylbutazone	4139
Phenylephrine <OTC>	8256
Phenylpropanolamine	347
Phloroglucinol	8204
Photographic development fluid	5081
Phrenilin Forte	4045

Definition	Code
Pigface	6034
Pill, Over-the-counter diet; not otherwise specified <OTC>	3073
Pill, Sea/motion sickness pill <OTC>	1002
Pills	809
Pills, alli weight loss <OTC>	3118
Pills, Apple cider and vinegar <OTC>	8109
Pills, Brown gel	4008
Pills, Caffeine <OTC>	3044
Pills, Diet	336
Pills, Energy	3027
Pills, Happy	4007
Pills, Heart-shaped black	357
Pills, Hyper	3040
Pills, Over-the-counter asthma; not otherwise specified <OTC>	8095
Pills, Sugar	8031
Pills, Vitamin <OTC>	848
Pills, Yellow tiny	668
Pills/antihistamine, Allergy; type unspecified	8009
Pills; Over-the-counter drug/; type unspecified <OTC>	8110
Pine-sol	5075
Ping pong balls	5087
Pink champagne	807
Pink crosses	398
Pink Floyd	642
Pink football	382
Pink hearts	328
Pink ladies	380
Pink lemon	388
Pink ones, Little	385
Pink roses	341
Piracetam	8316
Pirbuterol	3053
Piriton <OTC>	8138
Piroxicam	4029
Pitocin	8224
Pixie sticks	553
Placidyl	105
Plant, Belladonna	187
Plant; type unspecified, Herb, flower,	8011
Plastic, Amazing Elastic	5062
Plastic, Melted	5019
Plegine	310
Plus, Alka Seltzer <OTC>	8266
Plus, Conex	8142
Plus, Lorcet	434
Plus, Panafen	4126
Plus, Pro <OTC>	8185
PM, Advil <OTC>	1018
PMA	6106

Definition	Code
PMMA	6165
Pod; otherwise unspecified, moonflower/	6170
Poison, Rat/rodent; contents unspecified	8232
Poles, Totem	4058
Polish dryer, Nail	5065
Polish remover, Nail	518
Polish, Furniture	573
Polish, Nail	526
Polish; contents unspecified	5115
Polistirex, Dextromethorphan <OTC>	8192
Polyurethane spray	5030
Pondimin	314
Pong balls, Ping	5087
Ponstan	498
Ponstel	498
Poppers	506
Pot	803
Potassium chloride	8098
Potpourri	599
Powder	8026
Powder, Baby	5170
Powder, Headache <OTC>	4049
Powder, White	3020
Powdered candy	531
Powdered cleansers; e.g. Ajax, Comet, Boraxo	5044
Pramipexole	8285
Precose	8211
Prednisone	8035
Pregabalin	8236
Preludin	311
Premarin	874
Pre-Sate	383
Pressure medication, Blood	844
Prestiq	8284
Prevacid	8162
Prilosec	8032
Primatene Mist <OTC>	3190
Primatene tablets <OTC>	3003
Primo	832
Primobolan	8081
Print, Ink	5004
Pro Plus <OTC>	8185
Pro, OxyElite	8334
Pro-Air	377
Procaine	454
Prochlorperazine	230
Prodolin	4082
Product, Protein-based weight gain; type unspecified	8222
Product/supplement, Hoodia <OTC>	8257

Definition	Code
Prolixin	262
PromAce	298
Promazine	192
Promethazine	130
Promethazine with Codeine	4116
Promethazine with Codeine mixed with Sprite), Lean (	8293
Propacet	4038
Propane	521
Propellant, Air brush	591
Propellant, Airsoft	5127
Propellant, Green gas	5114
Propionate, Drostanolone	8325
Propionate, Testosterone	8164
Propofol	1010
Propoxyphene	414
Propranalol	819
Propylene	898
Prosom	188
Protector, Leather	546
Protector, Suede	546
Protein-based weight gain product, type unspecified	8222
Protonix	8268
Proventil	377
Provera	8086
Provigil	3090
Provil <OTC>	4074
Prozac	241
Pseudoephedrine <OTC>	364
Psilocin	6167
Psilocybin	604
Purell	5071
Purple Blast <OTC>	3072
Purple fingers	664
Purple footballs	382
Purple haze	637
Purple hearts	342
Purple life	6058
Purple microdot	622
Purple Owsley	631
Purple passion	6080
Purple pyramid	640
Purple rain	6066
Putty, Silly	5026
Putty, Wood	5037
PVC	5055
PVC Cleaner	5090
Pyramid, Purple	640
Pyridium	473
Q'at	351
Quaalude [see also 138]	116
Quad Bar	2018

Definition	Code
Queen	643
Queen, Mount	643
Quetiapine	178
Quick drying treatment for nails	5065
Quiet World <OTC>	194
Quinine	8267
Quinn, Mighty	6123
QV75, Trembolona	8212
R2	2007
Rabbit tobacco	822
Raid), Insect killer (e.g.	554
Rain, Purple	6066
Rainbow speed	360
Ramelteon	1017
Ramstein	6033
Ranitidine	8213
Rat/rodent poison; contents unspecified	8232
Rave runners	577
Red and blues	184
Red Bull Energy Drink <OTC>	8209
Red cross	495
Red Dawn GHR Release <OTC>	8216
Red devil(s)	145
Red dragon	621
Red hearts	3030
Red, Lilly	4034
RedLine <OTC>	3103
Redotex	3083
Reds	129
Redux	3110
Refrigerant	516
Regal medicated oil	8119
Rejuvenator, Rubber	5126
Relafin	4035
Relaxen <OTC>	1023
Relaxers, Muscle	2002
Release, Red Dawn GHR <OTC>	8216
Reliever lotion, rub, Pain; not specified	4092
Reliever, Over-the-counter pain; not otherwise specified <OTC>	4076
Relpax	4124
Remeron	295
Remifentanil	4142
Remover, Gum	5054
Remover, K2r Spot	509
Remover, Nail polish	518
Remover, Wart	5036
Repellant; type unspecified, Water/Stain	5076
Resin, Acrylic	6052
Resistol	5077

Definition	Code
Resperidone	285
Restoril	112
Reynol [sic]	4024
Ricea	617
RID	690
Ridaura	4040
Ringer, blue	281
Ripped fuel <OTC>	3036
Risperdal	285
Risperdol	285
Ritalin	318
Ritalin LA	3114
Ritz and Ts	8291
Rivotril	246
RJ8	396
RJs, Black	396
Robaxin	223
Robaxisal	2014
Robin's eggs	329
Robins, Blue	330
Robinul	8082
Robitussin AC with Codeine	480
Robitussin DM <OTC>	829
Robitussin Elixir	8001
Robitussin P.M. <OTC>	1007
Robo	8214
Robo tripping	8214
Robomol	223
Roche	268
Rock	806
Rock, Stud the	3012
Rocket fuel	629
Rodent poison, Rat/; contents unspecified	8232
Rohr 714	1008
Rohypnol	268
Roloids <OTC>	8259
Roller, High	6050
Rolls	6073
Romilar, form unspecified	8208
Roofies	268
Room odorizer, Locker	506
Root	6030
Root, Belladonna	187
Root, Mantis	6150
Rope, Hemp	5096
Rorer	4027
Rorer 714	1008
Rose, Hawaiian wood	627
Rosebud seed tea, Hawaiian	628
Roses, Pink	341
Roxanol	417
Roxicet	4047
Roxicodone	4065

Definition	Code
Roxilox	4068
Roxiprin	406
Rozerem	1017
R-R	5008
Rub, Pain reliever lotion; not specified	4092
Rubber cement	504
Rubber rejuvenator	5126
Rubber, Burned	5050
Rubbing alcohol	548
Rue, Syrian	6111
Rufen	432
Runners, Rave	577
Rush	506
Rush, Cobra	5005
Rx, Met- <OTC>	8148
Rye mold	6091
Safflower oil <OTC>	8275
Sage, Diviner's	6043
Salflex	4075
Salsalate	4075
Salt	8282
Salt, Lime	5025
Salts, otherwise unspecified, Bath	8301
Salvia divinorum	6043
San Pedro	6077
Sanitizer, Hand; contents unspecified	5049
Sanoma	2001
Sanorex	316
Sanzolol	8076
Saridone	4112
Sassafras	6005
Sassafras tea	6005
Satan flower	6059
Sativa; otherwise unspecified	8227
Save, Metabolize and <OTC>	3059
Schizophrenic, Anti-psychotics/; type unspecified	8085
Sclerotia	604
Scooby snacks	6145
Scoop	6119
Scopolamine	1020
Scotch Brite	5094
ScotchGard	539
Sealant, Window	533
Sealants, Sealers/; type unspecified	5058
Sealer, Floor	5128
Sealer, Tire inflator; aerosol unspecified	5173
Sealers/sealants; type unspecified	5058
Seasickness pill <OTC>	1002
Secobarbital	119
Seconal	109

Definition	Code
Sedalmerk	3106
Sedalmex <OTC>	4136
Sedapap	4045
Sedative, Homemade	1024
Sedoxil	2026
Seducaps	198
Seed tea, Hawaiian rosebud	628
Seeds, Ginseng	635
Seeds, Hallucinogen	6004
Seeds, Hawaiian Woodrose	627
Seeds, Locoweed	6049
Seeds, Morning glory	617
Seeds/plant, Mulberry	6158
Seeds; type unspecified, Trumpet flowers	6078
Seizures, Anti-; type unspecified	8195
Seldane	140
Seltzer Plus, Alka <OTC>	8266
Seltzer, Alka <OTC>	8042
Separa	8052
Serax	205
Seroquel	178
Seroquel XR	1021
Sertraline hydrochloride	271
Serzone	292
Seven, Lucky	6120
Shabu	6081
Shampoo	5172
Sharpies	511
Shellac	5079
Sherm	612
Sherman	612
Shermstick	612
Shine/tire cleaner, Tire	589
Shirka	711
Shoe cleaner; otherwise unspecified	5104
Shoe dye	5103
Shoeshine liquid	504
Shot, Flu; otherwise unspecified	8151
Shots, Cloud 10 Chill <OTC>	8302
Shower cleaner, "The Works"	5095
Shrooms	604
Sibutramine	3080
Sickness pill, Sea/Motion <OTC>	1002
Silicone	5070
Silk	6057
Silly putty	5026
Silly String	5052
Silver chloride	8111
Simply Green	5066
Simply Sleep <OTC>	196
Sinequan	247
Sinex <OTC>	8051
Singulair	8136

Definition	Code
Sinicuichi	6071
Sinus, Advil Cold and <OTC>	8070
Sinus, Tylenol <OTC>	8123
SK-65	403
Skelaxin	290
Skittles	6127
SK-Lygen	219
Skunk II	677
Slack	850
Sleep aid, Over-the-counter; not specified <OTC>	122
Sleep, Simply <OTC>	196
Sleepettes <OTC>	132
Slim Fast <OTC>	8046
Slime, Banana slug	6097
Slimming, Botanical <OTC>	8321
Slimquick <OTC>	3104
Slug slime, Banana	6097
Smack	706
Smilies	4009
Smoke bomb	5129
Smoke from a fire	5068
Smoked tea from Lipton tea bag	566
Smoked with toothpaste, Cigarettes baked/	8292
Smokeless tobacco	816
Smoking; not otherwise specified	8118
Snacks, Scooby	6145
Snake bite kit	6021
Snake venom	6142
Snow	884
Snuff	816
Soap	560
Soccerballs	3029
Soda, Baking	5169
Sodium barbital	156
Sodium chloride	8282
Sodium pentothal	118
Sodium, Naproxen 220 mg <OTC>	4129
Soft drink bottle, Carbon from empty	586
Sol, Pine	5075
Solpadeine	4093
Solution/mixture, Brompton's	4089
Solvent, Dry cleaning fluid/	5084
Solvents, Paint, other than lacquer thinner	505
Soma	2001
Soma Compound	2019
Somatech	8099
Sominex <OTC>	126
Sonata	189
Sopor [see also 138]	116
Sorbitol	8049
Sostenon	8090

Definition	Code
Spancap	3067
Spanish fly	886
Spasfon	8204
Spasmoproxyn	4078
Special K	658
Speckleberry	3034
Speckled birds	330
Speckled eggs	329
Speed, Rainbow	360
Speed, Truck driver's	3049
Speed; otherwise unspecified	3052
Speedball (heroin + cocaine)	705
Spice, K	8283
Spice, Pep	8283
Spider in my feet	686
Spiny apples	6054
Spirits of ammonia	542
Spook	6136
Spot remover, K2r	509
Spray	687
Spray adhesive	5118
Spray O Buzz	5014
Spray paints	502
Spray, Axe body	5078
Spray, Cryogenic cleaning	5022
Spray, Ignition	5120
Spray, Muscle stimulator; contents unspecified	8170
Spray, Pertussin	567
Spray, Polyurethane	5030
Spray, Tag body	5108
Spray, Tattoo Goo Color Guard	5089
Spray, Tinactin antifungal	5109
Spray/lozenge, Throat; type unspecified <OTC>	8014
Sprays, other than spray paints, Aerosol	503
Sprix	4138
SR, Oramorph	4061
St. John's Wort <OTC>	8183
Stacker 2 <OTC>	8093
Stacker 3 <OTC>	8093
Stadol	419
Stadol NS	419
Stagesic	4036
Stain Repellant, type unspecified, Water	5076
Stanozolol	8076
Starting fluid	594
Stay Alert Stimulant, Dexitac <OTC>	3101
Stay awakes <OTC>	3045
Stay Trim <OTC>	3074

Definition	Code
Stelazine	226
Steroids	824
Stevia <OTC>	8294
Stick, Glow	5130
Stick, Happy	612
Stick, Sherm	612
Stick, Thai	645
Stick, Wicki	857
Sticks, Pixie	553
Stilnox	174
Stimulant, Dexitac Stay Alert <OTC>	3101
Stimulant, Over-the-counter; not otherwise specified <OTC>	3100
Stimulants, Homemade	3062
Stimulator spray, Muscle; contents unspecified	8170
Stimulin <OTC>	8263
Stingers, Super <OTC>	3088
STP	636
Stramonium, Datura	650
Strattera	3087
Strawberry whip cream	252
String, Silly	5052
Stripper, Floor wax	5074
Stropharia	669
Strychnine	6031
Stud 100	3012
Stud the rock	3012
Stuff, Hard	817
Sublimaze	465
Suboxone	4109
Subutex	4119
Sucralfate	892
Sudafed <OTC>	3047
Suede protector	546
Sufenta	4118
Sufentanil	4118
Sugar	531
Sugar cubes	6079
Sugar pills	8031
Sulfur; otherwise unspecified	5105
Sulfuride	8255
Sulinac	4111
Sumatriptan	4002
Suncrush	672
Sunshine	624
Sunshine, Orange	624
Sunshine, Yellow	624
Super cool	6095
Super Glue	504
Super K	6042
Super kool	6095
Super Stingers <OTC>	3088

Definition	Code
Super X	6006
Supercaps	3093
Superdrol <OTC>	8244
Supplement (pill, powder, liquid), Acai berry <OTC>	8269
Supplement, Green tea <OTC>	8262
Supplement, Hoodia product/ <OTC>	8257
Supplements, Dietary; otherwise unspecified	8171
Suprax	4066
Sur-noxem	5033
Sustanol	8089
Sustanon	8090
Sustiva	8105
Sweet flag	6133
Synalgos	447
Synalgos DC	447
Synatan	3070
Syncol	4071
Synthetic cannabinoids (e.g., K2, Spice, JWH-018)	8283
Synthetic cannabis; otherwise unspecified	8315
Synthetic heroin	4088
Synthroid	897
Syntocinon	8224
Syrian rue	6111
Syrup, Cough medicine/; type unspecified	8058
Syrup/medicine with Codeine, Cough	4031
T3	8167
T7	6100
Tabcin <OTC>	8146
Tablets, Cold	843
Tablets, garlic <OTC>	8041
Tablets, Primatine <OTC>	3003
Tabs, Bute	4139
Tabs, Gel	6044
TAC	376
Tafil	209
Tag body spray	5108
Tagamet	895
Tail, Lion's	6013
Tailpipe exhaust fumes, Car	545
Talacen	413
Talbutal	195
Tally	568
Talwin	411
Talwin NX	412
Tandrilax	2023
Tank, CO ₂	5022
Tape, Adhesive	5016

Definition	Code
Tape, Masking	5016
Tar heroin, Black	707
Taters	6157
Tattoo Goo Color Guard Spray	5089
Tavist D <OTC>	8050
TCB-2	6180
TCE	5100
TCL	585
TCP	6092
Tea supplement, Green <OTC>	8262
Tea, Green <OTC>	8262
Tea, Hawaiian rosebud seed	628
Tea, Mormon	6124
Tea, Sassafras	6005
Tee [sic], Water	179
Teen, Mega <OTC>	8133
Tee's	4077
Tee's and b's	457
Tegretol	4011
Telithromycin	8155
Temazepam	112
Temgesic	4073
Temple, Kiff Kathmandu	6099
Tendrils, Morning glory	617
Tenex	8295
Tennis balls	5087
Tenocyclidine	6164
Tenuate	307
Tepanil	308
Tequila worm	6022
Terbutaline	3031
Terpin Hydrate	8207
Terpin Hydrate with Codeine	4103
Terramycin	8274
Tessalon	8235
Test 250 <OTC>	8113
Test 400 <OTC>	8113
Testosterona 200	8103
Testosterone	8067
Testosterone 300	8103
Testosterone cyprionate	8083
Testosterone enanthate	8206
Testosterone propionate	8164
Tetrachloride, carbon	5106
Tetrachloroethene	5080
Tetracycline	828
Tetrafluoroethane	5121
Tetrafluoroethylene	5047
Tetrahydrocannabinol	802
Tetrazepam	2022
Teveten	8160
Thai stick	645
THC	802
The Works shower cleaner	5095

Definition	Code
Theo-Dur	825
Theophed	3039
Theophylline	8048
TheraFlu <OTC>	8169
Thermadrene <OTC>	8104
Thermicore <OTC>	8096
Thermo Carb <OTC>	3085
Thermochrome 5000 <OTC>	8037
Thermogenics; otherwise unspecified <OTC>	8152
Thinner, Lacquer	505
Thins, Mini	3050
Thiocolchicoside	2024
Thiopental	118
Thorazine	227
Thorn apple	650
Throat spray/lozenge; type unspecified <OTC>	8014
Thujone	6161
Tic	619
Tiletamine	6149
Tina	3089
Tinactin antifungal spray	5109
Tiny pills, Yellow	668
Tire cleaner, Tire shine/	589
Tire inflator/sealer; aerosol unspecified	5173
Tire shine/tire cleaner	589
Tish	6104
Tizanidine	8097
TMA	6156
Toad	660
Toad licking	660
Tobacco, Chewing	816
Tobacco, Rabbit	822
Tobacco, Smokeless	816
Tobacco, type unspecified	813
Tofranil	284
Toilet bowl hook-ons	5085
Tolectin	467
Toluene	504
Toluol	517
Tombstones	4094
Toothpaste, Cigarettes baked/smoked w/	8292
Toothpicks	6053
Topamax	197
Topiramate	197
Tops and bottoms	457
Tops, Cross	334
Toradol	481
Torbugesic/Torbutrol (veterinary butorphanol)	4087

Definition	Code
Torbutrol (veterinary butorphanol), Torbugesic/	4087
Tornado	574
Torzien	270
Totem poles	4058
Tramadol	4043
Tramadol extended release, otherwise not specified	4133
Tranquilizer, Animal	663
Tranquilizer, Horse	663
Transmission fluid	5059
Tranxene	206
Tranxilium	206
Trazodone hydrochloride	225
Treatment for nails, quick drying	5065
Tree bark, Mimosa	6148
Tree(s), Christmas	374
Trembolona QV75	8212
Tren 150, Tri	8272
Trenbol	8122
Trenbolone	8212
Trenbolone Blend, Triple	8272
Tri Tren 150	8272
Triamcinolone	8102
Triaminic <OTC>	8064
Triavil	224
Triazolam	113
Trichlorethylene	5100
Trichloroethane	565
Trichloronitrate	597
Trifluoperazine HCl	226
Tri-iodothyronine	8167
Trilafon	233
Trileptal	1006
Trim, Stay <OTC>	3074
Trimethoxyamhetamine	6156
TrimSpa <OTC>	8176
Trinity	6075
Trioxsalen	8040
Triple "S"	4030
Triple C <OTC>	6083
Triple Trenbolone Blend	8272
Triplets	6038
Tripping, Robo	8214
Trips	6038
Triptaneve [sic]	6051
Truck driver's speed	3049
Trumpet flowers/seeds; type unspecified	6078
Trumpet, Devil's	6163
Trumpets, Angel	695
Tryptamine, 4-Acetoxy-N,N-dimethyl	6171
Tryptamine, 5-Methoxy	6155

Definition	Code
Tryptamine, 5-methoxy-N-methyl-N-isopropyl	6192
Tryptamine, Alpha-methyl	6105
Tryptamine, Di-isopropyl-	6144
Tryptamine, Dimethyl	616
Tryptamine, Dipropyl	6141
Tryptamine, N-Methyl-N-isopropyl	6140
Tryptamine, not otherwise specified	6051
Tryptophan	245
Tryptophan, 5-Hydroxy <OTC>	8137
T's and blues	457
Ts and rits	8291
Ts and Rs	8291
TSP	6032
Tuinal	110
Tums <OTC>	8030
Tuner, TV	522
Turbo, LoCarb <OTC>	3095
Turpentine	5117
TussiCaps	8297
Tussigon	4125
Tussin medication, no other information	8231
Tussionex	4097
TV (MTV), Liquid	522
TV Tuner	522
TV11Y	522
Tweek	3013
Two-way Action, Mini <OTC>	3068
Tylenol <OTC>	435
Tylenol 3	409
Tylenol 4	409
Tylenol Allergy <OTC>	8205
Tylenol Cold Medication <OTC>	8065
Tylenol Extra-Strength <OTC>	435
Tylenol Flu <OTC>	8146
Tylenol Flu Nighttime <OTC>	1014
Tylenol P.M. <OTC>	180
Tylenol Sinus <OTC>	8123
Tylenol with Codeine	409
Tylox	4093
Tylox	431
Typewash	509
Tywall	5038
Ultra, Cloud 10	8314
Ultracet	4083
Ultram	496
Ultram ER	4134
Unicorn	634
Unisom <OTC>	123
Up you(r) gas <OTC>	3054
Up, Heads	3032
Up-johns	3018

Definition	Code
Uppers	324
Ups, Head	3032
Ups, Pep	3002
Uptime	3014
Valdecoxib	4096
Valerian <OTC>	1004
Valium	201
Valproic acid	894
Valsartan	8107
Valtrex	8126
Vanilla), Cooking extracts (lemon, etc. <OTC>	8145
Vapor, Nano <OTC>	8248
Vapors, Isopropanol	548
VapoRub/inhaler, Vicks <OTC>	8056
Venom, Snake	6142
Ventolin	377
Ventrex [sic]	4026
Venus	6067
Verapamil	8135
Versed	237
Verstran	266
Veterinary butorphanol, Torbugesic/Torbutrol	4087
Viagra	8066
Vicks 44 <OTC>	8115
Vicks VapoRub/inhaler <OTC>	8056
Vicodin	434
Vicoprofen	4033
Vicotuss	4143
Vilca	6134
Vinegar	5116
Vinegar pills, Apple cider and <OTC>	8109
Vioxx	4055
Virola	8159
Viserol [sic]	4025
Vistaril	215
Vitamin K	8078
Vitamin pills <OTC>	848
Vitamin, Liquid <OTC>	848
Vivactil	263
Vivarin <OTC>	354
Vivonex <OTC>	8258
Voltaren	4056
Voranil	315
Vyvanse	3111
Wacky Weed	6160
Wafers	173
Wak [sic]	852
Warfarin	8279
Wart remover	5036

Definition	Code
Water	6047
Water pills	865
Water tee [sic]	179
Water/stain repellant; type unspecified	5076
Watson(s); no other information	8201
Wax, Floor	5029
Way pane, 4-	625
WD-40	582
Weed	803
Weed, Ginseng	635
Weed, Horny goat	8322
Weed, Wacky	6160
Weight gain product, Protein-based; type unspecified	8222
Weight loss pills, alli <OTC>	3118
Wellbutrin	3026
Wellbutrin XL	3108
Wet	6056
Wet cement	5020
Wet Ones wipes	5067
Whack	852
Whip cream, Strawberry	252
Whipped-cream can	528
Whippets	508
White cross	326
White girl	8166
White molly	337
White powder	3020
White-Out	524
Whites	331
Wicki stick	857
Widows, Black	139
Wild dagga	6013
Wild lettuce	1015
Window	625
Window cleaner, Glass/	5046
Window pane	625
Window sealant	533
Winstrol	8076
Wipes, Wet Ones	5067
Wonderland, Alice in	6101
Wood alcohol	5040
Wood filler	5037
Wood putty	5037
Wood rose, Hawaiian	627
Woodrose seeds, Hawaiian	627
Works" shower cleaner, "The	5095
World, Quiet <OTC>	194
Worm, Agave	6022
Worm, Tequila	6022
Wormwood	6062
Wort, St. John's <OTC>	8183

Definition	Code
Wound gel, Biolex <OTC>	8150
Wygesic	404
X	606
X, 2C-	6143
X, Super	6006
Xanax	209
Xanax bars	209
Xanax XR	2016
Xenadrine <OTC>	3056
Xenical	3079
XL, Wellbutrin	3108
XL-3	8277
XR, Adderall	3086
XR, Focalin	3124
XR, Seroquel	1021
XR, Xanax	2016
X-TC	606
Xylene; otherwise unspecified	5102
Xylocaine	8187
Yaba	3096
Yage	6103
Yager's liniment <OTC>	8215
Yahe	6103
Yellow jackets	124
Yellow jell	6025
Yellow sunshine	624
Yellow tiny pills	668
Yellow zombies	164
Yellow, Mellow	651
Yesca	8003
YLOALE	881
Yohimbe	3023
Yopo	6134
You(r) gas, Up <OTC>	3054
Zacatechichi, Calea	8276
Zaleplon	189
Zanaflex	8097
Zanies	2003
Zannies	2003
Zans	2003
Zantac	8002
Zantac 75 <OTC>	8130
Zany bars	2003
Zentro [sic]	3025
Zestril	257
Zicam <OTC>	8303
Ziprasidone	2012
Zithromax	8019

Definition	Code
Zofran	8184
Zolmitriptan	4059
Zoloft	271
Zolpidem	174
Zomax	4054
Zombie Matter	8311
Zombies, yellow	164
Zomig	4059
Zonick	666
Zopiclone	1005
Z-pack	8019
Zyban	3026
Zydone	434
Zylortim <OTC>	8300
Zyprexa	289
Zyrtec <OTC>	8010
ZzzQuil <OTC>	1027

APPENDIX B

Consolidated Drug Other Specify Tables

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
105	Placidyl, Ethchlorvynol	4	0.08
109	Seconal	9	0.18
110	Tuinal	3	0.06
112	Restoril, Temazepam	3	0.06
113	Halcion, Triazolam	4	0.08
114	Amobarbital	1	0.02
116	Methaqualone, Sopor, Quaalude	34	0.69
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	9	0.18
121	USED SEDATIVE, DON'T KNOW NAME	4	0.08
122	Over-the-counter sleep aid; not specified <OTC>	1	0.02
123	Unisom <OTC>	1	0.02
124	Yellow jackets	1	0.02
129	Reds	4	0.08
130	Phenergan, Promethazine	5	0.10
131	Haldol, Haloperidol	2	0.04
137	7-14	1	0.02
138	Mandrax, Mandrix [see also 116]	1	0.02
142	Belladonna	1	0.02
157	Barbiturates	1	0.02
171	NyQuil <OTC>	7	0.14
174	Ambien, Stilnox, Zolpidem	97	1.98
176	Melatonin <OTC>	6	0.12
178	Quetiapine, Seroquel	29	0.59
180	Tylenol P.M. <OTC>	4	0.08
201	Valium, Diazepam	52	1.06
202	Librium, Chlordiazepoxide HCl	4	0.08
205	Serax, Oxazepam	3	0.06
206	Tranxene, Clorazepate, Tranxilium	2	0.04
207	Ativan, Lorazepam, Orfidal	15	0.31
209	Xanax, Alprazolam, Tafil, Xanax bars	169	3.45
215	Vistaril	3	0.06
216	Atarax, Hydroxyzine	2	0.04
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	8	0.16
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	2	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
225	Desyrel, Trazodone hydrochloride	29	0.59
227	Thorazine	1	0.02
228	Amitriptyline, Elavil	5	0.10
232	Mellaril	1	0.02
234	Flexeril, Cyclobenzaprine	27	0.55
240	Lithium carbonate, Lithonate	2	0.04
241	Prozac, Fluoxetine	2	0.04
246	Clonazepam, Diocam, Klonopin, Rivotril	26	0.53
247	Adapin, Doxepin, Sinequan	1	0.02
250	Aventyl, Nortab, Nortriptyline, Pamelor	1	0.02
267	Marezine	1	0.02
268	Rohypnol, Flunitrazepam, roche, roofies	2	0.04
271	Sertraline hydrochloride, Zoloft	6	0.12
278	Benzodiazepines	3	0.06
283	Paroxetine, Paxil	1	0.02
285	Risperdal, Risperdol, Resperidone	2	0.04
290	Metaxalone, Skelaxin	3	0.06
291	Celexa, Citalopram	1	0.02
301	Dexedrine	1	0.02
306	Desoxyn	1	0.02
310	Plegine	1	0.02
311	Preludin	1	0.02
313	Acxion, Adipex-P, Fastin, Phentermine	6	0.12
318	Ritalin, Methylphenidate	16	0.33
320	Dextroamphetamine	1	0.02
321	Methedrine	1	0.02
322	Methamphetamine ("ice" or "crank"), Meth	95	1.94
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	6	0.12
325	USED STIMULANT, DON'T KNOW NAME	3	0.06
326	White cross	9	0.18
327	Black beauties, black beauty	15	0.31
328	Pink hearts	4	0.08
329	Bird"s eggs, robin"s eggs, speckled eggs	3	0.06
330	Blue birds, blue jays, blue robins, speckled bird	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
332	Ephedrine	5	0.10
334	Crossroads, cross tops	2	0.04
336	Diet pills/medications/drugs; otherwise unspfd	4	0.08
339	Amphetamines	2	0.04
345	Black molly	4	0.08
348	Crystal	4	0.08
351	Cathinone, cat, khat, Q"at	1	0.02
353	No-Doz <OTC>	1	0.02
354	Vivarin <OTC>	1	0.02
355	Crystal meth, crystal methamphetamine	4	0.08
356	Dexies	1	0.02
374	Christmas tree(s)	3	0.06
377	Albuterol, Pro-Air, Proventil, Ventolin	4	0.08
401	Darvon	3	0.06
406	Percodan, Roxiprin	1	0.02
407	Demerol, Meperidine	12	0.24
408	Dilaudid, Hydromorphone	47	0.96
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	6	0.12
411	Talwin	2	0.04
415	Codeine	19	0.39
417	Morphine, Roxanol	68	1.39
418	Methadone, Dolophine	18	0.37
419	Stadol, Stadol NS	2	0.04
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	50	1.02
422	Motrin	20	0.41
423	Percocet	42	0.86
425	Advil <OTC>	77	1.57
427	Darvocet, Davocet-N	1	0.02
430	Aspirin, Ecotrin, Empirin <OTC>	18	0.37
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	104	2.12
435	Tylenol, Tylenol Extra-Strength <OTC>	64	1.31
438	Anaprox, Naprosyn, Naproxen, Naxen	15	0.31
442	Ibuprofen	121	2.47
450	Acetaminophen, incl. non-Tylenol brands <OTC>	10	0.20

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
465	Actiq, Fentanyl, Duragesic, Sublimaze	30	0.61
466	Midol <OTC>	6	0.12
468	Excedrin <OTC>	2	0.04
472	Indocin, Indomethacin	1	0.02
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.02
490	Nalbuphine, Nubain	1	0.02
496	Ultram	2	0.04
499	Aleve <OTC>	10	0.20
501	Gasoline or lighter fluids	16	0.33
503	Other aerosol sprays	24	0.49
504	Shoeshine liquid, glue, or toluene	7	0.14
505	Lacquer thinner or other paint solvents	2	0.04
506	Amyl nitrite,"poppers,"locker room odorizer,"rush"	10	0.20
507	Halothane, ether, or other anesthetics; chloroform	3	0.06
508	Nitrous oxide, "whippits," dentist gas	15	0.31
509	Correction fluids, degreasers, cleaning fluids	3	0.06
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	6	0.12
511	Markers, felt-tip pens, ink pens	108	2.20
512	Incense	2	0.04
516	CHC, chlorofluorocarbon, freon, refrigerant	11	0.22
518	Acetone, nail polish remover	7	0.14
519	Helium	29	0.59
520	Old paint, paint	4	0.08
521	Propane	1	0.02
524	White-Out	3	0.06
526	Nail polish	10	0.20
528	Whipped-cream can	12	0.24
534	Deodorant	1	0.02
540	PAM	2	0.04
545	Car tailpipe exhaust fumes, Carbon monoxide, CO	1	0.02
548	Cologne, isopropanol vapors, rubbing alcohol	7	0.14
554	Insect killer (e.g., Raid)	2	0.04
566	Smoked tea from Lipton tea bag	1	0.02
573	Furniture polish	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
590	Canned air, compressed air	5	0.10
592	Computer air duster, computer cleaner, dust-off	97	1.98
599	Potpourri	1	0.02
601	LSD ("acid")	76	1.55
602	Peyote	3	0.06
603	Mescaline	4	0.08
604	Psilocybin (mushrooms), sclerotia, shrooms	46	0.94
605	PCP ("angel dust," phencyclidine)	5	0.10
606	"Ecstasy" (MDMA), X-TC, "X"	15	0.31
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	61	1.24
609	Jimson weed	1	0.02
612	Happy stick, sherm, sherman, shermstick	1	0.02
614	MDA, Methylenedioxy amphetamine	10	0.20
616	DET, Dimethyltryptamine, DMT	151	3.08
617	Morning glory seeds, morning glory tendrils, ricea	10	0.20
622	Microdot(s), green microdot, purple microdot	5	0.10
623	Mickey, mickey mouse club, mickey mousers	1	0.02
624	Orange sunshine, sunshine, yellow sunshine	3	0.06
625	Window, window pane, 4-way pane, 4-way	3	0.06
627	Hawaiian wood rose, Hawaiian Woodrow seeds	4	0.08
633	Mr. Natural	1	0.02
635	Ginseng seeds, ginseng weed	1	0.02
636	DOM, STP	3	0.06
637	Purple haze	1	0.02
639	Nutmeg, Mace	3	0.06
650	Datura stramonium, daytura, thorn apple	2	0.04
658	Special K, Ketamine	62	1.27
660	Bufotenin, toad, toad licking	2	0.04
663	Animal tranquilizer, horse tranquilizer	5	0.10
695	Angel's trumpet	3	0.06
698	2C-B, Bromo mescaline, Nexus	33	0.67
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	4	0.08
702	Heroin	51	1.04
703	Opium	6	0.12

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
704	Dope	1	0.02
706	Smack	1	0.02
709	Poppy	2	0.04
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	18	0.37
802	THC, cannabinol, marinol, tetrahydrocannabinol	8	0.16
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	52	1.06
804	Hashish	1	0.02
805	Cocaine, coca, cocaina, coke, perico	39	0.80
806	Crack, rock	14	0.29
807	Alcohol, beer, ethanol, EtOH, pink champagne	24	0.49
809	Pills	3	0.06
813	Cigarettes, tobacco (type unspecified)	2	0.04
814	Caffeine <OTC>	2	0.04
820	Penicillin	1	0.02
821	Amoxicillin, Ampicillin, Pentrexly	3	0.06
824	Steroids	12	0.24
828	Tetracycline	2	0.04
829	Robitussin DM <OTC>	9	0.18
840	Over-the-counter-cough med(contnts unspec) <OTC>	1	0.02
843	Cold medicine, cold tablets <OTC>	6	0.12
844	Blood pressure medication	2	0.04
847	GHB, NSC, gamma hydroxybutyrate	3	0.06
848	Liquid vitamin, vitamin pills <OTC>	3	0.06
858	Antibiotic	2	0.04
865	Diuretics, water pills	2	0.04
876	Glass	1	0.02
883	Dextromethorphan hydrobromide <OTC>	12	0.24
894	Depakene, Depakote, Valproic acid	1	0.02
896	Catapres, Clonidine	1	0.02
900	Not a drug	1	0.02
1001	Benadryl, Diphenhydramine <OTC>	20	0.41
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	8	0.16
1003	Donnatal	1	0.02
1005	Imovane, Zopiclone	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
1008	Rohr 714, Rorer 714	1	0.02
1011	Lunesta	5	0.10
1013	Ambien CR	1	0.02
1018	Advil PM <OTC>	1	0.02
1026	Moon Drops <OTC>	1	0.02
2001	Sanoma, Soma, Carisoprodol	36	0.73
2002	Muscle relaxers	22	0.45
2003	Zanies, zannies, zans, zany bars	4	0.08
2012	Geodon, Ziprasidone	4	0.08
2026	Sedoxil	1	0.02
3001	Brown and clear	1	0.02
3009	Ephedrone, Methcathinone	1	0.02
3023	Adderall	641	13.08
3024	Yohimbe	1	0.02
3052	Speed; otherwise unspecified	19	0.39
3060	Hydroxycut <OTC>	3	0.06
3077	Concerta	30	0.61
3086	Adderall XR	1	0.02
3090	Provigil, Modafinil	6	0.12
3094	Dexmethylphenidate, Focalin	14	0.29
3102	Methylin	1	0.02
3111	LDX, Lisdexamfetamine dimesylate, Vyvanse	92	1.88
3116	MCAT, Mephedrone	2	0.04
3117	Methedrone	1	0.02
3119	MDPV, Methylenedioxypyrovalerone	3	0.06
3127	4-FMA, 4-Fluoromethamphetamine	1	0.02
3128	Jet-Alert <OTC>	1	0.02
4002	Imitrex, Sumatriptan	1	0.02
4007	Happy pills	1	0.02
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol	1	0.02
4023	Pamprin <OTC>	1	0.02
4033	Vicoprofen	2	0.04
4035	Nabumetone, Relafin	1	0.02
4037	Kadian, MS Contin	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
4039	Daypro	1	0.02
4041	Maxalt	1	0.02
4043	Tramadol	15	0.31
4044	Hydrocodone	46	0.94
4046	Oxycodone or unspecified oxycodone products	93	1.90
4047	Roxicet	20	0.41
4048	Motrin IB <OTC>	4	0.08
4051	Celebrex	1	0.02
4052	Endocet	1	0.02
4056	Cataflam, Diclofenac, Voltaren	1	0.02
4065	Roxicodone	28	0.57
4067	OxyContin	114	2.33
4076	OTC Pain reliever; not otherwise specified <OTC>	1	0.02
4077	Tee"s	1	0.02
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.02
4083	Ultracet	1	0.02
4097	Tussionex	1	0.02
4109	Suboxone	30	0.61
4116	Phenergan with codeine, promethazine with codeine	3	0.06
4119	Buprenorphine, Subutex	6	0.12
4120	Numorphan, Opana, Oxymorphone	51	1.04
4125	Hycodan, Hydromet, Tussigon	1	0.02
4129	Naproxen Sodium 220 mg <OTC>	1	0.02
4136	Sedalmex <OTC>	1	0.02
4143	Vicotuss	2	0.04
4144	Bancap HC	1	0.02
5001	Bleach	1	0.02
5004	Ink print, paper	1	0.02
5017	Oil, lubricant; otherwise unspecified	1	0.02
5021	Octane booster	1	0.02
5022	Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.02
5028	Carburetor cleaner, engine cleaner	1	0.02
5045	Cleaner; not otherwise specified	1	0.02
5049	Hand sanitizer/cleaner; contents unspecified	3	0.06

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
5053	Electronics cleaner	2	0.04
5069	Febreze	3	0.06
5078	Axe body spray	4	0.08
5083	Ethyl chloride	1	0.02
5091	Germ-X	1	0.02
5097	Lysol; aerosol unspecified	1	0.02
5098	Axe/Axe deodorant; aerosol unspecified	4	0.08
5102	Xylene; otherwise unspecified	1	0.02
5105	Sulfur; otherwise unspecified	1	0.02
5112	Lotion (body, hand); contents unspecified	1	0.02
5129	Smoke bomb	1	0.02
5130	Glow stick	1	0.02
6029	DXM	27	0.55
6043	Diviner"s sage, Salvia divinorum	202	4.12
6044	Gel caps, gel tabs	2	0.04
6048	Dex	1	0.02
6056	Wet	1	0.02
6061	5-MeO-DMT	3	0.06
6064	Marigold buttons	1	0.02
6074	LSA	18	0.37
6076	Lemon 714	1	0.02
6077	San Pedro	1	0.02
6083	CCC, "Triple C," C3 <OTC>	14	0.29
6092	TCP	1	0.02
6098	Dust; not otherwise specified	1	0.02
6100	2C-T-7, T7, blue mystic	1	0.02
6102	Absinthe	3	0.06
6103	Ayahuasca, Yahe	9	0.18
6109	2, 5-Dimethoxyamphetamine, DMA	2	0.04
6112	2C-T-2	1	0.02
6114	Molly; not otherwise specified	79	1.61
6115	Foxy	2	0.04
6119	Scoop	1	0.02
6125	MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	51	1.04
6127	Skittles	1	0.02
6132	Amanita mushrooms, fly agaric, muscimol	4	0.08
6135	5-MeO-AMT	1	0.02
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	49	1.00
6139	2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.02
6146	5-MeO; otherwise unspecified	2	0.04
6162	4-MeO-DMT	1	0.02
6166	BZP, Benzylpiperazine	1	0.02
6169	2,5-dimethoxy-4-chloroamphetamine, DOC	4	0.08
6170	Moonflower/pod; otherwise unspecified	1	0.02
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	3	0.06
6172	2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.02
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	3	0.06
6174	bk-MDMA, Methylone	4	0.08
6176	3C-Bromo-Dragonfly, DOB-Dragonfly	2	0.04
6182	2C-P,4-propyl-2,5-dimethoxyphenethylamine	9	0.18
6183	5-MeO-DALT, N,N-diallyl-5-methoxytryptamine	1	0.02
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	23	0.47
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	3	0.06
6188	25B-NBOMe, NBOMe-2C-B	1	0.02
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C	6	0.12
6192	5-MeO-MiPT	2	0.04
6193	Fungus; otherwise unspecified	1	0.02
6194	MDMA derivative; otherwise unspecified	2	0.04
6195	LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.02
6196	Changa	1	0.02
6197	2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.02
8002	Zantac	2	0.04
8006	Laxative <OTC>	2	0.04
8007	Gabapentin, Neurontin	4	0.08
8008	Antidepressant; type unspecified	4	0.08
8009	Allergy pills/antihistamine; type unspecified	7	0.14
8012	Coriciden <OTC>	16	0.33

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
8015	Bengay <OTC>	1	0.02
8024	Asthma inhaler,asthma medication,bronchial dilator	6	0.12
8027	Alavert, Claritin, Loratadine <OTC>	3	0.06
8028	Bactine <OTC>	1	0.02
8030	Tums <OTC>	1	0.02
8035	Prednisone	1	0.02
8056	Vicks VapoRub/inhaler <OTC>	1	0.02
8058	Cough medicine/syrup; type unspecified	21	0.43
8067	Testosterone	6	0.12
8072	Deca-Durabolin, Nandrolone decanoate	1	0.02
8079	Insulin	1	0.02
8088	Dianabol	1	0.02
8094	Pepto Bismol <OTC>	4	0.08
8097	Tizanidine, Zanaflex	3	0.06
8110	Over-the-counter drug/pills; type unspecified<OTC>	4	0.08
8112	hCG, Human Chorionic Gonadotropin	1	0.02
8114	Lidocaine	2	0.04
8117	Hydrocortisone	1	0.02
8118	Smoking; not otherwise specified	4	0.08
8124	Deca-diabolin	1	0.02
8136	Montekulast, Singulair	3	0.06
8164	Testosterone propionate	1	0.02
8165	Anavar	1	0.02
8192	Delsym, Dextromethorphan polistirex <OTC>	1	0.02
8203	Bar; otherwise unspecified	1	0.02
8206	Delatestryl, Testosterone enanthate	2	0.04
8209	Red Bull Energy Drink <OTC>	1	0.02
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.02
8225	Cymbalta, Duloxetine	3	0.06
8227	Sativa; otherwise unspecified	2	0.04
8229	ADHD/ADD medication; otherwise unspfd	5	0.10
8236	Lyrica, Pregabalin	3	0.06
8277	XL-3 <OTC>	1	0.02
8280	Mucinex-DM <OTC>	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
8283	Synthetic cannabinoids (eg, K2, Spice, JWH-018)	55	1.12
8293	Lean (Promethazine w/codeine mixed w/Sprite)	1	0.02
8301	Bath salts, otherwise unspecified	12	0.24
8305	Anti-anxiety medications; type unspecified	1	0.02
8306	Flu medication; no other information	1	0.02
8315	Synthetic cannabis; otherwise unspecified	3	0.06
8329	Artane, Parkopan	1	0.02
8330	Bipolar disorder medication; type unspecified	1	0.02
8331	Diophenyl-T	1	0.02
8333	Moringa	1	0.02
8334	OxyElite Pro	1	0.02
8335	Metatabs	1	0.02
8336	Peridan	1	0.02

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
322	Methamphetamine ("ice" or "crank"), Meth	1	0.26
351	Cathinone, cat, khat, Q"at	1	0.26
377	Albuterol, Pro-Air, Proventil, Ventolin	3	0.77
501	Gasoline or lighter fluids	6	1.54
503	Other aerosol sprays	24	6.17
504	Shoeshine liquid, glue, or toluene	5	1.29
505	Lacquer thinner or other paint solvents	1	0.26
506	Amyl nitrite,"poppers,"locker room odorizer,"rush"	4	1.03
507	Halothane, ether, or other anesthetics; chloroform	1	0.26
508	Nitrous oxide, "whippits," dentist gas	4	1.03
509	Correction fluids, degreasers, cleaning fluids	3	0.77
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	4	1.03
511	Markers, felt-tip pens, ink pens	107	27.51
516	CHC, chlorofluorocarbon, freon, refrigerant	10	2.57
518	Acetone, nail polish remover	7	1.80
519	Helium	27	6.94
520	Old paint, paint	1	0.26
521	Propane	1	0.26
524	White-Out	3	0.77
526	Nail polish	10	2.57
528	Whipped-cream can	12	3.08
534	Deodorant	1	0.26
540	PAM	2	0.51
548	Cologne, isopropanol vapors, rubbing alcohol	7	1.80
554	Insect killer (e.g., Raid)	1	0.26
573	Furniture polish	1	0.26
590	Canned air, compressed air	5	1.29
592	Computer air duster, computer cleaner, dust-off	91	23.39
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.26
900	Not a drug	1	0.26
5001	Bleach	1	0.26
5004	Ink print, paper	1	0.26
5017	Oil, lubricant; otherwise unspecified	1	0.26
5021	Octane booster	1	0.26

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
5022	Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.26
5028	Carburetor cleaner, engine cleaner	1	0.26
5045	Cleaner; not otherwise specified	1	0.26
5049	Hand sanitizer/cleaner; contents unspecified	3	0.77
5053	Electronics cleaner	2	0.51
5069	Febreze	3	0.77
5078	Axe body spray	4	1.03
5091	Germ-X	1	0.26
5097	Lysol; aerosol unspecified	1	0.26
5098	Axe/Axe deodorant; aerosol unspecified	4	1.03
5102	Xylene; otherwise unspecified	1	0.26
5112	Lotion (body, hand); contents unspecified	1	0.26
5129	Smoke bomb	1	0.26
5130	Glow stick	1	0.26
6098	Dust; not otherwise specified	1	0.26
6127	Skittles	1	0.26
8024	Asthma inhaler, asthma medication, bronchial dilator	6	1.54
8028	Bactine <OTC>	1	0.26
8056	Vicks VapoRub/inhaler <OTC>	1	0.26
8118	Smoking; not otherwise specified	3	0.77
8283	Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.26
8315	Synthetic cannabis; otherwise unspecified	1	0.26

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
113	Halcion, Triazolam	1	0.08
116	Methaqualone, Sopor, Quaalude	1	0.08
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.08
130	Phenergan, Promethazine	1	0.08
142	Belladonna	1	0.08
171	NyQuil <OTC>	1	0.08
174	Ambien, Stilnox, Zolpidem	3	0.24
209	Xanax, Alprazolam, Tafil, Xanax bars	2	0.16
225	Desyrel, Trazodone hydrochloride	1	0.08
246	Clonazepam, Diocam, Klonopin, Rivotril	3	0.24
267	Marezine	1	0.08
322	Methamphetamine ("ice" or "crank"), Meth	8	0.64
328	Pink hearts	1	0.08
348	Crystal	1	0.08
407	Demerol, Meperidine	1	0.08
415	Codeine	2	0.16
417	Morphine, Roxanol	2	0.16
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	0.24
423	Percocet	1	0.08
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	3	0.24
501	Gasoline or lighter fluids	10	0.80
504	Shoeshine liquid, glue, or toluene	2	0.16
505	Lacquer thinner or other paint solvents	1	0.08
506	Amyl nitrite, "poppers," "locker room odorizer," "rush"	6	0.48
507	Halothane, ether, or other anesthetics; chloroform	2	0.16
508	Nitrous oxide, "whippits," dentist gas	11	0.88
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.16
511	Markers, felt-tip pens, ink pens	1	0.08
512	Incense	2	0.16
516	CHC, chlorofluorocarbon, freon, refrigerant	1	0.08
519	Helium	2	0.16
520	Old paint, paint	3	0.24
554	Insect killer (e.g., Raid)	1	0.08
566	Smoked tea from Lipton tea bag	1	0.08

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
592	Computer air duster, computer cleaner, dust-off	6	0.48
599	Potpourri	1	0.08
601	LSD ("acid")	71	5.68
602	Peyote	2	0.16
603	Mescaline	1	0.08
604	Psilocybin (mushrooms), sclerotia, shrooms	44	3.52
605	PCP ("angel dust," phencyclidine)	4	0.32
606	"Ecstasy" (MDMA), X-TC, "X"	6	0.48
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	61	4.88
609	Jimson weed	1	0.08
612	Happy stick, sherm, sherman, shermstick	1	0.08
614	MDA, Methylenedioxy amphetamine	7	0.56
616	DET, Dimethyltryptamine, DMT	150	11.99
617	Morning glory seeds, morning glory tendrils, ricea	10	0.80
622	Microdot(s), green microdot, purple microdot	5	0.40
623	Mickey, mickey mouse club, mickey mousers	1	0.08
624	Orange sunshine, sunshine, yellow sunshine	3	0.24
625	Window, window pane, 4-way pane, 4-way	3	0.24
627	Hawaiian wood rose, Hawaiian Woodrow seeds	4	0.32
633	Mr. Natural	1	0.08
635	Ginseng seeds, ginseng weed	1	0.08
636	DOM, STP	3	0.24
637	Purple haze	1	0.08
639	Nutmeg, Mace	3	0.24
650	Datura stramonium, daytura, thorn apple	2	0.16
658	Special K, Ketamine	28	2.24
660	Bufotenin, toad, toad licking	2	0.16
663	Animal tranquilizer, horse tranquilizer	2	0.16
695	Angel"s trumpet	3	0.24
698	2C-B, Bromo mescaline, Nexus	33	2.64
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	2	0.16
703	Opium	5	0.40
709	Poppy	2	0.16
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.08

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
802	THC, cannabinal, marinol, tetrahydrocannabinol	4	0.32
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	7	0.56
804	Hashish	1	0.08
806	Crack, rock	1	0.08
807	Alcohol, beer, ethanol, EtOH, pink champagne	1	0.08
809	Pills	1	0.08
829	Robitussin DM <OTC>	9	0.72
840	Over-the-counter-cough med(contnts unspec) <OTC>	1	0.08
843	Cold medicine, cold tablets <OTC>	2	0.16
847	GHB, NSC, gamma hydroxybutyrate	3	0.24
876	Glass	1	0.08
883	Dextromethorphan hydrobromide <OTC>	10	0.80
1001	Benadryl, Diphenhydramine <OTC>	4	0.32
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	6	0.48
2003	Zanies, zannies, zans, zany bars	1	0.08
2012	Geodon, Ziprasidone	1	0.08
3023	Adderall	1	0.08
3052	Speed; otherwise unspecified	2	0.16
3090	Provigil, Modafinil	1	0.08
3116	MCAT, Mephedrone	2	0.16
3117	Methedrone	1	0.08
3119	MDPV, Methylenedioxypropyvalerone	1	0.08
4046	Oxycodone or unspecified oxycodone products	1	0.08
4067	OxyContin	1	0.08
4077	Tee"s	1	0.08
5083	Ethyl chloride	1	0.08
6029	DXM	27	2.16
6043	Diviner"s sage, Salvia divinorum	202	16.15
6044	Gel caps, gel tabs	2	0.16
6048	Dex	1	0.08
6056	Wet	1	0.08
6061	5-MeO-DMT	3	0.24
6064	Marigold buttons	1	0.08
6074	LSA	18	1.44

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
6077	San Pedro	1	0.08
6083	CCC, "Triple C," C3 <OTC>	12	0.96
6092	TCP	1	0.08
6100	2C-T-7, T7, blue mystic	1	0.08
6102	Absinthe	3	0.24
6103	Ayahuasca, Yahe	9	0.72
6109	2, 5-Dimethoxyamphetamine, DMA	2	0.16
6112	2C-T-2	1	0.08
6114	Molly; not otherwise specified	73	5.84
6115	Foxy	2	0.16
6119	Scoop	1	0.08
6125	MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine	1	0.08
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	51	4.08
6132	Amanita mushrooms, fly agaric, muscimol	4	0.32
6135	5-MeO-AMT	1	0.08
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	49	3.92
6139	2c-c, 2-5-Dimethoxy-4-chlorophenethylamine	1	0.08
6146	5-MeO; otherwise unspecified	2	0.16
6162	4-MeO-DMT	1	0.08
6166	BZP, Benzylpiperazine	1	0.08
6169	2,5-dimethoxy-4-chloroamphetamine, DOC	4	0.32
6170	Moonflower/pod; otherwise unspecified	1	0.08
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	3	0.24
6172	2,5-dimethoxy-4-(2-fluoroethylthio)phenethylamine	1	0.08
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	3	0.24
6174	bk-MDMA, Methylone	4	0.32
6176	3C-Bromo-Dragonfly, DOB-Dragonfly	2	0.16
6182	2C-P,4-propyl-2,5-dimethoxyphenethylamine	9	0.72
6183	5-MeO-DALT, N,N-diallyl-5-methoxytryptamine	1	0.08
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	23	1.84
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	3	0.24
6188	25B-NBOMe, NBOMe-2C-B	1	0.08
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C	6	0.48
6192	5-MeO-MiPT	2	0.16

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
6193	Fungus; otherwise unspecified	1	0.08
6194	MDMA derivative; otherwise unspecified	2	0.16
6195	LSZ, Lysergic acid 2,4-dimethylazetidine	1	0.08
6196	Changa	1	0.08
6197	2C-C, 4-chloro-2,5-dimethoxyphenethylamine	1	0.08
8008	Antidepressant; type unspecified	1	0.08
8009	Allergy pills/antihistamine; type unspecified	1	0.08
8012	Coriciden <OTC>	12	0.96
8058	Cough medicine/syrup; type unspecified	14	1.12
8118	Smoking; not otherwise specified	1	0.08
8192	Delsym, Dextromethorphan polistirex <OTC>	1	0.08
8203	Bar; otherwise unspecified	1	0.08
8227	Sativa; otherwise unspecified	2	0.16
8280	Mucinex-DM <OTC>	1	0.08
8283	Synthetic cannabinoids (eg, K2, Spice, JWH-018)	48	3.84
8301	Bath salts, otherwise unspecified	7	0.56
8306	Flu medication; no other information	1	0.08
8315	Synthetic cannabis; otherwise unspecified	1	0.08
8329	Artane, Parkopan	1	0.08

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.08
109	Seconal	4	0.31
110	Tuinal	2	0.15
113	Halcion, Triazolam	1	0.08
114	Amobarbital	1	0.08
116	Methaqualone, Sopor, Quaalude	11	0.85
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.08
130	Phenergan, Promethazine	3	0.23
171	NyQuil <OTC>	3	0.23
174	Ambien, Stilnox, Zolpidem	6	0.46
176	Melatonin <OTC>	3	0.23
178	Quetiapine, Seroquel	5	0.39
180	Tylenol P.M. <OTC>	2	0.15
201	Valium, Diazepam	39	3.01
206	Tranxene, Clorazepate, Tranxilium	1	0.08
207	Ativan, Lorazepam, Orfidal	7	0.54
209	Xanax, Alprazolam, Tafil, Xanax bars	120	9.27
216	Atarax, Hydroxyzine	2	0.15
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	2	0.15
225	Desyrel, Trazodone hydrochloride	2	0.15
228	Amitriptyline, Elavil	1	0.08
234	Flexeril, Cyclobenzaprine	19	1.47
241	Prozac, Fluoxetine	1	0.08
246	Clonazepam, Diocam, Klonopin, Rivotril	14	1.08
250	Aventyl, Nortab, Nortriptyline, Pamelor	1	0.08
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.08
271	Sertraline hydrochloride, Zoloft	1	0.08
283	Paroxetine, Paxil	1	0.08
290	Metaxalone, Skelaxin	2	0.15
313	Acxion, Adipex-P, Fastin, Phentermine	1	0.08
318	Ritalin, Methylphenidate	5	0.39
339	Amphetamines	1	0.08
401	Darvon	1	0.08
406	Percodan, Roxiprin	1	0.08

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
407	Demerol, Meperidine	6	0.46
408	Dilaudid, Hydromorphone	11	0.85
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	6	0.46
411	Talwin	1	0.08
415	Codeine	13	1.00
417	Morphine, Roxanol	21	1.62
418	Methadone, Dolophine	8	0.62
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	42	3.25
422	Motrin	20	1.55
423	Percocet	27	2.09
425	Advil <OTC>	73	5.64
427	Darvocet, Davocet-N	1	0.08
430	Aspirin, Ecotrin, Empirin <OTC>	18	1.39
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	96	7.42
435	Tylenol, Tylenol Extra-Strength <OTC>	56	4.33
438	Anaprox, Naprosyn, Naproxen, Naxen	15	1.16
442	Ibuprofen	115	8.89
450	Acetaminophen, incl. non-Tylenol brands <OTC>	9	0.70
465	Actiq, Fentanyl, Duragesic, Sublimaze	27	2.09
466	Midol <OTC>	6	0.46
468	Excedrin <OTC>	2	0.15
472	Indocin, Indomethacin	1	0.08
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.08
496	Ultram	2	0.15
499	Aleve <OTC>	9	0.70
606	"Ecstasy" (MDMA), X-TC, "X"	1	0.08
703	Opium	1	0.08
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.08
802	THC, cannabinol, marinol, tetrahydrocannabinol	3	0.23
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.23
806	Crack, rock	1	0.08
820	Penicillin	1	0.08
821	Amoxicillin, Ampicillin, Pentrexly	3	0.23
828	Tetracycline	1	0.08

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
843	Cold medicine, cold tablets <OTC>	1	0.08
844	Blood pressure medication	1	0.08
848	Liquid vitamin, vitamin pills <OTC>	1	0.08
858	Antibiotic	1	0.08
865	Diuretics, water pills	1	0.08
1001	Benadryl, Diphenhydramine <OTC>	6	0.46
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.15
1003	Donnatal	1	0.08
1008	Rohr 714, Rorer 714	1	0.08
1018	Advil PM <OTC>	1	0.08
2001	Sanoma, Soma, Carisoprodol	27	2.09
2002	Muscle relaxers	17	1.31
2003	Zanies, zannies, zans, zany bars	2	0.15
2012	Geodon, Ziprasidone	1	0.08
3023	Adderall	38	2.94
3052	Speed; otherwise unspecified	1	0.08
3090	Provigil, Modafinil	1	0.08
3111	LDX, Lisdexamfetamine dimesylate, Vyvanse	3	0.23
4002	Imitrex, Sumatriptan	1	0.08
4007	Happy pills	1	0.08
4011	Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.08
4023	Pamprin <OTC>	1	0.08
4033	Vicoprofen	2	0.15
4035	Nabumetone, Relafin	1	0.08
4039	Daypro	1	0.08
4041	Maxalt	1	0.08
4043	Tramadol	9	0.70
4044	Hydrocodone	44	3.40
4046	Oxycodone or unspecified oxycodone products	59	4.56
4047	Roxicet	16	1.24
4048	Motrin IB <OTC>	4	0.31
4051	Celebrex	1	0.08
4052	Endocet	1	0.08
4056	Cataflam, Diclofenac, Voltaren	1	0.08

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
4065	Roxicodone	19	1.47
4067	OxyContin	35	2.70
4076	OTC Pain reliever; not otherwise specified <OTC>	1	0.08
4083	Ultracet	1	0.08
4097	Tussionex	1	0.08
4109	Suboxone	20	1.55
4116	Phenergan with codeine, promethazine with codeine	3	0.23
4119	Buprenorphine, Subutex	6	0.46
4120	Numorphan, Opana, Oxymorphone	42	3.25
4129	Naproxen Sodium 220 mg <OTC>	1	0.08
4136	Sedalmex <OTC>	1	0.08
4143	Vicotuss	2	0.15
4144	Bancap HC	1	0.08
5105	Sulfur; otherwise unspecified	1	0.08
6076	Lemon 714	1	0.08
6083	CCC, "Triple C," C3 <OTC>	1	0.08
6114	Molly; not otherwise specified	1	0.08
8002	Zantac	2	0.15
8007	Gabapentin, Neurontin	3	0.23
8009	Allergy pills/antihistamine; type unspecified	5	0.39
8012	Coriciden <OTC>	2	0.15
8015	Bengay <OTC>	1	0.08
8027	Alavert, Claritin, Loratadine <OTC>	1	0.08
8030	Tums <OTC>	1	0.08
8035	Prednisone	1	0.08
8058	Cough medicine/syrup; type unspecified	6	0.46
8094	Pepto Bismol <OTC>	2	0.15
8097	Tizanidine, Zanaflex	1	0.08
8110	Over-the-counter drug/pills; type unspecified<OTC>	1	0.08
8114	Lidocaine	1	0.08
8136	Montekulast, Singulair	2	0.15
8225	Cymbalta, Duloxetine	2	0.15
8229	ADHD/ADD medication; otherwise unspfd	1	0.08
8236	Lyrica, Pregabalin	3	0.23

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
8277	XL-3 <OTC>	1	0.08
8293	Lean (Promethazine w/codeine mixed w/Sprite)	1	0.08
8305	Anti-anxiety medications; type unspecified	1	0.08
8330	Bipolar disorder medication; type unspecified	1	0.08
8333	Moringa	1	0.08

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
124	Yellow jackets	1	0.11
129	Reds	1	0.11
178	Quetiapine, Seroquel	1	0.11
301	Dexedrine	1	0.11
310	Plegine	1	0.11
313	Acxion, Adipex-P, Fastin, Phentermine	4	0.46
318	Ritalin, Methylphenidate	5	0.57
321	Methedrine	1	0.11
322	Methamphetamine ("ice" or "crank"), Meth	6	0.69
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	6	0.69
325	USED STIMULANT, DON'T KNOW NAME	3	0.34
326	White cross	9	1.03
327	Black beauties, black beauty	15	1.72
328	Pink hearts	3	0.34
329	Bird"s eggs, robin"s eggs, speckled eggs	3	0.34
330	Blue birds, blue jays, blue robins, speckled bird	1	0.11
332	Ephedrine	5	0.57
334	Crossroads, cross tops	2	0.23
336	Diet pills/medications/drugs; otherwise unspfd	3	0.34
339	Amphetamines	1	0.11
345	Black molly	3	0.34
348	Crystal	1	0.11
353	No-Doz <OTC>	1	0.11
354	Vivarin <OTC>	1	0.11
355	Crystal meth, crystal methamphetamine	1	0.11
356	Dexies	1	0.11
374	Christmas tree(s)	3	0.34
377	Albuterol, Pro-Air, Proventil, Ventolin	1	0.11
425	Advil <OTC>	4	0.46
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.11
435	Tylenol, Tylenol Extra-Strength <OTC>	2	0.23
442	Ibuprofen	1	0.11
499	Aleve <OTC>	1	0.11
606	"Ecstasy" (MDMA), X-TC, "X"	1	0.11

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
614	MDA, Methylenedioxy amphetamine	1	0.11
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.11
805	Cocaine, coca, cocaina, coke, perico	3	0.34
814	Caffeine <OTC>	1	0.11
848	Liquid vitamin, vitamin pills <OTC>	1	0.11
858	Antibiotic	1	0.11
883	Dextromethorphan hydrobromide <OTC>	2	0.23
3001	Brown and clear	1	0.11
3009	Ephedrone, Methcathinone	1	0.11
3023	Adderall	594	68.20
3024	Yohimbe	1	0.11
3052	Speed; otherwise unspecified	12	1.38
3060	Hydroxycut <OTC>	3	0.34
3077	Concerta	30	3.44
3086	Adderall XR	1	0.11
3090	Provigil, Modafinil	4	0.46
3094	Dexmethylphenidate, Focalin	13	1.49
3102	Methylin	1	0.11
3111	LDX, Lisdexamfetamine dimesylate, Vyvanse	89	10.22
3119	MDPV, Methylenedioxypyrovalerone	1	0.11
3127	4-FMA, 4-Fluoromethamphetamine	1	0.11
3128	Jet-Alert <OTC>	1	0.11
6114	Molly; not otherwise specified	2	0.23
8006	Laxative <OTC>	1	0.11
8008	Antidepressant; type unspecified	2	0.23
8110	Over-the-counter drug/pills; type unspecified<OTC>	1	0.11
8209	Red Bull Energy Drink <OTC>	1	0.11
8229	ADHD/ADD medication; otherwise unspfd	4	0.46
8331	Diophenyl-T	1	0.11
8334	OxyElite Pro	1	0.11
8335	Metatabs	1	0.11

Tabulation of SEDATIVE Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SEDATIVE Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.48
112	Restoril, Temazepam	1	0.48
116	Methaqualone, Sopor, Quaalude	2	0.96
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	5	2.40
121	USED SEDATIVE, DON'T KNOW NAME	4	1.92
122	Over-the-counter sleep aid; not specified <OTC>	1	0.48
129	Reds	2	0.96
157	Barbiturates	1	0.48
171	NyQuil <OTC>	3	1.44
174	Ambien, Stilnox, Zolpidem	76	36.54
176	Melatonin <OTC>	3	1.44
178	Quetiapine, Seroquel	14	6.73
180	Tylenol P.M. <OTC>	2	0.96
201	Valium, Diazepam	4	1.92
206	Tranxene, Clorazepate, Tranxilium	1	0.48
207	Ativan, Lorazepam, Orfidal	1	0.48
209	Xanax, Alprazolam, Tafil, Xanax bars	6	2.88
225	Desyrel, Trazodone hydrochloride	19	9.13
228	Amitriptyline, Elavil	1	0.48
232	Mellaril	1	0.48
234	Flexeril, Cyclobenzaprine	1	0.48
246	Clonazepam, Diocam, Klonopin, Rivotril	1	0.48
247	Adapin, Doxepin, Sinequan	1	0.48
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.48
271	Sertraline hydrochloride, Zoloft	4	1.92
285	Risperdal, Risperdol, Risperidone	2	0.96
291	Celexa, Citalopram	1	0.48
401	Darvon	2	0.96
408	Dilaudid, Hydromorphone	1	0.48
417	Morphine, Roxanol	1	0.48
418	Methadone, Dolophine	1	0.48
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.48
423	Percocet	1	0.48
435	Tylenol, Tylenol Extra-Strength <OTC>	4	1.92

Tabulation of SEDATIVE Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SEDATIVE Drugs Specified
450	Acetaminophen, incl. non-Tylenol brands <OTC>	1	0.48
658	Special K, Ketamine	1	0.48
843	Cold medicine, cold tablets <OTC>	1	0.48
896	Catapres, Clonidine	1	0.48
1001	Benadryl, Diphenhydramine <OTC>	10	4.81
1005	Imovane, Zopiclone	1	0.48
1011	Lunesta	4	1.92
1013	Ambien CR	1	0.48
1026	Moon Drops <OTC>	1	0.48
2001	Sanoma, Soma, Carisoprodol	1	0.48
2002	Muscle relaxers	2	0.96
2003	Zanies, zannies, zans, zany bars	1	0.48
2012	Geodon, Ziprasidone	2	0.96
3023	Adderall	1	0.48
4043	Tramadol	2	0.96
4125	Hycodan, Hydromet, Tussigon	1	0.48
6083	CCC, "Triple C," C3 <OTC>	1	0.48
8012	Coriciden <OTC>	1	0.48
8058	Cough medicine/syrup; type unspecified	1	0.48
8094	Pepto Bismol <OTC>	2	0.96
8117	Hydrocortisone	1	0.48
8136	Montekulast, Singulair	1	0.48

Tabulation of SPECIAL DRUGS Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SPECIAL DRUGS Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.19
109	Seconal	4	0.78
112	Restoril, Temazepam	1	0.19
116	Methaqualone, Sopor, Quaalude	4	0.78
123	Unisom <OTC>	1	0.19
130	Phenergan, Promethazine	1	0.19
131	Haldol, Haloperidol	1	0.19
174	Ambien, Stilnox, Zolpidem	1	0.19
201	Valium, Diazepam	4	0.78
207	Ativan, Lorazepam, Orfidal	1	0.19
209	Xanax, Alprazolam, Tafil, Xanax bars	20	3.89
215	Vistaril	1	0.19
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.39
228	Amitriptyline, Elavil	1	0.19
246	Clonazepam, Diocam, Klonopin, Rivotril	3	0.58
306	Desoxyn	1	0.19
311	Preludin	1	0.19
313	Acxion, Adipex-P, Fastin, Phentermine	1	0.19
318	Ritalin, Methylphenidate	5	0.97
320	Dextroamphetamine	1	0.19
322	Methamphetamine ("ice" or "crank"), Meth	35	6.81
345	Black molly	1	0.19
348	Crystal	2	0.39
355	Crystal meth, crystal methamphetamine	2	0.39
407	Demerol, Meperidine	5	0.97
408	Dilaudid, Hydromorphone	35	6.81
411	Talwin	1	0.19
415	Codeine	4	0.78
417	Morphine, Roxanol	43	8.37
418	Methadone, Dolophine	9	1.75
419	Stadol, Stadol NS	2	0.39
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.19
423	Percocet	13	2.53
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.19

Tabulation of SPECIAL DRUGS Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SPECIAL DRUGS Drugs Specified
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.19
442	Ibuprofen	1	0.19
465	Actiq, Fentanyl, Duragesic, Sublimaze	3	0.58
490	Nalbuphine, Nubain	1	0.19
601	LSD ("acid")	5	0.97
603	Mescaline	3	0.58
605	PCP ("angel dust," phencyclidine)	1	0.19
606	"Ecstasy" (MDMA), X-TC, "X"	5	0.97
614	MDA, Methylenedioxy amphetamine	2	0.39
616	DET, Dimethyltryptamine, DMT	1	0.19
658	Special K, Ketamine	5	0.97
702	Heroin	43	8.37
704	Dope	1	0.19
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	6	1.17
802	THC, cannabinal, marinol, tetrahydrocannabinol	1	0.19
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.19
805	Cocaine, coca, cocaina, coke, perico	26	5.06
806	Crack, rock	7	1.36
807	Alcohol, beer, ethanol, EtOH, pink champagne	2	0.39
814	Caffeine <OTC>	1	0.19
824	Steroids	12	2.33
843	Cold medicine, cold tablets <OTC>	1	0.19
848	Liquid vitamin, vitamin pills <OTC>	1	0.19
2001	Sanoma, Soma, Carisoprodol	1	0.19
3023	Adderall	3	0.58
3052	Speed; otherwise unspecified	3	0.58
3094	Dexmethylphenidate, Focalin	1	0.19
4037	Kadian, MS Contin	1	0.19
4043	Tramadol	2	0.39
4044	Hydrocodone	2	0.39
4046	Oxycodone or unspecified oxycodone products	32	6.23
4047	Roxicet	4	0.78
4065	Roxicodone	9	1.75
4067	OxyContin	77	14.98

Tabulation of SPECIAL DRUGS Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SPECIAL DRUGS Drugs Specified
4109	Suboxone	8	1.56
4120	Numorphan, Opana, Oxymorphone	8	1.56
6114	Molly; not otherwise specified	2	0.39
8067	Testosterone	6	1.17
8072	Deca-Durabolin, Nandrolone decanoate	1	0.19
8079	Insulin	1	0.19
8088	Dianabol	1	0.19
8110	Over-the-counter drug/pills; type unspecified<OTC>	1	0.19
8112	hCG, Human Chorionic Gonadotropin	1	0.19
8114	Lidocaine	1	0.19
8124	Deca-diabolin	1	0.19
8164	Testosterone propionate	1	0.19
8165	Anavar	1	0.19
8206	Delatestryl, Testosterone enanthate	2	0.39
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.19
8301	Bath salts, otherwise unspecified	3	0.58
8336	Peridan	1	0.19

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.55
109	Seconal	1	0.55
110	Tuinal	1	0.55
112	Restoril, Temazepam	1	0.55
113	Halcion, Triazolam	2	1.10
116	Methaqualone, Sopor, Quaalude	16	8.84
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.55
129	Reds	1	0.55
131	Haldol, Haloperidol	1	0.55
137	7-14	1	0.55
138	Mandrax, Mandrix [see also 116]	1	0.55
174	Ambien, Stilnox, Zolpidem	10	5.52
178	Quetiapine, Seroquel	9	4.97
201	Valium, Diazepam	5	2.76
202	Librium, Chlordiazepoxide HCl	4	2.21
205	Serax, Oxazepam	3	1.66
207	Ativan, Lorazepam, Orfidal	6	3.31
209	Xanax, Alprazolam, Tafil, Xanax bars	18	9.94
215	Vistaril	2	1.10
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	3.31
225	Desyrel, Trazodone hydrochloride	7	3.87
227	Thorazine	1	0.55
228	Amitriptyline, Elavil	2	1.10
234	Flexeril, Cyclobenzaprine	7	3.87
240	Lithium carbonate, Lithonate	2	1.10
241	Prozac, Fluoxetine	1	0.55
246	Clonazepam, Diocam, Klonopin, Rivotril	5	2.76
271	Sertraline hydrochloride, Zoloft	1	0.55
278	Benzodiazepines	1	0.55
290	Metaxalone, Skelaxin	1	0.55
318	Ritalin, Methylphenidate	1	0.55
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.55
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.55
442	Ibuprofen	3	1.66

Tabulation of TRANQUILIZER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TRANQUILIZER Drugs Specified
658	Special K, Ketamine	27	14.92
663	Animal tranquilizer, horse tranquilizer	3	1.66
828	Tetracycline	1	0.55
844	Blood pressure medication	1	0.55
894	Depakene, Depakote, Valproic acid	1	0.55
1011	Lunesta	1	0.55
2001	Sanoma, Soma, Carisoprodol	7	3.87
2002	Muscle relaxers	3	1.66
2026	Sedoxil	1	0.55
3023	Adderall	2	1.10
4043	Tramadol	1	0.55
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.55
4109	Suboxone	1	0.55
6114	Molly; not otherwise specified	1	0.55
8007	Gabapentin, Neurontin	1	0.55
8027	Alavert, Claritin, Loratadine <OTC>	2	1.10
8097	Tizanidine, Zanaflex	2	1.10
8225	Cymbalta, Duloxetine	1	0.55

Tabulation of TREATMENT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TREATMENT Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.52
174	Ambien, Stilnox, Zolpidem	1	0.52
209	Xanax, Alprazolam, Tafil, Xanax bars	3	1.55
278	Benzodiazepines	2	1.04
322	Methamphetamine ("ice" or "crank"), Meth	45	23.32
336	Diet pills/medications/drugs; otherwise unspfd	1	0.52
355	Crystal meth, crystal methamphetamine	1	0.52
417	Morphine, Roxanol	1	0.52
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	1.55
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	1.04
442	Ibuprofen	1	0.52
545	Car tailpipe exhaust fumes, Carbon monoxide, CO	1	0.52
602	Peyote	1	0.52
604	Psilocybin (mushrooms), sclerotia, shrooms	2	1.04
606	"Ecstasy" (MDMA), X-TC, "X"	2	1.04
658	Special K, Ketamine	1	0.52
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	2	1.04
702	Heroin	8	4.15
706	Smack	1	0.52
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	9	4.66
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	40	20.73
805	Cocaine, coca, cocaina, coke, perico	10	5.18
806	Crack, rock	5	2.59
807	Alcohol, beer, ethanol, EtOH, pink champagne	21	10.88
809	Pills	2	1.04
813	Cigarettes, tobacco (type unspecified)	2	1.04
843	Cold medicine, cold tablets <OTC>	1	0.52
865	Diuretics, water pills	1	0.52
3023	Adderall	2	1.04
3052	Speed; otherwise unspecified	1	0.52
3119	MDPV, Methylenedioxypropylone	1	0.52
4043	Tramadol	1	0.52
4046	Oxycodone or unspecified oxycodone products	1	0.52
4067	OxyContin	1	0.52

Tabulation of TREATMENT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TREATMENT Drugs Specified
4109	Suboxone	1	0.52
4120	Numorphan, Opana, Oxymorphone	1	0.52
8006	Laxative <OTC>	1	0.52
8008	Antidepressant; type unspecified	1	0.52
8009	Allergy pills/antihistamine; type unspecified	1	0.52
8012	Coriciden <OTC>	1	0.52
8110	Over-the-counter drug/pills; type unspecified<OTC>	1	0.52
8283	Synthetic cannabinoids (eg, K2, Spice, JWH-018)	6	3.11
8301	Bath salts, otherwise unspecified	2	1.04
8315	Synthetic cannabis; otherwise unspecified	1	0.52

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of "a brand not on this list." For each tobacco product (cigarettes, chewing tobacco, snuff, and cigars), the available responses in the contiguous order of appearance on the screen (based on the 1999 through 2004 CAI instruments) were used to initially create each tobacco product group. Although the tobacco brands that appeared on the screens for respondents changed beginning in 2005 for cigarettes, snuff, and cigars, the editing and coding procedures in this survey year continued to use existing codes that had been developed prior to 2005. For example, American Spirit cigarettes became the first brand on the screen for question CG11 in 2005 ("The next questions are about the brand of cigarettes you smoke -- the brand is the name that is on the pack. During the past 30 days, what brand of cigarettes did you smoke most often?"). For consistency with prior years, however, mention of American Spirit cigarettes continues to retain a code of 161, even though CG11=1 (with this answer verified in question CG13) would indicate that the respondent smoked American Spirit cigarettes most often in the past 30 days.

Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, 700-799, and 800-899 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of "a brand not on this list" and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding took into account situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a snuff brand was specified as a brand of "chewing tobacco," then the reported brand of "chewing tobacco" was assigned a code in the 300 series, corresponding to snuff.

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions (2013 CAI NSDUH)

Numerical Listing

Code	Definition
Cigarette Brands	
101	Basic
102	Benson & Hedges
103	Cambridge
104	Camel
105	Capri
106	Carlton
107	Doral
108	Forsyth
109	GPC
110	Kent
111	Kool
112	Marlboro
113	Merit
114	Misty
115	Monarch
116	Montclair
117	More
118	Newport
119	Pall Mall
120	Parliament
121	Private Label
122	Salem
123	Vantage
124	Viceroy
125	Virginia Slims
126	Winston
127	Alpine
128	Barclay
129	Belair
130	Best Value
131	Bristol
132	Bugler (roll-your-own)
133	Century
134	Chesterfield
135	Commander
136	Covington
137	Eve
138	Harley Davidson
139	Jasmine
140	Lark
141	L & M
142	Lucky Strike

Code	Definition
143	Magna
144	Maverick
145	Max
146	Now
147	Old Gold
148	Player's Clipper
149	Pyramid
150	Raleigh
151	Richland
152	Saratoga
153	Satin
154	State Express 555
155	Sterling
156	Style
157	Tareyton
158	Top (roll-your-own)
159	Triumph
160	True
161	American Spirit
162	Austin
163	Bali Hai cigarettes
164	Bali-Shag (roll-your-own)
165	Best Buy cigarettes
166	Bidis; brand unspecified
167	Black Death
168	Brandon
169	Bronson
170	Cartier
171	Checkers
172	Cimarron
173	Clove; brand unspecified
174	Dave's
175	Djarum cigarettes
176	Drum (roll-your-own)
177	Du Maurier
178	Dunhill cigarettes
179	Eagle
180	Export A
181	Fiesta
182	First Choice
183	First Class
184	Gauloises
185	Generic cigarettes; brand unspecified
186	Gold Coast

Code	Definition
187	Gudang Guram
188	Gunsmoke
189	Hi-Value
190	Jacks
191	Jester (roll-your-own)
192	Kailas Bidis
193	Kamel Red
194	Legend
195	Malibu
196	Mainstreet
197	Marker
198	Medallion
199	Meridian
1001	Nat Sherman cigarettes
1002	Omaha
1003	Piel Roja
1004	Planet
1005	Private Stock
1006	Quality Smokes
1007	Rally
1008	Rave
1009	Rollrich (roll-your-own)
1010	Rothman
1011	Sampoerna
1012	Seven Stars/Mild Sevens
1013	Slim Price
1014	Sobranie
1015	Springwater Vanilla
1016	Summit
1017	Sundance
1018	USA Gold
1019	Vegas cigarettes
1020	Waves
1021	Yours
1022	Bailey
1023	Sport
1024	Prime
1025	Ultra Buy
1026	Bull Durham cigarettes
1027	Mustang
1028	Value; brand unspecified
1029	Tourney
1030	BV Bonus Value
1031	House Blend
1032	American Spirit rolling tobacco
1033	Hollywood
1034	Cardinal
1035	Cherokee
1036	Courier
1037	DTC
1038	Samson (roll-your-own)
1039	Lewiston
1040	Smokin Joes cigarettes

Code	Definition
1041	Sonoma
1042	Tall
1043	Tempo
1044	Worth
1045	Turkish Specials
1046	Delicados cigarettes
1047	New York New York cigarettes
1048	Carnival
1049	Honey B's cigarettes
1050	USA
1051	Belmont
1052	Premium One
1053	Wills
1054	Omar Sharif
1055	Geronimo
1056	Black Clove
1057	Sovereign
1058	Gitanes
1059	Krakatoa Kretek
1060	Kuta Kretek
1061	Signature
1062	Sincerely Yours
1063	Fantasia
1064	Seneca, cigarette company brand unspcfd
1065	Splash
1066	John Player
1067	Amsterdam Shag (roll-your-own)
1068	Superkings
1069	Zig-Zag (roll-your-own)
1070	Value Time
1071	Value & Quality
1072	Chaparral
1073	Grand
1074	Khrong Thip
1075	Star cigarettes
1076	Highway
1077	Prince (Denmark)
1078	Brentwood
1079	Amsterdamer (roll-your-own)
1080	Monaco
1081	Sebring
1082	Tahoe
1083	Liggett Select
1084	Image
1085	Special
1086	Smoker Friendly cigarettes
1087	Virginian
1088	Marlin
1089	Grand Prix
1090	Gold
1091	Dreams
1092	Native

Code	Definition
1093	Roger
1094	Shield
1095	Patriot
1096	Sweet Afton
1097	Winner
1098	Sher Bidi
1099	Pilot
1100	Kite (roll-your-own)
1101	Jakarta
1102	Impala
1103	Popular
1104	Canyon
1105	Sixty-1
1106	Niagara
1107	Palace cigarettes
1108	Nobel cigarettes
1109	Boots
1110	Eclipse
1111	Epic
1112	Kentucky's Best
1113	Sweet Dreams
1114	Scotch Buy
1115	Montana
1116	Revenge
1117	American
1118	Kingsport
1120	Durant
1121	Quality
1122	Boston
1123	CT
1124	Focus
1125	Silk Cut
1126	GT-One
1127	Amazone Guarana
1128	Double Diamond cigarettes
1129	Goldlight
1130	Class A
1131	Alas
1132	Natural Blend
1133	Golden Lights
1134	Bronco
1135	Silva Thins
1136	Bonus Value
1137	Craven "A"
1138	Tucson
1139	305's cigarettes
1140	Golden Virginia (roll-your-own)
1141	Market
1142	Move
1143	Putter
1144	Arbo (roll-your-own)
1145	Coronas cigarettes
1146	Optiva

Code	Definition
1147	Westport
1148	Chocolate Dreams
1149	Victory
1150	Parisiennes
1151	Faros
1152	X-tra
1153	Marathon
1154	Carlyle
1155	Capitol
1156	Chancellor
1157	Matinee
1158	Maxim
1159	Mundail
1160	Nise
1161	Point
1162	Tough Guy
1163	Backard
1164	Dynamic
1165	Scenic 101
1166	Davidoff cigarettes
1167	Sago
1168	Jade
1169	Omni
1170	McClintock (roll-your-own)
1171	Astra
1172	Campton
1173	Lobo
1174	Unify
1175	Caster
1176	Cowboys
1177	Silvers
1178	Charter
1179	Quest
1180	Berkeley
1181	Darshan
1182	Golden Beach
1183	Redbull (roll-your-own)
1184	Sky Dancer
1185	Esquire
1186	Always Save
1187	Old Holborn (roll-your-own)
1188	Silverton
1189	A-One Bidi
1190	Beacon
1191	Derby
1192	Old Hillside (roll-your-own)
1193	MVP
1194	Infinity
1195	White Rhino
1196	Generals cigarettes
1197	Columbus Classic
1198	Homer
1199	Larson

Code	Definition
1200	Old Kentucky
1201	All Star
1202	Competidora
1203	Kingsley
1204	American Diamond
1205	First USA/First US
1206	Stoker's (roll-your-own)
1207	Canadian Natural (roll-your-own)
1208	Havana cigarettes
1209	Lookout (roll-your-own)
1210	Colt cigarettes
1211	Echo cigarettes
1212	Euro
1213	Iceberg (roll-your-own)
1214	Midnight Special (roll-your-own)
1215	Ridgeway
1216	Romy
1217	Smokers Warehouse (roll-your-own)
1218	G-Smoke
1219	Brave, The
1220	GP Club
1221	Cheyenne cigarettes
1222	Gold Crest
1223	Axis
1224	Primo
1225	Bridgeport
1226	Citation
1227	Gambler (roll-your-own)
1228	Circle Z
1229	Goldflake
1230	Peter Stuyvesant
1231	MCD
1232	Sandia
1233	Ronhill
1234	Opal
1235	Farmer's Gold (roll-your-own)
1236	Bao-dao
1237	Omar
1238	Way
1239	Nova
1240	Gold Rush cigarettes
1241	Bison
1242	10/20
1243	Liberty cigarettes
1244	Liberty Gold
1245	Smoke 1
1246	Southern Classics
1247	Buffalo cigarettes
1248	Desert Sun
1249	Classic Canadian (roll-your-own)
1250	Hava Club
1251	Kingston
1252	Lotto

Code	Definition
1253	Montego
1254	Tracker
1255	Value Pride
1256	Black Diamond
1257	Rex, company brand unspecified
1258	SingleStick (roll-your-own)
1259	Tex
1260	Nevada
1261	Poker
1262	Bishop
1263	Storm
1264	Knights
1265	Exact
1266	Claremont
1267	Cobra
1268	Decade
1269	D Best One
1270	Southern Cross
1271	Fred
1272	Royals cigarettes
1273	Philip Morris cigarette; brand unspecified
1274	Classic
1275	Kentucky Smooth (roll-your-own)
1276	Fortuna
1277	Berley
1278	Bracar
1279	Business Club
1280	Bridgeton
1281	Dimitrino Shepherds Hotel
1282	Sonic
1283	Golden Harvest (roll-your-own)
1284	Honor
1285	Baisha
1286	Lakes
1287	Wild Horse cigarettes
1288	Yukon
1289	4 Aces (roll-your-own)
1290	Peter Jackson
1291	Southern Harvest (roll-your-own)
1292	Silver Eagle
1293	Sunny
1294	CTC Select
1295	Appu Bidis
1296	King Mountain
1297	Echo rolling tobacco
1298	Danish Export rolling tobacco
1299	Premis
1300	Karelia
1301	Raison
1302	Texan
1303	White Horse
1304	Ace

Code	Definition
1305	DJ Mix
1306	Blackjack (roll-your-own)
1307	Heron
1308	Peter Stokkebye (roll-your-own)
1309	Teton (roll-your-own)
1310	Union
1311	D & R Tobacco (roll-your-own)
1312	Buckeye's Best (roll-your-own)
1313	Criss Cross (roll-your-own)
1314	Premier (roll-your-own)
1315	Embassy
1316	Rubios
1317	Complete
1318	Signal cigarettes
1319	VB
1320	1839 cigarettes
1321	Riverside
1322	Bohem Cigar No. 6 (Korean)
1323	Rave rolling tobacco
1324	Kentucky Select (roll-your-own)
1325	Black Hawk
1326	Exeter
1327	American Hero
1328	Sheriff
1329	Smoker's Choice cigarettes
1330	Yu Xi
1331	Feelings
1332	GP
1333	Belomorkanal
1334	Eco
1335	Good stuff (roll-your-own)
1336	Roseman
1337	Amber leaf (roll-your-own)
1338	Baron
1339	Huanghelou
1340	Palermo
1341	Galaxy Pro
1342	Rich
1343	Zhonghua
1344	Edgefield
1345	S & M cigarette; brand unspecified
1346	Largo, cigarettes
1347	Dihao
1348	Fontana
1349	Ohm (roll-your-own)
1350	Victoria
1351	Bright
1352	Esse
1353	D & R Windsail Platinum (roll-your-own)
1354	Silver Cloud
1355	Fortune
1356	Bond Street

Code	Definition
1357	Hongmei
1358	Golden Bay
1359	Timeless Time
1360	Zhongnanhai
1361	Time
1362	Great Country
1363	Wills Classic
1364	Furongwang
1365	Golden Deer
1366	Caravan
1367	Zen
1368	Smokin Joes (roll-your-own)
1369	Kiss
1370	Majestic
1371	Pioneer
1372	Wings
1373	Yunyan
1374	Senate
1375	Golden Leaf
1376	Crown
1377	Cayuga
1378	Double Happiness (Shuang Xi)
1379	Wuyeshen
1380	Cohiba cigarettes
1381	Boss
1382	Tip Top
1383	Vinataba
1384	Pride
1385	American Harvest (roll-your-own)
1386	Allure
1387	Hope
1998	Roll-your-own cigarette; brand otherwise unspecified
1999	Cigarette; brand otherwise unspecified
Chewing Tobacco Brands	
201	Beech-Nut
202	Chattanooga Chew
203	Day's Work
204	Granger
205	H.B. Scott
206	Levi Garrett
207	Red Fox
208	Red Man chewing tobacco
209	Taylor's Pride
210	Totems
211	Work Horse
212	Apple Jack
213	Ball Park
214	Best Buy chewing tobacco
215	Big Leaf
216	Blackbull
217	Bowie

Code	Definition
218	Cannonball
219	Durango
220	Lancaster
221	Mail Pouch
222	Morgan's
223	Peachy Big Leaf
224	Rough Country
225	Trophy
226	WB
227	Havana Blossom
228	Southern Pride
229	Union Workman
230	Stoker chewing tobacco
231	Cottonboll
232	Apple Plug tobacco
233	Bloodhound Thick Plug
234	Red Horse
235	King B
236	J. D. Blend
237	Our Pride
238	Big Red
239	Tinsley
240	Amish
241	Tennessee Chew
242	Black Maria
243	Mammoth Cave
244	Oliver Twist
245	Warren County
246	Kuber Khaini
247	Cumberland Twist
248	Star chewing tobacco
249	Good Bite
250	Tulsi
251	Wild Duck twist
252	Country Blend
253	Kentucky King Twist
254	Gatlinburlier
255	Iqmik
256	White Mule Twist
257	Old Domestic
258	Budhalal
259	Big Mountain
260	Snake River
261	RMD Gutka (chewing tobacco with betel nut)
2998	Homemade chewing tobacco
2999	Chewing tobacco; brand otherwise unspecified
Snuff Brands	
301	Copenhagen
302	Gold River
303	Happy Days

Code	Definition
304	Hawken
305	Kodiak
306	Redwood
307	Silver Creek
308	Skoal
309	Timber Wolf
310	Bruton
311	Cooper
312	Cougar
313	Dental
314	Honey Bee snuff
315	Navy
316	Red Seal
317	Rooster
318	Square
319	Tops snuff
320	Tube Rose
321	Garrett snuff
322	Peach
323	Mint snuff
324	Ralph's snuff
325	Renegades
326	Kayak
327	CC Sweet
328	Ozona
329	Dean Swift
330	Extreme
331	Sequoia
332	Grizzly
333	President
334	Honest Scotch
335	McChrystals
336	Wilsons
337	General snuff
338	Longhorn
339	Dr. Rumney's
340	Stonewall
341	Husky
342	Manikchand
343	Baba 120
344	Railroad Mills
345	Revel
346	Samuel Gawith
347	Skruf Stark
348	Taboka
349	Camel Snus
350	Red Bull snuff
351	Red Man snuff
352	Göteborgs Rapé Snus
353	Packard's Club
354	Knox
355	Marlboro Snus
356	Thunder

Code	Definition
357	Roda Locket
358	Toque
359	Carhart's Choice Sweet Scotch
360	Eight Brothers
361	Silver Dollar
362	Klondike
363	Stoker's snuff
364	American Bison
365	Buttercup
3998	Homemade snuff/smokeless tobacco
3999	Snuff; brand otherwise unspecified
Cigar Brands	
401	Antonio y Cleopatra
402	Backwoods
403	Bering
404	Black & Mild
405	Captain Black
406	Casa Silva
407	Cuesta-Rey
408	Dutch Masters
409	El Producto
410	Erik Filter
411	Garcia y Vega
412	Havatampa
413	King Edward
414	La Corona
415	Little Nippers
416	Macanudos
417	Muriel
418	Partagas
419	Phillies
420	Rigoletto
421	Robert Burns
422	Roi-Tan
423	Swisher Sweets
424	Tijuana Smalls
425	Universal
426	White Owl
427	William Penn
428	Winchester
429	Al Capone
430	Arango Sportsman
431	Arturo Fuente
432	Ashton
433	Astral
434	Baccarat
435	Balmoral
436	Ben Franklin
437	Blackstone
438	Blair
439	Blunts; brand unspecified
440	Butera

Code	Definition
441	Cherry Blend
442	Churchill; brand unspecified
443	Cohiba cigars
444	Cojimar
445	Corona; brand unspecified
446	Cortina
447	Creмоса Cubanos
448	Cuban cigars; brand unspecified
449	Cubana; brand unspecified
450	Dannemann
451	Davidoff cigars
452	Don Diego
453	Don Jose
454	Don Lino
455	Don Rene
456	Don Sebastian
457	Don Tomas
458	Dunhill cigars
459	Dutch Treats
460	El Rey del Mundo
461	Fonseca
462	Grenadiers
463	Griffin's
464	H. Upmann
465	Habana/Havana; brand unspecified
466	Habana Gold
467	Henry Clay
468	Hobo
469	Hoya De Monterrey
470	Hugo Cassar
471	Infiesta
472	Joya De Nicaragua
473	Jr Ultimate
474	King
475	La Aurora
476	La Gloria Cubana
477	La Tradicion
478	La Unica
479	La Flor Dominicana
480	Las Cabrillas
481	Lone Wolf
482	Martinez y Cia
483	Mi Cubano
484	Middleton Cherry Blend
485	Monero
486	Montecristo
487	Oliveros
488	Optimo
489	Opus X
490	Padron
491	Parodi Cella
492	Primetime little cigars
493	Prince Albert cigars

Code	Definition
494	Punch
495	Puros Indios
496	Romeo y Julieta
497	Royal Jamaica
498	Schimmelpennick
499	Stag
4001	Sweets; brand unspecified
4002	Tampa; brand unspecified
4003	Te Amo
4004	Temple Hall
4005	Thompson
4006	Tiparillo
4007	Wolf Brothers
4008	Lars Tetens
4009	Bahia
4010	Big Butt
4011	Tobacco Place
4012	Five Star
4013	Cubita
4014	Avanti
4015	Windsor
4016	Dominican cigars; brand unspecified
4017	Rum Runner
4018	Nat Sherman cigars
4019	J.R. Tobacco
4020	Onyx
4021	Credo; brand unspecified
4022	Excalibur
4023	John T's
4024	Sierra Sweets
4025	Middleton Gold and Mild
4026	Habana Black and Gold
4027	Nicaraguan cigars; brand unspecified
4028	Casa Blanca
4029	Celestino Vega
4030	Felipe Gregorio
4031	Playboy
4032	Montesino
4033	Diamond Crown
4034	La Fontana
4035	Muniemaker
4036	La Finca
4037	V Centennial
4038	Flor de Oliva Grand Cameroon
4039	Palace cigars
4040	Reas
4041	Miami Suites
4042	R & J Famous
4043	Rosa Cuba
4044	Zino
4045	Havana Honey
4046	Monte Carlo
4047	Delicados cigars

Code	Definition
4048	Travis Club
4049	Purofino
4050	Fuente
4051	Avo
4052	Carl Upmann
4053	Bolivar
4054	Acid
4055	La Diva
4056	Thomas Hinds
4057	Perfecto Garcia
4058	Denobili
4059	VM Santana
4060	Honduran cigars; brand unspecified
4061	Jamaican cigars; brand unspecified
4062	Ducados
4063	Topper
4064	Djarum cigarillos
4065	Franco
4066	New York cigars
4067	United States cigars; brand unspecified
4068	Caribbean Rounds
4069	Leon Jimenes
4070	Montecruz
4071	Miflin's Choice
4072	K. Hansotia Gurkha
4073	Dos Reinas
4074	Arizona
4075	Napa
4076	Key West
4077	Caoba
4078	Flor Cabana
4079	Montoya
4080	Quirantes
4081	Royales
4082	Papayo
4083	C.A.O. Moontrance
4084	Tatiana
4085	Supre Sweets
4086	Dos Hombres
4087	El Cordoba
4088	Don Guillermo
4089	Las Vegas
4090	Caribbean Petites
4091	Tamayo & Pareto
4092	Hemingway
4093	Cabanas
4094	Canaria D'Oro
4095	Ben Bay Crystals
4096	Black Jack cigars
4097	Cusano
4098	La Primadora
4099	Meharis
4100	Madrigal Habana

Code	Definition
4101	Ornelas
4102	Tamboril
4103	Keep Moving
4104	Villiger
4105	Belinda
4106	Habanos
4107	Por Larranaga
4108	Don Antonio
4109	Don Pablo
4110	Drew Estates
4111	Joya del Rey
4112	Maria Mancini
4113	Olor
4114	Plasencia
4115	Porfirio
4116	Sosa
4117	Robusto; brand unspecified
4118	Vegas cigars
4119	Marsh Wheeling
4120	Alternativos
4121	Columbian cigars; brand unspecified
4122	George Burns
4123	Cameo
4124	Panetella; brand unspecified
4125	Carinos
4126	Don Mateo
4127	Hamiltons
4128	Panther
4129	Hoja
4130	Smokin Joes cigars
4131	Moyorga
4132	El Gozo
4133	De Graaff
4134	John Hay
4135	Sinatra
4136	Markers Mark
4137	Luiz Martinez
4138	Havana Blend
4139	La Paloma
4140	Saint Luis Rey
4141	Carbonell
4142	Caballeros
4143	La Palma de Oro
4144	Hula girl
4145	Calixto Lopez
4146	Argos
4147	Aurora
4148	Brazilian cigars; brand unspecified
4149	Jose Marti
4150	Quintero
4151	Ramrod
4152	Reveria
4153	Mendez y Lopez

Code	Definition
4154	New Orleans
4155	Smoker Friendly cigars
4156	Ritemeester
4157	Victor Sinclair
4158	Island Collection
4159	Don Alberto
4160	Santa Damiana
4161	Craftsman's Bench
4162	Don Yeyo
4163	Romero
4164	Vega Fina
4165	Cinco Vegas
4166	Dona Flora
4167	La Guardia
4168	National
4169	Alcazar
4170	OneOff
4171	Camacho
4172	J.T.
4173	La Surina
4174	Natural cigars
4175	Perdomo
4176	Primo Del Rey
4177	Heather Phillips
4178	Royal Blunt EZ Tube
4179	Colt cigars
4180	Matacan
4181	Cuban Bullet
4182	Farias
4183	Sancho Panza
4184	Helix
4185	El Toro
4186	Remedios
4187	1886 Queens
4188	898
4189	Memoria de Cuba
4190	Little Havana
4191	Havana Gold
4192	Smoker's Choice little cigars
4193	Belmondo
4194	La Floridita
4195	Double Corona, brand unspecified
4196	San Andres
4197	Blender's Gold
4198	Cifuentes
4199	Cuban Delights
4200	El Rico Habano
4201	Gonzalez y Martinez
4202	Hacienda
4203	Omega
4204	Tres Hermanos
4205	Viajante, brand unspecified
4206	Demitasse, brand unspecified

Code	Definition
4207	Racer little cigars
4208	Habano Primero
4209	Heaven
4210	Occidental
4212	Diesel
4213	Mantequilla
4214	Sir Elliot's
4215	Bauza
4216	Carlos Torano
4217	Roly
4218	Jad
4219	Gold Rush
4220	Old Port cigarillos
4221	Cordova
4222	Dirt
4223	La Perla Habana
4224	Jose Benito
4225	Tueros
4226	Crystal
4227	El Dente
4228	FX Smith
4229	Indian Tabac
4230	Candlelight
4231	Jose Girbes
4232	Sweet Outlaws
4233	Castros Cuban
4234	Don Juan
4235	Natural Root
4236	Hats Off
4237	Rocky Patels
4238	Royal Cubans
4239	Lauro's
4240	Little Cigar Factory
4241	Guantanamo
4242	Pom Pom cigarillos
4243	Dean's Lil' Cigars
4244	Diablo
4245	Oliva O
4246	Fink
4247	Don Kiki
4248	Hector Hernandez
4249	Mexican cigars; brand unspecified
4250	La Aroma de Cuba
4251	Murillo
4252	Don Rex
4253	Rushmore
4254	Spirit of Cuba
4255	Sweet Daddies
4256	Wise Guys
4257	Phillip & King – Cuban rejects
4258	Don Elliott
4259	Alvaro
4260	Don Elias

Code	Definition
4261	Joya del Jefe Centennial Reserve
4262	El Presidente
4263	Torano Exodus
4264	Costa Rican cigars; brand unspecified
4265	Cheyenne little cigars
4266	Java
4267	Don Lugo
4268	EverMore
4269	Trinidad
4270	Don Augusto
4271	Don Dominguez
4272	Jose Gener
4273	Dominico
4274	Dutch Delights
4275	Mr. B
4276	Holland cigars; brand unspecified
4277	Licenciados
4278	Gispert
4279	Randelllo X
4280	Graycliff
4281	Roughneck
4282	Vendetta little cigars
4283	Supreme Blend little cigars
4284	Muriel Sweets little cigars
4285	Royal Hawaiian
4286	Casillas
4287	Dark Horse little cigars
4288	Boaz little cigars
4289	Cupido
4290	Moonshine Crooks
4291	M1 cigars
4292	Derringer little cigars
4293	Ibold
4294	Smokin Joes little cigars
4295	Santa Fe little cigars
4296	Kingpin
4297	Padilla
4298	Vaquero little cigars
4299	Nording
4300	Fat Rum
4301	La Corona Whiffs
4302	Mike Ditka
4303	Vigilante Esteban Carrera
4304	Flor de Jardin
4305	Guatemalan cigars; brand unspecified
4306	Red Buck little cigars
4307	Black Cat
4308	Stampede little cigars
4309	Isla Del Sol
4310	JR Alternatives
4311	Kahlua (Drew Estates)
4312	Golden Harvest little cigars
4313	Richwood little cigars

Code	Definition
4314	True Blunt
4315	El Cuno
4316	Czech Republic or Slovakia cigars; brand unspecified
4317	Amish cigars
4318	Iguana
4319	Winston Churchill by Davidoff
4320	Tusker
4321	Puerto Rican cigars; brand unspecified
4322	Black & Tan
4323	Courvoisier
4324	Haitian cigars; brand unspecified
4325	Ethiopian cigars; brand unspecified
4326	La Habanera
4327	Chinese cigars; brand unspecified
4328	Remington little cigars
4329	Cuban Honeys
4330	5 Vegas
4331	La Rica
4332	Jose L. Piedra
4333	Casino Gold
4334	Bucanero El Capitan
4335	Professor Sila
4336	Clints
4337	Philippine cigars; brand unspeified
4338	Hawaiian cigars; brand unspecified
4339	Payne-Mason
4340	Savannah Bulldog
4341	BluntVille
4342	Tony Alvarez
4343	El Sol
4344	Kristoff
4345	De Nobili Popular
4346	Liberty cigars; brand unspecified
4347	Game
4348	José "Pepin" Garcia Benchmade
4349	El Baton
4350	Double Diamond cigars
4351	Vieux Carre
4352	Nestor Reserve
4353	Hatuey
4354	Murano
4355	Quorum
4356	Topstone
4357	NUb
4358	Bodyshot little cigars
4359	Puerto Rico 965
4360	Director's Club little cigars
4361	Good Times
4362	Rico Suave
4363	Don Pepin
4364	J. Fuego
4365	El Metador

Code	Definition
4366	Wrangler little cigars
4367	Clipper little cigars
4368	i80 cigars
4369	Rum River Crooks
4370	Vieja Hacienda
4371	The Repeater
4372	Hombre little cigars
4373	Juicy
4374	El Verso
4375	1839 cigars
4376	Smoker's Best cigars
4377	Wall Street
4378	Cardenas
4379	Torino
4380	Cuban Rounds
4381	S.T. Dupont
4382	Mephisto
4383	El Imperio
4384	Holt's
4385	Liga Privada
4386	Maroma
4387	Trend
4388	Ambrosia
4389	El Salvadoran cigars; brand unspecified
4390	JW little cigars
4391	Zig-Zag cigarillos
4392	Swedish cigars, brand unspecified
4393	Argentinean cigars, brand unspecified
4394	Duque
4395	Happy Times superillos cigarillos
4396	Island Blendz
4397	Jenuwine Dominican Selection
4398	Neos
4399	Bali Hai cigars
4400	Cain
4401	Happy Hour
4402	Venezuelan cigars; brand unspecified
4403	Bahama Mama
4404	Nica Libre
4405	Brick House
4406	Casa Magna
4407	Cibao
4408	M & R Vintage Reserve
4409	Tabak Especial
4410	Wild Horse cigars
4411	Alec Bradley
4412	Da Vinci
4413	Calle Ocho
4414	Dark Hawk little cigars
4415	Straight Up
4416	Nobel cigars
4417	Gambler cigars
4418	Maverick Quick Draw

Code	Definition
4419	Room 101
4420	Entourage
4421	A. Turrent
4422	Bandidos
4423	Chisum little cigars
4424	Caribbean cigars; brand unspecified
4425	Gran Habano
4426	U.S. Army Limited Edition
4427	Real A.L. Pedro
4428	Great Wall
4429	K.A. Kendall's 7-20-4
4430	Nat Cicco
4431	OHM little cigars
4432	JM's Dominican
4433	El Primer Mundo
4434	38 Special little cigars
4435	Nestor Miranda
4436	Man O' War
4437	La Herencia Cubana Oscuro Fuerte
4438	Kickback
4439	Millennium
4440	Ave Maria
4441	Ecuadorian cigars; brand unspecified
4442	White Cat
4443	Speedway
4444	Action little cigars
4445	Erik Natural
4446	Free Cuba
4447	Hampton Arms
4448	Maribel
4449	Golden Valley filtered cigars
4450	Don Cicero
4451	Consuegra
4452	Piano Fuerte
4453	Tampa Sweethearts
4454	Criss Cross cigars
4455	Talon
4456	Don Pedro
4457	Signal cigars
4458	305's cigars
4459	Beach Palm little cigars
4460	Cuban Twist
4461	Navarro
4462	Piper's
4463	Starbuzz
4464	Sweet Jane
4465	Tatuaje, Tatuaje Avion
4466	Good Days Factory Rejects
4467	Indian cigars; brand unspecified
4468	Blue Sparrow
4469	Vargas
4470	Lex12

Code	Definition
4471	Trader Jacks
4472	7-20-4 Dogwalker
4473	Island
4474	Splitarillos
4475	Marco V
4476	Seneca cigar
4477	Verdadero Organic
4478	Buffalo cigars
4479	Iron Horse
4480	Oro Cubano
4481	Trivo cigarillos
4482	Weston
4483	Flor de las Antillas
4484	Show
4485	Foundry
4486	No. 99 Factory Throwouts
4487	Kismet Fortune
4997	Little cigars; brand otherwise unspecified
4998	Homemade cigars
4999	Cigar/cigarillo; brand otherwise unspecified
Pipe Tobacco or Miscellaneous Tobacco	
501	Prince Albert tobacco
502	Sir Walter Raleigh tobacco
503	Velvet tobacco
504	Bighorn tobacco
505	Hookah tobacco/tobacco in hookah
506	Smoker's Pride
507	Red River
508	Southern Steel
509	Three Sails
510	Good Stuff pipe tobacco
511	Red Cap pipe tobacco
512	Sillems pipe tobacco
513	Largo pipe tobacco
514	Carpenter's Cut pipe tobacco
515	Smoker's Best pipe tobacco
516	Five Brothers pipe tobacco
517	4 Aces pipe tobacco
518	Bull Durham pipe tobacco
519	Buoy pipe tobacco
520	Smokin' G pipe tobacco
521	Bacco pipe tobacco
522	Sparrow pipe tobacco
523	Kentucky Select pipe tobacco
524	Gambler pipe tobacco
525	1839 pipe tobacco
526	Rio pipe tobacco
527	Dark Horse pipe tobacco
528	Direct Buy
529	L.J. Peretti

Code	Definition
530	Tin Star
531	Six Nations
5999	Pipe tobacco; brand otherwise unspecified
Miscellaneous Classifications	
601	Homegrown
701	Marijuana
702	Cocaine
703	Coca leaves
704	Betel nut
705	Permanent marker
706	Aerosol spray
707	Carburetor cleaner
708	Heroin
709	Meth, Methamphetamine ("ice" or "crank")
710	Over-the-counter drug
711	Rubbing alcohol and peroxide
801	Nicorette
802	Honey Rose herbal cigarettes
803	Herbal cigarette, not otherwise specified
804	Ecstasy herbal cigarettes
805	Smokey Mountain herbal snuff
806	Herbal Gold herbal cigarettes
807	Ariva tobacco lozenge
808	Herbal Dreams cigarettes
809	Evo electronic cigarette
810	Electronic/smokeless cigarette; otherwise unspecified
811	Raven-E
812	Modern Vapor
813	Logic
814	blu
815	Real Deal
816	Halo
817	Volcano
818	Mistic

Alphabetical Listing

Definition	Code
1, Smoke	1245
10/20	1242
101, 305s Room	4419
101, Scenic	1165
120, Baba	343
1839 cigarettes	1320
1839 cigars	4375
1839 pipe tobacco	525
1886 Queens	4187
305's	1139
305's cigarettes	1139
305's cigars	4458
38 Special little cigars	4434
4 Aces (roll-your-own)	1289
4 Aces pipe tobacco	517
5 Vegas	4330
555, State Express	154
7-20-4 Dogwalker	4472
7-20-4, K.A. Kendall's	4429
898	4188
965, Puerto Rico	4359
99, Factory Throwouts, No.	4486
A, Class	1130
A, Craven	1137
A, Export	180
A. Turrent	4421
A.L. Pedro, Real	4427
Ace	1304
Aces pipe tobacco, 4	517
Acid	4054
Action little cigars	4444
Aerosol spray	706
Afton, Sweet	1096
Al Capone	429
Alas	1131
Albert cigars, Prince	493
Albert tobacco, Prince	501
Alberto, Don	4159
Alcazar	4169
Alcohol and peroxide, Rubbing	711
Alec Bradley	4411
All Star	1201
Allure	1386
Alpine	127
Alternatives, JR	4310
Alternativos	4120
Alvarez, Tony	4342
Alvaro	4259
Always Save	1186

Definition	Code
Amazone Guarana	1127
Amber leaf (roll-your-own)	1337
Ambrosia	4388
American	1117
American Bison	364
American Diamond	1204
American Harvest (roll-your-own)	1385
American Hero	1327
American Spirit	161
American Spirit rolling tobacco	1032
Amish	240
Amish cigars	4317
Amo, Te	4003
Amsterdam Shag (roll-your-own)	1067
Amsterdamer (roll-your-won)	1079
Andres, San	4196
Antillas, Flor de las	4483
Antonio y Cleopatra	401
Antonio, Don	4108
A-One Bidi	1189
Apple Jack	212
Apple Plug tobacco	232
Appu Bidis	1295
Arango Sportsman	430
Arbo (roll-your-own)	1144
Argentinian cigars; brand unspecified	4393
Argos	4146
Ariva tobacco lozenge	807
Arizona	4074
Arms, Hampton	4447
Army Limited Edition, U.S.	4426
Aroma de Cuba, La	4250
Arturo Fuente	431
Ashton	432
Astra	1171
Astral	433
Augusto, Don	4270
Aurora	4147
Aurora, La	475
Austin	162
Avanti	4014
Ave Maria	4440
Avion, Tatuaje	4465
Avo	4051
Axis	1223
B, King	235
B, Mr.	4275
Baba 120	343

Definition	Code
Baccarat	434
Bacco pipe tobacco	521
Backard	1163
Backwoods	402
Bahama Mama	4403
Bahia	4009
Bailey	1022
Baisha	1285
Bali Hai cigarettes	163
Bali Hai cigars	4399
Bali-Shag (roll-your-own)	164
Ball Park	213
Balmoral	435
Bandidos	4422
Bao-dao	1236
Barclay	128
Baron	1338
Basic	101
Baton, El	4349
Bauza	4215
Bay Crystals, Ben	4095
Bay, Golden	1358
Beach Palm little cigars	4459
Beach, Golden	1182
Beacon	1190
Bee snuff, Honey	314
Beech-Nut	201
Belair	129
Belinda	4105
Belmondo	4193
Belmont	1051
Belomorkanal	1333
Ben Bay Crystals	4095
Ben Franklin	436
Bench, Craftsman's	4161
Benchmade, José "Pepin" Garcia	4348
Benito, Jose	4224
Benson & Hedges	102
Bering	403
Berkeley	1180
Berley	1277
Best (roll-your-own), Buckeye's	1312
Best Buy chewing tobacco	214
Best Buy cigarettes	165
Best cigars, Smoker's	4376
Best One, D	1269
Best Value	130
Best, Kentucky's	1112
Best, pipe tobacco, Smoker's	515
Betel nut	704
Betel nut (chewing tobacco with), RMD Gutka	261
Bidi, A-One	1189

Definition	Code
Bidi, Sher	1098
Bidis, Appu	1295
Bidis, Kailas	192
Bidis; brand unspecified	166
Big Butt	4010
Big Leaf	215
Big Leaf, Peachy	223
Big Mountain	259
Big Red	238
Bighorn tobacco	504
Bishop	1262
Bison	1241
Bison, American	364
Bite, Good	249
Black & Mild	404
Black & Tan	4322
Black and Gold, Habana	4026
Black Cat	4307
Black Clove	1056
Black Death	167
Black Diamond	1256
Black Hawk	1325
Black Jack cigars	4096
Black Maria	242
Black, Captain	405
Blackbull	216
Blackjack (roll-your-own)	1306
Blackstone	437
Blair	438
Blanca, Casa	4028
Blend little cigars, Supreme	4283
Blend, Cherry	441
Blend, Country	252
Blend, Havana	4138
Blend, House	1031
Blend, J.D.	236
Blend, Middleton Cherry	484
Blend, Natural	1132
Blender's Gold	4197
Blendz, Island	4396
Bloodhound Thick Plug	233
Blossom, Havana	227
blu	814
Blue Sparrow	4468
Blunt EZ Tube, Royal	4178
Blunt, True	4314
Blunts; brand unspecified	439
BluntVille	4341
Boaz little cigars	4288
Bodyshot little cigars	4358
Bohem Cigar No. 6 (Korean)	1322
Bolivar	4053
Bond Street	1356

Definition	Code
Bonus Value	1136
Bonus Value, BV	1030
Boots	1109
Boss	1381
Boston	1122
Bowie	217
Bracar	1278
Bradley, Alec	4411
Brandon	168
Brave, The	1219
Brazilian cigars; brand unspecified	4148
Brentwood	1078
Brick House	4405
Bridgeport	1225
Bridgeton	1280
Bright	1351
Bristol	131
Bronco	1134
Bronson	169
Brothers, Eight	360
Brothers, pipe tobacco, Five	516
Brothers, Wolf	4007
Bruton	310
B's cigarettes, Honey	1049
Bucanero El Capitan	4334
Buck little cigars, Red	4306
Buckeye's Best (roll-your-own)	1312
Budhalal	258
Buffalo cigarettes	1247
Buffalo cigars	4478
Bugler (roll-your-own)	132
Bull Durham cigarettes	1026
Bull Durham pipe tobacco	518
Bull snuff, Red	350
Bulldog, Savannah	4340
Bullet, Cuban	4181
Buoy pipe tobacco	519
Burns, George	4122
Burns, Robert	421
Business Club	1279
Butera	440
Butt, Big	4010
Buttercup	365
Buy chewing tobacco, Best	214
Buy cigarettes, Best	165
Buy, Direct	528
Buy, Scotch	1114
Buy, Ultra	1025
BV Bonus Value	1030
C.A.O. Moontrance	4083
Caballeros	4142
Cabana, Flor	4078

Definition	Code
Cabanas	4093
Cabrillas, Las	480
Cain	4400
Calixto Lopez	4145
Calle Ocho	4413
Camacho	4171
Cambridge	103
Camel	104
Camel Snus	349
Cameo	4123
Campton	1172
Cana ria D' Oro	4094
Canadian Natural (roll-your-own)	1207
Canadian, Classic (roll-your-own)	1249
Candlelight	4230
Cannonball	218
Canyon	1104
Caoba	4077
Cap pipe tobacco, Red	511
Capitan, Bucanero El	4334
Capitol	1155
Capone, Al	429
Capri	105
Captain Black	405
Caravan	1366
Carbonell	4141
Carburetor cleaner	707
Cardenas	4378
Cardinal	1034
Carhart's Choice Sweet Scotch	359
Caribbean cigars; brand unspecified	4424
Caribbean Petites	4090
Caribbean Rounds	4068
Carinos	4125
Carl Upmann	4052
Carlo, Monte	4046
Carlos Torano	4216
Carlton	106
Carlyle	1154
Carnival	1048
Carpenter's Cut pipe tobacco	514
Carre, Vieux	4351
Carrera, Vigilante Esteban	4303
Cartier	170
Casa Blanca	4028
Casa Magna	4406
Casa Silva	406
Casillas	4286
Casino Gold	4333
Cassar, Hugo	470
Caster	1175
Castros Cuban	4233
Cat, Black	4307

Definition	Code
Cat, White	4442
Cave, Mammoth	243
Cayuga	1377
CC Sweet	327
Celestino Vega	4029
Cella, Parodi	491
Centennial Reserve, Joya del Jefe	4261
Centennial, V	4037
Century	133
Chancellor	1156
Chaparral	1072
Charter	1178
Chattanooga Chew	202
Checkers	171
Cherokee	1035
Cherry Blend	441
Cherry Blend, Middleton	484
Chesterfield	134
Chew, Chattanooga	202
Chew, Tennessee	241
Chewing tobacco with betel nut, RMD Gutka	261
Chewing tobacco, Homemade	2998
Chewing tobacco, Red Man	208
Chewing tobacco, Star	248
Chewing tobacco; brand unspecified	2999
Cheyenne cigarettes	1221
Cheyenne little cigars	4265
Chinese cigars; brand unspecified	4327
Chisum little cigars	4423
Chocolate Dreams	1148
Choice cigarettes, Smoker's	1329
Choice little cigars, Smoker's	4192
Choice Sweet Scotch, Carhart's	359
Choice, First	182
Choice, Miflin's	4071
Churchill by Davidoff, Winston	4319
Churchill; brand unspecified	442
Cia, Martinez y	482
Cibao	4407
Cicco, Nat	4430
Cicero, Don	4450
Cifuentes	4198
Cigar Factory, Little	4240
Cigar No. 6 (Korean), Bohem	1322
Cigar, Seneca	4476
Cigar/cigarillo; brand unspecified	4999
Cigarette, Herbal; not otherwise specified	803
Cigarette, Philip Morris; brand unspecified	1273

Definition	Code
Cigarette, Roll-your-own; brand unspecified	1998
Cigarette; brand unspecified	1999
Cigarette; brand unspecified, S & M	1345
Cigarettes, 1839	1320
Cigarettes, 305's	1139
Cigarettes, Bali Hai	163
Cigarettes, Buffalo	1247
Cigarettes, Bull Durham	1026
Cigarettes, Cheyenne	1221
Cigarettes, Cohiba	1380
Cigarettes, Colt	1210
Cigarettes, Coronas	1145
Cigarettes, Davidoff	1166
Cigarettes, Djarum	175
Cigarettes, Double Diamond	1128
Cigarettes, Dunhill	178
Cigarettes, Echo	1211
Cigarettes, Electronic/smokeless; otherwise unspecified	810
Cigarettes, Evo electronic	809
Cigarettes, Generals	1196
Cigarettes, Generic; brand unspecified	185
Cigarettes, Gold Rush	1240
Cigarettes, Havana	1208
Cigarettes, Herbal Dreams	808
Cigarettes, Honey Rose herbal	802
Cigarettes, Largo	
Cigarettes, Liberty	1243
Cigarettes, New York New York	1047
Cigarettes, Nobel	1108
Cigarettes, Royals	1272
Cigarettes, Signal	1318
Cigarettes, Smoker Friendly	1086
Cigarettes, Smoker's Choice	1329
Cigarettes, Star	1075
Cigarettes, Wild Horse	1287
Cigarillos, Djarum	4064
Cigarillos, Happy Times superillos	4395
Cigarillos, Old Port	4220
Cigarillos, Pom Pom	4242
Cigarillos, Trivo	4481
Cigars, 1839	4375
Cigars, 305's	4458
Cigars, 38 Special little	4434
Cigars, Action little	4444
Cigars, Amish	4317
Cigars, Argentinean, brand unspecified	4393
Cigars, Bali Hai	4399
Cigars, Beach Palm, little	4459

Definition	Code
Cigars, Black Jack	4096
Cigars, Boaz little	4288
Cigars, Bodyshot little	4358
Cigars, Brazilian; brand unspecified	4148
Cigars, Buffalo	4478
Cigars, Caribbean; brand unspecified	4424
Cigars, Cheyenne little	4265
Cigars, Chinese; brand unspecified	4327
Cigars, Chisum little	4423
Cigars, Clipper little	4367
Cigars, Cohiba	443
Cigars, Colt	4179
Cigars, Columbian; brand unspecified	4121
Cigars, Costa Rican; brand unspecified	4264
Cigars, Criss Cross	4454
Cigars, Cuban; brand unspecified	448
Cigars, Czech Republic or Slovakia; brand unspecified	4316
Cigars, Dark Horse little	4414
Cigars, Dean's Lil'	4243
Cigars, Derringer little	4292
Cigars, Director's Club little	4360
Cigars, Dominican; brand unspecified	4016
Cigars, Double Diamond	4350
Cigars, Dunhill	458
Cigars, Ecuadorian; brand unspecified	4441
Cigars, El Salvadoran; brand unspecified	4389
Cigars, Ethiopian; brand unspecified	4325
Cigars, Gambler	4417
Cigars, Gold Rush	4219
Cigars, Golden Harvest little	4312
Cigars, Golden Valley filtered	4449
Cigars, Guatemalan; brand unspecified.	4305
Cigars, Habana/Havana; brand unspecified	465
Cigars, Haitian; brand unspecified	4324
Cigars, Hawaiian; brand unspecified	4338
Cigars, Holland; brand unspecified	4276
Cigars, Hombre little	4372
Cigars, Honduran, brand unspecified	4060
Cigars, i80	4368
Cigars, Indian; brand unspecified	4467
Cigars, JW little	4390

Definition	Code
Cigars, Liberty; brand unspecified	4346
Cigars, Little; brand unspecified	4997
Cigars, M1	4291
Cigars, Mexican; brand unspecified	4249
Cigars, Muriel Sweets little	4284
Cigars, Natural	4174
Cigars, Nicaraguan; brand unspecified	4027
Cigars, Nobel	4416
Cigars, OHM little	4431
Cigars, Philippine; brand unspecified	4337
Cigars, Primetime little	492
Cigars, Puerto Rican; brand unspecified	4321
Cigars, Racer little	4207
Cigars, Red Buck little	4306
Cigars, Remington little	4328
Cigars, Richwood little	4313
Cigars, Santa Fe little	4295
Cigars, Signal	4457
Cigars, Smoker Friendly	4155
Cigars, Smokin Joes little	4294
Cigars, Stampede little	4308
Cigars, Supreme Blend little	4283
Cigars, Swedish; brand unspecified	4392
Cigars, United States; brand unspecified	4027
Cigars, Vaquero little	4298
Cigars, Vendetta little	4282
Cigars, Venezuelan; brand unspecified	4402
Cigars, Wild Horse	4410
Cigars, Wrangler little	4366
Cimarron	172
Cinco Vegas	4165
Circle Z	1228
Citation	1226
Claremont	1266
Class A	1130
Class, First	183
Classic	1274
Classic Canadian (roll-your-own)	1249
Classic, Columbus	1197
Classic, Wills	1363
Classics, Southern	1246
Clay, Henry	467
Cleaner, Carburetor	707
Cleopatra, Antonio y	401
Clints	4336
Clipper little cigars	4367
Clipper, Player's	148
Cloud, Silver	1354

Definition	Code
Clove, Black	1056
Clove; brand unspecified	173
Club little cigars, Director's	4360
Club, Business	1279
Club, GP	1220
Club, Hava	1250
Club, Packard's	353
Club, Travis	4048
Coast, Gold	186
Cobra	1267
Coca leaves	703
Cocaine	702
Cohiba cigarettes	1380
Cohiba cigars	443
Cojimar	444
Collection, Island	4158
Colt cigarettes	1210
Colt cigars	4179
Columbian cigars; brand unspecified	4121
Columbus Classic	1197
Commander	135
Competidora	1202
Complete	1317
Consuegra	4451
Cooper	311
Copenhagen	301
Cordoba, El	4087
Cordova	4221
Corona Whiffs, La	4301
Corona, Double; brand unspecified	4195
Corona, La	414
Corona; brand unspecified	445
Coronas cigarettes	1145
Cortina	446
Costa Rican cigars; brand unspecified	4264
Cottonboll	231
Cougar	312
Country Blend	252
Country, Great	1362
Country, Rough	224
County, Warren	245
Courier	1036
Courvoisier	4323
Covington	136
Cowboys	1176
Craftsman's Bench	4161
Craven "A"	1137
Credo; brand unspecified	4021
Creek, Silver	307
Creмоса Cubanос	447
Crest, Gold	1222

Definition	Code
Criss cross (roll-your-own)	1313
Criss Cross cigars	4454
Crooks, Moonshine	4290
Crooks, Rum River	4369
Cross (roll-your-own), Criss	1313
Cross cigars, Criss	4454
Cross, Southern	1270
Crown	1376
Crown, Diamond	4033
Crystal	4226
Crystals, Ben Bay	4095
CT	1123
CTC Select	1294
Cuba, Free	4446
Cuba, La Aroma de	4250
Cuba, Memoria de	4189
Cuba, Rosa	4043
Cuba, Spirit of	4254
Cuban Bullet	4181
Cuban cigars; brand unspecified	448
Cuban Delights	4199
Cuban Honeys	4329
Cuban rejects, Phillip & King	4257
Cuban Rounds	4380
Cuban Twist	4460
Cuban, Castros	4233
Cubana Oscuro Fuerte, La Herencia	4437
Cubana, La Gloria	476
Cubana; brand unspecified	449
Cubano, Mi	483
Cubano, Oro	4480
Cubanos, Cremosa	447
Cubans, Royal	4238
Cubita	4013
Cuesta-Rey	407
Cumberland Twist	247
Cuno, El	4315
Cupido	4289
Cusano	4097
Cut pipe tobacco, Carpenter's	514
Cut, Silk	1125
Czech Republic or Slovakia cigars; brand unspecified	4316
D & R Tobacco (roll-your-own)	1311
D & R Windsail Platinum (roll-your-own)	1353
D Best One	1269
Da Vinci	4412
Daddies, Sweet	4255
Damiana, Santa	4160
Dancer, Sky	1184

Definition	Code
Danish Export rolling tobacco	1298
Dannemann	450
Dao, Bao-	1236
Dark Hawk little cigars	4414
Dark Horse little cigars	4287
Dark Horse pipe tobacco	527
Darshan	1181
Dave's	174
Davidoff cigarettes	1166
Davidoff cigars	451
Davidoff, Winston Churchill by	4319
Davidson, Harley	138
Day's Work	203
Days, Factory Rejects, Good	4466
Days, Happy	303
De Cuba, La Aroma	4250
De Cuba, Memoria	4189
De Graaff	4133
De Jardin, Flor	4304
De las Antillas, Flor	4483
De Monterrey, Hoya	469
De Nicaragua, Joya	472
De Nobili Popular	4345
De Oliva Grand Cameroon, Flor	4038
De Oro, La Palma	4143
Deal, Real	815
Dean Swift	329
Dean's Lil' Cigars	4243
Death, Black	167
Decade	1268
Deer, Golden	1365
Del Mundo, El Rey	460
Del Rey, Joya	4111
Del Rey, Primo	4176
Del Sol, Isla	4309
Delicados cigarettes	1046
Delicados cigars	4047
Delights, Cuban	4199
Delights, Dutch	4274
Demitasse, brand unspecified	4206
Denobili	4058
Dental	313
Dente, El	4227
Derby	1191
Derringer little cigars	4292
Desert Sun	1248
Diablo	4244
Diamond cigarettes, Double	1128
Diamond cigars, Double	4350
Diamond Crown	4033
Diamond, American	1204
Diamond, Black	1256
Diego, Don	452

Definition	Code
Diesel	4212
Dihao	1347
Dimitrino Shepherds Hotel	1281
Direct Buy	528
Director's Club little cigars	4360
Dirt	4222
Ditka, Mike	4302
Diva, La	4055
DJ Mix	1305
Djarum cigarettes	175
Djarum cigarillos	4064
Dogwalker, 7-20-4	4472
Dollar, Silver	361
Domestic, Old	257
Dominguez, Don	4271
Dominican cigars; brand unspecified	4016
Dominican Selection, Jenuwine	4397
Dominican, JM's	4432
Dominicana, La Flor	479
Dominico	4273
Don Alberto	4159
Don Antonio	4108
Don Augusto	4270
Don Cicero	4450
Don Diego	452
Don Dominguez	4271
Don Elias	4260
Don Elliott	4258
Don Guillermo	4088
Don Jose	453
Don Juan	4234
Don Kiki	4247
Don Lino	454
Don Lugo	4267
Don Mateo	4126
Don Pablo	4109
Don Pedro	4456
Don Pepin	4363
Don Rene	455
Don Rex	4252
Don Sebastian	456
Don Tomas	457
Don Yeyo	4162
Dona Flora	4166
Doral	107
D'Oro, Canaria	4094
Dos Hombres	4086
Dos Reinas	4073
Double Corona, brand unspecified	4195
Double Diamond cigarettes	1128
Double Diamond cigars	4350
Double Happiness (Shuang Xi)	1378

Definition	Code
Dr. Rumney's	339
Dreams	1091
Dreams cigarettes, Herbal	808
Dreams, Chocolate	1148
Dreams, Sweet	1113
Drew Estates	4110
Drew Estates, Kahlua	4311
Drug, Over-the-counter	710
Drum (roll-your-own)	176
DTC	1037
Du Maurier	177
Ducados	4062
Duck twist, Wild	251
Dunhill cigarettes	178
Dunhill cigars	458
Dupont, S.T.	4381
Duque	4394
Durango	219
Durant	1120
Durham cigarettes, Bull	1026
Durham pipe tobacco, Bull	518
Dutch Delights	4274
Dutch Masters	408
Dutch Treats	459
Dynamic	1164
E, Raven-	811
Eagle	179
Eagle, Silver	1292
Echo cigarettes	1211
Echo rolling tobacco	1297
Eclipse	1110
Eco	1334
Ecstasy herbal cigarettes	804
Ecuadorian cigars; brand unspecified	4441
Edgefield	1344
Edition, U.S. Army Limited	4426
Edward, King	413
Eight Brothers	360
El Baton	4349
El Capitan, Bucanero	4334
El Cordoba	4087
El Cuno	4315
El Dente	4227
El Gozo	4132
El Imperio	4383
El Metador	4365
El Presidente	4262
El Primer Mundo	4433
El Producto	409
El Rey del Mundo	460
El Rico Habano	4200

Definition	Code
El Salvadoran cigars; brand unspecified	4389
El Sol	4343
El Toro	4185
El Verso	4374
Electronic cigarettes, Evo	809
Electronic/smokeless cigarette; otherwise unspecified	810
Elias, Don	4260
Elliot's, Sir	4214
Elliott, Don	4258
Embassy	1315
Entourage	4420
Epic	1111
Erik Filter	410
Erik Natural	4445
Especial, Tabak	4409
Esquire	1185
Esse	1352
Estates, Drew	4110
Estates, Kahlua Drew	4311
Esteban Carrera, Vigilante	4303
Ethiopian cigars, brand unspecified	4325
Euro	1212
Eve	137
EverMore	4268
Evo electronic cigarette	809
Exact	1265
Excalibur	4022
Exeter	1326
Exodus, Torano	4263
Export A	180
Export rolling tobacco, Danish	1298
Express 555	1119
Express, 555, State	154
Extreme	330
EZ Tube, Royal Blunt	4178
Factory Rejects, Good Days	4466
Factory Throwouts, No. 99	4486
Factory, Little Cigar	4240
Famous, R & J	4042
Fantasia	1063
Farias	4182
Farmer's Gold (roll-your-own)	1235
Faros	1151
Fat Rum	4300
Fe little cigars, Santa	4295
Feelings	1331
Felipe Gregorio	4030
Fiesta	181
Filter, Erik	410
Filtered cigars, Golden Valley	4449

Definition	Code
Fina, Vega	4164
Finca, La	4036
Fink	4246
First Choice	182
First Class	183
First US	1205
First USA	1205
Five Brothers pipe tobacco	516
Five Star	4012
Flor Cabana	4078
Flor de Jardin	4304
Flor de las Antillas	4483
Flor de Oliva Grand Cameroon	4038
Flora, Dona	4166
Floridita, La	4194
Focus	1124
Fonseca	461
Fontana	1348
Fontana, La	4034
Forsyth	108
Fortuna	1276
Fortune	1355
Fortune, Kismet	4487
Foundry	4485
Fox, Red	207
Franco	4065
Franklin, Ben	436
Fred	1271
Free Cuba	4446
Friendly cigarettes, Smoker	1086
Friendly cigars, Smoker	4155
Fuego, J.	4364
Fuente	4050
Fuente, Arturo	431
Fuerte, La Herencia Cubana Oscuro	4437
Fuerte, Piano	4452
Furongwang	1364
FX Smith	4228
G pipe tobacco, Smokin'	520
Galaxy Pro	1341
Gambler (roll-your-own)	1227
Gambler cigars	4417
Gambler pipe tobacco	524
Game	4347
Garcia Benchmade, José "Pepin"	4348
Garcia y Vega	411
Garcia, Perfecto	4057
Garrett snuff	321
Garrett, Levi	206
Gatlinburlier	254
Gauloises	184
Gawith, Samuel	346

Definition	Code
Gener, Jose	4272
General snuff	337
Generals cigarettes	1196
Generic cigarettes; brand unspecified	185
George Burns	4122
Geronimo	1055
Girbes, Jose	4231
Girl, Hula	4144
Gispert	4278
Gitanes	1058
Gloria Cubana, La	476
Gold	1090
Gold and Mild, Middleton	4025
Gold Coast	186
Gold Crest	1222
Gold herbal cigarettes, Herbal	806
Gold River	302
Gold Rush cigarettes	1240
Gold Rush cigars	4219
Gold, Blender's	4197
Gold, Casino	4333
Gold, Farmer's (roll-your-own)	1235
Gold, Habana	466
Gold, Habana Black and	4026
Gold, Havana	4191
Gold, Liberty	1244
Gold, Old	147
Gold, USA	1018
Golden Bay	1358
Golden Beach	1182
Golden Deer	1365
Golden Harvest (roll-your-own)	1283
Golden Harvest little cigars	4312
Golden Leaf	1375
Golden Lights	1133
Golden Valley filtered cigars	4449
Golden Virginia (roll-your-own)	1140
Goldflake	1229
Goldlight	1129
Gonzalez y Martinez	4201
Good Bite	249
Good Days Factory Rejects	4466
Good stuff (roll-your-own)	1335
Good Stuff pipe tobacco	510
Good Times	4361
Göteborgs Rapé Snus	352
Gozo, El	4132
GP	1332
GP Club	1220
GPC	109
Graaff, De	4133
Gran Habano	4425

Definition	Code
Grand	1073
Grand Prix	1089
Granger	204
Graycliff	4280
Great Country	1362
Great Wall	4428
Gregorio, Felipe	4030
Grenadiers	462
Griffin's	463
Grizzly	332
G-Smoke	1218
GT-One	1126
Guantanamo	4241
Guarana, Amazone	1127
Guardia, La	4167
Guatemalan cigars; brand unspecified	4305
Gudang Guram	187
Guillermo, Don	4088
Gunsmoke	188
Guram, Gudang	187
Gurkha, K. Hansotia	4072
Gutka (chewing tobacco with betel nut), RMD	261
Guy, Tough	1162
Guys, Wise	4256
H. Upmann	464
H.B. Scott	205
Habana Black and Gold	4026
Habana Gold	466
Habana, La Perla	4223
Habana, Madrigal	4100
Habana/Havana cigars; brand unspecified	465
Habanera, La	4326
Habano Primero	4208
Habano, El Rico	4200
Habano, Gran	4425
Habanos	4106
Hacienda	4202
Hacienda, Vieja	4370
Hai cigarettes, Bali	163
Hai cigars, Bali	4399
Haitian cigars; brand unspecified	4324
Hall, Temple	4004
Halo	816
Hamiltons	4127
Hampton Arms	4447
Hansotia Gurkha, K.	4072
Happiness (Shuang Xi), Double	1378
Happy Days	303
Happy Hour	4401

Definition	Code
Happy Times superillos cigarillos	4395
Harley Davidson	138
Harvest (roll-your-own), American	1385
Harvest (roll-your-own), Golden	1283
Harvest (roll-your-own), Southern	1291
Harvest little cigars, Golden	4312
Hats Off	4236
Hatuey	4353
Hava Club	1250
Havana Blend	4138
Havana Blossom	227
Havana cigarettes	1208
Havana cigars, Habana/; brand unspecified	465
Havana Gold	4191
Havana Honey	4045
Havana, Little	4190
Havatampa	412
Hawaiian cigars; brand unspecified	4338
Hawaiian, Royal	4285
Hawk little cigars, Dark	4414
Hawk, Black	1325
Hawken	304
Hay, John	4134
Heather Phillips	4177
Heaven	4209
Hector Hernandez	4248
Hedges, Benson &	102
Helix	4184
Hemingway	4092
Henry Clay	467
Herbal cigarette, not otherwise specified	803
Herbal cigarettes, Ecstasy	804
Herbal cigarettes, Herbal Gold	806
Herbal cigarettes, Honey Rose	802
Herbal Dreams cigarettes	808
Herbal Gold herbal cigarettes	806
Herbal snuff, Smokey Mountain	805
Herencia Cubana Oscuro Fuerte, La	4439
Hermanos, Tres	4204
Hernandez, Hector	4248
Hero, American	1327
Heroin	708
Heron	1307
Highway	1076
Hillside, Old (roll-your-own)	1192
Hinds, Thomas	4056
Hi-Value	189
Hobo	468
Hoja	4129
Holborn, Old (roll-your-own)	1187
Holland cigars; brand unspecified	4276

Definition	Code
Hollywood	1033
Holt's	4384
Hombre little cigars	4372
Hombres, Dos	4086
Homegrown	601
Homemade chewing tobacco	2998
Homemade cigars	4998
Homemade snuff/smokeless tobacco	3998
Homer	1198
Honduran cigars; brand unspecified	4060
Honest Scotch	334
Honey Bee snuff	314
Honey B's cigarettes	1049
Honey Rose herbal cigarettes	802
Honey, Havana	4045
Honeys, Cuban	4329
Hongmei	1357
Honor	1284
Hookah tobacco/tobacco in hookah	505
Hope	1387
Horse cigarettes, Wild	1287
Horse cigars, Wild	4410
Horse little cigars, Dark	4287
Horse pipe tobacco, Dark	527
Horse, Iron	4479
Horse, Red	234
Horse, White	1303
Horse, Work	211
Hotel, Dimitrino Shepherds	1281
Hour, Happy	4401
House Blend	1031
House, Brick	4405
Hoya De Monterrey	469
Huanghelou	1339
Hugo Cassar	470
Hula girl	4144
Husky	341
i80 cigars	4368
Ibold	4293
Iceberg (roll-your-own)	1213
Iguana	4318
Image	1084
Impala	1102
Imperio, El	4383
Indian cigars; brand unspecified	4467
Indian Tabac	4229
Indios, Puros	495
Infiesta	471
Infinity	1194
Iqmik	255
Iron Horse	4479

Definition	Code
Isla Del Sol	4309
Island	4473
Island Blendz	4396
Island Collection	4158
J Famous, R &	4042
J. Fuego	4364
J.D. Blend	236
J.R. Tobacco	4019
J.T.	4172
Jack cigars, Black	4096
Jack, Apple	212
Jacks	190
Jacks, Trader	4471
Jackson, Peter	1290
Jad	4218
Jade	1168
Jakarta	1101
Jamaica, Royal	497
Jamaican cigars; brand unspecified	4061
Jane, Sweet	4464
Jardin, Flor de	4304
Jasmine	139
Java	4266
Jefe Centennial Reserve, Joya del	4261
Jenuwine Dominican Selection	4397
Jester (roll-your-own)	191
Jimenes, Leon	4069
JM's Dominican	4432
Joes (roll-your-own), Smokin	1368
Joes cigarettes, Smokin	1040
Joes cigars, Smokin	4130
Joes little cigars, Smokin	4294
John Hay	4134
John Player	1066
John T's	4023
José "Pepin" Garcia Benchmade	4348
Jose Benito	4224
Jose Gener	4272
Jose Girbes	4231
Jose L. Piedra	4332
Jose Marti	4149
Jose, Don	453
Joya De Nicaragua	472
Joya del Jefe Centennial Reserve	4261
Joya del Rey	4111
JR Alternatives	4310
Jr Ultimate	473
Juan, Don	4234
Juicy	4373
Julietta, Romeo y	496
JW little cigars	4390
K. Hansotia Gurkha	4072

Definition	Code
K.A. Kendall's 7-20-4	4429
Kahlua (Drew Estates)	4311
Kailas Bidis	192
Kamel Red	193
Karelia	1300
Kayak	326
Keep Moving	4103
Kendall's 7-20-4, K.A.	4429
Kent	110
Kentucky King Twist	253
Kentucky Select (roll-your-own)	1324
Kentucky Select pipe tobacco	523
Kentucky Smooth (roll-your-own)	1275
Kentucky, Old	1200
Kentucky's Best	1112
Key West	4076
Khaini, Kuber	246
Kickback	4438
Kiki, Don	4247
King	474
King - Cuban rejects, Phillip &	4257
King B	235
King Edward	413
King Mountain	1296
King Twist, Kentucky	253
Kingpin	4296
Kingsley	1203
Kingsport	1118
Kingston	1251
Kismet Fortune	4487
Kiss	1369
Kite (roll-your-own)	1100
Klondike	362
Knights	1264
Knox	354
Kodiak	305
Kool	111
Korean, Bohem Cigar No. 6	1322
Krakatoa Kretek	1059
Kretek, Kuta	1060
Kristoff	4344
Krong Thip	1074
Kuber Khaini	246
Kuta Kretek	1060
L & M	141
L. Piedra, Jose	4332
L.J. Peretti	529
La Aroma de Cuba	4250
La Aurora	475
La Corona	414
La Corona Whiffs	4301
La Diva	4055

Definition	Code
La Finca	4036
La Flor Dominicana	479
La Floridita	4194
La Fontana	4034
La Gloria Cubana	476
La Guardia	4167
La Habanera	4326
La Herencia Cubana Oscuro Fuente	4437
La Palma de Oro	4143
La Paloma	4139
La Perla Habana	4223
La Primadora	4098
La Rica	4331
La Surina	4173
La Tradicion	477
La Unica	478
Label, Private	121
Lacket, Roda	357
Lakes	1286
Lancaster	220
Largo cigarettes	1346
Largo pipe tobacco	513
Lark	140
Larranaga, Por	4107
Lars Tetens	4008
Larson	1199
Las Antillas, Flor de	4483
Las Cabrillas	480
Las Vegas	4089
Lauro's	4239
Leaf (roll-your-own), Amber	1337
Leaf, Big	215
Leaf, Golden	1375
Leaf, Peachy Big	223
Leaves, Coca	703
Legend	194
Leon Jimenes	4069
Levi Garrett	206
Lewiston	1039
Lex12	4470
Liberty cigarettes	1243
Liberty cigars; brand unspecified	4346
Liberty Gold	1244
Libre, Nica	4404
Licenciados	4277
Liga Privada	4385
Liggett Select	1083
Lights, Golden	1133
Lil' Cigars, Dean's	4243
Limited Edition, U.S. Army	4426
Lino, Don	454
Little Cigar Factory	4240
Little cigars, 38 Special	4434

Definition	Code
Little cigars, Action	4444
Little cigars, Beach Palm	4459
Little cigars, Boaz	4288
Little cigars, Bodyshot	4358
Little cigars, Cheyenne	4265
Little cigars, Chisum	4423
Little cigars, Clipper	4367
Little cigars, Dark Hawk	4414
Little cigars, Dark Horse	4287
Little cigars, Derringer	4292
Little cigars, Director's Club	4360
Little cigars, Golden Harvest	4312
Little cigars, Hombre	4372
Little cigars, JW	4390
Little cigars, Muriel Sweets	4284
Little cigars, OHM	4431
Little cigars, Primetime	492
Little cigars, Racer	4207
Little cigars, Red Buck	4306
Little cigars, Remington	4328
Little cigars, Richwood	4313
Little cigars, Santa Fe	4295
Little cigars, Smoker's Choice	4192
Little cigars, Smokin Joes	4294
Little cigars, Stampede	4308
Little cigars, Supreme Blend	4283
Little cigars, Vaquero	4298
Little cigars, Vendetta	4282
Little cigars, Wrangler	4366
Little cigars; brand unspecified	4997
Little Havana	4190
Little Nippers	415
Lobo	1173
Logic	813
Lone Wolf	481
Longhorn	338
Lookout (roll-your-own)	1209
Lopez, Calixto	4145
Lopez, Mendez y	4153
Lotto	1252
Lozenge, Ariva tobacco	807
Lucky Strike	142
Lugo, Don	4267
Luis Rey, Sanit	4140
Luiz Martinez	4137
M & R Vintage Reserve	4408
M Santana, V	4059
M1 cigars	4291
Macanudos	416
Madrigal Habana	4100
Magna	143
Magna, Casa	4406

Definition	Code
Mail Pouch	221
Mainstreet	196
Majestic	1370
Malibu	195
Mall, Pall	119
Mama, Bahama	4403
Mammoth Cave	243
Man chewing tobacco, Red	208
Man O' War	4436
Man snuff, Red	351
Mancini, Maria	4112
Manikchand	342
Mantequilla	4213
Marathon	1153
Marco V	4475
Maria Mancini	4112
Maria, Ave	4440
Maria, Black	242
Maribel	4448
Marijuana	701
Mark, Markers	4136
Marker	197
Marker, Permanent	705
Markers Mark	4136
Market	1141
Marlboro	112
Marlboro Snus	355
Marlin	1088
Maroma	4386
Marsh Wheeling	4119
Marti, Jose	4149
Martinez y Cia	482
Martinez, Gonzalez y	4201
Martinez, Luiz	4137
Mason, Payne-	4339
Masters, Dutch	408
Matacan	4180
Mateo, Don	4126
Matinee	1157
Maurier, Du	177
Maverick	144
Maverick Quick Draw	4418
Max	145
Maxim	1158
McChrystals	335
McClintock (roll-your-own)	1170
MCD	1231
Medallion	198
Meharis	4099
Memoria de Cuba	4189
Mendez y Lopez	4153
Mephisto	4382
Meridian	199

Definition	Code
Merit	113
Metador, El	4365
Meth, Methamphetamine ("ice" or "crank")	709
Mexican cigars; brand unspecified	4249
Mi Cubano	483
Miami Suites	4041
Middleton Cherry Blend	484
Middleton Gold and Mild	4025
Midnight Special (roll-your-own)	1214
Miflin's Choice	4071
Mike Ditka	4302
Mild Sevens, Seven Stars/	1012
Mild, Black &	404
Mild, Middleton Gold and	4025
Millennium	4439
Mills, Railroad	344
Mint Snuff	323
Miranda, Nestor	4435
Mistic	818
Misty	114
Mix, DJ	1305
Modern Vapor	812
Monaco	1080
Monarch	115
Monero	485
Montana	1115
Montclair	116
Monte Carlo	4046
Montecristo	486
Montecruz	4070
Montego	1253
Monterrey, Hoya De	469
Montesino	4032
Montoya	4079
Moonshine Crooks	4290
Moontrance, C.A.O.	4083
More	117
Morgan's	222
Morris cigarette, Philip; brand unspecified	1273
Mountain herbal snuff, Smokey	805
Mountain, Big	259
Mountain, King	1296
Move	1142
Moving, Keep	4103
Moyorga	4131
Mr. B	4275
Mule Twist, White	256
Mundail	1159
Mundo, El Primer	4433
Mundo, El Rey del	460
Muniemaker	4035

Definition	Code
Murano	4354
Muriel	417
Muriel Sweets little cigars	4284
Murillo	4251
Mustang	1027
MVP	1193
Napa	4075
Nat Cicco	4430
Nat Sherman cigarettes	1001
Nat Sherman cigars	4018
National	4168
Nations, Six	531
Native	1092
Natural Blend	1132
Natural cigar	4174
Natural Root	4235
Natural, Canadian (roll-your-own)	1207
Natural, Erik	4445
Navarro	4461
Navy	315
Neos	4398
Nestor Miranda	4435
Nestor Reserve	4352
Nevada	1260
New Orleans	4154
New York cigars	4066
New York New York cigarettes	1047
Newport	118
Niagara	1106
Nica Libre	4404
Nicaragua, Joya De	472
Nicaraguan cigars; brand unspecified	4027
Nicorette	801
Nippers, Little	415
Nise	1160
No. 99 Factory Throwouts	4486
Nobel cigarettes	1108
Nobel cigars	4416
Nobili Popular, De	4345
Nording	4299
Nova	1239
Now	146
Nub	4357
Nut, Betel	704
O' War, Man	4436
O, Oliva	4245
Occidental	4210
Ocho, Calle	4413
Off, Hats	4236
Ohm (roll-your-own)	1349

Definition	Code
OHM little cigars	4431
Old Domestic	257
Old Gold	147
Old Hillside (roll-your-own)	1192
Old Holborn (roll-your-own)	1187
Old Kentucky	1200
Old Port cigarillos	4220
Oliva Grand Cameroon, Flor de	4038
Oliva O	4245
Oliver Twist	244
Oliveros	487
Olor	4113
Omaha	1002
Omar	1237
Omar Sharif	1054
Omega	4203
Omni	1169
One, Bidi, A-	1189
One, D Best	1269
One, Premium	1052
OneOff	4170
Onyx	4020
Opal	1234
Optimo	488
Optiva	1146
Opus X	489
Organic, Verdadero	4477
Orleans, New	4154
Ornelas	4101
Oro Cubano	4480
Oro, La Palma de	4143
Oscuro Fuerte, La Herencia Cubana	4437
Our Pride	237
Outlaws, Sweet	4232
Over-the-counter drug	710
Owl, White	426
Ozona	328
Pablo, Don	4109
Packard's Club	353
Padilla	4297
Padron	490
Palace cigarettes	1107
Palace cigars	4039
Palermo	1340
Pall Mall	119
Palm little cigars, Beach	4459
Palma de Oro, La	4143
Paloma, La	4139
Panetella; brand unspecified	4124
Panter	4128
Panza, Sancho	4183
Papayo	4082

Definition	Code
Pareto, Tamayo &	4091
Parisiennes	1150
Park, Ball	213
Parliament	120
Parodi Cella	491
Partagas	418
Patels, Rocky	4237
Patriot	1095
Payne-Mason	4339
Peach	322
Peachy Big Leaf	223
Pedro, Don	4456
Pedro, Real A.L.	4427
Penn, William	427
Pepin Garcia Benchmade, José	4348
Pepin, Don	4363
Perdomo	4175
Peretti, L.J.	529
Perfecto Garcia	4057
Perla Habana, La	4223
Permanent marker	705
Peroxide, Rubbing alcohol and	711
Peter Jackson	1290
Peter Stokkebye (roll-your-own)	1308
Peter Stuyvesant	1230
Petites, Caribbean	4090
Philip Morris cigarette; brand unspecified	1273
Philippine cigars; brand unspecified	4337
Phillies	419
Phillip & King - Cuban rejects	4257
Phillips, Heather	4177
Piano Fuerte	4452
Piedra, Jose L.	4332
Piel Roja	1003
Pilot	1099
Pioneer	1371
Pipe tobacco, 1839	525
Pipe tobacco, 4 Aces	517
Pipe tobacco, Bacco	521
Pipe tobacco, Bull Durham	518
Pipe tobacco, Buoy	519
Pipe tobacco, Carpenter's Cut	514
Pipe tobacco, Dark Horse	527
Pipe tobacco, Five Brothers	516
Pipe tobacco, Gambler	524
Pipe tobacco, Good Stuff	510
Pipe tobacco, Kentucky Select	523
Pipe tobacco, Largo	513
Pipe tobacco, Red Cap	511
Pipe tobacco, Rio	526
Pipe tobacco, Sillems Blue	512
Pipe tobacco, Smoker's Best	515

Definition	Code
Pipe tobacco, Smokin' G	520
Pipe tobacco, Sparrow	522
Pipe tobacco; brand unspecified	5999
Piper's	4462
Place, Tobacco	4011
Planet	1004
Plasencia	4114
Platinum (roll-your-own), D & R Windsail	1353
Playboy	4031
Player, John	1066
Player's Clipper	148
Plug tobacco, Apple	232
Plug, Bloodhound Thick	233
Point	1161
Poker	1261
Pom Pom cigarillos	4242
Popular	1103
Popular, De Nobili	4345
Por Larranaga	4107
Porfirio	4115
Port cigarillos, Old	4220
Pouch, Mail	221
Premier (roll-your-own)	1314
Premis	1299
Premium One	1052
President	333
Price, Slim	1013
Pride	1384
Pride, Our	237
Pride, Smoker's	506
Pride, Southern	228
Pride, Taylor's	209
Pride, Value	1255
Primadora, La	4098
Prime	1024
Primer Mundo, El	4433
Primero, Habano	4208
Primetime little cigars	492
Primo	1224
Primo Del Rey	4176
Prince (Denmark)	1077
Prince Albert cigars	493
Prince Albert tobacco	501
Privada, Liga	4385
Private Label	121
Private Stock	1005
Prix, Grand	1089
Pro, Galaxy	1341
Producto, El	409
Professor Sila	4335
Puerto Rican cigars; brand unspecified	4321

Definition	Code
Puerto Rico 965	4359
Punch	494
Purofino	4049
Puros Indios	495
Putter	1143
Pyramid	149
Quality	1121
Quality Smokes	1006
Quality, Value &	1071
Queens, 1886	4187
Quest	1179
Quick Draw, Maverick	4418
Quintero	4150
Quirantes	4080
Quorum	4355
R & J Famous	4042
R Tobacco (roll-your-own), D &	1311
R Vintage Reserve, M &	4408
R, Windsail Platinum (roll-your-own), D &	1353
Racer little cigars	4207
Railroad Mills	344
Raison	1301
Raleigh	150
Raleigh tobacco, Sir Walter	502
Rally	1007
Ralph's snuff	324
Ramrod	4151
Randelllo X	4279
Rapé Snus, Göteborgs	352
Rave	1008
Rave rolling tobacco	1323
Raven-E	811
Real A.L. Pedro	4427
Real Deal	815
Reas	4040
Red Buck little cigars	4306
Red Bull snuff	350
Red Cap pipe tobacco	511
Red Fox	207
Red Horse	234
Red Man chewing tobacco	208
Red Man snuff	351
Red River	507
Red Seal	316
Red, Big	238
Red, Kamel	193
Redbull (roll-your-own)	1183
Redwood	306
Reinas, Dos	4073
Rejects, Good Days, Factory	4466

Definition	Code
Rejects, Phillip & King - Cuban	4257
Remedios	4186
Remington little cigars	4328
Rene, Don	455
Renegades	325
Repeater, The	4371
Reserve, Joya del Jefe Centennial	4261
Reserve, M & R Vintage	4408
Reserve, Nestor	4352
Revel	345
Revenge	1116
Reveria	4152
Rex, company brand unspecified	1257
Rex, Don	4252
Rey del Mundo, El	460
Rey, Cuesta-	407
Rey, Joya del	4111
Rey, Primo Del	4176
Rey, Saint Luis	4140
Rhino, White	1195
Rica, La	4331
Rich	1342
Richland	151
Richwood little cigars	4313
Rico 965, Puerto	4359
Rico Habano, El	4200
Rico Suave	4362
Ridgeway	1215
Rigoletto	420
Rio pipe tobacco	526
Ritmeester	4156
River Crooks, Rum	4369
River, Gold	302
River, Red	507
River, Snake	260
Riverside	1321
RMD Gutka (chewing tobacco with betel nut)	261
Robert Burns	421
Robusto; brand unspecified	4117
Rocky Patels	4237
Roda Lacket	357
Roger	1093
Roi-Tan	422
Roja, Piel	1003
Rolling tobacco, American Spirit	1032
Rolling tobacco, Danish Export	1298
Rolling tobacco, Echo	1297
Rolling tobacco, Rave	1323
Rollrich (roll-your-own)	1009
Roll-your-own cigarette; brand unspecified	1998
Roly	4217

Definition	Code
Romeo y Julieta	496
Romero	4163
Romy	1216
Ronhill	1233
Room 101	4419
Rooster	317
Root, Natural	4235
Rosa Cuba	4043
Rose herbal cigarettes, Honey	802
Rose, Tube	320
Roseman	1336
Rothman	1010
Rough Country	224
Roughneck	4281
Rounds, Caribbean	4068
Rounds, Cuban	4380
Royal Blunt EZ Tube	4178
Royal Cubans	4238
Royal Hawaiian	4285
Royal Jamaica	497
Royales	4081
Royals cigarettes	1272
Rubbing alcohol and peroxide	711
Rubios	1316
Rum River Crooks	4369
Rum Runner	4017
Rum, Fat	4300
Rumney's, Dr.	339
Runner, Rum	4017
Rush cigarettes, Gold	1240
Rush cigars, Gold	4219
Rushmore	4253
S & M cigarette; brand unspecified	1345
S.T. Dupont	4381
Sago	1167
Sails, Three	509
Saint Luis Rey	4140
Salem	122
Salvadoran cigars; brand unspecified, El	4389
Sampoerna	1011
Samson (roll-your-own)	1038
Samuel Gawith	346
San Andres	4196
Sancho Panza	4183
Sandia	1232
Santa Damiana	4160
Santa Fe little cigars	4295
Santana, VM	4059
Saratoga	152
Satin	153
Savannah Bulldog	4340

Definition	Code
Save, Always	1186
Scenic 101	1165
Schimmelpennick	498
Scotch Buy	1114
Scotch, Carhart's Choice Sweet	359
Scotch, Honest	334
Scott, H.B.	205
Seal, Red	316
Sebastian, Don	456
Sebring	1081
Select (roll-your-own), Kentucky	1324
Select pipe tobacco, Kentucky	523
Select, CTC	1294
Select, Liggett	1083
Selection, Jenuwine Dominican	4397
Senate	1374
Seneca cigar	4476
Seneca, cigarette company brand unspcfd	1064
Sequoia	331
Seven Stars/Mild Sevens	1012
Shag, Amsterdam (roll-your-own)	1067
Shag, Bali- (roll-your-own)	164
Sharif, Omar	1054
Shepherds Hotel, Dimitrino	1281
Sher Bidi	1098
Sheriff	1328
Sherman cigarettes, Nat	1001
Sherman cigars, Nat	4018
Shield	1094
Show	4484
Shuang Xi, Double Happiness	1378
Sierra Sweets	4024
Signal cigarettes	1318
Signal cigars	4457
Signature	1061
Sila, Professor	4335
Silk Cut	1125
Sillems Blue pipe tobacco	512
Silva Thins	1135
Silva, Casa	406
Silver Cloud	1354
Silver Creek	307
Silver Dollar	361
Silver Eagle	1292
Silvers	1177
Silverton	1188
Sinatra	4135
Sincerely Yours	1062
Sinclair, Victor	4157
SingleStick (roll-your-own)	1258
Sir Elliot's	4214
Sir Walter Raleigh tobacco	502

Definition	Code
Six Nations	531
Sixty-1	1105
Skoal	308
Skruf Stark	347
Sky Dancer	1184
Slim Price	1013
Slims, Virginia	125
Slovakia cigars, Czech Republic or; brand unspecified	4316
Smalls, Tijuana	424
Smith, FX	4228
Smoke 1	1245
Smoke, G-	1218
Smokeless cigarette, Electronic;/ otherwise unspecified	810
Smoker Friendly cigarettes	1086
Smoker Friendly cigars	4155
Smoker's Best pipe tobacco	515
Smoker's Choice cigarettes	1329
Smoker's Choice little cigars	4192
Smoker's Pride	506
Smokers Warehouse (roll-your-own)	1217
Smoker's, Best cigars	4376
Smokes, Quality	1006
Smokey Mountain herbal snuff	805
Smokin' G pipe tobacco	520
Smokin Joes (roll-your-own)	1368
Smokin Joes cigarettes	1040
Smokin Joes cigars	4130
Smokin Joes little cigars	4294
Smooth (roll-your-own), Kentucky	1275
Snake River	260
Snuff, Garrett	321
Snuff, General	337
Snuff, Ralph's	324
Snuff, Red Bull	350
Snuff, Red Man	351
Snuff, Smokey Mountain herbal	805
Snuff, Stoker's	363
Snuff/smokeless tobacco, Homemade	3998
Snuff; brand unspecified	3999
Snus, Camel	349
Snus, Göteborgs Rapé	352
Snus, Marlboro	355
Sobranie	1014
Sol, El	4343
Sol, Isla Del	4309
Sonic	1282
Sonoma	1041
Sosa	4116
Southern Classics	1246

Definition	Code
Southern Cross	1270
Southern Harvest (roll-your-own)	1291
Southern Pride	228
Southern Steel	508
Sovereign	1057
Sparrow pipe tobacco	522
Sparrow, Blue	4468
Special	1085
Special little cigars, 38	4434
Special, Midnight (roll-your-own)	1214
Specials, Turkish	1045
Speedway	4443
Spirit of Cuba	4254
Spirit rolling tobacco, American	1032
Spirit, American	161
Splash	1065
Splitarillos	4474
Sport	1023
Sportsman, Arango	430
Spray, Aerosol	706
Springwater Vanilla	1015
Square	318
Stag	499
Stampede little cigars	4308
Star chewing tobacco	248
Star cigarettes	1075
Star, All	1201
Star, Five	4012
Star, Tin	530
Starbuzz	4463
Stark, Skruf	347
Stars/Mild Sevens, Seven	1012
State Express 555	154
States cigars, United; brand unspecified	4067
Steel, Southern	508
Sterling	155
Stock, Private	1005
Stoker chewing tobacco	230
Stoker's (roll-your-own)	1206
Stoker's snuff	363
Stokkebye, Peter (roll-your-own)	1308
Stonewall	340
Storm	1263
Straight Up	4415
Street, Bond	1356
Street, Wall	4377
Strike, Lucky	142
Stuff (roll-your-own), Good	1335
Stuff pipe tobacco, Good	510
Stuyvesant, Peter	1230
Style	156

Definition	Code
Suave, Rico	4362
Suites, Miami	4041
Summit	1016
Sun, Desert	1248
Sundance	1017
Sunny	1293
Superillos, cigarillos, Happy Times	4395
Superkings	1068
Supre Sweets	4085
Supreme Blend little cigars	4283
Surina, La	4173
Swedish cigars, brand unspecified	4392
Sweet Afton	1096
Sweet Daddies	4255
Sweet Dreams	1113
Sweet Jane	4464
Sweet Outlaws	4232
Sweet Scotch, Carhart's Choice	359
Sweet, CC	327
Sweethearts, Tampa	4453
Sweets little cigars, Muriel	4282
Sweets, Sierra	4024
Sweets, Supre	4085
Sweets, Swisher	423
Sweets; brand unspecified	4001
Swift, Dean	329
Swisher Sweets	423
Tabac, Indian	4229
Tabak Especial	4409
Taboka	348
Tahoe	1082
Tall	1042
Talon	4455
Tamayo & Pareto	4091
Tamboril	4102
Tampa Sweethearts	4453
Tampa; brand unspecified	4002
Tan, Black &	4322
Tan, Roi-	422
Tareyton	157
Tatiana	4084
Tatuaje	4465
Tatuaje Avion	4465
Taylor's Pride	209
Te Amo	4003
Temple Hall	4004
Tempo	1043
Tennessee Chew	241
Tetens, Lars	4008
Teton (roll-your-own)	1309
Tex	1259

Definition	Code
Texan	1302
The Repeater	4371
Thick Plug, Bloodhound	233
Thins, Silva	1135
Thip, Khrong	1074
Thomas Hinds	4056
Thompson	4005
Three Sails	509
Throwouts, No. 99 Factory	4486
Thunder	356
Tijuana Smalls	424
Timber Wolf	309
Time	1361
Time, Timeless	1359
Time, Value	1070
Timeless Time	1359
Times Superillos cigarillos, Happy	4395
Times, Good	4361
Tin Star	530
Tinsley	239
Tip Top	1382
Tiparillo	4006
Tobacco (roll-your-own), D & R	1311
Tobacco in hookah, Hookah tobacco/	505
Tobacco lozenge, Ariva	807
Tobacco Place	4011
Tobacco with betel nut, RMD Gutka chewing	261
Tobacco, 1839 pipe	525
Tobacco, 4 Aces pipe	517
Tobacco, American Spirit rolling	1032
Tobacco, Apple Plug	232
Tobacco, Bacco pipe	521
Tobacco, Bighorn	504
Tobacco, Bull Durham pipe	518
Tobacco, Buoy pipe	519
Tobacco, Carpenter's Cut pipe	514
Tobacco, Danish Export rolling	1298
Tobacco, Dark Horse, pipe	527
Tobacco, Echo rolling	1297
Tobacco, Five Brothers, pipe	516
Tobacco, Gambler, pipe	524
Tobacco, Good Stuff pipe	510
Tobacco, Homemade chewing	2998
Tobacco, Homemade snuff/smokeless	3998
Tobacco, Kentucky Select pipe	523
Tobacco, Largo pipe	513
Tobacco, Pipe; brand unspecified	5999
Tobacco, Prince Albert	501
Tobacco, R.J.	4019

Definition	Code
Tobacco, Rave rolling	1323
Tobacco, Red Cap pipe	511
Tobacco, Red Man chewing	208
Tobacco, Rio pipe	526
Tobacco, Sillems pipe	512
Tobacco, Sir Walter Raleigh	502
Tobacco, Smoker's Best pipe	515
Tobacco, Smokin' G pipe	520
Tobacco, Sparrow pipe	522
Tobacco, Star chewing	248
Tobacco/tobacco in hookah, Hookah	505
Tomas, Don	457
Tony Alvarez	4342
Top (roll-your-own)	158
Top, Tip	1382
Topper	4063
Tops snuff	319
Topstone	4356
Toque	358
Torano, Carlos	4216
Torano, Exodus	4263
Torino	4379
Toro, El	4185
Totems	210
Tough Guy	1162
Tourney	1029
Tracker	1254
Trader Jacks	4471
Tradicion, La	477
Travis Club	4048
Treats, Dutch	459
Trend	4387
Tres Hermanos	4204
Trinidad	4269
Triumph	159
Trivo cigarillos	4481
Trophy	225
True	160
True Blunt	4314
T's, John	4023
Tube Rose	320
Tube, Royal Blunt EZ	4178
Tucson	1138
Tueros	4225
Tulsi	250
Turkish Specials	1045
Turrent, A.	4421
Tusker	4320
Twist, Cuban	4460
Twist, Cumberland	247
Twist, Kentucky King	253

Definition	Code
Twist, Oliver	244
Twist, White Mule	256
Twist, Wild Duck	251
U.S. Army Limited Edition	4426
Ultimate, Jr	473
Ultra Buy	1025
Unica, La	478
Unify	1174
Union	1310
Union Workman	229
United States cigars; brand unspecified	4067
Universal	425
Up, Straight	4415
Upmann, Carl	4052
Upmann, H.	464
US, First	1205
USA	1050
USA Gold	1018
USA, First	1205
V Centennial	4037
V, Marco	4475
Valley filtered cigars, Golden	4449
Value & Pride	1255
Value Quality	1071
Value Time	1070
Value, Best	130
Value, Bonus	1136
Value, BV Bonus	1030
Value, Hi-	189
Value; brand unspecified	1028
Vanilla, Springwater	1015
Vantage	123
Vapor Modern	812
Vaquero little cigars	4298
Vargas	4469
VB	1319
Vega Fina	4164
Vega, Celestino	4029
Vega, Garcia y	411
Vegas cigarettes	1019
Vegas cigars	4118
Vegas, 5	4330
Vegas, Cinco	4165
Vegas, Las	4089
Velvet	503
Vendetta little cigars	4282
Venezuelan cigars; brand unspecified	4402
Verdadero Organic	4477
Verso, El	4374

Definition	Code
Viajante; brand unspecified	4205
Viceroy	124
Victor Sinclair	4157
Victoria	1350
Victory	1149
Vieja Hacienda	4370
Vieux Carre	4351
Vigilante Esteban Carrera	4303
Villiger	4104
Vinataba	1383
Vinci, Da	4412
Vintage Reserve, M & R	4408
Virginia Slims	125
Virginia, Golden (roll-your-own)	1140
Virginian	1087
VM Santana	4059
Volcano	817
Wall Street	4377
Wall, Great	4428
Walter Raleigh tobacco, Sir	502
War, Man O'	4436
Warehouse, Smokers (roll-your-own)	1217
Warren County	245
Waves	1020
Way	1238
WB	226
West, Key	4076
Weston	4482
Westport	1147
Wheeling, Marsh	4119
Whiffs, La Corona	4301
White Cat	4442
White Horse	1303
White Mule Twist	256
White Owl	426
White Rhino	1195
Wild Duck twist	251
Wild Horse cigarettes	1287
Wild Horse cigars	4410
William Penn	427
Wills	1053
Wills Classic	1363
Wilsons	336
Winchester	428
Windsail Platinum (roll-your-own), D & R	1353
Windsor	4015
Wings	1372
Winner	1097
Winston	126
Winston Churchill by Davidoff	4319

Definition	Code
Wise Guys	4256
Wolf Brothers	4007
Wolf, Lone	481
Wolf, Timber	309
Work Horse	211
Work, Day's	203
Workman, Union	229
Worth	1044
Wrangler little cigars	4366
Wuyeshen	1379
X, Opus	489
X, Randello	4279
Xi, Shuang, Double Happiness	1378
Xi, Yu	1330
X-tra	1152
Yeyo, Don	4162
York cigarettes, New York New	1047
York cigars, New	4066
Yours	1021
Yours, Sincerely	1062
Yu Xi	1330
Yukon	1288
Yunyan	1373
Z, Circle	1228
Zen	1367
Zhonghua	1343
Zhongnanhai	1360
Zig-Zag (roll-your-own)	1069
Zig-Zag cigarillos	4391
Zino	4044

APPENDIX D

Recoded Substance Dependence and Abuse Variable Documentation

The 2013 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included questions that were designed to measure dependence and abuse of illicit drugs, alcohol, and dependence on nicotine (cigarettes). For nicotine (cigarettes), questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman, Hickcox, Gnys, Paty, & Kassel, 1995; Shiffman, Waters, & Hickcox, 2004) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton, Kozlowski, Frecker, & Fagerstrom, 1991). The above-mentioned criteria were first used to measure nicotine dependence in NSDUH in 2003. For substances other than nicotine (cigarettes), which include alcohol, cocaine, heroin, pain relievers, sedatives, marijuana, tranquilizers, stimulants, hallucinogens, and inhalants, dependence and abuse questions were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association [APA], 1994). Due to the complexity of defining the dependence and abuse variables, additional details regarding the creation of these variables are included in this appendix.

Given the current editing and imputation procedures, along with the use of both core and noncore questions to determine whether a respondent was asked the dependence and abuse questions, users should be aware of the possible inconsistencies that may exist between the dependence and abuse variables and the imputed substance use and frequency of use variables for selected substances.

Responses from core substance use, frequency of substance use, and noncore substance use questions were used as criteria to determine whether a respondent was asked the alcohol and/or illicit drug dependence and abuse questions. Unknown responses to the core substance use and frequency of substance use questions were imputed. However, the imputation process did not take into account data reported in the noncore CAI modules. Therefore, responses to the dependence and abuse questions that were inconsistent with responses to the imputed substance use or frequency of use questions could exist. These inconsistent responses remained in the edited data and were not excluded in the creation of the dependence and abuse recodes. Since different sets of criteria were used as skip logic for each substance, different types of inconsistencies between the dependence and abuse variables and the imputed substance use and frequency of substance use variables could occur by substance. These inconsistencies are discussed in further detail in the appropriate sections on each substance.

Differences also exist between the methodologies used for determining dependence on nicotine (cigarettes) and for determining dependence on other substances. For example, to classify as nicotine (cigarette) dependent, a respondent must be a past month user of cigarettes. However, to classify as dependent on one of the other substances by *DSM-IV* criteria, a respondent must be a past year user of that substance. A second difference is that the NDSS questions are imputed in order to optimize the number of respondents who may be classified for nicotine (cigarette) dependence, unlike the *DSM-IV* dependence questions that are used in the nonimputed, edited form.

Nicotine (Cigarette) Dependence

The 2013 NSDUH CAI questions designed to assess nicotine (cigarette) dependence were based on the NDSS and the FTND. To identify patterns of nicotine (cigarette) dependence within the 2013 NSDUH data, variable indicators were created to measure dependence on nicotine through the use of cigarettes. A respondent was defined as being dependent if he or she met either the NDSS or the FTND criteria for dependence.

Nicotine Dependence Syndrome Scale (NDSS):

The conceptual roots of the NDSS are similar to those behind the *DSM-IV* concept of dependence (Edwards & Gross, 1976). The 2013 NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (IRCGIRTB)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (IRCGCRV)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (IRCGCRGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (IRCGNCTL)
 - e. You sometimes worry that you will run out of cigarettes (IRCGROUT).
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (IRCGINCR)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (IRCGSAT)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (IRCGLMR).
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (IRCGRGDY)
 - b. You smoke about the same amount on weekends as on weekdays (IRCGRGWK)
 - c. You smoke just about the same number of cigarettes from day to day (IRCGRGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (IRCGNCG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (IRCGSLHR).
4. Behavioral priority (preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (IRCGAVD)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (friends question - CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (IRCGPLN).
5. Stereotypy (fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (friends question - CIGFNSMK)

- b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (IRCGINFL)
- c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (IRCGNINF).

Each of these five domains can be assessed by a separate measure, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). The NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (4b - CIGFNLKE and 5a - CIGFNSMK) were excluded due to higher item nonresponse rates.

For respondents who answered 16 of the 17 NDSS nicotine (cigarette) dependence questions used in the NDSS algorithm, imputation using the 16 answered NDSS items as covariates in a weighted least squares regression model was implemented (Center for Behavioral Health Statistics and Quality, 2015).

Responses to items IRCGIRTB, IRCGCRV, IRCGCRGP, IRCGAVD, IRCGPLN, IRCGROUT, IRCGRGDY, IRCGRGWK, IRCGRGNM, IRCGNINF, IRCGINCR, IRCGSAT, and IRCGLMR were coded from 1 to 5 where

- 1= Not at all true
- 2= Somewhat true
- 3= Moderately true
- 4= Very true
- 5= Extremely true.

Responses to items IRCGNCTL, IRCGNCG, IRCGSLHR, and IRCGINFL were reverse coded from 5 to 1 where

- 5= Not at all true
- 4= Somewhat true
- 3= Moderately true
- 2= Very true
- 1= Extremely true.

For respondents who reported smoking cigarettes in the past month, the NDSS score, NDSSANSP, was calculated as the sum of the responses to the previous questions divided by 17. The NDSS score was calculated only for those who had responses to all 17 questions after imputation. If a respondent did not have valid responses (based on actual reporting and imputation) to all 17 questions, then his or her NDSS score was defined as missing.

A respondent was defined as nicotine dependent, NDSSDNSP=1, if the NDSS score was greater than or equal to 2.75. If the NDSS score was less than 2.75 or missing, then the respondent was determined to be nondependent, NDSSDNSP=0, based on the NDSS. The threshold of 2.75 was derived by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman, Paty, Kassel, Gnys, & Zettler-Segal, 1994).

Fagerstrom Test of Nicotine Dependence (FTND):

The FTND is a multi-item measure of dependence, but much of its ability to discriminate dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton, Kozlowski, Frecker, Rickert, & Robinson, 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. A respondent who reported smoking cigarettes in the past month was defined as nicotine dependent based on the FTND, FTNDDNSP, if the first cigarette smoked was within 30 minutes of waking up on the days he or she smoked (CIGWAKE=1 or 2).

Nicotine (Cigarette) Dependence:

Using both the NDSS and the FTND, a respondent was defined as having nicotine (cigarette) dependence in the past month, DNICNSP, if he or she met either the NDSS (NDSSDNSP=1) or FTND (FTNDDNSP=1) criteria for dependence.

DSM-IV Dependence and Abuse

The 2013 NSDUH CAI questions were designed to assess substance dependence and abuse of alcohol and illicit drugs based on the criteria for dependence and abuse in the *DSM-IV* (APA, 1994). For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if he or she met three or more of six standard dependence criteria. A seventh withdrawal criterion was added for alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. A respondent was defined as having dependence if he or she met three or more of seven dependence criteria. For each illicit drug and alcohol, a respondent was defined as having abused that substance if he or she met one or more of four abuse criteria and was determined not to be dependent upon the substance of interest.

Dependence and abuse variables are mutually exclusive with dependence taking precedence (i.e., dependence is determined first and respondents are only classified as having abused a substance if they are not already classified as dependent, regardless of responses to the abuse questions). Therefore, it is possible for the variables showing abuse of a combination of substances to not correspond with the abuse status of those individual substances. For example, a respondent who is classified as having abused cocaine in the past year may be classified as not having abused illicit drugs because he or she was dependent on marijuana and already classified as being dependent on illicit drugs.

For alcohol and marijuana, the criteria used to determine whether a respondent was asked the dependence and abuse questions included past year use of the respective substance and reported use of the respective substance on more than 5 days in the past year. Because respondents were asked the dependence and abuse questions if they reported substance use in the past year but did not report a valid response for their frequency of substance use data, inconsistencies could occur where the imputed frequency of use variable indicated less frequent use than required for respondents to be asked the dependence and abuse questions originally.

For heroin and cocaine, the criteria included reporting past year use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when core substance use variables indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse.

For pain relievers, tranquilizers, and inhalants, the only criterion used was that the respondent reported past year use of the respective substance. Thus, no inconsistencies could occur where the respondent was considered a nonuser of the substance but was dependent on or abusing the substance.

For stimulants, prior to the 2005 NSDUH, the criteria included only reporting past year stimulant use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when either the core or the noncore substance use variables indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse. In 2005 and 2006, new questions were added to the noncore special drugs module to identify respondents who had used methamphetamine but had failed to report it in the core prescription stimulant module because they did not think of methamphetamine as a prescription drug. In 2005, new questions were added concerning past year methamphetamine use: "Have you ever, even once, used methamphetamine?" and "Have you ever, even once, used a needle to inject methamphetamine?" In 2006, an additional follow-up consistency question was added to confirm prior responses about methamphetamine use: "Earlier, the computer recorded that you have never used methamphetamine. Which answer is correct?" People identified as methamphetamine users in these new questions were also administered the stimulant dependence

and abuse questions. However, based on the decisions made during the analysis of the new methamphetamine data,¹ respondents who met the criteria for stimulant dependence or abuse but had reported past year methamphetamine use *only* on these new 2005 and 2006 special drug use questions (i.e., did not indicate methamphetamine use from the core drug module or other questions in the noncore special drugs module) were categorized as NOT having past year stimulant dependence or abuse. In the 2008 NSDUH, the skip logic was further modified allowing respondents who reported using Adderall® in the noncore special drugs section but failed to report it in the core prescription stimulant module to be asked the stimulant dependence and abuse questions. Consistent with the decision made for the new methamphetamine questions, those respondents who met the criteria for stimulant dependence or abuse based only on the new Adderall® questions were also categorized as NOT having past year stimulant dependence or abuse. This decision prevents additional inconsistencies between core and noncore indicators of use. Furthermore, if these same respondents were categorized as not having past year dependence on or abuse of any other substance (e.g., pain relievers, tranquilizers, or sedatives for the psychotherapeutic drug grouping), then they were categorized as NOT having past year dependence on or abuse of psychotherapeutics, illicit drugs, illicit drugs or alcohol, and illicit drugs and alcohol.

For hallucinogens and sedatives, prior to the 2008 NSDUH, the criteria included only reporting past year use in a core drug module. Thus, no inconsistencies could occur where the respondent was considered a nonuser of the substance but was dependent on or abusing the substance. In 2008, questionnaire logic for determining hallucinogen and sedative dependence or abuse was modified. The revised skip logic used information collected in the noncore special drugs module in addition to questions from the core drug modules. Respondents were asked about hallucinogen dependence and abuse if they reported in the noncore special drugs module additionally using Ketamine, DMT, AMT, Foxy, or *Salvia divinorum* and were asked about sedative dependence and abuse if they reported additionally using Ambien®. Consistent with the previous decision to exclude respondents whose methamphetamine use was based solely on responses in a noncore module from being classified as having dependence or abuse, respondents who indicated past year hallucinogen or sedative use based solely on these noncore special drug questions were categorized as NOT having past year dependence or abuse regardless of how they answered the dependence and abuse questions. This decision prevents any inconsistencies between core and noncore indicators of use for these drugs. Further details are provided in Section B.4.3 of Appendix B of the 2009 summary of national findings (Office of Applied Studies, 2010a; 2010b).

A respondent might have provided ambiguous information about past year use of any individual substance, in which case these respondents were not asked the dependence and abuse questions for that substance. Subsequently, these respondents could be imputed to be past year users of the respective substance. In this situation, the dependence and abuse data were unknown. Thus, these respondents were classified as not dependent on or abusing the respective substance, without ever having been asked the dependence and abuse questions.

Listed below are the definitions used for each of the individual dependence and abuse measures, as well as specific notes about inconsistency issues for each measure. Additional variables were created using a combination of these individual dependence and abuse measures and are listed in the main part of the codebook.

¹ See Section B.4.8 of Appendix B in the 2008 NSDUH national findings for more details on the methamphetamine analysis (Office of Applied Studies, 2009).

Substance Dependence Recodes Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPNDALC, a respondent must have met three or more of these alcohol dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of alcohol (ALCLOTTM=1 or ALCGTOVR=1)
- (2) Used alcohol more often than intended or was unable to keep set limits on alcohol use (ALCKPLMT=2)
- (3) Needed to use alcohol more than before to get desired effects or noticed that same amount of alcohol use had less effect than before (ALCNDMOR=1 or ALCLSEFX=1)
- (4) Inability to cut down or stop using alcohol every time tried or wanted to (ALCCUTEV=2)
- (5) Continued to use alcohol even though it was causing problems with emotions, nerves, mental health, or physical problems (ALCEMCTD=1 or ALCPHCTD=1)
- (6) Alcohol use reduced or eliminated involvement or participation in important activities (ALCLSACT=1)
- (7) Reported experiencing two or more alcohol withdrawal symptoms at the same time that lasted longer than a day after alcohol use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (ALCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported using alcohol in the past year, even if he or she did not report a valid response to the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified as dependent on alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with cocaine dependence, DEPNDCOC, a respondent must have met three or more of these cocaine dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of cocaine (COCLOTTM=1 or COCGTOVR=1)
- (2) Used cocaine more often than intended or was unable to keep set limits on cocaine use (COCKPLMT=2)
- (3) Needed to use cocaine more than before to get desired effects or noticed that same amount of cocaine use had less effect than before (COCNDMOR=1 or COCLSEFX=1)
- (4) Inability to cut down or stop using cocaine every time tried or wanted to (COCCUTEV=2)
- (5) Continued to use cocaine even though it was causing problems with emotions, nerves, mental health, or physical problems (COCMCTD=1 or COCPHCTD=1)
- (6) Cocaine use reduced or eliminated involvement or participation in important activities (COCLSACT=1)

- (7) Reported feeling blue or down when trying to stop or cut down using cocaine (COCFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms at the same time that lasted longer than a day after cocaine use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or could not sit still. (COCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified as being dependent on cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HEROIN:

To be defined with heroin dependence, DEPNDHER, a respondent must have met three or more of these heroin dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of heroin (HERLOTTM=1 or HERGTOVR=1)
- (2) Used heroin more often than intended or was unable to keep set limits on heroin use (HERKPLMT=2)
- (3) Needed to use heroin more than before to get desired effects or noticed that same amount of heroin use had less effect than before (HERNDMOR=1 or HERLSEFX=1)
- (4) Inability to cut down or stop using heroin every time tried or wanted to (HERCUTEV=2)
- (5) Continued to use heroin even though it was causing problems with emotions, nerves, mental health, or physical problems (HEREMCTD=1 or HERPHCTD=1)
- (6) Heroin use reduced or eliminated involvement or participation in important activities (HERLSACT=1)
- (7) Reported experiencing three or more heroin withdrawal symptoms at the same time that lasted longer than a day after heroin use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (HERWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year in the noncore module, even if he or she reported not using heroin in the past year in the core module. Thus, cases may exist where a respondent was classified as dependent on heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPNDANL, a respondent must have met three or more of these pain reliever dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of pain relievers (ANLLOTTM=1 or ANLGTOVR=1)
- (2) Used pain relievers more often than intended or was unable to keep set limits on pain reliever use (ANLKPLMT=2)
- (3) Needed to use pain relievers more than before to get desired effects or noticed that same amount of pain reliever use had less effect than before (ANLNDMOR=1 or ANLLSEFX=1)
- (4) Inability to cut down or stop using pain relievers every time tried or wanted to (ANLCUTEV=2)
- (5) Continued to use pain relievers even though they were causing problems with emotions, nerves, mental health, or physical problems (ANLEMCTD=1 or ANLPHCTD=1)
- (6) Pain reliever use reduced or eliminated involvement or participation in important activities (ANLLSACT=1)
- (7) Reported experiencing three or more pain reliever withdrawal symptoms at the same time that lasted longer than a day after pain reliever use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (ANLWDSMT=1).

SEDATIVES:

To be defined with sedative dependence, DEPNDSED, a respondent must have been routed to the dependence and abuse questions in 2013 based on variables in the skip logic that existed in 2007 (SEDDAFLG=98) and must have met three or more of these sedative dependence criteria (i.e., respondents who indicated sedative use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were defined as NOT having past year sedative dependence):

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of sedatives (SEDLOTMM=1 or SEDGTOVR=1)
- (2) Used sedatives more often than intended or was unable to keep set limits on sedative use (SEDKPLMT=2)
- (3) Needed to use sedatives more than before to get desired effects or noticed that same amount of sedative use had less effect than before (SEDNDMOR=1 or SEDLSEFX=1)
- (4) Inability to cut down or stop using sedatives every time tried or wanted to (SEDCUTEV=2)
- (5) Continued to use sedatives even though they were causing problems with emotions, nerves, mental health, or physical problems (SEDEMCTD=1 or SEDPHCTD=1)
- (6) Sedative use reduced or eliminated involvement or participation in important activities (SEDLSACT=1)
- (7) Reported experiencing one or more sedative withdrawal symptoms at the same time that lasted longer than a day after sedative use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping or sleeping more than normal, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (SEDWDSMT=1).

STIMULANTS:

To be defined with stimulant dependence, DEPNDSTM, a respondent must have been routed to the dependence and abuse questions in 2013 based on variables in the skip logic that existed in 2004 (STMDAFLG=98) and must have met three or more of these stimulant dependence criteria (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core drug module or questions in the noncore special drugs module [other than the questions added in 2005, 2006, and 2008 as mentioned above] and who met three or more of these stimulant dependence criteria were categorized as NOT having past year stimulant dependence):

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of stimulants (STMLOTTM=1 or STMGTOVR=1)
- (2) Used stimulants more often than intended or was unable to keep set limits on stimulant use (STMKPLMT=2)
- (3) Needed to use stimulants more than before to get desired effects or noticed that same amount of stimulant use had less effect than before (STMNDMOR=1 or STMLSEFX=1)
- (4) Inability to cut down or stop using stimulants every time tried or wanted to (STMCUTEV=2)
- (5) Continued to use stimulants even though they were causing problems with emotions, nerves, mental health, or physical problems (STMEMCTD=1 or STMPHCTD=1)
- (6) Stimulant use reduced or eliminated involvement or participation in important activities (STMLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using stimulants (STMFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms at the same time that lasted longer than a day after stimulant use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or like could not sit still. (STMWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting stimulants (including methamphetamine) with a needle in the past year in the noncore module, even if he or she reported not using stimulants in the past year in the core module. Thus, cases may exist where a respondent was classified as being dependent on stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (CPNSTMYR).

Substance Dependence Recodes Defined without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPNDHAL, a respondent must have been routed to the dependence and abuse questions in 2013 based on variables in the skip logic that existed in 2007 (HALDAFLG=98) and must have met three or more of these hallucinogen dependence criteria (i.e., respondents who indicated hallucinogen use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were defined as NOT having past year hallucinogen dependence):

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of hallucinogens (HALLOTTM=1 or HALGTOVR=1)
- (2) Used hallucinogens more often than intended or was unable to keep set limits on hallucinogen use (HALKPLMT=2)
- (3) Needed to use hallucinogens more than before to get desired effects or noticed that same amount of hallucinogen use had less effect than before (HALNDMOR=1 or HALLSEFX=1)
- (4) Inability to cut down or stop using hallucinogens every time tried or wanted to (HALCUTEV=2)
- (5) Continued to use hallucinogens even though they were causing problems with emotions, nerves, mental health, or physical problems (HALEMCTD=1 or HALPHCTD=1)
- (6) Hallucinogen use reduced or eliminated involvement or participation in important activities (HALLSACT=1).

INHALANTS:

To be defined with inhalant dependence, DEPNDINH, a respondent must have met three or more of these inhalant dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of inhalants (INHLOTTM=1 or INHGTOVR=1)
- (2) Used inhalants more often than intended or was unable to keep set limits on inhalant use (INHKPLMT=2)
- (3) Needed to use inhalants more than before to get desired effects or noticed that same amount of inhalant use had less effect than before (INHNDMOR=1 or INHLSEFX=1)
- (4) Inability to cut down or stop using inhalants every time tried or wanted to (INHCUTEV=2)
- (5) Continued to use inhalants even though they were causing problems with emotions, nerves, mental health, or physical problems (INHEMCTD=1 or INHPHCTD=1)
- (6) Inhalant use reduced or eliminated involvement or participation in important activities (INHLSACT=1).

MARIJUANA:

To be defined with marijuana dependence, DEPNDMRJ, a respondent must have met three or more of these marijuana dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of marijuana (MRJLOTTM=1 or MRJGTOVR=1)

- (2) Used marijuana more often than intended or was unable to keep set limits on marijuana use (MRJKPLMT=2)
- (3) Needed to use marijuana more than before to get desired effects or noticed that same amount of marijuana use had less effect than before (MRJNDMOR=1 or MRJLSEFX=1)
- (4) Inability to cut down or stop using marijuana every time tried or wanted to (MRJCUTEV=2)
- (5) Continued to use marijuana even though it was causing problems with emotions, nerves, mental health, or physical problems (MRJEMCTD=1 or MRJPHCTD=1)
- (6) Marijuana use reduced or eliminated involvement or participation in important activities (MRJLSACT=1).

Note: A respondent could answer the dependence questions if he or she reported using marijuana in the past year, even if he or she did not report a valid response to the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified as dependent on marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPNDTRN, a respondent must have met three or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time over a period of a month or more getting, using, or getting over the effects of tranquilizers (TRNLOTTM=1 or TRNGTOVR=1)
- (2) Used tranquilizers more often than intended or was unable to keep set limits on tranquilizer use (TRNKPLMT=2)
- (3) Needed to use tranquilizers more than before to get desired effects or noticed that same amount of tranquilizer use had less effect than before (TRNNDMOR=1 or TRNLSEFX=1)
- (4) Inability to cut down or stop using tranquilizers every time tried or wanted to (TRNCUTEV=2)
- (5) Continued to use tranquilizers even though they were causing problems with emotions, nerves, mental health, or physical problems (TRNEMCTD=1 or TRNPHCTD=1)
- (6) Tranquilizer use reduced or eliminated involvement or participation in important activities (TRNLSACT=1).

Substance Abuse Recodes

ALCOHOL:

To be defined with abuse of alcohol, ABUSEALC, a respondent must have met one or more of these alcohol abuse criteria in the past year and must not have been dependent upon alcohol in the past year (DEPNDALE=0):

- (1) Serious problems at home, work, or school caused by using alcohol, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ALCSERP=1)
- (2) Used alcohol regularly and then did something that might have put you in physical danger (ALCPDANG=1)
- (3) Use of alcohol caused you to do things that repeatedly got you in trouble with the law (ALCLAWTR=1)
- (4) Problems with family or friends that were probably caused by using alcohol (ALCFMFPB=1) and continued to use alcohol even though you thought using alcohol caused these problems (ALCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using alcohol in the past year, even if he or she did not report a valid response to the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified to have abused alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with abuse of cocaine, ABUSECOC, a respondent must have met one or more of these cocaine abuse criteria in the past year and must not have been dependent upon cocaine in the past year (DEPNDCOC=0):

- (1) Serious problems at home, work, or school caused by using cocaine, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(COCSERP=1)
- (2) Used cocaine regularly and then did something that might have put you in physical danger (COCPDANG=1)
- (3) Use of cocaine caused you to do things that repeatedly got you in trouble with the law (COCLAWTR=1)
- (4) Problems with family or friends probably caused by using cocaine (COCFMFPB=1) and continued to use cocaine even though you thought using cocaine caused these problems (COCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified to have abused cocaine,

even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HALLUCINOGENS:

To be defined with abuse of hallucinogens, ABUSEHAL, a respondent must have been routed to the dependence and abuse questions in 2013 based on variables in the skip logic that existed in 2007 (HALDAFLG=98), must have met one or more of these hallucinogen abuse criteria in the past year (i.e., respondents who indicated hallucinogen use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were categorized as NOT having abused hallucinogens in the past year), and must not have been dependent upon hallucinogens in the past year (DEPNDDHAL=0):

- (1) Serious problems at home, work, or school caused by using hallucinogens, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HALSERPB=1)
- (2) Used hallucinogens regularly and then did something that might have put you in physical danger (HALPDANG=1)
- (3) Use of hallucinogens caused you to do things that repeatedly got you in trouble with the law (HALLAWTR=1)
- (4) Problems with family or friends probably caused by using hallucinogens (HALFMFPB=1) and continued to use hallucinogens even though you thought using hallucinogens caused these problems (HALFMCTD=1).

HEROIN:

To be defined with abuse of heroin, ABUSEHER, a respondent must have met one or more of these heroin abuse criteria in the past year and must not have been dependent upon heroin in the past year (DEPNDDHER=0):

- (1) Serious problems at home, work, or school caused by using heroin, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HERSERPB=1)
- (2) Used heroin regularly and then did something that might have put you in physical danger (HERPDANG=1)
- (3) Use of heroin caused you to do things that repeatedly got you in trouble with the law (HERLAWTR=1)
- (4) Problems with family or friends probably caused by using heroin (HERFMFPB=1) and continued to use heroin even though you thought using heroin caused these problems (HERFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year in the noncore module, even if he or she reported not using heroin in the past year in the core module. Thus, cases may exist where a respondent was classified to have abused heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

INHALANTS:

To be defined with abuse of inhalants, ABUSEINH, a respondent must have met one or more of these inhalant abuse criteria in the past year and must not have been dependent upon inhalants in the past year (DEPNDINH=0):

- (1) Serious problems at home, work, or school caused by using inhalants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(INHSERPB=1)
- (2) Used inhalants regularly and then did something that might have put you in physical danger (INHPDANG=1)
- (3) Use of inhalants caused you to do things that repeatedly got you in trouble with the law (INHLAWTR=1)
- (4) Problems with family or friends probably caused by using inhalants (INHFMFPB=1) and continued to use inhalants even though you thought using inhalants caused these problems (INHFMCTD=1).

MARIJUANA:

To be defined with abuse of marijuana, ABUSEMRJ, a respondent must have met one or more of these marijuana abuse criteria in the past year and must not have been dependent upon marijuana in the past year (DEPNDMRJ=0):

- (1) Serious problems at home, work, or school caused by using marijuana, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(MRJSERPB=1)
- (2) Used marijuana regularly and then did something that might have put you in physical danger (MRJPDANG=1)
- (3) Use of marijuana caused you to do things that repeatedly got you in trouble with the law (MRJLAWTR=1)
- (4) Problems with family or friends probably caused by using marijuana (MRJFMFPB=1) and continued to use marijuana even though you thought using marijuana caused these problems (MRJFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using marijuana in the past year, even if he or she did not report a valid response to the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified to have abused marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

PAIN RELIEVERS:

To be defined with abuse of pain relievers, ABUSEANL, a respondent must have met one or more of these pain reliever abuse criteria in the past year and must not have been dependent upon pain relievers in the past year (DEPNDANL=0):

- (1) Serious problems at home, work, or school caused by using pain relievers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school
 (ANLSERP=1)
- (2) Used pain relievers regularly and then did something that might have put you in physical danger (ANLPDANG=1)
- (3) Use of pain relievers caused you to do things that repeatedly got you in trouble with the law (ANLLAWTR=1)
- (4) Problems with family or friends probably caused by using pain relievers (ANLFMFPB=1) and continued to use pain relievers even though you thought using pain relievers caused these problems (ANLFMCTD=1).

SEDATIVES:

To be defined with abuse of sedatives, ABUSESED, a respondent must have been routed to the dependence and abuse questions in 2013 based on variables in the skip logic that existed in 2007 (SEDDAFLG=98), must have met one or more of these sedative abuse criteria in the past year (i.e., respondents who indicated sedative use based only on responses from the questions in the noncore special drugs module added to the skip logic in 2008 were categorized as NOT having abused sedatives in the past year), and must not have been dependent upon sedatives in the past year (DEPNSED=0):

- (1) Serious problems at home, work, or school caused by using sedatives, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school
 (SEDSERP=1)
- (2) Used sedatives regularly and then did something that might have put you in physical danger (SEDPDANG=1)
- (3) Use of sedatives caused you to do things that repeatedly got you in trouble with the law (SEDLAWTR=1)
- (4) Problems with family or friends probably caused by using sedatives (SEDFMFPB=1) and continued to use sedatives even though you thought using sedatives caused these problems (SEDFMCTD=1).

STIMULANTS:

To be defined with abuse of stimulants, ABUSESTM, a respondent must have been routed to the dependence and abuse questions in 2013 based on variables in the skip logic that existed in 2004 (STMDAFLG=98), must have met one or more of these stimulant abuse criteria in the past year (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core drug module or questions in the noncore special drugs module [other than the questions added in 2005, 2006, and 2008 as mentioned above] and who met one or more of these stimulant abuse criteria were categorized as NOT having abused stimulants in the past year), and must not have been dependent upon stimulants in the past year (DEPNDSTM=0):

- (1) Serious problems at home, work, or school caused by using stimulants, such as
 - neglecting their children
 - missing work or school

- doing a poor job at work or school
- losing a job or dropping out of school
(STMSERPB=1)
- (2) Used stimulants regularly and then did something that might have put you in physical danger (STMPDANG=1)
- (3) Use of stimulants caused you to do things that repeatedly got you in trouble with the law (STMLAWTR=1)
- (4) Problems with family or friends probably caused by using stimulants (STMFMFPB=1) and continued to use stimulants even though you thought that using stimulants caused these problems (STMFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting stimulants (including methamphetamine) with a needle in the past year in the noncore module, even if he or she reported not using stimulants in the past year in the core module. Thus, cases may exist where a respondent was classified to have abused stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (CPNSTMYR).

TRANQUILIZERS:

To be defined with abuse of tranquilizers, ABUSETRN, a respondent must have met one or more of these tranquilizer abuse criteria in the past year and must not have been dependent upon tranquilizers in the past year (DEPNDTRN=0):

- (1) Serious problems at home, work, or school caused by using tranquilizers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school
(TRNSERPB=1)
- (2) Used tranquilizers regularly and then did something that might have put you in physical danger (TRNPDANG=1)
- (3) Use of tranquilizers caused you to do things that repeatedly got you in trouble with the law (TRNLAWTR=1)
- (4) Problems with family or friends probably caused by using tranquilizers (TRNFMFPB=1) and continued to use tranquilizers even though you thought using tranquilizers caused these problems (TRNFMCTD=1).

References

- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)* (4th ed.). Washington, DC: American Psychiatric Association.
- Center for Behavioral Health Statistics and Quality. (2015). *2013 National Survey on Drug Use and Health: Methodological resource book (Section 10, Editing and imputation report)*. Retrieved from <https://www.samhsa.gov/data/>
- Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, 1(6017), 1058-1061.
- Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, 3(3-4), 235-241.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction*, 86(9), 1119-1127.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, 84(7), 791-799.
- Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 09-4434, NSDUH Series H-36). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Volume I. Summary of national findings* (HHS Publication No. SMA 10-4586Findings, NSDUH Series H-38A). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Volume II. Technical appendices and selected prevalence tables* (HHS Publication No. SMA 10-4586Appendices, NSDUH Series H-38B). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.
- Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, 2, 126-142.

Shiffman, S., Waters, A. J., & Hickcox, M. (2004, April). The Nicotine Dependence Syndrome Scale: A multi-dimensional measure of nicotine dependence. *Nicotine and Tobacco Research*, 6(2), 327-348.

APPENDIX E

Recoded Mental Health

The 2013 National Survey on Drug Use and Health (NSDUH) included a "mental health" module that was designed to provide data on various mental health measures for adults aged 18 or older, such as serious psychological distress (SPD), mental illness (i.e., any mental illness [AMI], serious mental illness [SMI], moderate mental illness [MMI], serious or moderate mental illness [SMMI], low [i.e., mild] mental illness [LMI], low or moderate mental illness [LMMI]), and suicidal ideation and behavior (i.e., thoughts, plans, and attempts).

Estimates of past year and past month SPD, past year mental illness, and past year suicidal ideation and behavior are presented in the 2013 mental health detailed tables (Center for Behavioral Health Statistics and Quality [CBHSQ], 2014d). With the exception of SPD, these measures also are presented in the 2013 mental health findings report (CBHSQ, 2014e). The tables and report on mental health are published separately¹ from the 2013 detailed tables (CBHSQ, 2014c) and the 2013 summary of national findings report (CBHSQ, 2014f).

Past year mental illness estimates for 2008 through 2011 found in tables and reports published prior to the 2012 NSDUH were based on a prediction model for mental illness developed using the 2008 data from the Mental Health Surveillance Study (MHSS) (referred to as the "2008 model"). This model was developed using approximately 750 cases obtained from a clinical follow-up study. Although the Substance Abuse and Mental Health Services Administration (SAMHSA) continued to obtain clinical interviews after 2008, estimates of SMI and AMI from the 2009, 2010, and 2011 NSDUHs were based on the model developed from the 2008 clinical assessment sample. The same model was applied to each year's NSDUH data to provide consistency in SMI and AMI comparisons across the years. Producing a new model each year based on the small annual clinical samples (only 500 interviews in 2009 and 2010) would have resulted in large changes in the model parameters and corresponding prevalence rates due to sampling error, making it impossible to detect real trends in SMI and AMI over time. Furthermore, an evaluation of the 2008 model, using the 2009 NSDUH clinical data, found that the model could not be significantly improved with the additional 500-case 2009 clinical sample. The clinical follow-up study, started in 2008, continued until 2012, leading to a nationally representative sample of approximately 5,000 cases that were used to develop an improved mental illness prediction model (referred to as the "2012 model"). This revised and improved model was used to predict mental illness starting with the 2012 NSDUH. Beginning with the 2012 mental health detailed tables, estimates, including those from 2008 through 2011, were all based on the 2012 revised model. The mental illness estimates in the 2008 detailed tables (Office of Applied Studies [OAS], 2009) and the 2009-2011 mental health detailed tables (CBHSQ, 2010a; 2012a; 2012b) were updated using the revised 2012 model. For more information on the MHSS and the mental illness indicators, see the Development of Mental Illness Indicators section below.

Unfortunately, the 2012 model could not be applied to the 2007 and earlier NSDUH data because some of the predictors in the 2012 model were not collected before 2008. However, the 2005-2007 NSDUHs did collect some of the necessary predictors, along with other mental health variables that could potentially be good predictors of SMI and AMI. Given the analytic benefits of having comparable indicators of SMI for additional years of NSDUH data, alternative models were developed from the MHSS data in an attempt to be comparable with mental illness data for

¹ Separate tables and reports for mental health measures started with the 2009 NSDUH.

2008 and later years (CBHSQ, 2017). Users should consider the difference in methodology prior to making any decisions on whether and how to use the 2005-2007 measures.

This appendix provides details about the use of the psychological distress and functional impairment scales to measure mental illness and the development of the 2008-2013 mental illness indicators based on the aforementioned 2012 model. Additionally, this appendix provides details about the 2008-2011 mental illness indicators based on the 2008 model and the alternative model for the 2005-2007 measures. Information about the availability of the mental illness variables as well as guidance regarding analysis of these variables including weighting information is also provided in this appendix. Furthermore, Appendix I, Key Mental Health Variables, provides a table with the variable names for the most commonly used NSDUH mental health measures as well as information regarding comparability across survey years 2002 and later NSDUHs.

2013 NSDUH Scales Used To Measure Mental Illness

Psychological Distress Scale: K6

The K6 screening instrument for nonspecific psychological distress (Furukawa, Kessler, Slade, & Andrews, 2003; Kessler et al., 2003) included in the computer-assisted interviewing instrument was used to create both past month (SPDMON) and past year (SPDYR) SPD indicators.² For both of the time periods, respondents were classified with SPD if a score based on these K6 measures was 13 or greater.

The two six-item K6 scales gather information regarding how frequently a respondent experienced symptoms of psychological distress during the past 30 days and during a month in the past 12 months when he or she felt more depressed, anxious, or emotionally stressed than in the past 30 days, respectively. Only respondents who indicated that there was a worse month than the past 30 days (DSTWORST=1) were asked about the worst month in the past year other than the past 30 days.

The questions comprising the two K6 scales and the screener question for the worst month scale are provided below with their associated edited variable names from the mental health module as well as the response categories for each question:

DSTNRV30 During the past 30 days, how often did you feel nervous?

- 1 All of the time
 - 2 Most of the time
 - 3 Some of the time
 - 4 A little of the time
 - 5 None of the time
- DK/REF

² Because of the addition of the 30-day K6 questions in the 2008 NSDUH, past year K6 and SPD variables in 2008 and subsequent years are not comparable with past year K6 and SPD variables from previous years and therefore have been renamed.

Response categories are the same for the remaining past month K6 questions:

- DSTHOP30** During the past 30 days, how often did you feel hopeless?
- DSTRST30** During the past 30 days, how often did you feel restless or fidgety?
- DSTCHR30** During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?
- DSTEFF30** During the past 30 days, how often did you feel that everything was an effort?
- DSTNGD30** During the past 30 days, how often did you feel down on yourself, no good, or worthless?
- DSTWORST** The last questions asked about how you have been feeling during the past 30 days. Now think about **the past 12 months**. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?
- 1 Yes
2 No
- DSTNRV12** Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.
- During that month, how often did you feel nervous?
- 1 All of the time
2 Most of the time
3 Some of the time
4 A little of the time
5 None of the time
DK/REF

Response categories are the same for the remaining worst month K6 questions:

- DSTHOP12** During that same month when you were at your worst emotionally . . . how often did you feel hopeless?
- DSTRST12** During that same month when you were at your worst emotionally . . . how often did you feel restless or fidgety?
- DSTCHR12** During that same month when you were at your worst emotionally . . . how often did you feel so sad or depressed that nothing could cheer you up?

DSTEFF12 During that same month when you were at your worst emotionally . . .
how often did you feel that everything was an effort?

DSTNGD12 During that same month when you were at your worst emotionally . . .
how often did you feel down on yourself, no good, or worthless?

Each K6 scale item shown above was transformed so that "All of the time" was coded 4, "Most of the time" was coded 3, "Some of the time" was coded 2, "A little of the time" was coded 1, and "None of the time" was coded 0, along with responses matching "Don't know," refusals, bad data, blanks, and legitimate skips.

A past month distress score (K6SCMON) was calculated by summing these transformed values across the six past 30-day variables (DSTNRV30, DSTHOP30, DSTRST30, DSTCHR30, DSTEFF30, and DSTNGD30) to arrive at a value ranging between 0 and 24. Likewise, a worst month in the past year distress score (K6SCYR) was calculated by summing the transformed values across the six worst month in the past year variables (DSTNRV12, DSTHOP12, DSTRST12, DSTCHR12, DSTEFF12, and DSTNGD12) to arrive at a value ranging between 0 and 24. The worst month in the past year distress score (K6SCYR) has values only for adult respondents who indicated that there was a month in the past year that was worse than the past 30 days (DSTWORST=1). A worst total score (K6SCMAX) was then created that takes on the maximum value of the past month distress score (K6SCMON) and the worst month in the past year distress score (K6SCYR) in order to represent the worst distress score during the past year, regardless of whether this contradicts the response to DSTWORST. For all the K6 score and SPD variables, youths aged 12 to 17 were assigned the standard SAS missing code (.) because the mental health module was not administered to youths.

An alternative worst month in the past year total score variable (WSPDSC2) was created to indicate the worst distress score during the past year. Using the worst month total score (K6SCMAX), the alternative worst month total score (WSPDSC2) is coded 0 when K6SCMAX has a value from 0 to 7, and WSPDSC2 is assigned a value of 1 to 17 when K6SCMAX has a corresponding value of 8 to 24. This variable was not used in the creation of past month and past year SPD variables but was used in both the 2008 and 2012 models to create the mental illness variables discussed later in this document. The decision to create a recoded version of the past month K6 score was based on an analysis of the 2008 MHSS. Specifically, the alternative past year K6 score (WSPDSC2) was used in the models because the SMI prevalence was typically extremely low for respondents with worst month in the past year K6 scores of less than 8, and the prevalence rates started increasing only once scores were 8 or greater. For more details about how this recoded score was created as well as more details on the original score, see Aldworth et al. (2009).

Using the past month distress score defined above, adults aged 18 or older are classified as having past month SPD (SPDMON=1) if their distress score is 13 or greater ($K6SCMON \geq 13$), and they are classified as not having past month SPD (SPDMON=0) if their distress score is less than 13 ($K6SCMON < 13$). This cutoff point was chosen because it has been shown to be highly correlated with SMI (Colpe, Epstein, Barker, & Gfroerer, 2009) and is the standard cutoff point used by other surveys. Likewise, past year SPD (SPDYR) is defined the same way as past month SPD by using the total past year score (K6SCMAX) and the same cutoff value of 13.

The use of the two reference periods to create the total past year score (K6SCMAX) that defines past year SPD (SPDYR) started with the 2008 NSDUH. From 2005 to 2007, respondents were asked only about distress in the month when they were the most depressed, anxious, or emotionally distressed in the past year. Because of this change, past year K6 and SPD estimates from years prior to 2008 were no longer comparable with estimates from 2008 onward. To address this comparability issue, an adjusted version of the worst total K6 score (K6SMXADJ) and past year SPD (SPDYRADJ) variables were created retroactively for survey years 2005 through 2007. These variables were statistically adjusted to make the 2005-2007 K6 and SPD estimates comparable with the 2008 and subsequent K6 and SPD estimates. The 2005-2007 adjusted variables (K6SMXADJ and SPDYRADJ) can be renamed for use in analyses to match the 2008 and subsequent variable names (K6SCMAX and SPDYR) to produce comparable estimates across all years (2005 and subsequent years), as seen in the 2013 mental health detailed tables (CBHSQ, 2014d). More information about how the statistically adjusted K6 and SPD variables were created can be found in the 2005-2007 codebooks and in the report describing these adjustments (Aldworth, Kott, Yu, Mosquin, & Barnett-Walker, 2012).

Functional Impairment Scale: WHODAS

The World Health Organization Disability Assessment Schedule (WHODAS) is a scale used to measure functional impairment that consists of a series of items that are used for assessing disturbances in social adjustment and behavior (i.e., functional impairment). A reduced set of 13 WHODAS items (Novak, Colpe, Barker, & Gfroerer, 2010; Rehm et al., 1999) are included in the NSDUH. Responses to this impairment scale were used to create eight variables that were transformed and summed to define the WHODAS total score used in the development of both the 2008 and 2012 SMI prediction models. The questions comprising the abbreviated WHODAS are provided below, with their associated edited variable names from the mental health module as well as the response categories for each question:

The next questions are about how much your emotions, nerves, or mental health caused you to have **difficulties in daily activities**.

In answering, think of the **one month** in the past 12 months when your emotions, nerves, or mental health interfered **most** with your daily activities.

IMPREMEM During that one month when your emotions, nerves or mental health interfered **most** with your daily activities . . .

how much difficulty did you have **remembering to do things you needed to do?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- DK/REF

IMPCONCN	how much difficulty did you have concentrating on doing something important when other things were going on around you? 1 No difficulty 2 Mild difficulty 3 Moderate difficulty 4 Severe difficulty DK/REF
IMPGOUT	how much difficulty did you have going out of the house and getting around on your own? 1 No difficulty 2 Mild difficulty 3 Moderate difficulty 4 Severe difficulty 5 You didn't leave the house on your own DK/REF
IMPGOUTM	[IF IMPGOUT = 5] Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own? 1 Yes 2 No DK/REF
IMPPEOP	how much difficulty did you have dealing with people you did not know well? 1 No difficulty 2 Mild difficulty 3 Moderate difficulty 4 Severe difficulty 5 You didn't deal with people you did not know well DK/REF
IMPPEOPM	[IF IMPPEOP = 5] Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well? 1 Yes 2 No DK/REF

IMPSOC	how much difficulty did you have participating in social activities, like visiting friends or going to parties? 1 No difficulty 2 Mild difficulty 3 Moderate difficulty 4 Severe difficulty 5 You didn't participate in social activities DK/REF
IMPSOCM	[IF IMPSOC=5] Did problems with your emotions, nerves, or mental health keep you from participating in social activities? 1 Yes 2 No DK/REF
IMPHHLD	how much difficulty did you have taking care of household responsibilities? 1 No difficulty 2 Mild difficulty 3 Moderate difficulty 4 Severe difficulty 5 You didn't take care of household responsibilities DK/REF
IMPHHLDM	[IF IMPHHLD=5] Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities? 1 Yes 2 No DK/REF
IMPRESP	how much difficulty did you have taking care of your daily responsibilities at work or school? 1 No difficulty 2 Mild difficulty 3 Moderate difficulty 4 Severe difficulty 5 You didn't work or go to school DK/REF

IMPRESM [IF IMPRESP=5] Did problems with your emotions, nerves, or mental health keep you from working or going to school?

- 1 Yes
- 2 No
- DK/REF

IMPWORK [IF **IMPRESP** NE 5] During that one month when your emotions, nerves or mental health interfered **most** with your daily activities . . .

how much difficulty did you have **getting your daily work done as quickly as needed?**

- 1 No difficulty
- 2 Mild difficulty
- 3 Moderate difficulty
- 4 Severe difficulty
- DK/REF

An original WHODAS total score (WHODASC2) was created to indicate the level of difficulty in performing daily activities due to problems with emotions, nerves, or mental health. Each of the eight variables created from the WHODAS items shown above was transformed into values of 0 to 3 so that a response of "Severe difficulty" was coded 3, "Moderate difficulty" was coded 2, and "Mild difficulty" was coded 1. Values of "No difficulty" were coded 0, along with nonresponses (i.e., for responses of "No," "Don't know," or "Refused"). Some items had a fifth category to deal with "not applicable" responses. For example, the question about difficulties regarding taking care of daily responsibilities at work or school (IMPRESP) had a fifth category, "You didn't work or go to school." If this category was selected, then another question was asked as to whether respondents' emotions, nerves, or mental health caused them to be unable to work or go to school (IMPRESM). A "Yes" response to the follow-up question (IMPRESM=1) was coded 3 and a "No" response (IMPRESM=2) was coded 0. One exception to this coding was the last WHODAS recode on how much difficulty the respondents had in getting their daily work done as quickly as needed (IMPWORK). This item was asked of the respondents only if in the previous question they responded that they worked or went to school (IMPRESP=1 to 4). In the case that they responded that they did not work or go to school (IMPRESP=5), their response to the follow-up question referred to above (IMPRESM) determined the final item score for IMPWORK; otherwise, IMPWORK was recoded similar to the other items.

The transformed scale values were summed across the eight variables created from the WHODAS items (remembering, concentrating, going out of the house on your own, dealing with people you don't know well, participating in social activities, taking care of household responsibilities, taking care of daily work/school responsibilities, and getting your daily work done as quickly as needed) to arrive at a value ranging between 0 and 24. For both the WHODAS total scores, youths aged 12 to 17 were assigned the standard SAS missing code (.) because the mental health module was not administered to youths.

An alternative WHODAS total score (WHODASC3) was created to indicate the number of daily activities in which a respondent had moderate or severe difficulty performing or did not perform due to problems with emotions, nerves, or mental health. Each of the eight variables created from WHODAS items shown above was transformed into values of 0 or 1 so that responses indicating "Moderate difficulty" or "Severe difficulty" were coded 1 and responses indicating "Mild difficulty" or "No difficulty" were coded 0. If a fifth category of "Not applicable" was available and selected (see above for an example of a fifth question), then another question was asked as to whether respondents' emotions, nerves, or mental health caused them to be unable to work or go to school. A "Yes" response was coded 1 and a "No" response was coded 0. The transformed scale values were summed across the eight WHODAS activities to arrive at a value ranging between 0 and 8. This alternative WHODAS total score was used in both the 2008 and 2012 models estimating the mental illness variables. The decision to create a recoded version of the WHODAS total score was based on an analysis of the 2008 MHSS. Use of the recoded version of the WHODAS score (WHODASC3) in the models was driven by the realization that a dichotomous measure dividing severely impaired from less severely impaired respondents fit better than a linear continuous measure. For more details about how this alternative score was created as well as more details on the original score, see Aldworth et al. (2009).

Development of Mental Illness Indicators

The MHSS was initiated in 2008 with the primary goal of producing SMI estimates. Because of constraints on the interview time in the NSDUH and the need for trained mental health clinicians, it was not possible to administer a full structured diagnostic clinical interview to assess mental illness on all 45,000 adult respondents; therefore, the approach adopted by SAMHSA was to utilize short scales separately measuring psychological distress and functional impairment as described above that could be used in a statistical model to accurately predict whether a respondent had mental illness. Models that used these short scales to predict mental illness status have been developed using a subsample of NSDUH respondents who had completed the NSDUH interview and were administered a diagnostic interview (First, Spitzer, Gibbon, & Williams, 2002) via a clinical follow-up study.

In the 2008 NSDUH, the first year of the MHSS, approximately 1,500 NSDUH respondents participated in the clinical follow-up. Half of these respondents (approximately 750) were administered the WHODAS (discussed earlier in the text) and the other half were administered the Sheehan Disability Scale (SDS). This MHSS sample was used to develop a prediction model (the "2008 model") that was initially used to produce estimates of mental illness from the main NSDUH samples for the 2008-2011 NSDUHs. The purpose of the 2008 split sample was to determine whether the SDS or WHODAS impairment scale was a better predictor of SMI; therefore, for the 2008 NSDUH, two models were used to predict SMI: one for each impairment scale (WHODAS and SDS). The 2008 models for SMI were chosen so that the estimates from the WHODAS and the SDS samples were approximately equal, and hence published estimates of SMI were based on both WHODAS and SDS samples.³ The WHODAS model was determined to be the better predictor of SMI; therefore, starting with the 2009

³ For 2008, estimates of AMI, SMMI, LMI, and MMI were based only on the WHODAS half sample because notable differences were observed between the WHODAS and the SDS samples.

NSDUH, only the WHODAS impairment scale was administered in the NSDUH and used for estimating all levels of mental illness (SMI, AMI, LMI, MMI, and SMMI). For further details, see Appendix B, Section B.4.3, in the 2009 mental health findings report (CBHSQ, 2010b).

In 2010, SAMHSA began preliminary investigations to assess whether improvements to the model were warranted using the MHSS clinical data collected since 2008. The 2011 and 2012 MHSS clinical samples were augmented to include 1,500 respondents per year, leading to a combined sample of approximately 5,000 clinical interviews for the MHSS from 2008 to 2012. It was recognized that altering the model for generating estimates would complicate the measurement of changes in SMI and other mental illness estimates across years. For example, if one model was used to produce estimates for the 2008-2011 NSDUH data and a different model was used for the 2012 NSDUH, then it would not be straightforward to determine whether changes in the prevalence of SMI could be attributed to a real underlying change in the population or to changes in the model. Similarly, if the 2012 NSDUH prevalence estimates were based on a new model and not significantly different from NSDUH estimates since 2008, it still could not be concluded that changing the model did not affect estimates. Rather, changes to the model used for the 2012 NSDUH could obscure actual changes in the population and lead to the erroneous conclusion of no changes in prevalence.

Despite these concerns, SAMHSA determined that the 2008 model had some important shortcomings that had not been detected in the original model fitting because of the small number of respondents in the 2008 MHSS. Specifically, the 2008 model substantially overestimated SMI and AMI among young adults relative to the clinical interview data. In addition, improvements were needed to the weighting procedures for the MHSS sample data to better account for nonresponse and undercoverage (i.e., because persons with mental illness appeared to be more likely to participate in the follow-up and because only NSDUH respondents who answered their surveys in English were eligible for the clinical follow-up). Therefore, SAMHSA decided to revise the model using the combined 2008-2012 clinical data (the "2012 model"). Consistent with the 2008 model, for the clinical interview respondents who had been administered the SDS in the 2008 NSDUH, an alternative 2012 SMI model was fit using the complete 2008-2012 MHSS data set (i.e., including both the WHODAS and SDS half samples in 2008). See CBHSQ (2014b) for more details on the 2008-2012 MHSS operations and data collections.

To reduce bias and improve prediction, a recoded age variable and additional mental health-related variables (i.e., serious thoughts of suicide in the past year and having a past year MDE) were added in the 2012 model. The addition of these mental health predictors in the model, however, impacts the types of analyses that can be performed with the mental illness variables derived from the model. See the Using Mental Illness Variables in Analysis section for more details. To eliminate coverage and nonresponse error, alternatives for the weights were applied to the clinical sample data for the model development. To provide consistent data for trend assessment, the mental illness estimates in the 2008 detailed tables (OAS, 2009) and the 2009-2011 mental health detailed tables (CBHSQ, 2010a; 2012a; 2012b) were recomputed using the new 2012 model. For more detailed information on the 2008 MHSS design and analysis, see Colpe et al. (2009), Colpe et al. (2010), and Aldworth et al. (2009). The remainder of this section summarizes the models and the methods that were used to compute estimates of mental illness from the main NSDUH sample.

SMI Prediction Model

Both the 2008 and 2012 models are prediction models for mental illness. Each prediction model is a weighted logistic regression. The response variable Y was defined so that $Y = 1$ when an SMI diagnosis was positive based on the clinical interview; otherwise, $Y = 0$. If $\mathbf{x}$ is a vector of realized explanatory variables, then the response probability $\pi = \Pr(Y = 1 | \mathbf{x})$ can be estimated using a weighted logistic regression model. Details about both the 2008 and 2012 prediction models for SMI are included below. For further technical details on the 2012 prediction models as well as the impact of the revised model on the 2008-2011 estimates, see the 2012 Mental Health Surveillance Study: Design and Estimation Report (CBHSQ, 2014a).

2008 Model

The 2008 model was fit with 761 respondents from the 2008 MHSS, two of whom were subsequently identified as having data errors. The final WHODAS calibration model for the 2008 prediction model for SMI was determined as

$$\text{logit}(\hat{\pi}) \equiv \log[\hat{\pi}/(1 - \hat{\pi})] = -4.74999920 + 0.20977232 X_k + 0.38388395 X_w,$$

where $\hat{\pi}$ refers to an estimate of the SMI response probability π , X_k represents WSPDSC2, and X_w represents WHODASC3.

Table 1 displays the WHODAS model specifications for the 2008 SMI prediction model.

Table 1. Final 2008 WHODAS SMI Prediction Model

Final 2011 Model: WSPDSC2 + WHODASC3						
Term	Beta	Beta SE	T-statistic	P-value	DF	Wald P-value
Intercept	-4.7500	0.3522	-13.4854	0.0000		
WSPDSC2	0.2098	0.0765	2.7439	0.0072	1	0.0072
WHODASC3	0.3839	0.1208	3.1768	0.0020	1	0.0020

DF = degrees of freedom, SE = standard error, SMI = serious mental illness, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

The formula for the predicted probability of SMI (SMIPP) using the model parameter estimates in Table 1 (but expressed with more decimal points) is as follows:

$$\text{SMIPP} = 1/(1 + \exp[-(-4.74999920 + 0.20977232 * \text{WSPDSC2} + 0.38388395 * \text{WHODASC3})]).$$

In the 2008 SMI prediction model, the respondent is classified as having past year SMI if SMIPP is greater than or equal to 0.269719459516744 (SMI cutoff point).

2012 Model

The 2012 SMI prediction model was fit with data from 4,912 WHODAS MHSS respondents from 2008 through 2012, excluding the one case from 2008 and the one case from

2009 that were dropped because of data errors. The final WHODAS calibration model for the 2012 prediction model for SMI was determined as

$$\text{logit}(\hat{\pi}) = \log[\hat{\pi} / (1 - \hat{\pi})] = -5.972664 + 0.0873416X_k + 0.3385193X_w + 1.9552664X_s + 1.1267330X_m + 0.1059137X_a$$

In addition to X_k and X_w , this model includes the following from the main NSDUH interview data:

- X_s = *Serious Thoughts of Suicide in the Past Year (MHSUTK_U)*: Coded as 1 if "Yes"; coded as 0 otherwise.
- X_m = *Past Year MDE (AMDEY2_U for WHODAS: AJAMDE_U for SDS)*: Coded as 1 if the criteria for past year MDE (major depressive episode) were met;⁴ coded as 0 otherwise.
- X_a = *Recoded Age (AGE1830⁵)*: Coded as age minus 18 if aged 18 to 30; coded as 12 otherwise.

Table 2 displays the WHODAS model specifications for the 2012 SMI prediction model.

Table 2. Final 2012 WHODAS SMI Prediction Model

Final 2012 Model: WSPDSC2 + WHODASC3 + MHSUTK_U + AMDEY2_U + AGE1830						
Term	Beta	Beta SE	T-statistic	P-value	DF	Wald P-value
Intercept	-5.9727	0.3201	-18.6586	0.0000		
WSPDSC2	0.0873	0.0248	3.5247	0.0009	1	0.0009
WHODASC3	0.3385	0.0349	9.7034	0.0000	1	0.0000
MHSUTK_U	1.9553	0.2164	9.0342	0.0000	1	0.0000
AMDEY2_U	1.1267	0.2196	5.1308	0.0000	1	0.0000
AGE1830	0.1059	0.0244	4.3380	0.0001	1	0.0001

DF = degrees of freedom, SE = standard error, SMI = serious mental illness, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

The formula for the predicted probability of SMI (SMIPP_U) using the model parameter estimates in Table 2 (but expressed with more decimal points) is as follows:

$$\text{SMIPP\_U} = 1 / (1 + \exp[-(-5.972664 + 0.0873416 * \text{WSPDSC2} + 0.3385193 * \text{WHODASC3} + 1.9552664 * \text{MHSUTK\_U} + 1.1267330 * \text{AMDEY2\_U} + 0.1059137 * \text{AGE1830})])$$

In the 2012 SMI WHODAS prediction model, the respondent is classified as having past year SMI if SMIPP_U is greater than or equal to 0.260573529 (SMI cutoff point).

⁴ In this situation, the past year MDE measure is from the main NSDUH interview (i.e., not from the Structured Clinical Interview for DSM-IV). See Section B.4.4 of the 2013 mental health findings report (CBHSQ, 2014e).

⁵ The recoded age variable (AGE1830) is not included in the public use file.

Modified 2012 Model for the 2008 SDS Half Sample

As described in the Development of Mental Illness Indicators section above, the 2008 NSDUH data included a split sample. Similar to the 2008 model, the revised 2012 model also has an alternative model for the SDS data that was fit with data from the *complete* 2008-2012 MHSS clinical sample that contains 5,653 MHSS respondents, excluding four cases from 2008 (one from the WHODAS half sample and three from the SDS half sample) and one case from 2009 that were dropped because of data errors.

The modified 2012 SMI prediction model for the SDS half sample was determined as

$$\text{logit}(\hat{\pi}) = \log[\hat{\pi} / (1 - \hat{\pi})] = -5.7736246 + 0.1772067 X_k + 1.8392433 X_s \\ + 1.6428623 X_m + 0.1231266 X_a$$

Table 3 displays the SDS half sample model specifications for the 2012 SMI prediction model.

Table 3. Final 2012 SDS Half Sample SMI Prediction Model

Final 2012 Model: WSPDSC2 + MHSUTK_U + AJAMDE_U + AGE1830						
Term	Beta	Beta SE	T-statistic	P-value	DF	Wald P-value
Intercept	-5.7736	0.3479	-16.5960	0.0000		
WSPDSC2	0.1772	0.0190	9.3251	0.0000	1	0.0000
MHSUTK_U	1.8392	0.1941	9.4781	0.0000	1	0.0000
AJAMDE_U	1.6429	0.2119	7.7528	0.0000	1	0.0000
AGE1830	0.1231	0.0259	4.7482	0.0000	1	0.0000

DF = degrees of freedom, SDS = Sheehan Disability Scale, SE = standard error, SMI = serious mental illness.

Although the model was fit across all years and the cutoff points were determined based on all years, these cutoff points were used only for the main survey respondents in the 2008 Sample B to predict SMI, AMI, and SMMI positives. The formula for the predicted probability of SMI (SMIPP_U) using the model parameter estimates in Table 3 (but expressed with more decimal points) is as follows:

$$\text{SMIPP\_U} = 1/(1 + \exp[-(-5.7736246 + 0.1772067 \cdot \text{WSPDSC2} + 1.8392433 \cdot \text{MHSUTK\_U} + 1.6428623 \cdot \text{AJAMDE\_U} + 0.1231266 \cdot \text{AGE1830})]).$$

In the 2012 SMI SDS half sample prediction model, the respondent is classified as having past year SMI if SMIPP_U is greater than or equal to 0.236434 (SMI cutoff point).

Alternative Model for 2005 to 2007

As described above, estimates of SMI and AMI have been produced each year since 2008 using models developed with 2008-2012 clinical interview data, along with data from the main survey mental health module that has remained in NSDUH. Initially, these models could not be applied to the 2007 and earlier NSDUH data because some of the predictors in the 2008-2012 models were not collected before 2008. However, alternative models were developed from the MHSS data in an attempt to be comparable with the 2008 and later estimates (CBHSQ, 2017).

Because the aim was to provide alternative measures of SMI and AMI that matched those derived from the 2012 model (SMIYR_U/AMIYR_U), the 2012 model-based past year mental illness (SMIYR_U/AMIYR_U) variable(s) was designated as the *response variable(s)* in the alternative models. Therefore, the entire adult NSDUH data from 2008A⁶ to 2012 was available for the development of these models. Candidate *predictor variables* were created from information contained in common in all NSDUHs from 2005 to 2012. A set of suitable predictor variables meeting this requirement was identified, and subsets of these variables were selected to formulate alternative final SMI and AMI prediction models. The final models were selected based on how well the associated cutoff point estimators performed in terms of the total error rate in the receiver operating characteristic analysis and in terms of bias at the overall and domain (i.e., subpopulation) levels.

Unfortunately, even the final selected alternative AMI prediction model exhibited a fairly high total error rate and levels of bias statistically, significantly different from zero at the .05 level for a large number of domains. Therefore, a decision was made not to proceed with creating measures of AMI for 2005 to 2007 based on the final alternative AMI prediction model.

However, the final selected alternative SMI prediction model exhibited a very low level of bias and a low total error rate overall. In addition, very few domains exhibited levels of bias significant at the .05 level. Therefore, a decision was made to proceed with creating measures of SMI for 2005 to 2007 based on the final alternative SMI prediction model.

The following variable SMIPP_A represents the predicted probability that a respondent has SMI based on the final alternative SMI prediction (logistic regression) model for 2005 to 2007:

$$\begin{aligned} \text{SMIPP\_A} = 1 / (1 + \exp [& -(-8.481558862 + 0.344567199 * \text{WSPDSC2\_A} \\ & + 2.131295774 * \text{AMDEYR\_A} + 0.172135081 * \text{AGE1830} \\ & + 0.507779212 * \text{ADSDSSC3\_A} + 1.694191582 * \text{ADWRSTHK\_A} \\ & + 0.772597986 * \text{DEPRSYR\_A})]). \end{aligned}$$

In the 2005-2007 alternative prediction model, the respondent is classified as having past year SMI if SMIPP_A is greater than or equal to 0.372556455 (SMI cutoff point). Users should consider the differences in methodology prior to making any decisions on whether and how to use the 2005-2007 SMI measures.

Variables Available on the Data File

All of the variables defined above for the K6, SPD, and WHODAS are included on the 2013 data file. For the K6 and SPD, this includes the distress scores (K6SCMON and K6SCYR), both versions of the worst month K6 total score (WSPDSC2 and K6SCMAX), and past month and past year SPD (SPDMON and SPDYR). For the worst month K6 total score, the original version (K6SCMAX) is used in the creation of the SPD variables, and the alternative version

⁶ The 2008A NSDUH refers to Sample A of the 2008 NSDUH (i.e., the half sample assigned to the WHODAS questions in 2008).

(WSPDSC2) is used in the creation of the mental illness variables for both the 2008 and 2012 prediction models.

From the WHODAS, both versions of the WHODAS total score (WHODASC2 and WHODASC3) are included on the 2013 data file. While the original WHODAS total score (WHODASC2) was not used in either the 2008 or 2012 prediction model for the final creation of the mental illness variables, it is included in the data set.

None of the predictor variables used in the 2005-2007 alternative model are included on the data file. Though some are similar in topic, these predictor variables are defined differently than predictor variables used in the 2008 or 2012 models. The alternative model variables end with "_A" to indicate these variables were generated using the 2005-2007 alternative model rather than the 2012 model. The variables SMIPP_A and SMIYR_A are considered comparable with the variables SMIPP_U and SMIYR_U, respectively, for 2008 and later NSDUHs. However, users should consider the differences in methodology before making any decisions on whether and how to use the 2005-2007 SMI variables.

Measures of mental illness were renamed due to the use of the 2012 model to define SMI. Measures of mental illness based on the 2012 prediction model are included on the 2013 data file.⁷ The variable names for these measures based on the 2012 model end with "_U" to indicate these variables are not comparable with similarly named variables (based on the "2008 model") in previous years. Table 4 displays a crosswalk between the 2008 model and revised 2012 model mental illness variable names.⁸ The mental illness variables based on the 2008 prediction model are no longer available on the data files for any of the survey years. While the specific mental illness measures based on the 2008 model are no longer available, the predicted probability of the SMI variable, SMIPP, remains available on the 2008-2011 files. For more information on how to use SMIPP from the 2008 model to create the mental illness measures and additional information on how to use the 2008 model measures, see Appendix B, Section B.4.3, in the 2009 mental health findings report (CBHSQ, 2010b). However, mental illness variables based on the 2008 model are no longer recommended for use in analysis.

Table 4. Mental Illness Variable Names, 2008 Model and Revised 2012 Model

2008 Model Variable Name	2012 Model Variable Name	2012 Model Labels
SMIYR	SMIYR_U	SMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB
SMIPP	SMIPP_U	PREDICTED SERIOUS MENTAL ILLNESS PROB REVISED
SMMIYR	SMMIYR_U	SMMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB
AMIYR	AMIYR_U	AMI IND (1/0) BASED ON REVISED PREDICTED SMI PROB
MMIYR	MMIYR_U	MODERATE MI IND (1/0) BASED ON REVISED PRED SMI PROB
LMIYR	LMIYR_U	MILD MI IND (1/0) BASED ON REVISED PREDICTED SMI PROB
MI_CAT	MI_CAT_U	CATEGORICAL MI INDICATOR REVISED
AMIADPA2	AMIDA2_U	AMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)
SMIADPA2	SMIDA2_U	SMI AND DRUG/ALCOHOL DEP OR ABUSE REVISED (1/2)

⁷ These variables are included on the 2012 data file, and data files from 2008 to 2011 were updated with the 2012 model-based mental illness variables.

⁸ A variable defined as low or moderate mental illness (LMMIYRU) based on the 2012 model was added during the 2014 NSDUH. LMMI was not added to this table because there is not a 2008 model equivalent variable.

For all the mental illness measures defined below, youths aged 12 to 17 were defined as SAS missing (.) because the mental health module was not administered to youths. The predicted probability of SMI, SMIPP_U, based on the 2012 prediction model is included on the 2008-2013 data files and ranges in value from 0.0025409721 to 0.9291205406. Cutoff points along the range of SMIPP_U were used to determine the levels of mental illness for each respondent:

2008 Sample A (WHODAS) and 2009 to 2013

- SMI:⁹ If SMIPP_U is greater than or equal to 0.260573529, then the respondent is classified as having past year SMI (SMIYR_U=1).
- SMMI: If SMIPP_U is greater than or equal to 0.077686285365, then the respondent is classified as having past year SMMI (SMMIYR_U=1).
- AMI: If SMIPP_U is greater than or equal to 0.0192519810, then the respondent is classified as having past year AMI (AMIYR_U=1).
- No Mental Illness: If SMIPP_U is less than 0.0192519810, then the respondent is classified as not having past year mental illness (AMIYR_U=0).

2008 Sample B (SDS)

- SMI: If SMIPP_U is greater than or equal to 0.236434, then the respondent is classified as having past year SMI (SMIYR_U=1).
- SMMI: If SMIPP_U is greater than or equal to 0.06616398, then the respondent is classified as having past year SMMI (SMMIYR_U=1).
- AMI: If SMIPP_U is greater than or equal to 0.019182625, then the respondent is classified as having past year AMI (AMIYR_U=1).
- No Mental Illness: If SMIPP_U is less than 0.019182625, then the respondent is classified as not having past year mental illness (AMIYR_U=0).

The categories of MMI and LMI were created by subtraction using a combination of the three defined levels of mental illness shown above. Respondents were defined as having past year MMI (MMIYR_U=1) if they were positive for SMMI (SMMIYR_U=1) but negative for SMI (SMIYR_U=0). Respondents were defined as having past year LMI (LMIYR_U=1) if they were positive for AMI (AMIYR_U=1) but negative for SMMI (SMMIYR_U=0). During the 2014 NSDUH, a new level of mental illness was created called low or moderate mental illness [LMMI]. Respondents were defined as having past year LMMI (LMMIYRU=1) if they were positive for LMI (LMIYR_U=1) or MMI (MMIYR_U=1). LMMI was created for all years 2008 through 2012.

The categories of SMI, LMI, and MMI were combined to create an overall mental illness indicator (MI_CAT_U), which is defined so that a respondent with LMI is coded 1, a respondent with MMI is coded 2, and a respondent with SMI is coded 3. Respondents with no past year mental illness are coded 0.

⁹ SMI variables in 2008 and subsequent years are not comparable with similarly named SMI variables from 2002 to 2003.

See Appendix I for a table listing key 2002-2013 NSDUH mental health measures, variable names, and information concerning comparability across survey years.

Using Mental Illness Variables in Analysis

For the 2008 NSDUH, while SMI data for both half samples (SDS and WHODAS) could be analyzed together when using the 2008 model, the AMI, SMMI, LMI, and MMI data from the two half samples could not be combined for analysis. Under the 2012 model, both the 2008 half samples can be combined for the analysis of SMI as well as the other levels of mental illness because the 2012 models were generated such that the estimates would be comparable.

The predicted mental illness variables (e.g., SMIYR_U, AMIYR_U) that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the K6 variables (including serious psychological distress) or WHODAS variables in any analyses. This recommendation also applies to the 2005-2007 model-based measures. See CBHSQ (2014a) for more details.

Standard Errors (SEs) for Mental Illness Measures

SEs for SMI estimates (and, likewise, estimates for AMI, SMMI, MMI, LMI, and LMMI) were computed using the NSDUH predicted values as if they were actual values. This ignores the added error resulting from fitting the 2012 SMI model, which can be very large (CBHSQ, 2014a). These SEs, however, are more reasonable to use when making comparisons across years and across subpopulations within years because the errors due to model fitting are roughly the same across the estimates being compared. However, caution is advised when these mental illness measures are used as explanatory variables within a regression analysis because the resulting estimated regression coefficients often will be biased toward zero (Carroll, Ruppert, Stefanski, & Crainiceanu, 2006). Stated another way, values of the regression coefficients for these mental illness variables are likely to be attenuated. Consequently, situations in which AMI or specific levels of mental illness (e.g., SMI) are true predictors of a dependent variable of interest in the population may not be significant predictors in regression models that use these variables. If a statistically significant association is identified between these mental illness variables and the dependent variable, however, one can be more confident that this truly is a significant association.

Weights

Mental Illness Measures

Mental illness measures (i.e., SMI, AMI, SMMI, MMI, LMI, and LMMI) that are defined based on the 2012 model should be analyzed using the standard analysis weight, ANALWT_C,

for all survey years 2008 through 2013. With the revised 2012 model, both the WHODAS and SDS 2008 half samples can be combined to form single estimates and use ANALWT_C.

This differs from the initial recommendation for analyzing other measures of mental illness besides SMI based on the 2008 model. Due to the 2008 split sample, an adjusted mental health sample weight, MHSAWT_C, was created so that the WHODAS and SDS half samples were separately representative of the civilian, noninstitutionalized population aged 18 or older. However, this weight should not be used to analyze 2008 mental illness data based on the 2012 model.

Analyses using SMI across all years 2005 and later would also be analyzed using the standard analysis weight, ANALWT_C, for all survey years. Users should consider the differences in methodology prior to making any decisions on whether or how to use this data across all years.

2005-2013: K6 and SPD Measures

Analyses of past year K6 and SPD can be measured with the adjusted past year K6 and SPD variables from 2005 through 2007 and the past year SPD variables from 2008 through 2013 using ANALWT_C.

Combining 2008-2013 Data

When combining data from any of the years between 2008 and 2013 to generate an annual average over a time period greater than 1 year for any of the mental health measures described in this appendix (i.e., K6, SPD, mental illness measures), a new weight should be created that divides the standard weight (ANALWT_C) by the number of years of data that are combined to correctly estimate weighted population totals. For example, to combine 2008-2013 data, divide ANALWT_C by 6.

References

- Aldworth, J., Barnett-Walker, K., Chromy, J., Karg, R., Morton, K., Novak, S., & Spagnola, K. (2009). Measuring serious mental illness with the NSDUH: Results of 2008 12-month analysis. In *2008 National Survey on Drug Use and Health: Methodological resource book* (Section 16, prepared for the Substance Abuse and Mental Health Services Administration, Contract No. 283-2004-00022, Mental Health Surveillance Study Deliverable 5, RTI/0209009.423.006.008). Research Triangle Park, NC: RTI International.
- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2012). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Contract No. HHSS283200800004C, RTI/0211838.108.006.024). Research Triangle Park, NC: RTI International.
- Carroll, R. J., Ruppert, D., Stefanski, L. A., & Crainiceanu, C. M. (2006). *Measurement error in nonlinear models: A modern perspective, 2nd ed.* Chaoman & Hall/CRC: Boca Raton, FL.
- Center for Behavioral Health Statistics and Quality. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 10-4609, NSDUH Series H-39). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2012a). *Results from the 2010 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2012b). *Results from the 2011 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014a). 2012 Mental Health Surveillance Study: Design and estimation report. In *2012 National Survey on Drug Use and Health: Methodological resource book (Section 16a)*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014b). Mental Health Surveillance Study operations report (2008-2012). In *2012 National Survey on Drug Use and Health: Methodological resource book (Section 16a)*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

- Center for Behavioral Health Statistics and Quality. (2014c). *Results from the 2013 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014d). *Results from the 2013 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014e). *Results from the 2013 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 14-4887, NSDUH Series H-49). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014f). *Results from the 2013 National Survey on Drug Use and Health: Summary of national findings* (HHS Publication No. SMA 14-4863, NSDUH Series H-48). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2017). *National Survey on Drug Use and Health: Statistical models to predict mental illness from 2005 to 2007*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Colpe, L. J., Barker, P. R., Karg, R. S., Batts, K. R., Morton, K. B., Gfroerer, J. C., Stolzenberg, S. J., Cunningham, D. B., First, M. B., & Aldworth, J. (2010). The National Survey on Drug Use and Health Mental Health Surveillance Study: Calibration study design and field procedures. *International Journal of Methods in Psychiatric Research*, 19 (Suppl. 1), 36-48.
- Colpe, L. J., Epstein, J. F., Barker, P. R., & Gfroerer, J. C. (2009). Screening for serious mental illness in the National Survey on Drug Use and Health (NSDUH). *Annals of Epidemiology*, 19(3), 210-211.
- First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (2002). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP)*. New York, NY: New York State Psychiatric Institute, Biometrics Research.
- Furukawa, T. A., Kessler, R. C., Slade, T., & Andrews, G. (2003). The performance of the K6 and K10 screening scales for psychological distress in the Australian National Survey of Mental Health and Well-Being. *Psychological Medicine*, 33(2), 357-362.
- Kessler, R. C., Barker, P. R., Colpe, L. J., Epstein, J. F., Gfroerer, J. C., Hiripi, E., Howes, M. J., Normand, S. L., Manderscheid, R. W., Walters, E. E., & Zaslavsky, A. M. (2003). Screening for serious mental illness in the general population. *Archives of General Psychiatry*, 60(2), 184-189.
- Novak, S. P., Colpe, L. J., Barker, P. R., & Gfroerer, J. C. (2010). Development of a brief mental health impairment scale using a nationally representative sample in the USA. *International Journal of Methods in Psychiatric Research*, 19(Suppl. 1), 49-60.

Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Rehm, J., Üstün, T. B., Saxena, S., Nelson, C. B., Chatterji, S., Ivis, F., & Adlaf, E. (1999). On the development and psychometric testing of the WHO screening instrument to assess disablement in the general population. *International Journal of Methods in Psychiatric Research*, 8(2), 110-123.

APPENDIX F

Recoded Depression Variable Documentation

The 2013 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

This appendix provides details about the questions designed to assess MDE, comparability issues across survey years, development of adjusted lifetime and past year MDE variables, variable naming conventions, and analysis and weighting information. Variable specifications for lifetime and past year MDE as well as MDE with severe impairment are also provided. A flowchart (see Figure 1) is included to provide details regarding the routing logic leading up to the MDE questions specifying which respondents were asked the MDE questions and were defined as having MDE. The Key Mental Health Variables appendix provides a table with the variable names for the most commonly used NSDUH mental health measures (including depression) as well as information regarding comparability across survey years 2002 through 2013.

The NSDUH CAI questions designed to assess MDE symptoms were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association, 1994). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and those for adolescents (youths) were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for youths, there are minor wording differences in a few questions between the adult and youth modules. A person was defined as having had a lifetime MDE if he or she had five or more of nine symptoms for MDE in the same 2-week period in his or her lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. A person was defined as having MDE in the past year if he or she had a lifetime MDE and a period of time in the past 12 months when he or she felt depressed or lost interest or pleasure in daily activities for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

When the depression modules were first introduced in 2004, all youth respondents, but only half of adult respondents, received the questions because of a split-sample design. Further details on the 2004 split sample are provided in Appendix A of the 2004 national findings report (Office of Applied Studies [OAS], 2005b). Starting with the 2005 NSDUH, all youth and adult respondents received the questions in their respective depression modules. In the 2008 NSDUH, the adult mental health module was updated. This module precedes the adult depression module in the questionnaire which remained unchanged. In this revised 2008 mental health module, the K6 questions on nonspecific psychological distress were asked about two reference periods, the past 30 days and the month in the past 12 months when the distress was the worst. In addition, adult respondents were administered the mental health module through a split-sample design consisting of one of two impairment scales, an abbreviated World Health Organization Disability Assessment Schedule (WHODAS) or the Sheehan Disability Scale (SDS), to measure impairment due to emotions, nerves, or mental health. See the 2008 Recoded Mental Health

codebook appendix for further details. Starting in 2009, the split sample was removed, and the CAI instrument included only the WHODAS questions.

These changes and the fact that this revised mental health module precedes the adult depression module within the questionnaire could have influenced the adult respondent's answers to subsequent depression-related items. This type of influence is referred to as a context effect. A detailed analysis was conducted to examine potential context effects on MDE variables based on the changes in the mental health module. It was determined that MDE estimates for adults aged 18 or older from 2008 could not be compared with the 2007 and prior year estimates. Two subsamples (i.e., WHODAS and SDS) also were examined to determine whether the MDE data from the two 2008 subsamples were comparable. Because of differences in MDE estimates between the two samples, combining the SDS and WHODAS half-samples to produce an overall 2008 adult MDE estimate is not recommended. This applies to all adult MDE-related estimates (treatment/counseling for MDE, MDE-related impairment, etc.). Therefore, given the potential for comparability issues and to facilitate future trend analysis, only the WHODAS half-sample (MHSAMP08=1) is used for 2008 adult MDE estimation in the 2008 detailed tables (OAS, 2009a). See Appendix B, Section B.4.7, in the 2008 national findings report (OAS, 2009b) for further details on the decisions on the 2008 analyses.

Starting with the 2009 NSDUH, the mental health module includes only the WHODAS questions; therefore, the estimates for adult MDE from 2009 onward can be compared with the WHODAS half-sample from 2008. See Appendix B, Section B.4.2, in the 2009 mental health findings report (Center for Behavioral Health Statistics and Quality [CBHSQ], 2010b) for details on the 2009 analyses.

In order to be able to use the full sample of 2008 data and also to make adult MDE comparisons across survey years starting with 2005 and continuing through 2008 and later years, adjusted versions of adult past year MDE (AJAMDEYR) and adult lifetime MDE (AJAMDELT) variables were created retroactively for the years 2005 through 2008. These variables were adjusted to make MDE estimates from the SDS half-sample in 2008 and all adult respondents for 2005 through 2007 comparable with the MDE estimates based on the WHODAS half-sample in 2008 and all adult respondents in later years. More information about how the statistically adjusted adult MDE analysis variables were created can be found in the 2005-2008 codebooks and in the report describing these adjustments (Aldworth, Kott, Yu, Mosquin, & Barnett-Walker, 2012).

In 2009, changes were made to the youth mental health service utilization questions that preceded the questions about adolescent depression. These changes included the replacement of five questions that asked about receipt of special education services and school counseling and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors.

The presence of new items could have influenced how adolescents responded to the adolescent depression questions and therefore the estimates of adolescent MDE. An analysis was performed that showed these questionnaire changes in 2009 did not appear to affect the estimates of adolescent MDE. Therefore, it is possible to assess trends for past year MDE from 2004 to 2013 for adolescents aged 12 to 17 without the need for adjusted variables. For more information

on the 2009 youth analyses results, see Appendix B, Section B.4.2, in the 2009 mental health findings report (CBHSQ, 2010b).

Naming Conventions

In the 2004-2007 NSDUHs, MDE data from both the adult and youth modules were used to create single, combined recoded lifetime (MDELT) and past year MDE (MDEYR) variables, even though adult and youth data were not comparable because of wording differences between the modules. In the 2004-2007 detailed tables, analyses using combined variables were subset to the age group of interest to present estimates separately for adults and youths (OAS, 2005a; 2006; 2007; 2008). Note that in the 2004 detailed tables only, estimates were also presented for adults and youths combined, but producing combined estimates is no longer recommended.

Starting with the 2008 NSDUH, the MDE variables were renamed, and a separate set of variables was created each for adults and for youths. The new variable names have continued to be used in the 2013 NSDUH. Under the new naming convention, adult MDE variables begin with "A" and youth MDE variables begin with "Y" (e.g., AMDEYR, YMDEYR). There is one adolescent variable that does not follow this naming convention (i.e., MDEIMPY). Variables where youth and adult data were not combined into a single variable prior to 2008 were not renamed for adolescents (i.e., YSDSHOME, YSDSWRK, YSDSREL, YSDSSOC, YSDSOVRL, and MDEIMPY), since there was no change in variable construction or comparability. In addition, prior to 2008, the combined set of MDE variables was located in the Recoded Adult and Adolescent Depression section of the codebook. Currently, all adult and youth MDE variables are now located in either the Recoded Adult Depression or Recoded Adolescent Depression sections, respectively.

For adults, the new variable names denoted a break in the trend for the estimates due to the context effects noted earlier. To address the break in the trend, an adjustment was applied to the 2005-2008 adult MDE data, and the resulting new variables were retroactively added to the respective data files. These adjusted adult MDE variables begin with the abbreviation "AJ" for "adjusted" (i.e., AJAMDEYR, AJAMDELT). With the addition of the adjusted adult MDE variables, the documentation for the existing adult MDE variables was retroactively revised to refer to the existing variables as unadjusted adult MDE variables. In summary, for adults, the new variable names indicated that the MDE data from 2008 or later should not be compared or combined with unadjusted variables from 2004 to 2007. However, adjusted variables were later added for 2005 through 2008 to allow comparisons across years from 2005 onward. Adjusted adult MDE variables are not available for 2004. The adjusted variables for 2005 through 2008 can be renamed to match the adult past year MDE (AMDEYR) and adult lifetime MDE (AMDELT) variables for 2009 and subsequent years to produce comparable estimates across years, as seen in the 2013 mental health detailed tables (CBHSQ, 2014).

New variable names indicate changes that may or may not impact comparability with prior years. As described above, the 2008 adult MDE estimates are not considered comparable with 2007 and prior years. For adolescents, despite the new variable names, the MDE data from 2008 or later can be compared or combined with MDE data from 2004 to 2007 since there was no change to the youth modules. But in order to do so, either the original or new set of youth MDE variables should be renamed to match the other so that the data can be combined. See the

2008 Recoded Depression Variable Documentation codebook appendix for sample code on how to rename the 2008 or later survey year variables back to prior year names. In addition, a summary of variable names and comparability across years is presented in Table 1 for both adult and youth lifetime and past year MDE. All variables in a column are comparable for the time periods specified despite nonidentical variable names.

Table 1. Lifetime and Past Year Major Depressive Episode (MDE) Variable Comparability: 2004 NSDUH and Later Survey Years

NSDUH Survey Year	Adult MDE			Youth MDE
	Comparable Variables 2004-2007	Comparable Variables 2008 and Later Years Unadjusted Data	Comparable Variables 2005 and Later Years Adjusted Data	Comparable Variables 2004 and Later Years
2004	MDELT, MDEYR ¹			MDELT, MDEYR ¹
2005-2007	MDELT, MDEYR ¹		AJAMDELT, AJAMDEYR	MDELT, MDEYR ¹
2008		AMDELT, AMDEYR ²	AJAMDELT, AJAMDEYR	YMDELT, YMDEYR
2009 and Later Years		AMDELT, AMDEYR	AMDELT, AMDEYR	YMDELT, YMDEYR

NOTE: All the variables within the same column are comparable across years, once the variables have been renamed to match.

¹ To use these lifetime and past year MDE variables in comparisons, the data must be subset to adults or youths depending on the analysis of interest. Presenting estimates using combined adult and youth data is not recommended due to wording differences between the adult and youth modules.

² To use these lifetime and past year MDE variables in comparisons, the data must be subset to the WHODAS subsample (MHSAMP08=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2004 and later.

Weights

Analyses on unadjusted 2008 data that include only adults from the WHODAS half-sample (subset to MHSAMP08=1), such as the 2008 adult MDE analyses in the 2008 detailed tables (OAS, 2009a) or in the 2009 mental health detailed tables (CBHSQ, 2010a), should be weighted by an alternate analysis weight (MHSAWT_C). (Note that 2008 analyses including only adults from the SDS half-sample [subset to MHSAMP08=2] should also be weighted by MHSAWT_C.) This weight has been poststratified so that each of the half-samples is separately representative of the civilian, noninstitutionalized population aged 18 or older. Generating 2008 adult MDE estimates using the entire unadjusted adult sample (both WHODAS and SDS half-samples) is not recommended. To compare or combine 2008 unadjusted adult MDE (using only the WHODAS subsample) and 2009-2013 adult MDE data, users should create a new weight variable that takes on the value of MHSAWT_C for 2008 respondents and the value of ANALWT_C for 2009-2013 respondents. When doing this, users should restrict the unadjusted 2008 data to MHSAMP08=1 since the 2009-2013 NSDUHs use WHODAS questions and are comparable with only the 2008 WHODAS half-sample. The standard analysis weight (ANALWT_C) should be used for MDE analyses that include either the entire youth sample (i.e., any year) or adult sample (i.e., 2009 through 2013), such as those in the 2013 mental health detailed tables.

To analyze the 2005-2008 adjusted adult MDE variables in conjunction with the 2009-2013 adult MDE variables (e.g., the MDE multiyear trend analyses published in the 2013 mental health detailed tables [CBHSQ, 2014]), the standard analysis weight (ANALWT_C) should be used across all years.


Furthermore, when creating estimates based on more than a single year of data, the appropriate weight for each year should be divided by the number of years of data that are combined to correctly estimate weighted population totals. For example, if a user combines 2008-2013 data to generate an annual average using the unadjusted adult MDE data, the new weight previously described should be divided by 6.

MDE Variable Specifications

In the adult and youth depression modules of the NSDUH, respondents were asked a series of introductory questions to determine whether they had a worst period of time where they experienced feeling sad, empty, depressed, discouraged, or a loss of interest. If respondents fit certain criteria based on the routing logic found in these introductory questions, then they were asked the questions related to the nine attributes (symptoms) of MDE. In order to demonstrate which respondents were actually asked the MDE attributes questions based on these introductory questions, a flowchart using the adult questions is included as Figure 1. These introductory questions in addition to the questions related to the nine attributes associated with MDE (see below) were used to score MDE.

This appendix includes information used for adults to define the lifetime adult MDE variable (AMDELT), the adult past year MDE variable (AMDEYR), and the adult impairment recodes, all of which are found in the Recoded Adult Depression section of the codebook. Similar questions were asked of youth respondents and used to define similar youth MDE variables found in the Recoded Adolescent Depression section but are not specifically defined in this appendix. The questions shown in the flowchart and the documentation below refer to the adult depression-associated question indicator from the CAI instrument specifications followed by the corresponding edited variable name to assist users in mapping the information back to the CAI.

Figure 1. Routing Logic Prior to Adult Major Depressive Episode (MDE) Attribute Questions



The questions below, shown with their associated question indicator from the CAI specifications, refer to the worst period of time the respondent has had that stands out in his or her mind; or, if he or she does not recall a worst period of time, the questions refer to the most recent period of time when the respondent experienced any or all of the following: sadness, discouragement, or lack of interest in most things. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

During that [worst/most recent] period of time...

1. Depressed mood most of the day

- a. ... did you feel sad, empty, or depressed **most of the day nearly every day**? (AD24A)
- b. ... did you feel discouraged about how things were going in your life **most of the day nearly every day**? (AD24C)

A respondent was assigned a positive response to this symptom (D_MDEA1=1) if he or she answered yes to either of the above questions.

2. Markedly diminished interest or pleasure in all or almost all activities most of the day

- a. ... did you lose interest in almost all things like work and hobbies and things you like to do for fun? (AD24E)
- b. ... did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented? (AD24F)

A respondent was assigned a positive response to this symptom (D_MDEA2=1) if he or she answered yes to either of the above questions.

3. Weight

- a. Did you have a much smaller appetite than usual nearly every day during that time? (AD26A)
- b. Did you have a much **larger** appetite than usual nearly every day? (AD26B)
- c. Did you gain weight without trying to during that [worst/most recent] period of time? (AD26C)
 - i. ... because you were growing? (AD26C1)
 - ii. ... because you were pregnant? (AD26C2)
- d. How many pounds did you gain? (AD26D)
- e. Did you lose weight without trying to? (AD26E)
 - i. ... because you were sick or on a diet? (AD26E1)
- f. How many pounds did you lose? (AD26F)

A respondent was assigned a positive response to this symptom (D_MDEA3=1) if he or she answered yes to questions 'a' or 'b' above, or the answer to either question 'd' or 'f' was greater than or equal to 10. (Note that 'd' was only asked if 'c_i' and 'c_{ii}' were not 'yes,' and 'f' was only asked if 'e_i' was not 'yes'.)

4. Insomnia or hypersomnia

- a. Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [worst/most recent] period of time? (AD26G)
- b. During that [worst/most recent] period of time, did you sleep a lot more than usual nearly every night? (AD26H)

A respondent was assigned a positive response to this symptom (D_MDEA4=1) if he or she answered yes to either of the above questions.

5. Psychomotor agitation or retardation

- a. Did you talk or move more slowly than is normal for you nearly every day? (AD26L)
 - i. (if AD26L=1) Did anyone else notice that you were talking or moving slowly? (AD26M)
- b. Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still? (AD26N)
 - i. (if AD26N=1) Did anyone else notice that you were restless? (AD26O)

A respondent was assigned a positive response to this symptom (D_MDEA5=1) if he or she answered yes to either of the above 'a_i' or 'b_i' questions. (Note that 'a_i' was only asked if 'a' was 'yes' and 'b_i' was only asked if 'b' was 'yes'.)

6. Fatigue or loss of energy

- a. During that [worst/most recent] period of time, did you feel tired or low in energy nearly every day even when you had not been working very hard? (AD26J)

A respondent was assigned a positive response to this symptom (D_MDEA6=1) if he or she answered yes to the above question.

7. Feelings of worthlessness

- a. Did you feel that you were not as good as other people nearly every day? (AD26U)
 - i. (if AD26U=1) Did you feel totally worthless nearly every day? (AD26V)

A respondent was assigned a positive response to this symptom (D_MDEA7=1) if he or she answered yes to question 'a_i.' (Note that 'a_i' was only asked if 'a' was 'yes'.)

8. Diminished ability to think or concentrate or indecisiveness

- a. During that [worst/most recent] time period, did your thoughts come much more slowly than usual or seem confused nearly every day? (AD26P)
- b. Did you have a lot more trouble concentrating than usual nearly every day? (AD26R)
- c. Were you unable to make decisions about things you ordinarily have no trouble deciding about? (AD26S)

A respondent was assigned a positive response to this symptom (D_MDEA8=1) if he or she answered yes to any of the above questions.

9. Recurrent thoughts of death or recurrent suicide ideation

- a. Did you often think about death, either your own, someone else's, or death in general? (AD26AA)
- b. During that period, did you ever think it would be better if you were dead? (AD26BB)
- c. Did you think about committing suicide? (AD26CC)
 - i. Did you make a suicide plan? (AD26DD)
 - ii. Did you make a suicide attempt? (AD26EE)

A respondent was assigned a positive response to this symptom (D_MDEA9=1) if he or she answered yes to any of the above questions.

Respondents were classified with lifetime MDE if they had at least five of the nine above attributes. Respondents who have had MDE in their lifetime (AMDELT=1 for adults and YMDELT=1 for youths) and who have reported that they had a period of depression lasting 2 weeks or longer, while also having some of the symptoms mentioned during the past 12 months (ADPB2WK=1 for adults and YOPB2WK=1 for youths), were classified as having past year depression (AMDEYR=1 for adults and YMDEYR=1 for youths). Respondents with no lifetime MDE (AMDELT=2 for adults or YMDELT=2 for youths) or respondents with lifetime MDE (AMDELT=1 for adults and YMDELT=1 for youths) but no period of depression lasting 2 weeks or longer in the past year while having other symptoms (ADPB2WK=2 for adults or YOPB2WK=2 for youths) were defined as not having past year MDE (AMDEYR=2 for adults or YMDEYR=2 for youths).

Otherwise, respondents were classified as system missing for lifetime or past year MDE if they had unknown depression information and/or they were aged 12 to 17 (for adults) or aged 18 or older (for youths).

Respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9=1 for adults and D_MDEA9Y=1 for youths), regardless of MDE classification, were guided through the remainder of the depression module. Note that because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables. Users who are interested in the suicide ideation data¹ from the depression modules should also be aware of the routing logic shown in Figure 1 because only a subset of respondents are asked the suicide-related questions.

¹ The suicide estimates presented in the detailed tables are from the mental health module data, not the depression suicide module data.

MDE with Severe Impairment Variable Specifications

Respondents defined as having had MDE in the past year were then asked questions from the SDS to measure the level of functional impairment in major life activities reported to be caused by the MDE in the past 12 months (Leon, Olfson, Portera, Farber, & Sheehan, 1997).


The SDS measures mental health-related impairment in four major life activities or role domains. These four domains are defined separately for adults aged 18 or older and youths aged 12 to 17 to reflect the different roles associated with the two age groups. Each module consists of four questions that are assessed on a 0 to 10 visual analog scale with categories of "none" (0), "mild" (1-3), "moderate" (4-6), "severe" (7-9), and "very severe" (10).

A maximum impairment score (ASDSOVL2 for adults and YSDSOVRL for youths) is then defined as the single highest severity level of role impairment across all four SDS role domains. The four SDS role domain variables were recoded so that no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum level of interference over all four domains was then defined (ASDSOVL2 or YSDSOVRL). Ratings greater than or equal to 7 on the scale (ASDSOVL2 or YSDSOVRL=4, 5) were considered severe impairment. Estimates for past year MDE with severe impairment (AMDEIMP=1 for adults and MDEIMPY=1 for youths) are presented for 2012 and 2013 for adults and for 2006 to 2013 for youths in the 2013 mental health detailed tables (CBHSQ, 2014). The adult MDE with severe impairment variable is not comparable with NSDUH data prior to 2008 for the reasons discussed previously. Youth MDE with severe impairment data are comparable from 2006 onward. The questions pertaining to the four domains are listed below for both adults and youths.

Adult Depression Module: Functional Impairment

AD66a Think about the time in the past 12 months when these problems with your mood were **most severe**.

Using the 0 to 10 scale shown below, where 0 means **no** interference and 10 means very **severe** interference, select the number that describes how much these problems interfered with your **ability to do** each of the following activities during that period. You can use any number between 0 and 10 to answer.



How much did your [depression symptoms] interfere with your **ability to do home management tasks**, like cleaning, shopping, and working around the house, apartment, or yard?

AD66b During the time in the past 12 months when your [depression symptoms] were most severe, how much did this interfere with your **ability to work**?


AD66c How much did your [depression symptoms] interfere with your **ability to form and maintain close relationships** with other people during that period of time?

AD66d How much did [depression symptoms] interfere with your **ability to have a social life** during that period of time?

Adolescent Depression Module: Functional Impairment

YD66a Think about the time in the past 12 months when these problems with your mood were the **worst**.

Using the 0 to 10 scale shown below, where 0 means **no** problems and 10 means very **severe** problems, select the number that describes how much your [depression symptoms] caused problems with your **ability to do** each of the following activities during that time. You can use any number between 0 and 10 to answer.



How much did your [depression symptoms] cause problems with your chores at home?

YD66b During the time in the past 12 months when your [depression symptoms] were worst, how much did this cause problems with your **ability to do well at school or work**?

YD66c How much did your [depression symptoms] cause problems with your **ability to get along with your family** during that time?

YD66d How much did your [depression symptoms] cause problems with your **ability to have a social life** during that time?

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2012). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Contract No. HHSS283200800004C, RTI/0211838.108.006.024). Research Triangle Park, NC: RTI International.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)* (4th ed.). Washington, DC: American Psychiatric Association.
- Center for Behavioral Health Statistics and Quality. (2010a). *Results from the 2009 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2010b). *Results from the 2009 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 10-4609, NSDUH Series H-39). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. [Web page]. Retrieved June 28, 2008, from <https://www.hcp.med.harvard.edu/ncs/>
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105.
- Office of Applied Studies. (2005a). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2005b). *Results from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2006). *Results from the 2005 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2007). *Results from the 2006 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Office of Applied Studies. (2009a). *Results from the 2008 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Office of Applied Studies. (2009b). *Results from the 2008 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 09-4434, NSDUH Series H-36). Rockville, MD: Substance Abuse and Mental Health Services Administration.

APPENDIX G

Occupational Classification System for Recodes

**2003
Census
Code Occupation category**

1 Executive/Admin/Managerial/Financial

Chief Executives
General and Operations Managers
Legislators
Advertising and Promotions Managers
Marketing and Sales Managers
Public Relations Managers
Administrative Services Managers
Computer and Information Systems Managers
Financial Managers
Human Resources Managers
Industrial Production Managers
Purchasing Managers
Transportation, Storage, and Distribution Managers
Farm, Ranch, and Other Agricultural Managers
Farmers and Ranchers
Construction Managers
Education Administrators
Engineering Managers
Food Service Managers
Funeral Directors
Gaming Managers
Lodging Managers
Medical and Health Services Managers
Natural Sciences Managers
Postmasters and Mail Superintendents
Property, Real Estate, and Community Association Managers
Social and Community Service Managers
Managers, All Other

Agents and Business Managers of Artists, Performers, and Athletes
Purchasing Agents and Buyers, Farm Products
Wholesale and Retail Buyers, Except Farm Products
Purchasing Agents, Except Wholesale, Retail, and Farm Products
Claims Adjusters, Appraisers, Examiners, and Investigators
Compliance Officers, Except Agriculture, Construction, Health and Safety, and Transportation
Cost Estimators
Human Resources, Training, and Labor Relations Specialists
Logisticians
Management Analysts
Meeting and Convention Planners
Other Business Operations Specialists

Accountants and Auditors
Appraisers and Assessors of Real Estate
Budget Analysts
Credit Analysts
Financial Analysts
Personal Finance Advisors
Insurance Underwriters
Financial Examiners
Loan Counselors and Officers
Tax Examiners, Collectors, and Revenue Agents
Tax Preparers
Financial Specialists, All Other

2 Professional (not Educ/Entertain/Media)

Computer Scientists and Systems Analysts
Computer Programmers
Computer Software Engineers
Computer Support Specialists
Database Administrators
Network and Computer Systems Administrators
Network Systems and Data Communications Analysts
Actuaries
Mathematicians
Operations Research Analysts
Statisticians
Miscellaneous Mathematical Occupations

Architects, Except Naval
Surveyors, Cartographers, and Photogrammetrists
Aerospace Engineers
Agriculture Engineers
Biomedical Engineers
Chemical Engineers
Civil Engineers
Computer Hardware Engineers
Electrical and Electronics Engineers
Environmental Engineers
Industrial Engineers, Including Health and Safety
Marine Engineers and Naval Architects
Materials Engineers
Mechanical Engineers
Mining and Geological Engineers, Including Mining Safety Engineers
Nuclear Engineers
Petroleum Engineers
Engineers, All Other

Agricultural and Food Scientists
Biological Scientists
Conservation Scientists and Foresters
Medical Scientists
Astronomers and Physicists
Atmospheric and Space Scientists
Chemists and Materials Scientists
Environmental Scientists and Geoscientists
Physical Scientists, All Other

Economists
Market and Survey Researchers
Psychologists
Sociologists
Urban and Regional Planners
Miscellaneous Social Scientists and Related Workers

Counselors
Social Workers
Miscellaneous Community and Social Service Specialists
Clergy
Directors, Religious Activities and Education
Religious Workers, All Other

Lawyers
Judges, Magistrates, and Other Judicial Workers
Paralegals and Legal Assistants
Miscellaneous Legal Support Workers

2003

**Census Occupation category
Code**

Chiropractors
Dentists
Dietitians and Nutritionists
Optometrists
Pharmacists
Physicians and Surgeons
Physician Assistants
Podiatrists
Registered Nurses
Audiologists
Occupational Therapists
Physical Therapists
Radiation Therapists
Recreational Therapists
Respiratory Therapists
Speech-Language Pathologists
Therapists, All Other
Veterinarians
Health Diagnosing and Treating Practitioners, All Other

3 Education and Related Occupations

Postsecondary Teachers
Preschool and Kindergarten Teachers
Elementary and Middle School Teachers
Secondary School Teachers
Special Education Teachers
Other Teachers and Instructors

Archivists, Curators, and Museum Technicians
Librarians
Library Technicians
Teacher Assistants
Other Education, Training, and Library Workers

4 Entertainers, Sports, Media, Communications

Artists and Related Workers
Designers
Actors
Producers and Directors
Athletes, Coaches, Umpires, and Related Workers
Dancers and Choreographers
Musicians, Singers, and Related Workers
Entertainers and Performers, Sports and Related Workers, All Other

Announcers
News Analysts, Reporters and Correspondents
Public Relations Specialists
Editors
Technical Writers
Writers and Authors
Miscellaneous Media and Communication Workers
Broadcast and Sound Engineering Technicians and Radio Operators
Photographers
Television, Video, and Motion Picture Camera Operators and Editors
Media and Communication Equipment Workers, All Other

5 Technicians and Related Support Occupations

Drafters
Engineering Technicians, Except Drafters

Surveying and Mapping Technicians

Agriculture and Foods Science Technicians
Biological Technicians
Chemical Technicians
Geological and Petroleum Technicians
Nuclear Technicians
Other Life, Physical, and Social Science Technicians

Clinical Laboratory Technologists and Technicians
Dental Hygienists
Diagnostic Related Technologists and Technicians
Emergency Medical Technicians and Paramedics
Health Diagnosing and Treating Practitioner Support Technicians
Licensed Practical and Licensed Vocational Nurses
Medical Records and Health Information Technicians
Opticians, Dispensing
Miscellaneous Health Technologists and Technicians
Other Healthcare Practitioners and Technical Occupations
Nursing, Psychiatric, and Home Health Aides
Occupational Therapist Assistants and Aides
Physical Therapist Assistants and Aides
Massage Therapists
Dental Assistants
Medical Assistants and Other Healthcare Support Occupations

6 Sales Occupations

First-Line Supervisors/Managers of Retail Sales Workers
First-Line Supervisors/Managers of Non-Retail Sales Workers
Cashiers
Counter and Rental Clerks
Parts Salespersons
Retail Salespersons
Advertising Sales Agents
Insurance Sales Agents
Securities, Commodities, and Financial Services Sales Agents
Travel Agents
Sales Representatives, Services, All Other
Sales Representatives, Wholesale and Manufacturing
Models, Demonstrators, and Product Promoters
Real Estate Brokers and Sales Agents
Sales Engineers
Telemarketers
Door-To-Door Sales Workers, News and Street Vendors, and Related Workers
Sales and Related Workers, All Other

7 Office and Administrative Support Workers

First-Line Supervisors/Managers of Office and Administrative Support Workers
Switchboard Operators, Including Answering Service
Telephone Operators
Communications Equipment Operators, All Other

2003

**Census Occupation category
Code**

Bill and Account Collectors
Billing and Posting Clerks and Machine Operators
Bookkeeping, Accounting, and Auditing Clerks
Gaming Cage Workers
Payroll and Timekeeping Clerks
Procurement Clerks
Tellers
Brokerage Clerks
Correspondence Clerks
Court, Municipal, and License Clerks
Credit Authorizers, Checkers, and Clerks
Customer Service Representatives
Eligibility Interviewers, Government Programs
File Clerks
Hotel, Motel, and Resort Desk Clerks
Interviewers, Except Eligibility and Loan
Library Assistants, Clerical
Loan Interviewers and Clerks
New Accounts Clerks
Order Clerks
Human Resources Assistants, Except Payroll and
Timekeeping
Receptionists and Information Clerks
Reservation and Transportation Ticket Agents and
Travel Clerks
Information and Record Clerks, All Other
Cargo and Freight Agents
Couriers and Messengers
Dispatchers
Meter Readers, Utilities
Postal Service Clerks
Postal Service Mail Carriers
Postal Service Mail Sorters, Processors, and
Processing Machine Operators
Production, Planning, and Expediting Clerks
Shipping, Receiving, and Traffic Clerks
Stock Clerks and Order Fillers
Weighers, Measurers, Checkers, and Samplers,
Recordkeeping
Secretaries and Administrative Assistants
Computer Operators
Data Entry Keyers
Word Processors and Typists
Desktop Publishers
Insurance Claims and Policy Processing Clerks
Mail Clerks and Mail Machine Operators, Except
Postal Service
Office Clerks, General
Office Machine Operators, Except Computer
Proofreaders and Copy Markers
Statistical Assistants
Office and Administrative Support Workers, All
Other

8 Protective Service Occupations

First-Line Supervisors/Managers of Correctional
Officers
First-Line Supervisors/Managers of Police and
Detectives
First-Line Supervisors/Managers of Fire Fighting
and Prevention Workers
Supervisors, Protective Service Workers, All Other
Fire Fighters
Fire Inspectors
Bailiffs, Correctional Officers, and Jailers
Detectives and Criminal Investigators

Fish and Game Wardens
Parking Enforcement Workers
Police and Sheriff's Patrol Officers
Transit and Railroad Police
Animal Control Workers
Private Detectives and Investigators
Security Guards and Gaming Surveillance Officers
Crossing Guards
Lifeguards and Other Protective Service Workers
Armed Forces

9 Service Occupations, Except Protective

Chefs and Head Cooks
First-Line Supervisors/Managers of Food
Preparation and Serving Workers
Cooks
Food Preparation Workers
Bartenders
Combined Food Preparation and Serving Workers,
Including Fast Food
Counter Attendants, Cafeteria, Food Concession,
and Coffee Shop
Waiters and Waitresses
Food Servers, Nonrestaurant
Dining Room and Cafeteria Attendants and
Bartender Helpers
Dishwashers
Hosts and Hostesses, Restaurant, Lounge, and
Coffee Shop
Food Preparation and Serving Related Workers,
All Other

First-Line Supervisors/Managers of Housekeeping
and Janitorial Workers
First-Line Supervisors/Managers of Landscaping,
Lawn Service, and Groundskeeping
Janitors and Building Cleaners
Maids and Housekeeping Cleaners
Pest Control Workers
Grounds Maintenance Workers

First-Line Supervisors/Managers of Gaming
Workers
First-Line Supervisors/Managers of Personal
Service Workers
Animal Trainers
Nonfarm Animal Caretakers
Gaming Services Workers
Motion Picture Projectionists
Ushers, Lobby Attendants, and Ticket Takers
Miscellaneous Entertainment Attendants and
Related Workers

Funeral Service Workers
Barbers
Hairdressers, Hairstylists, and Cosmetologists
Miscellaneous Personal Appearance Workers
Baggage Porters, Bellhops, and Concierges
Tour and Travel Guides
Transportation Attendants
Child Care Workers
Personal and Home Care Aides
Recreation and Fitness Workers
Residential Advisors
Personal Care and Service Workers, All Other

10 Farming/Fishing/Forestry Occupations

2003

Census Code Occupation category

First-Line Supervisors/Managers/Contractors of Farming, Fishing, and Forestry Workers
Agricultural Inspectors
Animal Breeders
Graders and Sorters, Agricultural Products
Other Agricultural Workers
Fishers and Related Fishing Workers
Hunters and Trappers
Forest and Conservation Workers
Logging Workers

11 Installation, Maintenance, and Repair Workers

First-Line Supervisors/Managers of Mechanics, Installers, and Repairers
Computer, Automated Teller, and Office Machine Repairers
Radio and Telecommunications Equipment Installers and Repairers
Avionics Technicians
Electric Motor, Power Tool, and Related Repairers
Electrical and Electronics Installers and Repairers, Transportation Equipment
Electrical and Electronics Repairers, Industrial and Utility
Electronic Equipment Installers and Repairers, Motor Vehicles
Electronic Home Entertainment Equipment Installers and Repairers
Security and Fire Alarm Systems Installers
Aircraft Mechanics and Service Technicians
Automotive Body and Related Repairers
Automotive Glass Installers and Repairers
Automotive Service Technicians and Mechanics
Bus and Truck Mechanics and Diesel Engine Specialists
Heavy Vehicle and Mobile Equipment Service Technicians and Mechanics
Small Engine Mechanics
Miscellaneous Vehicle and Mobile Equipment Mechanics, Installers, and Repairers
Control and Valve Installers and Repairers
Heating, Air Conditioning, and Refrigeration Mechanics and Installers
Home Appliance Repairers
Industrial and Refractory Machinery Mechanics
Maintenance and Repair Workers, General
Maintenance Workers, Machinery
Millwrights
Electrical Power-Line Installers and Repairers
Telecommunications Line Installers and Repairers
Precision Instrument and Equipment Repairers
Coin, Vending, and Amusement Machine Servicers and Repairers
Commercial Divers
Locksmiths and Safe Repairers
Manufactured Building and Mobile Home Installers
Riggers
Signal and Track Switch Repairers
Helpers – Installation, Maintenance, and Repair Workers
Other Installation, Maintenance, and Repair Workers

12 Construction Trades and Extraction Workers

First-Line Supervisor/Managers of Construction Trades and Extraction Workers

Boilermakers
Brickmasons, Blockmasons, and Stonemasons
Carpenters
Carpet, Floor, and Tile Installers and Finishers
Cement Masons, Concrete Finishers, and Terrazzo Workers
Construction Laborers
Paving, Surfacing, and Tamping Equipment Operators
Pile-Driver Operators
Operating Engineers and Other Construction Equipment Operators
Drywall Installers, Ceiling Tile Installers, and Tapers
Electricians
Glaziers
Insulation Workers
Painters, Construction and Maintenance
Paperhangers
Pipelayers, Plumbers, Pipefitters, and Steamfitters
Plasterers and Stucco Masons
Reinforcing Iron and Rebar Workers
Roofers
Sheet Metal Workers
Structural Iron and Steel Workers
Helpers, Construction Trades
Construction and Building Inspectors
Elevator Installers and Repairers
Fence Erectors
Hazardous Materials Removal Workers
Highway Maintenance Workers
Rail-Track Laying and Maintenance Equipment Operators
Septic Tank Servicers and Sewer Pipe Cleaners
Miscellaneous Constructions and Related Workers
Derrick, Rotary Drill, and Service Unit Operators, Oil, Gas, and Mining
Earth Drillers, Except Oil and Gas
Explosives Workers, Ordnance Handling Experts, and Blasters
Mining Machine Operators
Roof Bolters, Mining
Roustabouts, Oil and Gas
Helpers – Extraction Workers
Other Extraction Workers

13 Prod/Machinery/Setters/Operators/Tenders

First-Line Supervisors/Managers of Production and Operating Workers
Aircraft Structure, Surfaces, Rigging, and Systems Assemblers
Electrical, Electronics, and Electromechanical Assemblers
Engine and Other Machine Assemblers
Structural Metal Fabricators and Fitters
Miscellaneous Assemblers and Fabricators

Bakers
Butchers and Other Meat, Poultry, and Fish Processing Workers
Food and Tobacco Roasting, Baking, and Drying Machine Operators and Tenders
Food Batchmakers
Food Cooking Machine Operators and Tenders

Computer Control Programmers and Operators

2003

**Census Occupation category
Code**

Extruding and Drawing Machine Setters,
Operators, and Tenders, Metal and Plastic
Forging Machine Setters, Operators, and Tenders,
Metal and Plastic
Rolling Machine Setters, Operators, and Tenders,
Metal and Plastic
Cutting, Punching, and Press Machine Setters,
Operators, and Tenders, Metal and
Drilling and Boring Machine Tool Setters,
Operators, and Tenders, Metal and Plastic
Grinding, Lapping, Polishing, and Buffing Machine
Tool Setters, Operators, and Tenders, Metal and
Plastic
Lathe and Turning Machine Tool Setters,
Operators and Tenders, Metal and Plastic
Milling and Planing Machine Setters, Operators,
and Tenders, Metal and Plastic
Machinists
Metal Furnace and Kiln Operators and Tenders
Model Makers and Patternmakers, Metal and
Plastic
Molders and Molding Machine Setters, Operators,
and Tenders, Metal and Plastic
Multiple Machine Tool Setters, Operators, and
Tenders, Metal and Plastic
Tool and Die Makers
Welding, Soldering, and Brazing Workers
Heat Treating Equipment Setters, Operators, and
Tenders, Metal and Plastic
Lay-Out Workers, Metal and Plastic
Plating and Coating Machine Setters, Operators,
and Tenders, Metal and Plastic
Tool Grinders, Filers, and Sharpeners
Metalworkers and Plastic Workers, All Other
Bookbinders and Bindery Workers
Job Printers
Prepress Technicians and Workers
Printing Machine Operators
Laundry and Dry-Cleaning Workers
Pressers, Textile, Garment, and Related Materials
Sewing Machine Operator
Shoe and Leather Workers and Repairers
Shoe Machine Operators and Tenders
Tailors, Dressmakers, and Sewers
Textile Bleaching and Dyeing Machine Operators
and Tenders
Textile Cutting Machine Setters, Operators, and
Tenders
Textile Knitting and Weaving Machine Setters,
Operators, and Tenders
Textile Winding, Twisting, and Drawing Out
Machine Setters, Operators, and Tenders
Extruding and Forming Machine Setters,
Operators, and Tenders, Synthetic and Glass
Fibers
Fabric and Apparel Patternmakers
Upholsters
Textile, Apparel, and Furnishings Workers, All
Other
Cabinetmakers and Bench Carpenters
Furniture Finishers
Model Makers and Patternmakers, Wood
Sawing Machine Setters, Operators, and Tenders,
Wood
Woodworking Machine Setters, Operators, and
Tenders, Except Sawing
Woodworkers, All Other

Power Plant Operators
Stationary Engineers and Boiler Operators
Water and Liquid Waste Treatment Plant and
System Operators
Miscellaneous Plant and System
Chemical Processing Machine Setters, Operators,
and Tenders
Crushing, Grinding, Polishing, Mixing, and
Blending Workers
Cutting Workers
Extruding, Forming, Pressing, and Compacting
Machine Setters, Operators, and Tenders
Furnace, Kiln, Oven, Drier, and Kettle Operators
and Tenders
Inspectors, Testers, Sorters, Samplers, and
Weighers
Jewelers and Precious Stone and Metal Workers
Medical, Dental, and Ophthalmic Laboratory
Technicians
Packaging and Filling Machine Operators and
Tenders
Painting Workers
Photographic Process Workers and Processing
Machine Operators
Semiconductor Processors
Cementing and Gluing Machine Operators and
Tenders
Cleaning, Washing, and Metal Pickling Equipment
Operators and Tenders
Cooling and Freezing Equipment Operators and
Tenders
Etchers and Engravers
Molders, Shapers, and Casters, Except Metal and
Plastic
Paper Goods Machine Setters, Operators, and
Tenders
Tire Builders
Helpers – Production Workers
Production Workers, All Other

14 Transportation and Material Moving Workers

Supervisors, Transportation and Material Moving
Workers
Aircraft Pilots and Flight Engineers
Air Traffic Controllers and Airfield Operations
Specialists
Ambulance Drivers and Attendants, Except
Emergency Medical Technicians
Bus Drivers
Driver/Sales Workers and Truck Drivers
Taxi Drivers and Chauffeurs
Motor Vehicle Operators, All Other
Locomotive Engineers and Operators
Railroad Brake, Signal, and Switch Operators
Railroad Conductors and Yardmasters
Subway, Streetcar, and Other Rail Transportation
Workers
Sailors and Marine Oilers
Ship and Boat Captains and Operators
Ship Engineers
Bridge and Lock Tenders
Parking Lot Attendants
Service Station Attendants
Transportation Inspectors
Other Transportation Workers
Conveyor Operators and Tenders
Crane and Tower Operators

2003

Census Occupation category
Code

Dredge, Excavating, and Loading Machine
Operators
Hoist and Winch Operators
Industrial Truck and Tractor Operators
Cleaners of Vehicles and Equipment
Laborers and Freight, Stock, and Material Movers,
Hand
Machine Feeders and Offbearers
Packers and Packagers, Hand
Pumping Station Operators
Refuse and Recyclable Material Collectors
Shuttle Car Operators
Tank Car, Truck, and Ship Loaders
Material Moving Workers, All Other

APPENDIX H

Industry Classification System for Recodes

2003 Census Code	Industry category
1	Agriculture, Forestry, Fishing and Hunting
	Crop production
	Animal production
	Forestry except Logging
	Logging
	Fishing, hunting, and trapping
	Support activities for agriculture and forestry
2	Mining
	Oil and gas extraction
	Coal mining
	Metal ore mining
	Nonmetallic mineral mining and quarrying
	Not specified type of mining
	Support activities for mining
3	Construction
	Constructions (Includes the cleaning of buildings and dwellings is incidental during construction and immediately after construction)
4	Manufacturing, Nondurable Goods
	Food Manufacturing
	Animal food, grain and oilseed milling
	Sugar and confectionery products
	Fruit and vegetable preserving and specialty foods
	Dairy products
	Animal slaughtering and processing
	Retail bakeries
	Bakeries, except retail
	Seafood and other miscellaneous food
	Not specified food industries
	Beverage and Tobacco Product Manufacturing
	Beverage
	Tobacco
	Textile Mills and Textile Product Mills
	Fiber, yarn, and thread mills
	Fabric mills, except knitting
	Textile and fabric finishing and coating mills
	Carpets and rugs
	Textile product mills except carpets and rugs
	Apparel Manufacturing
	Knitting mills
	Cut and sew apparel
	Apparel accessories and other apparel
	Leather and Allied Product Manufacturing
	Footwear
	Leather tanning and products, except footwear
	Paper Manufacturing
	Pulp, paper, and paperboard mills
	Paperboard containers and boxes
	Miscellaneous paper and pulp products
	Printing and Related Support Activities
	Printing and related support activities
	Petroleum and Coal Products Manufacturing
	Petroleum refining
	Miscellaneous petroleum and coal products
	Chemical Manufacturing
	Resin, synthetic rubber and fibers, and filaments
	Agricultural chemicals
	Pharmaceuticals and medicines
	Paint, coating, and adhesives
	Soap, cleaning compound, and cosmetics
	Industrial and miscellaneous chemicals
	Plastics and Rubber Product Manufacturing

2003 Census Code	Industry category
	Plastics products
	Tires
	Rubber products, except tires
5	Manufacturing, Durable Goods
	Nonmetallic Mineral Product Manufacturing
	Pottery, ceramics, and related products
	Structural clay products
	Glass and glass products
	Cement, concrete, lime, and gypsum products
	Miscellaneous nonmetallic mineral products
	Metal Industries
	Iron and steel mills and steel products
	Aluminum production and processing
	Nonferrous metal, except aluminum, production and processing
	Foundries
	Metal forgings and stampings
	Cutlery and hand tools
	Structural metals, and tank and shipping containers
	Machine shops; turned products; screws, nuts and bolts
	Coating, engraving, heat treating and allied activities
	Ordnance
	Miscellaneous fabricated metal products
	Not specified metal industries
	Machinery Manufacturing
	Agricultural implements
	Construction mining and oil field machinery
	Commercial and service industry machinery
	Metalworking machinery
	Engines, turbines, and power transmission equipment
	Machinery
	Not specified machinery
	Computer and Electronic Product Manufacturing
	Computer and peripheral equipment
	Communications, audio, and video equipment
	Navigational, measuring, electrometrical, and control instruments
	Electronic components and products
	Electrical Equipment, Appliances, and Component Manufacturing
	Household appliances
	Electrical machinery, equipment, and supplies
	Transportation Equipment Manufacturing
	Motor vehicles and motor vehicle equipment
	Aircraft and parts
	Aerospace products and parts
	Railroad rolling stock
	Ship and boat building
	Other transportation equipment
	Wood Products, including Furniture, Manufacturing
	Sawmills and wood preservation
	Veneer, plywood, and engineered wood products
	Prefabricated wood buildings and mobile homes
	Miscellaneous wood products
	Furniture and fixtures
	Miscellaneous Manufacturing
	Medical equipment and supplies
	Toys, amusement, and sporting goods
	Miscellaneous manufacturing
	Not specified industries

2003 Census Code	Industry category
6	Transportation and Utilities
	Electric power generation, transmission and distribution
	Natural gas distribution
	Electric and gas, and other combinations
	Water, steam, air conditioning, and irrigation systems
	Sewage treatment facilities
	Not specified utilities
	Air transportation
	Rail transportation
	Water transportation
	Truck transportation
	Bus service and urban transit
	Taxi and limousine service
	Pipeline transportation
	Scenic and sightseeing transportation
	Services incidental to transportation
	Postal Service
	Couriers and messengers
	Warehousing and storage
7	Information And Communication
	Publishing Industries
	Newspaper publishers
	Publishing, except newspapers and software
	Software publishing
	Motion pictures and video industries
	Sound recording industries
	Broadcasting and Telecommunications
	Radio and television broadcasting and cable
	Internet and publishing and broadcasting
	Wired telecommunications carriers
	Other telecommunication services
	Internet service providers
	Data processing, hosting, and related services
	Information Services and Data Processing Services
	Libraries and archives
	Other information services
8	Wholesale Trade, Durable Goods
	Motor vehicles, parts and supplies
	Furniture and home furnishing
	Lumber and other construction materials
	Professional and commercial equipment and supplies
	Metals and minerals, except petroleum
	Electrical goods
	Hardware, plumbing and heating equipment, and supplies
	Machinery, equipment, and supplies
	Recyclable materials
	Miscellaneous durable goods
9	Wholesale Trade, Nondurable Goods
	Paper and paper products
	Drugs, sundries, and chemical and allied products
	Apparel, fabrics, and notions
	Groceries and related products
	Farm product raw materials
	Petroleum and petroleum products
	Alcoholic beverages

2003 Census Code	Industry category
	Farm supplies
	Miscellaneous nondurable goods
	Wholesale electronic markets, agents, and brokers
	Not specified trade
10	Retail Trade
	Automobile dealers
	Other motor vehicle dealers
	Auto parts, accessories, and tire stores
	Furniture and home furnishings stores
	Household appliance stores
	Radio, TV, and computer stores
	Building material and supplies dealers
	Hardware stores
	Lawn and garden equipment and supplies stores
	Grocery stores
	Specialty food stores
	Beer, wine, and liquor stores
	Pharmacies and drug stores
	Health and personal care, except drug
	Gasoline stations
	Clothing and accessories, except shoe
	Shoe stores
	Jewelry, luggage, and leather goods stores
	Sporting goods, camera, and hobby and toy stores
	Sewing, needlework and piece goods stores
	Music stores
	Book stores and news dealers
	Department stores and Discount stores
	Miscellaneous general merchandise stores
	Retail florists
	Office supplies and stationary stores
	Used merchandise stores
	Gift, novelty, and souvenir shops
	Miscellaneous stores
	Electronic shopping
	Electronic auctions
	Mail order houses
	Vending machine operators
	Fuel dealers
	Other direct selling establishments
	Not specified trade
11	Finance, Insurance, Real Estate, And Rental And Leasing
	Finance and Insurance
	Banking and related activities
	Savings institutions, including credit unions
	Non-depository credit and related activities
	Securities, commodities, funds, trusts, and other financial investments
	Insurance carriers and related activities
	Real Estate and Rental and Leasing
	Real estate
	Automotive equipment rental and leasing
	Video tape and disk rental
	Other consumer goods rental
	Commercial, industrial, and other intangible assets rental and leasing
12	Professional, Scientific, Management, Administrative, And Waste Management Services
	Professional, Scientific, and Technical Services
	Legal services

2003 Census Code **Industry category**

Accounting, tax preparation, bookkeeping and payroll services
 Architectural, engineering, and related services
 Specialized design services
 Computer systems design and related services
 Management, scientific and technical consulting services
 Scientific research and development services
 Advertising and related services
 Veterinary services
 Other professional, scientific and technical services
 Management, Administrative and Support, and Waste Management Services
 Management of companies and enterprises
 Employment services
 Business support services
 Travel arrangements and reservation services
 Investigation and security services
 Services to buildings and dwellings (except cleaning during construction and immediately after construction)
 Landscaping services
 Other administrative, and other support services
 Waste management and remediation services

13 Educational, Health And Social Services

Educational Services
 Elementary and secondary school
 Colleges, including junior colleges, and universities
 Business, technical, and trade schools and training
 other schools, instruction and educational services
 Health Care
 Offices of physicians
 Offices of dentists
 Office of chiropractors
 Offices of optometrists
 Offices of other health practitioners
 Outpatient care centers
 Home health care services
 Other health care services
 Hospitals
 Nursing care facilities
 Residential care facilities, without nursing
 Social Assistance
 Individual and family services
 Community food and housing, and emergency services
 Vocational rehabilitation services
 Child day care services

14 Arts, Entertainment, Recreation, Accommodations, and Food Services

Arts, Entertainment, and Recreation
 Independent artists, performing arts, spectator sports and related industries
 Museums, art galleries, historical sites, and similar institutions
 Bowling centers
 Other amusement, gambling, and recreation industries
 Accommodations and Food Services
 Traveler accommodation

2003 Census Code **Industry category**

Recreational vehicle parks and camps, and rooming and boarding houses
 Restaurants and other food services
 Drinking places, alcohol beverages

15 Public Administration

Executive offices and legislative bodies
 Public finance activities
 Other general government and support
 Justice, public order, and safety activities
 Administration of human resource programs
 Administration of environmental quality and housing programs
 Administration of economic programs and space research
 National security and international affairs
 Armed Forces
 CPS Special Codes
 Problem Referral
 Uncodable (includes Refused, Retired, reported Classified, or Not in Labor Force)
 Active Duty Military (for Census and ACS)
 U.S. Army
 U.S. Air Force
 U.S. Navy
 U.S. Marines
 U.S. Coast Guard
 U.S. Armed Forces, Branch Not Specified
 Military Reserves or National Guard

16 Other Services (Except Public Administration)

Repair and Maintenance
 Automotive repair and maintenance
 Car washes
 Electronic and precision equipment repair and maintenance
 Commercial and industrial machinery and equipment repair and maintenance
 Personal and household goods repair and maintenance
 Footwear and leather goods repair
 Personal and Laundry Services
 Barber shops
 Beauty salons
 Nail salons and other personal care services
 Dry cleaning and laundry services
 Funeral homes, cemeteries and crematories
 Other personal services
 Religious, Grantmaking, Civic, Business, and Similar Organizations
 Religious organizations
 Civic, social, advocacy organizations and grantmaking and giving services
 Labor unions
 Business, professional, political and similar organizations
 Private Households

APPENDIX I

Key Mental Health Variables

This Key Mental Health Variables appendix provides several tables that list a set of the most commonly used mental health measures, their associated variable names, and their availability from 2002 to 2016 for the National Survey on Drug Use and Health (NSDUH). These tables also show whether there are comparable or adjusted measures available for the years indicated. Table 1 lists key mental health measures for youths aged 12 to 17, Table 2 lists key mental health measures for adults aged 18 or older, and Table 3 lists the mental health measures that have adjusted versions that allow for the comparisons of estimates across the years where changes were made. Because of such changes, this appendix is being provided as a guide in helping users with these commonly used mental health variables.

As noted above, this appendix only contains a subset of the mental health variables available. Groups of variables that are defined similarly may not all be included in the tables below. Examples of these groups are the variables for location of outpatient mental health treatment and the reason for not receiving mental health treatment, which are listed in Table 2. The variables for location where outpatient mental health treatment was received such as at a day hospital or treatment program (MHLDTMT3), at a school setting (MHLSCHL3), and other locations (MHLOTH3) are not specifically listed in Table 2 but are defined similarly to the variable for received outpatient mental health treatment from private therapist (MHLTHER3) and follow the same pattern of comparability. The variables for reasons for not receiving mental health treatment including fear of negative affect on job (MHRJOBS2), insurance does not cover treatment at all (MHRNCOV2), have no transportation to treatment or inconvenient (MHRTRAN2), and did not want others to find out (MHRFOUT2) are also not listed in Table 2 but follow the same comparability pattern as the variable for reason for not receiving mental health treatment because could not afford cost (MHRCOST2). This appendix is intended to be a guide to assist analysts in their use of mental health measures and does not include a full list of all mental health measures that are available.

There have been several mental health-related questionnaire and estimation changes that impact the comparability of mental health data over time. One such change made to the 2004 and 2008 questionnaires affected the mental health measures of serious psychological distress (SPD) and lifetime and past year major depressive episode (MDE). These changes resulted in noncomparable measures that caused breaks in the trends. Adjusted measures were created that allowed comparisons of estimates across the years where the changes were made. Refer to Aldworth, Kott, Yu, Mosquin, and Barnett-Walker (2012) for details on the adjusted measures, Appendix F, Recoded Depression Variable Documentation, for MDE details, and Appendix E, Recoded Mental Health, for SPD details.

The NSDUH operational definition of serious mental illness (SMI) has also undergone some changes. In previously published 2002-2003 NSDUH reports, the K6 scale used for determining psychological distress was used to produce estimates that were termed "SMI," but in 2004, the estimate produced using the K6 was renamed "SPD." Starting in 2008, a new measure of SMI was produced that used a statistical model to predict mental illness based on a respondent's answers to the NSDUH K6 and World Health Organization Disability Assessment Schedule (WHODAS) questions. For more details on this new SMI measure, see Appendix B, Section B.4.3, in the 2009 mental health findings report (Center for Behavioral Health Statistics and Quality, 2010). This model was revised to produce improved mental illness estimates

starting with the 2012 NSDUH. This updated 2012 model was then used to create revised comparable mental illness estimates for 2008 through 2011. For details on these mental illness revisions, see Appendix B, Section B.4.3, in the 2012 mental health findings report (Center for Behavioral Health Statistics and Quality, 2013). Because of this change, mental illness variables based on the 2012 model have been created from 2008 and later years. A measure of SMI was created for the 2005-2007 NSDUHs based on an alternative predictive model for a methodological report (Center for Behavioral Health Statistics and Quality, 2017). This exploratory SMI measure was developed in an attempt to be comparable with SMI variables for 2008 and later NSDUHs; however, it is based on a different set of predictors. Users should consider the differences in methodology prior to making decisions on whether and how to use the SMI measure. For more information on how mental illness variables were created and how to use these variables, see Appendix E, Recoded Mental Health.

1-3

[illegible]

I-4

[illegible]

Table 1. Key Mental Health Measures for People Aged 12 to 17: 2002-2016 (continued)

[illegible]

Table 1. Key Mental Health Measures for People Aged 12 to 17: 2002-2016 (continued)

Mental Health Measure (Variable Name)	Years Available														
	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Received Substance Use Treatment at a Specialty Facility but No MH Service (YSPTXNMH) ⁶														X	X
Received MH Services and Substance Use Treatment at a Specialty Facility (YMHASPTX) ⁶														X	X

MD = medical doctor, MDE = major depressive episode, MH = mental health.

NOTE: The letter X indicates that the measure is available for the year(s) shown. For measures with two variable names listed, the first name corresponds with either the asterisk (*) or the en dash (–) and the second name corresponds to the letter X in the years available columns. An asterisk (*) indicates that a comparable measure with 2008 and later years is available for the year(s) shown; thus, variables corresponding to those measures in the indicated years can be renamed to conduct analyses with the 2008 and later year variables. An en dash (–) indicates that a comparable measure with later years is **not** available; thus, variables corresponding to those measures should not be compared across breaks in comparability (i.e., do not compare those measures with an en dash (–) with those measures with the letter X). An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years.

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on June 19, 2017.

¹ These variables were created for years prior to 2010 during the 2014 NSDUH and are comparable with 2010 and later variables.

² Revised mental health service variables were developed starting in 2013 because of the change in how the child welfare setting was defined. Prior to 2013, child welfare was defined in the specialty services category as an inpatient service. Child welfare is now defined as a nonspecialty service.

³ A similarly named measure (without the “2”) exist for years 2002 through 2013 but are no longer being created starting with the 2014 NSDUH.

⁴ For measures with two variable names listed, the second-named variables include this change. The original measures (first-named variables) are no longer being created starting with the 2013 NSDUH but are instead replaced with the revised variables.

⁵ Both versions of these mental health service variables exist for the 2012 NSDUH because 2012 and 2013 estimates are presented in the 2013 mental health detailed tables (Center for Behavioral Health Statistics and Quality, 2014). The first- and second-named variables are **not** comparable for 2012.

⁶ These variables were created during the 2015 NSDUH. Note that these were not included in data files for years prior to 2015 due to substance treatment at a specialty facility not being comparable as a result of the 2015 questionnaire changes.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2016.

Table 2. Key Mental Health Measures for People Aged 18 or Older: 2002-2016 (continued)

[illegible]

Table 2. Key Mental Health Measures for People Aged 18 or Older: 2002-2016 (continued)

[illegible]

Table 2. Key Mental Health Measures for People Aged 18 or Older: 2002-2016 (continued)

[illegible]

Table 2. Key Mental Health Measures for People Aged 18 or Older: 2002-2016 (continued)

Mental Health Measure (Variable Name)	Years Available														
	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Serious or Moderate Mental Illness Based on Revised Predicted SMI Probability(SMMIYR_U) ^{6,7,8}							X	X	X	X	X	X	X	X	X
Categorical Mental Illness Indicator Revised (MI_CAT_U) ^{7,8}							X	X	X	X	X	X	X	X	X

K6 = six-item nonspecific psychological distress scale, MD = medical doctor, MDE = major depressive episode, MH = mental health, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

NOTE: The letter X indicates that the measure is available for the year(s) shown. For measures with two variable names listed, the first name corresponds with either the asterisk (*) or the en dash (–) and the second name corresponds to the letter X in the years available columns. An asterisk (*) indicates that a comparable measure with later years is available for the year(s) shown; thus, variables corresponding to those measures in the indicated years can be renamed to conduct analyses with the later year variables. An en dash (–) indicates that a comparable measure with later years is **not** available; thus, variables corresponding to those measures should not be compared across breaks in comparability (i.e., do not compare those measures with an en dash (–) with those measures with the letter X). An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years, except those noted in footnote 1.

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on October 23, 2017.

¹ To compare the 2008 data with the 2009 or subsequent years, the 2008 mental health half-sample analysis weight, MHSAWT_C, should be used in conjunction with the sample indicator (MHSAMP08=1) to subset to the 2008 WHODAS half-sample data.

² Two versions of these variables exist for years 2002 through 2008. The original variables that end with a "2" have respondents who reported receiving no outpatient mental health coded as a SAS missing. The revised variables that end with a "3" have respondents who reported receiving no outpatient mental health coded as a "No" response. The two versions are not comparable.

³ These variables were created during the 2015 NSDUH. Note that these are not comparable for years prior to 2015 due to substance treatment at a specialty facility not being comparable as a result of the 2015 questionnaire changes.

⁴ Italicized MH measures indicate variables that were excluded from the Public Use File (PUF).

⁵ The variables SMIPP_A and SMIYR_A were created for the 2005-2007 NSDUHs based on an alternative predictive model for a methodological report (Center for Behavioral Health Statistics and Quality, 2017). These exploratory variables were developed in an attempt to be comparable with SMI variables for 2008 and later NSDUHs; however, they are based on a different set of predictors. Users should consider the differences in methodology prior to making decisions on whether and how to use the SMI measure. For information on the creation of the mental illness variables, see Appendix E, Recoded Mental Health.

⁶ SMIPP (a variable included in previous versions of the 2008-2011 data files) is based on the 2008 prediction model and SMIPP_U is based on the 2012 prediction model. Mental illness variables originally created from SMIPP have been replaced with similarly named variables based on SMIPP_U. For information on the creation of the mental illness variables, see Appendix E, Recoded Mental Health.

⁷ Mental illness variables based on the 2012 prediction model have been created from 2008 and later years. For years 2008-2011, these revised variables have replaced the previously available mental illness variables. See Appendix E, Recoded Mental Health, for further details about these revised mental illness variables.

⁸ The 2008 and later years mental illness variables based on the 2012 prediction model and the 2005-2007 SMI variables based on an alternative model should not be used when analyzing variables for past year suicidal thoughts, past year MDE, the K6, or the WHODAS, nor should they be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, serious psychological distress [SPD], or components used in the K6 or WHODAS scales). For more details, see Appendix E, Recoded Mental Health.

⁹ Mild or Moderate Mental Illness is referred to as "AMI excluding SMI" in the detailed tables.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2016.

Table 3. Comparable Versions of Key Mental Health Measures for People Aged 18 or Older: 2002-2016

Mental Health Measure	Years Available				
	2002-2003	2004	2005-2007	2008	2009-2016
Lifetime Major Depressive Episode			AJAMDELT	AJAMDELT	AMDELT
Past Year Major Depressive Episode			AJAMDEYR	AJAMDEYR	AMDEYR
K6 Total Score in Worst Month of Past Year Based on Long Form Module	SMI_SUM	SPD_ASCR			
K6 Total Score in Worst Month of Past Year Based on Short Form Module		SPD_RSCR	SPD_USCR		
Worst K6 Total Score in Past Year ¹			K6SMXADJ	K6SCMAX	K6SCMAX
Past Year Serious Psychological Distress Indicator Based on Long Form Module	SMI	SPD_ADJ, SPD_UADJ ²			
Past Year Serious Psychological Distress Indicator Based on Short Form Module		SPD_RADJ	SPD_UADJ		
Past Year Serious Psychological Distress Indicator Based on Worst K6 Total Score			SPDYRADJ	SPDYR	SPDYR

K6 = six-item nonspecific psychological distress scale.

NOTE: All variables within a row are comparable across the years indicated, even if they have different names.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years, except as indicated in footnote 2 below.

NOTE: This table lists only the mental health measures with adjusted versions for comparability across years.

NOTE: In the 2002 and 2003 NSDUHs, serious psychological distress was referred to as serious mental illness.

NOTE: This table was finalized on June 19, 2017.

¹ Worst K6 Total Score in Past Year is the maximum of K6 Total Score in Past Month (K6SCMON) and K6 Total Score in Worst Month of Past Year (K6SCYR).

² SPD_UADJ, restricted to the 2004 Sample A (Long Form), was used in the 2004 NSDUH detailed tables (Office of Applied Studies, 2005). SPD_ADJ was created so that comparisons of serious psychological distress based on the long form can be made between 2002, 2003, and the full 2004 sample. The standard analysis weight, ANALWT_C, should be used for SPD_ADJ, but for SPD_UADJ in 2004, the Sample A analysis weight, SPDWT_C, should be used in conjunction with the sample indicator that subsets to the 2004 Sample A data (ADLTSAMP=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2016.

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2012). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Contract No. HHSS283200800004C, RTI/0211838.108.006.024). Research Triangle Park, NC: RTI International. Retrieved from <https://www.samhsa.gov/data/>
- Center for Behavioral Health Statistics and Quality. (2010). *Results from the 2009 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 10-4609, NSDUH Series H-39). Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>
- Center for Behavioral Health Statistics and Quality. (2013). *Results from the 2012 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 13-4085, NSDUH Series H-47). Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>
- Center for Behavioral Health Statistics and Quality. (2014). *Results from the 2013 National Survey on Drug Use and Health: Mental health detailed tables*. Retrieved from <https://www.samhsa.gov/data/>
- Center for Behavioral Health Statistics and Quality. (2017). *National Survey on Drug Use and Health: Statistical Models to Predict Mental Illness from 2005 to 2007*. Retrieved from <https://www.samhsa.gov/data/>
- Office of Applied Studies. (2005). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Retrieved from <https://www.samhsa.gov/data/>