

**National Treatment Improvement  
Evaluation Study (NTIES),  
1992-1997**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Center for Substance Abuse Treatment*

NTIES Research Intake Questionnaire (NRIQ)  
Codebook



## **Terms of Use**

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>



# NEDS

NATIONAL EVALUATION DATA SERVICES

## NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY:

DOCUMENTATION AND CODEBOOK FOR  
PUBLIC USE DATA FILE 1

CLIENT-LEVEL DATA:  
NTIES RESEARCH INTAKE QUESTIONNAIRE

APRIL 2000

**CSAT**  
Center for Substance  
Abuse Treatment  
SAMHSA

**CALIBER**  
ASSOCIATES

**NORC**  
at the  
UNIVERSITY OF CHICAGO



# NEDS

NATIONAL EVALUATION DATA SERVICES

## **NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY:**

### **Documentation and Codebook for Public Use Data File 1**

### **Client-Level Data: NTIES Research Intake Questionnaire**

**Prepared by**

**Ann Ragin, Ph.D.  
Hee-Choon Shin, Ph.D.  
Marianna Toce  
Dean R. Gerstein, Ph.D.**

**National Opinion Research Center  
1155 East 60th Street, Chicago, Illinois 60637  
1350 Connecticut Avenue, NW, Suite 500  
Washington, DC 20036**

**April 2000**

This document was supported by the Center for Substance Abuse Treatment, Department of Health and Human Services, Caliber/NEDS Contract No. 270-97-7016.



# TABLE OF CONTENTS

	<u>Page</u>
FOREWORD .....	i
ACKNOWLEDGMENTS .....	iii
OVERVIEW OF THE NTIES PUBLIC USE DATA FILES .....	iv
ABSTRACT .....	vi
DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS (1990-1992).....	1
TREATMENT DEMONSTRATION PROGRAMS .....	1
Target Cities.....	1
Critical Populations.....	2
Incarcerated and Non-Incarcerated Criminal Justice Populations .....	2
DESCRIPTION OF THE NTIES DESIGN .....	2
The Administrative/Services Component.....	2
Clinical Treatment Outcomes Component.....	3
DESCRIPTION OF SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE .....	4
PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES .....	8
USER RESPONSIBILITY.....	9
NTIES RESEARCH INTAKE QUESTIONNAIRE CODEBOOK .....	11



## **FOREWORD**

The Center for Substance Abuse Treatment (CSAT) works to improve the lives of those affected by alcohol and other substance abuse, and, through treatment, to reduce the ill effects of substance abuse on individuals, families, communities, and society at large. Thus, one important mission of CSAT is to expand the availability of effective substance abuse treatment and recovery services. To aid in accomplishing that mission, CSAT has invested and continues to invest significant resources in the development and acquisition of high quality data about substance abuse treatment services, clients, and outcomes. Sound scientific analysis of this data provides evidence upon which to base answers to questions about what kinds of treatment work best for what groups of clients, and about which treatment approaches are cost-effective methods for curbing addiction and addiction-related behaviors.

In support of these efforts, the Program Evaluation Branch of CSAT established the National Evaluation Data Services (NEDS) contract to provide a wide array of data management and scientific support services across various programmatic and evaluation activities. NEDS is a pioneering effort for CSAT in that the Center previously had no mechanisms established to pull together databases for broad analytic purposes or to house databases produced under an array of activities. One of the specific objectives of NEDS is to provide CSAT with flexible analytic capability to address policy-relevant questions about substance abuse treatment. This codebook and the cognate public use files have been produced in pursuit of this objective.

This documentation and data file codebook covers client-level information collected by the National Treatment Improvement Evaluation Study (NTIES), a major CSAT evaluation project conducted by the National Opinion Research Center with assistance from Research Triangle Institute. NTIES analyzed data from approximately 70 service delivery units (SDUs) funded by CSAT demonstration grants. The data reflects client treatment experiences from 1993 through 1994.

General questions regarding the proper uses and limitations of these public use data files should be directed to the Substance Abuse and Mental Health Data Archive (SAMHDA) Helpline at 1-888-741-7242. Readers who are interested in more detailed information about the NTIES project are invited to visit the NEDS website at: <http://neds.calib.com>. The NEDS website provides the NTIES Final Report (1997), additional NTIES reports and Fact Sheets, and copies of all data collection instruments employed in NTIES.

Sharon Bishop, Project Director  
National Evaluation Data Services

## ACKNOWLEDGMENTS

This codebook was prepared by Ann Ragin, Ph.D., Hee-Choon Shin, Ph.D., Marianna Toce, and Dean R. Gerstein, Ph.D. In addition, the following individuals at NORC (except as noted) made significant contributions: A. Rupa Datta, Gayle Hutchinson, Tim Smith, and Kathleen Jordan, Ph.D. (the last two from Research Triangle Institute), who co-authored the patient questionnaires with Dean Gerstein; Joseph Taylor and Lee Lefes, who developed the original NTIES electronic codebook; Julia S. Ingels, the NTIES project director; and Alma Kuby, who assisted in managing the codebook production task.

We wish to thank the Center for Substance Abuse Treatment staff who provided overall guidance and direction to the NTIES project and its follow-through in NEDS, with particular thanks to Ron Smith, Ph.D., Program Evaluation Branch, CSAT.

Caliber Associates is the prime contractor for NEDS in partnership with Battelle Centers for Public Health Research and Evaluation (CPHRE); the Lewin Group; and the National Opinion Research Center (NORC). The NTIES Public Use Data Files were produced by NORC under the NEDS contract.

The Substance Abuse and Mental Health Services Administration (SAMHSA), Office of Applied Studies (OAS) has provided data archiving through the Substance Abuse and Mental Health Data Archive (SAMHDA) contract. The Inter-university Consortium for Political and Social Research (ICPSR) at the University of Michigan, in its role as the SAMHDA contractor, provides ready access to substance abuse and mental health research data and promotes the sharing of these data among researchers, academics, policymakers, service providers, and others. We wish to thank Charlene S. Lewis, Ph.D., Office of Applied Studies, SAMHSA, for her assistance in this cooperative effort between NEDS and SAMHDA.

## OVERVIEW OF THE NTIES PUBLIC USE DATA FILES

Three levels of the NTIES data have been released to the public through the Substance Abuse and Mental Health Data Archive (SAMHDA): Service Delivery Unit (SDU) level data (e.g., treatment program revenues and costs, services provided, treatment orientations and practices), clinician-level data (e.g., clinician background, training, demographics, etc), and client-level data (e.g., client background, pre- and post-treatment drug use, employment, criminal behaviors, etc).

In addition to the Clinical Unit Public Use Data File (PUDF: File 5) which contains data from the first two levels, namely SDU- and clinician-level, interested users can also access four NTIES client-level PUDFs. Each of the 6,593 records in the Clinical Unit file contains data from the clinical unit in which a specific NTIES client was admitted to treatment, and each includes a unique client identifier number that can be matched to one or all of the four companion client-level PUDFs. A thorough disclosure analysis was performed on all three levels of data to safeguard against the possible identification of individual clients, clinicians, or SDUs.

The material in this document provides a description of the NTIES study design, data collection procedures, and content for the NTIES Research Intake Questionnaire (File 1). Limitations of the public use data and user responsibilities are also described. To summarize, the contents of the five NTIES PUDFs are:

**File 1:** Client-level data: NTIES Research Intake Questionnaire (NRIQ). Administered during the client's first 3 weeks of treatment, the NRIQ file contains data for 6,593 persons admitted to substance abuse treatment in 1993-1994 in 71 SDUs.

**File 2:** Client-level data: NTIES Treatment Experience Questionnaire (NTEQ). Contains data for 5,294 clients collected at the time of discharge from treatment.

**File 3:** Client-level data: NTIES Post-discharge Assessment Questionnaire (NPAQ). Contains data for 5,388 clients collected approximately one year after discharge.

**File 4:** Client-level data: NTIES Patient Record Abstraction Form (NPRAF). Contains data on 6,412 clients, compiled by NTIES research staff on the treatment records of those clients.

**File 5:** Clinical-unit data: NTIES Baseline Administrative Report (NBAR) and the NTIES Clinician Form (NCF). Contains information about the clinical units in which NTIES clients received treatment.

The Public Use Data Files have been made available in three different formats to maximize access to the data by end users: (1) as a compiled SPSS data file (file extension: \*.sav); as a SAS transport file (file extension: \*.tsp); and as an ASCII text file (file extension: \*.dat). Further assistance regarding archive data in general, the use of specific data formats, documentation, downloading, or website technical issues can be found on the SAMHDA website at <http://www.icpsr.umich.edu/SAMHDA/> or by calling the SAMHDA project Helpline at 1-800-741-7242.

**ABSTRACT**

This volume contains one of five codebooks for the National Treatment Improvement Evaluation Study (NTIES), 1992-1997. The NTIES data cover the characteristics and behavior of 6,593 persons admitted to substance abuse treatment in 1993-1994 in 78 of the clinical service delivery units receiving demonstration program funding from the Center for Substance Abuse Treatment. There are also data on characteristics of the clinical units that provided the treatment services. Data were collected in computer-assisted personal interviews with clients at admission to treatment, discharge from treatment, and approximately one year after discharge from treatment; from clinical records, program administrators, and clinicians; and from arrest reports and results of urine assays at the one-year follow-up. The data have been edited to assure the confidentiality of clients and facilitate analysis by evaluation researchers.

## **DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS**

The National Treatment Improvement Evaluation Study (NTIES) was a national evaluation of the effectiveness of substance abuse treatment services delivered in comprehensive treatment demonstration programs supported by the Center for Substance Abuse Treatment (CSAT). The NTIES project (1992-1997) was designed and performed for CSAT by the National Opinion Research Center at the University of Chicago with assistance from Research Triangle Institute. The NTIES project collected longitudinal data between 1992 and 1995 on a purposive sample of clients in treatment programs receiving demonstration grant funding from CSAT. Client-level data were obtained at treatment intake, at treatment exit, and one year after treatment exit. Service delivery unit data from the administrator and from individual clinicians were obtained at two time points one year apart. For a fuller description of the study, see the NTIES Final Report, prepared by Dean R. Gerstein and associates, available from the following web address: <http://neds.calib.com/products/abstract.cfm?ProductID=52>

### **TREATMENT DEMONSTRATION PROGRAMS**

CSAT initiated three major demonstration programs and made 157 multi-year treatment enhancement awards across 47 states and several territories during 1990 through 1992. One objective common to all demonstrations was CSAT's emphasis on the provision of "comprehensive treatment" services to targeted client populations. The recipients of these awards focused special attention on the substance abuse treatment service needs of minority and special populations located primarily within large metropolitan areas. The demonstration programs are briefly described below.

#### **Target Cities**

Under this demonstration, nine metropolitan areas were selected to receive awards, of which half were included in the NTIES purposive sample. The following treatment improvement activities were explicitly provided for in the awards:

- Establishment of a Central Intake Unit (CIU) with automated client tracking and referral systems in place
- Provision of comprehensive services, including vocational, educational, biological, psychological, informational, and lifestyle components
- Improved inter-agency coordination (e.g., mental health, criminal justice, and human service agencies)
- Services for special populations—adolescents, pregnant and postpartum women, racial and ethnic minorities, and public housing residents.

---

## **Critical Populations**

Under this demonstration program, awardees were required to implement “model enhancements” to existing treatment services for one or more of the following critical populations: racial and ethnic minorities, residents of public housing, and/or adolescents. Special emphasis was given to services provided to the homeless, the dually diagnosed, or persons living in rural areas. A total of 130 grants was awarded, covering services such as vocational support/counseling, housing assistance, integrated mental health and/or medical services, coordinated social services, culturally directed services, and others.

## **Incarcerated and Non-Incarcerated Criminal Justice Populations**

Under this demonstration program, funds were directed toward improving the standard of comprehensive treatment services for criminally involved clients in correctional and other settings. Some program emphasis was placed on ethnic and/or racial minorities. Nine Correctional Setting demonstrations were funded: five in prisons, three in local jails, and one across a network of juvenile detention facilities. All projects included a screening component to identify substance-abusing inmates, a variety of targeted treatment interventions (e.g., therapeutic communities, intensive day treatment programs), and a substantial aftercare component.

Ten non-incarcerated projects were funded. Five programs targeted interventions at clients in diversionary programs, three focused services on probationers or parolees, and two programs targeted both populations. Almost all of the funded demonstration projects included the following components:

- Basic eligibility determination, followed by systematic screening and assessment
- Referral to treatment
- Graduated sanctions and incentives while in treatment
- Intensive supervision in treatment
- Community-based aftercare with supervision and service coordination.

In total, 19 criminal justice projects were funded as part of the CSAT 1990-1992 demonstrations, and as indicated below, these projects were purposively over-sampled in order to obtain a more robust evaluation of this program.

## **THE NTIES DESIGN**

### **The Administrative/Services Component**

The NTIES study design had two levels—an administrative/services component and a clinical treatment outcomes component. The administrative component was designed to assess how CSAT demonstration funds were used, what improvements in services were implemented at the program level, and what kind and how many programs and clients were affected by the demonstration awards. Four data collection instruments were used to gather administrative data on treatment services: the NTIES Baseline Administration Report (NBAR), the NTIES Continuing Administrative Report (NCAR), the NTIES Exit Log, and the NTIES Clinician Form (NCF).

The unit of analysis for the administrative component, the service delivery unit (SDU), was defined by CSAT as a single site offering a single level of care. The classification of *level of care* is based on three parameters: (1) facility type (e.g., hospital, etc.); (2) intensity of care (e.g., 24-hour, etc.); and (3) type of service (e.g., outpatient, etc.). An SDU could be a standalone treatment provider or it could be one component of a multi-tiered treatment organization. For example, a large county mental health agency may be the *organization* within which the SDU is located. The organization may have multiple substance abuse treatment components, such as a county hospital and a county (ambulatory) mental health center. The county hospital may have multiple SDUs, such as an inpatient detoxification service, an outpatient counseling service, and a hospital satellite center providing transitional care. In summary, the SDU provided NTIES evaluators with a stable, uniform platform of comparison for examining service delivery issues.

A range of key clinician-specific data elements (within the administrative component) was assessed using the NTIES Clinician Form (NCF). The NCF items were an important adjunct to the SDU level instruments; these items assessed clinician training, experience, client exposure, and service provision, and were completed by all counseling and clinical (medical and therapeutic) staff at the individual SDUs.

### **The Clinical Treatment Outcomes Component**

The unit of analysis for the clinical treatment outcomes component was individual client data. NTIES measured the clinical outcomes of treatment primarily through a *before/after* or *pre- to post-treatment* design. This method compares behaviors or other individual characteristics in the same participants, measured in similar ways, before and after an intervention.

Information about clients' lives for the *before-treatment* period was obtained from the NTIES Research Intake Questionnaire (NRIQ), which was administered within the first three weeks of treatment. The specific areas assessed included:

- Drug and alcohol use
- Employment
- Criminal justice involvement and criminal behaviors
- Living arrangements
- Mental and physical health.

Information about clients' lives for the *after-treatment* period was obtained from the NTIES Post-discharge Assessment Questionnaire (NPAQ), with the same areas assessed an average of 11 months post-treatment. Other client data sources included a treatment discharge interview (NTIES Treatment Experience Questionnaire, NTEQ), abstracted client records, urine drug screens collected at the time of the follow-up interview, and arrest reports from state databases.

Between August 1993 and October 1994, research staff successfully enrolled 78 SDUs in NTIES. These SDUs were chosen from the universe of 792 SDUs (see Exhibit 1) participating in the demonstration grants from CSAT. Some of the selected facilities were wholly supported by CSAT awards, while others received only indirect support or none.

Clients were interviewed in person using a computer-assisted interview protocol shortly after their first day of treatment. Fifteen percent of the eligible clients at the 78 NTIES SDUs refused or avoided participation at intake, a recruitment rate of 85 percent, yielding 6,593 intake interviews (NRIQ). Of those clients successfully recruited into NTIES, 80 percent (N=5,274) completed the NTEQ at or near the time when they left treatment, and 82 percent (N=5,388) completed the NPAQ, nominally about one year after the end of treatment, but in fact with a much wider range of post-treatment durations due to a variety of practical obstacles and constraints.

A number of exclusion criteria were implemented at the time the NTIES Final Report was developed, yielding an analytical sample of clients that comprised a subset of those completing the various questionnaires. These exclusions, which were also reflected in a number of published analyses since the Final Report, were as follows:

- All clients in 7 of the 78 SDUs were excluded from follow-up eligibility due to the very small numbers enrolled in these SDUs and their geographic isolation from other SDUs, a combination of circumstances that made these follow-up interviews very uneconomical to collect.
- All clients whose treatment exit dates were missing or undetermined were excluded from the outcome analyses.
- All clients with NPAQ follow-up intervals of less than 5 or more than 16 months were excluded from the outcome analyses.
- All clients incarcerated for most or all of the follow-up period were excluded from the outcome analyses. (Nearly all of these clients had been treated while incarcerated, and were not yet released into the community at the time of the NPAQ interview.)

There was some overlap in applicability across these exclusion criteria. About 50 clients were affected by each of the first two criteria, about 300 by the third criterion, and about 700 by the fourth criterion. These exclusions resulted in a net outcome analysis sample of 4,411 individuals (identified by variable IN\_4411 in the NPAQ data file), representing 71 of the 78 SDUs.

Note that all of the interview data collected from clients of 78 SDUs at treatment intake, exit, and follow-up are included in the NTIES public use file. Users of these files may therefore select different analytical samples—larger or smaller than the N of 4,411—for outcome analysis or other purposes, depending on their analytic interests. The data management variables QUEXSTAT, TFSCOMP, and DURAPDP provide further information for sample selection.

#### **SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE**

The 71 SDUs contributing clients to the previously published outcome analyses are characterized by modality and demonstration program type in Exhibit 1 below. Among the 698 SDUs in the NTIES universe after removal of 94 specialized service units that did not provide treatment per se, 52 percent (n=365) were in Target Cities programs, 39 percent (n=274) were in

Critical Populations programs, and 9 percent (n=59) were in Criminal Justice programs. Of the 71 SDUs represented in the NTIES outcome analysis, 44 percent were Target Cities programs, 38 percent were Critical Populations programs, and 23 percent were Criminal Justice programs. Criminal Justice SDUs were purposely over-sampled as part of the NTIES evaluation design. Nearly half of the sampled SDUs were (non-methadone) outpatient programs, and about one-quarter were long-term residential programs.

As shown in Exhibit 2, 59 percent of the NTIES clients represented in the Final Report and other published outcome analysis sample were from Target Cities SDUs. Slightly more than 21 percent of the NTIES outcome sample clients were from Critical Populations SDUs and 20 percent were from Criminal Justice SDUs. Outpatient (non-methadone) SDUs treated over one-third (35%) of the clients in the outcomes analysis sample, and almost 80 percent of these were sampled from Target Cities programs.

<b>EXHIBIT 1</b>						
<b>SDUs IN THE OUTCOME ANALYSIS SAMPLE</b>						
<b>Program Title</b> Number of SDUs (% of NTIES Universe)*	<b>NTIES Sample</b>	<b>Methadone</b>	<b>Outpatient</b>	<b>Long- Term Residential</b>	<b>Short- Term Residential</b>	<b>Correc- tional</b>
<b>Target Cities</b> n=365 (52%)	31 (44%)	6	15	6	4	0
<b>Critical Populations</b> n=274 (39%)	27 (38%)	1	13	10	3	0
<b>Criminal Justice</b> n=59 (9%)	13 (23%)	0	5	0	0	8
<b>Totals</b> N=698 (100%)	71 (100%)	7	33	16	7	8

- The original NTIES universe of SDUs included a program type called *Specialized Services*. Because clients for the outcome analysis sample were not drawn from these SDUs (n=94), they are excluded from the Exhibit.

<b>EXHIBIT 2</b>					
<b>DISTRIBUTION OF CLIENTS IN THE OUTCOMES ANALYSIS SAMPLE</b>					
<b>Program Title</b> Number of Clients (% of Analysis Sample)	<b>Methadone</b>	<b>Outpatient</b>	<b>Long-Term Residential</b>	<b>Short-Term Residential</b>	<b>Correctional</b>
<b>Target Cities</b> n=2,600 (59%)	377 (89%)	1,214 (78%)	504 (60%)	505 (58%)	0
<b>Critical Populations</b> n=931 (21%)	45 (11%)	220 (14%)	298 (35%)	368 (42%)	0
<b>Criminal Justice</b> n=880 (20%)	0	132 (8%)	39 (5%)	0	709 (100%)
<b>Totals</b> n=4,411 (100%)	422	1,566	841	873	709

---

## PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES

It is the intention of CSAT to make much of the NTIES data available through public use data files (PUDFs). It is necessary, however, to maintain the confidentiality of individuals participating in research. This is especially critical due to the sensitive nature of the NTIES information about illicit drug use and other illegal activity, motivation for using substances and clinical treatment details. Participating individuals were given assurance of confidentiality. In order to protect confidentiality, a disclosure analysis of the data was conducted. This analysis resulted in protective modifications of the data.

In order to create PUDFs from the original restricted use files, all potential identifiers in the client questionnaires were documented and steps necessary to address disclosure risk were delineated. This analysis aimed to minimize the chance of client identification while preserving analytic utility. Procedures necessary to guard against direct or indirect disclosure of event or identity included eliminating obvious identifiers, such as names and publicly available identification numbers. The reasons for these eliminations are obvious and are consistent with those of most publicly available social science data sets, whether they are produced by the government or by other research institutions. Other potential identifiers were reviewed individually. Variables such as specific dates of admission and discharge were supplanted with measures of length-of-stay and post-discharge period duration. The data were also screened for the potential deductive disclosure risk of outlying continuous variables and very low frequency categorical values. In order to minimize the chance of client identification, it was necessary to truncate extreme values, categorize some continuous variables or recode some categorical variables. Fifty to one hundred responses per category was deemed adequate to protect against deductive disclosure even assuming decomposition of the sample into smaller subgroups. In some instances, responses were recoded with median values. As a final resort, it was necessary to remove some variables from the PUDF. This disclosure protection was only used for items that were impossible to mask through re-categorization or for which a median value substitution would be analytically inutile. Even those response values numerous in the data were inspected through three- and four- way cross-tabs to check for rare footprints. All variables revealing cell sizes of three or fewer respondents were recoded either according to the preferences discussed above or to other substantially similar values or to 'missing.' In the disclosure analysis, two rounds of data masking yielded a small cell rate of 1.69% (458 small cells out of 23137 cells total). Three rounds of data masking reduced the small cell rate to .4%, a proportion which is acceptable under standard confidentiality protocols.

NTIES used a two-level design in which clients were clustered within SDUs. The identity of recipients and subrecipients of NTIES demonstration awards is a matter of public record, and the considerable variation among SDUs for a number of parameters render individual SDUs

relatively easy to identify. This in itself does not imply unacceptable risk of disclosure; however if SDUs were identifiable and if they could be linked with clients, there would be disclosure risk to clients. Careful study of the NTIES data indicated that directly linking client data and unmodified SDU data, even with overt SDU identifiers removed, would compromise disclosure protection for clients. Therefore the data from SDUs represented in these files has been modified by three strategies: (a) removal of all identifying information about these units, (b) recoding and aggregation of administrative and clinical staff information into broad research-focused categories that preclude isolation of particular SDU “footprints”, and (c) limiting the number of items of information available about each unit. This public use file permits researchers to exploit the multi-level design in which clients are clustered within SDUs, without compromising client confidentiality.

Because of the disclosure alterations to the restricted-use files that have been available only to the NTIES and NEDS contract research team, estimates derived from the PUF will not always match exactly the detailed results published in SAMHSA reports. There may be slight bias in either direction, if present, owing to the suppression of a sparse number of cases by setting some values to missing.

It is important to note that the data from NTIES were collected from SDUs receiving CSAT support. Individuals served by CSAT grants were generally from vulnerable and underserved populations (minorities, pregnant women, youth, public housing residents, welfare recipients, and those in the criminal justice system). Results from NTIES may not generalize to all clients in substance abuse treatment or to all kinds of service delivery units. Nonetheless, the NTIES data are a rich source of information about CSAT-supported substance abuse treatment and clinical outcomes among vulnerable and underserved populations. The data will allow researchers to study the efficacy of substance abuse treatment and factors that influence course and outcome.

## **USER RESPONSIBILITY**

Users are reminded that these data are intended to be used solely for statistical analysis, reporting, and evaluation of aggregated information and not for investigation of specific individuals or organizations.



## **FREQUENCIES**



**GENERAL CASE INFORMATION**

**CASEID                      PATIENT CASEID**

Patient record number in SDU files

6,593 cases (Range of valid codes: 113-9993897)

Data type: numeric  
Columns: 1-7

**R2                              TREATMENT MODALITY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	261	1	SHORT TERM HOSPITAL
0.1	0.1	8	2	LONG TERM HOSPITAL
25.1	25.1	1,655	3	SHORT TERM RESIDENTIAL
28.8	28.8	1,899	4	LONG TERM RESIDENTIAL
7.8	7.8	514	5	OUTPATIENT METHADONE
34.2	34.2	2,256	6	AMBULATORY OUTPATIENT
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Column: 8

**R5M1                            INTAKE PERIODS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.1	50.1	3,302	1	ON OR BEFORE MARCH 8, 1994
49.9	49.9	3,291	2	AFTER MARCH 8, 1994
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 9-10

**R15****LANGUAGE FLAG**

INTERVIEWER: SELECT LANGUAGE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	99.3	6,547	0	ENGLISH
0.7	0.7	46	1	SPANISH
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 11-12

**NTIES TREATMENT SETTING/PROGRAM TYPE**

**PRGMTYPE                      PROGRAM TYPE**

ADMINISTRATIVE VARIABLE FROM CSAT RECORDS, REFERRING TO NTIES SDU AT WHICH Rs NTIES TREATMENT EPISODE OCCURRED. DENOTES DEMONSTRATION PROGRAM UNDER WHICH SDU RECEIVED FUNDING FROM CSAT.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	19.3	1,271	1	CRITICAL POPULATIONS
25.1	25.1	1,654	2	CORRECTIONAL SETTINGS
3.5	3.5	233	3	OFFENDERS
50.2	50.2	3,309	4	TARGET CITIES
0.8	0.8	51	5	JUSTICE
1.1	1.1	75	6	PUBLIC HOUSING
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 13-14

**TRTMNT                              TREATMENT MODALITY**

ADMINISTRATIVE VARIABLE FROM CSAT RECORDS, REFERRING TO NTIES SDU AT WHICH Rs NTIES TREATMENT EPISODE OCCURRED. DENOTES TREATMENT MODALITY OF NTIES SDU.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	261	1	HOSPITAL IN-PATIENT SHORT-TERM
0.1	0.1	8	2	HOSPITAL IN-PATIENT LONG-TERM
25.1	25.1	1,655	3	RESIDENTIAL SHORT-TERM
30.0	30.0	1,980	4	RESIDENTIAL LONG-TERM
7.8	7.8	514	5	OUT-PATIENT METHADONE
33.0	33.0	2,175	6	AMBULATORY OUT-PATIENT
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 15-16

<b>TRT2</b>	<b>REVISED TREATMENT MODALITY</b>
-------------	-----------------------------------

ADAPTED FROM NTIES VARIABLE TRTMNT - INPATIENT AND RESIDENTIAL CASES COMBINED DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	29.1	1,916	1	SHORT-TERM RESIDENTIAL/IN-PATIENT
30.2	30.2	1,988	2	LONG-TERM RESIDENTIAL/IN-PATIENT
7.8	7.8	514	3	OUT-PATIENT METHADONE
33.0	33.0	2,175	4	AMBULATORY OUT-PATIENT
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 17-18

<b>PRG2</b>	<b>REVISED PROGRAM TYPE</b>
-------------	-----------------------------

ADAPTED FROM NTIES VARIABLE PRGMTYPE - ADOLESCENT/JUVENILE JUSTICE AND PUBLIC HOUSING FOLDED INTO CRITICAL POPULATIONS AND NON-INCARCERATED OFFENDERS COMBINED WITH CORRECTIONAL SETTINGS DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	21.2	1,397	1	AJJ/ PH
28.6	28.6	1,887	2	CRIMINAL JUSTICE
50.2	50.2	3,309	3	TARGET CITIES
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 19-20

<b>CELL</b>	<b>ANALYSIS VARIABLE</b>
-------------	--------------------------

INTERACTION OF NTIES VARIABLES PRG2 AND TRT2. METHADONE SDUs OF ALL PROGRAM TYPES ARE COMBINED IN ONE CELL DUE TO INSUFFICIENT SAMPLE SIZE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	563	1	CP/ SR
6.6	6.6	437	2	CP/ LR
5.1	5.1	334	3	CP/ OP
9.8	9.8	646	4	TC/ SR
9.4	9.4	620	5	TC/ LR
24.1	24.1	1,592	6	TC/ OP
10.7	10.7	707	7	CJ/ SR
14.1	14.1	931	8	CJ/ LR
3.8	3.8	249	9	CJ/ OP
7.8	7.8	514	10	METHADONE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 21-22

<b>CELL2</b>	<b>ANALYSIS VARIABLE V.2</b>
--------------	------------------------------

SDUs CATEGORIZED BY MODALITY EXCEPT CRIMINAL JUSTICE SDUs PULLED OUT AS A SEPARATE CELL.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.8	514	1	METHADONE
32.0	32.0	2,107	2	NON-METHADONE OUT-PATIENT
18.3	18.3	1,209	3	SHORT-TERM RESIDENTIAL
16.8	16.8	1,109	4	LONG-TERM RESIDENTIAL
25.1	25.1	1,654	5	CORRECTIONAL SETTINGS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 23-24



<b>R21</b>	<b>HOW LONG LOCKED UP</b>
------------	---------------------------

{Note 1: This time,} How long have you been {Note 2: in jail/locked up/ detained}?

Note 1: 'This time' if R19=1  
 blank if otherwise

Note 2: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	8	2	2 TO 6 DAYS
12.1	3.0	201	3	1-4 WEEKS
31.7	8.0	527	4	1-3 MONTHS
35.1	8.8	582	5	4-12 MONTHS
20.6	5.2	342	6	MORE THAN 1 YEAR
	74.8	4,933	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 29-30

<b>R24M1</b>	<b>IN FOR DRUG POSSESSION</b>
--------------	-------------------------------

DRUG POSSESSION  
 What charges are you {Note 1: in jail/locked up/detained} for now?  
 CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	5.4	355	1	YES
78.6	19.8	1,304	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 31-32

**R24M2****IN FOR DRUG SALE OR MANUFACTURING**

DRUG SALE OR MANUFACTURING

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	2.3	154	1	YES
90.7	22.8	1,505	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 33-34

**R24M3****IN FOR DRIVING WHILE INTOXICATED**

DRIVING WHILE INTOXICATED (DWI) OR DRIVI

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	2.4	155	1	YES
90.7	22.8	1,504	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 35-36

**R24M4** **IN FOR PROSTITUTION OR SOLICITATION**

PROSTITUTION OR SOLICITATION

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.2	10	1	YES
99.4	25.0	1,649	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 37-38

**R24M6** **IN FOR FORGERY, ETC**

FORGERY, PASSING BAD CHECKS, OR CREDIT C

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.8	53	1	YES
96.8	24.4	1,606	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 39-40

**R24M7****IN FOR BOOKMAKING/NUMBERS/GAMBLING**

## BOOKMAKING/NUMBERS/GAMBLING

What charges are you {Note 1: in jail/locked up/detained} for now?

## CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	25.2	1,659	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 41-42

**R24M8****IN FOR RECEIVING STOLEN GOODS**

## RECEIVING/POSSESSION OF STOLEN GOODS

What charges are you {Note 1: in jail/locked up/detained} for now?

## CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.9	57	1	YES
96.6	24.3	1,602	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 43-44

<b>R24M9</b>	<b>IN FOR MOTOR VEHICLE THEFT</b>
--------------	-----------------------------------

MOTOR VEHICLE THEFT

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.8	54	1	YES
96.7	24.3	1,605	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 45-46

<b>R24M10</b>	<b>IN FOR SHOPLIFTING</b>
---------------	---------------------------

SHOPLIFTING

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.5	36	1	YES
97.8	24.6	1,623	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 47-48

**R24M11****IN FOR BREAKING AND ENTERING/BURGLARY**

## BREAKING AND ENTERING/BURGLARY

What charges are you {Note 1: in jail/locked up/detained} for now?

## CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	4.1	273	1	YES
83.5	21.0	1,386	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 49-50

**R24M12****IN FOR ARMED ROBBERY/ROBBERY BY FORCE**

## ARMED ROBBERY/ROBBERY BY FORCE

What charges are you {Note 1: in jail/locked up/detained} for now?

## CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	2.1	141	1	YES
91.5	23.0	1,518	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 51-52

**R24M13** **IN FOR OTHER THEFT**

OTHER THEFT (LARCENY/PICK POCKETING/PURS  
 What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	2.3	152	1	YES
90.8	22.9	1,507	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 53-54

**R24M14** **IN FOR ARSON**

ARSON

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	7	1	YES
99.6	25.1	1,652	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 55-56

**R24M15** **IN FOR VANDALISM**

DAMAGE TO OR DESTRUCTION OF PROPERTY/VAN  
 What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	12	1	YES
99.3	25.0	1,647	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 57-58

**R24M16** **IN FOR SERIOUS ASSAULT**

AGGRAVATED ASSAULT/ASSAULT WITH INTENT T  
 What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.0	68	1	YES
95.9	24.1	1,591	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 59-60

**R24M17** **IN FOR SIMPLE ASSAULT/FIGHTING**

SIMPLE ASSAULT/FIGHTING

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.7	48	1	YES
97.1	24.4	1,611	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 61-62

**R24M18** **IN FOR FORCIBLE RAPE/SEXUAL ASSAULT**

FORCIBLE RAPE/STATUTORY RAPE/SEXUAL ASSA

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	14	1	YES
99.2	25.0	1,645	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 63-64

**R24M19****IN FOR MURDER/MANSLAUGHTER**

## MURDER/MANSLAUGHTER

What charges are you {Note 1: in jail/locked up/detained} for now?

## CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.9	57	1	YES
96.6	24.3	1,602	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 65-66

**R24M21****IN FOR OTHER**

## OTHER

What charges are you {Note 1: in jail/locked up/detained} for now?

## CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	6.9	457	1	YES
72.5	18.2	1,202	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 67-68

<b>R24M22</b>	<b>IN FOR CANNOT CODE</b>
---------------	---------------------------

CANNOT CODE

What charges are you {Note 1: in jail/locked up/detained} for now?

CODE CHARGES:

Note 1: See R19 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.5	33	1	YES
98.0	24.7	1,626	2	NO
	74.8	4,933	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 69-70

<b>R25M1</b>	<b>AWAITING TRIAL OR TRIAL PROCEEDINGS</b>
--------------	--

AWAITING TRIAL OR TRIAL PROCEEDINGS

Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	2.9	189	1	YES
88.6	22.3	1,471	2	NO
	74.8	4,933	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 71-72

<b>R25M2</b>	<b>AWAITING SENTENCING</b>
--------------	----------------------------

## AWAITING SENTENCING

Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	2.3	153	1	YES
90.8	22.9	1,507	2	NO
	74.8	4,933	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 73-74

<b>R25M3</b>	<b>SERVING A SENTENCE</b>
--------------	---------------------------

## SERVING A SENTENCE

Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	21.1	1,394	1	YES
16.0	4.0	266	2	NO
	74.8	4,933	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 75-76

**R25M4****SOMETHING ELSE**

SOMETHING ELSE

Are you awaiting trial or trial proceedings, awaiting sentencing,  
serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.4	28	1	YES
98.3	24.8	1,632	2	NO
	74.8	4,933	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 77-78

R27

## SECTION JP ELAPSED TIME

PLEASE SPECIFY BELOW.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.0	1	99	
3.6	0.0	1	109	
3.6	0.0	1	116	
3.6	0.0	1	117	
3.6	0.0	1	118	
3.6	0.0	1	124	
3.6	0.0	1	125	
3.6	0.0	1	137	
3.6	0.0	1	163	
3.6	0.0	1	166	
3.6	0.0	1	171	
3.6	0.0	1	175	
3.6	0.0	1	180	
3.6	0.0	1	204	
3.6	0.0	1	214	
3.6	0.0	1	233	
3.6	0.0	1	234	
3.6	0.0	1	241	
3.6	0.0	1	254	
3.6	0.0	1	256	
3.6	0.0	1	259	
3.6	0.0	1	283	
3.6	0.0	1	374	
3.6	0.0	1	435	
3.6	0.0	1	512	
3.6	0.0	1	611	
3.6	0.0	1	1028	
3.6	0.0	1	1295	
	99.6	6,565	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 79-82



**R39****BORN IN US**

Were you born in the United States? IF R BORN ON A U.S. MILITARY  
BASE/LOCATION, CODE YES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	95.8	6,315	1	YES
4.2	4.2	276	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 89-90

**R41****MOTHER BORN IN US**

Was your natural mother born in the United States?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	90.5	5,967	1	YES
9.0	8.9	590	2	NO
	0.5	36	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 91-92

<b>R42</b>	<b>FATHER BORN IN US</b>
------------	--------------------------

Was your natural father born in the United States?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	89.0	5,871	1	YES
9.4	9.3	611	2	NO
	1.7	111	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 93-94

<b>R44M1</b>	<b>RACE/ETHNICITY</b>
--------------	-----------------------

What best describes you? Are you... READ CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	53.9	3,555	1	NONHISPANIC BLACK
14.8	14.8	974	2	HISPANIC
31.3	31.3	2,064	3	NONHISPANIC NONBLACK
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 95-96

<b>R46</b>	<b>OTHER LANGUAGE SPOKEN AS CHILD</b>
------------	---------------------------------------

{Note 1: As you were growing up, did/Do} you speak any languages besides English with the people you {Note 2: lived/live} with?

Note 1: 'As you were growing up, did' if R is adult  
blank if otherwise

Note 2: 'Do' if R is adolescent  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.7	1,037	1	YES
84.3	84.3	5,556	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 97-98

<b>R47</b>	<b>LANGUAGES SPOKEN</b>
------------	-------------------------

What language {Note 1: was/is} that?

Note 1: 'was' if R is adult  
blank if otherwise

Note 2: 'is' if R is adolescent  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	6.2	410	1	SPANISH ONLY
20.4	3.2	212	2	OTHER LANGUAGE(S) ONLY
40.0	6.3	415	3	BOTH SPANISH AND OTHER LANGUAGE(S)
	84.3	5,556	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 99-100

<b>R50</b>	<b>LANGUAGE PREFERRED</b>
------------	---------------------------

What language do you prefer to speak?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	94.2	6,211	1	ENGLISH
1.8	1.8	120	2	SPANISH
0.3	0.3	21	3	OTHER LANGUAGE(S)
3.7	3.7	241	4	PREFERENCE DEPENDS ON SITUATION
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 101-102

<b>R53</b>	<b>ABILITY TO READ ENGLISH</b>
------------	--------------------------------

Would you say your ability to read English is...  
 READ CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	38.2	2,519	1	EXCELLENT?
37.5	37.5	2,471	2	GOOD?
19.2	19.2	1,264	3	FAIR?
5.1	5.1	338	4	POOR?
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 103-104

<b>R55</b>	<b>NOW IN SCHOOL/TRAINING</b>
------------	-------------------------------

Are you now in school, or receiving any job or skills training?  
This includes vocational or technical schools, colleges, or  
working for your high school diploma.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	712	1	YES
89.2	89.2	5,880	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 105-106

<b>R56M1</b>	<b>ELEMENTARY SCHOOL/MIDDLE SCHOOL/JUNIOR H</b>
--------------	---

ELEMENTARY SCHOOL/MIDDLE SCHOOL/JUNIOR H  
What kind of school or training program are you attending?  
CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.9	57	1	YES
92.0	9.9	655	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 107-108

<b>R56M2</b>	<b>HIGH SCHOOL</b>
--------------	--------------------

HIGH SCHOOL

What kind of school or training program are you attending?  
 CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	2.1	140	1	YES
80.3	8.7	572	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 109-110

<b>R56M3</b>	<b>GED PROGRAM</b>
--------------	--------------------

GED PROGRAM

What kind of school or training program are you attending?  
 CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	4.5	296	1	YES
58.4	6.3	416	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 111-112

<b>R56M4</b>	<b>JUNIOR (2-YEAR) COLLEGE</b>
--------------	--------------------------------

## JUNIOR (2-YEAR) COLLEGE

What kind of school or training program are you attending?

CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.5	31	1	YES
95.6	10.3	681	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 113-114

<b>R56M5</b>	<b>4-YEAR COLLEGE/UNIVERSITY</b>
--------------	----------------------------------

## 4-YEAR COLLEGE/UNIVERSITY

What kind of school or training program are you attending?

CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.4	26	1	YES
96.3	10.4	686	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 115-116

<b>R56M6</b>	<b>TECHNICAL/TRADE/VOCATIONAL SCHOOL</b>
--------------	--

TECHNICAL/TRADE/VOCATIONAL SCHOOL  
 What kind of school or training program are you attending?  
 CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	1.6	105	1	YES
85.3	9.2	607	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 117-118

<b>R56M8</b>	<b>SPECIAL EDUCATION PROGRAM</b>
--------------	----------------------------------

SPECIAL EDUCATION PROGRAM  
 What kind of school or training program are you attending?  
 CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	14	1	YES
98.0	10.6	698	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 119-120

**R56M9****JOB CORPS OR OTHER SCHOOL/TRAINING**

OTHER

What kind of school or training program are you attending?

CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	0.8	51	1	YES
92.8	10.0	661	2	NO
	89.2	5,881	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 121-122

**R58****HIGHEST GRADE ATTENDED**

What is the highest grade or year of school you have ever attended, even if you did not complete that grade?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	118	6	6TH GRADE OR LOWER
1.8	1.8	117	7	7TH GRADE
4.6	4.6	303	8	8TH GRADE
10.1	10.1	664	9	9TH GRADE
16.6	16.6	1,097	10	10TH GRADE
18.9	18.9	1,243	11	11TH GRADE
27.2	27.2	1,792	12	12TH GRADE
7.3	7.3	478	13	1 YEAR COLLEGE/TECHNICAL SCHOOL
6.8	6.8	448	14	2 YEARS COLLEGE/TECHNICAL SCHOOL
2.0	2.0	130	15	3 YEARS COLLEGE/TECHNICAL SCHOOL
3.1	3.1	203	16	4 YEARS COLLEGE/TECHNICAL SCHOOL OR MORE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 123-124

<b>R61</b>	<b>HAVE HS DIPLOMA/GED?</b>
------------	-----------------------------

Do you have a high school diploma or a GED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	53.9	3,553	1	YES
46.1	46.1	3,040	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 125-126

<b>R62</b>	<b>HIGH SCHOOL DIPLOMA/GED</b>
------------	--------------------------------

Which one do you have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	35.1	2,316	1	HIGH SCHOOL DIPLOMA
34.8	18.8	1,237	2	GED CERTIFICATE
	46.1	3,040	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 127-128

<b>R64</b>	<b>(OTHER) DIPLOMAS/DEGREES</b>
------------	---------------------------------

Have you received any {Note 1: other} diplomas, degrees, certificates, or licenses from schools you have attended or training you have received?

Note 1: 'other' R61=1  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	31.2	2,058	1	YES
68.8	68.8	4,535	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 129-130

<b>R67</b>	<b>SERVED ON ACTIVE DUTY</b>
------------	------------------------------

Have you ever served on active duty in the U.S. Armed Forces, that is, in the Army, Navy, Air Force, Marines, or Coast Guard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.3	812	1	YES
87.7	87.7	5,781	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 131-132

**R71 LAST SCHOOL GRADES**

How were your grades the {Note 1: last time you attended school/last school year}? Would you say they were better than average, average or not so good?

Note 1: 'last time you attended school' if R55=2  
 'last school year' if R55=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	18.9	1,248	1	BETTER THAN AVERAGE
55.6	55.5	3,658	2	AVERAGE
25.4	25.3	1,671	3	NOT SO GOOD
	0.1	4	-6	NOT APPLICABLE
	0.2	11	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 133-134

**R72 EVER EXPELLED FROM SCHOOL**

{Note 1: Were you ever/Have you ever been} expelled or suspended from school for more than a day?

Note 1: 'Were you ever' if R55=2  
 Note 2: 'Have you ever been' if R55=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	58.9	3,886	1	YES
41.0	40.9	2,695	2	NO
	0.2	12	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 135-136

**R74****EXPELLED MORE THAN ONE TIME**

Were you expelled or suspended from school more than one time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	46.4	3,060	1	YES
53.6	53.6	3,531	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 137-138

**R76****AGE WHEN (FIRST) EXPELLED**

How old were you {Note 1: when/the first time} you were expelled or suspended?

Note 1: 'when' if R74=2

'the first time' if R74=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	1.8	120	7	7 OR YOUNGER
2.8	1.6	108	8	8
3.7	2.1	141	9	9
5.5	3.2	210	10	10
5.8	3.4	222	11	11
13.1	7.6	500	12	12
16.8	9.8	644	13	13
15.4	8.9	589	14	14
14.7	8.6	565	15	15
12.2	7.1	469	16	16
5.2	3.0	201	17	17
1.6	0.9	62	18	18 OR OLDER
	41.1	2,707	-6	NOT APPLICABLE
	0.8	55	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 139-140

**R77 DRUGS CAUSED TO LEAVE SCHOOL**

Did your drug or alcohol use in any way cause you to leave school before you got your high school diploma or GED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	15.3	1,011	1	YES
60.2	23.2	1,528	2	NO
	61.4	4,050	-6	NOT APPLICABLE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 141-142

**R79 SECTION A ELAPSED TIME**

6,593 cases (Range of valid codes: 46-7984)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 143-146

<b>SECTION B: ADMISSION INFORMATION</b>
---

<b>R84M1</b>	<b>REFERRAL SOURCE - DRUG TREATMENT STAFF</b>
--------------	---

Were drug treatment staff members, including intake staff important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	136	1	YES
97.9	97.9	6,457	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 147-148

<b>R84M2</b>	<b>REFERRAL SOURCE - CRIMINAL JUSTICE PERSO</b>
--------------	---

Were probation, parole, correctional, police, judicial or any other criminal justice person important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	25.1	1,655	1	YES
74.9	74.9	4,938	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 149-150

**R84M3 REFERRAL SOURCE - HEALTH AGENCY STAFF**

Were medical, psychiatric/mental health or other health agency staff important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	100	1	YES
98.5	98.5	6,493	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 151-152

**R84M4 REFERRAL SOURCE - SCHOOL TEACHER**

Were school teachers, counselors or school administrators, etc. important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	65	1	YES
99.0	99.0	6,528	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 153-154

<b>R84M5</b>	<b>REFERRAL SOURCE - OTHER PUBLIC SERVICE A</b>
--------------	---

Were other public service agency staff important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	81	1	YES
98.8	98.8	6,512	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 155-156

<b>R84M6</b>	<b>REFERRAL SOURCE - EMPLOYEAR</b>
--------------	------------------------------------

Was an employer, supervisor, union official or employee assistance program important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	74	1	YES
98.9	98.9	6,519	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 157-158

**R84M7 REFERRAL SOURCE - SPOUSE, PARTNER, FAMIL**

Was a spouse, partner or family member important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	35.3	2,327	1	YES
64.7	64.7	4,266	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 159-160

**R84M8 REFERRAL SOURCE - FRIEND, COWORKER, FELL**

Was a friend, co-worker, acquaintance or fellow inmate important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	574	1	YES
91.3	91.3	6,019	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 161-162

<b>R84M10</b>	<b>REFERRAL SOURCE - OTHER</b>
---------------	--------------------------------

Was another source important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	106	1	YES
98.4	98.4	6,487	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 163-164

<b>R84M12</b>	<b>REFERRAL SOURCE - SELF</b>
---------------	-------------------------------

Self-referral was most important in getting you to come to {Note 1: treatment or counseling at this time/this program}?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	59.6	3,931	1	YES
40.4	40.4	2,662	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 165-166

**R90M1 REASON FOR TREATMENT - DRUG AVAILABILITY**

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? DRUG AVAILABILITY - DIFFICULTIES OBTAINING DRUGS OR "GOOD" DRUGS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	32	1	YES
99.5	99.5	6,561	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 167-168

**R90M2 REASON FOR TREATMENT - FINANCIAL**

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? FINANCIAL - CAN'T AFFORD TO STAY ON DRUGS, LOST INCOME SOURCE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	86	1	YES
98.7	98.7	6,507	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 169-170

<b>R90M3</b>	<b>REASON FOR TREATMENT - PRESSURE FROM</b>
--------------	---

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? PRESSURE FROM CRIMINAL JUSTICE SYSTEM, ATTORNEY, ETC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.6	633	1	YES
90.4	90.4	5,960	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 171-172

<b>R90M4</b>	<b>REASON FOR TREATMENT - PRESSURE TO IMPRO</b>
--------------	---

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? PRESSURE TO IMPROVE/SAVE RELATIONSHIP, WITH SPOUSE, PARTNER, PARENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.3	545	1	YES
91.7	91.7	6,048	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 173-174

**R90M5 REASON FOR TREATMENT - PRESSURE FROM TEA**

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? PRESSURE FROM SCHOOL TEACHER, MINISTER, COACH, ETC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	21	1	YES
99.7	99.7	6,572	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 175-176

**R90M6 REASON FOR TREATMENT - JOB**

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? JOB - TO GET, KEEP OR IMPROVE JOB SITUATION

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	274	1	YES
95.8	95.8	6,319	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 177-178

<b>R90M7</b>	<b>REASON FOR TREATMENT - PARENTING ISSUES</b>
--------------	--

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? PARENTING ISSUES - GET OR KEEP CUSTODY OR BECOME BETTER PARENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	799	1	YES
87.9	87.9	5,794	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 179-180

<b>R90M8</b>	<b>REASON FOR TREATMENT - HEALTH ISSUES</b>
--------------	---

RWhat are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? HEALTH ISSUES - TOO ILL TO CONTINUE; DRUGS ARE HURTING OR THREATEN OWN HEALTH, UNBORN BABY, OTHERS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.8	382	1	YES
94.2	94.2	6,211	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 181-182

**R90M9 REASON FOR TREATMENT - DESIRE FOR SERVIC**

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? DESIRE FOR SERVICES - WANT TO BECOME ELIGIBLE FOR SOME TYPE OF SERVICES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	307	1	YES
95.3	95.3	6,286	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 183-184

**R90M10 REASON FOR TREATMENT - GENERAL PERSONAL**

What are the reasons you have for coming to {Note 1: treatment or counseling at this time/this program)? GENERAL PERSONAL - TIRED, DISGUSTED, WANT TO CHANGE, IMPROVE LIFESTYLE,SAVE SELF

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	83.2	5,487	1	YES
16.8	16.8	1,106	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 185-186

<b>R90M11</b>	<b>REASON FOR TREATMENT - OTHER</b>
---------------	-------------------------------------

Are there any other reasons you have for coming to {Note 1: treatment or counseling at this time/this program)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	14.0	921	1	YES
86.0	86.0	5,672	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 187-188

<b>R91</b>	<b>TROUBLED BY USE</b>
------------	------------------------

Right now, how troubled or bothered are you by your use of drugs other than alcohol? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	30.6	2,016	1	NOT AT ALL
25.7	25.1	1,654	2	SOMEWHAT
42.9	41.8	2,755	3	VERY MUCH
	0.0	2	-2	DON'T KNOW
	2.5	166	4	R DOES NOT USE DRUGS OTHER THAN ALCOHOL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 4, lowest thru -1  
 Columns: 189-190

**R92 IMPORTANCE OF TREATMENT**

Right now, how important is it to you to receive treatment or counseling for your use of drugs other than alcohol? Would you say very important, somewhat important, or not at all important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	74.2	4,892	1	VERY IMPORTANT
11.2	11.2	741	2	SOMEWHAT IMPORTANT
14.5	14.5	959	3	NOT AT ALL IMPORTANT
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 191-192

**R93 HOW LONG AGO NAME PUT IN**

How long ago was your name put in for treatment this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.0	989	1	1 DAY OR LESS
14.9	13.9	917	2	2-6 DAYS
36.5	34.2	2,255	3	1-3 WEEKS
24.3	22.8	1,500	4	1-3 MONTHS
7.3	6.8	450	5	4-12 MONTHS
1.0	0.9	60	6	MORE THAN 1 YEAR
	5.5	360	-9	LEGITIMATE SKIP
	0.9	62	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 193-194

**R97****KEPT FROM TREATMENT**

INTRODUCE CALENDAR, CIRCLE DATE 12 MONTHS AGO AND DATE OF INTERVIEW:

Since (DATE 12 MONTHS AGO), has anyone close to you, such as a friend or family member, said or done anything to keep you from entering {Note 1: treatment/this program}?

Note 1: 'treatment' if R17=2 or 3 or 4  
 'this program' if R17=1  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.1	403	1	YES
93.9	93.9	6,189	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

**R99****PROBLEMS GETTING TREATMENT**

Is there anything that might make it hard for you to get treatment or counseling here, such as getting time off from work or school, getting child care, not being able to find a way to get here, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.5	888	1	YES
86.5	86.5	5,704	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 197-198



**R100M3****SCHOOL/TRAINING SCHEDULE CONFLICT**

## SCHOOL/TRAINING SCHEDULE CONFLICT

What might make it hard for you to get treatment or counseling here? PROBE UNTIL NO OTHER MENTIONS.

IF NECESSARY, SAY: What else might make it difficult for you to get treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.5	31	1	YES
96.5	13.0	856	2	NO
	86.5	5,705	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

**R100M4****CHILD CARE PROBLEMS**

## CHILD CARE PROBLEMS

What might make it hard for you to get treatment or counseling here? PROBE UNTIL NO OTHER MENTIONS.

IF NECESSARY, SAY: What else might make it difficult for you to get treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	1.5	97	1	YES
89.1	12.0	790	2	NO
	86.5	5,705	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 205-206

**R100M5 COST OF TREATMENT**

COST OF TREATMENT

What might make it hard for you to get treatment or counseling here? PROBE UNTIL NO OTHER MENTIONS.

IF NECESSARY, SAY: What else might make it difficult for you to get treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	1.2	80	1	YES
91.0	12.2	807	2	NO
	86.5	5,705	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 207-208

**R100M6 OTHER PROBLEMS GETTING TREATMENT**

OTHER

What might make it hard for you to get treatment or counseling here? PROBE UNTIL NO OTHER MENTIONS.

IF NECESSARY, SAY: What else might make it difficult for you to get treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	3.1	207	1	YES
76.7	10.3	680	2	NO
	86.5	5,705	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 209-210

**R102 SECTION B ELAPSED TIME**

6,593 cases (Range of valid codes: 91-8263)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 211-214

**SECTION C: DRUG AND ALCOHOL USE**

**R108A1                      EVER TRIED INHALANTS**

Have you tried inhalants, such as glue, gasoline, paint thinner, white out or poppers five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.9	1,111	1	YES, DRUGS USED
83.1	83.1	5,482	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 215-216

**R108A2                      EVER TRIED MARIJUANA/HASHISH**

Have you tried marijuana, pot, or hashish five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	87.9	5,792	1	YES, DRUGS USED
12.1	12.1	801	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 217-218

<b>R108A3</b>	<b>EVER TRIED CRACK</b>
---------------	-------------------------

Have you tried crack, not cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	57.5	3,788	1	YES, DRUGS USED
42.5	42.5	2,803	2	NO, DRUGS NOT USED
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 219-220

<b>R108A4</b>	<b>EVER TRIED COCAINE</b>
---------------	---------------------------

Have you tried cocaine powder five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	71.3	4,704	1	YES, DRUGS USED
28.6	28.6	1,888	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 221-222

<b>R108A5</b>	<b>EVER TRIED PCP</b>
---------------	-----------------------

Have you tried PCP or angel dust five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.5	1,221	1	YES, DRUGS USED
81.5	81.4	5,369	2	NO, DRUGS NOT USED
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 223-224

<b>R108A6</b>	<b>EVER TRIED HALLUCINOGENS OR PSYCHEDELICS</b>
---------------	---

Have you tried hallucinogens or psychedelics, such as acid, LSD, mushrooms, peyote, or mescaline five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.3	2,198	1	YES, DRUGS USED
66.7	66.7	4,395	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 225-226

<b>R108A7</b>	<b>EVER TRIED HEROIN</b>
---------------	--------------------------

Have you tried heroin five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	30.9	2,035	1	YES, DRUGS USED
69.1	69.1	4,558	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 227-228

<b>R108A8</b>	<b>EVER TRIED ILLEGAL METHADONE</b>
---------------	-------------------------------------

Have you tried illegal methadone five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.2	605	1	YES, DRUGS USED
90.8	90.8	5,988	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 229-230

<b>R108A9</b>	<b>EVER TRIED OTHER NARCOTICS</b>
---------------	-----------------------------------

Have you tried other narcotics, such as morphine, opium, codeine or cough syrup, or talwin to get high five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	30.3	1,995	1	YES, DRUGS USED
69.7	69.7	4,598	2	NO, DRUGS NOT USED
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 231-232

<b>R108A10</b>	<b>EVER TRIED ILLEGAL UPPERS</b>
----------------	----------------------------------

Have you tried uppers, such as speed, crank, amphetamines, crystal meth, preludeins or ritalins five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	41.7	2,748	1	YES, DRUGS USED
58.3	58.3	3,844	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 233-234

<b>R108A11</b>	<b>EVER TRIED OTHER DOWNERS</b>
----------------	---------------------------------

Have you tried downers, such as barbiturates, seconal, doriden, tranquilizers, or quaaludes to get high five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	32.3	2,131	1	YES, DRUGS USED
67.7	67.7	4,461	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 235-236

**R108A12                      EVER TRIED OTHER DRUGS**

Have you tried any other drugs, not counting alcohol, to get high or for other non-medical effects that I didn't ask about, five times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	262	1	YES, DRUGS USED
96.0	96.0	6,329	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 237-238

**R113M1                      IN TX FOR INHALANTS**

INHALANTS  
 What is the drug or drug combination that made you come to treatment this time?  
 CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	29	1	YES
99.6	99.6	6,564	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 239-240

<b>R113M2</b>	<b>IN TX FOR MARIJUANA/HASHISH</b>
---------------	------------------------------------

## MARIJUANA/HASHISH

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.6	1,292	1	YES
80.4	80.4	5,301	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 241-242

<b>R113M3</b>	<b>IN TX FOR CRACK</b>
---------------	------------------------

## CRACK

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	28.1	1,850	1	YES
71.9	71.9	4,743	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 243-244

**R113M4**                      **IN TX FOR COCAINE**

COCAINE

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	32.2	2,121	1	YES
67.8	67.8	4,472	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 245-246

**R113M5**                      **IN TX FOR PCP**

PCP

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	68	1	YES
99.0	99.0	6,525	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 247-248

**R113M6****IN TX FOR HALLUCINOGENS OR PSYCHEDELICS**

## HALLUCINOGENS OR PSYCHEDELICS

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	78	1	YES
98.8	98.8	6,515	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 249-250

**R113M7****IN TX FOR UPPERS**

## UPPERS

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	200	1	YES
97.0	97.0	6,393	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 251-252

**R113M8** **IN TX FOR DOWNERS**

DOWNERS

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	75	1	YES
98.9	98.9	6,518	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 253-254

**R113M9** **IN TX FOR HEROIN**

HEROIN

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.5	1,288	1	YES
80.5	80.5	5,305	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 255-256

<b>R113M10</b>	<b>IN TX FOR ILLEGAL METHADONE</b>
----------------	------------------------------------

## ILLEGAL METHADONE

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	15	1	YES
99.8	99.8	6,578	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 257-258

<b>R113M11</b>	<b>IN TX FOR OTHER NARCOTICS</b>
----------------	----------------------------------

## OTHER NARCOTICS

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	75	1	YES
98.9	98.9	6,518	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 259-260

<b>R113M12</b>	<b>IN TX FOR ALCOHOL</b>
----------------	--------------------------

ALCOHOL

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	45.7	3,012	1	YES
54.3	54.3	3,581	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 261-262

<b>R113M13</b>	<b>IN TX FOR OTHER</b>
----------------	------------------------

OTHER

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	15	1	YES
99.8	99.8	6,578	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 263-264

<b>R113M14</b>	<b>IN TX FOR NONE</b>
----------------	-----------------------

NONE

What is the drug or drug combination that made you come to treatment this time? CODE ALL THAT APPLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	109	1	YES
98.3	98.3	6,484	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 265-266

<b>R114M1</b>	<b>USED WITH NO ONE</b>
---------------	-------------------------

NO ONE

The first time you tried {Note 1: DRUG OR DRUG COMBINATION}, who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.3	286	1	YES
94.7	77.1	5,086	2	NO
	18.3	1,204	-9	LEGITIMATE SKIP
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 267-268

**R114M2                      USED WITH FRIENDS**

FRIENDS, OTHER THAN A BOYFRIEND OR A GIR  
 The first time you tried {Note 1: DRUG OR DRUG COMBINATION},  
 who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	57.3	3,778	1	YES
29.7	24.2	1,594	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 269-270

**R114M3                      USED WITH BOYFRIEND OR GIRLFRIEND**

BOYFRIEND OR GIRLFRIEND  
 The first time you tried {Note 1: DRUG OR DRUG COMBINATION},  
 who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	7.2	477	1	YES
91.1	74.2	4,895	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 271-272

<b>R114M4</b>	<b>USED WITH SPOUSE OR PARTNER</b>
---------------	------------------------------------

## SPOUSE OR PARTNER

The first time you tried {Note 1: DRUG OR DRUG COMBINATION},  
who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.4	156	1	YES
97.1	79.1	5,216	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 273-274

<b>R114M5</b>	<b>USED WITH BROTHERS AND/OR SISTERS</b>
---------------	--

## BROTHERS AND/OR SISTERS

The first time you tried {Note 1: DRUG OR DRUG COMBINATION},  
who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	6.2	411	1	YES
92.3	75.2	4,961	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 275-276

**R114M6                      USED WITH PARENTS**

PARENTS

The first time you tried {Note 1: DRUG OR DRUG COMBINATION}, who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	1.8	120	1	YES
97.8	79.7	5,252	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 277-278

**R114M7                      USED WITH OTHER FAMILY MEMBERS**

OTHER FAMILY MEMBERS

The first time you tried {Note 1: DRUG OR DRUG COMBINATION}, who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	7.2	476	1	YES
91.1	74.3	4,896	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 279-280

<b>R114M8</b>	<b>USED WITH SOMEONE ELSE</b>
---------------	-------------------------------

SOMEONE ELSE

The first time you tried {Note 1: DRUG OR DRUG COMBINATION},  
who were you with? CODE ALL THAT APPLY.

Note 1: DRUG OR DRUG COMBINATION from R114  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.6	169	1	YES
96.9	78.9	5,203	2	NO
	18.3	1,204	-6	NOT APPLICABLE
	0.2	16	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 281-282

<b>R116A1</b>	<b>AGE FIRST USED INHALANTS</b>
---------------	---------------------------------

How old were you the first time you tried inhalants?  
PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	1.3	88	9	9 OR YOUNGER
6.0	1.0	67	10	
5.7	1.0	63	11	
13.0	2.2	144	12	
17.0	2.9	188	13	
12.7	2.1	141	14	
11.8	2.0	131	15	
8.0	1.3	89	16	
3.9	0.7	43	17	
14.0	2.4	155	18	18 OR OLDER
	83.1	5,482	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

<b>R117A1</b>	<b>2WK USE OF INHALANTS?</b>
---------------	------------------------------

Have you ever used (any) inhalants every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	359	1	YES
94.6	94.5	6,233	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 285-286

<b>R120A1</b>	<b>LAST USE OF INHALANTS</b>
---------------	------------------------------

When did you last use (any) inhalants?  
 Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.6	39	1	WITHIN PAST MONTH
11.5	1.9	128	2	1-12 MONTHS AGO
85.0	14.3	943	3	MORE THAN 12 MONTHS AGO
	83.1	5,482	-5	NEVER
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 287-288

R122A1

## DAYS USED INHALANTS MOST

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used (any) inhalants. In the month you used (any) inhalants the most, how many days did you use (any) inhalants? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	0.4	25	1	ONE DAY
29.8	0.7	48	2	2-5 DAYS
21.1	0.5	34	3	6-10 DAYS
11.8	0.3	19	4	11-20 DAYS
21.7	0.5	35	5	21 DAYS OR MORE
	97.5	6,426	-4	NONE
	0.1	5	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 289-290

<b>R116A2</b>	<b>AGE FIRST USED MARIJUANA</b>
---------------	---------------------------------

How old were you the first time you tried marijuana?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.3	89	7	7 OR YOUNGER
1.5	1.3	86	8	
2.3	2.0	131	9	
3.1	2.7	180	10	
4.5	4.0	263	11	
10.7	9.4	619	12	
13.8	12.1	801	13	
13.7	12.0	790	14	
13.7	12.0	790	15	
12.2	10.7	705	16	
7.4	6.5	430	17	
5.5	4.8	317	18	
2.7	2.4	157	19	
1.7	1.5	96	20	
5.7	5.0	331	21	21 OR OLDER
	12.1	801	-6	NOT APPLICABLE
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 291-292

<b>R117A2</b>	<b>2WK USE OF MARIJUANA?</b>
---------------	------------------------------

Have you ever used (any) marijuana every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	64.1	4,228	1	YES
35.9	35.8	2,363	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 293-294

<b>R120A2</b>	<b>LAST USE OF MARIJUANA</b>
---------------	------------------------------

When did you last use (any) marijuana?  
 Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	21.2	1,399	1	WITHIN PAST MONTH
37.7	33.1	2,184	2	1-12 MONTHS AGO
38.1	33.5	2,208	3	MORE THAN 12 MONTHS AGO
	12.1	801	-5	NEVER
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 295-296

<b>R122A2</b>	<b>DAYS USED MARIJUANA MOST</b>
---------------	---------------------------------

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used (any) marijuana.  
 In the month you used (any) marijuana the most, how many days did you use (any) marijuana? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	7.2	472	1	ONE DAY
23.6	12.5	826	2	2-5 DAYS
13.1	7.0	459	3	6-10 DAYS
12.5	6.6	437	4	11-20 DAYS
37.3	19.8	1,305	5	21 DAYS OR MORE
	45.7	3,010	-4	NONE
	1.2	78	-2	DON'T KNOW
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 297-298

<b>R123A2</b>	<b>DAYS USED MARIJUANA LAST 30</b>
---------------	------------------------------------

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use (any) marijuana? Would you say...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	5.5	361	1	ONE DAY
35.0	7.3	480	2	2-5 DAYS
15.3	3.2	210	3	6-10 DAYS
10.9	2.3	150	4	11-20 DAYS
12.4	2.6	170	5	21 DAYS OR MORE
	78.8	5,194	-4	NONE
	0.4	25	-2	DON'T KNOW
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 299-300

R116A3

## AGE FIRST USED CRACK

How old were you the first time you tried crack?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.4	91	14	14 OR YOUNGER
2.6	1.5	97	15	
3.2	1.8	120	16	
4.9	2.8	185	17	
5.2	3.0	197	18	
4.8	2.7	180	19	
5.0	2.9	188	20	
5.7	3.3	217	21	
4.7	2.7	178	22	
5.3	3.0	201	23	
4.6	2.6	174	24	
6.6	3.8	248	25	
4.2	2.4	160	26	
4.4	2.5	167	27	
4.9	2.8	184	28	
3.0	1.7	112	29	
5.2	3.0	195	30	
2.6	1.5	97	31	
2.4	1.4	90	32	
2.5	1.4	95	33	
2.2	1.3	85	34	
3.4	1.9	127	35	
1.4	0.8	52	36	
1.3	0.7	48	37	
1.7	1.0	63	38	
0.9	0.5	33	39	
5.2	3.0	198	40	40 OR OLDER
	42.5	2,805	-6	NOT APPLICABLE
	0.1	5	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 301-302

**R117A3                      2WK USE OF CRACK?**

Have you ever used (any) crack every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	37.5	2,472	1	YES
62.5	62.5	4,119	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 303-304

**R118A3                      48HR USE OF CRACK?**

Have you ever been high on crack for two days in a row or longer?  
 IF NECESSARY, ASK: Have you ever been high on crack for 48 hours  
 in a row or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	46.1	3,041	1	YES
53.9	53.9	3,551	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 305-306

<b>R119A3</b>	<b>LAST 48HR USE OF CRACK</b>
---------------	-------------------------------

(HAND R SHOWCARD A). When was the last time you were high on crack for two days in a row or longer? Was it within the past month, 1-12 months ago, or more than 12 months ago? IF NECESSARY, ASK: When was the last time you used crack for 48 hours straight or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	16.1	1,061	1	WITHIN THE PAST MONTH
45.7	21.1	1,389	2	1-12 MONTHS AGO
19.4	9.0	591	3	MORE THAN 12 MONTHS AGO
	53.9	3,552	-5	NEVER
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 307-308

<b>R120A3</b>	<b>LAST USE OF CRACK</b>
---------------	--------------------------

(POINT TO SHOWCARD A). When did you last use (any) crack? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	22.4	1,479	1	WITHIN PAST MONTH
42.7	24.5	1,615	2	1-12 MONTHS AGO
18.2	10.4	688	3	MORE THAN 12 MONTHS AGO
	42.5	2,805	-5	NEVER
	0.1	4	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 309-310



**R116A4****AGE FIRST USED COCAINE POWDER**

How old were you the first time you tried cocaine powder?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.4	90	12	12 OR YOUNGER
2.4	1.7	111	13	
4.0	2.9	190	14	
7.3	5.2	345	15	
9.8	7.0	459	16	
9.4	6.7	443	17	
10.5	7.5	492	18	
6.9	4.9	322	19	
6.5	4.6	303	20	
6.2	4.4	292	21	
4.3	3.1	202	22	
3.2	2.3	151	23	
3.2	2.3	152	24	
5.2	3.7	245	25	
1.9	1.4	91	26	
2.6	1.8	120	27	
2.3	1.6	106	28	
1.3	0.9	61	29	
2.3	1.7	109	30	
0.9	0.7	43	31	
1.1	0.8	54	32	
0.8	0.5	36	33	
0.8	0.6	37	34	
5.2	3.7	243	35	35 OR OLDER
	28.7	1,889	-6	NOT APPLICABLE
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 315-316



<b>R119A4</b>	<b>LAST 48HR USE OF COCAINE POWDER?</b>
---------------	---

(HAND R SHOWCARD A). When was the last time you were high on cocaine for two days in a row or longer? Was it within the past month, 1-12 months ago, or more than 12 months ago? IF NECESSARY, ASK: When was the last time you used crack for 48 hours straight or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	7.7	510	1	WITHIN THE PAST MONTH
32.6	15.7	1,035	2	1-12 MONTHS AGO
51.4	24.8	1,632	3	MORE THAN 12 MONTHS AGO
	51.8	3,413	-5	NEVER
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 321-322

<b>R120A4</b>	<b>LAST USE OF COCAINE POWDER</b>
---------------	-----------------------------------

(POINT TO SHOWCARD A). When did you last use (any) cocaine powder? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	12.7	838	1	WITHIN PAST MONTH
33.7	24.0	1,583	2	1-12 MONTHS AGO
48.5	34.6	2,279	3	MORE THAN 12 MONTHS AGO
	28.7	1,889	-5	NEVER
	0.0	2	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 323-324



**R116A5****AGE FIRST USED PCP**

How old were you the first time you tried PCP or angel dust?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	1.5	99	13	13 OR YOUNGER
7.1	1.3	86	14	
12.4	2.3	150	15	
15.8	2.9	192	16	
11.7	2.2	142	17	
13.6	2.5	165	18	
6.7	1.2	81	19	
24.6	4.5	299	20	20 OR OLDER
	81.5	5,372	-6	NOT APPLICABLE
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 329-330

**R117A5****2WK USE OF PCP?**

Have you ever used (any) PCP or angel dust every day for 2 weeks  
 or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	312	1	YES
95.3	95.2	6,279	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 331-332

**R120A5 LAST USE OF PCP**

(POINT TO SHOWCARD A). When did you last use (any) PCP or angel dust? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.8	50	1	WITHIN PAST MONTH
14.4	2.7	175	2	1-12 MONTHS AGO
81.5	15.1	993	3	MORE THAN 12 MONTHS AGO
	81.5	5,372	-5	NEVER
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 333-334

**R122A5 DAYS USED PCP MOST**

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used (any) PCP or angel dust. In the month you used (any) PCP or angel dust the most, how many days did you PCP or angel dust? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	0.7	47	1	ONE DAY
33.3	1.1	74	2	2-5 DAYS
13.1	0.4	29	3	6-10 DAYS
12.6	0.4	28	4	11-20 DAYS
19.8	0.7	44	5	21 DAYS OR MORE
	96.6	6,368	-4	NONE
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 335-336

<b>R116A6</b>	<b>AGE FIRST USED HALLUCINOGENS</b>
---------------	-------------------------------------

How old were you the first time you tried hallucinogens or psychedelics? PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	1.6	104	12	12 OR YOUNGER
6.8	2.3	150	13	
11.7	3.9	257	14	
14.0	4.7	308	15	
15.8	5.3	348	16	
12.3	4.1	271	17	
11.3	3.8	249	18	
5.7	1.9	125	19	
4.6	1.5	100	20	
3.3	1.1	72	21	
9.7	3.2	212	22	22 OR OLDER
	66.7	4,395	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 337-338

<b>R117A6</b>	<b>2WK USE OF HALLUCINOGENS?</b>
---------------	----------------------------------

Have you ever used (any) hallucinogens or psychedelics every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	459	1	YES
93.0	93.0	6,133	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 339-340

**R120A6 LAST USE OF HALLUCINOGENS**

(POINT TO SHOWCARD A). When did you last use (any) hallucinogens or psychedelics? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	1.0	63	1	WITHIN PAST MONTH
13.5	4.5	296	2	1-12 MONTHS AGO
83.7	27.9	1,838	3	MORE THAN 12 MONTHS AGO
	66.7	4,395	-5	NEVER
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 341-342

**R122A6 DAYS USED HALLUCINOGENS MOST**

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used hallucinogens or psychedelics. In the month you used (any) hallucinogens or psychedelics the most, how many days did you use (any) hallucinogens or psychedelics? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	1.3	86	1	ONE DAY
38.6	2.0	135	2	2-5 DAYS
15.1	0.8	53	3	6-10 DAYS
12.9	0.7	45	4	11-20 DAYS
8.9	0.5	31	5	21 DAYS OR MORE
	94.6	6,234	-4	NONE
	0.1	6	-2	DON'T KNOW
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 343-344

<b>R116A7</b>	<b>AGE FIRST USED HEROIN</b>
---------------	------------------------------

How old were you the first time you tried heroin?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	1.3	88	13	13 OR YOUNGER
4.2	1.3	86	14	
6.4	2.0	130	15	
9.2	2.8	187	16	
10.3	3.2	210	17	
10.6	3.3	216	18	
7.8	2.4	158	19	
5.4	1.7	110	20	
5.4	1.7	110	21	
5.4	1.7	109	22	
3.5	1.1	71	23	
3.4	1.1	70	24	
4.6	1.4	94	25	
2.6	0.8	52	26	
2.6	0.8	53	27	
14.2	4.4	289	28	28 OR OLDER
	69.1	4,558	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 345-346

<b>R117A7</b>	<b>2WK USE OF HEROIN?</b>
---------------	---------------------------

Have you ever used heroin every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	23.6	1,553	1	YES
76.4	76.4	5,040	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 347-348

**R120A7 LAST USE OF HEROIN**

(POINT TO SHOWCARD A). When did you last use heroin? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	12.7	839	1	WITHIN PAST MONTH
30.2	9.3	615	2	1-12 MONTHS AGO
28.5	8.8	580	3	MORE THAN 12 MONTHS AGO
	69.1	4,558	-5	NEVER
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 349-350

**R122A7 DAYS USED HEROIN MOST**

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used heroin. (HAND R SHOWCARD B). In the month you used heroin the most, how many days did you use heroin? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.9	61	1	ONE DAY
11.2	2.4	161	2	2-5 DAYS
5.7	1.2	82	3	6-10 DAYS
9.1	2.0	130	4	11-20 DAYS
69.8	15.2	1,002	5	21 DAYS OR MORE
	77.9	5,139	-4	NONE
	0.2	16	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 351-352

<b>R123A7</b>	<b>DAYS USED HEROIN LAST 30</b>
---------------	---------------------------------

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use heroin? (POINT TO SHOWCARD B.) Would you say...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.9	57	1	ONE DAY
16.1	2.0	134	2	2-5 DAYS
12.0	1.5	100	3	6-10 DAYS
15.1	1.9	125	4	11-20 DAYS
49.9	6.3	414	5	21 DAYS OR MORE
	87.3	5,754	-4	NONE
	0.1	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 353-354

<b>R116A8</b>	<b>AGE FIRST USED ILLEGAL METHADONE</b>
---------------	---

How old were you the first time you tried illegal methadone?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	1.0	65	1	16 OR YOUNGER
25.7	2.3	153	2	17-20
26.7	2.4	159	3	21-25
36.6	3.3	218	4	26 OR OLDER
	90.8	5,988	-6	NOT APPLICABLE
	0.2	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 355-356



R122A8

## DAYS USED ILLEGAL METHADONE MOST

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used illegal methadone. (HAND R SHOWCARD B). In the month you used illegal methadone the most, how many days did you use illegal methadone? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	0.6	38	1	ONE DAY
53.8	1.7	112	2	2-5 DAYS
11.1	0.3	23	3	6-10 DAYS
7.7	0.2	16	4	11-20 DAYS
9.1	0.3	19	5	21 DAYS OR MORE
	96.8	6,379	-4	NONE
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 361-362

**R116A9                      AGE FIRST USED OTHER NARCOTICS**

How old were you the first time you tried other narcotics?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	3.5	233	13	13 OR YOUNGER
6.6	2.0	129	14	
9.5	2.8	186	15	
12.8	3.8	251	16	
9.2	2.8	182	17	
10.7	3.2	210	18	
6.0	1.8	118	19	
5.8	1.7	115	20	
5.0	1.5	99	21	
22.6	6.7	445	22	22 OR OLDER
	69.7	4,598	-6	NOT APPLICABLE
	0.3	23	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 363-364

**R117A9                      2WK USE OF OTHER NARCOTICS?**

Have you ever used other narcotics every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.7	904	1	YES
86.3	86.2	5,686	2	NO
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 365-366

<b>R120A9</b>	<b>LAST USE OF OTHER NARCOTICS</b>
---------------	------------------------------------

(POINT TO SHOWCARD A). When did you last use other narcotics? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	3.2	208	1	WITHIN PAST MONTH
22.5	6.8	447	2	1-12 MONTHS AGO
67.0	20.1	1,328	3	MORE THAN 12 MONTHS AGO
	69.7	4,598	-5	NEVER
	0.1	8	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 367-368

<b>R122A9</b>	<b>DAYS USED OTHER NARCOTICS MOST</b>
---------------	---------------------------------------

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used other narcotics. (HAND R SHOWCARD B). In the month you used other narcotics the most, how many days did you use other narcotics? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.8	50	1	ONE DAY
27.9	2.7	175	2	2-5 DAYS
18.9	1.8	119	3	6-10 DAYS
13.4	1.3	84	4	11-20 DAYS
31.8	3.0	200	5	21 DAYS OR MORE
	90.1	5,938	-4	NONE
	0.3	23	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 369-370

<b>R123A9</b>	<b>DAYS USED OTHER NARCOTICS LAST 30</b>
---------------	--

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use other narcotics? (POINT TO SHOWCARD B.) Would you say one day, 2-5 days, 6-10 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.6	38	1	ONE DAY
33.2	1.0	67	2	2-5 DAYS
15.8	0.5	32	3	6-10 DAYS
12.4	0.4	25	4	11-20 DAYS
19.8	0.6	40	5	21 DAYS OR MORE
	96.8	6,385	-4	NONE
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 371-372

<b>R116A10</b>	<b>AGE FIRST USED UPPERS</b>
----------------	------------------------------

How old were you the first time you tried uppers?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	2.0	132	12	12 OR YOUNGER
6.1	2.5	166	13	
8.8	3.6	240	14	
12.0	5.0	328	15	
15.0	6.2	410	16	
10.7	4.4	293	17	
10.3	4.2	280	18	
6.0	2.5	165	19	
5.6	2.3	154	20	
4.1	1.7	113	21	
2.9	1.2	78	22	
2.7	1.1	73	23	
10.9	4.5	298	24	24 OR OLDER
	58.3	3,845	-6	NOT APPLICABLE
	0.3	17	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 373-374

<b>R117A10</b>	<b>2WK USE OF UPPERS?</b>
----------------	---------------------------

Have you ever used (any) uppers every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.7	1,299	1	YES
80.3	80.2	5,290	2	NO
	0.0	3	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 375-376

**R120A10 LAST USE OF UPPERS**

(POINT TO SHOWCARD A). When did you last use (any) uppers? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	1.7	112	1	WITHIN PAST MONTH
15.2	6.3	416	2	1-12 MONTHS AGO
80.8	33.6	2,215	3	MORE THAN 12 MONTHS AGO
	58.3	3,845	-5	NEVER
	0.1	4	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 377-378

**R122A10 DAYS USED UPPERS MOST**

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used (any) uppers. (HAND R SHOWCARD B). In the month you used (any) uppers the most, how many days did you use (any) uppers? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	0.7	46	1	ONE DAY
30.8	2.4	157	2	2-5 DAYS
15.5	1.2	79	3	6-10 DAYS
13.2	1.0	67	4	11-20 DAYS
31.4	2.4	160	5	21 DAYS OR MORE
	92.0	6,065	-4	NONE
	0.2	16	-2	DON'T KNOW
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 379-380

R123A10

DAYS USED UPPERS LAST 30

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use (any) uppers? (POINT TO SHOWCARD B.) Would you say one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	0.3	21	1	ONE DAY
34.2	0.6	38	2	2-5 DAYS
18.9	0.3	21	3	6-10 DAYS
18.9	0.3	21	4	11-20 DAYS
9.0	0.2	10	5	21 DAYS OR MORE
	98.3	6,481	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 381-382

**R116A11                      AGE FIRST USED DOWNERS**

How old were you the first time you tried downers?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	1.9	124	12	12 OR YOUNGER
5.8	1.9	124	13	
9.0	2.9	192	14	
11.3	3.6	239	15	
14.9	4.8	317	16	
11.6	3.7	247	17	
9.7	3.1	205	18	
4.7	1.5	99	19	
5.0	1.6	106	20	
4.1	1.3	87	21	
18.0	5.8	383	22	22 OR OLDER
	67.7	4,462	-6	NOT APPLICABLE
	0.1	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 383-384

**R117A11                      2WK USE OF DOWNERS?**

Have you ever used (any) downers every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.7	906	1	YES
86.3	86.3	5,687	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 385-386

<b>R120A11</b>	<b>LAST USE OF DOWNERS</b>
----------------	----------------------------

(POINT TO SHOWCARD A). When did you last use (any) downers? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	3.3	218	1	WITHIN PAST MONTH
18.7	6.0	398	2	1-12 MONTHS AGO
71.1	22.9	1,512	3	MORE THAN 12 MONTHS AGO
	67.7	4,462	-5	NEVER
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 387-388

<b>R122A11</b>	<b>DAYS USED DOWNERS MOST</b>
----------------	-------------------------------

Now, please look at the calendar and think about the months since (DATE 12 MONTHS AGO) when you have used (any) downers. (HAND R SHOWCARD B). In the month you used (any) downers the most, how many days did you use (any) downers? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	1.0	66	1	ONE DAY
31.8	2.9	191	2	2-5 DAYS
17.5	1.6	105	3	6-10 DAYS
15.0	1.4	90	4	11-20 DAYS
24.7	2.2	148	5	21 DAYS OR MORE
	90.7	5,977	-4	NONE
	0.2	13	-2	DON'T KNOW
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 389-390

**R123A11                      DAYS USED DOWNERS LAST 30**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use (any) downers? (POINT TO SHOWCARD B.) Would you say one day, 2-5 days, 6-10 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	0.6	40	1	ONE DAY
32.6	1.1	70	2	2-5 DAYS
14.4	0.5	31	3	6-10 DAYS
13.5	0.4	29	4	11-20 DAYS
20.9	0.7	45	5	21 DAYS OR MORE
	96.7	6,375	-4	NONE
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 391-392

**R116A12                      AGE FIRST USED OTHER DRUG USED**

How old were you the first time you tried any other drugs, not counting alcohol?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	1.4	93	1	16 OR YOUNGER
28.2	1.1	74	2	17-20
18.3	0.7	48	3	21-25
17.9	0.7	47	4	26 OR OLDER
	96.0	6,331	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 393-394

<b>R117A12</b>	<b>2WK USE OF OTHER DRUG USED?</b>
----------------	------------------------------------

Have you ever used any other drugs, not counting alcohol, every day for 2 weeks or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	115	1	YES
98.3	98.3	6,478	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 395-396

<b>R120A12</b>	<b>LAST USE OF OTHER DRUG USED</b>
----------------	------------------------------------

(POINT TO SHOWCARD A). When did you last use other drugs, not counting alcohol? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.2	16	1	WITHIN PAST MONTH
22.9	0.9	60	2	1-12 MONTHS AGO
71.0	2.8	186	3	MORE THAN 12 MONTHS AGO
	96.0	6,331	-5	NEVER
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 397-398



<b>R125</b>	<b>LAST OVERDOSED ON DRUGS</b>
-------------	--------------------------------

When did you last overdose on any drugs? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.9	62	1	WITHIN THE PAST MONTH
19.8	3.3	217	2	1-12 MONTHS AGO
74.6	12.4	819	3	MORE THAN 12 MONTHS AGO
	83.3	5,495	-5	NEVER
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 403-404

<b>R126</b>	<b>TIMES OVERDOSED IN LAST 12 MONTHS</b>
-------------	--

(HAND R SHOWCARD C). Since (DATE 12 MONTHS AGO), how many times did you go to the hospital because of a drug overdose? Would you say one time, 2-3 times, 4-10 times or 11 times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	2.8	182	1	ONE TIME
33.6	1.4	92	2	MORE THAN ONE TIME
	95.8	6,314	-4	NONE
	0.0	3	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 405-406

<b>R127</b>	<b>CASH SPENT ON DRUGS LAST 30 DAYS</b>
-------------	---

IF R HAS BEEN IN JAIL/PRISON/DETENTION FOR 30 DAYS OR MORE SKIP TO QUESTION R128 Since this past (DATE 30 DAYS AGO), how much money would you say you spent on the drugs you used to get high or for other non-medical effects? RECORD DOLLAR AMOUNT AND ROUND TO NEAREST DOLLAR. PROBE FOR R's BEST ESTIMATE. IF NECESSARY, ASK: How much cash did you spend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	28.8	1,900	0	NOTHING
3.4	2.5	163	1	1-20
10.9	8.0	528	2	21-100
7.1	5.2	342	3	101-200
6.3	4.6	306	4	201-300
3.9	2.9	189	5	301-400
5.3	3.9	255	6	401-500
2.3	1.7	111	7	501-600
1.4	1.0	69	8	601-700
1.6	1.2	78	9	701-800
0.6	0.5	31	10	801-900
5.2	3.8	251	11	901-1000
6.6	4.9	321	12	1001-2000
3.2	2.4	157	13	2001-3000
3.1	2.2	148	14	5000
	22.0	1,451	-7	NOT ASKED OF INMATES
	4.0	267	-4	NONE
	0.4	26	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 407-408

<b>R128</b>	<b>INJECTED DRUGS?</b>
-------------	------------------------

The next set of questions is about injecting drugs to get high or for other non-medical effects. Have you ever, even one time, used a needle to inject drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.7	2,221	1	YES
66.3	66.3	4,372	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 409-410

<b>R129</b>	<b>HAD DRUGS INJECTED?</b>
-------------	----------------------------

Has someone else ever used a needle to inject you with drugs for you to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.4	29	1	YES
99.3	65.9	4,343	2	NO
	33.7	2,221	3	SKIP IF YES TO R128
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 411-412

**R130 LAST INJECTED DRUGS**

(HAND R SHOWCARD D). When was the last time you used a needle to take drugs to get high or for other non-medical effects? Was it within the past 30 days, 31 days ago to 12 months ago, or more than 12 months ago? PROBE FOR BEST ESTIMATE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	10.2	673	1	WITHIN PAST 30 DAYS
25.5	8.7	573	2	AGO
44.6	15.2	1,004	3	MORE THAN 12 MONTHS AGO
	65.9	4,343	-5	NEVER
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 413-414

**R131 DAYS INJECTED DRUGS IN LAST 30**

(HAND R SHOWCARD B). Looking at the number of days on this card, since this past (DATE 30 DAYS AGO), about how many days did you inject drugs to get high or for other non-medical effects? Would you say one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.7	45	1	ONE DAY
14.3	1.5	96	2	2-5 DAYS
11.9	1.2	80	3	6-10 DAYS
15.9	1.6	107	4	11-20 DAYS
51.1	5.2	343	5	21 DAYS OR MORE
	89.8	5,920	-4	NONE
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 415-416

**R132****SHARED NEEDLE OR WORKS?**

The next set of questions is about sharing needles, and sharing works: cotton, cookers, wine caps, spoons, or water. By sharing, I mean using a needle or "works" after someone else uses it. Have you ever, even one time, shared a needle or shared works with someone else, that is, did you use a needle or works after someone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	21.7	1,430	1	YES
78.3	78.2	5,156	2	NO
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 417-418

**R133****LAST SHARED NEEDLE OR WORKS**

(HAND R SHOWCARD D). When was the last time you shared a needle or shared works? Was it within the past 30 days, 31 days ago to 12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	2.4	157	1	WITHIN PAST 30 DAYS
25.3	5.5	362	2	31 DAYS AGO TO 12 MONTHS AGO
63.7	13.8	911	3	MORE THAN 12 MONTHS AGO
	78.3	5,163	-5	NEVER
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 419-420

<b>R135</b>	<b>HOW OFTEN SHARED NEEDLE LAST 30DYS/12MOS</b>
-------------	---

(HAND R SHOWCARD E). Since {Note 1: DATE 30 DAYS AGO/DATE 12 MONTHS AGO}, when you used a needle to inject drugs to get high, about how often did you use it after someone else? Would you say never, less than half of the time, half of the time, more than half of the time, or every time?

Note 1: DATE 30 DAYS AGO if R133=1  
 DATE 12 MONTHS AGO if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	1.0	66	1	NEVER
53.6	4.2	277	2	LESS THAN HALF OF THE TIME
13.7	1.1	71	3	HALF OF THE TIME
8.9	0.7	46	4	MORE THAN HALF OF THE TIME
11.0	0.9	57	5	EVERY TIME
	92.1	6,074	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 421-422

R136

## HOW OFTEN CLEANED NDLE LAST 30DYS/12MOS

(HAND R SHOWCARD E). Since {Note 1: DATE 30 DAYS AGO/DATE 12 MONTHS AGO}, when you used a needle after someone else, about how often did you clean it with bleach before you used it? Would you say never, less than half of the time, half of the time, more than half of the time, or every time?

Note 1: DATE 30 DAYS AGO if R133=1  
DATE 12 MONTHS AGO if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	1.8	116	1	NEVER
24.4	1.7	110	2	LESS THAN HALF OF THE TIME
8.0	0.5	36	3	HALF OF THE TIME
14.7	1.0	66	4	MORE THAN HALF OF THE TIME
27.1	1.9	122	5	EVERY TIME
	93.2	6,142	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 423-424

<b>R137</b>	<b>HOW OFTEN SHARED WORKS LAST 30DYS/12MOS</b>
-------------	--

(HAND R SHOWCARD E). Since {Note 1: DATE 30 DAYS AGO/DATE 12 MONTHS AGO}, when you used a needle, about how often did you use cotton, cookers, wine caps, spoons or water after someone else? Would you say never, less than half of the time, half of the time, more than half the time, or every time?

Note 1: DATE 30 DAYS AGO if R133=1  
 DATE 12 MONTHS AGO if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	1.2	80	1	NEVER
27.5	2.2	142	2	LESS THAN HALF OF THE TIME
16.9	1.3	87	3	HALF OF THE TIME
17.2	1.3	89	4	MORE THAN HALF OF THE TIME
22.9	1.8	118	5	EVERY TIME
	92.1	6,074	-6	NOT APPLICABLE
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 425-426

**R138****DAYS SHARED STRANGER'S NDLE/WRKS IN LAS**

(HAND R SHOWCARD B). Since this past (DATE 30 DAYS AGO), on how many days did you share a needle or works with a stranger? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	0.5	36	2	ONE DAY
24.7	0.3	19	3	2-5 DAYS
10.4	0.1	8	4	6-10 DAYS
6.5	0.1	5	5	11-20 DAYS
11.7	0.1	9	6	21 DAYS OR MORE
	98.7	6,508	-4	NONE
	0.1	6	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 427-428

**R139****DRANK ALCOHOL?**

Now I would like to ask about your use of alcoholic beverages. By alcoholic beverages I mean beer, malt liquors, wine, wine coolers and hard liquor, such as vodka and mixed drinks. Have you ever had a drink of alcohol? By a drink, I mean a can of beer, a glass of wine or a wine cooler, a shot of hard liquor, or a single mixed drink.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	95.8	6,315	1	YES
4.2	4.2	278	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 429-430

<b>R140</b>	<b>DAYS DRANK ALCOHOL IN LAST 30</b>
-------------	--------------------------------------

IF R HAS BEEN IN JAIL/PRISON/DETENTION 30 DAYS OR LONGER, SKIP TO R156. (POINT TO SHOWCARD F). Since this past (DATE 30 DAYS AGO), how many days have you had at least one drink of any beer, malt liquor, wine, wine coolers, or hard liquor? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? PROBE FOR BEST ESTIMATE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	34.1	2,251	1	NONE
8.0	6.2	411	2	ONE DAY
17.9	14.0	921	3	2-5 DAYS
10.1	7.9	520	4	6-10 DAYS
9.1	7.1	469	5	11-20 DAYS
11.1	8.6	569	6	21 DAYS OR MORE
	22.0	1,451	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 431-432

R142A1

DAYS DRANK BEER IN LAST 30

(POINT TO SHOWCARD B). Since this past (DATE 30 DAYS AGO), how many days did you drink at least one drink of beer or malt liquor? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	38.7	2,551	1	NONE
8.5	6.6	435	2	ONE DAY
17.0	13.3	876	3	2-5 DAYS
9.2	7.2	475	4	6-10 DAYS
7.4	5.8	380	5	11-20 DAYS
8.2	6.4	423	6	21 DAYS OR MORE
	22.0	1,451	-7	NOT ASKED OF INMATES
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 433-434

<b>R143A1</b>	<b>AMOUNT OF BEER DRUNK PER DAY</b>
---------------	-------------------------------------

Since this past (DATE 30 DAYS AGO), on the {Note 1: one day/2-5 days/ 6-10 days/11-20 days/21 days or more} that you drank beer or malt liquor, how much beer or malt liquor did you usually drink?

Note 1: 'one day' if R142A1=2  
 '2-5 days' if R142A1=3  
 '6-10' days' if R142A1=4  
 '11-20 days' if R142A1=5  
 '21 days or more' if R142A1=6  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	8.6	565	1	1
16.6	6.5	428	2	2
9.8	3.8	252	3	3
6.6	2.6	170	4	4
3.3	1.3	86	5	5
12.8	5.0	330	6	6
6.8	2.7	176	9	7-11
9.9	3.9	255	12	12
3.6	1.4	92	18	13-22
4.3	1.7	110	24	24
4.6	1.8	119	40	MORE THAN 25
	22.0	1,451	-7	NOT ASKED OF INMATES
	38.7	2,553	-4	NONE
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 435-436

<b>R144A1</b>	<b>UNIT OF BEER DRUNK</b>
---------------	---------------------------

UNIT OF BEER/MALT LIQUOR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	20.5	1,353	1	CANS
25.8	10.1	667	2	BOTTLES
2.1	0.8	55	3	GLASSES
11.9	4.7	309	4	QUARTS
0.5	0.2	14	5	PINTS
7.3	2.9	188	10	OTHER
	60.7	4,004	-9	LEGITIMATE SKIP
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 437-438

<b>R147A1</b>	<b>VOLUME OF BEER UNIT</b>
---------------	----------------------------

How many ounces per drink? BEER/MALT LIQUOR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	1.1	75	8	2-10
56.8	17.9	1,178	12	12
19.9	6.2	412	16	14-24
19.8	6.2	410	40	32-80
	68.5	4,515	-9	LEGITIMATE SKIP
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 439-440

<b>R142A2</b>	<b>DAYS DRANK WINE IN LAST 30</b>
---------------	-----------------------------------

(POINT TO SHOWCARD B). Since this past (DATE 30 DAYS AGO), how many days did you drink at least one drink of wine or wine coolers? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	65.6	4,324	1	NONE
4.1	3.2	211	2	ONE DAY
6.4	5.0	329	3	2-5 DAYS
2.4	1.9	122	4	6-10 DAYS
1.4	1.1	70	5	11-20 DAYS
1.6	1.3	84	6	21 DAYS OR MORE
	22.0	1,451	-7	NOT ASKED OF INMATES
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 441-442

<b>R143A2</b>	<b>AMOUNT OF WINE DRUNK PER DAY</b>
---------------	-------------------------------------

Since this past (DATE 30 DAYS AGO), on the {Note 1: one day/2-5 days/ 6-10 days/11-20 days/21 days or more} that you drank wine or wine coolers, how much wine or wine coolers did you usually drink? RECORD AMOUNT AND VOLUME.

Note 1: 'one day' if R142A2=2  
 '2-5 days' if R142A2=3  
 '6-10' days' if R142A2=4  
 '11-20 days' if R142A2=5  
 '21 days or more' if R142A2=6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	6.4	424	1	1
22.0	2.7	179	2	2
7.1	0.9	58	3	3
6.4	0.8	52	4	4
12.2	1.5	99	8	5 OR MORE
	22.0	1,451	-7	NOT ASKED OF INMATES
	65.6	4,326	-4	NONE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 443-444

<b>R144A2</b>	<b>UNIT OF WINE DRUNK</b>
---------------	---------------------------

UNIT OF WINE/WINE COOLERS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	5.2	345	2	BOTTLES
20.1	2.5	163	3	GLASSES
21.9	2.7	178	6	FIFTHS
15.5	1.9	126	10	OTHER
	87.6	5,777	-9	LEGITIMATE SKIP
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 445-446

<b>R147A2</b>	<b>VOLUME OF WINE UNIT</b>
---------------	----------------------------

How many ounces per drink? WINE/WINE COOLERS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	2.3	149	6	1-8
36.2	2.8	184	12	9-15
17.3	1.3	88	16	16
17.1	1.3	87	32	20-64
	92.2	6,081	-9	LEGITIMATE SKIP
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 447-448

<b>R142A3</b>	<b>DAYS DRANK LIQUOR IN LAST 30</b>
---------------	-------------------------------------

(POINT TO SHOWCARD B). Since this past (DATE 30 DAYS AGO), how many days did you drink at least one drink of hard liquor? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	54.1	3,568	1	
7.3	5.7	377	2	
11.6	9.0	596	3	
5.0	3.9	259	4	
3.3	2.6	172	5	
3.3	2.6	170	6	
	22.0	1,451	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 449-450

<b>R143A3</b>	<b>AMOUNT OF LIQUOR DRUNK PER DAY</b>
---------------	---------------------------------------

Since this past (DATE 30 DAYS AGO), on the {Note 1: one day/2-5 days/ 6-10 days/11-20 days/21 days or more} that you drank hard liquor, how much hard liquor did you usually drink?

Note 1: 'one day' if R142A3=2  
 '2-5 days' if R142A3=3  
 '6-10' days' if R142A3=4  
 '11-20 days' if R142A3=5  
 '21 days or more' if R142A3=6

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	14.7	969	1	1
17.6	4.2	275	2	2
7.2	1.7	113	3	3
4.0	0.9	62	4	4
7.1	1.7	111	6	5-10
2.3	0.5	36	20	11 OR MORE
	22.0	1,451	-7	NOT ASKED OF INMATES
	54.1	3,568	-4	NONE
	0.1	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 451-452



<b>R156</b>	<b>TIMES DRUNK BEFORE AGE 15</b>
-------------	----------------------------------

(HAND R SHOWCARD G). {Note 1: Before you turned 15 years old, how many times did you get drunk/How many times have you been drunk}? Would you say none, one time, 2-5 times, 6-20 times, 21-100 times, or more than 100 times?

Note 1: 'Before you turned...' if R34(AGE)>15  
 'How many times have you been drunk'  
 if R34(AGE)<=15

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	36.1	2,378	1	NONE
7.7	7.3	481	2	ONE TIME
19.0	18.1	1,195	3	2-5 TIMES
15.5	14.7	972	4	6-20 TIMES
10.9	10.4	685	5	21-100 TIMES
9.0	8.6	568	6	MORE THAN 100 TIMES
	4.2	278	-4	NONE
	0.5	36	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 457-458

<b>R157</b>	<b>ALCOHOL DT'S?</b>
-------------	----------------------

Have you ever had alcohol d.t.'s (delirium tremens)? IF NECESSARY, SAY: That is, have you ever gone into withdrawal from alcohol and had hallucinations or shakes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.8	1,105	1	YES
83.2	83.1	5,481	2	NO
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 459-460

<b>R159</b>	<b>HOSPITALIZED FOR DRINKING?</b>
-------------	-----------------------------------

{Note 1: Including here}, have you ever been in a hospital because of your drinking?

Note 1: 'Including here' if R3=1 or 2  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	18.9	1,247	1	YES
81.1	81.1	5,346	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 461-462

<b>R160</b>	<b>RECEIVED HELP ABOUT DRINKING?</b>
-------------	--------------------------------------

{Note 1: Including here}, have you ever gone to anyone for help about your drinking?

Note 1: See R159 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	39.5	2,601	1	YES
60.5	60.5	3,992	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 463-464

**R161****TROUBLED/BOTHERED BY OWN ALCOHOL USE**

Right now, how troubled or bothered are you by your alcohol use?  
Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	54.2	3,574	1	NOT AT ALL
21.8	21.8	1,438	2	SOMEWHAT
24.0	23.9	1,579	3	VERY MUCH
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 465-466

**R162****IMPORTANCE OF ALCOHOL ABUSE TX**

Right now, how important is it to you to receive treatment or  
counseling for alcohol use? Would you say very important,  
somewhat important, or not at all important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	48.5	3,197	1	VERY IMPORTANT
17.6	17.6	1,160	2	SOMEWHAT IMPORTANT
33.9	33.9	2,235	3	NOT AT ALL IMPORTANT
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 467-468

**SECTION D: LIVING ARRANGEMENTS**

**R171 STAYED IN OWN APT 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.

a. In your own apartment or house? This includes living with a parent or guardian.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	75.7	4,993	1	YES
24.3	24.3	1,599	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 469-470

**R172 STAYED IN OTHER'S APT 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.

b. In someone else's apartment or house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	48.9	3,227	1	YES
51.0	51.0	3,365	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 471-472

**R173****STAYED IN HOTEL ROOM 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.

c. In a room in a hotel or motel, in a rooming or boarding house or in a school dormitory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.5	1,481	1	YES
77.5	77.5	5,110	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 473-474

**R174****STAYED IN HOMELESS SHELTER 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.

d. In a homeless shelter or on the street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.2	1,133	1	YES
82.8	82.8	5,459	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 475-476

**R175 STAYED IN OTHER SHELTER 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.  
 e. In another type of shelter facility, {Note 1: such as a shelter for runaways or battered women}?

Note 1: 'such as a shelter for runaways...'  
 if R29=2 or R34<18  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.1	273	1	YES
95.9	95.8	6,319	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 477-478

**R176 STAYED IN HOSPITAL 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.  
 f. In a hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	18.6	1,225	1	YES
81.4	81.4	5,367	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 479-480

<b>R177</b>	<b>STAYED IN JAIL 12 MONTHS?</b>
-------------	----------------------------------

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.  
g. In jail, prison or detention, including being on work release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	51.6	3,403	1	YES
48.4	48.4	3,189	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 481-482

<b>R178</b>	<b>STAYED IN GROUP HOME 12 MONTHS?</b>
-------------	--

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.  
h. In a group home or residence, such as a residential treatment center, or a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	36.2	2,385	1	YES
63.8	63.8	4,207	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 483-484

**R179 STAYED IN OTHER PLACE 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since (DATE 12 MONTHS AGO) of last year, have you stayed... READ EACH CATEGORY.  
 i. Somewhere else that I haven't already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	130	1	YES
98.0	98.0	6,462	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 485-486

**R182A1 STAYED IN OWN HOME 30 DAYS**

Since (DATE 30 DAYS AGO), have you stayed in your own apartment or house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	44.5	2,937	1	YES
55.5	55.5	3,656	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 487-488

<b>R184A1</b>	<b>GOV'T PAID OWN HOME</b>
---------------	----------------------------

Was any one of your apartments or houses owned by the government or did the government help pay the rent or make the payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.4	422	1	YES
93.6	93.3	6,152	2	NO
	0.3	19	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 489-490

<b>R185A1</b>	<b>LONGEST STAY OWN HOME</b>
---------------	------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in your own apartment or house? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	3.7	244	1	LESS THAN 1 MONTH
13.7	10.4	684	2	1-3 MONTHS
18.0	13.6	897	3	4-6 MONTHS
15.3	11.6	764	4	7-9 MONTHS
48.0	36.3	2,393	5	10-12 MONTHS
	24.3	1,601	-6	NOT APPLICABLE
	0.1	5	-3	MISSING
	0.1	4	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 491-492

<b>R182A2</b>	<b>STAYED IN OTHER'S HOME 30 DAYS</b>
---------------	---------------------------------------

Since (DATE 30 DAYS AGO), have you stayed in someone else's apartment or house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	24.3	1,602	1	YES
75.7	75.7	4,991	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 493-494

<b>R184A2</b>	<b>GOV'T PAID OTHER'S HOME</b>
---------------	--------------------------------

Was any one of these apartments or houses owned by the government or did the government help pay the rent or make the payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	193	1	YES
97.1	96.6	6,367	2	NO
	0.5	33	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 495-496

**R185A2****LONGEST STAY OTHER'S HOME 12 MOS**

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in someone else's apartment or house? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	14.6	963	1	LESS THAN 1 MONTH
30.6	14.9	984	2	1-3 MONTHS
17.8	8.7	571	3	4-6 MONTHS
8.1	4.0	261	4	7-9 MONTHS
13.5	6.6	435	5	10-12 MONTHS
	51.1	3,366	-6	NOT APPLICABLE
	0.0	3	-3	MISSING
	0.1	8	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 497-498

**R182A3****STAYED IN HOTEL ROOM 30 DAYS**

Since (DATE 30 DAYS AGO), have you stayed in a room in a hotel or motel, in a rooming or boarding house or in a school dormitory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	497	1	YES
92.5	92.5	6,096	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 499-500



<b>R182A4</b>	<b>STAYED IN HOMELESS SHELTER 30 DAYS</b>
---------------	---

Since (DATE 30 DAYS AGO), have you stayed in a homeless shelter or on the street?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.2	475	1	YES
92.8	92.8	6,118	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 505-506

<b>R185A4</b>	<b>LONGEST STAY HOMELESS SHELTER 12 MOS</b>
---------------	---

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in a homeless shelter or on the street? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	8.4	553	1	LESS THAN 1 MONTH
31.6	5.4	357	2	1-3 MONTHS
11.4	2.0	129	3	4-6 MONTHS
3.6	0.6	41	4	7-9 MONTHS
4.3	0.7	49	5	10-12 MONTHS
	82.8	5,460	-6	NOT APPLICABLE
	0.0	1	-3	MISSING
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 507-508

**R182A5 STAYED IN OTHER SHELTER 30 DAYS**

Since (DATE 30 DAYS AGO), have you stayed in another type of shelter facility, {Note 1: such as a shelter for runaways or battered women}?

Note 1: See R174 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	88	1	YES
98.7	98.7	6,505	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 509-510

**R185A5 LONGEST STAY OTHER SHELTER 12 MOS**

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in another type of shelter facility? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	2.5	166	1	LESS THAN 1 MONTH
38.1	1.5	102	2	1 OR MORE MONTHS
	95.9	6,320	-6	NOT APPLICABLE
	0.0	2	-3	MISSING
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 511-512

<b>R182A6</b>	<b>STAYED IN HOSPITAL 30 DAYS</b>
---------------	-----------------------------------

Since (DATE 30 DAYS AGO), have you stayed in a hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.3	547	1	YES
91.7	91.7	6,046	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 513-514

<b>R185A6</b>	<b>LONGEST STAY HOSPITAL 12 MOS</b>
---------------	-------------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in a hospital? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	16.2	1,071	1	LESS THAN 1 MONTH
12.1	2.2	147	2	1 OR MORE MONTHS
	81.4	5,368	-6	NOT APPLICABLE
	0.0	2	-3	MISSING
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 515-516

**R182A7 STAYED IN JAIL 30 DAYS**

Since (DATE 30 DAYS AGO), have you stayed in a jail, prison or detention, including being on work release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	36.6	2,415	1	YES
63.4	63.4	4,178	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 517-518

**R185A7 LONGEST STAY JAIL 12 MOS**

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in jail, prison or detention? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	14.8	976	1	LESS THAN 1 MONTH
27.9	13.2	872	2	1-3 MONTHS
17.7	8.4	554	3	4-6 MONTHS
12.3	5.9	386	4	7-9 MONTHS
10.9	5.2	342	5	10-12 MONTHS
	52.4	3,457	-6	NOT APPLICABLE
	0.0	3	-3	MISSING
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 519-520

<b>R182A8</b>	<b>STAYED IN GROUP HOME 30 DAYS</b>
---------------	-------------------------------------

Since (DATE 30 DAYS AGO), have you stayed in a group home or residence, such as a residential treatment center, or halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	29.6	1,951	1	YES
70.4	70.4	4,642	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 521-522

<b>R185A8</b>	<b>LONGEST STAY GROUP HOME 12 MOS</b>
---------------	---------------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed in a group home or residence? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	25.6	1,689	1	LESS THAN 1 MONTH
18.5	6.7	440	2	1-3 MONTHS
5.9	2.1	141	3	4-6 MONTHS
2.1	0.7	49	4	7-9 MONTHS
2.4	0.8	56	5	10-12 MONTHS
	63.8	4,208	-6	NOT APPLICABLE
	0.1	8	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 523-524

**R182A9 STAYED IN OTHER PLACE 30 DAYS**

Since (DATE 30 DAYS AGO), have you stayed in the other place you told me about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	39	1	YES
99.4	99.4	6,554	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 525-526

**R185A9 LONGEST STAY OTHER PLACE 12 MOS**

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year what is the longest time you stayed the other place you told me about? Has it been less than a month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE 10-12 MONTHS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	0.9	61	1	LESS THAN 1 MONTH
25.4	0.5	33	2	1-3 MONTHS
15.4	0.3	20	3	4-6 MONTHS
6.2	0.1	8	4	7-9 MONTHS
6.2	0.1	8	5	10-12 MONTHS
	98.0	6,463	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 527-528

<b>R187</b>	<b>PLACE STAYED LAST NIGHT</b>
-------------	--------------------------------

What type of place did you stay in last night? RECORD VERBATIM AND CODE ALL THAT APPLY. IF R SAYS 'APARTMENT' OR 'HOUSE,' PROBE FOR LOCATION (R'S OWN/SOMEBODY ELSE'S) CODE ONE:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	23.4	1,546	1	RS OWN APARTMENT/HOUSE
7.6	7.6	501	2	SOMEONE ELSE'S APARTMENT/HOUSE
0.7	0.7	48	3	HOTEL, MOTEL, ROOMING/BOARDING HOUSE/DORM
0.8	0.8	54	4	HOMELESS SHELTER/ON STREET
0.3	0.3	22	5	OTHER TYPE OF SHELTER
3.9	3.9	256	6	HOSPITAL
25.6	25.6	1,689	7	DETENTION/ WORK RELEASE
37.1	37.1	2,447	8	OTHER TYPE OF GROUP HOME/TX CENTER
0.5	0.5	30	9	SOME OTHER PLACE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 529-530

<b>R189</b>	<b>STAYED IN PUBLIC HOUSING LAST NIGHT?</b>
-------------	---

Is {Note 1: your apartment or house/this place} owned by the government or does the government help pay the rent or make the payments?

Note 1: 'your apartment or house' if R186=1

'this place' if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	281	1	YES
95.7	95.5	6,294	2	NO
	0.3	17	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 531-532

**R190 IMPORTANCE OF HOUSING HELP**

Right now, how important to you is help with housing problems such as finding or keeping a place to live? Would you say very important, somewhat important or not at all important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	49.4	3,254	1	VERY IMPORTANT
10.7	10.6	702	2	SOMEWHAT IMPORTANT
40.0	40.0	2,634	3	NOT AT ALL IMPORTANT
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 533-534

**R191 SAW DRUG USE/SALE NEAR HOME LAST 7 DAYS?**

IF R HAS BEEN IN JAIL/PRISON/DETENTION LAST SEVEN DAYS OR LONGER, SKIP TO QUESTION R195 In the past seven days, on how many days did you see someone using or selling drugs at or near any place you stayed? RECORD NUMBER OF DAYS. PROBE FOR TOTAL NUMBER OF DAYS FOR ALL PLACES WHERE R STAYED IN LAST SEVEN DAYS. NUMBER OF DAYS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	52.8	3,481	0	
3.0	2.3	150	1	
2.9	2.2	145	2	
2.2	1.6	107	3	
2.0	1.5	100	4	
1.8	1.3	88	5	
0.5	0.4	26	6	
17.0	12.8	841	7	
	25.1	1,652	-7	NOT ASKED OF INMATES
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 535-536

**R192****APPROACHED TO USE/BUY DRUGS LAST 7 DAYS?**

In the past seven days, on how many days did someone try to get you to use or buy drugs at or near any place you stayed? RECORD NUMBER OF DAYS. PROBE FOR TOTAL NUMBER OF DAYS FOR ALL PLACES WHERE R STAYED IN LAST SEVEN DAYS. NUMBER OF DAYS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	60.1	3,965	0	
4.3	3.2	214	1	
3.1	2.3	154	2	
2.2	1.6	108	3	
1.5	1.2	76	4	
1.0	0.7	47	5	
0.3	0.2	14	6	
7.3	5.4	359	7	
	25.1	1,652	-7	NOT ASKED OF INMATES
	0.0	3	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 537-538

**R193****SHOOTING/KNIFING NEARBY PAST 7DYS?**

In the past 7 days, was there a shooting or knifing that you know of at or near any place you stayed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	10.1	663	1	YES
86.5	64.6	4,261	2	NO
	25.1	1,652	-7	NOT ASKED OF INMATES
	0.3	17	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 539-540

**R194 MUGGING/BEATING NEARBY PAST 7DYS?**

In the past 7 days, was there a mugging, beating, or other kind of violent attack that you know of at or near any place you stayed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	9.4	619	1	YES
87.4	65.3	4,306	2	NO
	25.1	1,652	-7	NOT ASKED OF INMATES
	0.2	16	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 541-542

**R195 KNOWN PEOPLE KILLED LAST 12MO**

Since (DATE 12 MONTHS AGO) of last year, how many people that you know personally have been killed, including murders, suicides, and accidents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	39.7	2,615	0	
13.4	12.6	832	1	
12.7	12.0	788	2	
9.5	8.9	590	3	
5.4	5.1	337	4	
5.2	4.9	321	5	
2.6	2.5	165	6	
1.5	1.4	92	7	
1.0	1.0	63	8	
0.4	0.4	24	9	
6.4	6.1	400	10	10 OR MORE
	5.2	342	-7	NOT ASKED OF INMATES
	0.4	24	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 543-544

<b>R198A1</b>	<b>LIVED WITH SPOUSE/PARTNER?</b>
---------------	-----------------------------------

Since (DATE 12 MONTHS AGO) of last year, please tell me if you lived with any of the following people. Since (DATE 12 MONTHS AGO) of last year, have you lived with your {Note 1: wife/husband} or someone who is like a spouse or partner?

Note 1: 'wife' if R29=1

'husband' if R29=2 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	48.5	3,197	1	YES
51.5	51.5	3,394	2	NO
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

<b>R198A2</b>	<b>LIVED WITH MOTHER?</b>
---------------	---------------------------

Since (DATE 12 MONTHS AGO) of last year, have you lived with your mother, including your natural mother, stepmother, foster mother, or adoptive mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	39.1	2,577	1	YES
60.9	60.9	4,016	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 547-548

**R198A3                      LIVED WITH FATHER?**

Since (DATE 12 MONTHS AGO) of last year, have you lived with your father, including your natural father, stepfather, foster father, or adoptive father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.7	1,233	1	YES
81.3	81.3	5,360	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 549-550

**R198A4                      LIVED WITH MINOR CHILDREN?**

Since (DATE 12 MONTHS AGO) of last year, have you lived with children under 18 years old who are your natural children or who you are raising as your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	35.1	2,316	1	YES
64.9	64.9	4,276	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 551-552

<b>R198A5</b>	<b>LIVED WITH ADULT CHILDREN?</b>
---------------	-----------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you lived with children of yours who are 18 years or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	386	1	YES
94.1	94.1	6,207	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 553-554

<b>R200A1</b>	<b>TIME LIVED WITH SPOUSE/PARTNER</b>
---------------	---------------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year, what is the longest time you lived with your spouse or partner? Has it been less than one month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE "10-12 MONTHS". 0|

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	3.4	221	1	LESS THAN 1 MONTH
19.8	9.6	634	2	1-3 MONTHS
18.9	9.1	603	3	4-6 MONTHS
14.9	7.2	477	4	7-9 MONTHS
39.4	19.1	1,259	5	10-12 MONTHS
	51.5	3,396	-6	NOT APPLICABLE
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 555-556

<b>R202A1</b>	<b>NOW LIVE WITH SPOUSE/PARTNER?</b>
---------------	--------------------------------------

Are you now living with that person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.9	1,111	1	YES
83.1	83.0	5,475	2	NO
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 557-558

<b>R200A2</b>	<b>TIME LIVED WITH MOTHER</b>
---------------	-------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year, what is the longest time you lived with your mother, including your natural mother, stepmother, foster mother, or adoptive mother? Has it been less than one month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	4.8	317	1	LESS THAN 1 MONTH
26.1	10.1	667	2	1-3 MONTHS
19.2	7.4	490	3	4-6 MONTHS
11.9	4.6	304	4	7-9 MONTHS
30.4	11.8	777	5	10-12 MONTHS
	61.2	4,035	-6	NOT APPLICABLE
	0.0	1	-3	MISSING
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 559-560

<b>R202A2</b>	<b>NOW LIVE WITH MOTHER?</b>
---------------	------------------------------

Are you now living with that person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	18.0	1,190	1	YES
81.9	81.9	5,401	2	NO
	0.0	2	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 561-562

<b>R200A3</b>	<b>TIME LIVED WITH FATHER</b>
---------------	-------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year, what is the longest time you lived with your father, including your natural father, stepfather, foster father, or adoptive father? Has it been less than one month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	2.6	173	1	LESS THAN 1 MONTH
25.3	4.7	307	2	1-3 MONTHS
19.9	3.7	242	3	4-6 MONTHS
11.4	2.1	139	4	7-9 MONTHS
29.1	5.4	353	5	10-12 MONTHS
	81.6	5,379	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 563-564

<b>R202A3</b>	<b>NOW LIVE WITH FATHER?</b>
---------------	------------------------------

Are you now living with that person?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.8	514	1	YES
92.2	92.2	6,077	2	NO
	0.0	1	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 565-566

<b>R200A4</b>	<b>TIME LIVED WITH MINOR CHILDREN</b>
---------------	---------------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year, what is the longest time you lived with your children under 18 years old, including your natural children under 18 years old, stepchildren under 18 years old, foster children under 18 years old, or adoptive children under 18 years old? Has it been less than one month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE "10-12 MONTHS".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	2.0	135	1	LESS THAN 1 MONTH
13.5	4.7	307	2	1-3 MONTHS
15.7	5.4	355	3	4-6 MONTHS
13.1	4.5	298	4	7-9 MONTHS
51.7	17.8	1,172	5	10-12 MONTHS
	65.5	4,321	-6	NOT APPLICABLE
	0.0	1	-3	MISSING
	0.0	3	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 567-568

<b>R202A4</b>	<b>NOW LIVE WITH MINOR CHILDREN?</b>
---------------	--------------------------------------

Are you now living with any of them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	17.7	1,167	1	YES
82.3	82.3	5,423	2	NO
	0.0	1	-3	MISSING
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 569-570

<b>R200A5</b>	<b>TIME LIVED WITH ADULT CHILDREN</b>
---------------	---------------------------------------

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year, what is the longest time you lived with children of yours who are 18 years or older? Has it been less than one month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months? IF R SAYS ENTIRE YEAR, CODE "10-12 MONTHS".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	1.0	64	1	LESS THAN 1 MONTH
20.3	1.2	77	2	1-3 MONTHS
13.7	0.8	52	3	4-6 MONTHS
6.9	0.4	26	4	7-9 MONTHS
42.2	2.4	160	5	10-12 MONTHS
	94.2	6,211	-6	NOT APPLICABLE
	0.0	1	-3	MISSING
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 571-572

<b>R202A5</b>	<b>NOW LIVE WITH ADULT CHILDREN?</b>
---------------	--------------------------------------

Are you now living with any of them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	186	1	YES
97.2	97.2	6,407	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 573-574

<b>R203</b>	<b>CURRENTLY LIVING WITH ALCOHOLIC?</b>
-------------	---

Is anyone you are now living with drinking alcohol so much that it troubles or bothers you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	492	1	YES
92.5	92.5	6,100	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 575-576

<b>R204M1</b>	<b>SPOUSE/PARTNER ALCOHOLIC</b>
---------------	---------------------------------

SPOUSE OR PARTNER Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	1.7	111	1	YES
77.4	5.8	380	2	NO
	92.5	6,101	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 577-578

<b>R204M2</b>	<b>MOTHER ALCOHOLIC</b>
---------------	-------------------------

MOTHER OR FEMALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	0.7	47	1	YES
90.4	6.7	444	2	NO
	92.5	6,101	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 579-580

<b>R204M3</b>	<b>FATHER ALCOHOLIC</b>
---------------	-------------------------

FATHER OR MALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.7	49	1	YES
90.0	6.7	442	2	NO
	92.5	6,101	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 581-582

<b>R204M4</b>	<b>MINOR CHILD ALCOHOLIC</b>
---------------	------------------------------

R'S CHILD UNDER 18 YEARS OLD Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	5	1	YES
99.0	7.4	486	2	NO
	92.5	6,101	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 583-584

<b>R204M5</b>	<b>ADULT CHILD ALCOHOLIC</b>
---------------	------------------------------

R'S CHILD 18 YEARS OR OLDER Who is that? IF NECESSARY, ASK:  
What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.2	13	1	YES
97.4	7.3	478	2	NO
	92.5	6,101	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 585-586

<b>R204M6</b>	<b>OTHER PERSON ALCOHOLIC</b>
---------------	-------------------------------

OTHER PERSON Who is that? IF NECESSARY, ASK: What is this  
person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	4.4	292	1	YES
40.5	3.0	199	2	NO
	92.5	6,101	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 587-588

**R205 CURRENTLY LIVING WITH DRUG USER?**

Is anyone you are now living with using illegal drugs or using prescription drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	481	1	YES
92.6	91.8	6,054	2	NO
	0.7	49	-3	MISSING
	0.1	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 589-590

**R206M1 SPOUSE/PARTNER DRUG USER**

SPOUSE OR PARTNER Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	2.2	146	1	YES
69.6	5.1	335	2	NO
	92.7	6,112	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 591-592

**R206M2****MOTHER DRUG USER**

MOTHER OR FEMALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.2	15	1	YES
96.9	7.1	466	2	NO
	92.7	6,112	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 593-594

**R206M3****FATHER DRUG USER**

FATHER OR MALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.2	14	1	YES
97.1	7.1	467	2	NO
	92.7	6,112	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 595-596

<b>R206M4</b>	<b>MINOR CHILD DRUG USER</b>
---------------	------------------------------

R'S CHILD UNDER 18 YEARS OLD Who is that? IF NECESSARY, ASK:  
 What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	9	1	YES
98.1	7.2	472	2	NO
	92.7	6,112	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 597-598

<b>R206M5</b>	<b>ADULT CHILD DRUG USER</b>
---------------	------------------------------

R'S CHILD 18 YEARS OR OLDER Who is that? IF NECESSARY, ASK:  
 What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.2	10	1	YES
97.9	7.1	471	2	NO
	92.7	6,112	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 599-600

**R206M6****OTHER PERSON DRUG USER**

OTHER PERSON Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	4.8	314	1	YES
34.7	2.5	167	2	NO
	92.7	6,112	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 601-602

**R207****CURRENTLY LIVING WITH 12-STEP GOER?**

Is anyone you are now living with receiving alcohol or drug treatment or going to Alcoholics Anonymous, Narcotics Anonymous, or Cocaine Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	820	1	YES
87.5	87.3	5,757	2	NO
	0.2	13	-3	MISSING
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 603-604

**R208M1                      SPOUSE/PARTNER 12-STEP GOER**

SPOUSE OR PARTNER Who is that? IF NECESSARY, ASK: What is this person relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	2.1	139	1	YES
83.0	10.3	680	2	NO
	87.6	5,773	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 605-606

**R208M2                      ALL OTHER 12-STEP GOER**

Who is that? IF NECESSARY, ASK: What is this person relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	10.4	684	1	YES
16.5	2.0	135	2	NO
	87.6	5,773	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 607-608

**R211****NON-COHABITANT PARTNER?**

Is there one person who you are not now living with who you care very much about and have a sexual relationship with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	36.1	2,377	1	YES
63.9	63.9	4,211	2	NO
	0.1	4	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 609-610

**R212****PARTNER ABUSING ALCOHOL?**

At this time, is this person drinking alcohol so much that it troubles or bothers you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	355	1	YES
94.6	94.4	6,224	2	NO
	0.2	13	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 611-612

**R213 PARTNER USING DRUGS?**

At this time, is this person using illegal drugs or using prescription drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.9	458	1	YES
93.0	92.7	6,111	2	NO
	0.3	23	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 613-614

**R214 PARTNER IN 12-STEP/TREATMENT?**

Is this person now receiving alcohol or drug treatment or going to Alcoholics Anonymous, Narcotics Anonymous, or Cocaine Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	323	1	YES
95.1	94.7	6,242	2	NO
	0.4	28	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 615-616

**R216****NUMBER OF CHILDREN CURRENTLY RAISING**

Now, let's talk about any children under 18 years old you are raising and living with. {Note 1: Right now, altogether/At the time you entered this {Note 2: jail/prison/detention center}}, how many children under 18 years old {Note 3: are/were} you raising and living with? Please include any children you {Note 4: are/were) raising and living with such as natural children, adopted children, stepchildren and foster children. NUMBER OF CHILDREN:

Note 1: 'Right now, altogether' if R17=4  
'At the time you entered...' if R17=1 or 2 or 3 blank  
if otherwise

Note 2: See R19 Note 1 Note 3: 'are' if R17=4  
'were' if R17=1 or 2 or 3 blank if otherwise

Note 4: See Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	72.4	4,771	0	0
9.9	9.9	653	1	1
8.8	8.8	582	2	2
5.2	5.2	344	3	3
3.7	3.7	243	4	4 OR MORE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 617-618

**R218 EVER RAISED CHILDREN?**

{Note 1: Have/Before you were {Note 2: locked up/detained}, had} you ever

raised any {Note 3: other} who are now under the age of 18?

Note 1: 'Have' if R17=4

'Before you were..., had' if R17=1 or 2 or 3 blank if otherwise

Note 2: 'locked up' if R17=3 or 4

'detained' if R17=1 blank if otherwise

Note 3: 'other' if R216>=1

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	39.7	2,615	1	YES
60.3	60.3	3,978	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 619-620

**R219 IN TREATMENT TO REGAIN CUSTODY?**

These next few questions ask about custody. By custody, I mean being

legally in charge of a child. Do you think that coming to {Note 1: treatment at this time/this program} will help you get custody of any children?

Note 1: 'treatment at this time' if R34<=18

'this program' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	18.1	1,195	1	YES
67.8	67.4	4,446	2	NO
13.9	13.8	913	3	R HAS CUSTODY OF ALL CHILDREN
	0.6	39	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 621-622

<b>R220</b>	<b>AFRAID OF LOSING CUSTODY?</b>
-------------	----------------------------------

Do you have any concerns about losing custody of a child because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	487	1	YES
91.6	91.6	6,037	2	NO
1.0	1.0	68	3	R DOESNT HAVE CUSTODY OF ANY CHILDREN
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 623-624

<b>R221</b>	<b>DIFFICULTY OF GETTING CHILD CARE</b>
-------------	---

IF R IS CURRENTLY LIVING WITH OWN CHILDREN UNDER AGE 18, GO TO R221. OTHERWISE, SKIP TO R222 How easy or difficult is it for you to get child care now if you need to? Would you say very easy, somewhat easy, somewhat difficult, or very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	6.2	407	1	VERY EASY
27.2	3.9	254	2	SOMEWHAT EASY
17.5	2.5	163	3	SOMEWHAT DIFFICULT
11.7	1.7	109	4	VERY DIFFICULT
	0.1	4	-2	DON'T KNOW
	85.8	5,656	5	NEVER NEED TO GET CHILD CARE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 5, lowest thru -1  
 Columns: 625-626

**R222** **CURRENTLY MARRIED?**

Now, I have some questions about your marital status and the people who depend on you for financial support. Right now, are you legally married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	20.1	1,328	1	YES
79.8	79.7	5,255	2	NO
	0.2	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 627-628

**R223** **EVER MARRIED?**

Have you ever been legally married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	37.8	2,494	1	YES
62.2	62.2	4,098	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 629-630

**R225****LIVE WITH SPOUSE?**

Right now, do you live in the same place as your {Note 1:  
wife/husband}?

Note 1: See R198A1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	5.2	340	1	YES
21.7	1.4	94	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	68.2	4,499	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 631-632

**R226****LENGTH OF MARITAL SEPARATION**

(HAND R SHOWCARD J). How long have you been living apart [this  
time]? Has it been less than one month, 1-12 months, or more  
than 12 months? IF R/SPOUSE HAVE BEEN APART BEFORE, PROBE FOR  
LENGTH OF CURRENT SEPARATION.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	0.2	11	1	LESS THAN ONE MONTH
12.8	0.2	12	2	1-12 MONTHS
75.5	1.1	71	3	MORE THAN 12 MONTHS
	98.6	6,499	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 633-634

**R227 NUMBER OF DEPENDENTS**

IF R WAS IN JAIL/PRISON/DETENTION LAST NIGHT, SKIP TO R228, OTHERWISE, ASK R227 Not counting yourself, how many people depend on you for their living expenses such as housing, food, clothing, medical costs, or transportation? Please include anyone who depends on you for their expenses, whether or not they live with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	43.7	2,878	0	0
15.0	11.2	739	1	1
10.8	8.1	535	2	2
8.3	6.2	407	3	3
3.9	2.9	190	4	4
3.7	2.8	183	5	5 OR MORE
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 635-636

**R228 PERSON TO CONFIDE IN?**

{Note 1: Including anyone you know here in {Note 2: jail/prison/detention}}, Are there any people you know well who you could talk to about your most personal problems?

Note 1: 'Including anyone you know...'  
 if R17=1 or 2 or 3  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	82.4	5,435	1	YES
17.5	17.5	1,156	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 637-638

<b>R229</b>	<b>EMERGENCY SUPPORT PERSON?</b>
-------------	----------------------------------

If you have an emergency, is there anyone you can count on to help you even when it would not be easy for that person to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	92.3	6,086	1	YES
7.4	7.4	486	2	NO
	0.3	21	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 639-640

<b>R231</b>	<b>AGE MET SUPPORT PERSON 1</b>
-------------	---------------------------------

Now please think about three people you would be most likely to {Note 1: talk to about your personal problems/or/ask for help in an emergency}. How old were you when you met each of these people? IF R HAS KNOWN PERSON ENTIRE LIFE, ENTER "00". IF NOT APPLICABLE (NO 2ND OR 3RD PERSON), ENTER "99". AGE MET 1ST PERSON:

Note 1: 'talk to about your personal problems'  
           if R228=1  
           'or' if R228=1 and R229=1 'ask for help in an  
           emergency' if R229=1 blank if otherwise

6,593 cases (Range of valid codes: 0-41)

Data type: numeric  
 Missing-data codes: 99, lowest thru -1  
 Columns: 641-642

**R232****AGE MET SUPPORT PERSON 2**

Now please think about three people you would be most likely to {Note 1: talk to about your personal problems/or/ask for help in an emergency}. How old were you when you met each of these people? IF R HAS KNOWN PERSON ENTIRE LIFE, ENTER "00". IF NOT APPLICABLE (NO 2ND OR 3RD PERSON), ENTER "99".

Note 1: 'talk to about your personal problems'  
if R228=1  
'or' if R228=1 and R229=1 'ask for help in an  
emergency' if R229=1 blank if otherwise

6,593 cases (Range of valid codes: 0-41)

Data type: numeric

Missing-data codes: 99, lowest thru -1

Columns: 643-644

**R233****AGE MET SUPPORT PERSON 3**

Now please think about three people you would be most likely to {Note 1: talk to about your personal problems/or/ask for help in an emergency}. How old were you when you met each of these people? IF R HAS KNOWN PERSON ENTIRE LIFE, ENTER "00". IF NOT APPLICABLE (NO 2ND OR 3RD PERSON), ENTER "99".

Note 1: 'talk to about your personal problems'  
if R228=1  
'or' if R228=1 and R229=1 'ask for help in an  
emergency' if R229=1 blank if otherwise

6,593 cases (Range of valid codes: 0-41)

Data type: numeric

Missing-data codes: 99, lowest thru -1

Columns: 645-646

**R234****EVER OUTPLACED BY COURTS/AGENCY?**

{Note 1: At any time before you were 18 years old, did/Have} the Courts or a social service agency ever {Note 2: arrange/arranged} a place for you to live?

Note 1: 'At any time before you were 18 years old, did' if R34>=18 'Have' if R34<18 blank if otherwise

Note 2: 'arrange' if R34>=18  
'arranged' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.4	820	1	YES
87.6	87.5	5,769	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 647-648

<b>R236</b>	<b>TIMES OUTPLACED BY COURTS/AGENCY</b>
-------------	---

Altogether, how many times {Note 1: did/have} the courts or an Agency {Note 2: do/done} this? RECORD NUMBER OF TIMES.  
 PROBE FOR BOTH COURT AND AGENCY PLACEMENTS.

Note 1: 'did' if R34>=18  
           'have' if R34<18 blank if otherwise  
 Note 2: 'do' if R34>=18  
           'done' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	5.8	380	1	
18.5	2.3	149	2	
11.8	1.4	95	3	
6.6	0.8	53	4	
15.9	1.9	128	5	5 OR MORE
	87.6	5,773	-4	NONE
	0.2	14	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 649-650

<b>R237</b>	<b>EVER RUN AWAY FROM HOME?</b>
-------------	---------------------------------

{Note 1: Before you were 18 years old, did/Have} you ever run  
away from

home or from the place you usually {Note 2: lived/live}?

Note 1: 'Before you were 18 years old, did'  
if R34>=18

'Have' if R34<18 blank if otherwise

Note 2: 'lived' if R34>=18

'live' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	34.9	2,302	1	YES
65.1	65.1	4,289	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 651-652

<b>R238</b>	<b>TIMES RUN AWAY</b>
-------------	-----------------------

Altogether, how many times {Note 1: did/have} you run away?

PROBE FOR

BEST ESTIMATE IF R IS UNCERTAIN.

Note 1: See R236 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	12.0	788	1	1
18.8	6.5	426	2	2
12.6	4.3	286	3	3
18.5	6.4	419	4	4-9
15.4	5.3	349	5	10 OR MORE
	65.1	4,291	-4	NONE
	0.5	33	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 653-654

**R239** **EVER KICKED OUT BY PARENT/GUARDIAN?**

~IF 37(GE18) {Note 1: At any time before you were 18 years old, were you/Have you ever been} kicked out by a parent or guardian?

Note 1: 'At any time before you were 18 years old...' if R34>=18

'Have you ever been' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	20.8	1,371	1	YES
79.2	79.2	5,221	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 655-656

**R240** **EVER ATTACKED?**

The next questions ask about any times you may have been seriously hit or beaten or attacked with a weapon. Have you ever been attacked with a weapon such as a knife or a gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	60.5	3,988	1	YES
39.5	39.5	2,602	2	NO
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 657-658

**R241****EVER BEATEN?**

Have you ever been hit or beaten so seriously that you were badly bruised, had to see a doctor, or had to stay in bed for one day or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	50.8	3,346	1	YES
49.2	49.2	3,245	2	NO
	0.0	2	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 659-660

**R242****TIMES ATTACKED/BEATEN**

Altogether, how many times have you ever been attacked with a weapon or seriously hit or beaten? Would you say one time, 2-5 times, 6-10 times, 11-20 times, 21-100 times, or more than 100 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	15.8	1,042	1	ONE TIME
47.9	34.6	2,280	2	2-5 TIMES
13.5	9.7	642	3	6-10 TIMES
8.3	6.0	394	4	11-20 TIMES
5.9	4.3	282	5	21-100 TIMES
2.5	1.8	121	6	MORE THAN 100 TIMES
	27.7	1,824	-4	NONE
	0.1	7	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 661-662

**R244 EVER ATTACKED/BEATEN BEFORE AGE 18?**

IF R IS 18 YEARS OR OLDER, ASK R244, OTHERWISE, GO TO 248. Did {Note 1: any of the times/the time} that you were attacked or seriously hit or beaten happen before you were 18 years old?

Note 1: 'any of the times'  
 if R242=2 or 3 or 4 or 5 or 6  
 'the time' if R 242=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	32.8	2,161	1	YES
65.3	61.7	4,067	2	NO
	5.5	360	-8	NOT ASKED OF MINORS
	0.1	4	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 663-664

**R245 WHEN LAST ATTACKED**

(HAND R SHOWCARD A). When were you last attacked with a weapon or seriously beaten? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	2.3	154	1	WITHIN PAST MONTH
22.3	15.4	1,015	2	1-12 MONTHS AGO
74.3	51.3	3,380	3	MORE THAN 12 MONTHS AGO
	5.5	360	-8	NOT ASKED OF MINORS
	25.5	1,682	-5	NEVER
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 665-666

**R246****EVER BEATEN BY PARENT/GUARDIAN?**

Were you ever attacked or seriously beaten by... a. a parent or someone who raised you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.2	871	1	YES
86.0	81.3	5,362	2	NO
	5.5	360	-8	NOT ASKED OF MINORS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 667-668

**R247****EVER BEATEN BY SPOUSE/PARTNER?**

Were you ever attacked or seriously beaten by... b. a wife or partner?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	19.0	1,250	1	YES
79.9	75.6	4,983	2	NO
	5.5	360	-8	NOT ASKED OF MINORS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 669-670

**R248** **IMPORTANCE OF CHILDCARE COUNSELING**

Right now, how important to you is counseling or training about raising children? Would you say very important, somewhat important, or not at all important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	30.2	1,989	1	VERY IMPORTANT
11.6	11.6	765	2	SOMEWHAT IMPORTANT
15.2	15.2	1,003	3	NOT AT ALL IMPORTANT
43.0	43.0	2,834	4	NEVER RAISED CHILDREN
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 671-672

**R250** **IMPORTANCE OF FAMILY COUNSELING**

Right now, how important to you is treatment or counseling for {Note 1: other} family problems? Would you say very important, somewhat important, or not at all important?

Note 1: 'other' if R248=1 or 2  
 'blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	45.0	2,970	1	VERY IMPORTANT
24.8	24.8	1,635	2	SOMEWHAT IMPORTANT
30.1	30.0	1,981	3	NOT AT ALL IMPORTANT
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 673-674

**R251****IMPORTANCE OF SOCIAL PROBLEMS COUNSELING**

And right now, how important to you is treatment or counseling for problems getting along with people other than your family? Would you say very important, somewhat important, or not at all important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.3	2,194	1	VERY IMPORTANT
25.8	25.8	1,701	2	SOMEWHAT IMPORTANT
40.9	40.9	2,697	3	NOT AT ALL IMPORTANT
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 675-676

**R253****SECTION D ELAPSED TIME**

6,593 cases (Range of valid codes: 348-10108)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 677-681



**R258****NUMBER OF PRIOR TREATMENTS**

Again, not including this time, how many times have you entered a treatment program or started receiving treatment or help for your {Note 1: alcohol/drug/drug or alcohol} problems?

Note 1: 'alcohol' if R255=1 and R256=2

'drug' if R255=2 and R256=1 'drug or alcohol' if R255=1 and R256=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	23.6	1,559	1	1
23.6	13.8	907	2	2
14.0	8.1	537	3	3
7.0	4.1	270	4	4
4.9	2.9	188	5	5
5.9	3.5	228	6	6-9
3.9	2.2	148	7	10 OR MORE
	41.8	2,753	-4	NONE
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 686-687

<b>R259</b>	<b>AGE AT FIRST TREATMENT</b>
-------------	-------------------------------

How old were you the first time you received any kind of professional treatment or help for your {Note 1: alcohol/drug/drug or alcohol} problems?

Note 1: See R258 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	3.5	233	15	15 OR YOUNGER
2.9	1.7	113	16	
3.8	2.2	147	17	
4.0	2.4	155	18	
3.7	2.1	141	19	
3.2	1.9	123	20	
4.1	2.4	157	21	
4.3	2.5	166	22	
4.1	2.4	156	23	
5.1	2.9	194	24	
5.8	3.4	222	25	
5.2	3.0	200	26	
5.0	2.9	190	27	
6.1	3.5	234	28	
3.9	2.3	151	29	
5.1	3.0	197	30	
3.2	1.9	122	31	
3.2	1.8	121	32	
2.8	1.6	107	33	
2.5	1.4	95	34	
3.1	1.8	118	35	
2.0	1.2	76	36	
2.3	1.3	89	37	
1.8	1.0	68	38	
1.4	0.8	55	39	
5.2	3.0	201	40	40 OR OLDER
	0.1	9	-2	DON'T KNOW
	41.8	2,753	999	NO PRIOR TREATMENT
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 999, lowest thru -1  
 Columns: 688-690

**R260****LONGEST TIME IN TREATMENT**

(HAND R SHOWCARD L). What is the longest time you ever received {Note 1: alcohol/drug/drug or alcohol} treatment? Would you say it is less than 1 week, 1-2 weeks, 3-4 weeks, 1-6 months, 7-12 months, or more than 12 months?

Note 1: See R258 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	2.7	175	1	LESS THAN 1 WEEK
9.5	5.5	365	2	1-2 WEEKS
22.4	13.1	861	3	3-4 WEEKS
41.0	23.9	1,576	4	1-6 MONTHS
10.6	6.2	407	5	7-12 MONTHS
11.9	6.9	456	6	MORE THAN 12 MONTHS
	41.8	2,753	7	NO PRIOR TREATMENT
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 691-692

**R262****MODALITY OF LONGEST TREATMENT**

(HAND R SHOWCARD M). What type of program was it where you received treatment or help for {Note 1: alcohol/drug/drug or alcohol} problems the longest time? Was that program inpatient, residential, outpatient or methadone?

Note 1: See R258 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	23.9	1,574	1	INPATIENT
27.8	16.2	1,067	2	RESIDENTIAL
24.7	14.4	948	3	OUTPATIENT
6.5	3.8	251	4	METHADONE
	41.8	2,753	5	NO PRIOR TREATMENT
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: 5, lowest thru -1

Columns: 693-694

**R263 TREATMENT LAST 12 MONTHS?**

Not including the treatment or help you're receiving this time, since (DATE 12 MONTHS AGO) of last year have you entered any other treatment program or started receiving any other help for your alcohol or drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	22.7	1,497	1	YES
77.3	77.3	5,096	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 695-696

**R264 ANY TREATMENT PROVIDERS LAST 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, where else have you received treatment or help for your alcohol or drug problems? PROBE FOR ALL PROVIDERS SINCE DATE (DATE 12 MONTHS AGO) OF LAST YEAR.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	21.8	1,439	1	ENTER PROVIDER
3.8	0.9	57	2	NONE MENTIONED
	0.0	1	-2	DON'T KNOW
	77.3	5,096	3	NO PRIOR TREATMENT
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 697-698

<b>R270M1</b>	<b>NUMBER OF TREATMENTS - INPATIENT</b>
---------------	---

(POINT TO SHOWCARD M). Since (DATE 12 MONTHS AGO) of last year how many times have you received inpatient treatment or help(at/from) {Note 1: PROVIDER}?

Note 1: PROVIDER mentioned in R264  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	89.0	5,866	0	NONE
8.3	8.3	549	1	1
2.7	2.7	178	2	2 OR MORE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 699-700

<b>R270M2</b>	<b>NUMBER OF TREATMENTS - RESIDENTIAL</b>
---------------	---

(POINT TO SHOWCARD M). Since (DATE 12 MONTHS AGO) of last year how many times have you received residential treatment or help(at/from) {Note 1: PROVIDER}?

Note 1: PROVIDER mentioned in R264  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	94.2	6,211	0	NONE
5.1	5.1	337	1	1
0.7	0.7	45	2	2 OR MORE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 701-702



**R271****ATTENDED 12 STEP?**

Have you ever attended an Alcoholics Anonymous, Narcotics Anonymous, or Cocaine Anonymous meeting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	75.8	4,999	1	YES
24.2	24.2	1,594	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 707-708

**R272M1****EVER ATTENDED ALCOHOL ANONYMOUS**

ALCOHOL ANONYMOUS Which have you attended? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	63.7	4,200	1	YES
15.9	12.0	794	2	NO
	24.2	1,594	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 709-710

**R272M2** **EVER ATTENDED NARCOTICS ANONYMOUS**

NARCOTICS ANONYMOUS Which have you attended? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	57.5	3,792	1	YES
24.1	18.2	1,202	2	NO
	24.2	1,594	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 711-712

**R272M3** **EVER ATTENDED COCAINE ANONYMOUS**

COCAINE ANONYMOUS Which have you attended? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	25.5	1,683	1	YES
66.3	50.2	3,311	2	NO
	24.2	1,594	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 713-714

**R273****AGE AT FIRST 12 STEP MEETING**

How old were you the first time you ever attended one of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	3.9	254	1	15 OR YOUNGER
16.8	12.7	836	2	16-20
21.1	16.0	1,054	3	21-25
25.2	19.1	1,259	4	26-30
16.3	12.3	814	5	31-35
9.8	7.4	491	6	36-40
5.6	4.3	281	7	41 OR OLDER
	24.2	1,594	-5	NEVER
	0.2	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 715-716

**R274****ATTENDED > 5 MEETINGS LAST 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, have you been to five or more of any of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	51.2	3,377	1	YES
48.8	48.8	3,216	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 717-718

**R275 24 HOUR MENTAL HEALTH VISIT?**

{Note 1: Not including any drug or alcohol treatment,} Have you ever stayed somewhere for at least 24 hours for professional treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.4	1,016	1	YES
84.6	84.6	5,575	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 719-720

**R276 AGE AT 1ST 24 HR MENTAL HEALTH VISIT**

How old were you the first time you stayed somewhere for at least 24 hours for treatment of problems with your emotions, nerves, or mental health? RECORD R's AGE. PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	2.9	191	1	15 OR YOUNGER
21.2	3.3	215	2	16-20
16.4	2.5	166	3	21-25
19.0	2.9	192	4	26-30
13.1	2.0	133	5	31-35
7.1	1.1	72	6	36-40
4.2	0.7	43	7	41 OR OLDER
	84.6	5,577	-5	NEVER
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 721-722

<b>R277</b>	<b># OF 24 HR MENTAL HEALTH VISITS</b>
-------------	--

How many times have you stayed somewhere for at least 24 hours for treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	7.8	512	1	1
18.9	2.9	191	2	2
11.4	1.7	115	3	3
18.9	2.9	191	4	4 OR MORE
	84.6	5,577	-5	NEVER
	0.1	6	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 723-724

<b>R278</b>	<b>24 HR MENTAL HEALTH VISIT LAST 12 MOS?</b>
-------------	---

Since (DATE 12 MONTHS AGO) of last year, have you stayed somewhere, at least overnight, for treatment of problems with your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	416	1	YES
93.7	93.7	6,176	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 725-726



**R281****# OF MHEALTH VISITS LAST 12 MOS**

(HAND R SHOWCARD N). Since (DATE 12 MONTHS AGO) of last year, how many times have you gone to a clinic, doctor or counselor for problems with your emotions, nerves, or mental health? Has it been none, 1-5 times, 6-10 times, 11-30 times, or 31 times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	89.0	5,869	1	NONE
5.4	5.4	356	2	1-5 TIMES
1.8	1.8	117	3	6-10 TIMES
1.9	1.9	128	4	11-30 TIMES
1.9	1.9	123	5	31 TIMES OR MORE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 731-732

**R282****PSYCHOTROPIC DRUGS TAKEN LAST 7 DAYS?**

In the past seven days, did you take any medicines that were prescribed by a doctor for your emotions or nerves, a mental health problem, or a drug or alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.9	915	1	YES
86.1	86.1	5,674	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 733-734

**R287 SUDDEN FEAR W/OUT DANGER?**

People sometimes feel very frightened or nervous when they are the center of attention or when they know they are in danger. But people may also become very frightened or nervous at other times. Have you all of a sudden ever felt very frightened or nervous when you were not the center of attention or in any danger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	29.6	1,950	1	YES
70.4	70.3	4,635	2	NO
	0.1	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 735-736

**R288 SUDDEN IRRATIONAL FEAR?**

Now think about the times you felt very suddenly frightened or nervous and you were not the center of attention or in danger. Have you ever had this happen at times or in situations when most other people would not have been very afraid or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	22.1	1,460	1	YES
77.7	77.3	5,096	2	NO
	0.6	37	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 737-738

**R289****DRUG-INDUCED SUDDEN FEAR**

Were none, some, or all of these times caused by the drugs and alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	4.2	275	1	NONE
45.8	10.0	660	2	SOME
35.2	7.7	507	3	ALL
	77.9	5,133	-6	NOT APPLICABLE
	0.3	18	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 739-740

**R290****TREMBLING WHEN FRIGHTENED?**

During any of the times like that...  
a. were you trembling or shaking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	9.0	595	1	YES
36.2	5.1	338	2	NO
	85.8	5,658	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 741-742

<b>R291</b>	<b>SWEATING WHEN FRIGHTENED?</b>
-------------	----------------------------------

During any of the times like that...  
b. were you sweating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	8.3	546	1	YES
41.5	5.9	387	2	NO
	85.8	5,658	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 743-744

<b>R292</b>	<b>TROUBLE BREATHING WHEN FRIGHTENED?</b>
-------------	---

During any of the times like that...  
c. were you having trouble breathing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	5.4	355	1	YES
61.9	8.8	577	2	NO
	85.8	5,658	-6	NOT APPLICABLE
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 745-746

**R293****HEART POUNDING WHEN FRIGHTENED?**

During any of the times like that...  
d. was you heart pounding?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	12.2	803	1	YES
13.9	2.0	130	2	NO
	85.8	5,658	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 747-748

**R294****DRUG-FREE SUDDEN FEAR LAST 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, have you had any times  
like this that were not caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.2	605	1	YES
90.8	90.8	5,984	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 749-750

**R295 SEVERELY DEPRESSED FOR TWO WEEKS?**

Have you ever had a period of two weeks or longer when you felt either very sad or depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.1	55.1	3,630	1	YES
44.9	44.9	2,957	2	NO
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 751-752

**R296 LOST INTEREST IN LIFE FOR 2 WEEKS?**

Have you ever had a period of 2 weeks or longer when you lost interest and pleasure in things you care about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	13.6	897	1	YES
69.7	31.3	2,064	2	NO
	0.0	2	-2	DON'T KNOW
	55.1	3,630	3	SKIPPED R295 YES
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 753-754

**R297****DRUG-INDUCED 2 WEEK PERIODS**

Were none, some, or all of the these times caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	16.5	1,090	1	NONE
45.4	30.9	2,038	2	SOME
30.3	20.6	1,359	3	ALL
	31.3	2,066	-6	NOT APPLICABLE
	0.6	40	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 755-756

**R298****DRUG-INDUCED 2 WK PERIODS LAST 12 MOS?**

Since (DATE 12 MONTHS AGO) of last year, have you had any times like this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	32.3	2,129	1	YES
67.7	67.6	4,455	2	NO
	0.1	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 757-758

<b>R299</b>	<b>ATTEMPTED SUICIDE?</b>
-------------	---------------------------

Have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	22.9	1,511	1	YES
77.1	77.1	5,081	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 759-760

<b>R300</b>	<b>SUICIDE ATTEMPTED &gt; ONCE?</b>
-------------	-------------------------------------

Have you attempted suicide more than once?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.5	823	1	YES
87.5	87.5	5,769	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 761-762

<b>R301</b>	<b>DRUG-INDUCED SUICIDE ATTEMPT?</b>
-------------	--------------------------------------

Was this suicide attempt caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	6.0	397	1	YES
4.4	4.4	289	2	NO
89.6	89.6	5,905	3	NO ATTEMPTS
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 763-764

<b>R302</b>	<b>DRUG-INDUCED SUICIDE ATTEMPTS</b>
-------------	--------------------------------------

Were none, some, or all of these suicide attempts caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	222	1	NONE
4.5	4.5	296	2	SOME
4.6	4.6	300	3	ALL
87.6	87.5	5,770	4	NO ATTEMPTS
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 765-766

**R303 SUICIDE ATTEMPT LAST 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	489	1	YES
92.6	92.6	6,102	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 767-768

**R304 DRUG-INDUCED ATTEMPTS LAST 12 MONTHS**

Were none, some, or all of these attempts since (DATE 12 MONTHS AGO) of last year caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	238	1	NONE
1.2	1.2	80	2	SOME
5.1	5.1	338	3	ALL
90.1	90.1	5,937	4	NO ATTEMPTS
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 769-770

**R305****SUICIDAL THOUGHTS?**

Have you ever thought seriously about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	20.1	1,327	1	YES
56.9	56.9	3,750	2	NO
22.9	22.9	1,511	3	MADE ATTEMPTS (SEE R299)
	0.0	3	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 771-772

**R306****DRUG-INDUCED SUICIDAL THOUGHTS**

Were none, some, or all of these times caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	4.0	267	1	NONE
36.5	7.3	481	2	SOME
43.2	8.6	570	3	ALL
	79.9	5,266	-6	NOT APPLICABLE
	0.1	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 773-774

**R307 SUICIDAL THOUGHTS LAST 12 MONTHS?**

Since (DATE 12 MONTHS AGO) of last year, have you thought seriously about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	349	1	YES
94.7	94.7	6,243	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 775-776

**R308 HAD HALLUCINATIONS?**

Have you ever seen or heard things that no one else could see or hear, that is, you had hallucinations were caused by drugs or alcohol that you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	34.6	2,284	1	NONE
65.3	65.3	4,304	2	SOME
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 777-778

**R309****DRUG-INDUCED HALLUCINATIONS**

Would you say that none, some, or all of these hallucinations were caused by drugs or alcohol that you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	3.4	227	1	NONE
21.6	7.4	490	2	SOME
68.4	23.6	1,554	3	ALL
	65.4	4,309	-6	NOT APPLICABLE
	0.2	13	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 779-780

**R310****TROUBLED/BOTHERED BY MENTAL HEALTH**

Right now, how troubled or bothered are you by your emotions, nerves, or mental health? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	46.2	3,045	1	NOT AT ALL
37.7	37.7	2,483	2	SOMEWHAT
16.1	16.1	1,062	3	VERY MUCH
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 781-782

**R311 IMPORTANCE OF MENTAL HEALTH TREATMENT**

Right now, how important to you is treatment for emotions, nerves, or mental health problems? Would you say not at all important, somewhat important, or very important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	38.5	2,539	1	NOT AT ALL IMPORTANT
24.2	24.2	1,595	2	SOMEWHAT IMPORTANT
37.2	37.2	2,451	3	VERY IMPORTANT
	0.1	7	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 783-784

**R313A1 ABILITY TO NOT INTERRUPT PRE AGE 12**

Now, I'm going to ask a few questions about the time before you were 12 years old. How easy or difficult was it for you to keep from interrupting or butting in? Would you say very easy, somewhat easy, somewhat difficult, very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	43.1	2,843	1	VERY EASY
21.9	21.6	1,425	2	SOMEWHAT EASY
17.7	17.5	1,154	3	SOMEWHAT DIFFICULT
16.6	16.4	1,082	4	VERY DIFFICULT
	1.3	87	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 785-786

<b>R313A2</b>	<b>ABILITY TO STAY IN SEAT PRE AGE 12</b>
---------------	---

How easy or difficult was it for you to stay in your seat or chair? Would you say very easy, somewhat easy, somewhat difficult, very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	46.4	3,057	1	VERY EASY
20.8	20.7	1,364	2	SOMEWHAT EASY
16.3	16.2	1,071	3	SOMEWHAT DIFFICULT
16.2	16.1	1,063	4	VERY DIFFICULT
	0.6	37	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 787-788

<b>R313A3</b>	<b>ABILITY TO FINISH THINGS PRE AGE 12</b>
---------------	--

How easy or difficult was it for you to finish things you had started? Would you say very easy, somewhat easy, somewhat difficult, very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	34.1	2,246	1	VERY EASY
26.6	26.5	1,745	2	SOMEWHAT EASY
23.4	23.3	1,534	3	SOMEWHAT DIFFICULT
15.8	15.7	1,035	4	VERY DIFFICULT
	0.5	33	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 789-790

<b>R314</b>	<b>SECTION E ELAPSED TIME</b>
-------------	-------------------------------

6,593 cases (Range of valid codes: 436-10647)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 791-795



**R324****EVER SOLD DRUGS**

(HAND R SHOWCARD F). Have you ever done any of the following things?  
 c. Sold drugs yourself or helped someone else sell drugs, including cutting, weighting, packaging or manufacturing drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	67.1	4,424	1	YES
32.6	32.5	2,140	2	NO
	0.0	1	-2	DON'T KNOW
	0.4	28	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 800-801

**R325****EVER GOT CUSTOMERS FOR PROSTITUTES**

(HAND R SHOWCARD F). Have you ever done any of the following things?  
 d. Gotten customers for prostitutes (pimping)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	21.1	1,393	1	YES
78.8	78.7	5,186	2	NO
	0.0	1	-2	DON'T KNOW
	0.2	13	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 802-803

**R326** **EVER HAD SEX FOR MONEY/DRUGS**

(HAND R SHOWCARD F). Have you ever done any of the following things?

e. Had sex for money or drugs? (Prostitution).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.7	1,694	1	YES
74.2	74.1	4,884	2	NO
	0.0	1	-2	DON'T KNOW
	0.2	14	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 804-805

**R327** **EVER PASSED BAD CHECKS/CREDIT CARD**

(HAND R SHOWCARD F). Have you ever done any of the following things?

f. Passed bad checks, forged checks, or used a stolen credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	30.7	2,023	1	YES
69.2	69.1	4,553	2	NO
	0.3	17	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 806-807

**R328****EVER WORKED IN BOOKMAKING**

(HAND R SHOWCARD F). Have you ever done any of the following things?

g. Worked in bookmaking, numbers or illegal gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.6	766	1	YES
88.4	88.2	5,814	2	NO
	0.2	13	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 808-809

**R329****EVER EMBEZZLED**

(HAND R SHOWCARD F). Have you ever done any of the following things?

h. Taken someone's money or property in some way, such as fraud or embezzlement?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	29.0	1,912	1	YES
70.9	70.8	4,667	2	NO
	0.2	14	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 810-811

**R330** **EVER BOUGHT STOLEN GOODS**

(HAND R SHOWCARD F). Have you ever done any of the following things?

i. Bought or had things you knew were stolen (fenced)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	66.6	4,392	1	YES
33.2	33.1	2,181	2	NO
	0.0	3	-2	DON'T KNOW
	0.3	17	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 812-813

**R331** **EVER SHOPLIFTED**

(HAND R SHOWCARD F). Have you ever done any of the following things?

j. Taken something from a store without paying for it, that is, shoplifted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	67.8	4,470	1	YES
32.0	32.0	2,108	2	NO
	0.2	15	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 814-815

**R332****EVER BROKE INTO HOUSE,ETC**

(HAND R SHOWCARD F). Have you ever done any of the following things?

k. Broken into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	40.4	2,666	1	YES
59.5	59.4	3,915	2	NO
	0.2	12	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 816-817

**R333****EVER USED WEAPON/FORCE TO STEAL**

(HAND R SHOWCARD F). Have you ever done any of the following things?

l. Used a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	21.7	1,433	1	YES
78.2	78.1	5,147	2	NO
	0.2	13	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 818-819

**R334** **EVER SET FIRE TO BUILDING/VEHICLE**

(HAND R SHOWCARD F). Have you ever done any of the following things?

m. Set fire to a house, building, or vehicle (arson)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.1	467	1	YES
92.9	92.7	6,110	2	NO
	0.0	1	-2	DON'T KNOW
	0.2	15	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 820-821

**R335** **EVER DESTROYED PROPERTY**

(HAND R SHOWCARD F). Have you ever done any of the following things?

n. Destroyed or damaged someone's property in some other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.4	33.4	2,202	1	YES
66.6	66.4	4,381	2	NO
	0.2	10	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 822-823

**R336****EVER ATTACKED/THREATENED SOMEONE**

(HAND R SHOWCARD F). Have you ever done any of the following things?

o. Attacked or threatened someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	35.8	2,363	1	YES
64.1	64.0	4,217	2	NO
	0.2	13	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 824-825

**R337****EVER BEATEN SOMEONE UP**

(HAND R SHOWCARD F). Have you ever done any of the following things?

p. Beaten up someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	60.5	3,992	1	YES
39.3	39.3	2,588	2	NO
	0.0	1	-2	DON'T KNOW
	0.2	12	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 826-827

**R338** **EVER SEVERELY HURT SOMEONE**

(HAND R SHOWCARD F). Have you ever done any of the following things?

q. Severely hurt someone on purpose in any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	27.2	1,791	1	YES
72.8	72.6	4,787	2	NO
	0.1	4	-2	DON'T KNOW
	0.2	11	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 828-829

**R339** **EVER FORCED SEX ON SOMEONE**

(HAND R SHOWCARD F). Have you ever done any of the following things?

r. Forced someone to have sex or to do any kindof sex act against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	248	1	YES
96.2	96.1	6,334	2	NO
	0.0	1	-2	DON'T KNOW
	0.2	10	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 830-831

**R340****EVER KILLED SOMEONE**

(HAND R SHOWCARD F). Have you ever done any of the following things?

s. Killed someone, other than by accident?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	175	1	YES
97.3	96.1	6,335	2	NO
	0.4	26	-2	DON'T KNOW
	0.9	57	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 832-833

**R341****EVER COMMITTED OTHER OFFENSE**

(HAND R SHOWCARD F). Have you ever done any of the following things?

t. Done anything else against the law that I didn't ask about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	6.0	396	1	YES
94.0	93.6	6,174	2	NO
	0.0	3	-2	DON'T KNOW
	0.3	20	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 834-835

**R344A2                      AGE STOLE A VEHICLE**

How old were you when you first stole a vehicle?  
 PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	1.0	64	11	11 OR YOUNGER
6.1	1.7	111	12	
10.2	2.8	186	13	
12.5	3.4	227	14	
16.7	4.6	304	15	
14.6	4.0	265	16	
9.7	2.7	176	17	
6.0	1.7	109	18	
20.7	5.7	376	19	19 OR OLDER
	72.3	4,765	-5	NEVER
	0.2	10	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 836-837

**R345A2                      TIMES STOLE A VEHICLE**

Since (DATE 12 MONTHS AGO) of last year, how many different times  
 have you stolen a vehicle? Has it been none, one time, 2-5  
 times, 6-20 times, 21-100 times, or more than 100 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	2.7	175	1	ONE
7.2	2.0	132	2	2-5
3.4	0.9	62	3	6-20
1.5	0.4	28	4	21-100
0.7	0.2	12	5	100+
77.6	21.5	1,419	6	NONE
	72.3	4,765	-5	NEVER
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 838-839

R344A3

## AGE SOLD DRUGS

How old were you when you first sold drugs yourself or helped someone else sell drugs, including cutting, weighing, packaging, or manufacturing drugs? PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	1.7	110	11	11 OR YOUNGER
3.1	2.1	138	12	
6.1	4.1	269	13	
8.4	5.6	370	14	
11.2	7.5	494	15	
12.2	8.2	539	16	
9.1	6.1	400	17	
7.8	5.2	346	18	
4.4	2.9	194	19	
5.1	3.4	223	20	
3.3	2.2	145	21	
3.0	2.0	134	22	
3.0	2.0	131	23	
2.0	1.3	89	24	
3.9	2.6	171	25	
1.7	1.1	73	26	
2.0	1.4	90	27	
2.1	1.4	93	28	
1.2	0.8	51	29	
7.9	5.3	349	30	30 OR OLDER
	32.9	2,169	-5	NEVER
	0.2	13	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 840-841

<b>R345A3</b>	<b>TIMES SOLD DRUGS</b>
---------------	-------------------------

(HAND R SHOWCARD G). Since (DATE 12 MONTHS AGO) of last year, how many different times have you sold drugs yourself or helped someone else sell drugs, including cutting, weighing, packaging, or manufacturing drugs? Has it been none, one time, 2-5 times, 6-20 times, 21-100 times, or more than 100 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.0	129	1	ONE
10.0	6.7	441	2	2-5
10.6	7.1	468	3	6-20
11.0	7.4	486	4	21-100
16.0	10.7	703	5	100+
49.4	33.0	2,178	6	NONE
	32.9	2,169	-5	NEVER
	0.2	11	-3	MISSING
	0.1	4	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 842-843

R345A5

## TIMES HAD SEX FOR MONEY/DRUGS

(HAND R SHOWCARD G). Since (DATE 12 MONTHS AGO) of last year how many different times have you had sex for money or drugs? Has it been none, one time, 2-5 times, 6-20 times, 21-100 times, or more than 100 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	1.3	87	1	ONE
23.0	5.9	387	2	2-5
19.6	5.0	330	3	6-20
13.3	3.4	225	4	21-100
8.5	2.2	144	5	100+
30.4	7.8	513	6	NONE
	74.3	4,899	-5	NEVER
	0.1	6	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 844-845



<b>R345A11</b>	<b>TIMES BROKE INTO HOUSE,ETC</b>
----------------	-----------------------------------

(HAND R SHOWCARD G). Since (DATE 12 MONTHS AGO) of last year, how many different times have you broken into a house, a business, or a vehicle to take someone else's money or property? Has it been none, one time, 2-5 times, 6-20 times, 21-100 times, or more than 100 times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	3.7	243	1	ONE
9.6	3.9	255	2	2-5
5.6	2.3	150	3	6-20
1.9	0.8	51	4	21-100
1.3	0.5	35	5	100+
72.4	29.2	1,925	6	NONE
	59.6	3,927	-5	NEVER
	0.1	4	-3	MISSING
	0.0	1	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 850-851

<b>R344A12</b>	<b>AGE USED WEAPON/FORCE TO STEAL</b>
----------------	---------------------------------------

How old were you when you first used a weapon or physical force against someone to steal money or property from them? PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.9	61	1	11 OR YOUNGER
53.1	11.4	754	2	12-17
42.6	9.2	606	3	18 OR OLDER
	78.3	5,160	-5	NEVER
	0.2	10	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 852-853



<b>R345A15</b>	<b>TIMES ATTACKED/THREATENED SOMEONE</b>
----------------	--

(HAND R SHOWCARD G). Since (DATE 12 MONTHS AGO) of last year, how many different times have you attacked or threatened someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	4.2	280	1	ONE
15.7	5.6	370	2	2-5
7.4	2.7	175	3	6-20
2.3	0.8	54	4	21-100
0.3	0.1	8	5	100+
62.4	22.3	1,470	6	NONE
	64.2	4,230	-5	NEVER
	0.1	4	-3	MISSING
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 858-859

<b>R345A16</b>	<b>TIMES BEAT SOMEONE UP</b>
----------------	------------------------------

(HAND R SHOWCARD G). Since (DATE 12 MONTHS AGO) of last year, how many different times have you beaten someone up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	8.8	582	1	ONE
19.8	12.0	790	2	2-5
7.1	4.3	283	3	6-20
2.1	1.2	82	4	21-100
0.5	0.3	21	5	100+
55.9	33.8	2,228	6	NONE
	39.5	2,601	-5	NEVER
	0.0	3	-3	MISSING
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 860-861



**R346****BELONGED TO A GANG IN 12 MOS?**

(HAND R SHOWCARD G). Since (DATE 12 MONTHS AGO) of last year, have you belonged to a gang? By a gang I mean a gang that uses weapons, sells drugs, beats people up, or does other illegal activities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.8	514	1	YES
92.2	92.1	6,072	2	NO
	0.0	1	-2	DON'T KNOW
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 866-867

**R348A1****ARRESTED FOR DRUG POSSESSION**

(HAND R SHOWCARD Q). Now, I want to ask about times you have been arrested and booked or taken into custody. {Note 1: Again, please include times before you were 18.} Please tell me if you have ever been arrested and booked or taken into custody for drug possession?

Note 1: 'Again, please include times before you were 18,' if R34<18  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	41.8	2,757	1	YES
57.9	57.6	3,796	2	NO
	0.0	1	-2	DON'T KNOW
	0.6	39	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 868-869



**R351A2****ARRESTED FOR SELLING DRUGS IN 12MO**

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for drug sale or manufacturing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	443	1	YES
93.3	93.3	6,149	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 874-875

**R348A3****ARRESTED FOR DRIVING DRUNK/HIGH**

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for driving while intoxicated (DWI) or under the influence (DUI)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	26.0	1,714	1	YES
73.8	73.3	4,831	2	NO
	0.0	1	-2	DON'T KNOW
	0.7	47	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 876-877



<b>R351A4</b>	<b>ARRESTED FOR PROSTITUTION IN 12MO</b>
---------------	--

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for prostitution or solicitation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	118	1	YES
98.2	98.2	6,475	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 882-883

<b>R348A5</b>	<b>ARRESTED FOR PIMPING</b>
---------------	-----------------------------

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for pimping or procuring?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	77	1	YES
98.8	98.1	6,465	2	NO
	0.8	51	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 884-885



<b>R351A6</b>	<b>ARRESTED FOR FORGERY IN 12MO</b>
---------------	-------------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for forgery, passing bad checks, or credit card fraud?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	155	1	YES
97.6	97.6	6,438	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 890-891

<b>R348A7</b>	<b>ARRESTED FOR BOOKMAKING</b>
---------------	--------------------------------

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for bookmaking, numbers, or gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	122	1	YES
98.1	97.3	6,414	2	NO
	0.9	57	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 892-893



**R351A8****ARRESTED FOR STOLEN GOODS IN 12MO**

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for receiving or possession of stolen goods?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	276	1	YES
95.8	95.8	6,316	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 898-899

**R348A9****ARRESTED FOR STOLEN VEHICLE**

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for motor vehicle theft?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.3	942	1	YES
85.6	84.8	5,593	2	NO
	0.9	58	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 900-901



<b>R351A10</b>	<b>ARRESTED FOR SHOPLIFTED IN 12MO</b>
----------------	--

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for shoplifting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	428	1	YES
93.5	93.5	6,164	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 906-907

<b>R348A11</b>	<b>ARRESTED FOR BREAKING AND ENTERING</b>
----------------	---

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for breaking and entering or burglary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.7	1,429	1	YES
78.1	77.4	5,104	2	NO
	0.9	60	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 908-909



<b>R351A12</b>	<b>ARRESTED FOR FORCE TO STEAL IN 12MO</b>
----------------	--

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for armed robbery or robbery by force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	157	1	YES
97.6	97.6	6,436	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 914-915

<b>R348A13</b>	<b>ARRESTED FOR OTHER THEFT</b>
----------------	---------------------------------

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for other theft, such as pick pocketing or purse snatching without force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	267	1	YES
95.9	95.0	6,264	2	NO
	0.9	62	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 916-917



<b>R351A14</b>	<b>ARRESTED FOR SETTING FIRE IN 12MO</b>
----------------	--

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for setting fire to someone's property, such as a house, building, or vehicle?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	15	1	YES
99.8	99.8	6,578	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 922-923

<b>R348A15</b>	<b>ARRESTED FOR VANDALISM</b>
----------------	-------------------------------

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for damage to or destruction of property or vandalism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.7	576	1	YES
91.2	90.3	5,955	2	NO
	0.9	62	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 924-925



<b>R351A16</b>	<b>ARRESTED FOR BEATING SOMEONE IN 12MO</b>
----------------	---

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for aggravated assault or assault with the intent to kill or having inflicted serious injury on someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	276	1	YES
95.8	95.8	6,317	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 930-931

<b>R348A17</b>	<b>ARRESTED FOR HURTING SOMEONE</b>
----------------	-------------------------------------

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for simple assault, such as fighting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	24.8	1,636	1	YES
74.9	74.2	4,891	2	NO
	0.1	4	-2	DON'T KNOW
	0.9	62	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 932-933



<b>R351A18</b>	<b>ARRESTED FOR RAPE IN 12MO</b>
----------------	----------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for forcible rape or sexual assault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	16	1	YES
99.8	99.8	6,577	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 938-939

<b>R348A19</b>	<b>ARRESTED FOR KILLING SOMEONE</b>
----------------	-------------------------------------

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for murder or manslaughter?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	197	1	YES
97.0	96.0	6,327	2	NO
	1.0	69	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 940-941



**R351A20****ARRESTED FOR TRUANCY/PAROLE IN 12MO**

Since (DATE 12 MONTHS AGO) of last year, have you been arrested and booked for curfew violation, truancy or being a runaway?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	75	1	YES
98.9	98.9	6,518	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 946-947

**R348A21****ARRESTED FOR OTHER OFFENSE**

(HAND R SHOWCARD Q). Have you ever been arrested and booked or taken into custody for anything else I haven't asked about such as probation or parole violation, gambling, public intoxication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	31.0	2,043	1	YES
68.7	68.0	4,486	2	NO
	1.0	64	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 948-949



**R353****TIMES ARRESTED**

(HAND R SHOWCARD C). Altogether, how many times have you been arrested and booked or taken into custody? PROBE FOR BEST ESTIMATE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	31.1	2,053	1	1-3 TIMES
35.3	30.0	1,979	2	4-10 TIMES
28.1	23.9	1,577	3	11 OR MORE TIMES
	14.8	976	-4	NONE
	0.1	6	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 954-955

**R354****TIMES CONVICTED**

(POINT TO SHOWCARD C). Altogether, how many of the times you were arrested and booked or taken into custody resulted in convictions? PROBE FOR BEST ESTIMATE.

Note 1: '2-3 times' if R353=2  
 '4-10 times' if R353=3 '11 or more times' if R353=4  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	19.2	1,269	1	1 TIME
36.1	24.6	1,621	2	2-3 TIMES
25.6	17.4	1,149	3	4-10 TIMES
10.1	6.9	453	4	11 OR MORE TIMES
	31.4	2,072	-4	NONE
	0.4	27	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 956-957

**R357** **EVER IN JUVENILE FACILITY**

{Note 1: Were you ever/Have you ever been} locked up in a juvenile detention facility, a juvenile training school, or in any other kind of juvenile facility because you were accused of or sentenced for committing a crime?

Note 1: 'Were you ever' if R34>=18  
 'Have you ever been' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	26.2	1,726	1	YES
73.8	73.8	4,866	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 958-959

**R358** **EVER KEPT IN JAIL 24+ HOURS**

{Note 1: Not including any time you spent in a juvenile facility,} Have you ever been kept in jail or prison for more than 24 hours at one time?

Note 1: 'Not including any time you spent...'  
 if R34>=18  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	25.2	1,660	1	YES
74.8	74.8	4,933	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 960-961

<b>R359</b>	<b>LENGTH OF PRISON/JAIL STAY</b>
-------------	-----------------------------------

How long was your last stay in jail or prison?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	4.6	301	1	1 DAY OR LESS
19.2	8.7	573	2	2-6 DAYS
16.9	7.6	503	3	1-4 WEEKS
17.1	7.7	508	4	1-3 MONTHS
18.7	8.4	556	5	4-12 MONTHS
18.1	8.2	538	6	MORE THAN 1 YEAR
	25.2	1,660	-7	NOT ASKED OF INMATES
	29.6	1,952	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 962-963

<b>R360</b>	<b>RELEASED FROM JAIL/PRISON</b>
-------------	----------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you been released from jail or prison?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	26.4	1,738	1	YES
73.6	73.6	4,853	2	NO
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 964-965

**R361 UNDER JUVENILE PROBATION**

Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Juvenile Probation?.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	2.5	163	1	YES
85.3	14.3	944	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	58.0	3,825	3	R 26 OR OLDER
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 966-967

**R362 UNDER JUVENILE PAROLE**

Right now, are you under any of the following kinds of supervision? Juvenile Parole or Conditional Release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.0	66	1	YES
94.0	15.8	1,041	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	58.0	3,825	3	R 26 OR OLDER
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 968-969

<b>R363</b>	<b>UNDER ADULT PROBATION</b>
-------------	------------------------------

Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Adult Probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	17.7	1,167	1	YES
76.3	57.1	3,765	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 970-971

<b>R364</b>	<b>UNDER ADULT PAROLE</b>
-------------	---------------------------

Right now, are you under any of the following kinds of supervision? Adult Parole or Conditional Release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	6.6	434	1	YES
91.2	68.2	4,498	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 972-973

**R365 UNDER WORK RELEASE**

Right now, are you under any of the following kinds of supervision? Work Release?.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	45	1	YES
99.1	74.1	4,888	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 974-975

**R366 UNDER OTHER SUPERVISION**

Right now, are you under any of the following kinds of supervision? Electronic monitoring or other supervision? Right now, are you under any of the following kinds of supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.0	64	1	YES
98.7	73.9	4,869	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 976-977

**R369****HOW OFTEN TALK TO OFFICER**

(HAND R SHOWCARD R). How often do you talk to your {Note 1: parole/or/probation} {Note 2: officers/officer} officers? Would you say 5 or more times per week, 2-4 times per week, 1 time per week, 2-3 times per month, or once a month or less?

Note 1: 'parole' R362=1 or R364=1

'or' if R362=1 and R362=1; or R363=1 and R364=1

'probation' if R361=1 or R363=1 blank if otherwise

Note 2: 'officers' if R362=1 and R3621=;

or R363=1 and R364=1

'officer' if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.8	55	1	5 OR MORE TIMES PER WEEK
6.8	1.7	114	2	2-4 TIMES PER WEEK
16.1	4.1	270	3	ONCE A WEEK
22.5	5.7	378	4	2-3 TIMES A MONTH
51.3	13.1	862	5	ONCE A MONTH OR LESS
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.4	24	-2	DON'T KNOW
	0.1	5	-1	REFUSAL
	48.9	3,225	6	NOT UNDER SUPERVISION
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 978-979

<b>R371</b>	<b>CRIMINAL CHARGES</b>
-------------	-------------------------

Right now, do you have any {Note 1: other} charges or criminal cases against you, including a conviction that you are awaiting sentencing for?

Note 1: 'other' if R361-R367=1  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	16.0	1,053	1	YES
84.0	83.7	5,520	2	NO
	0.2	13	-2	DON'T KNOW
	0.1	7	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 980-981

<b>R372</b>	<b>OUTSTANDING WARRANTS</b>
-------------	-----------------------------

Right now, do you have any outstanding warrants for your arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	6.0	393	1	YES
94.0	93.0	6,130	2	NO
	0.9	61	-2	DON'T KNOW
	0.1	9	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 982-983

**R373****DRUG TREATMENT REQUIRED**

Is your coming to {Note 1: drug or alcohol treatment/this program} at this time required or recommended by an attorney or anyone in the criminal justice system such as the courts, a jail or prison, or a probation or parole officer?

Note 1: 'drug or alcohol treatment' if R34>=18

'this program' if R34<18 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	35.5	2,339	1	YES
64.5	64.4	4,246	2	NO
	0.1	7	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 984-985

**R375****ELAPSED TIME SECTION F**

6,593 cases (Range of valid codes: 532-12004)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 986-990



**R378M2****SUPPORTED BY MOONSHINING**

MOONSHINING, BOOT LEGGING, RUNNING LIQUO When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.6	40	1	YES
98.3	35.0	2,305	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 995-996

**R378M3****SUPPORTED BY PROSTITUTION**

PROSTITUTION When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	4.8	317	1	YES
86.5	30.8	2,028	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 997-998

**R378M4 SUPPORTED BY PIMPING**

PIMPING/PROCURING When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	1.7	113	1	YES
95.2	33.9	2,232	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 999-1000

**R378M5 SUPPORTED BY FORGERY/CREDIT FRAUD**

FORGERY/PASSING BAD CHECKS/CRED CARD FRD When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	3.0	199	1	YES
91.5	32.5	2,146	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1001-1002

**R378M6****SUPPORTED BY BOOKMAKING**

BOOKMAKING/NUMBERS/GAMBLING When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	2.3	149	1	YES
93.6	33.3	2,196	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1003-1004

**R378M7****SUPPORTED BY STOLEN GOODS**

RECEIVING/POSSESSION OF STOLEN GOODS When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	3.7	241	1	YES
89.7	31.9	2,104	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1005-1006

**R378M8 SUPPORTED BY MOTOR VEHICLE THEFT**

MOTOR VEHICLE THEFT When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	2.4	155	1	YES
93.4	33.2	2,190	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1007-1008

**R378M9 SUPPORTED BY SHOPLIFTING**

SHOPLIFTING When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	7.4	488	1	YES
79.2	28.2	1,857	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1009-1010

**R378M10****SUPPORTED BY BREAKING AND ENTERING**

BREAKING AND ENTERING/BURGLARY When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	5.6	369	1	YES
84.3	30.0	1,976	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1011-1012

**R378M11****SUPPORTED BY ARMED ROBBERY**

ARMED ROBBERY/ROBBERY BY FORCE When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	3.4	221	1	YES
90.6	32.2	2,124	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1013-1014

**R378M12 SUPPORTED BY OTHER THEFT**

OTHER THEFT (LARCENY/PICK POCKETING/PURS When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	2.3	149	1	YES
93.6	33.3	2,196	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1015-1016

**R378M13 SUPPORTED BY ARSON**

ARSON When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	8	1	YES
99.7	35.4	2,337	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1017-1018

**R378M14****SUPPORTED BY AGGRAVATED ASSAULT**

AGGRAVATED ASSAULT/OTHER SERIOUS ASSAULT When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.5	30	1	YES
98.7	35.1	2,315	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1019-1020

**R378M15****SUPPORTED BY MURDER**

MURDER When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	5	1	YES
99.8	35.5	2,340	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1021-1022

**R378M16 SUPPORTED BY OTHER ILLEGAL ACTIVITY**

OTHER ILLEGAL ACTIVITY When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	1.3	85	1	YES
96.4	34.3	2,260	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1023-1024

**R378M17 INTERVIEWER UNABLE TO CODE**

INTERVIEWER UNABLE TO CODE ILLEGAL ACTIV When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	12	1	YES
99.5	35.4	2,333	2	NO
	64.3	4,242	-6	NOT APPLICABLE
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1025-1026

R379

## AGE AT FIRST ILLEGAL SUPPORT

How old were you the first time you got most of your support from any illegal activity? RECORD AGE. PROBE FOR APPROXIMATE AGE IF R IS UNCERTAIN.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	1.0	67	11	11 OR YOUNGER
3.3	1.2	78	12	
5.6	2.0	132	13	
7.7	2.7	180	14	
10.5	3.7	246	15	
12.2	4.3	286	16	
8.6	3.0	201	17	
9.5	3.4	221	18	
4.1	1.5	96	19	
5.0	1.8	118	20	
4.2	1.5	99	21	
3.3	1.2	77	22	
2.8	1.0	66	23	
2.4	0.8	56	24	
3.5	1.2	82	25	
1.6	0.6	37	26	
2.3	0.8	53	27	
2.0	0.7	46	28	
1.1	0.4	26	29	
7.3	2.6	170	30	30 OR OLDER
	64.3	4,242	-5	NEVER
	0.2	10	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1027-1028

**R380 SUPPORTED ILLEGALLY LAST 12 MONTHS?**

IF R HAS BEEN IN JAIL/PRISON/DETENTION FOR 12 MONTHS OR LONGER, SKIP TO R381. OTHERWISE, ASK R380. Since (DATE 12 MONTHS AGO) of last year, have you gotten most of your support from any illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	17.5	1,156	1	YES
82.5	82.4	5,433	2	NO
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1029-1030

**R381 CURRENTLY EMPLOYED?**

That is the last question I will ask you about supporting yourself and your family through illegal activities. Now, I would like to ask about other ways you have supported yourself and your family that do not involve illegal activities. Right now, do you have a job? That is, do you do work for pay that does not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	15.1	995	1	YES
79.8	59.5	3,926	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.1	4	-3	MISSING
	0.1	6	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1031-1032

**R384A1****JOB1: TYPE OF JOB**

Next, I will ask about any jobs that you have now. First, please tell me about the job where you work the most hours, and then tell me about your other jobs, if any. What kind of work do you do at the job where you work the most hours, that is, what is the job title or what is your job called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	235	3	SERVICE WORKER
2.7	2.7	180	5	SKILLED WORKER OR CRAFTSMEN
8.8	8.8	580	14	OTHER
84.9	84.9	5,598	200	NO CURRENT JOB
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1033-1035

**R385A1****ANOTHER JOB?**

Do you have another job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	90	1	YES
98.6	98.6	6,503	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1036-1037



**R389A2****HOW LONG AT JOB2**

(HAND R SHOWCARD J). How long have you had this job? Has it been less than one month, 1-12 months, or more than 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	0.1	7	1	LESS THAN ONE MONTH
37.8	0.5	34	2	1-12 MONTHS
54.4	0.7	49	3	MORE THAN 12 MONTHS
	98.6	6,503	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1042-1043

**R391****EMPLOYER REQUIRED TREATMENT?**

{Note 1: Is your employer/Are any of your employers} requiring that you take part in a drug or alcohol program here?

Note 1: 'Is your employer' if R385=2

'Are any of your employers' if T385=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	95	1	YES
98.6	98.6	6,498	2	NO
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1044-1045



<b>R397M1</b>	<b>REASON FOR NOT WORKING F/T - JOB RELATED</b>
---------------	---

Reason that you do not now have a job where you work 35 hours a week or more? Job related

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	14.1	931	1	YES
77.8	49.4	3,260	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1050-1051

<b>R397M2</b>	<b>REASON FOR NOT WORKING F/T - FINANCIAL</b>
---------------	---

Reason that you do not now have a job where you work 35 hours a week or more? Financial

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	5.7	376	1	YES
91.0	57.9	3,815	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1052-1053

**R397M3 REASON FOR NOT WORKING F/T - CHILD CARE**

Reason that you do not now have a job where you work 35 hours a week or more? Child Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	1.9	124	1	YES
97.0	61.7	4,067	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1054-1055

**R397M4 REASON FOR NOT WORKING F/T - TRANSPORTAT**

Reason that you do not now have a job where you work 35 hours a week or more? Transportation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	38	1	YES
99.1	63.0	4,153	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1056-1057

<b>R397M5</b>	<b>REASON FOR NOT WORKING F/T - FAMILY/FRIE</b>
---------------	---

Reason that you do not now have a job where you work 35 hours a week or more? Family/Friend Problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.5	32	1	YES
99.2	63.1	4,159	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1058-1059

<b>R397M6</b>	<b>REASON FOR NOT WORKING F/T - RACE/ETHNIC</b>
---------------	---

Reason that you do not now have a job where you work 35 hours a week or more? Race/Ethnic/Language Barrier

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	11	1	YES
99.7	63.4	4,180	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1060-1061

**R397M7 REASON FOR NOT WORKING F/T - LEGAL BARRI**

Reason that you do not now have a job where you work 35 hours a week or more? Legal Barrier

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	1.9	126	1	YES
97.0	61.7	4,065	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1062-1063

**R397M8 REASON FOR NOT WORKING F/T - SKILL/EXPER**

Reason that you do not now have a job where you work 35 hours a week or more? Skill/Experience/Education

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	5.0	332	1	YES
92.1	58.5	3,859	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1064-1065

<b>R397M9</b>	<b>REASON FOR NOT WORKING F/T - DRUG USE</b>
---------------	--

Reason that you do not now have a job where you work 35 hours a week or more? Drug Use

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	18.6	1,224	1	YES
70.8	45.0	2,967	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1066-1067

<b>R397M10</b>	<b>REASON FOR NOT WORKING F/T - ILLNESS/INJ</b>
----------------	---

Reason that you do not now have a job where you work 35 hours a week or more? Illness/Injury

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	6.4	422	1	YES
89.9	57.2	3,769	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1068-1069

**R397M11 REASON FOR NOT WORKING F/T - OTHER**

Reason that you do not now have a job where you work 35 hours a week or more? OTHER REASON

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	16.6	1,092	1	YES
73.9	47.0	3,099	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	11.3	742	3	CURRENTLY EMPLOYED F/T
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 1070-1071

**R399 TIME SINCE LAST F/T JOB**

(HAND R SHOWCARD S). When were you last employed at any one job where you worked 35 hours a week or more? Was it within the past month, 1-6 months ago, 7-12 months ago, or more than 12 months ago? PROBE FOR R's MOST RECENT JOB(S).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.4	358	1	WITHIN THE PAST MONTH
20.9	17.8	1,176	2	1-6 MONTHS AGO
11.3	9.7	639	3	7-12 MONTHS AGO
48.2	41.2	2,716	4	MORE THAN 12 MONTHS AGO
13.2	11.3	743	5	CURRENTLY WORKING
	14.5	958	-5	NEVER
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1072-1073

**R400****LONGEST TIME HELD F/T JOB**

(HAND R SHOWCARD T). What is the longest time you have ever had any one job where you worked 35 hours a week or more? Is the longest time less than one month, 1-6 months, 7-12 months, or more than 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.1	72	1	LESS THAN ONE MONTH
13.1	11.2	736	2	1-6 MONTHS
9.7	8.3	547	3	7-12 MONTHS
75.9	64.8	4,271	4	MORE THAN 12 MONTHS
	14.5	959	-5	NEVER
	0.1	6	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1074-1075

**R401****CURRENTLY AT LONGEST HELD JOB?**

Are you now working at that job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	324	1	YES
95.1	95.1	6,268	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1076-1077

<b>R403</b>	<b>TYPE OF JOB-V</b>
-------------	----------------------

What kind of work did you do at the full-time job you had the longest? That is, what was your job title or what was your job called? (gardener)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.7	379	1	CLERICAL WORKER
7.0	5.6	369	2	SALES WORKER
22.4	18.0	1,187	3	SERVICE WORKER
1.8	1.5	96	4	PRIVATE HOUSEHOLD WORKER
16.4	13.2	869	5	SKILLED WORKER OR CRAFTSMEN
17.2	13.8	913	6	LABORER
4.8	3.9	254	7	OPERATOR OR MACHINE OPERATOR
4.1	3.3	215	8	TRANSPORTATION EQUIPMENT OPERATOR
0.3	0.3	18	9	FARM LABORER
0.1	0.1	6	10	FARMER OR FARM MANAGER
3.1	2.5	166	11	MANAGER/ ADMINISTRATOR
0.5	0.4	29	12	LAY COUNSELOR
2.1	1.7	110	13	PROFESSIONAL/ TECHNICAL
8.3	6.7	442	14	OTHER
4.8	3.9	254	15	INTERVIEWER UNABLE TO CODE
	19.5	1,283	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1078-1079

**R407M2****WAGE RATE - HOURLY**

Before taxes, what {Note 1: was your highest/is your} hourly wage rate of pay at that job?

Note 1: 'was your highest' if R381=2 and R398=1  
'is you' if R381=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	7.6	504	1	LESS THAN 4.25 PER HOUR
62.5	51.8	3,417	2	4.25-10.00 PER HOUR
28.3	23.5	1,547	3	MORE THAN \$10.00 PER HOUR
	17.1	1,125	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1080-1081

**R409****MONTHS WORKED IN LAST 12**

(HAND R SHOWCARD H). Since (DATE 12 MONTHS AGO) of last year, how many months have you worked at any jobs? Would you say none, less than one month, 1-3 months, 4-6 months, 7-9 months, or 10-12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	46.1	3,041	1	NONE
3.4	3.4	227	2	LESS THAN ONE MONTH
12.5	12.5	825	3	1-3 MONTHS
13.7	13.6	899	4	4-6 MONTHS
9.0	8.9	590	5	7-9 MONTHS
15.2	15.2	1,004	6	10-12 MONTHS
	0.0	1	-5	NEVER
	0.1	4	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1082-1083

**R411 IMPORTANCE OF EMPLOYMENT COUNSELING**

Right now, how important to you is counseling for employment problems, such as problems finding or keeping a job, or getting along with the people you work with? Would you say not at all important, somewhat important or very important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	38.3	2,527	1	NOT AT ALL IMPORTANT
19.6	19.6	1,293	2	SOMEWHAT IMPORTANT
42.0	42.0	2,768	3	VERY IMPORTANT
	0.0	3	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1084-1085

**R412 LIVED WITH SUPPORTER LAST 12 MONTHS?**

Next, I would like to ask about your living expenses. Since (DATE 12 MONTHS AGO) of last year, have you lived with anyone, including your parents or a spouse or partner, who has helped with your living expenses, such as housing, food, clothing, medical costs, or transportation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	55.4	3,654	1	YES
44.6	44.6	2,938	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1086-1087

**R413****HOW MUCH SUPPORTED BY PERSON LIVED WITH**

Overall, since (DATE 12 MONTHS AGO) of last year, would you say that this help with your living expenses has paid for less than half, half or more, or all of your living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	18.2	1,198	1	LESS THAN HALF
41.0	22.7	1,497	2	HALF OR MORE
26.2	14.5	955	3	ALL
	44.6	2,939	-4	NONE
	0.0	2	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1088-1089

**R416A1****INCOME FROM OWN WAGES?**

Now, I will ask about other sources of income you may have had since (DATE 12 MONTHS AGO) of last year. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent, spouse or partner. Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from your wages or salary, including tips, from all jobs or businesses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	47.9	3,161	1	YES
52.0	51.9	3,424	2	NO
	0.1	5	-3	MISSING
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1090-1091

**R416A2 INCOME FROM ALIMONY/CHILD SUPPORT?**

Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from alimony or child support?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	137	1	YES
97.9	97.9	6,454	2	NO
	0.0	2	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1092-1093

**R416A3 INCOME FROM SPOUSE/PARTNER?**

Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from {Note 1: Money/Other money} from a spouse, partner, or other family member who was not living with you?

Note 1: 'Money' if R29=1  
 'Other money' if R29=2 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	27.2	1,791	1	YES
72.8	72.7	4,795	2	NO
	0.1	7	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1094-1095

<b>R416A4</b>	<b>INCOME WELFARE OR RELIEF?</b>
---------------	----------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from welfare or relief, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	35.1	2,312	1	YES
64.8	64.7	4,263	2	NO
	0.1	9	-3	MISSING
	0.1	8	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1096-1097

<b>R416A5</b>	<b>INCOME FROM UNEMPLOYMENT/DISABILITY?</b>
---------------	---

Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from unemployment compensation, disability pay, or SSI?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.4	949	1	YES
85.6	85.4	5,629	2	NO
	0.2	10	-3	MISSING
	0.1	4	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1098-1099

**R416A6 INCOME SS/PENSION/ANNUITY?**

Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from Social Security, pension, or annuity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	229	1	YES
96.5	96.4	6,354	2	NO
	0.1	9	-3	MISSING
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1100-1101

**R416A7 INCOME FROM OTHER SOURCES?**

Since (DATE 12 MONTHS AGO) of last year, have you personally gotten any income from any other sources I haven't asked about, such as interest on savings, or loans paid back to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	173	1	YES
97.4	97.3	6,413	2	NO
	0.1	6	-3	MISSING
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1102-1103

<b>R419M1</b>	<b>INCOME - FROM OWN WAGES AND SALARIES</b>
---------------	---

Since (DATE 12 MONTHS AGO) of last year, before taxes, how much income did you personally get from your wages or salary, including tips, from all jobs or businesses? ROUND TO NEAREST DOLLAR.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	12.8	844	1	Male, \$3000 or less
25.2	10.6	702	2	Male, 3001-\$10000
24.6	10.4	687	3	Male, \$10001 or more
10.7	4.5	299	4	Female, \$3000 or less
9.2	3.9	258	5	Female, \$3001 or more
	52.1	3,432	-9	LEGITIMATE SKIP
	4.8	318	-2	DON'T KNOW
	0.8	53	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1104-1105

<b>R419M2</b>	<b>INCOME - FROM OTHER SOURCES</b>
---------------	------------------------------------

Since (DATE 12 MONTHS AGO) of last year, before taxes, how much income did you personally get from other sources? ROUND TO NEAREST DOLLAR.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	26.0	1,711	1	Male, \$3000 or less
14.3	8.1	532	2	Male, \$3001-\$10000
3.5	2.0	130	3	Male, \$10001 or more
19.3	10.9	719	4	Female, \$3000 or less
17.0	9.6	634	5	Female, \$3001 or more
	43.5	2,867	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1106-1107

**R420****IMPORTANCE OF FINANCIAL COUNSELING**

Right now, how important to you is help or counseling for financial problems, such as buying the things you need, paying bills, paying child support or judgements against you, or getting benefits or child support? Would you say not at all important, somewhat important, or very important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	32.3	2,132	1	NOT AT ALL IMPORTANT
22.9	22.9	1,511	2	SOMEWHAT IMPORTANT
44.7	44.7	2,948	3	VERY IMPORTANT
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1108-1109

<b>SECTION H: HEALTH</b>
--------------------------

<b>R423</b>	<b>GENERAL HEALTH</b>
-------------	-----------------------

These next questions are about your physical health. In general, would you say your health is (READ CATEGORIES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	28.8	1,899	1	EXCELLENT?
43.8	43.8	2,887	2	GOOD?
22.0	22.0	1,448	3	FAIR?
5.4	5.4	355	4	POOR?
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1110-1111

<b>R427A1</b>	<b>PROBLEMS WITH SIGHT</b>
---------------	----------------------------

Now, I'm going to read a list of illnesses or conditions that can cause a person pain, keep a person from doing the things they normally do, or cause a person other physical problems. Since this past (DATE 30 DAYS AGO), have you had any of these problems with your sight, that is, you've had difficulty seeing even with glasses or contact lenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	20.1	1,327	1	YES
79.9	79.9	5,265	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1112-1113

**R427A2 PROBLEMS WITH HEARING**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with your hearing, that is, you've had difficulty hearing even with a hearing aid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.1	597	1	YES
90.9	90.9	5,995	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1114-1115

**R427A3 PROBLEMS WITH TB**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with TB, that is, tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	147	1	YES
97.8	97.6	6,436	2	NO
	0.1	9	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1116-1117

<b>R427A4</b>	<b>PROBLEMS WITH BREATHING</b>
---------------	--------------------------------

Since this past (DATE 30 DAYS AGO), have you had any of these problems with another serious breathing condition, such as bronchitis or asthma?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.4	885	1	YES
86.6	86.6	5,707	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1118-1119

<b>R427A5</b>	<b>PROBLEMS WITH HEART OR BLOOD</b>
---------------	-------------------------------------

Since this past (DATE 30 DAYS AGO), have you had any of these problems with a serious heart or blood condition, such as high blood pressure, or anemia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.5	887	1	YES
86.5	86.5	5,704	2	NO
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1120-1121

**R427A6 PROBLEMS WITH HEPATITIS**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with hepatitis or yellow jaundice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	115	1	YES
98.3	98.2	6,477	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1122-1123

**R427A7 PROBLEMS WITH INTERNAL CONDITION**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with another serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or female (or, if male, liver) problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.5	757	1	YES
88.5	88.4	5,829	2	NO
	0.1	6	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1124-1125

<b>R427A8</b>	<b>PROBLEMS WITH BONE OR MUSCLE</b>
---------------	-------------------------------------

Since this past (DATE 30 DAYS AGO), have you had any of these problems with a serious bone or muscle condition, such as being paralyzed, bad arthritis, limping, or bursitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.8	844	1	YES
87.2	87.2	5,748	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1126-1127

<b>R427A9</b>	<b>PROBLEMS WITH NERVE CONDITION</b>
---------------	--------------------------------------

Since this past (DATE 30 DAYS AGO), have you had any of these problems with a serious nerve condition, such as convulsions, epilepsy, or migraine headaches? Please do not include any mental health problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.9	980	1	YES
85.1	85.1	5,610	2	NO
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1128-1129

**R427A10 PROBLEMS WITH STD OTHER THAN AIDS**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with syphilis, gonorrhea, or genital herpes, or any other sexually transmitted disease other than AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	238	1	YES
96.4	96.3	6,350	2	NO
	0.0	3	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1130-1131

**R428 R DIAGNOSED WITH AIDS**

Has a doctor or a nurse ever told you that you have AIDS, or the virus that causes AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	200	1	YES
97.0	97.0	6,392	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1132-1133

<b>R429</b>	<b>OTHER HEALTH PROBLEM</b>
-------------	-----------------------------

Other r than anything you've told me about, since this past (DATE 30 DAYS AGO), has any other health problem caused you pain, limited your activities, or caused you any other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	16.1	1,059	1	YES
83.9	83.9	5,534	2	NO
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1134-1135

<b>R431</b>	<b>HEALTH LIMITS ON WORK</b>
-------------	------------------------------

Right now, how much does your health limit the kind of work you can do? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	68.5	4,514	1	NOT AT ALL
20.2	20.2	1,334	2	SOMEWHAT
11.2	11.2	741	3	VERY MUCH
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1136-1137

<b>R436A1</b>	<b># OF HETEROSEXUAL VAGINAL SEX PARTNERS</b>
---------------	---

(HAND R SHOWCARD V). Since (DATE 12 MONTHS AGO) of last year, about how many different {Note 1: women/men} have you had vaginal sex with, even if only one time? Would you say none, one {Note 2: woman/man}, 2-9 {Note 3: women/men}, 10-25 {Note 4: women/men}, 26-100 {Note 5: women/men}, 101-500 {Note 6: women/men} or more than 500 {Note 7: women/men}?

Note 1: 'women' if R29=1  
           'men' if R29=2 blank if otherwise

Note 2: 'woman' if R29=1  
           'man' if R29=2 blank if otherwise

Note 3: See Note 1 Note 4: See Note 1 Note 5: See Note 1 Note 6: See Note 1 Note 7: See Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.7	902	1	NONE
31.6	31.4	2,068	2	ONE
40.5	40.2	2,651	3	2-9
8.4	8.3	548	4	10-25
4.3	4.3	283	5	26-100
1.2	1.2	78	6	101-500
0.2	0.2	10	7	MORE THAN 500
	0.2	15	-2	DON'T KNOW
	0.6	38	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1138-1139

**R437A1****CONDOM USE: HETEROSEXUAL VAGINAL SEX**

(HAND R SHOWCARD E). Since (DATE 12 MONTHS AGO) of last year, when you had vaginal sex with {Note 1: women/men}, about how often did you use a latex condom, "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: 'women' if R29=1

'men' if R29=2 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	35.4	2,332	1	NEVER
14.8	12.7	838	2	LESS THAN 1/2
11.6	10.0	657	3	HALF OF THE TIME
12.7	10.9	720	4	MORE THAN 1/2
19.5	16.7	1,103	5	EVERY TIME
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
	14.3	940	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 1140-1141

<b>R436A2</b>	<b># OF HETEROSEXUAL ORAL SEX PARTNERS</b>
---------------	--

(HAND R SHOWCARD V). Since (DATE 12 MONTHS AGO) of last year, about how many different {Note 1: women/men} have you had oral sex with, even if only one time? Would you say none, one {Note 2: woman/man}, 2-9 {Note 3: women/men}, 10-25 {Note 4: women/men}, 26-100 {Note 5: women/men}, 101-500 {Note 6: women/men} or more than 500 {Note 7: women/men}?

- Note 1: 'women' if R29=1  
          'men' if R29=2 blank if otherwise
- Note 2: 'woman' if R29=1  
          'man' if R29=2 blank if otherwise
- Note 3: See Note 1
- Note 4: See Note 1
- Note 5: See Note 1
- Note 6: See Note 1
- Note 7: See Note 1

PCT VALID	PCT ALL	N	VALUE	LABEL
40.1	39.8	2,623	1	NONE
29.2	28.9	1,907	2	ONE
23.0	22.8	1,506	3	2-9
4.5	4.5	295	4	10-25
2.5	2.5	162	5	26-100
0.6	0.5	36	6	101-500
0.1	0.1	8	7	MORE THAN 500
	0.2	12	-2	DON'T KNOW
	0.7	44	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1142-1143

R437A2

## CONDOM USE: HETEROSEXUAL ORAL SEX

(HAND R SHOWCARD E). Since (DATE 12 MONTHS AGO) of last year,  
 when you  
 had oral sex with {Note 1: women/men}, about how often did you  
 use a latex condom, "rubber," or a female condom? Would you say  
 never, less than half the time, half of the time, more than half  
 the time but not every time, or every time?

Note 1: 'women' if R29=1  
 'men' if R29=2  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	43.1	2,841	1	NEVER
8.1	4.8	317	2	LESS THAN 1/2
6.5	3.9	256	3	HALF OF THE TIME
4.5	2.7	176	4	MORE THAN 1/2
8.5	5.0	332	5	EVERY TIME
	0.0	3	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
	40.5	2,667	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 6, lowest thru -1  
 Columns: 1144-1145

<b>R436A3</b>	<b># OF HETEROSEXUAL ANAL SEX PARTNERS</b>
---------------	--

(HAND R SHOWCARD V). Since (DATE 12 MONTHS AGO) of last year, about how many different {Note 1: women/men} have you had anal sex with, even if only one time?

Note 1: 'women' if R29=1  
           'men' if R29=2  
           blank if otherwise

Note 2: 'woman' if R29=1  
           'man' if R29=2  
           blank if otherwise

Note 3: See Note 1

Note 4: See Note 1

Note 5: See Note 1

Note 6: See Note 1

Note 7: See Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	85.7	5,652	1	NONE
13.7	13.6	897	2	ONE OR MORE
	0.0	2	-2	DON'T KNOW
	0.6	42	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1146-1147

R437A3

## CONDOM USE: HETEROSEXUAL ANAL SEX

(HAND R SHOWCARD E). Since (DATE 12 MONTHS AGO) of last year, when you had anal sex with {Note 1: women/men}, about how often did you use a latex condom, "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: 'women' if R29=1

'men' if R29=2

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	7.9	518	1	NEVER
5.6	0.8	50	2	LESS THAN 1/2
6.9	0.9	62	3	HALF OF THE TIME
4.3	0.6	39	4	MORE THAN 1/2
25.6	3.5	230	5	EVERY TIME
	86.4	5,694	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 1148-1149

<b>R436A4</b>	<b># OF HOMOSEXUAL ORAL SEX PARTNERS</b>
---------------	--

(HAND R SHOWCARD V). Since (DATE 12 MONTHS AGO) of last year, about how many different {Note 1: men/women} have you had oral sex with, even if only one time?

Note 1: 'men' if R29=1  
           'women' if R29=2  
           blank if otherwise

Note 2: 'man' if R29=1  
           'woman' if R29=2  
           blank if otherwise

Note 3: See Note 1

Note 4: See Note 1

Note 5: See Note 1

Note 6: See Note 1

Note 7: See Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	94.3	6,215	1	NONE
5.1	5.1	335	2	ONE OR MORE
	0.7	43	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1150-1151

R437A4

## CONDOM USE: HOMOSEXUAL ORAL SEX

(HAND R SHOWCARD E). Since (DATE 12 MONTHS AGO) of last year, when you had oral sex with {Note 1: men/women}, about how often did you use a latex condom, "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: 'men' if R29=1  
 'women' if R29=2  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	0.9	57	1	NEVER
12.8	0.2	15	2	LESS THAN 1/2
6.0	0.1	7	3	HALF OF THE TIME
11.1	0.2	13	4	MORE THAN 1/2
21.4	0.4	25	5	EVERY TIME
	98.2	6,476	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 6, lowest thru -1  
 Columns: 1152-1153

<b>R436A5</b>	<b># OF HOMOSEXUAL ANAL SEX PARTNERS</b>
---------------	--

(HAND R SHOWCARD V). Since (DATE 12 MONTHS AGO) of last year, about how many different men have you had anal sex with, even if only one time? Would you say none, one man, 2-9 men, 10-25 men, 26-100 men, 101-500 men or more than 500 men?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	98.3	6,482	1	NONE
0.4	0.4	27	2	ONE
0.7	0.7	44	3	2-9
0.2	0.2	11	4	10-25
0.1	0.1	5	5	26-100
	0.0	1	-2	DON'T KNOW
	0.3	23	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1154-1155

**R437A5****CONDOM USE: HOMOSEXUAL ANAL SEX**

(HAND R SHOWCARD E). Since (DATE 12 MONTHS AGO) of last year, when you had anal sex with men, about how often did you use a latex condom, "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: 'men' if R29=1  
 'women' if R29=2  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	0.3	23	1	NEVER
10.2	0.1	9	2	LESS THAN 1/2
8.0	0.1	7	3	HALF OF THE TIME
9.1	0.1	8	4	MORE THAN 1/2
46.6	0.6	41	5	EVERY TIME
	98.7	6,505	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: 6, lowest thru -1  
 Columns: 1156-1157

**R439****GOT THINGS FOR SEX**

Since (DATE 12 MONTHS AGO) of last year, have you had vaginal, oral, or anal sex with someone so they would give you money, drugs, clothes or a place to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.9	984	1	YES
85.1	85.0	5,606	2	NO
	0.0	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1158-1159



<b>R442</b>	<b>KNEW SEX PARTNER HAD AIDS</b>
-------------	----------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you had vaginal, oral, or anal sex with anyone you knew at the time had AIDS or was HIV-positive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	73	1	YES
98.9	98.5	6,493	2	NO
	0.4	27	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1164-1165

<b>R443</b>	<b>LEARNED SEX PARTNER HAS AIDS</b>
-------------	-------------------------------------

Since (DATE 12 MONTHS AGO) of last year, have you had vaginal, oral, or anal sex with anyone who you later found out has AIDS or is HIV-positive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	91	1	YES
98.6	98.5	6,491	2	NO
	0.2	11	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1166-1167

<b>R444</b>	<b>EVER FORCED TO HAVE SEX</b>
-------------	--------------------------------

Has anyone ever made you have vaginal, oral or anal sex when you didn't want to by using force, or by threatening to harm you or someone close to you? {Note 1: This might have happened to you either as a child or as an adult.}

Note 1: 'This might have happened to you...'  
                   if R34>=18  
                   blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.9	1,051	1	YES
84.0	83.6	5,509	2	NO
	0.0	2	-2	DON'T KNOW
	0.5	31	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1168-1169

<b>R445</b>	<b>TIMES FORCED TO HAVE SEX</b>
-------------	---------------------------------

(HAND R SHOWCARD K). In your lifetime, how many times altogether has anyone made you have any type of sex when you didn't want to? Would you say one time, 2-5 times, 6-10 times, 11-20 times, 21-100 times, or more than 100 times? DO NOT PROBE. IF NECESSARY, REMIND R TO INCLUDE NUMBER OF TIMES AS A CHILD AND AS AN ADULT.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	4.2	279	1	ONE TIME
40.6	6.4	421	2	2-5 TIMES
11.9	1.9	124	3	6-10 TIMES
10.7	1.7	111	4	11-20 TIMES
7.4	1.2	77	5	21-100 TIMES
2.5	0.4	26	6	MORE THAN 100 TIMES
	84.1	5,542	-5	NEVER
	0.2	11	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1170-1171

<b>R447</b>	<b>SEX FORCED BEFORE AGE 18</b>
-------------	---------------------------------

Did {Note 1: the time/any of the times} when you were made to have sex when you didn't want to happen before you were 18 years old?

Note 1: 'the time' if R445=1  
 'any of the times' if R445>=2 and R445<=6 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.4	687	1	YES
89.5	89.3	5,885	2	NO
	0.3	21	-8	NOT ASKED OF MINORS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1172-1173



**R450****ANY VISITS TO HOSPITAL LAST YEAR**

Now, I'd like to ask about the times since (DATE 12 MONTHS AGO) of last year you may have gone to the hospital or seen a doctor, not including visits to a dentist, for a physical illness, condition or injury. Since (DATE 12 MONTHS AGO) of last year, have you gone to...

a. a hospital for at least 24 hours.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.7	1,296	1	YES
80.3	80.3	5,295	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1178-1179

**R451****ANY VISITS TO EMERGENCY RM LAST YEAR**

Since (DATE 12 MONTHS AGO) of last year, have you gone to...

b. a hospital emergency room when you did not stay for at least 24 hours.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	34.5	2,273	1	YES
65.5	65.5	4,316	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1180-1181

**R452 ANY VISITS TO CLINIC LAST YEAR**

Since (DATE 12 MONTHS AGO) of last year, have you gone to...  
 c. a doctor's office, or to a clinic, including a clinic in a  
 hospital.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.6	47.6	3,138	1	YES
52.4	52.4	3,452	2	NO
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1182-1183

**R454A1 #-NIGHTS IN HOSPITAL**

Since (DATE 12 MONTHS AGO) of last year, how many nights have you  
 spent in the hospital for a physical illness, condition or  
 injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	3.8	253	1	1 TIME
40.7	7.9	524	2	2-5 TIMES
15.0	2.9	193	3	6-9 TIMES
24.6	4.8	317	4	10 OR MORE TIMES
	80.3	5,297	-4	NONE
	0.1	8	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1184-1185

**R456A1****WAS DRUG/ALCOHOL REASON FOR HOSPITAL STA**

Thinking about the last time you went to a hospital for at least 24 hours, did your drug or alcohol use in any way cause the physical illness, condition or injury you were there for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.8	643	1	YES
90.2	90.2	5,947	2	NO
	0.0	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1186-1187

**R455A2****#-VISITS TO EMERGENCY RM**

(HAND R SHOWCARD W). Since (DATE 12 MONTHS AGO) of last year, how many times have you gone to a hospital emergency room when you did not stay for at least 24 hours for a physical illness, condition, or injury? Would you say it has been one time, 2-9 times, or 10 times or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	18.7	1,230	1	1 TIME
42.8	14.7	970	2	2-9 TIMES
3.0	1.0	68	3	10 TIMES OR MORE
	65.5	4,320	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1188-1189



**R456A3****WAS DRUG/ALCOHOL REASON FOR OFFICE VISIT**

Thinking about the last time you went to a doctor's office, or to a clinic, including a clinic in a hospital, did your drug or alcohol use in any way cause the physical illness, condition or injury you were there for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.4	684	1	YES
89.6	89.4	5,894	2	NO
	0.2	15	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1194-1195

**R457****IMPORTANCE OF MEDICAL TREATMENT**

Right now, how important to you is treatment for any medical problems? Would you say not at all important, somewhat important, or very important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	38.2	2,519	1	NOT AT ALL IMPORTANT
21.5	21.5	1,419	2	SOMEWHAT IMPORTANT
40.3	40.3	2,655	3	VERY IMPORTANT
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1196-1197

**R458 R HAS HEALTH PLAN/INSURANCE**

Do you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, Kaiser, CHAMPUS, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	36.7	2,417	1	YES
50.4	37.3	2,456	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.9	60	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1198-1199

**R459M1 PRIVATE HEALTH INSURANCE**

PRIVATE HEALTH INSURANCE/PRIVATE HEALTH What type of health plan or insurance do you have? CODE ALL MENTIONS. PROBE FOR ALL PLANS R IS COVERED UNDER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	7.8	516	1	YES
78.6	28.8	1,896	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	38.2	2,516	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1200-1201

**R459M2****MEDICAID**

MEDICAID What type of health plan or insurance do you have? CODE  
ALL MENTIONS. PROBE FOR ALL PLANS R IS COVERED UNDER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	20.6	1,359	1	YES
43.7	16.0	1,053	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	38.2	2,516	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1202-1203

**R459M3****CHAMPUS/CHAMPVA**

CHAMPUS/CHAMPVA What type of health plan or insurance do you  
have? CODE ALL MENTIONS. PROBE FOR ALL PLANS R IS COVERED UNDER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	19	1	YES
99.2	36.3	2,393	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	38.2	2,516	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1204-1205

**R459M4 OTHER HEALTH INSURANCE**

OTHER What type of health plan or insurance do you have? CODE  
 ALL MENTIONS. PROBE FOR ALL PLANS R IS COVERED UNDER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	8.2	542	1	YES
77.5	28.4	1,870	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	38.2	2,516	-4	NONE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1206-1207

**R462M1 PAY SOURCE: PRIVATE INS./SELF/FAMILY**

PRIVATE INSURANCE/HEALTH PLAN Who will pay for your treatment?  
 RECORD VERBATIM AND CODE ALL THE APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	19.2	1,265	1	YES
73.6	53.4	3,519	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.9	60	-3	MISSING
	1.3	87	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1208-1209

<b>R462M4</b>	<b>PAY SOURCE: GOVERNMENT</b>
---------------	-------------------------------

GOVERNMENT Who will pay for your treatment? RECORD VERBATIM AND  
CODE ALL THE APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	49.2	3,242	1	YES
32.2	23.4	1,542	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.9	60	-3	MISSING
	1.3	87	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1210-1211

<b>R462M5</b>	<b>PAYMENT FROM ANOTHER SOURCE</b>
---------------	------------------------------------

ANOTHER SOURCE Who will pay for your treatment? RECORD VERBATIM  
AND CODE ALL THE APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	5.9	389	1	YES
91.9	66.7	4,395	2	NO
	25.2	1,660	-7	NOT ASKED OF INMATES
	0.9	60	-3	MISSING
	1.3	87	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1212-1213

**R463** **EVER BEEN PREGNANT?**

Now, I am going to ask about pregnancy and giving birth. Have you ever been pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	24.9	1,640	1	YES
10.7	3.0	196	2	NO
	72.1	4,753	-6	NOT APPLICABLE (MALE)
	0.0	3	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1214-1215

**R464** **TIMES PREGNANT**

How many times have you been pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	3.5	230	1	1
17.4	4.3	285	2	2
18.3	4.6	300	3	3
17.0	4.2	278	4	4
12.0	3.0	197	5	5
21.1	5.2	345	6	6 OR MORE
	72.1	4,753	-6	NOT APPLICABLE (MALE)
	3.0	200	-4	NONE
	0.1	5	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1216-1217

**R465****TIMES GAVE BIRTH**

In how many of these pregnancies did you give birth to one or more live babies? NUMBER OF BIRTHS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	2.4	160	0	NONE
23.4	5.8	383	1	1
23.6	5.8	385	2	2
18.5	4.6	303	3	3
11.3	2.8	184	4	4
6.7	1.7	110	5	5
6.7	1.7	109	6	6 OR MORE
	75.1	4,953	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
	0.1	5	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1218-1219

**R466****DATE OF LAST LIVE BIRTH**

(HAND R SHOWCARD A). When was the last time you gave birth to a live baby? Was it within the past month, 1-12 months ago, or more than 12 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.2	16	1	WITHIN PAST MONTH
11.8	2.6	174	2	1-12 MONTHS AGO
87.1	19.5	1,286	3	MORE THAN 12 MONTHS AGO
	77.6	5,113	-5	NEVER
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1220-1221

**R467 DRUG USE DURING PRIOR PREGNANCY**

During that pregnancy {Note 1: that is, the last time you gave birth to a live baby}, did you use drugs to get high or for other non-medical effects one or more times?

Note 1: 'that is, the last time you gave birth...' if R465>1  
blank in otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	10.0	659	1	YES
55.4	12.4	817	2	NO
	72.1	4,753	-6	NOT APPLICABLE (MALE)
	0.1	4	-1	REFUSAL
	5.5	360	3	NO BIRTHS
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: 3, lowest thru -1  
Columns: 1222-1223

**R468 BABIES TESTED FOR AIDS**

{Note 1: Was the baby/Were the babies} tested for HIV or AIDS? IF ANY BABY WAS TESTED, CODE YES.

Note 1: 'Was the baby' if R465=1  
'Were the babies' if R465>1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	8.4	552	1	YES
59.7	12.4	819	2	NO
	72.1	4,753	-6	NOT APPLICABLE (MALE)
	1.6	105	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
	5.5	360	3	NO BIRTHS
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: 3, lowest thru -1  
Columns: 1224-1225

**R469****RESULTS OF BABIES' AIDS TESTS**

What were the results of {Note 1: that test/those tests}? READ CATEGORIES BELOW.

Note 1: 'that test' if R465=1  
'those tests' if R465>1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.2	14	1	HIV?
97.4	8.0	527	2	FOR HIV?
	86.2	5,681	-6	NOT APPLICABLE
	0.2	11	-2	DON'T KNOW
	5.5	360	3	NO BIRTHS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: 3, lowest thru -1  
Columns: 1226-1227

**R470****R CURRENTLY PREGNANT**

Are you pregnant right now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.9	124	1	YES
93.2	25.6	1,691	2	NO
	72.1	4,753	-6	NOT APPLICABLE (MALE)
	0.3	23	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1228-1229

**R471 DRUG USE DURING CURRENT PREGNANCY**

Since you found out you were pregnant, has the amount of drugs you use illegally increased, stayed about the same, or decreased? {Early in the administration of this interview schedule 57 subjects were inadvertently skipped over question 470 and asked 471. Since we have no way of knowing whether these respondents were pregnant at the time of the interview, their answers have been recoded as missing.}

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	0.2	12	1	INCREASED
13.1	0.2	16	2	STAYED ABOUT THE SAME
77.0	1.4	94	3	DECREASED
	97.3	6,412	-6	NOT APPLICABLE
	0.9	57	-3	MISSING
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1230-1231

**R472 PRENATAL CARE RECEIVED**

Since you found out you were pregnant, have you gone to a doctor or a nurse for pregnancy checkups or care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	1.5	102	1	YES
35.8	0.9	57	2	NO
	97.3	6,412	-6	NOT APPLICABLE
	0.2	12	-2	DON'T KNOW
	0.2	10	-1	REFUSAL
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1232-1233

**R474 ELAPSED TIME SECTION H**

6,593 cases (Range of valid codes: 670-13806)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1234-1238

**SECTION I: ANALYSIS VARIABLES**

**RTOTANS                      TOTAL QUESTIONS ANSWERED**

6,593 cases (Range of valid codes: 512-651)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1239-1241

**RTOTREF                      TOTAL REFUSED RESPONSES**

PCT VALID	PCT ALL	N	VALUE	LABEL
87.2	87.2	5,751	0	
4.4	4.4	292	1	
1.8	1.8	121	2	
1.6	1.6	103	3	
0.8	0.8	52	4	
0.8	0.8	55	5	
1.1	1.1	71	6	
0.6	0.6	40	7	
0.2	0.2	15	8	
0.2	0.2	16	9	
0.2	0.2	10	10	
0.1	0.1	7	11	
0.2	0.2	14	12	
0.1	0.1	5	13	
0.1	0.1	5	14	
0.1	0.1	9	15	
0.0	0.0	2	16	
0.0	0.0	1	17	
0.0	0.0	3	18	
0.0	0.0	1	19	
0.1	0.1	5	20	
0.0	0.0	3	21	
0.1	0.1	5	22	
0.0	0.0	2	23	
0.0	0.0	2	24	
0.0	0.0	1	25	
0.0	0.0	1	33	
	0.0	1	-9	LEGITIMATE SKIP
-----				
100.0	100.0	6,593	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1242-1243

<b>RTOTDK</b>	<b>TOTAL DON'T KNOW RESPONSE</b>
---------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	27.0	1,782	0	
16.5	16.5	1,086	1	
9.8	9.8	648	2	
9.5	9.5	624	3	
7.0	7.0	461	4	
5.5	5.5	363	5	
6.2	6.2	406	6	
5.1	5.1	339	7	
3.2	3.2	213	8	
2.8	2.8	182	9	
1.9	1.9	126	10	
1.3	1.3	83	11	
1.3	1.3	84	12	
0.7	0.7	49	13	
0.7	0.7	43	14	
0.5	0.5	30	15	
0.3	0.3	22	16	
0.2	0.2	13	17	
0.2	0.2	13	18	
0.1	0.1	7	19	
0.1	0.1	4	20	
0.1	0.1	7	21	
0.0	0.0	3	22	
0.0	0.0	1	23	
0.0	0.0	1	24	
0.0	0.0	2	29	
	0.0	1	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1244-1245

<b>AFDRUG1</b>	<b>ADMISSION FORM PRIMARY DRUG</b>
----------------	------------------------------------

PRIMARY DRUG AT ADMISSION AS CODED BY SDU STAFF AT INTAKE.  
ABSTRACTED BY NTIES INTERVIEWER ON-SITE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	36.7	2,422	1	COCAINE
16.9	16.3	1,076	2	HEROIN
27.5	26.6	1,751	3	ALCOHOL
10.2	9.8	648	4	MARIJUANA
7.5	7.2	475	5	OTHER
	3.4	221	-4	NONE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1246-1247

<b>AFDRUG2</b>	<b>ADMISSION FORM SECONDARY DRUG</b>
----------------	--------------------------------------

SECOND DRUG AT ADMISSION AS CODED BY SDU STAFF AT INTAKE.  
ABSTRACTED BY NTIES INTERVIEWER ON-SITE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	16.2	1,066	1	COCAINE
5.2	3.2	212	2	HEROIN
38.7	24.0	1,582	3	ALCOHOL
19.8	12.3	810	4	MARIJUANA
10.3	6.4	423	5	OTHER
	37.9	2,500	-4	NONE
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1248-1249

<b>QUEXSTAT</b>	<b>INSTRUMENT STATUS</b>
-----------------	--------------------------

This data management variable indicates which combination of the three follow-up instruments (NTEQ, NPRAF and NPAQ) was completed by the respondent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	60	1	NONE
0.3	0.3	22	2	NTEQ ONLY
1.1	1.1	70	3	NTEQ & NPAQ
67.6	67.6	4,456	4	NTEQ, NPAQ, & NPRAF
11.0	11.0	726	5	NTEQ & NPRAF
0.3	0.3	21	6	NPAQ ONLY
12.8	12.8	841	7	NPAQ AND NPRAF
6.0	6.0	397	8	NPRAF ONLY
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1250-1251

<b>BCSTAT</b>	<b>SDU STATUS (NBAR VS NCAR)</b>
---------------	----------------------------------

Indicates whether the NBAR and NCAR service unit questionnaires were completed by the facility in which the patient's NTIES treatment episode took place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	78.0	5,145	1	NBAR & NCAR
12.7	12.7	836	2	NBAR ONLY
9.3	9.3	612	4	NO NBAR/ NCAR
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1252-1253

<b>URISTAT</b>	<b>STATUS OF URINE DATA</b>
----------------	-----------------------------

This data management variable indicates whether a urine specimen was collected from the respondent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	18.3	1,205	1	NO NPAQ
37.2	37.2	2,450	2	NOT ASKED
5.9	5.9	386	3	ASKED, URINE NA
38.7	38.7	2,552	4	GOOD DATA
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1254-1255

<b>LOS</b>	<b>DURATION OF INDEX TX EPISODE (IN MONTHS)</b>
------------	---

This data management variable gives the length (in months) of the patient's NTIES treatment episode. For respondents who were still in treatment at the time of the NPAQ interview, the length of stay indicates the length of the treatment episode up to NPAQ administration (and thus understates the true LOS of the episode).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	509	0.25	
5.6	5.5	364	0.50	
7.0	6.9	458	0.75	
12.6	12.5	821	1.00	
3.6	3.6	235	1.25	
3.0	3.0	195	1.50	
6.5	6.4	422	1.75	
3.2	3.2	209	2.00	
2.2	2.1	141	2.25	
2.4	2.4	156	2.50	
8.9	8.8	582	3.00	
8.5	8.4	555	4.00	
5.8	5.7	379	5.00	
5.3	5.3	348	6.00	
2.9	2.9	188	7.00	
2.2	2.2	142	8.00	
1.9	1.8	121	9.00	
1.6	1.5	102	10.00	
1.7	1.6	108	11.00	
1.6	1.6	104	12.00	
1.1	1.1	73	13.00	
0.8	0.8	53	14.00	

0.8	0.8	53	15.00
0.5	0.5	30	16.00
0.9	0.9	58	17.00
0.5	0.5	30	18.00
0.2	0.2	16	19.00
0.1	0.1	6	20.00
0.1	0.1	5	21.00
0.1	0.1	9	22.00
0.2	0.2	13	23.00
0.0	0.0	2	24.00
0.7	0.7	46	42.00
	0.9	60	-9.00
-----	-----	-----	
100.0	100.0	6,593	cases

Data type: numeric  
 Decimals: 2  
 Missing-data codes: lowest thru -1.00  
 Columns: 1256-1260

<b>LOSCENSR</b>	<b>LOS CENSORED?</b>
-----------------	----------------------

This data management variable indicates whether the value of the variable 'LOS' was estimated using right or left censoring, or is missing because neither an upper bound (right censoring) nor a lower bound (left censoring) could be defined for the patient's LOS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	97.1	6,405	0	NOT CENSORED
0.7	0.7	47	1	MIN LOS
0.5	0.5	31	2	MAX LOS
0.8	0.8	50	3	ESTIMATED LOS
0.9	0.9	60	4	MISSING LOS
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1261-1262

<b>DURATTX</b>	<b>DURATION OF IN-TX NTEQ COVERAGE (IN MONT</b>
----------------	---

This data management variable gives the length (in months) of the in-treatment reference period used in the NTEQ, ONLY for respondents who were STILL IN TREATMENT at the time of the NTEQ interview (i.e. T132 is coded 'still in treatment'). This period extends from the date of first treatment to the date of NTEQ administration.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.3	19	0.25	
2.7	0.6	39	0.50	
22.9	5.0	327	0.75	
10.9	2.4	156	1.00	
1.8	0.4	26	1.25	
1.5	0.3	21	1.50	
2.2	0.5	32	1.75	
1.0	0.2	14	2.00	
0.9	0.2	13	2.25	
1.7	0.4	24	2.50	
2.7	0.6	38	3.00	
2.2	0.5	31	4.00	
4.7	1.0	67	5.00	
7.1	1.5	101	6.00	
6.9	1.5	99	7.00	
4.4	1.0	63	8.00	
4.8	1.0	68	9.00	
3.5	0.8	50	10.00	
9.0	2.0	129	11.00	
5.7	1.2	82	12.00	
2.0	0.4	28	13.00	
0.1	0.0	1	15.00	
0.2	0.0	3	42.00	
	78.3	5,162	-9.00	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 1263-1267



<b>TFSCOMP</b>	<b>TREATMENT PROTOCOL COMPLETED</b>
----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.0	659	1	STILL IN TX
34.6	34.1	2,246	2	TX COMPLETED
48.7	48.0	3,164	3	TX NOT COMPLETED
6.5	6.4	422	4	INCONSISTENT DATA
	1.5	102	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1275-1276

<b>NRIQLTAR</b>	<b>LIFETIME ARRESTS AT NRIQ CONCORDANCE</b>
-----------------	---

This data management variable indicates whether the respondent's in-state arrest record was checked and whether the official report of lifetime arrests prior to admission was in concordance with the patient's report.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	14.5	956	1	CONCORDANT
18.8	6.7	441	2	SELF RPT>STATE RPT
40.3	14.3	944	3	STATE RPT>SELF RPT
	64.5	4,252	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1277-1278

<b>NRIQDRUG</b>	<b>DRUG ARREST AT NRIQ CONCORDANCE</b>
-----------------	--

This data management variable indicates whether the respondent's in-state arrest record was checked and whether the official report of drug-related arrests prior to admission was in concordance with the patient's report.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	31.5	2,076	1	CONCORDANT
2.8	1.0	66	2	SELF RPT>STATE RPT
8.7	3.1	204	3	STATE RPT>SELF RPT
	64.4	4,247	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1279-1280

<b>NPAQAR</b>	<b>TOTAL NPAQ ARRESTS CONCORDANCE</b>
---------------	---------------------------------------

This data management variable indicates whether the respondent's in-state arrest record was checked and whether the official report of drug-related arrests during the post-discharge period was in concordance with the patient's report.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	24.1	1,590	1	CONCORDANT
11.8	3.5	233	2	SELF RPT>STATE RPT
7.9	2.4	157	3	STATE RPT>SELF RPT
	70.0	4,613	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1281-1282

FLDISP	FIELD DISPOSITION
--------	-------------------

This data management variable indicates the field interviewer's assessment of a completed urine specimen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	37.2	2,452	10	NO PROBLEM WITH SAMPLE
1.6	0.6	42	20	URINE WAS COLD
0.5	0.2	12	40	SUSPECT ADULTERATION
1.0	0.4	25	50	OTHER
0.9	0.4	24	79	CONDITION MISSING
	61.2	4,038	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1283-1284

LABDISP	LAB DISPOSITION
---------	-----------------

This data management variable indicates the field interviewer's assessment of a completed urine specimen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	37.8	2,494	11	SAMPLE SEEMS OK
0.0	0.0	1	12	SAMPLE SEEMS ADULTERATED
0.1	0.0	3	13	INSUFFICIENT SAMPLE
2.2	0.9	57	14	SAMPLE CONDITION MISSING
	61.2	4,038	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1285-1286

<b>CAN</b>	<b>CANNABINOIDS</b>
------------	---------------------

This variable indicates whether the respondent's urine tested positive for cannabinoids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	32.9	2,166	0	NEGATIVE
15.2	5.9	387	1	POSITIVE
	61.2	4,038	-9	LEGITIMATE SKIP
	0.0	2	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1287-1288

<b>COC</b>	<b>COCAINE</b>
------------	----------------

This variable indicates whether the respondent's urine tested positive for cocaine.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	29.0	1,912	0	NEGATIVE
25.2	9.8	643	1	POSITIVE
	61.2	4,038	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1289-1290

**PCP****PCP**

This variable indicates whether the respondent's urine tested positive for PCP.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	38.5	2,539	0	NEGATIVE
0.6	0.2	16	1	POSITIVE
	61.2	4,038	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1291-1292

**OPI****OPIATES**

This variable indicates whether the respondent's urine tested positive for opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	33.5	2,207	0	NEGATIVE
13.6	5.3	348	1	POSITIVE
	61.2	4,038	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1293-1294

<b>AMP</b>	<b>AMPHETAMINES</b>
------------	---------------------

This variable indicates whether the respondent's urine tested positive for amphetamines.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	38.4	2,531	0	NEGATIVE
0.9	0.4	24	1	POSITIVE
	61.2	4,038	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1295-1296

<b>BEN</b>	<b>BENZODIAZOPINES</b>
------------	------------------------

This variable indicates whether the respondent's urine tested positive for benzodiazopines.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	37.1	2,447	0	NEGATIVE
4.2	1.6	107	1	POSITIVE
	61.2	4,038	-9	LEGITIMATE SKIP
	0.0	1	-3	MISSING
-----	-----	-----		
100.0	100.0	6,593	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 1297-1298



**RWINEVOL                      OUNCES OF WINE DRUNK IN USUAL DAY**

CONSTRUCTED FROM VARIABLES R143 R144 AND R147.

Min	=	1	Mean	=	45.150
Max	=	768	Std Dev	=	72.428
Median	=	26	Variance	=	5,245.786

(Based on 686 valid cases)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1306-1308

**RLIQUVOL                      OUNCES OF LIQUOR DRUNK IN USUAL DAY**

CONSTRUCTED FROM VARIABLES R143 R144 AND R147.

Min	=	1	Mean	=	32.870
Max	=	999	Std Dev	=	71.799
Median	=	16	Variance	=	5,155.075

(Based on 1,194 valid cases)

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 1309-1311