

**National Treatment Improvement  
Evaluation Study (NTIES),  
1992-1997**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Center for Substance Abuse Treatment*

NTIES Postdischarge Assessment  
Questionnaire (NPAQ) Codebook



## **Terms of Use**

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>



# NEDS

NATIONAL EVALUATION DATA SERVICES

## NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY:

DOCUMENTATION AND CODEBOOK FOR  
PUBLIC USE DATA FILE 3

CLIENT-LEVEL DATA:  
NTIES POST-DISCHARGE ASSESSMENT QUESTIONNAIRE

APRIL 2000

**CSAT**  
Center for Substance  
Abuse Treatment  
SAMHSA

**CALIBER**  
ASSOCIATES

**NORC**  
AT THE  
UNIVERSITY OF CHICAGO





NATIONAL EVALUATION DATA SERVICES

**NATIONAL TREATMENT IMPROVEMENT  
EVALUATION STUDY:**

**Documentation and Codebook for  
Public Use Data File 3**

**Client-Level Data:  
NTIES Post-discharge Assessment Questionnaire**

**Prepared by**

**Ann Ragin, Ph.D.  
Hee-Choon Shin, Ph.D.  
Marianna Toce  
Dean R. Gerstein, Ph.D.**

**National Opinion Research Center  
1155 East 60th Street, Chicago, Illinois 60637  
1350 Connecticut Avenue, NW, Suite 500  
Washington, DC 20036**

**April 2000**

This document was supported by the Center for Substance Abuse Treatment, Department of Health and Human Services, Caliber/NEDS Contract No. 270-97-7016.





# TABLE OF CONTENTS

	<u>Page</u>
FOREWORD .....	i
ACKNOWLEDGMENTS .....	iii
OVERVIEW OF THE NTIES PUBLIC USE DATA FILES .....	iv
ABSTRACT .....	vi
DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS (1990-1992) .....	1
TREATMENT DEMONSTRATION PROGRAMS .....	1
Target Cities .....	1
Critical Populations .....	2
Incarcerated and Non-Incarcerated Criminal Justice Populations .....	2
DESCRIPTION OF THE NTIES DESIGN .....	2
The Administrative/Services Component .....	2
Clinical Treatment Outcomes Component .....	3
DESCRIPTION OF SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE .....	4
PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES .....	8
USER RESPONSIBILITY .....	9
NTIES POST-DISCHARGE ASSESSMENT QUESTIONNAIRE CODEBOOK .....	11



## FOREWORD

The Center for Substance Abuse Treatment (CSAT) works to improve the lives of those affected by alcohol and other substance abuse, and, through treatment, to reduce the ill effects of substance abuse on individuals, families, communities, and society at large. Thus, one important mission of CSAT is to expand the availability of effective substance abuse treatment and recovery services. To aid in accomplishing that mission, CSAT has invested and continues to invest significant resources in the development and acquisition of high quality data about substance abuse treatment services, clients, and outcomes. Sound scientific analysis of this data provides evidence upon which to base answers to questions about what kinds of treatment work best for what groups of clients, and about which treatment approaches are cost-effective methods for curbing addiction and addiction-related behaviors.

In support of these efforts, the Program Evaluation Branch of CSAT established the National Evaluation Data Services (NEDS) contract to provide a wide array of data management and scientific support services across various programmatic and evaluation activities. NEDS is a pioneering effort for CSAT in that the Center previously had no mechanisms established to pull together databases for broad analytic purposes or to house databases produced under an array of activities. One of the specific objectives of NEDS is to provide CSAT with flexible analytic capability to address policy-relevant questions about substance abuse treatment. This codebook and the cognate public use files have been produced in pursuit of this objective.

This documentation and data file codebook covers client-level information collected by the National Treatment Improvement Evaluation Study (NTIES), a major CSAT evaluation project conducted by the National Opinion Research Center with assistance from Research Triangle Institute. NTIES analyzed data from approximately 70 service delivery units (SDUs) funded by CSAT demonstration grants. The data reflects client treatment experiences from 1993 through 1994.

General questions regarding the proper uses and limitations of these public use data files should be directed to the Substance Abuse and Mental Health Data Archive (SAMHDA) Helpline at 1-888-741-7242. Readers who are interested in more detailed information about the NTIES project are invited to visit the NEDS website at: <http://neds.calib.com>. The NEDS website provides the NTIES Final Report (1997), additional NTIES reports and Fact Sheets, and copies of all data collection instruments employed in NTIES.

Sharon Bishop, Project Director  
National Evaluation Data Services

---

## ACKNOWLEDGMENTS

This codebook was prepared by Ann Ragin, Ph.D., Hee-Choon Shin, Ph.D., Marianna Toce, and Dean R. Gerstein, Ph.D. In addition, the following individuals at NORC (except as noted) made significant contributions: A. Rupa Datta, Gayle Hutchinson, Tim Smith, and Kathleen Jordan, Ph.D. (the last two from Research Triangle Institute), who co-authored the patient questionnaires with Dean Gerstein; Joseph Taylor and Lee Lefes, who developed the original NTIES electronic codebook; Julia S. Ingels, the NTIES project director; and Alma Kuby, who assisted in managing the codebook production task.

We wish to thank the Center for Substance Abuse Treatment staff who provided overall guidance and direction to the NTIES project and its follow-through in NEDS, with particular thanks to Ron Smith, Ph.D., Program Evaluation Branch, CSAT.

Caliber Associates is the prime contractor for NEDS in partnership with Battelle Centers for Public Health Research and Evaluation (CPHRE); the Lewin Group; and the National Opinion Research Center (NORC). The NTIES Public Use Data Files were produced by NORC under the NEDS contract.

The Substance Abuse and Mental Health Services Administration (SAMHSA), Office of Applied Studies (OAS) has provided data archiving through the Substance Abuse and Mental Health Data Archive (SAMHDA) contract. The Inter-university Consortium for Political and Social Research (ICPSR) at the University of Michigan, in its role as the SAMHDA contractor, provides ready access to substance abuse and mental health research data and promotes the sharing of these data among researchers, academics, policymakers, service providers, and others. We wish to thank Charlene S. Lewis, Ph.D., Office of Applied Studies, SAMHSA, for her assistance in this cooperative effort between NEDS and SAMHDA.

---

## OVERVIEW OF THE NTIES PUBLIC USE DATA FILES

Three levels of the NTIES data have been released to the public through the Substance Abuse and Mental Health Data Archive (SAMHDA): Service Delivery Unit (SDU) level data (e.g., treatment program revenues and costs, services provided, treatment orientations and practices), clinician-level data (e.g., clinician background, training, demographics, etc), and client-level data (e.g., client background, pre- and post-treatment drug use, employment, criminal behaviors, etc).

In addition to the Clinical Unit Public Use Data File (PUDF: File 5) which contains data from the first two levels, namely SDU- and clinician-level, interested users can also access four NTIES client-level PUDFs. Each of the 6,593 records in the Clinical Unit file contains data from the clinical unit in which a specific NTIES client was admitted to treatment, and each includes a unique client identifier number that can be matched to one or all of the four companion client-level PUDFs. A thorough disclosure analysis was performed on all three levels of data to safeguard against the possible identification of individual clients, clinicians, or SDUs.

The material in this document provides a description of the NTIES study design, data collection procedures, and content for the Post-discharge Assessment Questionnaire (File 3). Limitations of the public use data and user responsibilities are also described. To summarize, the contents of the five NTIES PUDFs are:

**File 1:** Client-level data: NTIES Research Intake Questionnaire (NRIQ). Administered during the client's first 3 weeks of treatment, the NRIQ file contains data for 6,593 persons admitted to substance abuse treatment in 1993-1994 in 71 SDUs.

**File 2:** Client-level data: NTIES Treatment Experience Questionnaire (NTEQ). Contains data for 5,294 clients collected at the time of discharge from treatment.

**File 3:** Client-level data: NTIES Post-discharge Assessment Questionnaire (NPAQ). Contains data for 5,388 clients collected approximately one year after discharge.

**File 4:** Client-level data: NTIES Patient Record Abstraction Form (NPRAF). Contains data on 6,412 clients, compiled by NTIES research staff on the treatment records of those clients.

**File 5:** Clinical-unit data: NTIES Baseline Administrative Report (NBAR) and the NTIES Clinician Form (NCF). Contains information about the clinical units in which NTIES clients received treatment.

The Public Use Data Files have been made available in three different formats to maximize access to the data by end users: (1) as a compiled SPSS data file (file extension: \*.sav); as a SAS transport file (file extension: \*.tsp); and as an ASCII text file (file extension: \*.dat). Further assistance regarding archive data in general, the use of specific data formats, documentation, downloading, or website technical issues can be found on the SAMHDA website at <http://www.icpsr.umich.edu/SAMHDA/> or by calling the SAMHDA project Helpline at 1-800-741-7242.

**ABSTRACT**

This volume contains one of five codebooks for the National Treatment Improvement Evaluation Study (NTIES), 1992-1997. The NTIES data cover the characteristics and behavior of 6,593 persons admitted to substance abuse treatment in 1993-1994 in 78 of the clinical service delivery units receiving demonstration program funding from the Center for Substance Abuse Treatment. There are also data on characteristics of the clinical units that provided the treatment services. Data were collected in computer-assisted personal interviews with clients at admission to treatment, discharge from treatment, and approximately one year after discharge from treatment; from clinical records, program administrators, and clinicians; and from arrest reports and results of urine assays at the one-year follow-up. The data have been edited to assure the confidentiality of clients and facilitate analysis by evaluation researchers.



## **DESCRIPTION OF THE NATIONAL TREATMENT IMPROVEMENT EVALUATION STUDY AND CENTER FOR SUBSTANCE ABUSE TREATMENT DEMONSTRATIONS**

The National Treatment Improvement Evaluation Study (NTIES) was a national evaluation of the effectiveness of substance abuse treatment services delivered in comprehensive treatment demonstration programs supported by the Center for Substance Abuse Treatment (CSAT). The NTIES project (1992-1997) was designed and performed for CSAT by the National Opinion Research Center at the University of Chicago with assistance from Research Triangle Institute. The NTIES project collected longitudinal data between 1992 and 1995 on a purposive sample of clients in treatment programs receiving demonstration grant funding from CSAT. Client-level data were obtained at treatment intake, at treatment exit, and one year after treatment exit. Service delivery unit data from the administrator and from individual clinicians were obtained at two time points one year apart. For a fuller description of the study, see the NTIES Final Report, prepared by Dean R. Gerstein and associates, available from the following web address: <http://neds.calib.com/products/abstract.cfm?ProductID=52>

### **TREATMENT DEMONSTRATION PROGRAMS**

CSAT initiated three major demonstration programs and made 157 multi-year treatment enhancement awards across 47 states and several territories during 1990 through 1992. One objective common to all demonstrations was CSAT's emphasis on the provision of "comprehensive treatment" services to targeted client populations. The recipients of these awards focused special attention on the substance abuse treatment service needs of minority and special populations located primarily within large metropolitan areas. The demonstration programs are briefly described below.

#### **Target Cities**

Under this demonstration, nine metropolitan areas were selected to receive awards, of which half were included in the NTIES purposive sample. The following treatment improvement activities were explicitly provided for in the awards:

- Establishment of a Central Intake Unit (CIU) with automated client tracking and referral systems in place
- Provision of comprehensive services, including vocational, educational, biological, psychological, informational, and lifestyle components
- Improved inter-agency coordination (e.g., mental health, criminal justice, and human service agencies)
- Services for special populations—adolescents, pregnant and postpartum women, racial and ethnic minorities, and public housing residents.

---

## 2.2 Critical Populations

Under this demonstration program, awardees were required to implement “model enhancements” to existing treatment services for one or more of the following critical populations: racial and ethnic minorities, residents of public housing, and/or adolescents. Special emphasis was given to services provided to the homeless, the dually diagnosed, or persons living in rural areas. A total of 130 grants was awarded, covering services such as vocational support/counseling, housing assistance, integrated mental health and/or medical services, coordinated social services, culturally directed services, and others.

## 2.3 Incarcerated and Non-Incarcerated Criminal Justice Populations

Under this demonstration program, funds were directed toward improving the standard of comprehensive treatment services for criminally involved clients in correctional and other settings. Some program emphasis was placed on ethnic and/or racial minorities. Nine Correctional Setting demonstrations were funded: five in prisons, three in local jails, and one across a network of juvenile detention facilities. All projects included a screening component to identify substance-abusing inmates, a variety of targeted treatment interventions (e.g., therapeutic communities, intensive day treatment programs), and a substantial aftercare component.

Ten non-incarcerated projects were funded. Five programs targeted interventions at clients in diversionary programs, three focused services on probationers or parolees, and two programs targeted both populations. Almost all of the funded demonstration projects included the following components:

- Basic eligibility determination, followed by systematic screening and assessment
- Referral to treatment
- Graduated sanctions and incentives while in treatment
- Intensive supervision in treatment
- Community-based aftercare with supervision and service coordination.

In total, 19 criminal justice projects were funded as part of the CSAT 1990-1992 demonstrations, and as indicated below, these projects were purposively over-sampled in order to obtain a more robust evaluation of this program.

## THE NTIES DESIGN

### The Administrative/Services Component

The NTIES study design had two levels—an administrative/services component and a clinical treatment outcomes component. The administrative component was designed to assess how CSAT demonstration funds were used, what improvements in services were implemented at the program level, and what kind and how many programs and clients were affected by the demonstration awards. Four data collection instruments were used to gather administrative data on treatment services: the NTIES Baseline Administration Report (NBAR), the NTIES Continuing Administrative Report (NCAR), the NTIES Exit Log, and the NTIES Clinician Form (NCF).

The unit of analysis for the administrative component, the service delivery unit (SDU), was defined by CSAT as a single site offering a single level of care. The classification of *level of care* is based on three parameters: (1) facility type (e.g., hospital, etc.); (2) intensity of care (e.g., 24-hour, etc.); and (3) type of service (e.g., outpatient, etc.). An SDU could be a standalone treatment provider or it could be one component of a multi-tiered treatment organization. For example, a large county mental health agency may be the *organization* within which the SDU is located. The organization may have multiple substance abuse treatment components, such as a county hospital and a county (ambulatory) mental health center. The county hospital may have multiple SDUs, such as an inpatient detoxification service, an outpatient counseling service, and a hospital satellite center providing transitional care. In summary, the SDU provided NTIES evaluators with a stable, uniform platform of comparison for examining service delivery issues.

A range of key clinician-specific data elements (within the administrative component) was assessed using the NTIES Clinician Form (NCF). The NCF items were an important adjunct to the SDU level instruments; these items assessed clinician training, experience, client exposure, and service provision, and were completed by all counseling and clinical (medical and therapeutic) staff at the individual SDUs.

### **The Clinical Treatment Outcomes Component**

The unit of analysis for the clinical treatment outcomes component was individual client data. NTIES measured the clinical outcomes of treatment primarily through a *before/after* or *pre- to post-treatment* design. This method compares behaviors or other individual characteristics in the same participants, measured in similar ways, before and after an intervention.

Information about clients' lives for the *before-treatment* period was obtained from the NTIES Research Intake Questionnaire (NRIQ), which was administered within the first three weeks of treatment. The specific areas assessed included:

- Drug and alcohol use
- Employment
- Criminal justice involvement and criminal behaviors
- Living arrangements
- Mental and physical health.

Information about clients' lives for the *after-treatment* period was obtained from the NTIES Post-discharge Assessment Questionnaire (NPAQ), with the same areas assessed an average of 11 months post-treatment. Other client data sources included a treatment discharge interview (NTIES Treatment Experience Questionnaire, NTEQ), abstracted client records, urine drug screens collected at the time of the follow-up interview, and arrest reports from state databases.

Between August 1993 and October 1994, research staff successfully enrolled 78 SDUs in NTIES. These SDUs were chosen from the universe of 792 SDUs (see Exhibit 1) participating in the demonstration grants from CSAT. Some of the selected facilities were wholly supported by CSAT awards, while others received only indirect support or none.

Clients were interviewed in person using a computer-assisted interview protocol shortly after their first day of treatment. Fifteen percent of the eligible clients at the 78 NTIES SDUs refused or avoided participation at intake, a recruitment rate of 85 percent, yielding 6,593 intake interviews (NRIQ). Of those clients successfully recruited into NTIES, 80 percent (N=5,274) completed the NTEQ at or near the time when they left treatment, and 82 percent (N=5,388) completed the NPAQ, nominally about one year after the end of treatment, but in fact with a much wider range of post-treatment durations due to a variety of practical obstacles and constraints.

A number of exclusion criteria were implemented at the time the NTIES Final Report was developed, yielding an analytical sample of clients that comprised a subset of those completing the various questionnaires. These exclusions, which were also reflected in a number of published analyses since the Final Report, were as follows:

- All clients in 7 of the 78 SDUs were excluded from follow-up eligibility due to the very small numbers enrolled in these SDUs and their geographic isolation from other SDUs, a combination of circumstances that made these follow-up interviews very uneconomical to collect.
- All clients whose treatment exit dates were missing or undetermined were excluded from the outcome analyses.
- All clients with NPAQ follow-up intervals of less than 5 or more than 16 months were excluded from the outcome analyses.
- All clients incarcerated for most or all of the follow-up period were excluded from the outcome analyses. (Nearly all of these clients had been treated while incarcerated, and were not yet released into the community at the time of the NPAQ interview.)

There was some overlap in applicability across these exclusion criteria. About 50 clients were affected by each of the first two criteria, about 300 by the third criterion, and about 700 by the fourth criterion. These exclusions resulted in a net outcome analysis sample of 4,411 individuals (identified by variable IN\_4411 in the NPAQ data file), representing 71 of the 78 SDUs.

Note that all of the interview data collected from clients of 78 SDUs at treatment intake, exit, and follow-up are included in the NTIES public use file. Users of these files may therefore select different analytical samples—larger or smaller than the N of 4,411—for outcome analysis or other purposes, depending on their analytic interests. The data management variables QUEXSTAT, TFSCOMP, and DURAPDP provide further information for sample selection.

#### **SDUS AND CLIENTS BY TREATMENT MODALITY AND PROGRAM TYPE**

The 71 SDUs contributing clients to the previously published outcome analyses are characterized by modality and demonstration program type in Exhibit 1 below. Among the 698 SDUs in the NTIES universe after removal of 94 specialized service units that did not provide treatment per se, 52 percent (n=365) were in Target Cities programs, 39 percent (n=274) were in

Critical Populations programs, and 9 percent (n=59) were in Criminal Justice programs. Of the 71 SDUs represented in the NTIES outcome analysis, 44 percent were Target Cities programs, 38 percent were Critical Populations programs, and 23 percent were Criminal Justice programs. Criminal Justice SDUs were purposely over-sampled as part of the NTIES evaluation design. Nearly half of the sampled SDUs were (non-methadone) outpatient programs, and about one-quarter were long-term residential programs.

As shown in Exhibit 2, 59 percent of the NTIES clients represented in the Final Report and other published outcome analysis sample were from Target Cities SDUs. Slightly more than 21 percent of the NTIES outcome sample clients were from Critical Populations SDUs and 20 percent were from Criminal Justice SDUs. Outpatient (non-methadone) SDUs treated over one-third (35%) of the clients in the outcomes analysis sample, and almost 80 percent of these were sampled from Target Cities programs.

<b>EXHIBIT 1</b>						
<b>SDUs IN THE OUTCOME ANALYSIS SAMPLE</b>						
<b>Program Title</b> Number of SDUs (% of NTIES Universe)*	<b>NTIES Sample</b>	<b>Methadone</b>	<b>Outpatient</b>	<b>Long- Term Residential</b>	<b>Short- Term Residential</b>	<b>Correc- tional</b>
<b>Target Cities</b> n=365 (52%)	31 (44%)	6	15	6	4	0
<b>Critical Populations</b> n=274 (39%)	27 (38%)	1	13	10	3	0
<b>Criminal Justice</b> n=59 (9%)	13 (23%)	0	5	0	0	8
<b>Totals</b> N=698 (100%)	71 (100%)	7	33	16	7	8

- The original NTIES universe of SDUs included a program type called *Specialized Services*. Because clients for the outcome analysis sample were not drawn from these SDUs (n=94), they are excluded from the Exhibit.

<b>EXHIBIT 2</b>					
<b>DISTRIBUTION OF CLIENTS IN THE OUTCOMES ANALYSIS SAMPLE</b>					
<b>Program Title</b> Number of Clients (% of Analysis Sample)	<b>Methadone</b>	<b>Outpatient</b>	<b>Long-Term Residential</b>	<b>Short-Term Residential</b>	<b>Correctional</b>
<b>Target Cities</b> n=2,600 (59%)	377 (89%)	1,214 (78%)	504 (60%)	505 (58%)	0
<b>Critical Populations</b> n=931 (21%)	45 (11%)	220 (14%)	298 (35%)	368 (42%)	0
<b>Criminal Justice</b> n=880 (20%)	0	132 (8%)	39 (5%)	0	709 (100%)
<b>Totals</b> n=4,411 (100%)	422	1,566	841	873	709

---

## PROTECTION AGAINST DISCLOSURE OF CLIENT AND CLINICAL UNIT IDENTITIES IN PUBLIC USE FILES

It is the intention of CSAT to make much of the NTIES data available through public use data files (PUDFs). It is necessary, however, to maintain the confidentiality of individuals participating in research. This is especially critical due to the sensitive nature of the NTIES information about illicit drug use and other illegal activity, motivation for using substances and clinical treatment details. Participating individuals were given assurance of confidentiality. In order to protect confidentiality, a disclosure analysis of the data was conducted. This analysis resulted in protective modifications of the data.

In order to create PUDFs from the original restricted use files, all potential identifiers in the client questionnaires were documented and steps necessary to address disclosure risk were delineated. This analysis aimed to minimize the chance of client identification while preserving analytic utility. Procedures necessary to guard against direct or indirect disclosure of event or identity included eliminating obvious identifiers, such as names and publicly available identification numbers. The reasons for these eliminations are obvious and are consistent with those of most publicly available social science data sets, whether they are produced by the government or by other research institutions. Other potential identifiers were reviewed individually. Variables such as specific dates of admission and discharge were supplanted with measures of length-of-stay and post-discharge period duration. The data were also screened for the potential deductive disclosure risk of outlying continuous variables and very low frequency categorical values. In order to minimize the chance of client identification, it was necessary to truncate extreme values, categorize some continuous variables or recode some categorical variables. Fifty to one hundred responses per category was deemed adequate to protect against deductive disclosure even assuming decomposition of the sample into smaller subgroups. In some instances, responses were recoded with median values. As a final resort, it was necessary to remove some variables from the PUDF. This disclosure protection was only used for items that were impossible to mask through re-categorization or for which a median value substitution would be analytically inutile. Even those response values numerous in the data were inspected through three- and four- way cross-tabs to check for rare footprints. All variables revealing cell sizes of three or fewer respondents were recoded either according to the preferences discussed above or to other substantially similar values or to 'missing.' In the disclosure analysis, two rounds of data masking yielded a small cell rate of 1.69% (458 small cells out of 23137 cells total). Three rounds of data masking reduced the small cell rate to .4%, a proportion which is acceptable under standard confidentiality protocols.

NTIES used a two-level design in which clients were clustered within SDUs. The identity of recipients and subrecipients of NTIES demonstration awards is a matter of public record, and the considerable variation among SDUs for a number of parameters render individual SDUs



relatively easy to identify. This in itself does not imply unacceptable risk of disclosure; however if SDUs were identifiable and if they could be linked with clients, there would be disclosure risk to clients. Careful study of the NTIES data indicated that directly linking client data and unmodified SDU data, even with overt SDU identifiers removed, would compromise disclosure protection for clients. Therefore the data from SDUs represented in these files has been modified by three strategies: (a) removal of all identifying information about these units, (b) recoding and aggregation of administrative and clinical staff information into broad research-focused categories that preclude isolation of particular SDU “footprints”, and (c) limiting the number of items of information available about each unit. This public use file permits researchers to exploit the multi-level design in which clients are clustered within SDUs, without compromising client confidentiality.

Because of the disclosure alterations to the restricted-use files that have been available only to the NTIES and NEDS contract research team, estimates derived from the PUF will not always match exactly the detailed results published in SAMHSA reports. There may be slight bias in either direction, if present, owing to the suppression of a sparse number of cases by setting some values to missing.

It is important to note that the data from NTIES were collected from SDUs receiving CSAT support. Individuals served by CSAT grants were generally from vulnerable and underserved populations (minorities, pregnant women, youth, public housing residents, welfare recipients, and those in the criminal justice system). Results from NTIES may not generalize to all clients in substance abuse treatment or to all kinds of service delivery units. Nonetheless, the NTIES data are a rich source of information about CSAT-supported substance abuse treatment and clinical outcomes among vulnerable and underserved populations. The data will allow researchers to study the efficacy of substance abuse treatment and factors that influence course and outcome.

## **USER RESPONSIBILITY**

Users are reminded that these data are intended to be used solely for statistical analysis, reporting, and evaluation of aggregated information and not for investigation of specific individuals or organizations.



## **FREQUENCIES**



**SECTION A: GENERAL CASE INFORMATION**

**CASEID                      PATIENT ID**

Patient record number in SDU files  
 5,388 cases (Range of valid codes: 113-9993897)  
 Data type: numeric  
 Columns: 1-7

**P4                              LAST SETTING**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	19	1	ADOLESCENT DETENTION
8.8	8.8	474	2	JAIL
14.6	14.6	786	3	PRISON
76.3	76.2	4,108	4	OTHER SITES
	0.0	1	-3	MISSING
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 8-9

**P5                              GENDER**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	71.7	3,865	1	MALE
28.3	28.3	1,523	2	FEMALE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 10-11

<b>P7</b>	<b>LANGUAGE PREFERENCE</b>
-----------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	94.3	5,080	1	ENGLISH
1.8	1.8	97	2	SPANISH
0.3	0.3	16	3	OTHER
3.6	3.6	195	4	DEPENDS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 12-13

<b>P11</b>	<b>NTEQ COMPLETED?</b>
------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	16.0	862	0	NO
84.0	84.0	4,526	1	YES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 14-15

<b>P13</b>	<b>NTEQ DISCHARGE STATUS: STILL IN TX?</b>
------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	22.0	1,188	1	STILL IN TX
73.8	62.0	3,338	2	NOT IN TX
	16.0	862	-3	MISSING
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 16-17

**P26** **AGE FROM BIRTH DATE**

5,388 cases (Range of valid codes: 17-51)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 18-19

**P87** **QTS2D DOB MATCH**

SCREENER CHECKPOINT III : SEE DOB ON INTAKE. CODE ONLY ONE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	98.6	5,313	1	DOB MATCHES INTAKE
1.4	1.4	75	2	DOB DOES NOT MATCH INTAKE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 20-21

**P88** **CONTINUE INTERVIEW?**

SCREENER CHECKPOINT IV : CHECK WHETHER GENDER, NAME, AND DOB MATCH INTAKE AND THEN CODE WHETHER INTERVIEW SHOULD CONTINUE. INTERVIEWER, DO YOU WANT TO CONTINUE THE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	5,388	1	YES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 22-23

<b>P92</b>	<b>OUT OF CUSTODY SINCE NRIQ?.PA5</b>
------------	---------------------------------------

We last interviewed you on (DATE OF NRIQ/NTEQ ADMINISTRATION).  
Since that time, have you been out of custody?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	88.3	4,757	1	YES
11.7	11.7	631	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 24-25

<b>P96</b>	<b>LENGTH OF CURRENT INCARCERATION.PA6</b>
------------	--

How long have you been {Note 1: in jail/locked up/detained} {Note 2: this time}? PROBE FOR BEST ESTIMATE.

Note 1: 'in jail' if P90=2  
'locked up' if P90=3 'detained' if P90=1 blank if otherwise

Note 2: 'this time' of P92=1  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	85	1	LESS THAN 1 MONTH
2.5	2.5	133	2	1-3 MONTHS
3.7	3.7	199	3	4-12 MONTHS
0.5	0.5	25	4	MORE THAN 1 YEAR
11.7	11.7	631	5	INCARCERATED SINCE LAST INTERVIEW
80.1	80.1	4,315	6	NOT INCARCERATED
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 26-27



<b>P102M1</b>	<b>AWAITING TRIAL OR TRIAL PROCEEDINGS</b>
---------------	--

AWAITING TRIAL OR TRIAL PROCEEDINGS Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	1.8	97	1	YES
91.0	18.1	976	2	NO
	80.1	4,315	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 28-29

<b>P102M2</b>	<b>AWAITING SENTENCING</b>
---------------	----------------------------

AWAITING SENTENCING Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.7	40	1	YES
96.3	19.2	1,033	2	NO
	80.1	4,315	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 30-31

<b>P102M3</b>	<b>SERVING A SENTENCE</b>
---------------	---------------------------

SERVING A SENTENCE Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	17.1	921	1	YES
14.2	2.8	152	2	NO
	80.1	4,315	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 32-33

<b>P102M4</b>	<b>SOMETHING ELSE</b>
---------------	-----------------------

SOMETHING ELSE Are you awaiting trial or trial proceedings, awaiting sentencing, serving a sentence, or something else? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.6	32	1	YES
97.0	19.3	1,041	2	NO
	80.1	4,315	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 34-35

<b>P114</b>	<b>INTERVIEWER CHECKPOINT I</b>
-------------	---------------------------------

INTERVIEWER CHECKPOINT I: HAS R'S TREATMENT EPISODE ENDED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	32.4	1,748	1	YES
14.7	5.6	302	2	NO
	62.0	3,338	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 36-37

<b>P121</b>	<b>STOP DATE YR.PA11</b>
-------------	--------------------------

YEAR:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	5.7	307	93	
67.3	22.1	1,193	94	
15.4	5.1	273	95	
	67.0	3,610	-6	NOT APPLICABLE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 38-39

**P130****IN OR OUT OF TREATMENT?.PA13**

INTERVIEWER: PLEASE CODE WHETHER RESPONDENT IS STILL IN TREATMENT  
OR STOPPED TREATMENT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	5.0	268	1	STILL IN TREATMENT
95.0	95.0	5,120	2	STOPPED TREATMENT
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 40-41

**P135****SECTION A ELAPSED TIME**

5,388 cases (Range of valid codes: 21-11021)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 42-46

**NTIES TREATMENT SETTING/PROGRAM TYPE**

**PRGMTYPE                      DENOTES DEMONSTRATION**

ADMINISTRATIVE VARIABLE FROM CSAT RECORDS, REFERRING TO NTIES SDU AT WHICH R<sub>s</sub> NTIES TREATMENT EPISODE OCCURRED. DENOTES DEMONSTRATION PROGRAM UNDER WHICH SDU RECEIVED FUNDING FROM CSAT.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	10.8	581	1	CRITICAL POPULATIONS
21.0	11.6	623	2	CORRECTIONAL SETTINGS
2.6	1.4	77	3	NON-INCARCERATED OFFENDERS
55.2	30.5	1,641	4	TARGET CITIES
0.2	0.1	5	5	ADOLESCENT/JUVENILE JUSTICE
1.5	0.9	46	6	PUBLIC HOUSING
	44.8	2,415	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 47-48

**TRT2                                      INPATIENT AND RESIDENTIAL**

ADAPTED FROM NTIES VARIABLE TRTMENT - INPATIENT AND RESIDENTIAL CASES COMBINED DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	15.6	838	1	SHORT-TERM RESIDENTIAL/IN-PATIENT
28.2	15.6	838	2	LONG-TERM RESIDENTIAL/IN-PATIENT
7.8	4.3	233	3	OUT-PATIENT METHADONE
35.8	19.7	1,064	4	AMBULATORY OUT-PATIENT
	44.8	2,415	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 49-50

**PRG2****ADOLESCENT/JUVENILE JUSTICE**

ADAPTED FROM NTIES VARIABLE PRGMTYPE - ADOLESCENT/JUVENILE JUSTICE AND PUBLIC HOUSING FOLDED INTO CRITICAL POPULATIONS AND NON-INCARCERATED OFFENDERS COMBINED WITH CORRECTIONAL SETTINGS DUE TO INSUFFICIENT SAMPLE SIZES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	11.7	632	1	CRITICAL POPULATIONS/AJJ/PH
23.5	13.0	700	2	CRIMINAL JUSTICE
55.2	30.5	1,641	3	TARGET CITIES
	44.8	2,415	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 51-52

**CELL****METHADONE SDUs**

INTERACTION OF NTIES VARIABLES PRG2 AND TRT2. METHADONE SDUs OF ALL PROGRAM TYPES ARE COMBINED IN ONE CELL DUE TO INSUFFICIENT SAMPLE SIZE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	5.2	280	1	CP/SR
7.1	3.9	211	2	CP/LR
4.2	2.3	126	3	CP/OP
11.3	6.3	337	4	TC/SR
8.4	4.6	249	5	TC/LR
28.2	15.5	837	6	TC/OP
7.4	4.1	221	7	CJ/SR
12.7	7.0	378	8	CJ/LR
3.4	1.9	101	9	CJ/OP
7.8	4.3	233	10	METHADONE
	44.8	2,415	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 53-54

<b>CELL2</b>	<b>CATEGORIZED BY MODALITY</b>
--------------	--------------------------------

SDUs CATEGORIZED BY MODALITY EXCEPT CRIMINAL JUSTICE SDUs PULLED OUT AS A SEPARATE CELL.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	4.3	233	1	METHADONE
34.7	19.1	1,031	2	NON-METHADONE OUT-PATIENT
20.8	11.5	617	3	SHORT-TERM RESIDENTIAL
15.8	8.7	469	4	LONG-TERM RESIDENTIAL
21.0	11.6	623	5	CORRECTIONAL SETTINGS
	44.8	2,415	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 55-56

## SECTION B: EDUCATION

P137

HIGHEST GRADE ATTENDED.PB1

Next, I will ask about schools or classes you may have attended.  
 What is the highest grade or year of school you have ever  
 attended, even if you did not complete that grade?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	80	6	6TH GRADE OR LOWER
1.4	1.4	77	7	7TH GRADE
3.8	3.8	206	8	8TH GRADE
9.6	9.6	517	9	9TH GRADE
17.2	17.2	929	10	10TH GRADE
19.6	19.6	1,058	11	11TH GRADE
27.7	27.7	1,494	12	12TH GRADE
7.1	7.1	382	13	1 YEAR COLLEGE/TECHNICAL SCHOOL
7.1	7.1	381	14	2 YEARS COLLEGE/TECHNICAL SCHOOL
2.0	2.0	106	15	3 YEARS COLLEGE/TECHNICAL SCHOOL
2.9	2.9	157	16	4 YEARS COLLEGE/TECHNICAL SCHOOL OR MORE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 57-58



**P138** **S-S ATTENDED SCHOOL?.PB2**

Since {Note 1: STOP DATE/NTEQ DATE} have you attended school or taken any classes or lessons to get a GED or a high school, technical school, or college diploma?

Note 1: STOP DATE if P118=1; Stop date from intake form  
 NTEQ DATE if P118=2 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	22.1	1,193	1	YES
77.9	77.9	4,195	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 59-60

**P139M1** **ELEMENTARY SCHOOL/MIDDLE SCHOOL/JUNIOR H**

ELEMENTARY SCHL/MIDDLE SCHL/JUNIOR HIGH What kind of school have you attended? CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	19	1	YES
99.6	99.6	5,369	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 61-62

<b>P139M2</b>	<b>HIGH SCHOOL OR HIGH SCHOOL PROGRAM</b>
---------------	---

HIGH SCHOOL OR HIGH SCHOOL PROGRAM What kind of school have you attended? CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	140	1	YES
97.4	97.4	5,248	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 63-64

<b>P139M3</b>	<b>GED PROGRAM</b>
---------------	--------------------

GED PROGRAM What kind of school have you attended? CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.9	641	1	YES
88.1	88.1	4,747	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 65-66

<b>P139M4</b>	<b>JUNIOR (2-YEAR) COLLEGE</b>
---------------	--------------------------------

JUNIOR (2-YEAR) COLLEGE WHAT KIND OF SCHOOL HAVE YOU ATTENDED?  
 CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	110	1	YES
98.0	98.0	5,278	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 67-68

<b>P139M5</b>	<b>4-YEAR COLLEGE/UNIVERSITY</b>
---------------	----------------------------------

4-YEAR COLLEGE/UNIVERSITY What kind of school have you attended?  
 CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	45	1	YES
99.2	99.2	5,343	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 69-70

<b>P139M6</b>	<b>TECHNICAL/TRADE/VOCATIONAL SCHOOL</b>
---------------	--

TECHNICAL/TRADE/VOCATIONAL SCHOOL What kind of school have you attended? CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	242	1	YES
95.5	95.5	5,146	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 71-72

<b>P139M7</b>	<b>OTHER</b>
---------------	--------------

OTHER What kind of school have you attended? CODE ALL MENTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	56	1	YES
99.0	99.0	5,332	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 73-74

**P145** **S-S REC'D HS DIPLOMA/GED?.PB4**

Since {Note 1: STOP DATE/NTEQ DATE}, have you gotten a high school diploma OR GED?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	244	1	YES
95.5	95.4	5,142	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 75-76

**P146** **REC'D HS DIPLOMA OR GED.PB5**

Which one have you gotten? CODE ONE ONLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	0.9	46	1	HIGH SCHOOL DIPLOMA
81.1	3.7	198	2	GED CERTIFICATE
	95.5	5,144	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 77-78

**P150****S-S REC'D ANY OTHER DIPLOMAS?.PB6**

Since {Note 1: STOP DATE/NTEQ DATE} have you received {Note 2: other} diplomas, degrees, or certificates from schools you have attended?

Note 1: See P138 Note 1 Note 2: 'other' if P145=1  
blank in otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	178	1	VOCATIONAL/TECHNICAL/LICENSE
1.6	1.6	88	2	OTHER DEGREE
95.1	95.1	5,122	3	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 79-80

**P155****S-S REC'D ENGLISH LANGUAGE CLASSES?.PB8**

Since {Note 1: STOP DATE/NTEQ DATE}, have you gotten any services, such as classes or lessons to help you learn English?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	0.5	27	1	YES
91.2	5.2	281	2	NO
	94.3	5,080	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 81-82

**P159 CLASSES TO HELP TO READ.PB10**

Since {Note 1: STOP DATE/NTEQ DATE}, have you gotten any classes or lessons to help you read better?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.2	550	1	YES
89.8	89.8	4,837	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 83-84

**P160 ABILITY TO READ ENGLISH.PB11**

Would you say your ability to read English is . . . READ CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	37.5	2,018	1	EXCELLENT?
40.2	40.2	2,165	2	GOOD?
19.1	19.1	1,029	3	FAIR?
3.2	3.2	175	4	POOR?
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 85-86

**P161****LAST SCHOOL GRADES.PB12**

Since {Note 1: STOP DATE/NTEQ DATE}, how have your grades been?  
 Would you say . . .

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	7.4	397	1	BETTER THAN AVERAGE
57.3	12.5	675	2	AVERAGE
9.1	2.0	107	3	NOT SO GOOD
	77.9	4,195	-6	NOT APPLICABLE
	0.2	13	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 87-88

**P162****EVER EXPELLED FROM SCHOOL.PB13**

Since {Note 1: STOP DATE/NTEQ DATE}, have you been expelled or  
 suspended from school for more than a day?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	1.2	65	1	YES
94.5	20.9	1,126	2	NO
	77.9	4,195	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 89-90



**P164 EXPELLED MORE THAN ONE TIME.PB14**

Since {Note 1: STOP DATE/NTEQ DATE}, have you been expelled or suspended from school more than one time?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	0.6	33	1	YES
49.2	0.6	32	2	NO
	98.8	5,323	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 91-92

**P165 DRUGS CAUSED TO LEAVE SCHOOL.PB15**

Since {Note 1: STOP DATE/NTEQ DATE}, did your drug or alcohol use in any way cause you to quit school or be expelled or suspended?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	158	1	YES
97.1	97.1	5,230	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 93-94

**P166 NPAQ\_B ELAPSED TIME**

5,388 cases (Range of valid codes: 41-7161)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 95-98

**SECTION C: DRUG AND ALCOHOL USE**

**P172A1                      DRUGS USED .INHALANTS**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used inhalants, such  
 as glue, gasoline, paint thinner, white out or poppers five times  
 or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	40	1	YES, DRUGS USED
99.3	99.2	5,347	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 99-100

**P172A2                      DRUGS USED .MARIJUANA**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used marijuana, pot,  
 or hashish five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.5	1,320	1	YES, DRUGS USED
75.5	75.5	4,066	2	NO, DRUGS NOT USED
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 101-102

**P172A3 DRUGS USED.CRACK**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used crack, not  
 cocaine powder five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	19.7	1,061	1	YES, DRUGS USED
80.3	80.3	4,325	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 103-104

**P172A4 DRUGS USED.COCAINE POWDER**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used cocaine powder  
 five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.4	777	1	YES, DRUGS USED
85.6	85.6	4,610	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 105-106

**P172A5****DRUGS USED.PCP**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used PCP or angel  
 dust five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	49	1	YES, DRUGS USED
99.1	99.1	5,338	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 107-108

**P172A6****DRUGS USED.HALLUCINOGENS**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used hallucinogens  
 or psychedelics, such as acid, LSD, mushrooms, peyote, or  
 mescaline five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	91	1	YES, DRUGS USED
98.3	98.3	5,296	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 109-110

**P172A7 DRUGS USED.HEROIN**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used heroin five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.7	632	1	YES, DRUGS USED
88.3	88.2	4,754	2	NO, DRUGS NOT USED
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 111-112

**P172A8 DRUGS USED.ILLEGAL METH**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used illegal methadone five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	66	1	YES, DRUGS USED
98.8	98.8	5,321	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 113-114

<b>P172A9</b>	<b>DRUGS USED.OTH NARCOTICS</b>
---------------	---------------------------------

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used other  
 narcotics, such as morphine, opium, codeine or cough syrup, or  
 talwin to get high five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	128	1	YES, DRUGS USED
97.6	97.6	5,259	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 115-116

<b>P172A10</b>	<b>DRUGS USED.UPPERS</b>
----------------	--------------------------

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used uppers, such as  
 speed, crank, amphetamines, crystal meth, preludins or ritalins  
 five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	160	1	YES, DRUGS USED
97.0	97.0	5,227	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 117-118

**P172A11 DRUGS USED.DOWNERS**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used downers, such as barbiturates, seconal, doriden, tranquilizers, or quaaludes to get high five times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	181	1	YES, DRUGS USED
96.6	96.6	5,206	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 119-120

**P172A12 DRUGS USED.OTHER**

SHOW R DRUG CARDS, ONE AT A TIME, AND ASK 172 FOR EACH DRUG TYPE:  
 Since {Note 1: STOP DATE/NTEQ DATE}, have you used any other drugs, not counting alcohol, to get high or for other non-medical effects that I didn't ask about?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	55	1	YES, DRUGS USED
99.0	99.0	5,332	2	NO, DRUGS NOT USED
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 121-122

<b>P181A1</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?</b>
---------------	--

Since {Note 1: STOP DATE/NTEQ DATE}, have you used inhalants every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	7	1	YES
99.9	99.9	5,381	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 123-124

<b>P186A1</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used any inhalants. (HAND R SHOWCARD B). In the month you used (any) inhalants the most, how many days did you use (any) inhalants? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.1	6	1	ONE DAY
47.5	0.4	19	2	2-5 DAYS
7.5	0.1	3	3	6-10 DAYS
12.5	0.1	5	4	11-20 DAYS OR
17.5	0.1	7	5	21 DAYS OR MORE?
	99.3	5,348	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 125-126



**P187A1 LAST USED DRUG TYPE.PC7**

When did you last use inhalants? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	8	1	WITHIN THE PAST MONTH
57.5	0.4	23	2	1-6 MONTHS AGO
20.0	0.1	8	3	7-12 MONTHS AGO
2.5	0.0	1	4	MORE THAN 12 MONTHS AGO
	99.3	5,348	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 127-128

**P188A1 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use inhalants? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.1	3	1	ONE DAY
12.5	0.0	1	2	2-5 DAYS
12.5	0.0	1	3	6-10 DAYS
25.0	0.0	2	4	11-20 DAYS
12.5	0.0	1	5	21 DAYS OR MORE
	99.9	5,380	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 129-130

<b>P181A2</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used marijuana every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.2	389	1	YES
92.8	92.8	4,999	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 131-132

<b>P186A2</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) marijuana. (HAND R SHOWCARD B). In the month you used (any) marijuana the most, how many days did you use (any) marijuana? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	2.3	126	1	ONE DAY
37.6	9.2	496	2	2-5 DAYS
16.3	4.0	215	3	6-10 DAYS
15.2	3.7	200	4	11-20 DAYS OR
21.4	5.2	282	5	21 DAYS OR MORE?
	75.5	4,068	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 133-134

**P187A2 LAST USED DRUG TYPE.PC7**

When did you last use marijuana? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	13.9	749	1	WITHIN THE PAST MONTH
35.1	8.6	462	2	1-6 MONTHS AGO
6.8	1.7	90	3	7-12 MONTHS AGO
1.2	0.3	16	4	MORE THAN 12 MONTHS AGO
	75.5	4,068	-5	NEVER
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 135-136

**P188A2 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use marijuana? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	2.1	113	1	ONE DAY
39.4	5.5	295	2	2-5 DAYS
17.4	2.4	130	3	6-10 DAYS
13.8	1.9	103	4	11-20 DAYS
14.3	2.0	107	5	21 DAYS OR MORE
	86.0	4,636	-4	NONE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 137-138

**P181A3****USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC**

Since {Note 1: STOP DATE/NTEQ DATE} have you used crack every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	437	1	YES
91.9	91.9	4,951	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 139-140

**P182A3****USED CRACK/COCAINE 48 HOURS STRAIGHT?.PC**

Since {Note 1: STOP DATE/NTEQ DATE} have you been high on crack for two days in a row or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.8	798	1	YES
85.2	85.2	4,590	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 141-142

**P183A3 LAST USED CRACK/COCAINE 48 HOURS STRAIGH**

When was the last time you were high on crack for two days in a row or longer? Was it . . . IF NECESSARY, ASK: When was the last time you used crack for 48 hours straight or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	6.4	345	1	WITHIN THE PAST MONTH
44.8	6.6	357	2	1-6 MONTHS AGO
10.8	1.6	86	3	7-12 MONTHS AGO
1.1	0.2	9	4	MORE THAN 12 MONTHS AGO
	85.2	4,590	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 143-144

**P186A3 MONTHS USED DRUG TYPE IN LAST 12.PC6**

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) crack. (HAND R SHOWCARD B). In the month you used (any) crack the most, how many days did you use (any) crack? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.3	72	1	ONE DAY
33.6	6.6	357	2	2-5 DAYS
18.3	3.6	194	3	6-10 DAYS
16.2	3.2	172	4	11-20 DAYS OR
25.1	4.9	266	5	21 DAYS OR MORE?
	80.3	4,327	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 145-146

<b>P187A3</b>	<b>LAST USED DRUG TYPE.PC7</b>
---------------	--------------------------------

When did you last use crack? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	10.1	546	1	WITHIN THE PAST MONTH
38.4	7.6	407	2	1-6 MONTHS AGO
9.2	1.8	97	3	7-12 MONTHS AGO
0.9	0.2	10	4	MORE THAN 12 MONTHS AGO
	80.3	4,327	-5	NEVER
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 147-148

<b>P188A3</b>	<b>DAYS USED DRUG TYPE IN LAST 30.PC8</b>
---------------	---

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use crack? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	1.1	58	1	ONE DAY
43.4	4.4	237	2	2-5 DAYS
16.5	1.7	90	3	6-10 DAYS
13.4	1.4	73	4	11-20 DAYS
16.1	1.6	88	5	21 DAYS OR MORE
	89.8	4,841	-4	NONE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 149-150



<b>P183A4</b>	<b>LAST USED CRACK/COCAINE 48 HOURS STRAIGH</b>
---------------	---

When was the last time you were high on cocaine powder for two days in a row or longer? Was it . . . IF NECESSARY, ASK: When was the last time you used cocaine for 48 hours straight or longer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	3.9	211	1	WITHIN THE PAST MONTH
43.8	3.8	203	2	1-6 MONTHS AGO
10.6	0.9	49	3	7 OR MORE MONTHS AGO
	91.4	4,925	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 155-156

<b>P186A4</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) cocaine powder. (HAND R SHOWCARD B). In the month you used (any) used cocaine powder the most, how many days did you use (any) cocaine powder? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	1.7	89	1	ONE DAY
42.5	6.1	330	2	2-5 DAYS
19.6	2.8	152	3	6-10 DAYS
10.3	1.5	80	4	11-20 DAYS OR
16.2	2.3	126	5	21 DAYS OR MORE?
	85.6	4,611	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 157-158



**P187A4 LAST USED DRUG TYPE.PC7**

When did you last use cocaine powder? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	6.7	362	1	WITHIN THE PAST MONTH
40.8	5.9	316	2	1-6 MONTHS AGO
11.0	1.6	85	3	7-12 MONTHS AGO
1.5	0.2	12	4	MORE THAN 12 MONTHS AGO
	85.6	4,611	-5	NEVER
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 159-160

**P188A4 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use cocaine powder? Would you say . . .?  
 .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	1.2	64	1	ONE DAY
45.4	3.0	164	2	2-5 DAYS
16.1	1.1	58	3	6-10 DAYS
10.2	0.7	37	4	11-20 DAYS
10.5	0.7	38	5	21 DAYS OR MORE
	93.2	5,024	-4	NONE
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 161-162

<b>P181A5</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used PCP or angel dust every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	12	1	YES
99.8	99.8	5,376	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 163-164

<b>P186A5</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) PCP or angel dust. (HAND R SHOWCARD B). In the month you used (any) PCP or angel dust the most, how many days did you use (any) PCP or angel dust? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	7	1	ONE DAY
46.9	0.4	23	2	2-5 DAYS
12.2	0.1	6	3	6-10 DAYS
12.2	0.1	6	4	11-20 DAYS OR
14.3	0.1	7	5	21 DAYS OR MORE?
	99.1	5,339	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 165-166

**P187A5 LAST USED DRUG TYPE.PC7**

When did you last use PCP or angel dust? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	0.3	16	1	WITHIN THE PAST MONTH
49.0	0.4	24	2	1-6 MONTHS AGO
16.3	0.1	8	3	7-12 MONTHS AGO
2.0	0.0	1	4	MORE THAN 12 MONTHS AGO
	99.1	5,339	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 167-168

**P188A5 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use PCP or angel dust? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.1	3	1	ONE DAY
43.8	0.1	7	2	2-5 DAYS
18.8	0.1	3	4	11-20 DAYS
18.8	0.1	3	5	21 DAYS OR MORE
	99.7	5,372	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 169-170

<b>P181A6</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used hallucinogens or psychedelics every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	14	1	YES
99.7	99.7	5,374	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 171-172

<b>P186A6</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) hallucinogens or psychedelics. (HAND R SHOWCARD B). In the month you used (any) hallucinogens or psychedelics the most, how many days did you use (any) hallucinogens or psychedelics? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	0.5	26	1	ONE DAY
40.0	0.7	36	2	2-5 DAYS
16.7	0.3	15	3	6-10 DAYS
10.0	0.2	9	4	11-20 DAYS OR
4.4	0.1	4	5	21 DAYS OR MORE?
	98.3	5,297	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 173-174

**P187A6 LAST USED DRUG TYPE.PC7**

When did you last use hallucinogens or psychedelics? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.4	20	1	WITHIN THE PAST MONTH
60.0	1.0	54	2	1-6 MONTHS AGO
14.4	0.2	13	3	7-12 MONTHS AGO
3.3	0.1	3	4	MORE THAN 12 MONTHS AGO
	98.3	5,297	-5	NEVER
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 175-176

**P188A6 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use hallucinogens or psychedelics? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.2	9	1	ONE DAY
38.1	0.1	8	2	2-5 DAYS
4.8	0.0	1	3	6-10 DAYS
9.5	0.0	2	4	11-20 DAYS
4.8	0.0	1	5	21 DAYS OR MORE
	99.6	5,367	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 177-178

<b>P181A7</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used heroin every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.3	393	1	YES
92.7	92.7	4,995	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 179-180

<b>P186A7</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) heroin. (HAND R SHOWCARD B). In the month you used (any) heroin the most, how many days did you use (any) heroin? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.4	24	1	ONE DAY
17.4	2.0	110	2	2-5 DAYS
14.1	1.7	89	3	6-10 DAYS
16.0	1.9	101	4	11-20 DAYS OR
48.7	5.7	308	5	21 DAYS OR MORE?
	88.3	4,756	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 181-182

**P187A7 LAST USED DRUG TYPE.PC7**

When did you last use heroin? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	7.1	384	1	WITHIN THE PAST MONTH
30.4	3.6	192	2	1-6 MONTHS AGO
8.9	1.0	56	3	7 OR MORE MONTHS AGO
	88.3	4,756	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 183-184

**P188A7 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use heroin? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.5	25	1	ONE DAY
23.0	1.6	88	2	2-5 DAYS
15.9	1.1	61	3	6-10 DAYS
18.5	1.3	71	4	11-20 DAYS
36.0	2.6	138	5	21 DAYS OR MORE
	92.9	5,004	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 185-186

<b>P181A8</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used illegal methadone every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	13	1	YES
99.8	99.8	5,375	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 187-188

<b>P186A8</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) illegal methadone. (HAND R SHOWCARD B). In the month you used (any) illegal methadone the most, how many days did you use (any) illegal methadone? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	11	1	ONE DAY
60.6	0.7	40	2	2-5 DAYS
9.1	0.1	6	3	6-10 DAYS
3.0	0.0	2	4	11-20 DAYS OR
10.6	0.1	7	5	21 DAYS OR MORE?
	98.8	5,322	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 189-190



**P187A8 LAST USED DRUG TYPE.PC7**

When did you last use illegal methadone? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.4	24	1	WITHIN THE PAST MONTH
53.0	0.6	35	2	1-6 MONTHS AGO
10.6	0.1	7	3	7-12 MONTHS AGO
	98.8	5,322	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 191-192

**P188A8 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use illegal methadone? Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.1	5	1	ONE DAY
62.5	0.3	15	2	2-5 DAYS
8.3	0.0	2	3	6-10 DAYS
8.3	0.0	2	4	11-20 DAYS
	99.6	5,364	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 193-194

<b>P181A9</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used narcotics other than heroin or methadone every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	33	1	YES
99.4	99.4	5,355	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

<b>P186A9</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
---------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) narcotics other than heroin or methadone. (HAND R SHOWCARD B). In the month you used (any) narcotics other than heroin or methadone the most, how many days did you use (any)? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	0.2	12	1	ONE DAY
46.1	1.1	59	2	2-5 DAYS
19.5	0.5	25	3	6-10 DAYS
8.6	0.2	11	4	11-20 DAYS OR
16.4	0.4	21	5	21 DAYS OR MORE?
	97.6	5,260	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 197-198

**P187A9 LAST USED DRUG TYPE.PC7**

When did you last use narcotics other than heroin or methadone?  
Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	1.0	53	1	WITHIN THE PAST MONTH
44.5	1.1	57	2	1-6 MONTHS AGO
14.1	0.3	18	3	7-12 MONTHS AGO
	97.6	5,260	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 199-200

**P188A9 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use narcotics other than heroin or methadone? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	0.7	36	1	5 OR LESS DAYS
32.1	0.3	17	2	MORE THAN 5 DAYS
	99.0	5,335	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 201-202

<b>P181A10</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
----------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used uppers every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	43	1	YES
99.2	99.2	5,345	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

<b>P186A10</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
----------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) uppers. (HAND R SHOWCARD B). In the month you used (any) uppers the most, how many days did you use (any)? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.4	20	1	ONE DAY
37.5	1.1	60	2	2-5 DAYS
19.4	0.6	31	3	6-10 DAYS
11.9	0.4	19	4	11-20 DAYS OR
18.8	0.6	30	5	21 DAYS OR MORE?
	97.0	5,228	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 205-206

**P187A10 LAST USED DRUG TYPE.PC7**

When did you last use uppers? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	0.9	50	1	WITHIN THE PAST MONTH
52.2	1.5	83	2	1-6 MONTHS AGO
13.2	0.4	21	3	7-12 MONTHS AGO
3.1	0.1	5	4	MORE THAN 12 MONTHS AGO
	97.0	5,228	-5	NEVER
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 207-208

**P188A10 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use uppers? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.6	30	1	5 OR LESS DAYS
40.0	0.4	20	2	MORE THAN 5 DAYS
	99.1	5,337	-4	NONE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 209-210

<b>P181A11</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
----------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used downers every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	51	1	YES
99.1	99.1	5,337	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 211-212

<b>P186A11</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
----------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) downers. (HAND R SHOWCARD B). In the month you used (any) downers the most, how many days did you use (any)? Would you say it was one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.5	27	1	ONE DAY
42.5	1.4	77	2	2-5 DAYS
20.4	0.7	37	3	6-10 DAYS
9.4	0.3	17	4	11-20 DAYS OR
12.7	0.4	23	5	21 DAYS OR MORE?
	96.6	5,207	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 213-214

**P187A11 LAST USED DRUG TYPE.PC7**

When did you last use downers? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	1.6	88	1	WITHIN THE PAST MONTH
39.8	1.3	72	2	1-6 MONTHS AGO
11.6	0.4	21	3	7-12 MONTHS AGO
	96.6	5,207	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 215-216

**P188A11 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use downers? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	0.3	18	1	ONE DAY
40.9	0.7	36	2	2-5 DAYS
17.0	0.3	15	3	6-10 DAYS
6.8	0.1	6	4	11-20 DAYS
14.8	0.2	13	5	21 DAYS OR MORE
	98.4	5,300	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 217-218

<b>P181A12</b>	<b>USED DRUG TYPE EVERY DAY FOR 2 WEEKS?.PC</b>
----------------	---

Since {Note 1: STOP DATE/NTEQ DATE} have you used any other drug, not including alcohol, every day for 2 weeks or longer?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	13	1	YES
99.8	99.8	5,375	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 219-220

<b>P186A12</b>	<b>MONTHS USED DRUG TYPE IN LAST 12.PC6</b>
----------------	---

Now, please look at the calendar and think about those months since {Note 1: STOP DATE/NTEQ DATE} when you have used (any) any other drug, not including alcohol. (HAND R SHOWCARD B). In the month you used (any) other drug not counting alcohol the most, how many days did you use (an one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	0.8	42	1	5 OR LESS DAYS
23.6	0.2	13	2	MORE THAN 5 DAYS
	99.0	5,333	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 221-222



**P187A12 LAST USED DRUG TYPE.PC7**

When did you last use any other drug, not including alcohol? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.8	44	1	LESS THAN 7 MONTHS AGO
20.0	0.2	11	2	7 OR MORE MONTHS AGO
	99.0	5,333	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 223-224

**P188A12 DAYS USED DRUG TYPE IN LAST 30.PC8**

Again, looking at the calendar, since this past (DATE 30 DAYS AGO), how many days did you use any other drug, not including alcohol? Would you say . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.1	8	1	ONE DAY
50.0	0.2	11	2	2-5 DAYS
4.5	0.0	1	3	6-10 DAYS
9.1	0.0	2	5	21 DAYS OR MORE
	99.6	5,366	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 225-226

**P189****TROUBLED BY USE.PC9**

Right now, how troubled or bothered are you by your use of drugs other than alcohol? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	51.9	2,795	1	NOT AT ALL
20.0	20.0	1,077	2	SOMEWHAT
14.0	14.0	755	3	VERY MUCH
14.1	14.1	759	4	R DID NOT USE DRUGS OTHER THAN ALCOHOL D
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 227-228

**P190****HOSPITALIZED FOR OVERDOSE?.PC10**

Since {Note 1: STOP DATE/NTEQ DATE} have you had to go to the hospital because of a drug overdose?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	100	1	YES
98.1	98.1	5,287	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 229-230

**P191 LAST OVERDOSED ON DRUGS.PC11**

When did you last overdose on any drugs? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	0.4	22	1	WITHIN THE PAST MONTH
46.0	0.9	46	2	1-6 MONTHS AGO
32.0	0.6	32	3	7 OR MORE MONTHS AGO
	98.1	5,288	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 231-232

**P192 TIMES OVERDOSED IN LAST 12 MONTHS.PC12**

(HAND R SHOWCARD C). Since {Note 1: STOP DATE/NTEQ DATE}, how many times did you go to the hospital because of a drug overdose? Would you say one time, 2-3 times, 4-10 times or 11 times or more

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	1.3	70	1	ONE TIME
30.0	0.6	30	2	2 OR MORE TIMES
	98.1	5,288	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 233-234

P193

## CASH SPENT ON DRUGS LAST 30 DAYS.PC13

Since this past (DATE 30 DAYS AGO), how much money would you say you spent on the drugs you used to get high or for other non-medical effects? RECORD DOLLAR AMOUNT AND ROUND TO NEAREST DOLLAR. PROBE FOR R's BEST ESTIMATE. IF NECESSARY, ASK: How much cash did you spend? AMOUNT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	43.7	2,356	0	NONE
4.5	3.2	170	1	1-20
11.9	8.3	446	2	21-100
5.5	3.8	207	3	101-200
3.8	2.6	141	4	201-300
1.8	1.2	67	5	301-400
2.7	1.9	101	6	401-500
0.8	0.6	30	7	501-600
0.4	0.3	16	8	601-700
0.7	0.5	25	9	701-800
0.3	0.2	11	10	801-900
1.7	1.2	62	11	901-1000
1.6	1.1	59	12	1001-2000
0.9	0.6	34	13	2001-3000
0.5	0.3	18	14	MORE THAN 3000
	29.3	1,579	-7	NOT ASKED OF INMATES
	1.1	57	-2	DON'T KNOW
	0.2	9	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 235-236

**P194** **EVER INJECTED?.PC14**

The next set of questions is about injecting drugs to get high or for other non-medical effects. Since {Note 1: STOP DATE/NTEQ DATE} have you used a needle to inject drugs to get high or for other non-medical effects?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.7	523	1	YES
90.3	90.3	4,864	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 237-238

**P195** **HAD DRUGS INJECTED?.PC15**

Since {Note 1: STOP DATE/NTEQ DATE} has someone else used a needle to inject you with drugs for you to get high or for other non-medical effects?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	6	1	YES
90.2	90.2	4,859	2	NO
9.7	9.7	523	3	SKIPPED YES TO 194
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 239-240

**P196****LAST INJECTED DRUGS.PC16**

(HAND R SHOWCARD D). When was the last time you used a needle to take drugs to get high or for other non-medical effects? Was it . . . PROBE FOR BEST ESTIMATE.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	301	1	WITHIN THE PAST MONTH
3.2	3.2	170	2	1-6 MONTHS AGO
1.1	1.1	58	3	7 OR MORE MONTHS AGO
90.2	90.2	4,859	4	NO IVDU SINCE NTEQ
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 241-242

**P197****DAYS INJECTED DRUGS IN LAST 30.PC17**

(HAND R SHOWCARD B). Looking at the number of days on this card, since this past (DATE 30 DAYS AGO), about how many days did you inject drugs to get high or for other non-medical effects? Would you say one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.3	16	1	ONE DAY
19.3	1.1	58	2	2-5 DAYS
18.7	1.0	56	3	6-10 DAYS
18.3	1.0	55	4	11-20 DAYS OR
38.3	2.1	115	5	21 DAYS OR MORE?
	94.4	5,087	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 243-244

**P198 SHARED NEEDLE OR WORKS?.PC18**

The next set of questions is about sharing needles, and sharing works: cotton, cookers, wine caps, spoons, or water. By sharing, I mean using a needle or "works" after someone else uses it. Since {Note 1: STOP DATE/NTEQ DATE} have you ever, even one time, shared a needle or shared works with someone else, that is, did you use a needle or works after someone else?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	152	1	YES
97.2	97.2	5,236	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 245-246

**P199 LAST SHARED NEEDLE OR WORKS.PC19**

When was the last time you shared a needle or shared works? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	1.0	54	1	WITHIN THE PAST MONTH
44.4	1.2	67	2	1-6 MONTHS AGO
19.9	0.6	30	3	7 OR MORE MONTHS AGO
	0.0	1	-2	DON'T KNOW
	97.2	5,236	5	NO SHARING SINCE NTEQ
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: 5, lowest thru -1  
 Columns: 247-248

P201

## HOW OFTEN SHARED NEEDLE LAST 30DYS/12MOS

(HAND R SHOWCARD E). Since {Note 1: DATE 30 DAYS AGO/STOP DATE/NTEQ DATE}, when you used a needle to inject drugs to get high, about how often did you use it after someone else? Would you say . . .

Note 1: DATE 30 DAYS AGO if P199=1

STOP DATE if P118=1 and P199<>1; Stop date from intake form NTEQ DATE if P118=2 and P199<>1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	0.4	22	1	NEVER
54.6	1.5	83	2	LESS THAN HALF OF THE TIME
20.4	0.6	31	3	HALF OF THE TIME
3.9	0.1	6	4	MORE THAN HALF OF THE TIME
6.6	0.2	10	5	EVERY TIME
	97.2	5,236	7	NO SHARING SINCE NTEQ
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 249-250



<b>P202</b>	<b>HOW OFTEN CLEANED NDLE LAST 30DYS/12MOS.</b>
-------------	---

(HAND R SHOWCARD E). Since {Note 1: DATE 30 DAYS AGO/STOP DATE/NTEQ DATE}, when you used a needle after someone else, about how often did you clean it with bleach before you used it? Would you say never, less than half of the time, half of the time, more than half of the time, or every time?

Note 1: See P201 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	0.8	43	1	NEVER
19.7	0.6	30	2	LESS THAN HALF OF THE TIME
6.6	0.2	10	3	HALF OF THE TIME
12.5	0.4	19	4	MORE THAN HALF OF THE TIME
18.4	0.5	28	5	EVERY TIME
14.5	0.4	22	6	NO IVDU SINCE NTEQ
	97.2	5,236	7	NO SHARING SINCE NTEQ
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: 7, lowest thru -1  
 Columns: 251-252

**P203****HOW OFTEN SHARED WORKS LAST 30DYS/12MOS.**

(HAND R SHOWCARD B). Since {Note 1: DATE 30 DAYS AGO/STOP DATE/NTEQ DATE}, when you used a needle, about how often did you use cotton, cookers, wine caps, spoons or water after someone else? Would you say never, less than half of the time, half of the time, more than half the time, or every time?

Note 1: See P201 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	0.6	33	1	NEVER
28.3	0.8	43	2	LESS THAN HALF OF THE TIME
24.3	0.7	37	3	HALF OF THE TIME
7.9	0.2	12	4	MORE THAN HALF OF THE TIME
17.8	0.5	27	5	EVERY TIME
	97.2	5,236	7	NO SHARING SINCE NTEQ
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 7, lowest thru -1

Columns: 253-254

**P204****DAYS SHARED STRANGER'S NDLE/WRKS-30 DAYS**

(HAND R SHOWCARD B). Since this past (DATE 30 DAYS AGO), on how many days did you share a needle or works with a stranger? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	0.8	41	1	NONE
24.1	0.2	13	2	ONE OR MORE DAYS
	0.0	1	-2	DON'T KNOW
	97.2	5,236	4	NO SHARING SINCE NTEQ
	1.8	97	5	NO SHARING PAST MONTH
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: -2,4,5

Columns: 255-256

**P205 EVER HAD ALCOHOL DRINK?.PC24**

Now I would like to ask about your use of alcoholic beverages. By alcoholic beverages I mean beer, malt liquors, wine, wine coolers and hard liquor, such as vodka and mixed drinks. Since {Note 1: STOP DATE/NTEQ DATE}, have you had a drink of alcohol? By a drink, I mean a can of beer, a glass of wine or a wine cooler, a shot of hard liquor, or a single mixed drink.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	50.4	2,717	1	YES
42.9	37.8	2,039	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 257-258

**P206 DAYS DRANK ALCOHOL IN LAST 30.PC25**

(POINT TO SHOWCARD F). Since this past (DATE 30 DAYS AGO), how many days have you had at least one drink of any beer, malt liquor, wine, wine coolers, or hard liquor? Would you say none, one day, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? PROBE FOR BEST ESTIMATE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	44.0	2,370	1	NONE
6.5	5.3	288	2	ONE DAY
17.8	14.5	782	3	2-5 DAYS
8.5	6.9	372	4	6-10 DAYS
5.5	4.5	242	5	11-20 DAYS
7.8	6.4	345	6	21 DAYS OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 259-260

P208A1

DAYS DRANK BEER IN LAST 30.PC26

Since this past (DATE 30 DAYS AGO), how many days did you drink at least one drink of beer or malt liquor? Would you say 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	47.7	2,569	1	NONE
7.2	5.9	316	2	ONE DAY
16.6	13.5	730	3	2-5 DAYS
7.2	5.8	315	4	6-10 DAYS
4.2	3.4	185	5	11-20 DAYS
6.5	5.3	284	6	21 DAYS OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 261-262

<b>P209A1</b>	<b>BEER DRUNK EACH DAY OF LAST 30 DAYS</b>
---------------	--

Since this past (DATE 30 DAYS AGO), on the {Note 1: NUMBER OF DAYS} that you drank beer or malt liquor, how much beer or malt liquor did you usually drink? RECORD AMOUNT AND VOLUME. AMOUNT: UNIT:

Note 1: 'one day' if P208A1=2  
 '2-5 days' if P208A1=3 '6-10 days' if P208A1=4 '11=20 days' if P208A1=5 '21 days or more' if P208A1=6  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	7.1	381	1	1
18.5	6.3	338	2	2
13.4	4.5	245	3	3
8.5	2.9	156	4	4
3.2	1.1	59	5	5
15.0	5.1	273	6	6
5.4	1.8	98	9	7-11
7.4	2.5	135	12	12
2.2	0.8	41	18	13-22
2.5	0.9	46	24	24
3.0	1.0	54	40	40 OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
	47.7	2,570	-4	NONE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 263-264

<b>P210A1</b>	<b>UNIT OF ALCOHOL.PC27B</b>
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	19.0	1,025	1	CANS
28.0	9.5	511	2	BOTTLES
3.0	1.0	54	3	GLASSES
7.2	2.4	132	4	QUARTS
0.7	0.2	12	5	PINTS
5.1	1.7	94	10	OTHER
	18.3	988	-7	NOT ASKED OF INMATES
	47.7	2,570	-4	NONE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 265-266

<b>P213A1</b>	<b>VOLUME OF ALCOHOL UNIT.PC27C</b>
---------------	-------------------------------------

What size [unit]? OZ. PER UNIT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	1.0	55	8	2-11
62.9	18.6	1,000	12	12
17.7	5.2	281	16	13-24
16.0	4.7	254	40	25+
	18.3	988	-7	NOT ASKED OF INMATES
	52.1	2,808	-4	NONE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 267-268

<b>P208A2</b>	<b>DAYS DRANK WINE IN LAST 30.PC26</b>
---------------	--

Since this past (DATE 30 DAYS AGO), how many days did you drink at least one drink of wine or wine coolers? Would you say 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	72.3	3,898	1	NONE
3.9	3.2	172	2	ONE DAY
4.7	3.8	205	3	2-5 DAYS
1.2	1.0	54	4	6-10 DAYS
0.7	0.6	32	5	11-20 DAYS
0.9	0.7	39	6	21 DAYS OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 269-270

**P209A2****WINE DRUNK EACH DAY OF LAST 30 DAYS**

Since this past (DATE 30 DAYS AGO), on the {Note 1: NUMBER OF DAYS} that you drank wine or wine coolers, how much wine or wine coolers did you usually drink? RECORD AMOUNT AND VOLUME. AMOUNT: UNIT:

Note 1: 'one day' if P208A1=2  
 '2-5 days' if P208A1=3 '6-10 days' if P208A1=4 '11=20 days' if P208A1=5 '21 days or more' if P208A1=6  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	4.7	251	1	
22.4	2.1	112	2	
8.8	0.8	44	3	
6.2	0.6	31	4	
12.4	1.2	62	8	
	18.3	988	-7	NOT ASKED OF INMATES
	72.3	3,898	-4	NONE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 271-272

**P210A2****UNIT OF ALCOHOL.PC27B**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	3.8	207	2	BOTTLES
31.1	2.9	156	3	GLASSES
15.4	1.4	77	6	FIFTHS
12.2	1.1	61	10	OTHER
	18.3	988	-7	NOT ASKED OF INMATES
	72.3	3,898	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 273-274



**P213A2** **VOLUME OF ALCOHOL UNIT.PC27C**

What size [unit]? OZ. PER UNIT:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	2.5	137	6	1-8
40.5	2.7	147	12	9-15
11.0	0.7	40	16	16
10.7	0.7	39	32	17+
	18.3	988	-7	NOT ASKED OF INMATES
	74.9	4,036	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 275-276

**P208A3** **DAYS DRANK LIQUOR IN LAST 30.PC26**

Since this past (DATE 30 DAYS AGO), how many days did you drink at least one drink of hard liquor? Would you say 2-5 days, 6-10 days, 11-20 days, or 21 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	64.6	3,478	1	NONE
6.2	5.1	275	2	ONE DAY
8.9	7.2	390	3	2-5 DAYS
2.4	2.0	107	4	6-10 DAYS
1.8	1.4	77	5	11-20 DAYS
1.7	1.4	73	6	21 DAYS OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 277-278

## P209A3

## LIQUOR DRUNK EACH DAY OF LAST 30 DAYS

Since this past (DATE 30 DAYS AGO), on the {Note 1: NUMBER OF DAYS} that you drank hard liquor, how much hard liquor did you usually drink? RECORD AMOUNT AND VOLUME. AMOUNT: UNIT:

Note 1: 'one day' if P208A1=2

'2-5 days' if P208A1=3 '6-10 days' if P208A1=4 '11=20

days' if P208A1=5 '21 days or more' if P208A1=6

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	9.7	523	1	1
19.3	3.3	177	2	2
8.3	1.4	76	3	3
5.7	1.0	52	4	4
8.0	1.4	73	6	5-10
1.9	0.3	17	20	11 OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
	64.6	3,478	-4	NONE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 279-280

**P210A3 UNIT OF ALCOHOL.PC27B**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.5	28	4	QUARTS
24.2	4.1	223	5	PINTS
6.2	1.1	57	6	FIFTHS
20.7	3.5	190	7	1/2 PINTS
25.8	4.4	237	8	SHOTS
18.5	3.2	170	9	DRINKS
1.6	0.3	15	10	OTHER
	18.3	988	-7	NOT ASKED OF INMATES
	64.6	3,478	-4	NONE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 281-282

**P221 DAYS GOTTEN DRUNK IN LAST 30.PC28**

Since this past (DATE 30 DAYS AGO), how many days have you gotten drunk? Would you say none, 2-5 days, 6-10 days, 11-20 days, or 21 days or more? PROBE FOR BEST ESTIMATE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	64.6	3,480	1	NONE
5.7	4.7	251	2	ONE DAY
9.3	7.6	408	3	2-5 DAYS
3.0	2.4	130	4	6-10 DAYS
1.5	1.2	66	5	11-20 DAYS
1.4	1.2	62	6	21 DAYS OR MORE
	18.3	988	-7	NOT ASKED OF INMATES
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 283-284

**P223****ALCOHOL DT'S?.PC29**

Since {Note 1: STOP DATE/NTEQ DATE} have you had alcohol d.t.'s (delirium tremens)? IF NECESSARY, SAY: That is, have you ever gone into withdrawal from alcohol and had hallucinations or shakes?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.4	181	1	YES
96.2	84.9	4,575	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 285-286

**P225****HOSPITALIZED FOR DRINKING?.PC30**

Since {Note 1: STOP DATE/NTEQ DATE} have you been in a hospital because of your drinking?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.8	150	1	YES
96.8	85.5	4,607	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 287-288

**P227** **TROUBLED/BOTHERED BY OWN ALCOHOL USE.PC3**

Right now, how troubled or bothered are you by your alcohol use?  
 Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	33.5	1,805	1	NOT AT ALL
22.4	11.3	609	2	SOMEWHAT
11.2	5.6	303	3	VERY MUCH
	11.7	631	-7	NOT ASKED OF INMATES
	37.9	2,040	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 289-290

**P229** **TIME STAMP**

5,388 cases (Range of valid codes: 87-7685)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 291-294

<b>SECTION D: LIVING ARRANGEMENTS</b>
---------------------------------------

<b>P237</b>	<b>STAYED IN OWN APT 12 MONTHS?.D1A</b>
-------------	---

Since {Note 1: STOP DATE/NTEQ DATE}, please tell me if you have stayed in each of the following types of places. Please do not include times you were on vacation. Since {Note 2: STOP DATE/NTEQ DATE}, have you stayed... READ EACH CATEGORY. a. In your own apartment or house? This includes living with a parent or guardian...

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	67.5	3,636	1	YES
32.5	32.5	1,752	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 295-296

<b>P238</b>	<b>STAYED IN OTHER'S APT 12 MONTHS?.D1B</b>
-------------	---

b. In someone else's apartment or house?...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	32.8	1,768	1	YES
67.2	67.2	3,620	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 297-298

**P239****STAYED IN HOTEL ROOM 12 MONTHS?.D1C**

c. In a room in a hotel or motel, in a rooming or boarding house or in a school dormitory?...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.9	535	1	YES
90.1	90.1	4,853	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 299-300

**P240****STAYED IN HOMELESS SHELTER 12 MONTHS?.D1**

d. In a homeless shelter or on the street?...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.9	423	1	YES
92.1	92.1	4,965	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 301-302

**P241****STAYED IN OTHER SHELTER 12 MONTHS?.D1E**

e. In another type of shelter facility, {Note 1: such as a shelter for runaways or battered women?...

Note 1: 'such as a shelter for runaways...' if age<18 or P69=2 or P69=4.

blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	142	1	YES
97.4	97.4	5,246	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 303-304

**P242****STAYED IN HOSPITAL 12 MONTHS?.D1F**

f. In a hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	8.0	429	1	YES
92.0	92.0	4,959	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 305-306



**P243 STAYED IN JAIL 12 MONTHS?.D1G**

g. In jail, prison or detention, including being on work release?...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	35.5	1,911	1	YES
64.5	64.5	3,477	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 307-308

**P244 STAYED IN GROUP HOME 12 MONTHS?.D1H**

h. In a group home or residence, such as a residential treatment center, or a halfway house?...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	17.9	967	1	YES
82.1	82.1	4,421	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 309-310

**P245 STAYED IN OTHER PLACE 12 MONTHS?.D1I**

i. Somewhere else that I haven't asked about?...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	83	1	YES
98.5	98.5	5,305	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 311-312

**P249A1****TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in your own apartment or house? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	3.3	176	1	LESS THAN 1 MONTH
14.8	10.0	537	2	1-3 MONTHS
28.6	19.3	1,038	3	4-6 MONTHS
14.0	9.5	510	4	7-9 MONTHS
29.7	20.0	1,080	5	10-12 MONTHS
8.1	5.5	294	6	MORE THAN 12 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	20.8	1,121	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 313-314

**P250A1****STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in your own apartment or house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	54.5	2,934	1	YES
45.5	45.5	2,454	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 315-316

**P249A2** **TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in someone else's apartment or house? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	8.1	438	1	LESS THAN 1 MONTH
30.6	10.0	540	2	1-3 MONTHS
21.3	7.0	376	3	4-6 MONTHS
9.3	3.0	164	4	7-9 MONTHS
10.8	3.5	191	5	10-12 MONTHS
3.2	1.1	57	6	MORE THAN 12 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	55.5	2,989	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 317-318

**P250A2** **STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in someone else's apartment or house? Has it been... CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	18.0	968	1	YES
82.0	82.0	4,420	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 319-320

**P249A3****TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in a room in a hotel or motel, rooming or boarding house or school dormitory? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	5.7	308	1	LESS THAN 1 MONTH
20.0	2.0	107	2	1-3 MONTHS
14.0	1.4	75	3	4-6 MONTHS
3.7	0.4	20	4	7-9 MONTHS
3.6	0.4	19	5	10-12 MONTHS
1.1	0.1	6	6	MORE THAN 12 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	78.4	4,222	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 321-322

**P250A3****STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in a room in a hotel or motel, rooming or boarding house or school dormitory? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	198	1	YES
96.3	96.3	5,190	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 323-324

**P249A4 TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in a homeless shelter or on the street? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	2.9	157	1	LESS THAN 1 MONTH
34.8	2.7	147	2	1-3 MONTHS
15.1	1.2	64	3	4-6 MONTHS
8.3	0.6	35	4	7-9 MONTHS
3.5	0.3	15	5	10-12 MONTHS
1.2	0.1	5	6	MORE THAN 12 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	80.4	4,334	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 325-326

**P250A4 STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in a homeless shelter or on the street? CODE ONLY ONE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	132	1	YES
97.6	97.6	5,256	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 327-328

<b>P249A5</b>	<b>TIME SPENT IN PLACE LAST 12 MONTHS.PD2</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in another type of shelter facility? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	0.8	44	1	LESS THAN 1 MONTH
35.9	0.9	51	2	1-3 MONTHS
33.1	0.9	47	3	MORE THAN 3 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	85.7	4,615	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 329-330

<b>P250A5</b>	<b>STAYED IN PLACE IN 30 DAYS.PD3</b>
---------------	---------------------------------------

Since this past (DATE 30 DAYS AGO), have you stayed in another

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	37	1	YES
99.3	99.3	5,351	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 331-332

**P249A6** **TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in a hospital? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	6.7	360	1	LESS THAN 1 MONTH
16.1	1.3	69	2	1 OR MORE MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	80.3	4,328	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 333-334

**P250A6** **STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in a hospital? CODE ONE ONLY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	122	1	YES
97.7	97.7	5,266	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 335-336

**P249A7****TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in jail, prison or detention? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	363	1	LESS THAN 1 MONTH
6.7	6.7	363	2	1-3 MONTHS
4.8	4.8	257	3	4-6 MONTHS
3.1	3.1	168	4	7-9 MONTHS
1.9	1.9	102	5	10-12 MONTHS
76.7	76.7	4,134	6	MORE THAN 12 MONTHS
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 337-338

**P250A7****STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in jail, prison or detention? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.7	1,277	1	YES
76.3	76.3	4,111	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 339-340



**P249A8 TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed in a group home or residence? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	3.0	159	1	LESS THAN 1 MONTH
29.4	5.3	284	2	1-3 MONTHS
34.0	6.1	328	3	4-6 MONTHS
9.3	1.7	90	4	7-9 MONTHS
9.0	1.6	87	5	10-12 MONTHS
1.9	0.3	18	6	MORE THAN 12 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	70.3	3,790	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 341-342

**P250A8 STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed in a group home or residence? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	8.0	431	1	YES
92.0	92.0	4,957	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 343-344

**P249A9****TIME SPENT IN PLACE LAST 12 MONTHS.PD2**

Since {Note 1: STOP DATE/NTEQ DATE} what is the longest time you stayed at the other place you told me about? Has it been... CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	1.0	53	1	3 MONTHS OR LESS
36.1	0.6	30	2	MORE THAN 3 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	86.7	4,674	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 345-346

**P250A9****STAYED IN PLACE IN 30 DAYS.PD3**

Since this past (DATE 30 DAYS AGO), have you stayed at the other place you told me about? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	29	1	YES
99.5	99.5	5,359	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 347-348

<b>P252</b>	<b>PLACE STAYED LAST NIGHT (CODE) .PD4_1</b>
-------------	--

What type of place did you stay in last night? RECORD VERBATIM AND CODE. IF R SAYS 'APARTMENT' OR 'HOUSE,' PROBE FOR LOCATION (R'S OR SOMEONE ELSE'S). IF R STAYED MORE THAN ONE PLACE, PROBE FOR PLACE WHERE R STAYED MOST HOURS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	52.7	2,837	1	RS OWN APARTMENT/HOUSE
15.2	15.2	817	2	SOMEONE ELSE'S APARTMENT/HOUSE
1.8	1.8	95	3	HOTEL, MOTEL, ROOMING/BOARDING HOUSE/DOR
1.2	1.2	63	4	HOMELESS SHELTER/ON STREET
0.6	0.6	35	5	OTHER TYPE OF SHELTER
0.7	0.7	38	6	HOSPITAL
20.7	20.7	1,113	7	IN JAIL/PRISON/DETENTION/WORK RELEASE
6.7	6.7	359	8	OTHER TYPE OF GROUP HOME/TREATMENT CENTE
0.5	0.5	29	9	SOME OTHER PLACE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 349-350

P254

STAYED IN PUBLIC HOUSING LAST NIGHT?.PD5

Is {Note 1: your apartment or house/this apartment or house/this place} owned by the government or does the government help pay the rent or make the payments?

Note 1: 'your apartment or house' if P252=1  
 'this apartment or house' if P252=2 'this place' if  
 P252=3, 5, 6, 7, 8 or 9 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	10.8	582	1	YES
84.3	58.2	3,134	2	NO
	19.9	1,073	-7	NOT ASKED OF INMATES
	10.5	566	-6	NOT APPLICABLE
	0.6	33	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 351-352

<b>P255</b>	<b>SAW DRUG USE/SALE NEAR HOME LAST 7 DAYS?</b>
-------------	---

In the past seven days, on how many days did you see someone using or selling drugs at or near any place you stayed? RECORD NUMBER OF DAYS. PROBE FOR TOTAL NUMBER OF DAYS FOR ALL PLACES WHERE R STAYED IN LAST SEVEN DAYS. NUMBER OF DAYS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	51.4	2,770	0	
3.0	2.4	130	1	
3.1	2.5	136	2	
2.2	1.7	94	3	
1.8	1.4	78	4	
1.8	1.4	77	5	
0.5	0.4	23	6	
23.5	18.9	1,019	7	
	19.6	1,055	-9	LEGITIMATE SKIP
	0.1	4	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 353-354

**P256****APPROACHED TO USE/BUY DRUGS LAST 7 DAYS?**

In the past seven days, on how many days did someone try to get you to use or buy drugs at or near any place you stayed? RECORD NUMBER OF DAYS. PROBE FOR TOTAL NUMBER OF DAYS FOR ALL PLACES WHERE R STAYED IN LAST SEVEN DAYS. NUMBER OF DAYS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	62.9	3,391	0	
3.8	3.0	164	1	
2.6	2.1	112	2	
1.7	1.4	75	3	
1.4	1.1	60	4	
1.3	1.1	58	5	
0.3	0.3	14	6	
10.5	8.4	453	7	
	19.6	1,055	-9	LEGITIMATE SKIP
	0.1	5	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 355-356

**P257****SHOOTING/KNIFING NEARBY PAST 7DYS?.PD8**

In the past seven days, was there a shooting or knifing that you know of at or near any place you stayed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	10.3	554	1	YES
87.2	70.1	3,775	2	NO
	19.6	1,055	-9	LEGITIMATE SKIP
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 357-358

**P258 MUGGING/BEATING NEARBY PAST 7DYS?.PD9**

In the past seven days, was there a mugging, beating, or other kind of violent attack that you know of at or near any place you stayed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	9.3	499	1	YES
88.5	71.0	3,825	2	NO
	19.6	1,055	-9	LEGITIMATE SKIP
	0.2	9	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 359-360

**P259 KNOWN PEOPLE KILLED LAST 12MO.PD10**

Since {Note 1: STOP DATE/NTEQ DATE}, how many people that you know personally have been killed, including murders, suicides, and accidents? NUMBER KILLED:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	47.6	2,565	0	NONE
15.5	13.6	731	1	1
10.7	9.4	506	2	2
7.4	6.5	352	3	3
4.2	3.7	197	4	4
3.2	2.8	150	5	5
4.8	4.2	225	6	6 OR MORE
	11.7	631	-7	NOT ASKED OF INMATES
	0.6	30	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 361-362

<b>P262A1</b>	<b>LIVED WITH SPOUSE LAST 12 MONTHS?.PD11</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE}, please tell me if you lived with any of the following people. Have you lived with your {Note 2: wife/husband} or someone who is like a spouse or partner?

Note 1: See P138 Note 1 Note 2: 'wife' if P69=1 or 3  
'husband' if P69=2 or 4 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.8	1,927	1	YES
64.2	64.2	3,461	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 363-364

<b>P262A2</b>	<b>LIVED WITH MOTHER LAST 12 MONTHS?.PD11</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE}, please tell me if you lived with any of the following people. Have you lived with your mother, including your natural mother, stepmother, foster mother, or adoptive mother?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	32.2	1,736	1	YES
67.8	67.8	3,652	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 365-366



**P262A3 LIVED WITH FATHER LAST 12 MONTHS?.PD11**

Since {Note 1: STOP DATE/NTEQ DATE}, please tell me if you lived with any of the following people. Have you lived with your father, including your natural father, stepfather, foster father, or adoptive father?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.6	784	1	YES
85.4	85.4	4,604	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 367-368

**P262A4 LIVED WITH KIDS<18 LAST 12 MONTHS?.PD11**

Since {Note 1: STOP DATE/NTEQ DATE}, please tell me if you lived with any of the following people. Have you lived with children under 18 years old who are your natural children or who are raising as your own?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	29.4	1,583	1	YES
70.6	70.6	3,805	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 369-370

<b>P262A5</b>	<b>LIVED WITH KIDS&gt;18 LAST 12 MONTHS?.PD11</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE}, please tell me if you lived with any of the following people. Have you lived with children of yours who are 18 years or older?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	263	1	YES
95.1	95.1	5,125	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 371-372

<b>P264A1</b>	<b>TIME LIVED WITH PERSON LAST 12 MONTHS.PD</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE}, what is the longest time you lived with your {Note 2: wife/husband} or someone who is like a spouse to you? Has it been less than 1 month, 1-3 months, 4-6 months, 7-9 months, 10-12 months or more than 12 months?

Note 1: See P138 Note 1 Note 2: See T262A1 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	2.5	136	1	LESS THAN 1 MONTH
19.8	7.1	382	2	1-3 MONTHS
28.9	10.3	557	3	4-6 MONTHS
14.5	5.2	279	4	7-9 MONTHS
23.1	8.2	444	5	10-12 MONTHS
6.6	2.4	128	6	MORE THAN 12 MONTHS
	64.2	3,461	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 373-374

**P266A1 CURRENTLY LIVING WITH PERSON?.PD13**

Are you now living with your {Note 1: wife/husband} or someone who is like a spouse to you?

Note 1: See T262A1 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	23.1	1,243	1	YES
28.4	9.2	494	2	NO
	67.8	3,651	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 375-376

**P264A2 TIME LIVED WITH PERSON LAST 12 MONTHS.PD**

Since {Note 1: STOP DATE/NTEQ DATE}, what is the longest time you lived with your mother, including your natural mother, stepmother, foster mother, or adoptive mother? Has it been less than 1 month, 1-3 months, 4-6 months, 7-9 months, 10-12 months or more than 12 months?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	3.6	192	1	LESS THAN 1 MONTH
23.4	7.5	403	2	1-3 MONTHS
26.7	8.6	461	3	4-6 MONTHS
13.0	4.2	224	4	7-9 MONTHS
21.6	6.9	372	5	10-12 MONTHS
4.2	1.3	72	6	MORE THAN 12 MONTHS
	68.0	3,664	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 377-378

**P266A2****CURRENTLY LIVING WITH PERSON?.PD13**

Are you now living with your mother, including your natural mother, stepmother, foster mother, or adoptive mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	19.6	1,054	1	YES
31.3	8.9	481	2	NO
	71.5	3,853	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 379-380

**P264A3****TIME LIVED WITH PERSON LAST 12 MONTHS.PD**

Since {Note 1: STOP DATE/NTEQ DATE}, what is the longest time you lived with your father, including your natural father, stepfather, foster father, or adoptive father?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	1.7	94	1	LESS THAN 1 MONTH
21.9	3.2	170	2	1-3 MONTHS
27.2	3.9	211	3	4-6 MONTHS
14.3	2.1	111	4	7-9 MONTHS
20.6	3.0	160	5	10-12 MONTHS
4.0	0.6	31	6	MORE THAN 12 MONTHS
	85.6	4,611	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 381-382

**P266A3 CURRENTLY LIVING WITH PERSON?.PD13**

Are you now living with your natural father, stepfather, foster father, or adoptive father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	9.1	491	1	YES
29.7	3.8	207	2	NO
	87.0	4,690	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 383-384

**P264A4 TIME LIVED WITH PERSON LAST 12 MONTHS.PD**

Since {Note 1: STOP DATE/NTEQ DATE}, what is the longest time you lived with children under 18 years old who are your natural children or who you are raising as your own?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	1.5	81	1	LESS THAN 1 MONTH
13.5	3.9	211	2	1-3 MONTHS
27.7	8.0	432	3	4-6 MONTHS
14.0	4.0	218	4	7-9 MONTHS
30.7	8.9	479	5	10-12 MONTHS
9.0	2.6	140	6	MORE THAN 12 MONTHS
	71.0	3,827	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 385-386

<b>P266A4</b>	<b>CURRENTLY LIVING WITH PERSON?.PD13</b>
---------------	---

Are you now living with children under 18 years old who are your natural children or who you are raising as your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	22.6	1,217	1	YES
15.4	4.1	222	2	NO
	73.3	3,949	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 387-388

<b>P264A5</b>	<b>TIME LIVED WITH PERSON LAST 12 MONTHS.PD</b>
---------------	---

Since {Note 1: STOP DATE/NTEQ DATE}, what is the longest time you lived with children of yours who are 18 years or older?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.6	30	1	LESS THAN 1 MONTH
17.4	0.8	45	2	1-3 MONTHS
24.7	1.2	64	3	4-6 MONTHS
8.9	0.4	23	4	7-9 MONTHS
30.5	1.5	79	5	10-12 MONTHS
6.9	0.3	18	6	MORE THAN 12 MONTHS
	95.2	5,128	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 389-390

**P266A5 CURRENTLY LIVING WITH PERSON?.PD13**

Are you now living with children of yours who are 18 years or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	3.3	178	1	YES
25.5	1.1	61	2	NO
	95.5	5,148	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 391-392

**P267 CURRENTLY LIVING WITH ALCOHOLIC?.PD14**

Is anyone you are now living with drinking alcohol so much that it troubles or bothers you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	229	1	YES
95.7	95.7	5,157	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 393-394

**P268M1****SPOUSE OR PARTNER**

SPOUSE OR PARTNER Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	65	1	YES
98.8	98.8	5,323	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 395-396

**P268M2****MOTHER OR FEMALE GUARDIAN**

MOTHER OR FEMALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	16	1	YES
99.7	99.7	5,372	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 397-398



<b>P268M3</b>	<b>FATHER OR MALE GUARDIAN</b>
---------------	--------------------------------

FATHER OR MALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	21	1	YES
99.6	99.6	5,367	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 399-400

<b>P268M6</b>	<b>OTHER PERSON</b>
---------------	---------------------

OTHER PERSON Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	136	1	YES
97.5	97.5	5,252	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 401-402

**P269****CURRENTLY LIVING WITH DRUG USER?.PD16**

Is anyone you are now living with using illegal drugs or using prescription drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	306	1	YES
94.3	94.2	5,076	2	NO
	0.1	5	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 403-404

**P270M1****SPOUSE/MOTHER/FATHER**

SPOUSE MOTHER OR FATHER Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	102	1	YES
98.1	98.1	5,285	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 405-406

<b>P270M5</b>	<b>RS CHILD &gt;= 18</b>
---------------	--------------------------

R'S CHILD 18 YEARS OR OLDER Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	7	1	YES
99.9	99.9	5,380	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 407-408

<b>P270M6</b>	<b>OTHER PERSON</b>
---------------	---------------------

OTHER PERSON Who is that? IF NECESSARY, ASK: What is this person's relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	207	1	YES
96.2	96.1	5,180	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 409-410

**P271****CURRENTLY LIVING WITH 12-STEP GOER?.PD18**

Is anyone you are now living with receiving alcohol or drug treatment or going to Alcoholics Anonymous, Narcotics Anonymous, or Cocaine Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	654	1	YES
87.9	87.8	4,730	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 411-412

**P272M1****SPOUSE**

SPOUSE OR PARTNER Who is that? IF NECESSARY, ASK: What is this person relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	163	1	YES
97.0	97.0	5,225	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 413-414

<b>P272M2</b>	<b>MOTHER</b>
---------------	---------------

MOTHER OR FEMALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	10	1	YES
99.8	99.8	5,378	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 415-416

<b>P272M3</b>	<b>FATHER</b>
---------------	---------------

FATHER OR MALE GUARDIAN Who is that? IF NECESSARY, ASK: What is this person relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	15	1	YES
99.7	99.7	5,373	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 417-418

**P272M6****OTHER PERSON**

OTHER PERSON Who is that? IF NECESSARY, ASK: What is this person relationship to you? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	469	1	YES
91.3	91.3	4,919	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 419-420

**P273****NON-COHABITANT PARTNER?.PD20**

Is there one person who you are not now living with who you care very much about and have a sexual relationship with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	28.2	1,521	1	YES
71.7	71.7	3,863	2	NO
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 421-422

**P274** **PARTNER ABUSING ALCOHOL?.PD21**

At this time, is this person drinking alcohol so much that it troubles or bothers you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	127	1	YES
97.6	97.6	5,258	2	NO
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 423-424

**P275** **PARTNER USING DRUGS?.PD22**

At this time, is this person using illegal drugs or using prescription drugs to get high or for other non-medical effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	174	1	YES
96.8	96.5	5,202	2	NO
	0.2	10	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 425-426

**P276****PARTNER IN 12-STEP/TREATMENT?.PD23**

Is this person now receiving alcohol or drug treatment or going to Alcoholics Anonymous, Narcotics Anonymous, or Cocaine Anonymous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	250	1	YES
95.4	95.2	5,132	2	NO
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 427-428

**P278****CHILDREN NOW RAISING.PD24**

Now, let's talk about any children under 18 years old you are raising and living with. Right now, altogether, how many children under 18 years old are you raising and living with? Please include any children you are raising and living with such as natural children, adopted children, stepchildren and foster children. RECORD NUMBER OF CHILDREN. IF NONE, RECORD "00." NUMBER OF CHILDREN:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	70.0	3,769	0	0
11.3	11.3	607	1	1
9.3	9.3	503	2	2
5.4	5.4	292	3	3
2.4	2.4	130	4	4
1.6	1.6	87	5	5 OR MORE
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 429-430



**P279 AFRAID OF LOSING CUSTODY?.PD25**

Do you have any concerns about losing custody of a child because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	2.8	150	1	YES
71.0	21.3	1,149	2	NO
8.2	2.5	133	3	R DOESNT HAVE CUSTODY OF ANY CHILDREN
11.5	3.5	186	4	R DOESNT USE DRUGS/ALCOHOL ANY MORE
	70.0	3,769	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 431-432

**P280 CURRENTLY MARRIED?.PD26**

Now, I have some questions about your marital status and the people who depend on you for financial support. Right now, are you legally married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.4	989	1	YES
81.6	81.5	4,391	2	NO
	0.1	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 433-434

**P281****EVER MARRIED?.PD27**

Have you been legally married at any time since {Note 1: STOP DATE/NTEQ DATE}?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	19.3	1,041	1	YES
80.7	80.6	4,342	2	NO
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 435-436

**P283****LIVE WITH SPOUSE?.PD28**

Right now, do you live in the same place as your {Note 1: wife/husband}?

Note 1: See P262A1 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	7.6	407	1	YES
59.2	11.0	590	2	NO
	81.5	4,391	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 437-438

**P284** **LENGTH OF MARITAL SEPARATION.PD29**

(HAND R SHOWCARD G). How long have you been living apart [this time]? Has it been. . . IF R/SPOUSE HAVE BEEN APART BEFORE, PROBE FOR LENGTH OF CURRENT SEPARATION.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.2	13	1	LESS THAN ONE MONTH
33.3	2.6	139	2	1-6 MONTHS
47.4	3.7	198	3	7-12 MONTHS
16.3	1.3	68	4	MORE THAN 12 MONTHS
	19.9	1,073	-7	NOT ASKED OF INMATES
	72.3	3,896	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 439-440

**P285** **NUMBER OF DEPENDENTS.PD30**

Not counting yourself, how many people depend on you for their living expenses such as housing, food, clothing, medical costs, or transportation? Please include anyone who depends on you for their expenses, whether or not they live with you. RECORD NUMBER OF DEPENDENTS. DEPENDENTS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	45.9	2,475	0	NONE
15.1	12.1	650	1	1
11.8	9.5	511	2	2
7.9	6.4	343	3	3
4.4	3.5	188	4	4
3.4	2.7	148	5	5 OR MORE
	19.9	1,073	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 441-442

<b>P286</b>	<b>PERSON TO CONFIDE IN?.PD31</b>
-------------	-----------------------------------

{Note 1: Including anyone you know here in {Note 2: jail/prison/detention}}, Are there any people you know well who you can talk to about your most personal problems?

Note 1: 'Including anyone you know here...' of P90=1, 2 or 3  
blank if otherwise

Note 2: 'jail' if P90=2  
'prison' if P90=3 'detention' if P90=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	84.5	4,553	1	YES
15.5	15.4	832	2	NO
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 443-444

<b>P287</b>	<b>EMERGENCY SUPPORT PERSON?.PD32</b>
-------------	---------------------------------------

If you have an emergency, is there anyone you can count on to help you even when it would not be easy for that person to do so?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	92.7	4,993	1	YES
7.2	7.2	390	2	NO
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 445-446

**P289****AGE MET SUPPORT PERSON 1.PD33A**

Now please think about three people you would be most likely to {Note 1: talk to about personal problems/or/ask for help in an emergency}. How old were you when you met each of these people? IF R HAS KNOWN PERSON ENTIRE LIFE, ENTER "00".

AGE MET 1ST PERSON:

Note 1: 'talk to about personal problems' if P286=1  
'or' of P286=1 and P287=1 'ask for help in an emergency'  
if P287=1 blank if otherwise

Note 2: Values of 42 and higher were top-coded to 41.

5,388 cases (Range of valid codes: 0-41)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 447-448

**P290****AGE MET SUPPORT PERSON 2.PD33B**

Now please think about three people you would be most likely to {Note 1: talk to about personal problems/or/ask for help in an emergency}. How old were you when you met each of these people? IF R HAS KNOWN PERSON ENTIRE LIFE, ENTER "00".

AGE MET 2ND PERSON:

Note 1: See P289 Note 1

Note 2: Values of 42 and higher were top-coded to 41.

5,388 cases (Range of valid codes: 0-41)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 449-450

**P291****AGE MET SUPPORT PERSON 3.PD33C**

Now please think about three people you would be most likely to  
 {Note 1: talk to about personal problems/or/ask for help in an  
 emergency}. How old were you when you met each of these people?  
 IF R HAS KNOWN PERSON ENTIRE LIFE, ENTER "00".

AGE MET 3RD PERSON:

Note 1: See P289 Note 1

Note 2: Values of 42 and higher were top-coded to 41.

5,388 cases (Range of valid codes: 0-41)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 451-452

**P292****EVER OUTPLACED BY COURTS/AGENCY?.PD34**

Since {Note 1: STOP DATE/NTEQ DATE}, have the courts or a social  
 service agency arranged a place for you to live?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	0.6	34	1	YES
80.2	2.6	138	2	NO
	96.8	5,216	3	NOT ASKED OF ADULTS
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 453-454

**P294** **EVER RUN AWAY FROM HOME?.PD35**

Since {Note 1: STOP DATE/NTEQ DATE}, have you run away from home or from the place you usually lived?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	0.5	25	1	YES
85.5	2.7	147	2	NO
	96.8	5,216	3	NOT ASKED OF ADULTS
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 455-456

**P295** **EVER KICKED OUT BY PARENT/GUARDIAN?.PD36**

Since {Note 1: STOP DATE/NTEQ DATE}, have you been kicked out by a parent or guardian?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	0.4	21	1	YES
87.8	2.8	151	2	NO
	96.8	5,216	3	NOT ASKED OF ADULTS
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 457-458

**P296****EVER ATTACKED?.PD37**

The next questions ask about times since {Note 1: STOP DATE/NTEQ DATE} you may have been seriously hit or beaten or attacked with a weapon. Since {Note 2: STOP DATE/NTEQ DATE} have you been attacked with a weapon such as a knife or a gun?

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.1	493	1	YES
90.9	90.9	4,895	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 459-460

**P297****BEATEN?.PD38**

Since {Note 1: STOP DATE/NTEQ DATE} have you been hit or beaten so seriously that you were badly bruised, had to see a doctor, or had to stay in bed for one day or more? |YES

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	404	1	YES
92.5	92.5	4,984	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 461-462



**P298** **TIMES ATTACKED/BEATEN.PD39**

(HAND R SHOWCARD H). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you ever been attacked with a weapon or seriously hit or beaten? Would you say one time, 2-5 times, 6-20 times, 21-100 times, more than or 100 times?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	7.6	411	1	ONE TIME
33.8	4.3	234	2	2-5 TIMES
6.8	0.9	47	3	6 OR MORE TIMES
	87.1	4,695	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 463-464

**P299** **WHEN LAST ATTACKED.PD40**

When were you last attacked with a weapon or seriously beaten?  
Was it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	2.9	155	1	WITHIN THE PAST MONTH
51.2	6.6	354	2	1-6 MONTHS AGO
24.4	3.1	169	3	7-12 MONTHS AGO
2.0	0.3	14	4	MORE THAN 12 MONTHS AGO
	87.1	4,695	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 465-466

**P301****EVER BEATEN BY SPOUSE/PARTNER?.PD41**

Since {Note 1: STOP DATE/NTEQ DATE}, have you been attacked or seriously beaten by a {Note 2: wife/husband} or someone who was like a spouse to you?

Note 1: See P138 Note 1 Note 2: See P262A1 Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	2.0	109	1	YES
84.3	10.8	584	2	NO
	87.1	4,695	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 467-468

**P302****S-S REC'D PARENTING TRAINING.PD42**

Since {Note 1: STOP DATE/NTEQ DATE} have you received any kind of counseling or attended any classes for problems you may have had raising children or to help you become a better parent? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	7.3	394	1	YES
78.5	26.7	1,441	2	NO
	65.9	3,553	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 469-470

**P303 # TIMES RECEIVED PARENTING TRAINING.PD43**

(POINT TO SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you received counseling or attended classes for problems you may have had raising your children or to become a better parent? Would you say one time, 2-3 times, 4-10 times, or 11 times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.4	23	1	ONE
17.5	1.3	69	2	2-3
29.9	2.2	118	3	4-10
46.7	3.4	184	4	11 OR MORE
	65.9	3,553	-6	NOT APPLICABLE
	26.7	1,441	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 471-472

**P304 S-S REC'D SERVICES FOR ABUSED?.PD44**

Since {Note 1: STOP DATE/NTEQ DATE}, have you received any counseling or attended any classes especially for people who have been abused? CODE ONE ONLY

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	459	1	YES
91.5	91.5	4,929	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 473-474

<b>P305</b>	<b># OF SESSIONS FOR ABUSED ATTENDED?.PD45</b>
-------------	--

(POINT TO SHOWCARD A). How many sessions or classes have you attended? Would you say one, 2-3, 4-10 or 11 or more? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	0.7	36	1	ONE
16.8	1.4	77	2	2-3
25.1	2.1	115	3	4-10
50.3	4.3	231	4	11 OR MORE
	91.5	4,929	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 475-476

<b>P306</b>	<b>S-S REC'D SERVS FOR OTHER FAMILY PROBS?.</b>
-------------	---

{Note 1: Not including any counseling or classes that you have told me about,} since {Note 1: STOP DATE/NTEQ DATE}, have you received any individual, group or family counseling for any other family problems?

Note 1: 'Not including and counseling...' if P302=1 and/or P304=1 .

blank if otherwise

Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.4	990	1	YES
81.6	81.6	4,398	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 477-478

**P307 # TIMES REC'D OTHER FAMILY PROBS SERVS.P**

(POINT TO SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you received individual, group, or family counseling for any other problems? Would you say one time, 2-3 times, 4-10 times, or 11 times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.9	46	1	ONE
16.5	3.0	163	2	2-3
22.1	4.0	218	3	4-10
56.8	10.4	561	4	11 OR MORE
	81.6	4,398	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 479-480

**P308 S-S REC'D ASSERTIVENESS TRAINING?.PD48**

Since {Note 1: STOP DATE/NTEQ DATE}, have you received any other kinds of classes or counseling to help you get along better with others, such as teaching you ways to speak up for yourself, or control your temper?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	22.3	1,199	1	YES
77.7	77.7	4,187	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 481-482

**P309****# TIMES ATTENDED ASSERT TRNG.PD49**

(POINT TO SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many such sessions or classes have you attended? Would you say one, 2-3 times, 4-10 times, or 11 times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	1.0	52	1	ONE
12.1	2.7	145	2	2-3
22.2	4.9	266	3	4-10
61.4	13.6	735	4	11 OR MORE
	77.7	4,189	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 483-484

**P310****S-S REC'D LIFE SKILLS TRNG?.PD50**

Since {Note 1: STOP DATE/NTEQ DATE}, have you attended any classes or received any lessons on how to do things for yourself like buy groceries, cook, clean house, or handle your money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.2	602	1	YES
88.8	88.8	4,786	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 485-486

**P311**

**# LIFE SKILLS TRNG SESSIONS ATTENDED?.PD**

(POINT TO SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many such sessions or classes have you attended? Would you say one, 2-3, 4-10, or 11 or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.7	39	1	ONE
17.1	1.9	103	2	2-3
23.4	2.6	141	3	4-10
53.0	5.9	319	4	11 OR MORE
	88.8	4,786	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 487-488

**P312**

**S-S REC'D SERVICES FOR TEENS?.PD52**

Since {Note 1: STOP DATE/NTEQ DATE}, have you received any counseling or any other kinds of help especially for teenagers? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	1.0	54	1	YES
69.3	2.3	122	2	NO
	96.7	5,212	3	NOT ASKED OF ADULTS
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 489-490

**P314**

**SECTION D ELAPSED TIME**

5,388 cases (Range of valid codes: 199-8398)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 491-494



**SECTION E: TREATMENT HISTORY/MENTAL HEALTH**

**P316 PRIOR TREATMENT?.PE1**

Now I am going to ask about any types of treatment you may have had for alcohol or drug problems you may have had, including professional help from doctors or counselors. Since {Note 1: STOP DATE/NTEQ DATE}, have you received any kinds of professional treatment or help for alcohol problems? Please do not include Alcoholics Anonymous or Al-Anon.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	26.5	1,426	1	YES
73.5	73.5	3,962	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 495-496

**P317 PRIOR DRUG TREATMENT?.PE2**

Since {Note 1: STOP DATE/NTEQ DATE}, have you received any kinds of professional treatment or help for other drug problems you may have had? Please do not include Narcotics Anonymous or Cocaine Anonymous.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	30.9	1,664	1	YES
69.1	69.1	3,724	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 497-498

**P319****NUMBER OF PRIOR TREATMENTS.PE3**

Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you entered a treatment program or started receiving treatment or help for your {Note 2: alcohol/drug/drug or alcohol} problems? TIMES IN TREATMENT:

Note 1: See P138 Note 1 Note 2: 'alcohol' if P316=1 and P317=2  
'drug' if P316=2 and P317=1 'drug or alcohol' if P316=1  
and P317=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	29.0	1,561	1	1
13.9	5.0	271	2	2
6.0	2.2	116	3	3 OR MORE
	63.7	3,432	-4	NONE
	0.1	8	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 499-500

<b>P321</b>	<b>TIME IN TREATMENT.PE5</b>
-------------	------------------------------

Since {Note 1: STOP DATE/NTEQ DATE}, how long did you receive {Note 2: alcohol/drug/alcohol or drug} treatment at {Note 3: PROVIDER}? Would you say it is was . . .

Note 1: See P138 Note 1 Note 2: 'alcohol' if P316=1 and P317=2  
 'drug' if P316=2 and P317=1 'alcohol or drug' if P316=1  
 and P317=1 blank if otherwise

Note 3: PROVIDER from P320  
 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	1.5	79	1	LESS THAN 1 WEEK
6.6	2.4	129	2	1-2 WEEKS
11.5	4.2	225	3	3-4 WEEKS
57.4	20.8	1,121	4	1-6 MONTHS
18.3	6.6	358	5	7-12 MONTHS
2.1	0.8	41	6	MORE THAN 12 MONTHS
	63.7	3,432	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 501-502

**P323****MODALITY OF LONGEST TREATMENT.PE6**

(HAND R SHOWCARD J). That time at {Note 1:PROGRAM}, what type of treatment or help did you receive? Was it inpatient, residential, outpatient or methadone? CODE ONE ONLY.

Note 1: See P321 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	6.7	362	1	INPATIENT
34.2	12.4	668	2	RESIDENTIAL
39.6	14.3	773	3	OUTPATIENT
7.6	2.8	149	4	METHADONE
	63.7	3,432	-6	NOT APPLICABLE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 503-504

**P324****HELPLESSNESS OF LONGEST TX.PE7**

How helpful was the treatment or help you received at {Note 1:PROGRAM} that time? Would you say very helpful, somewhat helpful, or not at all helpful?

Note 1: See P312 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	24.9	1,341	1	VERY HELPFUL
25.2	9.1	492	2	SOMEWHAT HELPFUL
6.0	2.2	116	3	NOT AT ALL HELPFUL
	63.7	3,432	-6	NOT APPLICABLE
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 505-506

**P326 ANY TREATMENT PROVIDERS SINCE STOP DATE.**

Since {Note 1: STOP DATE/NTEQ DATE}, where else have you started receiving treatment or help for your alcohol or drug problems?

PROBE FOR ALL PROVIDERS SINCE DATE {Note 2: STOP DATE/NTEQ DATE}.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	6.1	331	1	ENTER PROVIDER
16.2	1.2	64	2	NONE MENTIONED
	92.7	4,993	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 507-508

**P332M1 INPATIENT**

(POINT TO SHOWCARD J). Since {Note 1: STOP DATE/NTEQ DATE} how many inpatient treatments have you received from {Note 2:PROGRAM}?

Note 1: See P138 Note 1 Note 2: See P321 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	3.5	190	0	NONE
30.2	1.9	100	1	1
12.4	0.8	41	2	2 OR MORE
	93.9	5,057	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 509-510

<b>P333A1</b>	<b>HELPLEFULNESS OF TX.PE10</b>
---------------	---------------------------------

(POINT TO SHOWCARD J). How helpful was the treatment or help you received at {Note 1:PROGRAM}? Would you say very helpful, somewhat helpful, or not at all helpful?

Note 1: See P321 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	3.3	179	1	VERY HELPFUL
31.0	1.9	102	2	SOMEWHAT HELPFUL
14.6	0.9	48	3	NOT AT ALL HELPFUL
	93.9	5,057	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 511-512

<b>P332M2</b>	<b>RESIDENTIAL</b>
---------------	--------------------

(POINT TO SHOWCARD J). Since {Note 1: STOP DATE/NTEQ DATE} how many residential treatments have you received from {Note 2: PROGRAM}?

Note 1: See P138 Note 1 Note 2: See P321 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	4.6	248	0	NONE
21.1	1.3	70	1	1
3.9	0.2	13	2	2 OR MORE
	93.9	5,057	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 513-514



<b>P333A3</b>	<b>HELPLEFULNESS OF TX.PE10</b>
---------------	---------------------------------

How helpful was the treatment or help you received at {Note 1:PROGRAM}? Would you say very helpful, somewhat helpful, or not at all helpful?

Note 1: See P321 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	0.4	23	1	VERY HELPFUL
31.0	0.2	13	2	SOMEWHAT HELPFUL
14.3	0.1	6	3	NOT AT ALL HELPFUL
	99.2	5,346	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 519-520

<b>P332M4</b>	<b>METHADONE</b>
---------------	------------------

Since {Note 1: STOP DATE/NTEQ DATE} how many methadone treatments have you received from {Note 2:PROGRAM}?

Note 1: See P138 Note 1 Note 2: See P321 Note 3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	5.9	320	0	NONE
2.1	0.1	7	1	1
1.2	0.1	4	2	2 OR MORE
	93.9	5,057	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 521-522





**P335M1****ALCOHOL ANONYMOUS**

ALCOHOL ANONYMOUS Which have you attended? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	46.2	2,491	1	YES
53.8	53.8	2,897	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 527-528

**P335M2****NARCOTICS ANONYMOUS**

NARCOTICS ANONYMOUS Which have you attended? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	43.4	2,340	1	YES
56.6	56.6	3,048	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 529-530

**P335M3****COCAINE ANONYMOUS**

COCAINE ANONYMOUS Which have you attended? CODE ALL THAT APPLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.5	728	1	YES
86.5	86.5	4,660	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 531-532

**P336 ATTENDED 5+ MEETINGS LAST 12 MONTHS?.PE1**

Since {Note 1: STOP DATE/NTEQ DATE}, have you been to five or more of any of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	58.8	3,166	1	YES
7.8	5.0	269	2	NO
	36.2	1,953	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 533-534

**P337 HELPFULLNESS OF 12 STEP MEETING.PE14**

How helpful were the CA, NA, or AA meetings you attended since {Note 1: STOP DATE/NTEQ DATE}? Would you say very helpful, somewhat helpful, or not at all helpful?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	40.9	2,203	1	VERY HELPFUL
29.5	18.8	1,013	2	SOMEWHAT HELPFUL
6.4	4.1	219	3	NOT AT ALL HELPFUL
	36.2	1,953	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 535-536

**P338****S-S TOOK MEDICINES FOR DRUG/ALC PROBS?.P**

In the past 7 days, did you take any medicines that were prescribed by a doctor for drug or alcohol problems, such as methadone, amantidine, or antabuse?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	304	1	YES
94.4	94.4	5,084	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 537-538

**P342****LEVEL OF METHADONE PRESCRIBED.PE17**

In general, would you say that the doses of methadone you were prescribed were too high, the right amount, or too low?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.2	9	1	TOO HIGH
73.9	3.3	176	2	THE RIGHT AMOUNT
22.3	1.0	53	3	TOO LOW
	95.5	5,148	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 539-540



**P346****OUTPATIENT MENTAL HEALTH TREATMENT?.PE20**

Now, I would like you to think about any out-patient treatment you may have had for problems with your emotions, nerves, or mental health. Since {Note 1: STOP DATE/NTEQ DATE}, have you received out-patient treatment for problems with your emotions, nerves, or mental health?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	500	1	YES
90.7	90.7	4,888	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

**P347****# OF MHEALTH VISITS LAST 12 MOS.E5B**

(HAND R SHOWCARD K). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you gone to a clinic, doctor or counselor for problems with your emotions, nerves, or mental health? Has it been none, 1-5 times, 6-10 times, 11-30 times, or 31 times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	90.9	4,895	1	NONE
3.5	3.5	188	2	1-5 TIMES
1.6	1.6	85	3	6-10 TIMES
2.3	2.3	124	4	11-30 TIMES
1.7	1.7	94	5	31 TIMES OR MORE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 547-548

**P348 PSYCHOTROPIC DRUGS TAKEN LAST 7 DAYS?.PE**

In the past seven days, did you take any medicines that were prescribed by a doctor for your emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.2	444	1	YES
91.8	91.7	4,943	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 549-550

**P350 SUDDEN FEAR W/OUT DANGER? .PE23**

People sometimes feel very frightened or nervous when they are the center of attention or when they know they are in danger. But people may also become very frightened or nervous at other times. Since {Note 1: STOP DATE/NTEQ DATE}, have you all of a sudden ever felt very frightened or nervous when you were not the center of attention or in any danger?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	15.5	836	1	YES
84.5	84.4	4,549	2	NO
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 551-552

**P351****SUDDEN IRRATIONAL FEAR? .PE24**

Now think about the times since {Note 1: STOP DATE/NTEQ DATE} when you felt very suddenly frightened or nervous and you were not the center of attention or in danger. Did this happen at times or in situations when most other people would not have been very afraid or nervous?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	10.9	589	1	YES
26.7	4.0	215	2	NO
	84.5	4,552	-6	NOT APPLICABLE
	0.6	32	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 553-554

**P352****DRUG-INDUCED SUDDEN FEAR.PE25**

Were none, some, or all of these times since {Note 1: STOP DATE/NTEQ DATE} caused by the drugs and alcohol you took?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	4.8	260	1	NONE
28.6	3.1	167	2	SOME
26.8	2.9	156	3	ALL
	89.1	4,799	-6	NOT APPLICABLE
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 555-556



**P353 TREMBLING WHEN FRIGHTENED?.PE26A**

During any of the times like that . . . a. were you trembling or shaking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	4.6	248	1	YES
41.8	3.3	178	2	NO
	92.1	4,961	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 557-558

**P354 SWEATING WHEN FRIGHTENED?.PE26B**

b. were you sweating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	4.5	244	1	YES
42.6	3.4	181	2	NO
	92.1	4,961	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 559-560

<b>P355</b>	<b>TROUBLE BREATHING WHEN FRIGHTENED?.PE26C</b>
-------------	---

c. were you having trouble breathing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	3.1	167	1	YES
60.8	4.8	259	2	NO
	92.1	4,961	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 561-562

<b>P356</b>	<b>HEART POUNDING WHEN FRIGHTENED?.PE26D</b>
-------------	--

d. was you heart pounding?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	6.5	351	1	YES
17.6	1.4	75	2	NO
	92.1	4,961	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 563-564

**P357 SEVERELY DEPRESSED FOR TWO WEEKS?.PE27**

Since {Note 1: STOP DATE/NTEQ DATE} have you had a period of two weeks or longer when you felt either very sad or depressed?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	35.1	1,889	1	YES
64.9	64.9	3,497	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 565-566

**P358 LOST INTEREST IN LIFE FOR 2 WEEKS?.PE28**

Since {Note 1: STOP DATE/NTEQ DATE} have you had a period of 2 weeks or longer when you lost interest and pleasure in things you care about?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	30.9	1,664	1	YES
69.1	69.1	3,721	2	NO
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 567-568

**P359****DRUG-INDUCED 2 WEEK PERIODS.PE29**

Were none, some, or all of the these times caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	14.4	774	1	NONE OF THE TIMES
29.2	9.0	484	2	SOME OF THE TIMES
24.1	7.4	399	3	ALL OF THE TIMES
	69.1	3,724	-6	NOT APPLICABLE
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 569-570

**P360****ATTEMPTED SUICIDE?.PE30**

Since {Note 1: STOP DATE/NTEQ DATE}, have you attempted suicide?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	187	1	YES
96.5	96.5	5,200	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 571-572

**P361 SUICIDE ATTEMPTED MORE THAN ONCE?.PE31**

Since {Note 1: STOP DATE/NTEQ DATE} have you attempted suicide more than once?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	81	1	YES
98.5	98.5	5,307	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 573-574

**P362 DRUG-INDUCED SUICIDE ATTEMPT?.PE32**

Was this suicide attempt caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	1.1	58	1	YES
44.8	0.9	47	2	NO
	98.0	5,282	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 575-576

**P363****DRUG-INDUCED SUICIDE ATTEMPTS.PE33**

Were none, some, or all of these suicide attempts caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	0.3	17	1	NONE
24.7	0.4	20	2	SOME
54.3	0.8	44	3	ALL
	98.5	5,307	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 577-578

**P364****SUICIDAL THOUGHTS?.PE34**

Since {Note 1: STOP DATE/NTEQ DATE}, have you thought seriously about committing suicide?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	654	1	YES
87.9	87.8	4,733	2	NO
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 579-580

**P365 DRUG-INDUCED SUICIDAL THOUGHTS.PE35**

Were none, some, or all of these times caused by drugs or alcohol you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	3.2	174	1	NONE
28.4	2.4	132	2	SOME
34.2	3.0	159	3	ALL
	91.3	4,921	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 581-582

**P367 HAD HALLUCINATIONS?.PE36**

Since {Note 1: STOP DATE/NTEQ DATE} have you seen or heard things that no one else could see or hear, that is, you had hallucinations?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.9	427	1	YES
92.1	92.1	4,960	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 583-584

<b>P368</b>	<b>DRUG-INDUCED HALLUCINATIONS.PE37</b>
-------------	---

Would you say that none, some, or all of these hallucinations were caused by drugs or alcohol that you took?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	1.6	86	1	NONE
26.6	2.1	112	2	SOME
53.0	4.1	223	3	ALL
	92.1	4,961	-6	NOT APPLICABLE
	0.1	6	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 585-586

<b>P369</b>	<b>TROUBLED/BOTHERED BY MENTAL HEALTH.PE38</b>
-------------	--

Right now, how troubled or bothered are you by your emotions, nerves, or mental health? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	65.1	3,509	1	NOT AT ALL
27.9	27.8	1,500	2	SOMEWHAT
7.0	7.0	375	3	VERY MUCH
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 587-588

<b>P370</b>	<b>SECTION E ELAPSED TIME</b>
-------------	-------------------------------

5,388 cases (Range of valid codes: 233-8949)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 589-592



**SECTION F: CRIMINAL JUSTICE INVOLVEMENT**

**P378 CRIMINAL ACTIVITY?.DRIVEN DRUNK/HIGH.PF1**

(HAND R SHOWCARD L). Since {Note 1: STOP DATE/NTEQ DATE} have you done any of the following things? READ EACH ACTIVITY. a. Driven a vehicle (car, truck, van or motorcycle) while you were drunk or high (DWI/DUI)?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	12.2	655	1	YES
86.2	76.0	4,094	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	8	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 593-594

**P379 EVER STOLE A VEHICLE.PF1B**

(HAND R SHOWCARD L). b. Stolen a vehicle (car, truck, van or motorcycle)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.8	98	1	YES
97.9	86.4	4,653	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 595-596

<b>P380</b>	<b>EVER SOLD DRUGS.PF1C</b>
-------------	-----------------------------

(HAND R SHOWCARD L). c. Sold drugs yourself or helped someone else sell drugs, including cutting, weighting, packaging or manufacturing drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.5	621	1	YES
86.9	76.6	4,125	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.2	11	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 597-598

<b>P381</b>	<b>GOT CUSTOMERS FOR PROSTITUTES.PF1D</b>
-------------	---

(HAND R SHOWCARD L). d. Gotten customers for prostitutes (pimping)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.1	168	1	YES
96.5	85.1	4,583	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 599-600

**P382** **EVER HAD SEX FOR MONEY/DRUGS.PF1E**

(HAND R SHOWCARD L). e. Had sex for money or drugs (prostitution)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.3	288	1	YES
93.9	82.8	4,462	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 601-602

**P383** **EVER PASSED BAD/STOLEN CHECKS/CREDIT CAR**

(HAND R SHOWCARD L). f. Passed bad checks, forged checks, or used a stolen credit card?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.0	109	1	YES
97.7	86.1	4,641	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	7	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 603-604

<b>P384</b>	<b>EVER WORKED IN BOOKMAKING.PF1G</b>
-------------	---------------------------------------

(HAND R SHOWCARD L). g. Worked in bookmaking, numbers or illegal gambling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	48	1	YES
99.0	87.3	4,704	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 605-606

<b>P385</b>	<b>EVER EMBEZZLED.PF1H</b>
-------------	----------------------------

(HAND R SHOWCARD L). h. Taken someone's money or property in some way, such as fraud or embezzlement?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	3.9	209	1	YES
95.6	84.3	4,541	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	2	-2	DON'T KNOW
	0.1	5	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 607-608

**P386** **EVER BOUGHT STOLEN GOODS.PF1I**

(HAND R SHOWCARD L). i. Bought or had things you knew were stolen (fenced)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	12.0	646	1	YES
86.4	76.2	4,105	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 609-610

**P387** **SHOPLIFTED.PF1J**

(HAND R SHOWCARD L). j. Taken something from a store without paying for it, that is, shoplifted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	9.9	536	1	YES
88.7	78.2	4,215	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 611-612

<b>P388</b>	<b>BROKE INTO HOUSE,ETC.PF1K</b>
-------------	----------------------------------

(HAND R SHOWCARD L). k. Broken into a house, a business, or a vehicle to take someone else's money or property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.4	181	1	YES
96.2	84.8	4,571	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	5	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 613-614

<b>P389</b>	<b>USED WEAPON/FORCE TO STEAL.PF1L</b>
-------------	--

(HAND R SHOWCARD L). l. Used a weapon or physical force against someone to steal money or property from them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.1	113	1	YES
97.6	86.1	4,638	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 615-616

**P390 SET FIRE TO BUILDING/VEHICLE.PF1M**

(HAND R SHOWCARD L). m. Set fire to a house, building, or vehicle (arson)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	20	1	YES
99.6	87.8	4,731	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.1	5	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 617-618

**P391 DESTROYED PROPERTY.PF1N**

(HAND R SHOWCARD L). n. Destroyed or damaged someone's property in some other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.3	176	1	YES
96.3	84.9	4,574	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	7	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 619-620

**P392****ATTACKED/THREATENED SOMEONE.PF10**

(HAND R SHOWCARD L). o. Attacked or threatened someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.2	226	1	YES
95.2	84.0	4,524	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	7	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 621-622

**P393****BEATEN SOMEONE UP.PF1P**

(HAND R SHOWCARD L). p. Beaten up someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	8.9	478	1	YES
89.9	79.3	4,273	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 623-624



**P394 SEVERELY HURT SOMEONE.PF1Q**

(HAND R SHOWCARD L). q. Severely hurt someone on purpose in any other way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.6	139	1	YES
97.1	85.6	4,611	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	7	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 625-626

**P395 FORCED SEX ON SOMEONE.PF1R**

(HAND R SHOWCARD L). r. Forced someone to have sex or to do any kind of sex act against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	13	1	YES
99.7	87.9	4,738	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 627-628

**P397****COMMITTED OTHER OFFENSE.PF1T1**

(HAND R SHOWCARD L). t. Done anything else against the law that I didn't ask about? ..

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.2	170	1	YES
96.4	85.0	4,580	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 629-630

**P400A2****TIMES STOLE A VEHICLE**

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you stolen a vehicle? Has it been one time, 2-5 times, 6-20 times, 21-100 times, or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	0.6	34	1	ONE
65.3	1.2	64	2	2 OR MORE
	11.7	631	-7	NOT ASKED OF INMATES
	86.5	4,659	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 631-632

<b>P400A3</b>	<b>TIMES SOLD DRUGS</b>
---------------	-------------------------

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you sold drugs or helped someone else sell drugs? Has it been one time, 2-5 times, 6-20 times, 21-100 times or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.8	41	1	ONE
25.9	2.9	158	2	2-5
24.5	2.8	150	3	6-20
20.8	2.4	127	4	21-100
22.1	2.5	135	5	100+
	11.7	631	-7	NOT ASKED OF INMATES
	76.8	4,136	-4	NONE
	0.0	1	-2	DON'T KNOW
	0.2	9	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 633-634

P400A5

## TIMES HAD SEX FOR MONEY/DRUGS

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you had sex for money or drugs? Has it been one time, 2-5 times, 6-20 times, 21-100 times or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	0.4	22	1	ONE
34.2	1.8	96	2	2-5
27.4	1.4	77	3	6-20
20.3	1.1	57	4	21-100
10.3	0.5	29	5	100+
	11.7	631	-7	NOT ASKED OF INMATES
	82.9	4,469	-4	NONE
	0.1	3	-2	DON'T KNOW
	0.1	4	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 635-636

<b>P400A10</b>	<b>TIMES SHOPLIFTED</b>
----------------	-------------------------

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you taken something from a store without paying for it? Has it been one time, 2-5 times, 6-20 times, 21-100 times or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	1.6	85	1	ONE
34.0	3.3	180	2	2-5
26.6	2.6	141	3	6-20
17.2	1.7	91	4	21-100
6.2	0.6	33	5	100+
	11.7	631	-7	NOT ASKED OF INMATES
	78.3	4,221	-4	NONE
	0.1	3	-2	DON'T KNOW
	0.1	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 637-638

P400A11

TIMES BROKE INTO HOUSE,ETC

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you broken into a house, business, or a vehicle to take someone else's property? Has it been one time, 2-5 times, 6-20 times, 21-100 times or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	1.3	69	1	ONE
61.2	2.0	109	2	2 OR MORE
	11.7	631	-7	NOT ASKED OF INMATES
	84.9	4,576	-4	NONE
	0.0	1	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 639-640

<b>P400A12</b>	<b>TIMES USED WEAPON/FORCE TO STEAL</b>
----------------	---

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you used a weapon or physical force against someone to steal money or property from them? Has it been one time, 2-5 times, 6-20 times, 21-100 time, or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.7	37	1	ONE
43.2	0.9	48	2	2-5
17.1	0.4	19	3	6-20
6.3	0.1	7	4	21-100
	11.7	631	-7	NOT ASKED OF INMATES
	86.2	4,644	-4	NONE
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 641-642

<b>P400A15</b>	<b>TIMES ATTACKED/THREATENED SOMEONE</b>
----------------	--

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you attacked or threatened someone with a weapon? Has it been one time, 2-5 times, 6-20 times, 21-100 times or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	1.4	76	1	ONE
49.1	2.0	110	2	2-5
17.0	0.7	38	3	6 OR MORE
	11.7	631	-7	NOT ASKED OF INMATES
	84.1	4,531	-4	NONE
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 643-644

<b>P400A16</b>	<b>TIMES BEAT SOMEONE UP</b>
----------------	------------------------------

(HAND R SHOWCARD A). Since {Note 1: STOP DATE/NTEQ DATE}, how many different times have you beaten up someone? Has it been one time, 2-5 times, 6-20 times, 21-100 times or more than 100 times? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	3.4	181	1	ONE
45.5	4.0	217	2	2-5
16.6	1.5	79	3	6 OR MORE
	11.7	631	-7	NOT ASKED OF INMATES
	79.4	4,279	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 645-646





<b>P404A21</b>	<b>ARRESTED FOR OTHER.PF4</b>
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	5,388	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 651-652

<b>P408</b>	<b>TIMES ARRESTED.PF5</b>
-------------	---------------------------

(HAND R SHOWCARD C). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you been arrested and booked or taken into custody? PROBE FOR BEST ESTIMATE.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	13.8	742	1	ONE TIME
24.3	4.9	262	2	2-3 TIMES
5.7	1.2	62	3	4-10 TIMES
1.3	0.3	14	4	11 OR MORE TIMES
	79.8	4,301	-4	NONE
	0.0	2	-2	DON'T KNOW
	0.1	5	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 653-654

**P409** **TIMES CONVICTED.PF6**

Altogether, how many of the {Note 1: CATEGORY} you were arrested and booked, or taken into custody resulted in convictions? Would you say none, one time, 2-3 times?

Note 1: CATEGORY from response to P408  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	2.2	117	1	ONE TIME?
65.8	4.2	225	2	2 OR MORE TIMES?
	93.6	5,043	-4	NONE
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 655-656

**P410** **ANY CONVICTIONS.PF7**

Did this time that you were arrested and booked, or taken into custody result in any convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	6.6	353	1	YES
50.8	6.8	365	2	NO
	86.2	4,646	-6	NOT APPLICABLE
	0.4	24	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 657-658

**P411****EVER IN JUVENILE FACILITY.PF8**

Since {Note 1: STOP DATE/NTEQ DATE} have you been locked up in a juvenile detention facility, a juvenile training school, or in any other kind of juvenile facility because you were accused of or sentenced for committing a crime?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	2.1	115	1	YES
47.0	1.9	102	2	NO
	96.0	5,171	3	NOT ASKED OF ADULTS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 659-660

**P412****EVER KEPT IN JAIL 24+ HOURS.PF9**

Since {Note 1: STOP DATE/NTEQ DATE}, have you ever been kept in jail or prison for more than 24 hours at one time? {Note 2: Please do not include any time you spent in a juvenile facility.}

Note 1: See P138 Note 1 Note 2: 'Please do not include...' if R is younger than 18  
blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.9	1,986	1	YES
63.1	63.1	3,402	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 661-662



<b>P416</b>	<b>UNDER JUVENILE PAROLE.PF11_2</b>
-------------	-------------------------------------

FOR R's 25 OR UNDER ONLY: Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Juvenile Parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.3	18	1	YES
97.9	15.3	827	2	NO
	6.4	344	-7	NOT ASKED OF INMATES
	77.9	4,199	3	RESPONDENT 26 OR OLDER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 667-668

<b>P417</b>	<b>UNDER ADULT PROBATION.PF11_3</b>
-------------	-------------------------------------

FOR ALL R's: Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Adult Probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.0	272	1	YES
93.7	75.5	4,070	2	NO
	19.4	1,046	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 669-670

**P418 UNDER ADULT PAROLE.PF11\_4**

FOR ALL R's: Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Adult Parole or Conditional Release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.3	71	1	YES
98.4	79.3	4,271	2	NO
	19.4	1,046	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 671-672

**P419 UNDER WORK RELEASE.PF11\_5**

FOR ALL R's: Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Work Release?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	5	1	YES
99.9	80.5	4,337	2	NO
	19.4	1,046	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 673-674

P420

UNDER OTHER SUPERVISION.PF11\_6

FOR ALL R's: Right now, are you under any of the following kinds of supervision? PROBE FOR CURRENT STATUS. Electronic monitoring or other supervision?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	22	1	YES
99.5	80.2	4,320	2	NO
	19.4	1,046	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 675-676



<b>P423</b>	<b>HOW OFTEN TALK TO OFFICER.PF12</b>
-------------	---------------------------------------

(HAND R SHOWCARD N). How often do you talk to your {Note 1: parole/or/ probation} {Note 2: officer/officers}? Would you say 5 or more times per week, 2-4 times per week, 1 time per week, 2-3 times per month, or once a month or less?

Note 1: 'parole' if P416=1 or P418=1  
 'or' if P415=1 and P416=1 'or' if P417=1 and P418=1  
 'probation' if P415=1 or P417=1 blank if otherwise  
 Note 2: 'officer' if P415=1 and P416=1  
 'officer' if P417=1 and P418=1 'officers' if P415=1 and P416=1 'officers' if P417=1 and P418=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.2	13	1	5 OR MORE TIMES PER WEEK
6.2	0.4	23	2	2-4 TIMES PER WEEK
17.5	1.2	65	3	ONCE A WEEK
20.2	1.4	75	4	2-3 TIMES A MONTH
52.6	3.6	195	5	ONCE A MONTH OR LESS
	19.7	1,059	-7	NOT ASKED OF INMATES
	0.4	19	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
	73.1	3,938	6	NOT UNDER SUPERVISION
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: 6, lowest thru -1  
 Columns: 677-678

<b>P425</b>	<b>CRIMINAL CHARGES.PF13</b>
-------------	------------------------------

Right now, do you have any [other] charges or criminal cases against you, including a conviction that you are awaiting sentencing for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.8	526	1	YES
90.2	89.9	4,846	2	NO
	0.1	5	-2	DON'T KNOW
	0.2	11	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 679-680

<b>P426</b>	<b>OUTSTANDING WARRANTS.PF14</b>
-------------	----------------------------------

Right now, do you have any outstanding warrants for your arrest?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	242	1	YES
95.5	94.8	5,110	2	NO
	0.6	30	-2	DON'T KNOW
	0.1	6	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 681-682

<b>P428</b>	<b>ELAPSED TIME SECTION F</b>
-------------	-------------------------------

5,388 cases (Range of valid codes: 274-11882)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 683-687

**SECTION G: SOURCES OF SUPPORT**

**P430 EVER SUPPORTED BY ILLEGAL ACTIVITY?.PG1**

Next, I would like to ask about how you have supported yourself, that is, how you've gotten the money that you use to live on. Since {Note 1: STOP DATE/NTEQ DATE}, have you gotten most of your support from illegal activity, or any business that involves illegal activity, such as hustling, dealing, bookmaking, or other

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	7.4	399	1	YES
91.6	80.8	4,355	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 688-689

**P431M1****DRUG DEALING**

DRUG DEALING (HAND R SHOWCARD M). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	4.7	254	1	YES
36.0	2.7	143	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 690-691

**P431M2****MOONSHINING, BOOT LEGGING, RUNNING LIQUO**

MOONSHINING, BOOT LEGGING, RUNNING LIQUO (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.4	397	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 692-693



**P431M5****FORGERY/PASSING BAD CHECKS/CREDIT CARD F**

FORGERY/PASSING BAD CHECKS/CREDIT CARD F (HAND R SHOWCARD C).  
 When you were getting most of your support from illegal  
 activities, what did you do most of the time to get the money?  
 CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	12	1	YES
97.0	7.1	385	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 698-699

**P431M6****BOOKMAKING/NUMBERS/GAMBLING**

BOOKMAKING/NUMBERS/GAMBLING (HAND R SHOWCARD C). When you were  
 getting most of your support from illegal activities, what did you  
 do most of the time to get the money? CODE ALL MENTIONS. IF  
 NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.1	8	1	YES
98.0	7.2	389	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 700-701

**P431M7 RECEIVING/POSSESSION OF STOLEN GOODS**

RECEIVING/POSSESSION OF STOLEN GOODS (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.6	34	1	YES
91.4	6.7	363	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 702-703

**P431M8 MOTOR VEHICLE THEFT**

MOTOR VEHICLE THEFT (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.4	20	1	YES
95.0	7.0	377	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 704-705

**P431M9****SHOPLIFTING**

SHOPLIFTING (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	1.8	95	1	YES
76.1	5.6	302	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 706-707

**P431M10****BREAKING AND ENTERING/BURGLARY**

BREAKING AND ENTERING/BURGLARY (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	0.6	35	1	YES
91.2	6.7	362	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 708-709



**P431M11 ARMED ROBBERY/ROBBERY BY FORCE**

ARMED ROBBERY/ROBBERY BY FORCE (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.3	16	1	YES
96.0	7.1	381	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 710-711

**P431M12 OTHER THEFT (LARCENY/PICK POCKETING/PURS**

OTHER THEFT (LARCENY/PICK POCKETING/PURS (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.4	23	1	YES
94.2	6.9	374	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 712-713

**P431M15****MURDER**

MURDER (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.4	397	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 714-715

**P431M16****OTHER ILLEGAL ACTIVITY**

OTHER ILLEGAL ACTIVITY (HAND R SHOWCARD C). When you were getting most of your support from illegal activities, what did you do most of the time to get the money? CODE ALL MENTIONS. IF NECESSARY, PROBE WITH CATEGORIES.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.4	20	1	YES
95.0	7.0	377	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	80.9	4,358	-6	NOT APPLICABLE
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 716-717

**P434 CURRENTLY EMPLOYED?.PG4**

Now, I would like to ask about other ways you have supported yourself and your family that do not involve illegal activities. Right now, do you have a job? That is, do you do any work for pay that does not involve illegal activity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	36.3	1,956	1	YES
54.7	43.8	2,358	2	NO
	19.9	1,073	-7	NOT ASKED OF INMATES
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 718-719

**P437A1 TYPE OF JOB.PG5A**

Next, I will ask about any jobs that you have now. First, please tell me about the job where you work the most hours, and then tell me about other jobs, if any. RECORD VERBATIM. RECORD CODE FROM CODE LIST: gardener)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	7.4	397	3	SERVICE WORKER
15.1	5.5	295	5	SKILLED WORKER OR CRAFTSMEN
64.6	23.4	1,262	14	OTHER
	43.8	2,359	-9	NO CURRENT JOB
	19.9	1,073	-7	NOT ASKED OF INMATES
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 720-721

**P438A1****ANOTHER JOB?.PG6**

Do you have another job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	3.6	196	1	YES
90.0	32.7	1,760	2	NO
	43.8	2,359	-9	NO CURRENT JOB
	19.9	1,073	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 722-723

**P441A1****HOURS WORKED AT JOB.PG7**

How many hours each week do you usually work at the first job you told me about? PROBE FOR NUMBER OF HOURS R USUALLY WORKS. HOURS:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	3.4	184	1	20 OR LESS
17.0	6.2	332	2	21-35
46.8	16.9	911	3	36-40
26.7	9.7	521	4	40 OR MORE
	43.8	2,359	-9	NO CURRENT JOB
	19.9	1,073	-7	NOT ASKED OF INMATES
	0.1	7	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 724-725



<b>P442A2</b>	<b>HOW LONG AT JOB.PG8</b>
---------------	----------------------------

(HAND R SHOWCARD J). How long have you had this job? Has it been  
. . . CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	0.4	22	1	LESS THAN 1 MONTH
45.4	1.7	89	2	1-6 MONTHS
11.2	0.4	22	3	7-12 MONTHS
32.1	1.2	63	4	MORE THAN 12 MONTHS
	76.4	4,119	-9	NO CURRENT JOB
	19.9	1,073	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 730-731

<b>P445</b>	<b>SAW DRUG USE/SALE NEAR JOB LAST 7 DAYS?.</b>
-------------	---

In the past seven days did you see anyone using or selling drugs  
not including alcohol at or near any place where you were working?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	4.5	244	1	YES
87.5	31.7	1,710	2	NO
	43.8	2,359	-9	NO CURRENT JOB
	19.9	1,073	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 732-733

**P446 OFFERED DRUGS NEAR WORK LAST 7 DAYS?.PG1**

In the last seven days did anyone try to get you to buy or use drugs at or near any place were you were working?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	2.1	112	1	YES
94.3	34.2	1,842	2	NO
	43.8	2,359	-9	NO CURRENT JOB
	19.9	1,073	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 734-735

**P449A1 G12S-CAPI SUMMARY CODE FRAME-REASONS NOT WORKING**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	10.4	562	10	JOB RELATED
0.6	0.3	17	20	FINANCIAL
3.9	2.0	108	30	CHILD CARE
1.5	0.8	41	40	TRANSPORTATION
1.0	0.5	27	50	FAMILY/FRIEND PROBLEMS
1.5	0.8	42	70	LEGAL BARRIER
7.1	3.6	196	80	SKILL/EXPERIENCE/EDUCATION
13.6	7.0	376	100	DRUG USE
16.9	8.7	467	110	ILLNESS/INJURY
33.7	17.3	932	120	OTHER
	48.6	2,618	-9	LEGITIMATE SKIP
	0.0	1	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 736-738

<b>P450M1</b>	<b>REASON FOR NOT WORKING F/T - JOB RELATED</b>
---------------	---

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	10.8	584	1	YES
78.9	40.6	2,190	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 739-740

<b>P450M2</b>	<b>REASON FOR NOT WORKING F/T - FINANCIAL</b>
---------------	---

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.5	25	1	YES
99.1	51.0	2,749	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 741-742



**P450M3 REASON FOR NOT WORKING F/T - CHILD CARE**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	2.4	130	1	YES
95.3	49.1	2,644	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 743-744

**P450M4 REASON FOR NOT WORKING F/T - TRANSPORTAT**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.0	54	1	YES
98.1	50.5	2,720	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 745-746

**P450M5****REASON FOR NOT WORKING F/T - FAMILY/FRIE**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.8	42	1	YES
98.5	50.7	2,732	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 747-748

**P450M6****REASON FOR NOT WORKING F/T - RACE/ETHNIC**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	51.5	2,774	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 749-750

**P450M7 REASON FOR NOT WORKING F/T - LEGAL BARRI**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.9	50	1	YES
98.2	50.6	2,724	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 751-752

**P450M8 REASON FOR NOT WORKING F/T - SKILL/EXPER**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	4.6	249	1	YES
91.0	46.9	2,525	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 753-754

**P450M9****REASON FOR NOT WORKING F/T - DRUG USE**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	8.0	433	1	YES
84.4	43.4	2,341	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 755-756

**P450M10****REASON FOR NOT WORKING F/T - ILLNESS/INJ**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	9.9	533	1	YES
80.8	41.6	2,241	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 757-758

**P450M11 REASON FOR NOT WORKING F/T - OTHER**

What is the reason that you do not now have a job [where you worked 35 hours a week or more]? RECORD VERBATIM AND CODE ALL REASONS MENTIONED FROM CODE LIST. F NECESSARY ASK: What other reasons do you have? CODE FIRST REASON:

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	18.9	1,018	1	YES
63.3	32.6	1,756	2	NO
	48.5	2,614	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 759-760

**P451 HAD F/T JOB IN REF PERIOD?.PG12**

Since {Note 1: STOP DATE/NTEQ DATE}, have you had a full-time job, that is, have you worked 35 hours or more a week at a job that did not involve illegal activity?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	16.4	883	1	YES
49.0	43.3	2,333	2	NO
32.4	28.6	1,541	3	CURRENTLY WORKING
	11.7	631	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 761-762

<b>P452</b>	<b>TIME SINCE LAST F/T JOB.PG13</b>
-------------	-------------------------------------

When were you last employed at any one job where you worked 35 hours a week or more? Was it . . . PROBE FOR R's MOST RECENT JOB(S).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	3.4	184	1	WITHIN THE PAST MONTH
21.2	9.5	514	2	1-6 MONTHS AGO
7.1	3.2	172	3	7-12 MONTHS AGO
0.5	0.2	12	4	MORE THAN 12 MONTHS AGO
63.6	28.6	1,541	5	CURRENTLY WORKING
	11.7	631	-7	NOT ASKED OF INMATES
	43.3	2,333	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 763-764

<b>P453</b>	<b>LONGEST TIME HELD F/T JOB.PG14</b>
-------------	---------------------------------------

Since {Note 1: STOP DATE/NTEQ DATE}, what is the longest time you have had any one job where you worked 35 hours a week or more? Is the longest time . . .

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	3.0	162	1	LESS THAN ONE MONTH
55.6	25.0	1,347	2	1-6 MONTHS
32.8	14.7	794	3	7-12 MONTHS
4.9	2.2	118	4	MORE THAN 12 MONTHS
	11.7	631	-7	NOT ASKED OF INMATES
	43.3	2,333	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 765-766

**P454 CURRENTLY AT LONGEST HELD JOB?.PG15**

Are you now working at that job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	23.9	1,287	1	YES
16.5	4.7	254	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	59.7	3,216	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 767-768

**P456 TYPE OF JOB-CODE.PG17**

What kind of work did you do at the full-time job that you had the longest since {Note 1: STOP DATE/NTEQ DATE}? That is, what was your job title or what was your job called? RECORD VERBATIM.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.2	67	1	CLERICAL WORKER
8.1	1.7	92	2	SALES WORKER
22.2	4.7	252	3	SERVICE WORKER
4.4	0.9	50	4	PRIVATE HOUSEHOLD WORKER
16.4	3.5	186	5	SKILLED WORKER OR CRAFTSMEN
19.4	4.1	221	6	LABORER
3.6	0.8	41	7	OPERATOR OR MACHINE OPERATOR
16.9	3.6	192	14	OTHER
3.2	0.7	36	15	INTERVIEWER UNABLE TO CODE
	11.7	631	-7	NOT ASKED OF INMATES
	67.2	3,620	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 769-770

**P460M2****WAGE RATE - HOURLY**

Before taxes, what {Note 1: was your highest/is your} wage, salary, or rate of pay at that job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	1.9	100	1	LESS THAN 4.25
72.7	31.5	1,699	2	4.25-10.00
23.1	10.0	539	3	MORE THAN 10.00
	56.6	3,050	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 771-772

**P460****RATE OF PAY AT LONGEST JOB-RATE.PG18\_3**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	30.0	1,618	1	PER HOUR
19.4	8.6	465	2	EVERY WEEK
3.5	1.5	83	3	EVERY TWO WEEKS
4.1	1.8	99	4	PER MONTH
3.6	1.6	87	5	PER YEAR
1.8	0.8	42	6	OTHER
	55.0	2,964	-9	LEGITIMATE SKIP
	0.1	6	-2	DON'T KNOW
	0.4	24	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 773-774



**P462 MONTHS WORKED IN LAST 12.PG19**

(HAND R SHOWCARD H). Since {Note 1: STOP DATE/NTEQ DATE}, how many months have you worked at any jobs? Would you say . . .

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	33.4	1,802	1	NONE?
4.6	4.1	221	2	LESS THAN ONE MONTH?
12.6	11.2	601	3	1-3 MONTHS?
19.7	17.4	936	4	4-6 MONTHS?
11.0	9.7	524	5	7-9 MONTHS?
11.3	10.0	539	6	10-12 MONTHS?
2.8	2.5	133	7	MORE THAN 12 MONTHS?
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 775-776

**P464 S-S REC'D JOB SKILLS SERVICES?.PG20**

Since {Note 1: STOP DATE/NTEQ DATE}, have you gotten any classes or lessons to help you get a job, to help you hold a job or to improve your job skills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	15.6	838	1	YES
84.4	84.4	4,550	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 777-778

**P465****# SESSIONS ATTENDED FOR JOB SKILLS.PG21**

How many sessions or classes (did you attend/have you attended)?  
Would you say one, 2-3, 4-10, or 11 or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	1.4	74	1	ONE
17.9	2.8	150	2	2-3
24.6	3.8	206	3	4-10
48.7	7.6	408	4	11 OR MORE
	84.4	4,550	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 779-780

**P466****S-S REC'D CHILD CARE HELP?.PG22**

Since {Note 1: STOP DATE/NTEQ DATE}, has any program supplied  
child care for you or given you money to get child care or in any  
other way helped you to get child care? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	2.1	114	1	YES
89.1	17.2	928	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	62.9	3,390	-6	NOT APPLICABLE
	6.0	325	3	CHILDCARE NOT NECESSARY
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 3, lowest thru -1

Columns: 781-782

**P467 UNABLE TO WORK FOR LACK OF CHILDCARE?.PG**

Since {Note 1: STOP DATE/NTEQ DATE}, have you ever been unable to go back to work because you could not get child care? CODE ONE ONLY.

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	1.8	98	1	YES
90.2	16.8	904	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	68.9	3,715	-6	NOT APPLICABLE
	0.7	40	3	CHILDCARE NOT NECESSARY
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: 3, lowest thru -1  
 Columns: 783-784

**P468 S-S HELP WITH TRANSPORTATION?.PG24**

Since {Note 1: STOP DATE/NTEQ DATE}, have you received any transportation or help with transportation?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	14.5	782	1	YES
83.6	73.8	3,975	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 785-786

**P469****R ABLE TO GET TO WK WITH TRANS HELP?.PG2**

Has the help with transportation been enough to allow you to get to and from work? CODE ONE ONLY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	11.0	595	1	YES
23.6	3.4	184	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	73.8	3,975	-6	NOT APPLICABLE
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 787-788

**P470****LIVED WITH SUPPORTER LAST 12 MONTHS?.PG2**

Next, I would like to ask about your living expenses. Since {Note 1: STOP DATE/NTEQ DATE}, have you lived with anyone, including your parents or a spouse or partner, who has helped with your living expenses, such as housing, food, clothing, medical costs, or transportation?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	42.3	2,277	1	YES
52.1	46.0	2,480	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 789-790

**P471 HOW MUCH SUPPORTED BY PERSON LIVED WITH.**

Overall, since {Note 1: STOP DATE/NTEQ DATE}, would you say that this help with your living expenses has paid for less than half, half or more, or all of your living expenses?

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	15.5	833	1	LESS THAN HALF
44.2	18.7	1,005	2	HALF OR MORE
19.2	8.1	437	3	ALL
	11.7	631	-7	NOT ASKED OF INMATES
	46.0	2,480	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 791-792

**P474A1 INCOME SRCE 12 MO: WAGES/SALARY.PG28**

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any income from your wages or salary, including tips, from all jobs or business?

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	49.7	2,680	1	YES
9.3	5.1	275	2	NO
	33.4	1,802	-9	NO CURRENT JOB
	11.7	631	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 793-794

P474A2

INCOME SRCE 12 MO: ALIMONY/SUPPRT.PG28

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any income from alimony or child support?

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	1.4	76	1	YES
94.9	26.3	1,417	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	60.6	3,263	-6	NOT APPLICABLE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 795-796

**P474A3** **INCOME SRCE 12 MO: \$ FROM SPOUSE.PG28**

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any {Note 3: money/other money} from a spouse, partner, or other family member who was not living with you?

Note 1: See P138 Note 1 Note 2: See P138 Note 1 Note 3: 'money' if P474A2<>1  
 'other money' if P474A2=1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	18.5	999	1	YES
79.0	69.7	3,757	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 797-798

**P474A4****INCOME SRCE 12 MO: WELFARE.PG28**

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any income from welfare or relief, including General Assistance, or Relief or Aid to Dependent Children or to Families with Dependent Children?

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	32.2	1,737	1	YES
63.5	56.0	3,019	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 799-800

**P474A5****INCOME SRCE 12 MO: UNEMP/DISABILITY.PG28**

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any income from unemployment compensation, disability pay, or SSI?

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	13.0	699	1	YES
85.3	75.3	4,057	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 801-802



**P474A6 INCOME SRCE 12 MO: SOC SECURITY.PG28**

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any income from Social Security, pension, or annuity??

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	2.9	158	1	YES
96.7	85.3	4,598	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 803-804

**P474A7 INCOME SRCE 12 MO: OTHER.PG28**

Now, I will ask about other sources of income you may have had since {Note 1: STOP DATE/NTEQ DATE}. Please do not include income from illegal activities or help you received with living expenses from someone you lived with such as a parent. Since {Note 2: STOP DATE/NTEQ DATE}, have you personally gotten any income from any other sources I haven't asked about, such as interest on savings, or loans paid back to you??

Note 1: See P138 Note 1 Note 2: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.7	90	1	YES
98.1	86.6	4,667	2	NO
	11.7	631	-7	NOT ASKED OF INMATES
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 805-806

P477M1

## INCOME - FROM OWN WAGES AND SALARIES

Since {Note 1: STOP DATE/NTEQ DATE}, before taxes, how much income did you personally get from your wages or salary, including tips, from all jobs or businesses? ROUND TO NEAREST DOLLAR. AMOUNT: \$.00

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	11.6	625	1	MALE, 3000 OR LESS
29.9	13.1	705	2	MALE, 3001-10,000
19.7	8.6	463	3	MALE, 10,001 OR MORE
13.3	5.8	312	4	FEMALE, 3000. OR LESS
10.6	4.6	249	5	FEMALE, 3001. OR MORE
	33.4	1,802	-9	NO CURRENT JOB
	11.7	631	-7	NOT ASKED OF INMATES
	5.1	275	-6	NOT APPLICABLE
	5.5	296	-2	DON'T KNOW
	0.6	30	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 807-808

**P477M2 INCOME - FROM OTHER SOURCES**

Since {Note 1: STOP DATE/NTEQ DATE}, before taxes, how much income did you personally get from other sources such as alimony, child support, welfare, unemployment, social security, etc.. ROUND TO NEAREST DOLLAR. AMOUNT: \$.00

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	21.0	1,133	1	MALE, 3000 OR LESS
13.0	6.1	329	2	MALE, 3001-10,000
2.6	1.2	65	3	MALE, 10,001 OR MORE
24.4	11.5	619	4	FEMALE, 3000. OR LESS
15.4	7.3	392	5	FEMALE, 3001. OR MORE
	11.7	631	-7	NOT ASKED OF INMATES
	41.2	2,219	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 809-810

**P479 ELAPSED TIME SECTION G**

5,388 cases (Range of valid codes: 297-12002)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 811-815

## SECTION H: HEALTH

P481

## GENERAL HEALTH.PH1

These next questions are about your physical health. In general, would you say your health is . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	29.1	1,566	1	EXCELLENT?
45.5	45.4	2,448	2	GOOD?
20.1	20.0	1,080	3	FAIR?
5.4	5.4	292	4	POOR?
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 816-817

P485A1

## ILLNESSES SUFFERED-SIGHT.PH2

Now, I'm going to read a list of illnesses or conditions that can cause a person pain, keep a person from doing the things they normally do, or cause a person other physical problems. As I read the list, please tell me if each condition has caused you any physical problems since (DATE 30 DAYS AGO). Since this past (DATE 30 DAYS AGO), have you had any of these problems with your sight, that is, you've had difficulty seeing even with glasses or contact lenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.3	770	1	YES
85.7	85.7	4,617	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 818-819

**P485A2****ILLNESSES SUFFERED-HEARING.PH2**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with your hearing, that is, you've had difficulty hearing even with a hearing aid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	305	1	YES
94.3	94.3	5,083	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 820-821

**P485A3****ILLNESSES SUFFERED-TB.PH2**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with TB, that is, tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	57	1	YES
98.9	98.9	5,327	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 822-823

<b>P485A4</b>	<b>ILLNESSES SUFFERED-RESPIRATORY.PH2</b>
---------------	---

Since this past (DATE 30 DAYS AGO), have you had any of these problems with another serious breathing condition, such as bronchitis or asthma?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	654	1	YES
87.9	87.8	4,733	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 824-825

<b>P485A5</b>	<b>ILLNESSES SUFFERED-HEART.PH2</b>
---------------	-------------------------------------

Since this past (DATE 30 DAYS AGO), have you had any of these problems with a serious heart or blood condition, such as high blood pressure, or anemia?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	596	1	YES
88.9	88.9	4,788	2	NO
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 826-827

**P485A6 ILLNESSES SUFFERED-HEPATITIS.PH2**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with hepatitis or yellow jaundice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	81	1	YES
98.5	98.4	5,304	2	NO
	0.1	3	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 828-829

**P485A7 ILLNESSES SUFFERED-INTERNAL COND.PH2**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with another serious internal condition, such as stomach ulcers, sugar diabetes, or kidney or {Note 1: liver/female} problems?

Note 1: 'liver' if P69=1 or P69=3  
 'female' if P69=2 or P69=4 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.5	514	1	YES
90.5	90.4	4,872	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 830-831

<b>P485A8</b>	<b>ILLNESSES SUFFERED-BONE/MUSCLE.PH2</b>
---------------	---

Since this past (DATE 30 DAYS AGO), have you had any of these problems with a serious bone or muscle condition, such as being paralyzed, bad arthritis, limping, or bursitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	634	1	YES
88.2	88.2	4,753	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 832-833

<b>P485A9</b>	<b>ILLNESSES SUFFERED-NERVE.PH2</b>
---------------	-------------------------------------

Since this past (DATE 30 DAYS AGO), have you had any of these problems with a serious nerve condition, such as convulsions, epilepsy, or migraine headaches? Please do not include any mental health problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	503	1	YES
90.7	90.6	4,884	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 834-835



**P485A10 ILLNESSES SUFFERED-STD.PH2**

Since this past (DATE 30 DAYS AGO), have you had any of these problems with syphilis, gonorrhea, or genital herpes, or any other sexually transmitted disease other than AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	59	1	YES
98.9	98.9	5,327	2	NO
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 836-837

**P486 R DIAGNOSED WITH AIDS.PH3**

Since {Note 1: STOP DATE/NTEQ DATE}, has a doctor or a nurse told you that you have AIDS, or the virus that causes AIDS?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	147	1	YES
97.3	97.3	5,240	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 838-839

**P487****OTHER HEALTH PROBLEM.PH4**

Other than anything you've told me about, since this past (DATE 30 DAYS AGO), has any other health problem caused you pain, limited your activities, or caused you any other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.3	661	1	YES
87.7	87.7	4,727	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 840-841

**P489****HEALTH LIMITS ON WORK.PH6**

Right now, how much does your health limit the kind of work you can do? Would you say not at all, somewhat, or very much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	71.7	3,862	1	NOT AT ALL
18.0	18.0	970	2	SOMEWHAT
10.3	10.2	552	3	VERY MUCH
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 842-843

**P494A1 # HETEROSEX PARTNERS VAGINAL.PH7**

(HAND R SHOWCARD Q). As I ask these next questions, please include times when you may have been forced to have sex as well as times when you had sex because you wanted to or got paid to. Remember, all of your answers are confidential and you don't have to answer a question if you don't want to. Since {Note 1: STOP DATE/NTEQ DATE}, about how many different {Note 2: women/men} have you had vaginal sex with, even if only one time? Would you say none, one {Note 3: woman/man}, 2-9 {Note 4: women/men}, 10-25 {Note 5: women/men}, 26-100 {Note 6: women/men}, 101-500 {Note 7: women/men} or more than 500 {Note 8: women/men}?

Note 1: See P138 Note 1 Note 2: 'women' if P69=1 or P69=3

'men' if P69=2 or P69=4 blank if otherwise

Note 3: 'woman' if P69=1 or P69=3

'man' if P69=2 or P69=4 blank if otherwise

Note 4: See Note 2 Note 5: See Note 2 Note 6: See Note 2 Note

7: See Note 2 Note 8: See Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	24.8	1,336	1	NONE
40.2	39.9	2,152	2	ONE
29.7	29.5	1,589	3	2-9
3.5	3.5	186	4	10-25
1.2	1.2	66	5	26-100
0.2	0.2	13	6	101-500
0.1	0.1	5	7	MORE THAN 500
	0.1	7	-2	DON'T KNOW
	0.6	34	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 844-845

P495A1

## CONDOM USE - HETEROSEXUAL INTERCOURSE.PH

(HAND R SHOWCARD E). Since {Note 1: STOP DATE/NTEQ DATE}, when you had vaginal sex with {Note 2: women/men}, about how often did you or your partner use a latex condom, a "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: See P138 Note 1 Note 2: 'women' if P69=1 or P69=3  
'men' if P69=2 or P69=4 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	32.3	1,742	1	NEVER
11.3	8.4	454	2	LESS THAN 1/2
9.4	7.0	377	3	HALF OF THE TIME
9.5	7.1	380	4	MORE THAN 1/2
26.4	19.6	1,058	5	EVERY TIME
	0.1	4	-2	DON'T KNOW
	0.1	3	-1	REFUSAL
	25.4	1,370	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 846-847

**P494A2 # HETEROSEX PARTNERS ORAL.PH7**

Since {Note 1: STOP DATE/NTEQ DATE}, about how many different {Note 2: women/men} have you had oral sex with, even if only one time? Would you say none, one {Note 3: woman/man}, 2-9 {Note 4: women/men}, 10-25 {Note 5: women/men}, 26-100 {Note 6: women/men}, 101-500 {Note 7: women/men} or more than 500 {Note 8: women/men}?

Note 1: See P138 Note 1 Note 2: 'women' if P69=1 or P69=3  
'men' if P69=2 or P69=4 blank if otherwise

Note 3: 'woman' if P69=1 or P69=3  
'man' if P69=2 or P69=4 blank if otherwise

Note 4: See Note 2 Note 5: See Note 2 Note 6: See Note 2 Note 7: See Note 2 Note 8: See Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	52.9	2,849	1	NONE
29.0	28.8	1,550	2	ONE
15.0	14.9	801	3	2-9
2.7	2.7	144	4	10 OR MORE
	0.1	7	-2	DON'T KNOW
	0.7	37	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 848-849

P495A2

## CONDOM USE - HETEROSEXUAL ORAL SEX.PH

Since {Note 1: STOP DATE/NTEQ DATE}, when you had oral sex with {Note 2: women/men}, about how often did you or your partner use a latex condom, a "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: See P138 Note 1 Note 2: 'women' if P69=1 or P69=3  
'men' if P69=2 or P69=4 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	35.7	1,926	1	NEVER
6.1	2.8	152	2	LESS THAN 1/2
3.8	1.8	95	3	HALF OF THE TIME
3.0	1.4	76	4	MORE THAN 1/2
9.9	4.6	247	5	EVERY TIME
	0.1	4	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
	53.6	2,886	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 850-851

**P494A3 # HETEROSEX PARTNERS ANAL.PH7**

Since {Note 1: STOP DATE/NTEQ DATE}, about how many different {Note 2: women/men} have you had anal sex with, even if only one time? Would you say none, one {Note 3: woman/man}, 2-9 {Note 4: women/men}, 10-25 {Note 5: women/men}, 26-100 {Note 6: women/men}, 101-500 {Note 7: women/men} or more than 500 {Note 8: women/men}?

Note 1: See P138 Note 1 Note 2: 'women' if P69=1 or P69=3  
'men' if P69=2 or P69=4 blank if otherwise

Note 3: 'woman' if P69=1 or P69=3  
'man' if P69=2 or P69=4 blank if otherwise

Note 4: See Note 2 Note 5: See Note 2 Note 6: See Note 2 Note 7: See Note 2 Note 8: See Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	91.4	4,925	1	NONE
5.6	5.5	297	2	ONE
2.3	2.3	124	3	2 OR MORE
	0.1	4	-2	DON'T KNOW
	0.7	38	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 852-853

P495A3

## CONDOM USE - HETEROSEXUAL ANAL INTERCOUR

Since {Note 1: STOP DATE/NTEQ DATE}, when you had anal sex with {Note 2: women/men}, about how often did you or your partner use a latex condom, a "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: See P138 Note 1 Note 2: 'women' if P69=1 or P69=3  
'men' if P69=2 or P69=4 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	4.8	259	1	NEVER
8.3	0.6	35	2	LESS THAN 1/2
4.0	0.3	17	3	HALF OF THE TIME
3.1	0.2	13	4	MORE THAN 1/2
23.0	1.8	97	5	EVERY TIME
	0.1	4	-2	DON'T KNOW
	92.1	4,963	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 854-855



**P494A4 # HOMOSEX PARTNERS ORAL.PH7**

Since {Note 1: STOP DATE/NTEQ DATE}, about how many different {Note 2: men/women} have you had oral sex with, even if only one time? Would you say none, one {Note 3: man/woman}, 2-9 {Note 4: men/women}, 10-25 {Note 5: men/women}, 26-100 {Note 6: men/women}, 101-500 {Note 7: men/women} or more than 500 {Note 8: men/women}?

Note 1: See P138 Note 1 Note 2: 'men' if P69=1 or P69=3  
'women' if P69=2 or P69=4 blank if otherwise

Note 3: 'man' if P69=1 or P69=3  
'woman' if P69=2 or P69=4 blank if otherwise

Note 4: See Note 2 Note 5: See Note 2 Note 6: See Note 2 Note 7: See Note 2 Note 8: See Note 2

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	96.0	5,173	1	NONE
2.0	2.0	106	2	ONE
1.3	1.3	69	3	2 OR MORE
	0.0	1	-2	DON'T KNOW
	0.7	39	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
Missing-data codes: lowest thru -1  
Columns: 856-857

**P495A4****CONDOM USE - HOMOSEXUAL ORAL INTERCOURSE**

Since {Note 1: STOP DATE/NTEQ DATE}, when you had oral sex with {Note 2: men/women}, about how often did you or your partner use a latex condom, a "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: See P138 Note 1 Note 2: 'men' if P69=1 or P69=3  
'women' if P69=2 or P69=4 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	0.6	30	1	NEVER
9.6	0.1	5	2	LESS THAN 1/2
5.8	0.1	3	3	HALF OF THE TIME
5.8	0.1	3	4	MORE THAN 1/2
21.2	0.2	11	5	EVERY TIME
	99.0	5,336	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: 6, lowest thru -1

Columns: 858-859

**P494A5****# HOMOSEX PARTNERS ANAL.PH7**

Since {Note 1: STOP DATE/NTEQ DATE}, about how many different men have you had anal sex with, even if only one time? Would you say none, one man, 2-9 men, 10-25 men, 26-100 men, 101-500 men or more than 500 men?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	70.8	3,814	1	NONE
0.8	0.5	29	2	ONE OR MORE
	28.3	1,523	-6	NOT APPLICABLE
	0.4	22	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 860-861

**P495A5 CONDOM USE - HOMOSEXUAL ANAL INTERCOURSE**

Since {Note 1: STOP DATE/NTEQ DATE}, when you had anal sex with men, about how often did you or your partner use a latex condom, a "rubber," or a female condom? Would you say never, less than half the time, half of the time, more than half the time but not every time, or every time?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	0.1	4	1	NEVER
6.9	0.0	2	2	LESS THAN 1/2
20.7	0.1	6	3	HALF OF THE TIME
10.3	0.1	3	4	MORE THAN 1/2
48.3	0.3	14	5	EVERY TIME
	28.3	1,523	-6	NOT APPLICABLE
	71.2	3,836	6	NO SUCH PARTNERS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: 6, lowest thru -1  
 Columns: 862-863

**P497 GOT THINGS FOR SEX.PH11**

Since {Note 1: STOP DATE/NTEQ DATE}, have you had vaginal, oral, or anal sex with someone so they would give you money, drugs, clothes or a place to sleep?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	341	1	YES
93.7	93.6	5,044	2	NO
	0.1	3	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 864-865

**P498****GAVE THINGS FOR SEX.PH12**

Since {Note 1: STOP DATE/NTEQ DATE}, has anyone had vaginal, oral, or anal sex with you so you would give them money, drugs, clothes, or a place to sleep?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	206	1	YES
96.2	96.1	5,178	2	NO
	0.0	2	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 866-867

**P499****HAD SEX WITH IV DRUG USER.PH13**

Since {Note 1: STOP DATE/NTEQ DATE}, have you had vaginal, oral or anal sex with anyone who had ever used a needle to inject drugs to get high or for other non-medical effects?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	308	1	YES
94.2	93.2	5,021	2	NO
	1.1	58	-2	DON'T KNOW
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 868-869

**P500** **KNEW SEX PARTNER HAD AIDS.PH14**

Since {Note 1: STOP DATE/NTEQ DATE}, have you had vaginal, oral, or anal sex with anyone you knew at the time had AIDS or was HIV-positive?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	47	1	YES
99.1	99.0	5,334	2	NO
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 870-871

**P501** **LEARNED SEX PARTNER HAS AIDS.PH15**

Since {Note 1: STOP DATE/NTEQ DATE}, have you had vaginal, oral, or anal sex with anyone who you later found out has AIDS or is HIV-positive?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	51	1	YES
99.1	99.0	5,336	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 872-873

**P502****EVER FORCED TO HAVE SEX.PH16**

Since {Note 1: STOP DATE/NTEQ DATE}, has anyone made you have vaginal, oral or anal sex when you didn't want to by using force, or by threatening to harm you or someone close to you?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	76	1	YES
98.6	98.6	5,312	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 874-875

**P503****TIMES FORCED TO HAVE SEX.PH17**

(HAND R SHOWCARD H). Since {Note 1: STOP DATE/NTEQ DATE}, how many times altogether has anyone made you have any type of sex when you didn't want to? Would you say one time, 2-5 times, 6-20 times, 21-100 times, or more than 100 times? DO NOT PROBE

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	0.5	28	1	ONE TIME?
63.2	0.9	48	2	2 OR MORE TIMES?
	98.6	5,312	-4	NONE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 876-877

**P508 ANY VISITS TO HOSPITAL LAST YEAR.PH18A**

Now, I'd like to ask about the times since {Note 1: STOP DATE/NTEQ DATE} you may have gone to the hospital or seen a doctor, not including visits to a dentist, for a physical illness, condition or injury. Since {Note 1: STOP DATE/NTEQ DATE}, have you gone to . . . a. a hospital for at least 24 hours

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.5	676	1	YES
87.5	87.5	4,712	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 878-879

**P509 ANY VISITS TO EMERGENCY RM LAST YEAR.PH1**

b. a hospital emergency room when you did not stay for at least 24 hours for a physical illness condition or injury

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	21.8	1,175	1	YES
78.2	78.2	4,213	2	NO
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 880-881

**P510****ANY VISITS TO CLINIC LAST YEAR.PH18C**

c. a doctor's office, or to a clinic, including a clinic in a hospital

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	42.7	2,303	1	YES
57.3	57.3	3,085	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 882-883

**P512A1****NUMBER OF NIGHTS IN HOSPITAL.PH19**

Since {Note 1: STOP DATE/NTEQ DATE}, how many nights have you spent in the hospital for a physical illness, condition or injury?  
NIGHTS:

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	2.7	144	1	1
13.3	1.7	89	2	2
12.9	1.6	86	3	3
5.4	0.7	36	4	4
6.4	0.8	43	5	5
16.4	2.0	110	6	6-10
24.1	3.0	161	11	11 OR MORE
	87.5	4,712	-4	NONE
	0.1	5	-2	DON'T KNOW
	0.0	2	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 884-885



**P514A1 DRUGS/ALCOHOL CAUSED MEDICAL VISIT.PH21**

Thinking about the last time you went to a hospital for at least 24 hours for a physical condition or injury, did your drug or alcohol use in any way cause the physical illness, condition or injury you were there for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	4.4	235	1	YES
64.8	8.0	432	2	NO
	87.6	4,719	-6	NOT APPLICABLE
	0.0	2	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 886-887

**P513A2 NUMBER OF MEDICAL VISITS.PH20**

(HAND R SHOWCARD R). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you gone to a hospital emergency room when you did not stay for at least 24 hours for a physical illness condition or injury? Would you say it has been one time, 2-9 times, or 10 times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	12.6	678	1	1 TIME?
39.7	8.6	466	2	2-9 TIMES?
2.6	0.6	30	3	10 TIMES OR MORE?
	78.2	4,213	-4	NONE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 888-889

**P514A2****DRUGS/ALCOHOL CAUSED MEDICAL VISIT.PH21**

Thinking about the last time you went to a hospital emergency room when you did not stay for at least 24 hours for a physical condition or injury, did your drug or alcohol use in any way cause the physical illness, condition or injury you were there for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	4.6	246	1	YES
79.0	17.1	924	2	NO
	78.2	4,214	-6	NOT APPLICABLE
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 890-891

**P513A3****NUMBER OF MEDICAL VISITS.PH20**

(HAND R SHOWCARD R). Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you gone to a doctor's office, or to a clinic, including a clinic in a hospital? Would you say it has been one time, 2-9 times, or 10 times or more?

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	10.8	580	1	1 TIME?
57.4	24.5	1,321	2	2-9 TIMES?
17.4	7.4	401	3	10 TIMES OR MORE?
	57.3	3,085	-4	NONE
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 892-893

**P514A3 DRUGS/ALCOHOL CAUSED MEDICAL VISIT.PH21**

Thinking about the last time you went to a doctor's office, or to a clinic, including a clinic in a hospital did your drug or alcohol use in any way cause the physical illness, condition or injury you were there for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	4.8	257	1	YES
88.8	37.9	2,040	2	NO
	57.3	3,086	-6	NOT APPLICABLE
	0.1	5	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 894-895

**P521 EVER BEEN PREGNANT?.PH22**

Now, I am going to ask about pregnancy and giving birth. Since {Note 1: STOP DATE/NTEQ DATE}, have you been pregnant?  
 Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	193	1	YES
96.4	96.4	5,194	2	NO
	0.0	1	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 896-897

**P522****TIMES PREGNANT.PH23**

Since {Note 1: STOP DATE/NTEQ DATE}, how many times have you been pregnant? NUMBER OF PREGNANCIES:

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	3.3	177	1	1
8.3	0.3	16	2	2 OR MORE
	96.4	5,195	-4	NONE
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 898-899

**P523****TIMES GAVE BIRTH.PH24**

In how many of these pregnancies since {Note 1: STOP DATE/NTEQ DATE} did you give birth to one or more live babies? NUMBER OF BIRTHS:

Note 1: See P138 Note 1

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	98.4	5,301	0	
1.6	1.6	86	1	
0.0	0.0	1	2	
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 900-901

**P524 DATE OF LAST LIVE BIRTH.PH25**

(HAND R SHOWCARD S). When was the last time you gave birth to a live baby? Was it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.1	6	1	WITHIN THE PAST MONTH
57.5	0.9	50	2	1-6 MONTHS AGO
35.6	0.6	31	3	7-12 MONTHS AGO
	98.4	5,301	-5	NEVER
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 902-903

**P525 DRUG USE DURING PRIOR PREGNANCY.PH26**

During that pregnancy [that is, the last time you gave birth to a live baby], did you use drugs to get high or for other non-medical effects one or more times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	55	1	YES
0.6	0.6	32	2	NO
98.4	98.4	5,301	3	NO BIRTHS
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 904-905

**P526****BABIES TESTED FOR AIDS.PH27**

{Note 1: Was the baby/Were the babies} tested for HIV or AIDS? IF ANY BABY WAS TESTED, CODE 'YES'.

Note 1: 'Was the baby' if P523=1

'Were the babies' if P523>1 blank if otherwise

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	59	1	YES
0.4	0.4	24	2	NO
98.5	98.4	5,301	3	NO BIRTHS
	0.1	4	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 906-907

**P528****R CURRENTLY PREGNANT.PH29**

Are you pregnant right now?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	1.2	65	1	YES
95.7	26.9	1,451	2	NO
	71.7	3,865	-6	NOT APPLICABLE (MALE)
	0.1	7	-2	DON'T KNOW
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 908-909

**P529 DRUG USE DURING CURRENT PREGNANCY.PH30**

Since you found out you were pregnant, has the amount of drugs you use illegally increased, stayed about the same, or decreased?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	0.3	17	1	INCREASED OR STAYED ABOUT THE SAME
73.4	0.9	47	2	DECREASED
	98.8	5,323	-6	NOT APPLICABLE
	0.0	1	-1	REFUSAL
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 910-911

**P530 PRENATAL CARE RECEIVED.PH31**

Since you found out you were pregnant, have you gone to a doctor or a nurse for pregnancy checkups or care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	1.1	59	1	YES
9.2	0.1	6	2	NO
	98.8	5,323	-6	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	5,388		cases

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 912-913

**SECTION I: ANALYSIS VARIABLES**

**P532****SECTION H ELAPSED TIME**

5,388 cases (Range of valid codes: 397-12754)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 914-918

**P554****SECTION K ELAPSED TIME**

5,388 cases (Range of valid codes: 418-12768)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 919-923

**PBEERVOL****OUNCES BEER DRUNK USUAL DAY**

CONSTRUCTED FROM VARIABLES P209 P210 AND P213.

Min	=	4	Mean	=	98.228
Max	=	999	Std Dev	=	145.639
Median	=	60	Variance	=	21,210.634

(Based on 1,732 valid cases)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 924-926



**PWINEVOL                      OUNCES WINE DRUNK USUAL DAY**

CONSTRUCTED FROM VARIABLES P209 P210 AND P213.

Min	=	2	Mean	=	39.624
Max	=	540	Std Dev	=	56.747
Median	=	24	Variance	=	3,220.267

(Based on 439 valid cases)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 927-929

**PLIQUVOL                      OUNCES LIQUOR DRUNK USUAL DAY**

CONSTRUCTED FROM VARIABLES P209 P210 AND P213.

Min	=	1	Mean	=	24.405
Max	=	400	Std Dev	=	35.642
Median	=	16	Variance	=	1,270.376

(Based on 667 valid cases)

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 930-932

**IN\_4411                      IN SUBSET OF 4,411 CASES**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	81.9	4,411	1	YES
18.1	18.1	977	2	NO
-----	-----	-----		
100.0	100.0	5,388	cases	

Data type: numeric  
 Missing-data codes: lowest thru -1  
 Columns: 933-934