

National Youth Survey [United States]: Wave II, 1977

Delbert Elliott

University of Colorado. Institute of Behavioral Science

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

Processor Note
NYS WAVE 2 1977:
National Youth Survey

1) Previously, SAMHDA generated variables (V1, V2, V3, & V4) to provide study information about the dataset. These are no longer created by SAMHDA. The four variables have been removed.

2) The variables RECORD1 and RECORD2 were removed as individual cases are no longer split into 2 lines of data.

3) As a result of the removal of the six variables mentioned in the above notes, users should refer to the SAS or SPSS data definition statement files for column locations of variables in the data file. The column locations detailed in Appendix A apply to the original data only.

TABEL OF CONTENTS

Sections	Page
CODEBOOK	
1) Codebook	1
a) Identification	1
b) Respondent Characteristics	3
c) Social Integration	6
i) Friends	6
ii) Social Activities	10
iii) Studying	11
iv) School Athletics	14
v) School Activities	17
vi) Community Activities	21
vii) Employment	24
viii) Family	27
d) Aspirations	30
i) Current Success	30
ii) Future Aspirations	44
e) Expectation for Future Goals	46
f) Social Isolation	47
g) Normlessness	55
h) Labeling	62
i) Labeling by Parents	62
ii) Labeling by Friends	68
iii) Labeling by Teachers	74
i) Perceived Disapproval	80
i) Perceived Disapproval from Parents	80
ii) Perceived Disapproval from Peer	87
j) Counterlabeling	94
k) Attitudes Towards Deviance	100
l) Delinquent Peers	106
i) Exposure to Delinquent Peers	106
ii) Commitment to Delinquent Peers	113
m) Sex Roles	115
n) Interpersonal Violence	122
o) Pressure for Substance Abuse by Peers	127
p) Exposure to Substance Abuse Among Parents	130
q) Self-Reported Delinquency	132
r) Substance Use	215
i) General Drugs	215
ii) Alcohol	226
iii) Tobacco	295

Sections	Page
CODEBOOK continued	
iv) Marijuana	317
v) Hallucinogens	340
vi) Tranquilizers	362
vii) Amphetamines	369
viii) Sedatives/Barbituates	376
ix) Codeine	383
x) Heroin	390
xi) Cocaine	395
xii) Inhalants	402
xiii) PCP	407
xiv) Other Substances	414
xv) Future Use	420
xvi) Problem Behavior Resulting from Use	423
s) Victimization	436
t) Handguns	443
u) Respondent Observations	449
v) Interviewer Observations	454
w) Geographic Code	459
APPENDICES	
2. Appendix A: Original Codebook	461
3. Appendix B: Original Instrument	523
a) Log of Calls	525
b) Respondent Receipt Form	527
c) Refusal Form	528
d) Youth Interview Schedule	529
e) Interviewer Observations	608

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

1,725 cases (Range of valid codes: 1-1725)

Data type: numeric
Columns: 1751-1758

V68 PSU NUMBER

1,725 cases (Range of valid codes: 1-76)

Data type: numeric
Missing-data code: -1
Columns: 125-126

V69 FUND AGENCY DESIGNATION

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.1	985	1	
42.9	42.9	740	2	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Column: 127

V70 HOUSEHOLD ID NUMBER

1,725 cases (Range of valid codes: 3-9895)

Data type: numeric
Missing-data code: -1
Columns: 128-131

V71	RESPONDENT ID NUMBER			
------------	-----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	60.5	1,043	2	
27.2	27.2	469	3	
9.3	9.3	160	4	
2.4	2.4	41	5	
0.6	0.6	10	6	
0.1	0.1	2	7	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Column: 132

V132	CLASS (FROM WAVE I)
-------------	----------------------------

1,725 cases (Range of valid codes: 11-77)

Data type: numeric
Missing-data code: -1
Columns: 253-254

RESPONDENT CHARACTERISTICS

V5 **Y2-1: SEX**

Respondent's Sex

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	53.2	918	1	Male
46.8	46.8	807	2	Female
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Column: 1

V6 **Y2-2: ETHNICITY**

With which of the following ethnic groups do you most identify?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	78.9	1,361	1	Anglo
15.1	15.1	260	2	Black
4.4	4.4	76	3	Chicano
0.5	0.5	8	4	American Indian
1.0	1.0	17	5	Asian
0.2	0.2	3	6	Other
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Column: 2

V7

Y2-3: AGE

Respondent's Age

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.6	252	12	
14.9	14.9	257	13	
15.6	15.6	269	14	
15.0	15.0	258	15	
14.7	14.7	253	16	
13.9	13.9	239	17	
11.4	11.4	197	18	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 3-4

V8

Y2-4: GRADE IN SCHOOL

What grade are you in at school? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	5	
5.0	4.8	82	6	
15.5	14.9	257	7	
14.9	14.3	246	8	
14.9	14.3	247	9	
15.0	14.4	248	10	
13.1	12.5	216	11	
12.0	11.5	198	12	
3.3	3.2	55	13	
0.2	0.2	3	14	
5.4	5.2	90	17	Not in school
0.4	0.4	7	18	Other
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 5-6

V9	Y2-5: GRADE POINT AVERAGE
----	----------------------------------

What is your grade point average?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	11	1	Mostly F's
4.4	4.2	72	2	Mostly D's
33.7	32.1	553	3	Mostly C's
45.0	42.9	740	4	Mostly B's
16.3	15.5	267	5	Mostly A's
	4.8	82	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 7-8

SOCIAL INTEGRATION

Friends

V10 **Y2-6: PARTICULAR GROUP-FRIENDS**

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

Was there a particular group of friends that you ran around with?

(IF NO, GO TO V11)
(IF YES, SKIP TO V12)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.1	243	1	No
85.3	81.9	1,412	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 9-10

V11 **Y2-7: HOW IMPORTANT HAVE FRNDS**

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

How important is it to you to have a group of friends and be included in their activities?

(AFTER RESPONSE, SKIP TO V17)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	1.2	20	1	Not important
29.2	4.1	71	2	Not too important
34.2	4.8	83	3	Somewhat important
16.0	2.3	39	4	Pretty important
12.3	1.7	30	5	Very important
	85.9	1,482	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 11-12

V12 **Y2-8: AFTN/SCHL WK W/FRIENDS**

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	10.8	186	0	Less than once wk
11.9	9.7	167	1	
20.4	16.6	287	2	
22.7	18.5	319	3	
11.9	9.7	167	4	
20.0	16.3	282	5	
	18.4	317	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 13-14

V13 **Y2-9: EVEN/SCHL WK W/FRIENDS**

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	16.8	289	0	Less than once wk
19.3	15.8	272	1	
21.8	17.8	307	2	
18.2	14.8	256	3	
7.7	6.3	109	4	
12.6	10.3	177	5	
	18.3	315	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 15-16

V14	Y2-10: TIME W/FRNDS ON WEEKENDS
------------	--

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

On the weekends, how much time have you generally spent with your friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	6.8	117	1	Very little
10.0	8.2	141	2	Not too much
25.6	21.0	362	3	Some
29.7	24.3	419	4	Quite a bit
26.4	21.6	373	5	A great deal
	18.1	313	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 17-18

V15	Y2-11: INFLUENCE OF FRIENDS
------------	------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

How much have your friends influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.8	100	1	Very little
16.2	13.2	228	2	Not too much
43.6	35.5	612	3	Some
23.3	19.0	327	4	Quite a bit
9.8	7.9	137	5	A great deal
	18.6	321	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 19-20

V16	Y2-12: HOW IMPORTANT WERE FRNDS
-----	--

Between Christmas a year ago (1976) and the Christmas just past (1977). . .

How important has it been to you to have a group of friends and be included in their activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	13	1	Not important
5.4	4.4	76	2	Not too important
20.3	16.6	286	3	Somewhat important
33.8	27.7	477	4	Pretty important
39.7	32.5	560	5	Very important
	18.1	313	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 21-22

Social Activities

V17

Y2-13: EVEN/WEEK SPENT DATING

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How many evenings in an average week, including weekends, have you gone on dates, to parties, or to other social activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	18.5	319	0	Less than once wk
25.6	24.5	422	1	
24.1	23.1	398	2	
17.1	16.3	282	3	
7.5	7.2	124	4	
3.8	3.6	62	5	
1.2	1.1	19	6	
1.5	1.4	24	7	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 23-24

V18

Y2-14: HOW IMP SOC ACTIVITIES

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important has it been to you to have dates and go to parties and other social activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.1	106	1	Not important
19.7	18.8	325	2	Not too important
30.0	28.8	496	3	Somewhat important
26.9	25.8	445	4	Pretty important
16.9	16.2	280	5	Very important
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 25-26

Studying

V19 Y2-15: ATTENDED REG SCHL PROGRAM

Did you attend a regular school program such as grade school, junior high, or high school between Christmas a year ago (1976) and the Christmas just past (1976)?

(IF NO, SKIP TO V37)

(IF YES, GO TO V20)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	37	1	No
97.8	93.8	1,618	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 27-28

V20 Y2-16: AFTN/SCHL WK STUDYING

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	19.4	335	0	Less than once wk
13.5	12.6	218	1	
19.3	18.1	312	2	
20.0	18.7	323	3	
10.0	9.3	161	4	
16.6	15.6	269	5	
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 29-30

V21	Y2-17: EVEN/SCHL WK STUDYING
------------	-------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	16.2	280	0	Less than once wk
14.1	13.2	228	1	
21.1	19.8	341	2	
21.8	20.5	353	3	
12.0	11.3	195	4	
13.7	12.9	222	5	
	6.1	106	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 31-32

V22	Y2-18: TIME STUDYING -WEEKENDS
------------	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent studying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	30.5	526	1	Very little
26.0	24.4	421	2	Not too much
31.6	29.7	512	3	Some
7.2	6.7	116	4	Quite a bit
2.7	2.5	43	5	A great deal
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 33-34

V23	Y2-19: HOW IMPORTANT SCHL WORK
-----	---------------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important has your school work been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Not important
4.7	4.4	76	2	Not too important
18.5	17.3	299	3	Somewhat important
35.5	33.3	575	4	Pretty important
40.3	37.8	652	5	Very important
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 35-36

School Athletics

V24 Y2-20: MEMBER OF ATHLETIC TEAM

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you been a member of any athletic teams at school?

(IF NO, GO TO V25)

(IF YES, SKIP TO V26)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	51.8	894	1	No
44.7	42.0	724	2	Yes
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 37-38

V25 Y2-21: HOW IMPORTANT BE ON TEAM

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to be on an athletic team at school?

(AFTER RESPONSE, SKIP TO V30)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	15.1	261	1	Not important
37.0	19.2	331	2	Not too important
16.6	8.6	148	3	Somewhat important
9.5	4.9	85	4	Pretty important
7.7	4.0	69	5	Very important
	48.2	831	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 39-40

V26 **Y2-22: AFTN/SCHL WK ON TEAM**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	3.4	59	0	Less than once wk
7.5	3.1	54	1	
16.2	6.8	117	2	
16.2	6.8	117	3	
10.9	4.6	79	4	
41.1	17.2	297	5	
	58.1	1,002	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 41-42

V27 **Y2-23: EVEN/SCHL WK ON TEAM**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	19.8	341	0	Less than once wk
14.6	6.1	106	1	
19.9	8.3	144	2	
9.5	4.0	69	3	
3.9	1.6	28	4	
5.0	2.1	36	5	
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 43-44

V28**Y2-24: TIME SPENT ON TEAM WKEND**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent on team activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	12.9	223	1	Very little
16.2	6.8	117	2	Not too much
28.3	11.9	205	3	Some
15.3	6.4	111	4	Quite a bit
9.4	3.9	68	5	A great deal
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 45-46

V29**Y2-25: HOW IMP SCHL ATHLETICS**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have school athletics been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.3	5	1	Not important
5.7	2.4	41	2	Not too important
20.7	8.7	150	3	Somewhat important
34.3	14.4	248	4	Pretty important
38.7	16.2	280	5	Very important
	58.0	1,001	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 47-48

School Activities

V30 Y2-26: PARTICPANT SCHL ACTIV

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you taken part in any activities at school, for example, service clubs, recreational or hobby clubs, student government, newspaper and/or yearbook (not counting athletic teams and honor societies)?

(IF NO, GO TO V31)
(IF YES, SKIP TO V32)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	49.3	851	1	No
47.4	44.4	766	2	Yes
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
Missing-data code: -1
Columns: 49-50

V31 Y2-27: HOW IMP SCHL ACTIVITIES

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to be involved in these school activities?

(AFTER RESPONSE, SKIP TO V36)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	11.2	193	1	Not important
41.6	20.5	354	2	Not too important
20.5	10.1	174	3	Somewhat important
9.6	4.8	82	4	Pretty important
5.5	2.7	47	5	Very important
	50.7	875	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
Missing-data code: -1
Columns: 51-52

V32 **Y2-28: AFTN/SCHL WK SCHL ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	9.3	160	0	Less than once wk
32.5	14.4	249	1	
25.7	11.4	197	2	
12.0	5.3	92	3	
3.9	1.7	30	4	
5.0	2.2	38	5	
	55.6	959	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 53-54

V33 **Y2-29: EVEN/SCHL WK SCHL ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	22.3	385	0	Less than once wk
25.0	11.1	191	1	
14.4	6.4	110	2	
7.6	3.4	58	3	
1.7	0.8	13	4	
1.0	0.5	8	5	
	55.7	960	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 55-56

V34 Y2-30: TIME SCHL ACTIV WKEND

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent on these school activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	20.5	354	1	Very little
18.8	8.3	144	2	Not too much
25.1	11.1	192	3	Some
8.2	3.7	63	4	Quite a bit
1.7	0.8	13	5	A great deal
	55.6	959	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 57-58

V35 Y2-31: HOW IMP SCHL ACTIVITIES

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have school activities been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.9	16	1	Not important
10.2	4.5	78	2	Not too important
33.6	14.9	257	3	Somewhat important
33.2	14.7	254	4	Pretty important
21.0	9.3	161	5	Very important
	55.6	959	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 59-60

V36

Y2-32: HOW CLASSMATES SEE YOU

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Which of the following descriptions best describes how your classmates see you? (CIRCLE ONLY ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	11.4	197	1	Athlete
5.1	4.8	82	2	Activities member
24.8	23.2	401	3	Social type
25.2	23.7	408	4	Good student
28.2	26.4	456	5	Average student
1.4	1.3	22	6	None of the above
3.2	3.0	51	7	Other
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 61-62

Community Activities

V37 Y2-33: PARTICIP COMM ACTIVITIES

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you been'a member of any groups in the community such as service clubs, religious groups, recreational or hobby clubs, and athletic teams?

(IF NO, GO TO V38)
(IF YES, SKIP TO V39)

Table with 5 columns: PCT, PCT, N, VALUE, LABEL. Rows include VALID, ALL, 55.2, 53.0, 914, 1, No, 44.8, 43.0, 741, 2, Yes, 4.1, 70, -1, 100.0, 100.0, 1,725 cases.

Data type: numeric
Missing-data code: -1
Columns: 63-64

V38 Y2-34: HOW IMP ARE COMM ACTIV

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to be involved in any of these community activities?

(AFTER RESPONSE, SKIP TO V43)

Table with 5 columns: PCT, PCT, N, VALUE, LABEL. Rows include VALID, ALL, 24.0, 12.7, 219, 1, Not important, 46.9, 24.8, 428, 2, Not too important, 21.1, 11.2, 193, 3, Somewhat important, 5.6, 3.0, 51, 4, Pretty important, 2.4, 1.3, 22, 5, Very important, 47.1, 812, -1, 100.0, 100.0, 1,725 cases.

Data type: numeric
Missing-data code: -1
Columns: 65-66

V39

Y2-35: AFTN/SCHL WK COMM ACTIV

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	13.2	227	0	Less than once wk
28.1	12.1	208	1	
19.8	8.5	147	2	
11.2	4.8	83	3	
3.5	1.5	26	4	
6.7	2.9	50	5	
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 67-68

V40

Y2-36: EVEN/SCHL WK COMM ACTIV

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	13.6	234	0	Less than once wk
35.2	15.1	261	1	
17.7	7.6	131	2	
9.3	4.0	69	3	
3.2	1.4	24	4	
3.0	1.3	22	5	
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 69-70

V41 **Y2-37: TIME ON COMM ACTIV WKEND**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent on these community activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	9.0	156	1	Very little
17.4	7.5	129	2	Not too much
33.1	14.2	245	3	Some
17.7	7.6	131	4	Quite a bit
10.8	4.6	80	5	A great deal
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 71-72

V42 **Y2-38: HOW IMP WERE COMM ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have these community activities been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.5	9	1	Not important
10.3	4.4	76	2	Not too important
31.6	13.6	234	3	Somewhat important
33.6	14.4	249	4	Pretty important
23.3	10.0	173	5	Very important
	57.0	984	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 73-74

Employment

V43	Y2-39: ANY JOBS PAST YEAR
-----	---------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Have you had a job or jobs in the community such as working at a store, a service station, or babysitting for pay?

(IF NO, GO TO V44)
(IF YES, SKIP TO V45)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	29.5	509	1	No
69.2	66.4	1,146	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 75-76

V44	Y2-40: HOW IMPORTANT HAVE JOB
-----	-------------------------------

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important is it to you to have a job?

(AFTER RESPONSE, SKIP TO V48)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	1.6	28	1	Not important
16.7	4.9	85	2	Not too important
19.3	5.7	98	3	Somewhat important
26.3	7.8	134	4	Pretty important
32.2	9.5	164	5	Very important
	70.5	1,216	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 77-78

V45 **Y2-41: JOB DESCRIPTION**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Did your job involve full-time (40 hour week or more) or part-time work (less than 40 hour week)?

(IF RESPONDENT HAS HAD MORE THAN ONE JOB IN THE LAST YEAR, ASK HIM OR HER TO RESPOND TO THESE QUESTIOINS IN TERMS OF THE MOST RECENT JOB.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	58.2	1,004	1	Part-time
12.4	8.2	142	2	Full-time
	33.6	579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 79-80

V46 **Y2-42: WHAT KIND OF WORK**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

What kind of work did you do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	26.6	459	1	Informal
48.9	32.5	560	2	Un/semi skilled
4.6	3.1	53	3	Skilled manual
6.3	4.2	72	4	Cler/tech/sales
0.2	0.1	2	5	Exec/prof/admin
	33.6	579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 81-82

V47

Y2-43: HOW IMPORTANT HAS JOB BEEN

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important has your job been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.6	10	1	Not important
6.0	4.0	69	2	Not too important
17.3	11.5	198	3	Somewhat important
35.7	23.7	409	4	Pretty important
40.1	26.7	460	5	Very important
	33.6	579	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 83-84

Family

V48 Y2-44: WERE YOU MARRIED

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

Were you married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	23	1	Yes
98.6	94.6	1,632	2	No
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 85-86

V49 Y2-45: AFTN/SCHL WK W/FAMILY

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent, talking, working, or playing with your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.6	165	0	Less than once wk
9.8	9.3	161	1	
13.3	12.8	220	2	
21.5	20.6	355	3	
12.1	11.6	200	4	
33.3	31.8	549	5	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 87-88

V50

Y2-46: EVEN/SCHL WK W/FAMILY

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent talking, working, or playing with your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	84	0	Less than once wk
7.6	7.2	125	1	
13.6	13.0	224	2	
20.0	19.2	331	3	
15.3	14.6	252	4	
38.5	36.9	636	5	
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 89-90

V51

Y2-47: TIME W/FAMILY WEEKEND

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

On the weekends, how much time have you generally spent talking, working, or playing with your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.8	134	1	Very little
13.7	13.1	226	2	Not too much
31.0	29.7	513	3	Some
25.6	24.6	424	4	Quite a bit
21.6	20.7	357	5	A great deal
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 91-92

V52 **Y2-48: IMPORTANCE OF FAM ACTIV**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How important have the things you've done with your family been to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	19	1	Not important
3.0	2.8	49	2	Not too important
17.1	16.4	283	3	Somewhat important
32.9	31.5	544	4	Pretty important
45.9	44.0	759	5	Very important
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 93-94

V53 **Y2-49: INFLUENCE OF PARENTS**

Between Christmas a year ago (1976) and the Christmas just past (1977) . . .

How much have your parents influenced what you've thought and done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	44	1	Very little
4.4	4.2	72	2	Not too much
16.7	15.9	274	3	Some
32.5	31.0	534	4	Quite a bit
43.8	41.8	721	5	A great deal
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 95-96

ASPIRATIONS

Current Success

V54 **Y2-50: FAM TOGETHER -IMPORTANT**

How important is it to you...

to have a family that does lots of things together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	42	1	Not important
29.3	28.1	485	3	Somewhat important
68.2	65.4	1,128	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 97-98

V55 **Y2-51: FAM TOGETH -HOW DOING**

How are you doing at this?

to have a family that does lots of things together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	77	1	Not well
59.5	55.6	959	3	O.K.
35.7	33.4	576	5	Very well
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 99-100

V56 **Y2-52: OTH THINK GOOD STUD -IMP**

How important is it to you...

to have other students think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.3	109	1	Not important
46.9	44.0	759	3	Somewhat important
46.3	43.4	749	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 101-102

V57 **Y2-53: OTH THK GD ST -HOW DOING**

How are you doing at this?

to have other students think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.4	42	1	Not well
66.1	57.7	995	3	O.K.
31.1	27.2	469	5	Very well
	12.7	219	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 103-104

V58	Y2-54: HAVE DATES -IMPORTANT
-----	------------------------------

How important is it to you...

to have lots of dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	28.3	489	1	Not important
53.4	51.0	879	3	Somewhat important
16.8	16.1	277	5	Very important
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 105-106

V59	Y2-55: HAVE DATES - HOW DOING
-----	-------------------------------

How are you doing at this?

to have lots of dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	11.3	195	1	Not well
64.6	43.2	746	3	O.K.
18.5	12.3	213	5	Very well
	33.1	571	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 107-108

V60 **Y2-56: TALK TO PARENTS -IMPORT**

How important is it to you...

to have parents you can talk to about almost everything.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	39	1	Not important
18.9	18.1	312	3	Somewhat important
78.8	75.6	1,304	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 109-110

V61 **Y2-57: TLK TO PARENTS-HOW DOING**

How are you doing at this?

to have parents you can talk to about almost everything.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.2	141	1	Not well
46.7	43.6	752	3	O.K.
44.6	41.6	718	5	Very well
	6.6	114	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 111-112

V62	Y2-58: DO WELL -IMPORTANT
-----	---------------------------

How important is it to you...

to do well even in hard subjects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.4	42	1	Not important
34.6	32.5	560	3	Somewhat important
62.8	58.8	1,015	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 113-114

V63	Y2-59: DO WELL -HOW DOING
-----	---------------------------

How are you doing at this?

to do well even in hard subjects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.2	141	1	Not well
72.1	65.9	1,136	3	O.K.
18.9	17.3	298	5	Very well
	8.7	150	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 115-116

V64 **Y2-60: INCLD FRIENDS ACTIV -IMP**

How important is it to you...

to be asked to take part in things your friends do, such as going to parties and games.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.3	126	1	Not important
46.8	44.8	773	3	Somewhat important
45.6	43.7	754	5	Very important
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 117-118

V65 **Y2-61: INC FRNDS ACTIV-HOW DOING**

How are you doing at this?

to be asked to take part in things your friends do, such as going to parties and games.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.7	47	1	Not well
57.9	51.2	883	3	O.K.
39.1	34.6	596	5	Very well
	11.5	199	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 119-120

V66

Y2-62: PARENT COMFORT-IMPORTANT

How important is it to you...

to have parents who comfort you when you're unhappy about something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	61	1	Not important
26.3	25.3	436	3	Somewhat important
70.0	67.1	1,158	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 121-122

V67

Y2-63: PARENT COMFORT-HOW DOING

How are you doing at this?

to have parents who comfort you when you're unhappy about something.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.3	57	1	Not well
50.1	46.3	798	3	O.K.
46.4	42.8	739	5	Very well
	7.6	131	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 123-124

V72 **Y2-64: SCHL WRK W/O HELP-IMPORT**

How important is it to you...

to do your own school work without help from anybody.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.4	94	1	Not important
42.5	39.8	687	3	Somewhat important
51.7	48.5	836	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 133-134

V73 **Y2-65: S.WRK W/O HLP -HOW DOING**

How are you doing at this?

to do your own school work without help from anybody.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.7	47	1	Not well
55.3	48.8	842	3	O.K.
41.6	36.7	633	5	Very well
	11.8	203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 135-136

V74

Y2-66: HAVE BOY/GIRLFRND -IMPOR

How important is it to you...

to have a special boyfriend/girlfriend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	20.5	353	1	Not important
44.8	42.8	739	3	Somewhat important
33.8	32.3	557	5	Very important
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 137-138

V75

Y2-67: HV.BOY/GRLFRND-HOW DOING

How are you doing at this?

to have a special boyfriend/girlfriend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	9.0	155	1	Not well
54.0	40.6	700	3	O.K.
34.0	25.6	441	5	Very well
	24.9	429	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 139-140

V76 **Y2-68: PARNTS THINK WELL-IMPORT**

How important is it to you...

to have your parents think you do things well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	22	1	Not important
23.8	22.8	394	3	Somewhat important
74.9	71.8	1,239	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 141-142

V77 **Y2-69: PRNS.THNK WELL-HOW DOING**

How are you doing at this?

to have your parents think you do things well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	53	1	Not well
58.1	55.0	949	3	O.K.
38.6	36.6	631	5	Very well
	5.3	92	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 143-144

V78

Y2-70: TCH THINK GOOD ST-IMPORT

How important is it to you...

to have teachers think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	78	1	Not important
39.1	36.6	632	3	Somewhat important
56.1	52.6	907	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 145-146

V79

Y2-71: TCH THNK GD ST-HOW DOING

How are you doing at this?

to have teachers think of you as a good student.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.4	58	1	Not well
62.1	55.4	955	3	O.K.
34.1	30.4	525	5	Very well
	10.8	187	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 147-148

V80 **Y2-72: FRNDS ASK YOU -IMPORTANT**

How important is it to you...

to have friends ask to spend time and do things with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	46	1	Not important
46.5	44.6	769	3	Somewhat important
50.8	48.7	840	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 149-150

V81 **Y2-73: FRNDS ASK YOU -HOW DOING**

How are you doing at this?

to have friends ask to spend time and do things with you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	26	1	Not well
54.4	50.7	875	3	O.K.
44.0	41.0	708	5	Very well
	6.7	116	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 151-152

V82

Y2-74: HIGH GPA -IMPORTANT

How important is it to you...

to have a high grade point average.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.3	74	1	Not important
30.6	28.7	495	3	Somewhat important
64.8	60.8	1,048	5	Very important
	6.3	108	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 153-154

V83

Y2-75: HIGH GPA -HOW DOING

How are you doing at this?

to have a high grade point average.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.4	162	1	Not well
61.3	54.8	946	3	O.K.
28.2	25.2	435	5	Very well
	10.6	182	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 155-156

V84 **Y2-76: GET ALONG W/PRNTS-IMPORT**

How important is it to you...

to get along well with your parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	7	1	Not important
12.8	12.3	212	3	Somewhat important
86.8	83.2	1,436	5	Very important
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 157-158

V85 **Y2-77: GET ALNG W/PTS-HOW DOING**

How are you doing at this?

to get along well with your parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	50	1	Not well
44.4	42.4	732	3	O.K.
52.5	50.2	866	5	Very well
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 159-160

Future Aspirations

V86	Y2-78: IMPORTANCE OF: GOOD JOB
------------	---------------------------------------

How important is it to you . . .

to have a good job/career after you've finished with school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	Not important
7.6	7.2	125	3	Somewhat important
91.7	87.9	1,517	5	Very important
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 161-162

V87	Y2-79: IMPORTANCE OF: COLLEGE
------------	--------------------------------------

How important is it to you . . .

to go to college?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.3	246	1	Not important
29.5	28.3	488	3	Somewhat important
55.6	53.3	919	5	Very important
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 163-164

V88	Y2-80: IMPORTANCE OF: MARRAGE
-----	-------------------------------

How important is it to you . . .

to get married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.2	279	1	Not important
51.2	48.7	840	3	Somewhat important
31.9	30.3	523	5	Very important
	4.8	83	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 165-166

V89	Y2-81: IMPOR OF:HAVING CHILDREN
-----	---------------------------------

How important is it to you . . .

to have children of your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.7	270	1	Not important
44.2	42.2	728	3	Somewhat important
39.4	37.7	650	5	Very important
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 167-168

EXPECTATION FOR FUTURE GOALS

V90

Y2-82: CHANCES FOR:JOB YOU LIKE

What do you think your chances are for . . .

getting the kind of job you would like to have after finishing school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	23	1	Poor
28.6	27.3	471	2	Fair
70.0	66.8	1,153	3	Good
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 169-170

V91

Y2-83: CHANCES FOR:COLLEGE DEG

What do you think your chances are for . . .

completing a college degree?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.2	262	1	Poor
36.4	34.7	598	2	Fair
47.6	45.3	781	3	Good
	4.9	84	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 171-172

SOCIAL ISOLATION

V92 Y2-84: DONT FIT WELL W/FRIENDS

Please tell me how much you agree or disagree with these statements about you.

I don't feel that I fit in very well with my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	22.8	393	1	Strongly disagree
63.4	60.8	1,049	2	Disagree
5.8	5.6	96	3	Neither
5.9	5.6	97	4	Agree
1.1	1.1	19	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 173-174

V93 Y2-85: TEACHERS DONT CALL ON

Please tell me how much you agree or disagree with these statements about you.

Teachers don't call on me in class, even when I raise my hand.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	17.8	307	1	Strongly disagree
62.3	58.4	1,007	2	Disagree
10.9	10.2	176	3	Neither
6.8	6.4	110	4	Agree
1.0	0.9	16	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 175-176

V94	Y2-86: OUTSIDER W/FAMILY
------------	---------------------------------

Please tell me how much you agree or disagree with these statements about you.

I feel like an outsider with my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	35.2	607	1	Strongly disagree
53.8	51.6	890	2	Disagree
4.6	4.4	76	3	Neither
3.7	3.6	62	4	Agree
1.2	1.2	20	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 177-178

V95	Y2-87: NOBODY AT SCHOOL CARES
------------	--------------------------------------

Please tell me how much you agree or disagree with these statements about you.

I often feel like nobody at school cares about me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	24.0	414	1	Strongly disagree
61.9	58.0	1,000	2	Disagree
7.7	7.2	124	3	Neither
3.9	3.7	63	4	Agree
0.9	0.8	14	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 179-180

V96 **Y2-88: FRNDS DONT TAKE INTEREST**

Please tell me how much you agree or disagree with these statements about you.

My friends don't take much interest in my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	22.3	385	1	Strongly disagree
59.6	57.2	986	2	Disagree
9.6	9.2	158	3	Neither
6.7	6.4	111	4	Agree
0.8	0.8	14	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 181-182

V97 **Y2-89: FAMILY LISTENS TO PROBS**

Please tell me how much you agree or disagree with these statements about you.

My family is willing to listen if I have a problem.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	20	1	Strongly disagree
4.0	3.8	66	2	Disagree
5.4	5.2	90	3	Neither
59.8	57.3	989	4	Agree
29.6	28.3	489	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 183-184

V98

Y2-90: FEEL CLOSE TO FRIENDS

Please tell me how much you agree or disagree with these statements about you.

I feel close to my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	1	Strongly disagree
2.6	2.5	43	2	Disagree
5.6	5.3	92	3	Neither
67.5	64.8	1,117	4	Agree
23.7	22.7	392	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 185-186

V99

Y2-91: FEEL LONELY W/FAMILY

Please tell me how much you agree or disagree with these statements about you.

Sometimes I feel lonely when I'm with my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.1	243	1	Strongly disagree
46.3	44.4	766	2	Disagree
13.1	12.6	217	3	Neither
23.6	22.6	390	4	Agree
2.3	2.2	38	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 187-188

V100	Y2-92: DONT BELONG AT SCHOOL
-------------	-------------------------------------

Please tell me how much you agree or disagree with these statements about you.

I don't feel as if I really belong at school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	22.8	394	1	Strongly disagree
62.2	58.3	1,005	2	Disagree
7.2	6.7	116	3	Neither
5.0	4.7	81	4	Agree
1.2	1.2	20	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 189-190

V101	Y2-93: FRIENDS LISTEN TO PROBS
-------------	---------------------------------------

Please tell me how much you agree or disagree with these statements about you.

My friends are willing to listen if I have a problem.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Strongly disagree
4.7	4.5	78	2	Disagree
8.8	8.5	146	3	Neither
68.6	65.7	1,134	4	Agree
16.9	16.2	279	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 191-192

V102**Y2-94: FEEL LONELY AT SCHOOL**

Please tell me how much you agree or disagree with these statements about you.

Even though there are lots of kids around, I often feel lonely at school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	12.6	217	1	Strongly disagree
53.5	50.1	864	2	Disagree
10.5	9.9	170	3	Neither
20.6	19.3	333	4	Agree
2.0	1.9	32	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 193-194

V103**Y2-95: TCHS DONT ASK -PROJECTS**

Please tell me how much you agree or disagree with these statements about you.

Teachers don't ask me to work on special classroom projects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.0	189	1	Strongly disagree
63.0	59.0	1,018	2	Disagree
13.3	12.4	214	3	Neither
10.8	10.1	174	4	Agree
1.2	1.2	20	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 195-196

V104 **Y2-96: FEEL CLOSE TO FAMILY**

Please tell me how much you agree or disagree with these statements about you.

I feel close to my family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	9	1	Strongly disagree
3.6	3.4	59	2	Disagree
4.7	4.5	77	3	Neither
56.2	53.9	930	4	Agree
35.0	33.6	580	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 197-198

V105 **Y2-97: FEEL LONELY W/FRIENDS**

Please tell me how much you agree or disagree with these statements about you.

Sometimes I feel lonely when I'm with my friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	12.5	216	1	Strongly disagree
56.6	54.3	936	2	Disagree
9.4	9.0	156	3	Neither
20.0	19.2	331	4	Agree
0.9	0.9	15	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 199-200

V106

Y2-98: FAMILY NOT INTERESTED

Please tell me how much you agree or disagree with these statements about you.

My family doesn't take much interest in my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	31.5	544	1	Strongly disagree
58.4	56.1	967	2	Disagree
4.5	4.3	75	3	Neither
3.4	3.2	56	4	Agree
0.8	0.8	13	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 201-202

NORMLESSNESS

V107 Y2-99: IMP TO BE HONEST W/PRNTS

Please tell me how much you agree or disagree with these statements about you.

It's important to be honest with your parents, even if they become upset or you get punished.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	Strongly disagree
4.4	4.2	73	2	Disagree
8.5	8.1	140	3	Neither
56.6	54.3	936	4	Agree
29.8	28.6	493	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 203-204

V108 Y2-100: AVOID TRBL: LIE TO TCHRS

Please tell me how much you agree or disagree with these statements about you.

To stay out of trouble, it is sometimes necessary to lie to teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	12.5	216	1	Strongly disagree
45.3	42.4	731	2	Disagree
13.4	12.6	217	3	Neither
25.6	24.0	414	4	Agree
2.3	2.1	37	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 205-206

V109

Y2-101: W/FRNDS:GOOD IMPRESN IMP

Please tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	17.9	309	1	Strongly disagree
62.8	60.1	1,036	2	Disagree
8.7	8.3	143	3	Neither
8.6	8.2	142	4	Agree
1.2	1.1	19	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 207-208

V110

Y2-102: PLAY DIRTY TO WIN/SCHOOL

Please tell me how much you agree or disagree with these statements about you.

At school it is sometimes necessary to play dirty in order to win.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	21.7	375	1	Strongly disagree
58.2	54.6	942	2	Disagree
7.4	7.0	120	3	Neither
10.8	10.1	174	4	Agree
0.4	0.4	7	5	Strongly agree
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 209-210

V111 **Y2-103: LYING OK FOR FRIENDS**

Please tell me how much you agree or disagree with these statements about you.

It's okay to lie if it keeps your friends out of trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	13.7	237	1	Strongly disagree
46.0	44.1	761	2	Disagree
22.7	21.7	375	3	Neither
16.4	15.8	272	4	Agree
0.5	0.5	9	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 211-212

V112 **Y2-104: W/PRNTS:GOOD IMPRESN IMP**

Please tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	23.3	402	1	Strongly disagree
61.5	58.9	1,016	2	Disagree
6.8	6.6	113	3	Neither
6.3	6.0	104	4	Agree
1.0	0.9	16	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 213-214

V113

Y2-105: BEAT UP KIDS,GET RESPECT

Please tell me how much you agree or disagree with these statements about you.

In order to gain the respect of your friends, it's sometimes necessary to beat up on other kids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	33.4	576	1	Strongly disagree
58.1	55.7	961	2	Disagree
4.0	3.9	67	3	Neither
2.7	2.6	44	4	Agree
0.4	0.4	7	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 215-216

V114

Y2-106: CAN SUCCEED W/O CHEATING

Please tell me how much you agree or disagree with these statements about you.

You can make it in school without having to cheat on exams/tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	19	1	Strongly disagree
7.8	7.4	127	2	Disagree
5.1	4.8	83	3	Neither
62.9	59.0	1,018	4	Agree
22.9	21.5	371	5	Strongly agree
	6.2	107	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 217-218

V115 **Y2-107: TO BE POPULAR: BRK RULES**

Please tell me how much you agree or disagree with these statements about you.

You have to be willing to break some rules if you want to be popular with your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.1	278	1	Strongly disagree
59.1	56.7	978	2	Disagree
11.0	10.6	182	3	Neither
12.5	11.9	206	4	Agree
0.6	0.6	10	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 219-220

V116 **Y2-108: LIE TO PARNTS:KEEP TRUST**

Please tell me how much you agree or disagree with these statements about you.

Sometimes it's necessary to lie to your parents in order to keep their trust.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.6	321	1	Strongly disagree
53.4	51.2	884	2	Disagree
10.6	10.1	175	3	Neither
16.1	15.5	267	4	Agree
0.4	0.4	7	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 221-222

V117

Y2-109: OWN WORK MORE IMPORTANT

Please tell me how much you agree or disagree with these statements about you.

It is important to do your own work at school even if it means some kids won't like you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	15	1	Strongly disagree
11.0	10.3	178	2	Disagree
10.8	10.1	174	3	Neither
62.2	58.2	1,004	4	Agree
15.1	14.1	244	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 223-224

V118

Y2-110: BRK.PRN.RULES:KEEP FRNDS

Please tell me how much you agree or disagree with these statements about you.

It may be necessary to break some of your parent's rules in order to keep some of your friends.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.0	172	1	Strongly disagree
49.0	46.9	809	2	Disagree
15.9	15.2	263	3	Neither
23.2	22.2	383	4	Agree
1.5	1.4	25	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 225-226

V119	Y2-111: W/TCHRS:GD IMPRES IMPORT
------	----------------------------------

Please tell me how much you agree or disagree with these statements about you.

Making a good impression is more important than telling the truth to teachers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.0	224	1	Strongly disagree
65.4	61.2	1,056	2	Disagree
10.7	10.0	173	3	Neither
9.3	8.8	151	4	Agree
0.7	0.6	11	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 227-228

LABELING

Labeling by Parents

V120 **Y2-112: WELL LIKED**

How much would your parents agree that you . . .
are well-liked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly disagree
1.0	1.0	17	2	Disagree
3.6	3.5	60	3	Neither
63.2	60.5	1,043	4	Agree
31.8	30.4	525	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 229-230

V121 **Y2-113: NEED HELP**

How much would your parents agree that you . . .
need help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	14.6	251	1	Strongly disagree
54.4	51.9	896	2	Disagree
12.0	11.4	197	3	Neither
15.4	14.7	253	4	Agree
3.1	3.0	51	5	Strongly agree
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 231-232

V122	Y2-114: BAD KID
-------------	------------------------

How much would your parents agree that you . . .
are a bad kid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	24.9	430	1	Strongly disagree
61.4	58.8	1,015	2	Disagree
7.6	7.3	126	3	Neither
4.0	3.8	66	4	Agree
0.9	0.9	15	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 233-234

V123	Y2-115: OFTEN UPSET
-------------	----------------------------

How much would your parents agree that you . . .
are often upset

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.7	116	1	Strongly disagree
46.5	44.5	768	2	Disagree
17.8	17.0	293	3	Neither
26.1	25.0	431	4	Agree
2.5	2.4	42	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 235-236

V124	Y2-116: GOOD CITIZEN
-------------	-----------------------------

How much would your parents agree that you . . .
are a good citizen

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
3.5	3.4	58	2	Disagree
10.1	9.6	166	3	Neither
72.6	69.2	1,194	4	Agree
13.6	12.9	223	5	Strongly agree
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 237-238

V125	Y2-117: GET ALONG WELL W/OTHERS
-------------	--

How much would your parents agree that you . . .
get along well with other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
1.9	1.9	32	2	Disagree
3.7	3.6	62	3	Neither
69.1	66.3	1,143	4	Agree
25.0	23.9	413	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 239-240

V126 **Y2-118: MESSED UP**

How much would your parents agree that you . . .
are messed up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	28.7	495	1	Strongly disagree
61.3	58.5	1,009	2	Disagree
4.6	4.4	76	3	Neither
2.8	2.7	46	4	Agree
1.2	1.2	20	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 241-242

V127 **Y2-119: BREAK RULES**

How much would your parents agree that you . . .
break rules

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.2	280	1	Strongly disagree
56.0	53.7	926	2	Disagree
13.8	13.3	229	3	Neither
12.6	12.1	208	4	Agree
0.7	0.6	11	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 243-244

V128**Y2-120: PERSONAL PROBLEMS**

How much would your parents agree that you . . .
 have a lot of personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	14.7	254	1	Strongly disagree
58.4	55.8	963	2	Disagree
11.9	11.4	196	3	Neither
12.6	12.1	208	4	Agree
1.8	1.7	29	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 245-246

V129**Y2-121: GET INTO TROUBLE**

How much would your parents agree that you . . .
 get into trouble

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	17.9	308	1	Strongly disagree
58.8	56.3	971	2	Disagree
10.7	10.3	177	3	Neither
10.9	10.4	180	4	Agree
1.0	0.9	16	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 247-248

V130	Y2-122: LIKELY TO SUCCEED
-------------	----------------------------------

How much would your parents agree that you . . .
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Strongly disagree
6.2	5.9	101	2	Disagree
8.1	7.7	132	3	Neither
66.0	62.7	1,081	4	Agree
18.9	17.9	309	5	Strongly agree
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 249-250

V131	Y2-123: DO THINGS AGAINST LAW
-------------	--------------------------------------

How much would your parents agree that you . . .
do things that are against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	31.9	550	1	Strongly disagree
53.7	51.5	888	2	Disagree
6.3	6.1	105	3	Neither
6.0	5.7	99	4	Agree
0.7	0.7	12	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 251-252

Labeling by Friends

V133

Y2-124: WELL LIKED

How much would your friends agree that you . . .
are well-liked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	7	1	Strongly disagree
1.0	1.0	17	2	Disagree
5.3	5.1	88	3	Neither
72.5	69.3	1,195	4	Agree
20.7	19.8	342	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 255-256

V134

Y2-125: NEED HELP

How much would your friends agree that you . . .
need help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	16.6	286	1	Strongly disagree
68.9	65.8	1,135	2	Disagree
6.7	6.4	111	3	Neither
6.1	5.9	101	4	Agree
0.9	0.9	15	5	Strongly agree
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 257-258

V135	Y2-126: BAD KID
-------------	------------------------

How much would your friends agree that you . . .
are a bad kid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	18.3	315	1	Strongly disagree
70.6	67.4	1,162	2	Disagree
6.5	6.2	107	3	Neither
3.2	3.0	52	4	Agree
0.7	0.6	11	5	Strongly agree
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 259-260

V136	Y2-127: OFTEN UPSET
-------------	----------------------------

How much would your friends agree that you . . .
are often upset

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.9	153	1	Strongly disagree
57.8	55.1	951	2	Disagree
14.7	14.0	242	3	Neither
16.5	15.8	272	4	Agree
1.7	1.6	28	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 261-262

V137

Y2-128: GET ALONG WELL W/OTHERS

How much would your friends agree that you . . .
get along well with other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly disagree
2.4	2.3	39	2	Disagree
3.4	3.2	56	3	Neither
76.8	73.5	1,268	4	Agree
17.4	16.6	287	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 263-264

V138

Y2-129: MESSED UP

How much would your friends agree that you . . .
are messed up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.0	396	1	Strongly disagree
70.2	67.0	1,155	2	Disagree
3.4	3.2	56	3	Neither
1.9	1.9	32	4	Agree
0.4	0.4	7	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 265-266

V139 **Y2-130: BREAK RULES**

How much would your friends agree that you . . .

break rules

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.2	280	1	Strongly disagree
59.0	56.3	971	2	Disagree
11.7	11.2	193	3	Neither
11.8	11.3	195	4	Agree
0.5	0.5	8	5	Strongly agree
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 267-268

V140 **Y2-131: PERSONAL PROBLEMS**

How much would your friends agree that you . . .

have a lot of personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.0	241	1	Strongly disagree
63.2	60.3	1,040	2	Disagree
9.8	9.3	161	3	Neither
11.2	10.7	185	4	Agree
1.2	1.1	19	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 269-270

V141	Y2-132: GET INTO TROUBLE
-------------	---------------------------------

How much would your friends agree that you . . .
get into trouble

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.7	271	1	Strongly disagree
62.1	59.4	1,025	2	Disagree
9.5	9.1	157	3	Neither
11.2	10.7	185	4	Agree
0.7	0.7	12	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 271-272

V142	Y2-133: LIKELY TO SUCCEED
-------------	----------------------------------

How much would your friends agree that you . . .
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	17	1	Strongly disagree
6.7	6.4	110	2	Disagree
12.8	12.1	209	3	Neither
68.2	64.6	1,115	4	Agree
11.2	10.6	183	5	Strongly agree
	5.3	91	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 273-274

V143

Y2-134: DO THINGS AGAINST LAW

How much would your friends agree that you . . .
do things that are against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	23.4	403	1	Strongly disagree
59.1	56.5	974	2	Disagree
7.7	7.4	127	3	Neither
8.1	7.7	133	4	Agree
0.7	0.7	12	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 275-276

Labeling by Teachers

V144

Y2-135: WELL LIKED

How much would your teachers agree that you . . .
are well-liked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
2.0	1.9	33	2	Disagree
8.0	7.5	129	3	Neither
75.0	70.1	1,209	4	Agree
14.8	13.8	238	5	Strongly agree
	6.6	114	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 277-278

V145

Y2-136: NEED HELP

How much would your teachers agree that you . . .
need help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	12.5	216	1	Strongly disagree
61.7	57.6	994	2	Disagree
9.9	9.2	159	3	Neither
13.9	13.0	224	4	Agree
1.2	1.1	19	5	Strongly agree
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 279-280

V146 **Y2-137: BAD KID**

How much would your teachers agree that you . . .
are a bad kid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	16.6	287	1	Strongly disagree
70.6	66.1	1,140	2	Disagree
6.1	5.7	99	3	Neither
5.0	4.6	80	4	Agree
0.6	0.5	9	5	Strongly agree
	6.4	110	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 281-282

V147 **Y2-138: OFTEN UPSET**

How much would your teachers agree that you . . .
are often upset

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	10.8	186	1	Strongly disagree
62.7	58.7	1,012	2	Disagree
12.0	11.2	194	3	Neither
12.9	12.1	208	4	Agree
0.8	0.8	13	5	Strongly agree
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 283-284

V148	Y2-139: GOOD CITIZEN
-------------	-----------------------------

How much would your teachers agree that you . . .
are a good citizen

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly disagree
3.8	3.5	61	2	Disagree
12.7	11.8	204	3	Neither
73.2	68.2	1,177	4	Agree
10.0	9.3	161	5	Strongly agree
	6.8	118	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 285-286

V149	Y2-140: GET ALONG WELL W/OTHERS
-------------	--

How much would your teachers agree that you . . .
get along well with other people

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
2.4	2.3	39	2	Disagree
4.8	4.5	77	3	Neither
78.4	73.4	1,266	4	Agree
14.3	13.3	230	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 287-288

V150	Y2-141: MESSED UP
-------------	--------------------------

How much would your teachers agree that you . . .
are messed up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	20.1	346	1	Strongly disagree
70.2	65.6	1,131	2	Disagree
5.6	5.2	90	3	Neither
2.4	2.2	38	4	Agree
0.4	0.4	7	5	Strongly agree
	6.6	113	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 289-290

V151	Y2-142: BREAK RULES
-------------	----------------------------

How much would your teachers agree that you . . .
break rules

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	15.2	262	1	Strongly disagree
62.5	58.4	1,008	2	Disagree
11.5	10.8	186	3	Neither
8.9	8.3	144	4	Agree
0.9	0.8	14	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 291-292

V152**Y2-143: PERSONAL PROBLEMS**

How much would your teachers agree that you . . .
 have a lot of personal problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	12.8	221	1	Strongly disagree
64.8	60.6	1,046	2	Disagree
11.8	11.0	190	3	Neither
9.1	8.5	147	4	Agree
0.6	0.5	9	5	Strongly agree
	6.5	112	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 293-294

V153**Y2-144: GET INTO TROUBLE**

How much would your teachers agree that you . . .
 get into trouble

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.3	247	1	Strongly disagree
64.2	60.1	1,036	2	Disagree
9.7	9.0	156	3	Neither
10.2	9.5	164	4	Agree
0.7	0.6	11	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 295-296

V154 **Y2-145: LIKELY TO SUCCEED**

How much would your teachers agree that you . . .
are likely to succeed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	15	1	Strongly disagree
5.8	5.4	93	2	Disagree
12.9	11.9	206	3	Neither
69.1	64.1	1,105	4	Agree
11.3	10.4	180	5	Strongly agree
	7.3	126	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 297-298

V155 **Y2-146: DO THINGS AGAINST LAW**

How much would your teachers agree that you . . .
do things that are against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	22.7	391	1	Strongly disagree
64.7	60.6	1,045	2	Disagree
7.5	7.0	121	3	Neither
3.2	3.0	51	4	Agree
0.4	0.3	6	5	Strongly agree
	6.4	111	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 299-300

PERCEIVED DISAPPROVAL

Perceived Disapproval from Parents

V156

Y2-147: KEPT PROMISES

How would your parents react if you ...

kept promises you made to others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	29.9	516	1	Strongly approve
60.8	58.3	1,005	2	Approve
4.3	4.1	71	3	Neither
3.1	3.0	51	4	Disapprove
0.5	0.5	9	5	Strongly disapprove
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 301-302

V157

Y2-148: CHEATED

How would your parents react if you ...

cheated on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.4	0.3	6	2	Approve
2.1	2.0	34	3	Neither
54.5	52.1	898	4	Disapprove
43.0	41.0	708	5	Strongly disapprove
	4.5	77	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 303-304

V158 **Y2-149: STOLE SOMTHNG WRTH < \$5**

How would your parents react if you ...

stole something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.5	0.5	8	2	Approve
1.8	1.7	30	3	Neither
45.6	43.8	755	4	Disapprove
51.9	49.8	859	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 305-306

V159 **Y2-150: FRIENDLY W/OTHER RACES**

How would your parents react if you ...

were friendly with people who are of a different race, religion, or color than you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	20.6	356	1	Strongly approve
59.2	56.6	977	2	Approve
14.4	13.8	238	3	Neither
3.9	3.8	65	4	Disapprove
0.9	0.9	15	5	Strongly disapprove
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 307-308

V160**Y2-151: SOLD HARD DRUGS**

How would your parents react if you ...

sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.2	0.2	3	2	Approve
0.2	0.2	4	3	Neither
17.5	16.8	289	4	Disapprove
81.9	78.5	1,354	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 309-310

V161**Y2-152: RETURNED MONEY**

How would your parents react if you ...

returned money you found or any extra change a cashier gave you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	29.2	503	1	Strongly approve
56.7	54.3	937	2	Approve
9.4	9.0	155	3	Neither
2.8	2.7	47	4	Disapprove
0.7	0.6	11	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 311-312

V162	Y2-153: USED MARIJUANA
-------------	-------------------------------

How would your parents react if you ...

used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.3	0.3	5	2	Approve
4.1	3.9	68	3	Neither
30.4	29.0	501	4	Disapprove
65.1	62.1	1,072	5	Strongly disapprove
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 313-314

V163	Y2-154: STOLE SOMTHNG WRTH > \$50
-------------	---

How would your parents react if you ...

stole something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly approve
0.4	0.4	7	2	Approve
0.5	0.5	8	3	Neither
20.4	19.5	337	4	Disapprove
78.6	75.3	1,299	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 315-316

V164**Y2-155: HIT SOMEONE**

How would your parents react if you ...

hit or threatened to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	Strongly approve
0.8	0.8	13	2	Approve
2.7	2.6	45	3	Neither
52.5	50.4	869	4	Disapprove
43.9	42.1	726	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 317-318

V165**Y2-156: GAVE TO NEEDY**

How would your parents react if you ...

gave some of your time to someone or some group who was in need

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	31.3	540	1	Strongly approve
61.7	59.1	1,020	2	Approve
3.8	3.7	63	3	Neither
1.5	1.4	25	4	Disapprove
0.4	0.3	6	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 319-320

V166 **Y2-157: USED ALCOHOL**

How would your parents react if you ...

used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Strongly approve
2.8	2.7	46	2	Approve
12.1	11.6	200	3	Neither
45.9	43.9	758	4	Disapprove
39.2	37.6	648	5	Strongly disapprove
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 321-322

V167 **Y2-158: DID A FAVOR**

How would your parents react if you ...

did a favor for someone without being asked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	27.0	465	1	Strongly approve
64.2	61.6	1,062	2	Approve
4.5	4.3	74	3	Neither
2.8	2.7	47	4	Disapprove
0.3	0.3	5	5	Strongly disapprove
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 323-324

V168**Y2-159: DESTROYED PROPERTY**

How would your parents react if you ...

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
0.2	0.2	4	2	Approve
0.4	0.4	7	3	Neither
37.0	35.5	612	4	Disapprove
62.1	59.5	1,027	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 325-326

V169**Y2-160: BROKE INTO VEHICLE**

How would your parents react if you ...

broke into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
0.2	0.2	4	2	Approve
0.2	0.2	4	3	Neither
23.8	22.8	394	4	Disapprove
75.5	72.4	1,249	5	Strongly disapprove
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 327-328

Perceived Disapproval from Peers

V170 Y2-161: KEPT PROMISES

How would your close friends react if you . . .
kept promises you made to others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	18.5	319	1	Strongly approve
70.1	66.7	1,150	2	Approve
5.7	5.4	94	3	Neither
4.2	4.0	69	4	Disapprove
0.5	0.5	8	5	Strongly disapprove
	4.9	85	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 329-330

V171 Y2-162: CHEATED

How would your close friends react if you . . .
cheated on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	9	1	Strongly approve
10.6	10.0	173	2	Approve
36.1	34.2	590	3	Neither
45.0	42.7	736	4	Disapprove
7.8	7.4	128	5	Strongly disapprove
	5.2	89	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 331-332

V172

Y2-163: STOLE SOMTHNG WRTH < \$5

How would your close friends react if you . . .

stole something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
6.8	6.4	111	2	Approve
26.1	24.8	428	3	Neither
52.6	50.0	863	4	Disapprove
14.3	13.6	235	5	Strongly disapprove
	4.9	85	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 333-334

V173

Y2-164: FRIENDLY W/OTHER RACES

How would your close friends react if you . . .

were friendly with people who are of a different race, religion, or color than you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.0	173	1	Strongly approve
59.2	56.2	970	2	Approve
22.8	21.6	373	3	Neither
7.0	6.7	115	4	Disapprove
0.5	0.5	8	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 335-336

V174 **Y2-165: SOLD HARD DRUGS**

How would your close friends react if you . . .
 sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
2.7	2.6	44	2	Approve
9.6	9.1	157	3	Neither
45.0	42.8	738	4	Disapprove
42.5	40.4	697	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 337-338

V175 **Y2-166: RETURNED MONEY**

How would your close friends react if you . . .
 returned money you found or any extra change a cashier gave you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.0	121	1	Strongly approve
46.7	44.4	766	2	Approve
29.2	27.8	479	3	Neither
15.1	14.4	248	4	Disapprove
1.6	1.5	26	5	Strongly disapprove
	4.9	85	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 339-340

V176

Y2-167: USED MARIJUANA

How would your close friends react if you . . .

used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	11	1	Strongly approve
10.0	9.5	164	2	Approve
19.0	18.0	310	3	Neither
38.0	35.9	620	4	Disapprove
32.3	30.6	527	5	Strongly disapprove
	5.4	93	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 341-342

V177

Y2-168: STOLE SOMTHNG WRTH > \$50

How would your close friends react if you . . .

stole something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Strongly approve
3.5	3.4	58	2	Approve
9.2	8.7	150	3	Neither
47.4	45.0	776	4	Disapprove
39.7	37.7	650	5	Strongly disapprove
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 343-344

V178

Y2-169: HIT SOMEONE

How would your close friends react if you . . .

hit or threatened to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Strongly approve
4.9	4.6	80	2	Approve
18.6	17.6	304	3	Neither
56.9	54.0	932	4	Disapprove
19.3	18.3	316	5	Strongly disapprove
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 345-346

V179

Y2-170: GAVE TO NEEDY

How would your close friends react if you . . .

gave some of your time to someone or some group who was in need

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.2	193	1	Strongly approve
68.1	64.6	1,115	2	Approve
17.5	16.6	286	3	Neither
2.5	2.4	41	4	Disapprove
0.2	0.2	3	5	Strongly disapprove
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 347-348

V180

Y2-171: USED ALCOHOL

How would your close friends react if you . . .

used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	14	1	Strongly approve
16.9	16.1	277	2	Approve
27.5	26.1	450	3	Neither
38.3	36.3	627	4	Disapprove
16.5	15.7	271	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 349-350

V181

Y2-172: DID A FAVOR

How would your close friends react if you . . .

did a favor for someone without being asked

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.0	172	1	Strongly approve
72.1	68.4	1,180	2	Approve
14.3	13.6	234	3	Neither
2.6	2.4	42	4	Disapprove
0.5	0.5	9	5	Strongly disapprove
	5.1	88	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 351-352

V182 **Y2-173: DESTROYED PROPERTY**

How would your close friends react if you . . .

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	Strongly approve
2.1	2.0	35	2	Approve
12.9	12.3	212	3	Neither
59.2	56.3	971	4	Disapprove
25.5	24.2	418	5	Strongly disapprove
	5.0	86	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 353-354

V183 **Y2-174: BROKE INTO VEHICLE**

How would your close friends react if you . . .

broke into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Strongly approve
1.6	1.6	27	2	Approve
8.0	7.6	131	3	Neither
54.7	52.0	897	4	Disapprove
35.4	33.7	581	5	Strongly disapprove
	4.9	84	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 355-356

COUNTERLABELING

V184

Y2-175: REACTION: AT SCHL-MOTHER

If you got into trouble at school how often would each of the following people defend you or stick up for you?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.8	100	1	Almost never
19.6	18.6	320	2	Sometimes
21.8	20.6	356	3	Often
52.5	49.8	859	4	Almost always
	5.2	90	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 357-358

V185

Y2-176: REACTION: AT SCHL-FATHER

If you got into trouble at school how often would each of the following people defend you or stick up for you?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.2	125	1	Almost never
20.0	17.9	308	2	Sometimes
22.9	20.4	352	3	Often
48.9	43.6	752	4	Almost always
	10.9	188	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 359-360

V186 **Y2-177: REACTION:AT SCHL-FRIENDS**

If you got into trouble at school how often would each of the following people defend you or stick up for you?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.4	41	1	Almost never
15.8	15.0	258	2	Sometimes
31.0	29.3	506	3	Often
50.6	47.9	826	4	Almost always
	5.4	94	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 361-362

V187 **Y2-178: REACTION:W/POLICE-MOTHER**

If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.3	177	1	Almost never
23.0	21.8	376	2	Sometimes
28.6	27.1	468	3	Often
37.6	35.7	616	4	Almost always
	5.1	88	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 363-364

V188

Y2-179: REACTION:W/POLICE-FATHER

If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	11.7	202	1	Almost never
25.7	22.9	395	2	Sometimes
27.4	24.4	421	3	Often
33.9	30.2	521	4	Almost always
	10.8	186	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 365-366

V189

Y2-180: REACTION: W/POLICE-FRND

If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.2	90	1	Almost never
24.9	23.5	406	2	Sometimes
35.4	33.4	577	3	Often
34.2	32.3	557	4	Almost always
	5.5	95	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 367-368

V190 **Y2-181: REACTION: NBRHD -MOTHER**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.3	75	1	Almost never
19.1	18.1	313	2	Sometimes
28.8	27.4	472	3	Often
47.6	45.3	781	4	Almost always
	4.9	84	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 369-370

V191 **Y2-182: REACTION: NBRHD -FATHER**

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.2	107	1	Almost never
21.5	19.2	332	2	Sometimes
29.1	26.0	448	3	Often
42.4	37.9	654	4	Almost always
	10.7	184	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 371-372

V192

Y2-183: REACTION: NBRHD -FRIENDS

If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.4	59	1	Almost never
21.7	20.6	355	2	Sometimes
35.7	33.8	583	3	Often
39.0	37.0	638	4	Almost always
	5.2	90	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 373-374

V193

Y2-184: REACTION:W/RUMORS-MOTHER

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

Your mother (or mother figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.8	65	1	Almost never
12.0	11.5	198	2	Sometimes
21.6	20.6	355	3	Often
62.4	59.5	1,026	4	Almost always
	4.7	81	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 375-376

V194 **Y2-185: REACTION:W/RUMORS-FATHER**

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

Your father (or father figure)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.7	81	1	Almost never
13.7	12.2	211	2	Sometimes
22.9	20.5	354	3	Often
58.2	52.1	898	4	Almost always
	10.5	181	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 377-378

V195 **Y2-186: REACTN:W/RUMORS -FRIENDS**

If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

Your close friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.5	77	1	Almost never
20.0	19.0	327	2	Sometimes
29.7	28.2	487	3	Often
45.6	43.3	747	4	Almost always
	5.0	87	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 379-380

ATTITUDES TOWARD DEVIANCE

V196

Y2-187: CHEAT ON SCHOOL TESTS

How wrong is it for someone your age to . . .

cheat on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	26	1	Not wrong
19.9	19.1	329	2	A little wrong
47.9	46.0	793	3	Wrong
30.6	29.3	506	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 381-382

V197

Y2-188: DESTROY PROPERTY

How wrong is it for someone your age to . . .

purposely damage or destroy property that does not belong to him
 or her

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	5	1	Not wrong
2.8	2.7	46	2	A little wrong
28.0	26.8	463	3	Wrong
68.9	66.1	1,141	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 383-384

V198**Y2-189: USE MARIJUANA**

How wrong is it for someone your age to . . .

use marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.3	160	1	Not wrong
14.4	13.8	238	2	A little wrong
22.5	21.6	372	3	Wrong
53.4	51.1	882	4	Very wrong
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 385-386

V199**Y2-190: STEAL SOMTHNG WRTH < \$5**

How wrong is it for someone your age to . . .

steal something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	16	1	Not wrong
10.0	9.6	166	2	A little wrong
48.5	46.5	802	3	Wrong
40.5	38.8	670	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 387-388

V200**Y2-191: HIT SOMEONE**

How wrong is it for someone your age to . . .

hit or threaten to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	10	1	Not wrong
8.5	8.2	141	2	A little wrong
48.8	46.8	808	3	Wrong
42.1	40.3	696	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 389-390

V201**Y2-192: USE ALCOHOL**

How wrong is it for someone your age to . . .

use alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.4	214	1	Not wrong
20.1	19.2	332	2	A little wrong
30.1	28.8	497	3	Wrong
36.9	35.4	610	4	Very wrong
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 391-392

V202	Y2-193: BREAK INTO VEHICLE
-------------	-----------------------------------

How wrong is it for someone your age to . . .

break into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	Not wrong
2.1	2.0	34	2	A little wrong
24.7	23.7	409	3	Wrong
73.0	70.0	1,208	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 393-394

V203	Y2-194: SELL HARD DRUGS
-------------	--------------------------------

How wrong is it for someone your age to . . .

sell hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	12	1	Not wrong
2.1	2.0	35	2	A little wrong
15.6	15.0	259	3	Wrong
81.5	78.2	1,349	4	Very wrong
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 395-396

V204	Y2-195: STEAL SOMTHING WRTH > \$50
------	------------------------------------

How wrong is it for someone your age to . . .

steal something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	Not wrong
1.5	1.4	25	2	A little wrong
21.5	20.6	355	3	Wrong
76.7	73.5	1,268	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 397-398

V205	Y2-196: GET DRUNK
------	-------------------

How wrong is it for someone your age to . . .

get drunk once in awhile

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	15.1	260	1	Not wrong
24.7	23.7	408	2	A little wrong
28.1	27.0	465	3	Wrong
31.5	30.2	521	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 399-400

V206 **Y2-197: USE PRESCRIPTION DRUGS**

How wrong is it for someone your age to . . .

use prescription drugs such as amphetamines or barbiturates when there is no medical need for them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	14	1	Not wrong
4.2	4.0	69	2	A little wrong
26.3	25.2	434	3	Wrong
68.7	65.8	1,135	4	Very wrong
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 401-402

V207 **Y2-198: GIVE OR SELL ALCOHOL**

How wrong is it for someone your age to . . .

give or sell alcohol to kids under 18

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	57	1	Not wrong
12.8	12.2	211	2	A little wrong
27.7	26.6	458	3	Wrong
56.1	53.8	928	4	Very wrong
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 403-404

DELINQUENT PEERS

Exposure to Delinquent Peers

V208 **Y2-199: CHEATED ON SCHOOL TESTS**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

cheated on school tests

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	15.9	274	1	None of them
30.5	26.2	452	2	Few of them
28.9	24.9	429	3	Some of them
14.4	12.4	214	4	Most of them
7.7	6.7	115	5	All of them
	14.0	241	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 405-406

V209 **Y2-200: DESTROYED PROPERTY**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

purposely damaged or destroyed property that did not belong to them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	51.8	894	1	None of them
27.6	23.9	413	2	Few of them
9.8	8.5	147	3	Some of them
1.9	1.6	28	4	Most of them
0.8	0.7	12	5	All of them
	13.4	231	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 407-408

V210 **Y2-201: USED MARIJUANA**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	47.3	816	1	None of them
16.1	14.0	241	2	Few of them
13.5	11.7	202	3	Some of them
8.4	7.2	125	4	Most of them
7.5	6.5	112	5	All of them
	13.3	229	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 409-410

V211	Y2-202: STOLEN SOMTHNG WRTH < \$5
-------------	---

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

stolen something worth less than \$5

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	43.7	754	1	None of them
28.6	24.6	424	2	Few of them
12.8	11.0	189	3	Some of them
4.9	4.2	73	4	Most of them
2.7	2.3	40	5	All of them
	14.2	245	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 411-412

V212	Y2-203: HIT SOMEONE
-------------	----------------------------

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

hit or threatened to hit someone without any reason

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	44.6	769	1	None of them
30.0	26.0	448	2	Few of them
13.8	12.0	207	3	Some of them
3.3	2.8	49	4	Most of them
1.5	1.3	22	5	All of them
	13.3	230	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 413-414

V213 **Y2-204: USED ALCOHOL**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	29.4	507	1	None of them
20.5	17.7	306	2	Few of them
17.0	14.7	253	3	Some of them
13.5	11.7	201	4	Most of them
15.1	13.0	225	5	All of them
	13.5	233	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 415-416

V214 **Y2-205: BROKEN INTO VEHICLE**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

broken into a vehicle or building to steal something

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	75.5	1,303	1	None of them
9.2	7.9	137	2	Few of them
2.6	2.3	39	3	Some of them
0.7	0.6	10	4	Most of them
0.3	0.3	5	5	All of them
	13.4	231	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 417-418

V215

Y2-206: SOLD HARD DRUGS

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	80.7	1,392	1	None of them
4.2	3.7	63	2	Few of them
2.1	1.9	32	3	Some of them
0.2	0.2	3	4	Most of them
0.3	0.3	5	5	All of them
	13.3	230	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 419-420

V216

Y2-207: STOLEN SOMTHNG WRTH >\$50

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

stolen something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	78.0	1,345	1	None of them
7.0	6.1	105	2	Few of them
2.1	1.9	32	3	Some of them
0.2	0.2	3	4	Most of them
0.3	0.3	5	5	All of them
	13.6	235	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 421-422

V217 **Y2-208: SUGGESTED YOU BREAK LAW**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

suggested you do something that was against the law

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	60.8	1,049	1	None of them
17.8	15.4	266	2	Few of them
8.3	7.2	124	3	Some of them
2.5	2.1	37	4	Most of them
1.4	1.2	21	5	All of them
	13.2	228	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 423-424

V218 **Y2-209: GOTTEN DRUNK**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

gotten drunk once in awhile

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	30.1	520	1	None of them
20.8	18.0	310	2	Few of them
17.6	15.2	263	3	Some of them
13.1	11.4	196	4	Most of them
13.7	11.8	204	5	All of them
	13.4	232	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 425-426

V219**Y2-210: USED PRESCRIPTION**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

used prescription drugs such as amphetamines or barbiturates when there was no medical need for them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	74.3	1,281	1	None of them
8.5	7.3	126	2	Few of them
3.6	3.1	53	3	Some of them
1.4	1.2	21	4	Most of them
0.5	0.4	7	5	All of them
	13.7	237	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 427-428

V220**Y2-211: SOLD OR GIVEN ALCOHOL**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

Think of the people you listed as your close friends. During the last year how many of them have:

sold or given alcohol to kids under 18

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	63.1	1,088	1	None of them
12.4	10.7	185	2	Few of them
10.9	9.4	162	3	Some of them
2.1	1.8	31	4	Most of them
1.8	1.6	27	5	All of them
	13.4	232	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 429-430

Commitment to Delinquent Peers

V221 Y2-212: STILL RUN AROUND W/THEM

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

If you found that your group of friends was leading you into trouble, would you still run around with them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	58.1	1,003	1	No
24.8	21.6	373	2	Don't know
8.4	7.3	126	3	Yes
	12.9	223	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 431-432

V222 Y2-213: TRY TO STOP THESE ACTIVIS

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

If you found that your group of friends was leading you into trouble, would you try to stop these activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	4.9	84	1	No
12.1	10.5	181	2	Don't know
82.4	71.7	1,237	3	Yes
	12.9	223	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 433-434

V223

Y2-214: WILLING TO LIE

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V224)

If your friends got into trouble with the police, would you be willing to lie to protect them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	51.5	888	1	No
22.8	19.9	343	2	Don't know
18.0	15.7	270	3	Yes
0.1	0.1	1	4	
	12.9	223	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 435-436

SEX ROLES

V224 Y2-215: WOMEN W/CHLDRN -NOT WORK

Please tell me how much you agree or disagree with these statements.

Women with children should not work outside the home unless there is no one else to support the family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.7	150	1	Strongly disagree
34.6	33.2	572	2	Disagree
13.3	12.7	219	3	Neither
34.8	33.3	575	4	Agree
8.2	7.8	135	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 437-438

V225 Y2-216: FATHER-GREATER AUTHORITY

Please tell me how much you agree or disagree with these statements.

In general, the father should have greater authority than the mother in the bringing up of the children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.8	118	1	Strongly disagree
35.4	33.9	585	2	Disagree
26.3	25.2	434	3	Neither
26.2	25.0	432	4	Agree
5.0	4.8	83	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 439-440

V226**Y2-217: WOMEN ABLE - MOST JOBS**

Please tell me how much you agree or disagree with these statements.

Women are able to do most jobs as well as men.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	17	1	Strongly disagree
14.5	13.9	240	2	Disagree
15.3	14.7	253	3	Neither
57.8	55.4	955	4	Agree
11.4	10.9	188	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 441-442

V227**Y2-218: WOMEN-SHLD ASK FOR DATES**

Please tell me how much you agree or disagree with these statements.

There is no reason why women should not ask men for dates if they want to.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.2	56	1	Strongly disagree
16.3	15.6	269	2	Disagree
17.8	17.0	294	3	Neither
55.9	53.5	923	4	Agree
6.6	6.3	109	5	Strongly agree
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 443-444

V228 **Y2-219: HUSBS & WIVES:= PARTNERS**

Please tell me how much you agree or disagree with these statements.

Husbands and wives should be equal partners in planning the family budget.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	Strongly disagree
1.2	1.2	20	2	Disagree
3.5	3.4	58	3	Neither
70.4	67.5	1,165	4	Agree
24.8	23.8	410	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 445-446

V229 **Y2-220: WOMEN ARE TOO EMOTIONAL**

Please tell me how much you agree or disagree with these statements.

Women are too emotional to solve problems well.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.9	223	1	Strongly disagree
58.7	56.0	966	2	Disagree
16.2	15.4	266	3	Neither
10.4	9.9	171	4	Agree
1.2	1.2	20	5	Strongly agree
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 447-448

V230**Y2-221: WOMEN SHLD BE ATTRACTIVE**

Please tell me how much you agree or disagree with these statements.

It is more important for a woman to be attractive than intelligent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	10.5	181	1	Strongly disagree
53.0	50.7	874	2	Disagree
20.7	19.8	342	3	Neither
13.9	13.3	229	4	Agree
1.4	1.3	23	5	Strongly agree
	4.4	76	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 449-450

V231**Y2-222: SONS SHLD GO TO COLLEGE**

Please tell me how much you agree or disagree with these statements.

Sons in a family should be given more encouragement to go to college than daughters.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	16.2	279	1	Strongly disagree
54.1	51.9	895	2	Disagree
13.7	13.1	226	3	Neither
13.9	13.3	230	4	Agree
1.4	1.3	23	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 451-452

V232	Y2-223: WOMAN RESP FOR CHILDREN
-------------	--

Please tell me how much you agree or disagree with these statements.

In a marriage, it is the woman's responsibility to care for any children and to take care of the home.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	6.9	119	1	Strongly disagree
33.0	31.7	546	2	Disagree
18.2	17.4	301	3	Neither
37.4	35.8	618	4	Agree
4.2	4.0	69	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 453-454

V233	Y2-224: MEN-TELL DIRTY STORIES
-------------	---------------------------------------

Please tell me how much you agree or disagree with these statements.

It is OK for men to tell dirty stories, but it is embarrassing when women do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.2	159	1	Strongly disagree
44.2	42.3	729	2	Disagree
23.4	22.4	386	3	Neither
20.6	19.7	340	4	Agree
2.2	2.1	36	5	Strongly agree
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 455-456

V234**Y2-225: MEN CAN RAISE CHILDREN**

Please tell me how much you agree or disagree with these statements.

Men can raise and care for children as well as women.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	21	1	Strongly disagree
20.0	19.2	331	2	Disagree
12.2	11.7	202	3	Neither
60.4	57.9	999	4	Agree
6.0	5.8	100	5	Strongly agree
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 457-458

V235**Y2-226: AGGR WOMEN -UNATTRACTIVE**

Please tell me how much you agree or disagree with these statements.

Women who are aggressive and competitive are unattractive.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.2	125	1	Strongly disagree
59.1	55.9	964	2	Disagree
20.3	19.2	331	3	Neither
11.9	11.2	194	4	Agree
1.0	0.9	16	5	Strongly agree
	5.5	95	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 459-460

V236 **Y2-227: WOMEN -PHYSICALLY WEAKER**

Please tell me how much you agree or disagree with these statements.

Women are physically and emotionally weaker than men and therefore need male protection and support.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.7	115	1	Strongly disagree
39.2	37.6	649	2	Disagree
23.8	22.8	394	3	Neither
27.5	26.4	455	4	Agree
2.5	2.4	41	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 461-462

V237 **Y2-228: WOMEN SHLD HAVE FREEDOM**

Please tell me how much you agree or disagree with these statements.

Women should have the same freedom as men to go out and have dates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	7	1	Strongly disagree
3.5	3.4	58	2	Disagree
6.5	6.3	108	3	Neither
76.6	73.4	1,267	4	Agree
12.9	12.4	214	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 463-464

INTERPERSONAL VIOLENCE

V238

Y2-229: OK TO BEAT SOMEONE UP

Please tell me how much you agree or disagree with each of the following statements.

It is alright to physically beat up another person if he/she called you a dirty name.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	18.8	324	1	Strongly disagree
55.3	53.0	914	2	Disagree
13.4	12.9	222	3	Neither
10.8	10.3	178	4	Agree
1.0	0.9	16	5	Strongly agree
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 465-466

V239

Y2-230: WOMEN ASK TO BE SEX ASLT

Please tell me how much you agree or disagree with each of the following statements.

Women who are sexually assaulted have generally asked for it by the way they dress and act.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	10.9	188	1	Strongly disagree
42.0	39.8	686	2	Disagree
21.6	20.5	353	3	Neither
23.1	21.9	377	4	Agree
1.8	1.7	30	5	Strongly agree
	5.3	91	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 467-468

V240 **Y2-231: HITTING ANOTHER IS OK**

Please tell me how much you agree or disagree with each of the following statements.

Hitting another person is an acceptable way to get him/her to do what you want.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.1	329	1	Strongly disagree
65.9	63.2	1,091	2	Disagree
8.2	7.9	136	3	Neither
5.7	5.5	95	4	Agree
0.2	0.2	4	5	Strongly agree
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 469-470

V241 **Y2-232: FEW JUSTIFICATIONS-ATTCK**

Please tell me how much you agree or disagree with each of the following statements.

Other than self-defense there are few situations which justify physically attacking another person

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.5	61	1	Strongly disagree
27.9	26.4	456	2	Disagree
14.4	13.6	235	3	Neither
46.7	44.3	764	4	Agree
7.3	7.0	120	5	Strongly agree
	5.2	89	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 471-472

V242**Y2-233: SEX ASLT IS ACT OF FORCE**

Please tell me how much you agree or disagree with each of the following statements.

Sexual assault has little to do with sexual desires; it is an act of force and violence

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.7	46	1	Strongly disagree
23.3	21.7	375	2	Disagree
17.2	16.1	277	3	Neither
48.2	45.0	776	4	Agree
8.4	7.9	136	5	Strongly agree
	6.7	115	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 473-474

V243**Y2-234: BEAT OTHER-IF STARTS IT**

Please tell me how much you agree or disagree with each of the following statements.

It is alright to beat up another person if he/she started the fight

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.5	112	1	Strongly disagree
34.7	33.2	573	2	Disagree
15.9	15.2	262	3	Neither
39.7	38.0	656	4	Agree
3.0	2.8	49	5	Strongly agree
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 475-476

V244 **Y2-235: WOM NOT ASLTD AGNST WILL**

Please tell me how much you agree or disagree with each of the following statements.

A woman cannot really be sexually assaulted against her will unless a weapon is used or more than one attacker is involved

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	7.9	137	1	Strongly disagree
47.0	44.1	760	2	Disagree
15.2	14.3	246	3	Neither
27.5	25.8	445	4	Agree
1.7	1.6	28	5	Strongly agree
	6.3	109	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 477-478

V245 **Y2-236: SOMETIMES NEC TO FIGHT**

Please tell me how much you agree or disagree with each of the following statements.

It is sometimes necessary to get into a fight to uphold your honor or "put someone in his/her place"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.9	85	1	Strongly disagree
36.0	34.4	593	2	Disagree
19.1	18.3	315	3	Neither
37.5	35.8	617	4	Agree
2.2	2.1	37	5	Strongly agree
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 479-480

V246

Y2-237: WOMEN CURIOUS -SEX ASSLT

Please tell me how much you agree or disagree with each of the following statements.

While women appear to be afraid of being sexually assaulted, they have a curiosity and excitement about sexual assault.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.3	126	1	Strongly disagree
37.8	34.9	602	2	Disagree
32.3	29.8	514	3	Neither
21.3	19.7	339	4	Agree
0.6	0.6	10	5	Strongly agree
	7.8	134	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 481-482

PRESSURE FOR SUBSTANCE ABUSE BY PEERS

V247 Y2-238: SUGG GO DRINKING W/THEM

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Suggested that you should go drinking with them

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	17.5	302	1	Never
23.0	8.5	147	2	Once or twice
18.3	6.8	117	3	Several times
11.6	4.3	74	4	Often
	62.9	1,085	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 483-484

V248 Y2-239: PRESSURE YOU TO DRINK

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS,SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Put pressure on you to drink

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	32.2	556	1	Never
8.4	3.1	54	2	Once or twice
4.1	1.5	26	3	Several times
0.8	0.3	5	4	Often
	62.8	1,084	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 485-486

V249**Y2-240: SUGG HAVE TO GET DRUNK**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Suggested or claimed that you have to get drunk to have a good time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	29.6	510	1	Never
13.3	4.9	85	2	Once or twice
4.1	1.5	26	3	Several times
3.1	1.2	20	4	Often
	62.8	1,084	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 487-488

V250**Y2-241: OFFERED MARIJUANA TO YOU**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Offered marijuana to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	24.2	417	1	Never
16.1	6.0	103	2	Once or twice
11.1	4.1	71	3	Several times
7.8	2.9	50	4	Often
	62.8	1,084	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 489-490

V251 **Y2-242: SUGG HAVE TO GET HIGH**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Suggested or claimed that you have to get high on drugs to have a good time

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	31.6	545	1	Never
9.5	3.5	61	2	Once or twice
3.3	1.2	21	3	Several times
2.0	0.8	13	4	Often
	62.9	1,085	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 491-492

V252 **Y2-243: PRESS YOU TO USE DRUGS**

(IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO V253)

During the past year, how often have your close friends done any of the following:

Put pressure on you to use drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	34.8	600	1	Never
4.4	1.6	28	2	Once or twice
1.2	0.5	8	3	Several times
0.9	0.3	6	4	Often
	62.8	1,083	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 493-494

EXPOSURE TO SUBSTANCE ABUSE AMONG PARENTS

V253 Y2-244: USED ALCOHOL

Have your parents' . . .

Used alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	11.7	202	1	Never
32.8	13.4	232	2	Once or twice
25.0	10.3	177	3	Several times
13.6	5.6	96	4	Often
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 495-496

V254 Y2-245: GOTTEN DRUNK

Have your parents' . . .

Gotten drunk

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	25.4	438	1	Never
26.0	10.6	183	2	Once or twice
7.4	3.0	52	3	Several times
4.3	1.7	30	4	Often
	59.2	1,022	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 497-498

V255 **Y2-246: USED MARIJUANA**

Have your parents' . . .

Used marijuana or hashish

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	39.9	688	1	Never
1.4	0.6	10	2	Once or twice
0.6	0.2	4	3	Several times
0.3	0.1	2	4	Often
	59.2	1,021	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 499-500

V256 **Y2-247: USED DRUGS:TRANQUILIZERS**

Have your parents' . . .

Used drugs such as tranquiliizers, sleeping pills or diet pills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	29.3	506	1	Never
18.5	7.5	129	2	Once or twice
5.5	2.2	38	3	Several times
3.3	1.3	23	4	Often
	59.7	1,029	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 501-502

SELF-REPORTED DELINQUENCY

V257 **Y2-248: DAMGD FAM PROP-FREQUENCY**

How many times in the LAST YEAR have you:

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	34.2	590	0	
7.4	3.0	52	1	
4.8	2.0	34	2	
1.0	0.4	7	3	
1.0	0.4	7	4	
0.7	0.3	5	5	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.4	0.2	3	10	
0.4	0.2	3	12	
0.1	0.1	1	13	
0.1	0.1	1	45	
0.1	0.1	1	50	
0.1	0.1	1	52	
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 503-504

V258	Y2-249: DAMGD FAM PROPERTY-RATE
------	--

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V257) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property that did not belong to you

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	34.2	590	1	Never
13.2	5.4	93	2	Once/twice yr
1.7	0.7	12	3	Once every 2-3 mos
1.3	0.5	9	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.3	0.1	2	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 505-506

V259	Y2-250: DAMGD FAM PROPERTY-FREQ
------	---------------------------------

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to your PARENTS or other family MEMBERS.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	44.5	768	0	
10.0	5.5	95	1	
4.7	2.6	44	2	
1.8	1.0	17	3	
0.2	0.1	2	4	
0.7	0.4	7	5	
0.2	0.1	2	6	
0.3	0.2	3	10	
0.3	0.2	3	12	
0.1	0.1	1	14	
0.2	0.1	2	20	
0.1	0.1	1	50	
0.1	0.1	1	75	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 507-508

V260 Y2-251: DAMGD FAM PROPERTY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V259) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to your PARENTS or other family MEMBERS.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	44.5	768	1	Never
16.5	9.0	156	2	Once/twice yr
1.2	0.6	11	3	Once every 2-3 mos
0.7	0.4	7	4	Once a mo
0.2	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 509-510

V261	Y2-252: DAMGD SCH PROP-FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to a SCHOOL.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	47.2	815	0	
7.0	3.8	66	1	
2.8	1.5	26	2	
1.2	0.6	11	3	
0.6	0.3	6	4	
0.4	0.2	4	5	
0.2	0.1	2	8	
0.1	0.1	1	9	
0.6	0.3	6	10	
0.2	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	70	
0.1	0.1	1	110	
0.1	0.1	1	200	
0.1	0.1	1	400	
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 511-513

V262	Y2-253: DAMGD SCHL PROPERTY-RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V261) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed property belonging to a SCHOOL.

PCT VALID	PCT ALL	N	VALUE	LABEL
86.3	47.2	815	1	Never
10.9	6.0	103	2	Once/twice yr
1.1	0.6	10	3	Once every 2-3 mos
1.0	0.5	9	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.3	0.2	3	9	2-3 times day
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 514-515

V263	Y2-254: DAMGD OTH PROP-FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

purposely damaged or destroyed OTHER PROPERTY that did not belong to you (not counting family or school property).

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	47.0	811	0	
5.9	3.2	56	1	
3.3	1.8	31	2	
1.6	0.9	15	3	
0.7	0.4	7	4	
0.7	0.4	7	5	
0.4	0.2	4	6	
0.1	0.1	1	7	
0.5	0.3	5	10	
0.4	0.2	4	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	30	
0.2	0.1	2	52	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 516-517

V264 Y2-255: DAMGD OTH PROPERTY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V263) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

purposely damaged or destroyed OTHER PROPERTY that did not belong to you (not counting family or school property).

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	47.0	811	1	Never
10.8	5.9	102	2	Once/twice yr
1.9	1.0	18	3	Once every 2-3 mos
1.1	0.6	10	4	Once a mo
0.2	0.1	2	5	Once every 2-3 wks
0.3	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 518-519

V265 **Y2-256: STOLEN MOTOR VEHICL-FREQ**

How many times in the LAST YEAR have you:

stolen (or tried to steal) a motor vehicle, such as a car or motorcycle

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.1	1,640	0	
0.4	0.4	7	1	
0.1	0.1	2	2	
0.1	0.1	1	3	
0.1	0.1	2	4	
0.1	0.1	1	5	
0.1	0.1	1	8	
0.1	0.1	1	321	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 520-522

V266 **Y2-257: STOLEN MOTOR VEHICL-RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V265) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) a motor vehicle, such as a car or motorcycle

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.1	1,640	1	Never
0.6	0.6	10	2	Once/twice yr
0.2	0.2	3	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 523-524

V267	Y2-258: STOLEN:WRTH > \$50 -FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

stolen (or tried to steal) something worth more than \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	93.8	1,618	0	
1.0	0.9	16	1	
0.5	0.5	8	2	
0.2	0.2	4	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	10	
0.1	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	23	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 525-526

V268	Y2-259: STOLEN:WRTH > \$50 -RATE
------	----------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V267) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) something worth more than \$50

PCT VALID	PCT ALL	N	VALUE	LABEL
97.8	93.8	1,618	1	Never
1.5	1.4	24	2	Once/twice yr
0.4	0.3	6	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 527-528

V269	Y2-260: BOUGHT STOLEN GOODS-FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

knowingly bought, sold or held stolen goods (or tried to do any of these things)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	87.9	1,516	0	
3.6	3.5	60	1	
2.3	2.2	38	2	
0.8	0.8	14	3	
0.2	0.2	3	4	
0.2	0.2	4	5	
0.3	0.3	5	6	
0.1	0.1	2	9	
0.2	0.2	3	10	
0.2	0.2	3	12	
0.1	0.1	1	14	
0.1	0.1	1	15	
0.2	0.2	3	20	
0.1	0.1	1	100	
0.1	0.1	1	185	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 529-531

V270

Y2-261: BOUGHT STOLEN GOODS-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V269) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

knowingly bought, sold or held stolen goods (or tried to do any of these things)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	87.9	1,516	1	Never
6.8	6.5	112	2	Once/twice yr
0.7	0.7	12	3	Once every 2-3 mos
0.7	0.7	12	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 532-533

V271	Y2-262: RETND THNG TO OWNER-FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

found something (like a wallet or some jewelry) and returned it to the owner or the police

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	39.4	679	0	
14.6	8.0	138	1	
8.0	4.4	76	2	
3.2	1.7	30	3	
0.4	0.2	4	4	
0.7	0.4	7	5	
0.2	0.1	2	6	
0.3	0.2	3	7	
0.2	0.1	2	10	
0.5	0.3	5	12	
0.1	0.1	1	35	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 534-535

V272	Y2-263: RETND THNG TO OWNER-RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V271) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

found something (like a wallet or some jewelry) and returned it to the owner or the police

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	39.4	679	1	Never
25.8	14.1	244	2	Once/twice yr
1.4	0.8	13	3	Once every 2-3 mos
1.1	0.6	10	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 536-537

V273	Y2-264: THROWN OBJECTS-FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

thrown objects (such as rocks, snowballs, or bottles) at cars
or people.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
58.2	31.9	550	0	
9.5	5.2	90	1	
7.9	4.3	75	2	
4.0	2.2	38	3	
2.5	1.4	24	4	
5.0	2.7	47	5	
1.5	0.8	14	6	
0.5	0.3	5	7	
0.2	0.1	2	8	
0.3	0.2	3	9	
3.7	2.0	35	10	
1.3	0.7	12	12	
0.3	0.2	3	14	
0.8	0.5	8	15	
0.5	0.3	5	20	
0.1	0.1	1	22	
0.5	0.3	5	25	
0.4	0.2	4	30	
0.1	0.1	1	35	
0.1	0.1	1	40	
0.1	0.1	1	45	
0.6	0.3	6	50	
0.1	0.1	1	75	
0.2	0.1	2	83	
0.6	0.3	6	100	
0.1	0.1	1	194	
0.2	0.1	2	200	
0.1	0.1	1	500	
0.1	0.1	1	900	
0.1	0.1	1	999	
	45.2	780	-1	

 100.0 100.0 1,725 cases

Data type: numeric
 Missing-data code: -1
 Columns: 538-540

V274	Y2-265: THROWN OBJECTS- RATE
-------------	-------------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V273) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

thrown objects (such as rocks, snowballs, or bottles) at cars or people.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	31.9	550	1	Never
21.5	11.8	203	2	Once/twice yr
9.0	4.9	85	3	Once every 2-3 mos
3.9	2.1	37	4	Once a mo
1.2	0.6	11	5	Once every 2-3 wks
1.2	0.6	11	6	Once a wk
1.8	1.0	17	7	2-3 times wk
0.5	0.3	5	8	Once a day
2.8	1.5	26	9	2-3 times day
	45.2	780	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 541-542

V275 **Y2-266: RUN AWAY FROM HOME -FREQ**

How many times in the LAST YEAR have you:

run away from home

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	90.6	1,563	0	
3.8	3.7	63	1	
0.8	0.8	14	2	
0.5	0.5	8	3	
0.1	0.1	1	4	
0.1	0.1	2	5	
0.1	0.1	1	7	
0.1	0.1	1	30	
0.1	0.1	1	100	
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 543-545

V276 **Y2-267: RUN AWAY FROM HOME -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V275) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

run away from home

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	90.6	1,563	1	Never
5.1	4.9	85	2	Once/twice yr
0.2	0.2	3	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 546-547

V277	Y2-268: LIED ABOUT AGE-FREQUENCY
------	---

How many times in the LAST YEAR have you:

lied about your age to gain entrance or to purchase something, for example, lying about your age to buy liquor or get into a movie

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
70.2	38.6	665	0	
7.4	4.1	70	1	
6.7	3.7	63	2	
3.8	2.1	36	3	
1.9	1.0	18	4	
2.2	1.2	21	5	
0.5	0.3	5	6	
0.3	0.2	3	7	
0.1	0.1	1	8	
1.9	1.0	18	10	
1.2	0.6	11	12	
0.2	0.1	2	13	
0.5	0.3	5	15	
0.1	0.1	1	16	
0.1	0.1	1	17	
0.8	0.5	8	20	
0.2	0.1	2	22	
0.1	0.1	1	28	
0.2	0.1	2	30	
0.3	0.2	3	50	
0.2	0.1	2	52	
0.1	0.1	1	60	
0.2	0.1	2	83	
0.3	0.2	3	100	
0.1	0.1	1	150	
0.1	0.1	1	200	
0.1	0.1	1	365	
	45.1	778	-1	

100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 548-550

V278 Y2-269: LIED ABOUT AGE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V277) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

lied about your age to gain entrance or to purchase something, for example, lying about your age to buy liquor or get into a movie

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	38.6	665	1	Never
17.8	9.8	169	2	Once/twice yr
4.6	2.6	44	3	Once every 2-3 mos
3.0	1.6	28	4	Once a mo
1.9	1.0	18	5	Once every 2-3 wks
1.1	0.6	10	6	Once a wk
1.2	0.6	11	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.1	0.1	1	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 551-552

V279	Y2-270: CARRIED HIDDEN WEAP -FREQ
------	-----------------------------------

How many times in the LAST YEAR have you:

carried a hidden weapon other than a plain pocket knife

PCT VALID	PCT ALL	N	VALUE	LABEL
93.1	89.3	1,540	0	
2.2	2.1	36	1	
1.0	0.9	16	2	
0.3	0.3	5	3	
0.5	0.5	9	4	
0.5	0.5	8	5	
0.1	0.1	2	6	
0.1	0.1	2	7	
0.1	0.1	1	8	
0.2	0.2	4	10	
0.2	0.2	3	12	
0.1	0.1	1	13	
0.1	0.1	2	14	
0.2	0.2	4	20	
0.1	0.1	2	25	
0.1	0.1	1	30	
0.1	0.1	1	45	
0.2	0.2	3	50	
0.1	0.1	1	70	
0.1	0.1	1	90	
0.1	0.1	2	100	
0.1	0.1	1	194	
0.1	0.1	1	200	
0.5	0.5	8	365	
	4.1	71	-1	

100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 553-555

V280	Y2-271: CARRIED HIDDEN WEAP -RATE
-------------	--

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V279) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

carried a hidden weapon other than a plain pocket knife

PCT VALID	PCT ALL	N	VALUE	LABEL
93.1	89.3	1,540	1	Never
3.4	3.3	57	2	Once/twice yr
1.1	1.1	19	3	Once every 2-3 mos
0.5	0.5	9	4	Once a mo
0.3	0.3	5	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.4	0.4	7	7	2-3 times wk
0.7	0.7	12	8	Once a day
0.1	0.1	2	9	2-3 times day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 556-557

V281	Y2-272: STOL SMTHNG WRTH<\$5-FREQ
------	-----------------------------------

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth \$5 or less

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	79.0	1,362	0	
7.0	6.7	116	1	
5.0	4.8	83	2	
1.6	1.6	27	3	
0.6	0.6	10	4	
0.5	0.5	9	5	
0.2	0.2	4	6	
0.1	0.1	2	7	
0.7	0.7	12	10	
0.8	0.8	14	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.1	0.1	1	15	
0.1	0.1	2	17	
0.1	0.1	1	20	
0.1	0.1	1	23	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	36	
0.1	0.1	1	40	
0.2	0.2	3	50	
0.1	0.1	1	400	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 558-560

V282	Y2-273: STOL SMTHNG WRTH<\$5-RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V281) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth \$5 or less

PCT VALID	PCT ALL	N	VALUE	LABEL
82.3	79.0	1,362	1	Never
13.7	13.1	226	2	Once/twice yr
1.4	1.3	23	3	Once every 2-3 mos
1.8	1.7	29	4	Once a mo
0.4	0.4	7	5	Once every 2-3 wks
0.4	0.3	6	6	Once a wk
0.1	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 561-562

V283	Y2-274: ATTACKED SOMEONE -FREQ
------	--------------------------------

How many times in the LAST YEAR have you:

attacked someone with the idea of seriously hurting or killing
him/her

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,591	0	
1.8	1.7	30	1	
0.9	0.9	15	2	
0.4	0.3	6	3	
0.2	0.2	3	4	
0.2	0.2	4	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.1	0.1	1	35	
0.1	0.1	1	55	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 563-564

V284 **Y2-275: ATTACKED SOMEONE -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V283) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

attacked someone with the idea of seriously hurting or killing him/her

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,591	1	Never
3.1	3.0	51	2	Once/twice yr
0.5	0.5	9	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	2	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 565-566

V285 **Y2-276: PAID FOR SEX REL -FREQ**

How many times in the LAST YEAR have you:

been paid for having sexual relations with someone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	95.2	1,642	0	
0.2	0.2	3	1	
0.1	0.1	2	2	
0.1	0.1	1	3	
0.1	0.1	1	5	
0.1	0.1	1	6	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 567-568

V286**Y2-277: PAID FOR SEX REL -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V285) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been paid for having sexual relations with someone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	95.2	1,642	1	Never
0.4	0.3	6	2	Once/twice yr
0.1	0.1	2	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 569-570

V287**Y2-278: SEXUAL INTERCOURSE -FREQ**

How many times in the LAST YEAR have you:

had sexual intercourse with a person of the opposite sex
(IF MARRIED, ADD other than wife/husband)

1,725 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data code: -1

Columns: 571-573

V288	Y2-279: SEXUAL INTERCOURSE -RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V287) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

had sexual intercourse with a person of the opposite sex
(IF MARRIED, ADD other than wife/husband)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	76.0	1,311	1	Never
8.2	7.8	135	2	Once/twice yr
2.9	2.8	48	3	Once every 2-3 mos
3.0	2.8	49	4	Once a mo
2.2	2.1	36	5	Once every 2-3 wks
1.8	1.7	29	6	Once a wk
1.9	1.9	32	7	2-3 times wk
0.2	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.8	82	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 574-575

V289

Y2-280: BEEN IN GANG FIGHTS-FREQ

How many times in the LAST YEAR have you:

been involved in gang fights

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	86.1	1,485	0	
5.6	5.3	92	1	
2.1	2.0	35	2	
0.7	0.7	12	3	
0.5	0.5	8	4	
0.3	0.3	5	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.4	0.4	7	12	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	94	
0.1	0.1	1	194	
0.1	0.1	1	350	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 576-578

V290	Y2-281: BEEN IN GANG FIGHTS-RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V289) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been involved in gang fights

PCT VALID	PCT ALL	N	VALUE	LABEL
89.7	86.1	1,485	1	Never
8.4	8.1	139	2	Once or twice a yr
0.9	0.9	15	3	Once every 2-3 mos
0.7	0.6	11	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.1	0.1	2	8	Once a day
0.1	0.1	1	9	2-3 times/day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 579-580

V291	Y2-282: SOLD MARIJUANA-FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

sold marijuana or hashish ("pot", "grass", "hash")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	88.9	1,534	0	
1.4	1.3	23	1	
1.7	1.6	28	2	
0.7	0.6	11	3	
0.2	0.2	3	4	
0.8	0.8	14	5	
0.1	0.1	1	6	
0.1	0.1	2	7	
0.6	0.6	10	10	
0.5	0.5	8	12	
0.1	0.1	1	14	
0.1	0.1	2	15	
0.1	0.1	1	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	2	40	
0.2	0.2	4	50	
0.1	0.1	1	52	
0.1	0.1	1	70	
0.1	0.1	1	83	
0.1	0.1	1	100	
0.1	0.1	1	150	
0.1	0.1	1	194	
0.1	0.1	1	250	
0.1	0.1	1	365	
0.1	0.1	1	700	
	4.1	70	-1	

 100.0 100.0 1,725 cases

Data type: numeric
 Missing-data code: -1
 Columns: 581-583

V292	Y2-283: SOLD MARIJUANA -RATE
-------------	-------------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V291) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

sold marijuana or hashish ("pot", "grass", "hash")

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	88.9	1,534	1	Never
3.7	3.6	62	2	Once or twice a yr
1.1	1.0	18	3	Once every 2-3 mos
1.0	1.0	17	4	Once a mo
0.3	0.3	5	5	Once every 2-3 wks
0.4	0.4	7	6	Once a wk
0.4	0.4	7	7	2-3 times/wk
0.2	0.2	3	8	Once a day
0.1	0.1	2	9	2-3 times/day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 584-585

V293 Y2-284: CHEATED SCHL TESTS-FREQ

How many times in the LAST YEAR have you:

cheated on school tests

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	28.0	483	0	
14.4	7.8	135	1	
12.8	7.0	120	2	
5.6	3.1	53	3	
2.0	1.1	19	4	
4.0	2.2	38	5	
0.6	0.3	6	6	
0.9	0.5	8	7	
0.7	0.4	7	8	
0.2	0.1	2	9	
2.4	1.3	23	10	
1.4	0.8	13	12	
0.1	0.1	1	13	
0.6	0.3	6	15	
0.1	0.1	1	18	
0.9	0.5	8	20	
0.3	0.2	3	22	
0.1	0.1	1	24	
0.4	0.2	4	25	
0.2	0.1	2	30	
0.1	0.1	1	32	
0.1	0.1	1	36	
0.1	0.1	1	50	
0.2	0.1	2	83	
0.1	0.1	1	144	
0.1	0.1	1	180	
	45.5	785	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 586-588

V294	Y2-285: CHEATED SCHL TESTS-RATE
------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V293) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

cheated on school tests

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	28.0	483	1	Never
32.8	17.9	308	2	Once or twice a yr
6.7	3.7	63	3	Once every 2-3 mos
5.1	2.8	48	4	Once a mo
2.2	1.2	21	5	Once every 2-3 wks
1.2	0.6	11	6	Once a wk
0.5	0.3	5	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	45.5	785	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 589-590

V295

Y2-286: HITCHHIKED ILLEG -FREQ

How many times in the LAST YEAR have you:

hitchhiked where it was illegal to do so

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	50.3	868	0	
2.7	1.5	26	1	
1.6	0.9	15	2	
0.5	0.3	5	3	
0.4	0.2	4	4	
0.5	0.3	5	5	
0.3	0.2	3	6	
0.2	0.1	2	7	
0.2	0.1	2	8	
0.1	0.1	1	9	
0.3	0.2	3	10	
0.4	0.2	4	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	50	
0.1	0.1	1	52	
0.1	0.1	1	65	
0.1	0.1	1	100	
0.1	0.1	1	200	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 591-593

V296	Y2-287: HITCHHIKED ILLEG -RATE
------	--------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V295) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hitchhiked where it was illegal to do so

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	50.3	868	1	Never
4.9	2.7	46	2	Once or twice a yr
1.3	0.7	12	3	Once every 2-3 mos
1.3	0.7	12	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.5	0.3	5	6	Once a wk
0.2	0.1	2	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 594-595

V297	Y2-288: HELPED SOMEONE HURT-FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	29.0	501	0	
19.3	10.6	183	1	
14.4	7.9	136	2	
4.1	2.3	39	3	
2.2	1.2	21	4	
2.4	1.3	23	5	
1.1	0.6	10	6	
0.5	0.3	5	7	
0.3	0.2	3	8	
0.5	0.3	5	10	
1.0	0.5	9	12	
0.2	0.1	2	15	
0.1	0.1	1	16	
0.3	0.2	3	20	
0.1	0.1	1	25	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	50	
0.1	0.1	1	88	
0.1	0.1	1	100	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 596-598

V298 Y2-289: HELPED SOMEONE HURT-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V297) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

helped out someone who was badly hurt such as someone who was beaten up, in an accident or very sick.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	29.0	501	1	Never
37.8	20.8	358	2	Once or twice a yr
5.7	3.1	54	3	Once every 2-3 mos
2.3	1.3	22	4	Once a mo
0.4	0.2	4	5	Once every 2-3 wks
0.3	0.2	3	6	Once a wk
0.4	0.2	4	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 599-600

V299	Y2-290: STOLEN MONEY FAMILY-FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

stolen money or other things from YOUR PARENTS or OTHER MEMBERS OF YOUR FAMILY.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	49.3	851	0	
5.2	2.8	49	1	
2.0	1.1	19	2	
1.3	0.7	12	3	
0.4	0.2	4	4	
0.4	0.2	4	5	
0.2	0.1	2	6	
0.3	0.2	3	12	
0.1	0.1	1	20	
0.1	0.1	1	24	
0.1	0.1	1	365	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 601-603

V300 Y2-291: STOLEN MONEY FAMILY-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V299) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen money or other things from YOUR PARENTS or OTHER MEMBERS OF YOUR FAMILY.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.9	49.3	851	1	Never
8.4	4.6	80	2	Once/twice yr
1.1	0.6	10	3	Once every 2-3 mos
0.4	0.2	4	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 604-605

V301	Y2-292: HIT TEACHER -FREQUENCY
-------------	---------------------------------------

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	89.2	1,539	0	
3.4	3.2	56	1	
1.7	1.6	28	2	
0.2	0.2	4	3	
0.3	0.3	5	4	
0.2	0.2	4	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.1	0.1	2	10	
0.1	0.1	2	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	91	
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 606-607

V302 **Y2-293: HIT TEACHER -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V301) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	89.2	1,539	1	Never
5.3	5.1	88	2	Once/twice yr
0.6	0.6	10	3	Once every 2-3 mos
0.4	0.3	6	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 608-609

V303 **Y2-294: HIT PARENT -FREQUENCY**

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	91.5	1,579	0	
2.7	2.6	45	1	
1.1	1.1	19	2	
0.2	0.2	3	3	
0.1	0.1	1	4	
0.2	0.2	3	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	1	12	
0.1	0.1	1	20	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 610-611

V304	Y2-295: HIT PARENT -RATE
-------------	---------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V303) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit (or threatened to hit) one or your parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	91.5	1,579	1	Never
4.0	3.9	67	2	Once/twice yr
0.4	0.3	6	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 612-613

V305	Y2-296: HIT OTHER STUDENTS -FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

hit (or threatened to hit) other students

PCT VALID	PCT ALL	N	VALUE	LABEL
58.6	55.9	965	0	
12.3	11.7	202	1	
10.6	10.1	175	2	
4.6	4.4	76	3	
2.0	1.9	33	4	
3.3	3.2	55	5	
1.3	1.3	22	6	
0.6	0.6	10	7	
0.2	0.2	3	8	
0.2	0.2	4	9	
1.9	1.9	32	10	
1.1	1.0	18	12	
0.1	0.1	1	13	
0.4	0.4	7	15	
0.1	0.1	1	18	
0.5	0.5	9	20	
0.1	0.1	1	24	
0.3	0.3	5	25	
0.2	0.2	4	30	
0.1	0.1	1	40	
0.1	0.1	1	44	
0.5	0.5	9	50	
0.2	0.2	3	52	
0.1	0.1	1	83	
0.1	0.1	1	96	
0.2	0.2	4	100	
0.1	0.1	1	150	
0.1	0.1	1	180	
0.1	0.1	1	194	
0.1	0.1	1	210	
	4.5	78	-1	

100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 614-616

V306	Y2-297: HIT OTHER STUDENTS -RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V305) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

hit (or threatened to hit) other students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	55.9	965	1	Never
27.5	26.3	453	2	Once/twice yr
6.7	6.4	110	3	Once every 2-3 mos
3.5	3.4	58	4	Once a mo
1.5	1.4	24	5	Once every 2-3 wks
0.8	0.8	13	6	Once a wk
0.9	0.9	15	7	2-3 times wk
0.4	0.3	6	8	Once a day
0.2	0.2	3	9	2-3 times day
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 617-618

V307	Y2-298: BEEN LOUD, ROWDY -FREQ
------	--------------------------------

How many times in the LAST YEAR have you:

been loud, rowdy, or unruly in a public place (disorderly conduct)

PCT VALID	PCT ALL	N	VALUE	LABEL
68.5	65.7	1,133	0	
8.5	8.2	141	1	
7.4	7.1	123	2	
2.7	2.6	44	3	
1.5	1.4	24	4	
2.3	2.2	38	5	
0.5	0.5	8	6	
0.5	0.5	8	7	
0.7	0.6	11	8	
1.8	1.7	30	10	
0.1	0.1	1	11	
1.4	1.3	23	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.9	0.9	15	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
0.4	0.4	7	20	
0.1	0.1	1	24	
0.2	0.2	4	25	
0.1	0.1	1	26	
0.1	0.1	2	30	
0.1	0.1	1	32	
0.1	0.1	2	35	
0.5	0.5	9	50	
0.5	0.5	9	52	
0.1	0.1	1	75	
0.1	0.1	1	83	
0.1	0.1	1	94	
0.2	0.2	4	100	
0.1	0.1	1	150	
0.1	0.1	2	194	
0.1	0.1	2	200	
0.1	0.1	1	350	
0.1	0.1	2	365	
0.1	0.1	1	667	
	4.1	70	-1	

100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 619-621

V308 **Y2-299: BEEN LOUD, ROWDY -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V307) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been loud, rowdy, or unruly in a public place (disorderly conduct)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	65.7	1,133	1	Never
18.6	17.9	308	2	Once/twice yr
4.2	4.1	70	3	Once every 2-3 mos
4.4	4.2	73	4	Once a mo
1.3	1.2	21	5	Once every 2-3 wks
1.8	1.7	29	6	Once a wk
0.8	0.8	13	7	2-3 times wk
0.4	0.3	6	8	Once a day
0.1	0.1	2	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 622-623

V309 **Y2-300: SOLD HARD DRUGS -FREQ**

How many times in the LAST YEAR have you:

sold hard drugs such as heroin, cocaine, and LSD

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.1	1,640	0	
0.1	0.1	2	1	
0.2	0.2	3	2	
0.1	0.1	2	3	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.1	0.1	2	12	
0.1	0.1	1	55	
0.1	0.1	1	70	
0.1	0.1	1	100	
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 624-626

V310	Y2-301: SOLD HARD DRUGS -RATE
-------------	--------------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V309) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

sold hard drugs such as heroin, cocaine, and LSD

PCT VALID	PCT ALL	N	VALUE	LABEL
99.2	95.1	1,640	1	Never
0.4	0.4	7	2	Once/twice yr
0.0	0.0	0	3	Once every 2-3 mos
0.2	0.2	4	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.2	0.2	3	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 627-628

V311	Y2-302: TAKEN VEHICLE -FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

taken a vehicle for a ride (drive) without the owner's permission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	91.6	1,580	0	
2.6	2.5	43	1	
1.0	0.9	16	2	
0.1	0.1	1	3	
0.3	0.3	5	4	
0.2	0.2	3	5	
0.1	0.1	2	6	
0.1	0.1	1	8	
0.1	0.1	1	9	
0.1	0.1	1	15	
0.1	0.1	1	25	
0.1	0.1	1	50	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 629-630

V312	Y2-303: TAKEN VEHICLE -RATE
-------------	------------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V311) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

taken a vehicle for a ride (drive) without the owner's permission

PCT VALID	PCT ALL	N	VALUE	LABEL
95.5	91.6	1,580	1	Never
3.6	3.5	60	2	Once/twice yr
0.6	0.6	10	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 631-632

V313

Y2-304: BOUGHT LIQUOR -FREQUENCY

How many times in the LAST YEAR have you:

bought or provided liquor for a minor.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	49.6	856	0	
2.1	1.2	20	1	
2.4	1.3	23	2	
0.4	0.2	4	3	
0.5	0.3	5	4	
0.7	0.4	7	5	
0.2	0.1	2	6	
0.2	0.1	2	7	
0.1	0.1	1	8	
0.5	0.3	5	10	
1.1	0.6	10	12	
0.2	0.1	2	15	
0.1	0.1	1	30	
0.1	0.1	1	35	
0.1	0.1	1	36	
0.1	0.1	1	50	
0.1	0.1	1	80	
0.2	0.1	2	100	
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 633-635

V314 Y2-305: BOUGHT LIQUOR -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V313) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

bought or provided liquor for a minor.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	49.6	856	1	Never
5.0	2.7	47	2	Once/twice yr
1.5	0.8	14	3	Once every 2-3 mos
1.7	0.9	16	4	Once a mo
0.3	0.2	3	5	Once every 2-3 wks
0.6	0.3	6	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.3	781	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 636-637

V315 Y2-306: GIVEN MONEY, FOOD, -FREQ

How many times in the LAST YEAR have you:

given money, food or clothing to someone or some group who needed them very much.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	20.5	353	0	
20.0	11.0	189	1	
17.7	9.7	168	2	
9.1	5.0	86	3	
3.3	1.8	31	4	
5.1	2.8	48	5	
1.5	0.8	14	6	
0.7	0.4	7	7	
0.1	0.1	1	8	
0.3	0.2	3	9	
1.5	0.8	14	10	
1.5	0.8	14	12	
0.2	0.1	2	13	
0.1	0.1	1	14	
0.3	0.2	3	15	
0.1	0.1	1	20	
0.1	0.1	1	24	
0.1	0.1	1	25	
0.1	0.1	1	45	
0.1	0.1	1	50	
0.5	0.3	5	52	
0.1	0.1	1	60	
0.1	0.1	1	80	
0.1	0.1	1	83	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 638-639

V316 **Y2-307: GIVEN MONEY, FOOD, -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V315) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

given money, food or clothing to someone or some group who needed them very much.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	20.5	353	1	Never
46.8	25.7	443	2	Once/twice yr
9.8	5.4	93	3	Once every 2-3 mos
4.0	2.2	38	4	Once a mo
1.1	0.6	10	5	Once every 2-3 wks
0.8	0.5	8	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 640-641

V317 **Y2-308: SEXUAL ASSAULT-FREQUENCY**

How many times in the LAST YEAR have you:

had (or tried to have) sexual relations with someone against their will

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	94.8	1,635	0	
0.5	0.5	8	1	
0.3	0.3	5	2	
0.1	0.1	1	3	
0.1	0.1	1	5	
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 642-643

V318	Y2-309: SEXUAL ASSAULT -RATE
-------------	-------------------------------------

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V317) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

had (or tried to have) sexual relations with someone against their will

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	94.8	1,635	1	Never
0.8	0.8	14	2	Once/twice yr
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 644-645

V319	Y2-310: USED FORCE STUDENTS-FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.8	1,600	0	
1.3	1.2	21	1	
0.6	0.6	10	2	
0.2	0.2	4	3	
0.1	0.1	1	4	
0.3	0.3	5	5	
0.1	0.1	1	6	
0.1	0.1	1	12	
0.1	0.1	1	15	
0.1	0.1	1	33	
0.1	0.1	1	91	
0.1	0.1	1	100	
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 646-648

V320 Y2-311: USED FORCE STUDENTS-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V319) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other students

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	92.8	1,600	1	Never
2.1	2.0	35	2	Once/twice yr
0.4	0.4	7	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.5	78	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 649-650

V321 Y2-312: USED FORCE ON TCHR -FREQ

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from a teacher or other adult at school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	95.1	1,641	0	
0.1	0.1	2	1	
0.1	0.1	1	4	
0.1	0.1	1	12	
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 651-652

V322 Y2-313: USED FORCE ON TCHR -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V321) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from a teacher or other adult at school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	95.1	1,641	1	Never
0.1	0.1	2	2	Once/twice yr
0.1	0.1	1	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.6	80	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 653-654

V323	Y2-314: REFSO TO HELP CHEAT-FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

refused to participate when another student asked you to help him or her cheat on an exam.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	34.0	586	0	
9.3	5.0	87	1	
9.5	5.2	89	2	
5.3	2.9	50	3	
2.1	1.2	20	4	
4.1	2.2	38	5	
0.6	0.3	6	6	
0.3	0.2	3	7	
0.4	0.2	4	8	
1.5	0.8	14	10	
1.5	0.8	14	12	
0.1	0.1	1	13	
0.1	0.1	1	14	
0.4	0.2	4	15	
0.7	0.4	7	20	
0.1	0.1	1	23	
0.2	0.1	2	25	
0.2	0.1	2	30	
0.1	0.1	1	40	
0.1	0.1	1	50	
0.1	0.1	1	70	
0.1	0.1	1	72	
0.2	0.1	2	75	
0.2	0.1	2	83	
0.1	0.1	1	365	
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 655-657

V324 Y2-315: REFSO TO HELP CHEAT-RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V323) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

refused to participate when another student asked you to help him or her cheat on an exam.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	34.0	586	1	Never
24.1	13.1	226	2	Once/twice yr
6.8	3.7	64	3	Once every 2-3 mos
3.1	1.7	29	4	Once a mo
1.4	0.8	13	5	Once every 2-3 wks
1.1	0.6	10	6	Once a wk
0.7	0.4	7	7	2-3 times wk
0.3	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 658-659

V325

Y2-316: USED FORCE ON OTH -FREQ

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other people (not students or teachers)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.2	1,625	0	
0.4	0.4	7	1	
0.6	0.6	10	2	
0.3	0.3	5	3	
0.2	0.2	4	4	
0.1	0.1	1	5	
0.1	0.1	1	7	
0.1	0.1	1	15	
0.1	0.1	1	364	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 660-662

V326 Y2-317: USED FORCE ON OTH -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V325) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

used force (strongarm methods) to get money or things from other people (not students or teachers)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.2	1,625	1	Never
1.3	1.3	22	2	Once/twice yr
0.3	0.3	5	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 663-664

V327	Y2-318: AVOIDED PAYING-FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

avoided paying for such things as movies, bus or subway rides,
and food.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
83.3	45.7	788	0	
4.8	2.6	45	1	
3.4	1.9	32	2	
2.4	1.3	23	3	
0.6	0.3	6	4	
2.0	1.1	19	5	
0.8	0.5	8	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.6	0.3	6	12	
0.1	0.1	1	14	
0.1	0.1	1	15	
0.3	0.2	3	20	
0.1	0.1	1	25	
0.2	0.1	2	30	
0.1	0.1	1	36	
0.2	0.1	2	50	
0.1	0.1	1	83	
0.1	0.1	1	150	
0.1	0.1	1	200	
0.1	0.1	1	500	
0.1	0.1	1	720	
	45.2	779	-1	

100.0 100.0 1,725 cases

Data type: numeric
Missing-data code: -1
Columns: 665-667

V328 Y2-319: AVOIDED PAYING -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V327) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

avoided paying for such things as movies, bus or subway rides, and food.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	45.7	788	1	Never
10.6	5.8	100	2	Once/twice yr
3.5	1.9	33	3	Once every 2-3 mos
1.0	0.5	9	4	Once a mo
0.7	0.4	7	5	Once every 2-3 wks
0.4	0.2	4	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.3	0.2	3	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 668-669

V329	Y2-320: BEEN DRUNK -FREQUENCY
------	-------------------------------

How many times in the LAST YEAR have you:

been drunk in a public place.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	44.0	759	0	
3.2	1.7	30	1	
5.4	3.0	51	2	
1.5	0.8	14	3	
1.3	0.7	12	4	
1.5	0.8	14	5	
0.8	0.5	8	6	
0.3	0.2	3	7	
0.3	0.2	3	8	
0.3	0.2	3	9	
1.1	0.6	10	10	
1.2	0.6	11	12	
0.7	0.4	7	15	
0.1	0.1	1	17	
0.1	0.1	1	18	
0.4	0.2	4	20	
0.1	0.1	1	25	
0.1	0.1	1	26	
0.2	0.1	2	30	
0.1	0.1	1	35	
0.4	0.2	4	50	
0.2	0.1	2	52	
0.1	0.1	1	62	
0.1	0.1	1	70	
0.1	0.1	1	83	
0.1	0.1	1	100	
0.1	0.1	1	102	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 670-672

V330 Y2-321: BEEN DRUNK -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V329) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been drunk in a public place.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	44.0	759	1	Never
10.0	5.5	95	2	Once/twice yr
3.6	2.0	34	3	Once every 2-3 mos
3.3	1.8	31	4	Once a mo
1.7	0.9	16	5	Once every 2-3 wks
0.8	0.5	8	6	Once a wk
0.4	0.2	4	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 673-674

V331	Y2-322: STOLEN THNGS(\$5-50)-FREQ
------	-----------------------------------

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth between \$5 and \$50

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	90.4	1,559	0	
2.8	2.7	46	1	
1.0	1.0	17	2	
0.5	0.5	9	3	
0.2	0.2	3	4	
0.2	0.2	4	5	
0.3	0.3	5	10	
0.3	0.3	5	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	23	
0.1	0.1	1	36	
0.1	0.1	1	52	
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 675-676

V332	Y2-323: STOLEN THNGS(\$5-50)-RATE
-------------	--

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V331) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) things worth between \$5 and \$50

PCT VALID	PCT ALL	N	VALUE	LABEL
94.3	90.4	1,559	1	Never
4.4	4.2	72	2	Once/twice yr
0.4	0.4	7	3	Once every 2-3 mos
0.6	0.6	10	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 677-678

V333

Y2-324: STOLEN THNGS @ SCHL-FREQ

How many times in the LAST YEAR have you:

stolen (or tried to steal) something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	89.4	1,542	0	
3.1	3.0	51	1	
1.8	1.7	30	2	
0.5	0.5	8	3	
0.2	0.2	3	4	
0.4	0.4	7	5	
0.1	0.1	1	10	
0.1	0.1	2	12	
0.1	0.1	1	16	
0.1	0.1	1	52	
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 679-680

V334	Y2-325: STOLEN THNGS @ SCHL-RATE
-------------	---

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V333) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

stolen (or tried to steal) something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	89.4	1,542	1	Never
5.4	5.2	89	2	Once/twice yr
0.6	0.6	10	3	Once every 2-3 mos
0.2	0.2	3	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.6	79	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 681-682

V335	Y2-326: BROKEN INTO BLDG -FREQ
------	--------------------------------

How many times in the LAST YEAR have you:

broken into a building or vehicle (or tried to break in) to steal something or just to look around

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,590	0	
2.7	2.6	45	1	
0.4	0.4	7	2	
0.1	0.1	2	3	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.1	0.1	2	12	
0.1	0.1	1	25	
0.1	0.1	1	36	
0.1	0.1	2	52	
0.1	0.1	1	194	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 683-685

V336 **Y2-327: BROKEN INTO BLDG -RATE**

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V335) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

broken into a building or vehicle (or tried to break in) to steal something or just to look around

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	92.2	1,590	1	Never
3.3	3.1	54	2	Once/twice yr
0.1	0.1	1	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.2	0.2	3	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 686-687

V337 **Y2-328: BEGGED FOR MONEY -FREQ**

How many times in the LAST YEAR have you:

begged for money or things from strangers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	94.2	1,625	0	
0.8	0.8	13	1	
0.7	0.6	11	2	
0.1	0.1	2	3	
0.1	0.1	1	4	
0.1	0.1	1	5	
0.1	0.1	1	25	
0.1	0.1	1	100	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 688-690

V338 Y2-329: BEGGED FOR MONEY -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V337) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

begged for money or things from strangers

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	94.2	1,625	1	Never
1.6	1.5	26	2	Once/twice yr
0.1	0.1	2	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 691-692

V339	Y2-330: SKIPPED CLASSES -FREQ
------	-------------------------------

How many times in the LAST YEAR have you:

skipped classes without an excuse

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
62.8	34.1	588	0	
6.0	3.2	56	1	
7.5	4.1	70	2	
3.8	2.1	36	3	
1.2	0.6	11	4	
4.3	2.3	40	5	
2.5	1.3	23	6	
0.3	0.2	3	7	
0.7	0.4	7	8	
0.2	0.1	2	9	
2.2	1.2	21	10	
0.2	0.1	2	11	
1.1	0.6	10	12	
0.2	0.1	2	14	
1.0	0.5	9	15	
0.1	0.1	1	16	
0.1	0.1	1	18	
1.2	0.6	11	20	
0.1	0.1	1	22	
0.1	0.1	1	23	
0.5	0.3	5	25	
0.1	0.1	1	26	
0.7	0.4	7	30	
0.4	0.2	4	35	
0.1	0.1	1	36	
0.1	0.1	1	38	
0.1	0.1	1	40	
0.4	0.2	4	50	
0.3	0.2	3	52	
0.1	0.1	1	75	
0.2	0.1	2	83	
0.1	0.1	1	90	
0.5	0.3	5	100	
0.2	0.1	2	194	
0.2	0.1	2	200	
0.1	0.1	1	295	
0.1	0.1	1	365	
	45.7	788	-1	

 100.0 100.0 1,725 cases

Data type: numeric
 Missing-data code: -1
 Columns: 693-695

V340 Y2-331: SKIPPED CLASSES -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V339) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

skipped classes without an excuse

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	34.1	588	1	Never
17.3	9.4	162	2	Once/twice yr
7.9	4.3	74	3	Once every 2-3 mos
3.8	2.1	36	4	Once a mo
2.6	1.4	24	5	Once every 2-3 wks
2.7	1.4	25	6	Once a wk
1.7	0.9	16	7	2-3 times wk
0.6	0.3	6	8	Once a day
0.6	0.3	6	9	2-3 times day
	45.7	788	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 696-697

V341	Y2-332: FAILED RETRN CHNGE -FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

failed to return extra change that a cashier gave you by mistake

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	40.5	698	0	
10.9	6.0	103	1	
8.8	4.8	83	2	
2.4	1.3	23	3	
0.8	0.5	8	4	
1.0	0.5	9	5	
0.2	0.1	2	6	
0.7	0.4	7	7	
0.4	0.2	4	10	
0.5	0.3	5	12	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	22	
0.1	0.1	1	25	
0.1	0.1	1	50	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 698-699

V342 Y2-333: FAILED RETRN CHNGE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V341) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

failed to return extra change that a cashier gave you by mistake

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	40.5	698	1	Never
22.1	12.1	209	2	Once/twice yr
2.0	1.1	19	3	Once every 2-3 mos
1.6	0.9	15	4	Once a mo
0.5	0.3	5	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 700-701

V343	Y2-334: TLK FRNDS FRM ILLG -FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

tried to talk your friends out of doing something that was against the law

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
56.8	31.1	537	0	
11.0	6.0	104	1	
12.1	6.6	114	2	
6.6	3.6	62	3	
3.5	1.9	33	4	
3.2	1.7	30	5	
1.1	0.6	10	6	
0.5	0.3	5	7	
0.4	0.2	4	8	
0.2	0.1	2	9	
2.0	1.1	19	10	
1.1	0.6	10	12	
0.2	0.1	2	15	
0.1	0.1	1	17	
0.1	0.1	1	18	
0.4	0.2	4	20	
0.3	0.2	3	50	
0.2	0.1	2	52	
0.1	0.1	1	300	
0.2	0.1	2	365	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 702-704

V344 Y2-335: TLK FRNDS FRM ILLG -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V343) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

tried to talk your friends out of doing something that was against the law

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	31.1	537	1	Never
29.6	16.2	280	2	Once/twice yr
7.7	4.2	73	3	Once every 2-3 mos
4.2	2.3	40	4	Once a mo
0.4	0.2	4	5	Once every 2-3 wks
0.7	0.4	7	6	Once a wk
0.2	0.1	2	7	2-3 times wk
0.3	0.2	3	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 705-706

V345	Y2-336: BEEN SUSPENDED-FREQUENCY
------	----------------------------------

How many times in the LAST YEAR have you:

been suspended from school

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	48.3	833	0	
5.4	3.0	51	1	
2.3	1.3	22	2	
1.6	0.9	15	3	
1.0	0.5	9	4	
0.3	0.2	3	5	
0.1	0.1	1	9	
0.2	0.1	2	10	
0.1	0.1	1	22	
0.1	0.1	1	40	
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 707-708

V346 Y2-337: BEEN SUSPENDE -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V345) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

been suspended from school

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	48.3	833	1	Never
9.4	5.1	88	2	Once/twice yr
1.3	0.7	12	3	Once every 2-3 mos
0.2	0.1	2	4	Once a mo
0.2	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	45.6	787	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 709-710

V347	Y2-338: MADE OBSCENE CALLS -FREQ
------	----------------------------------

How many times in the LAST YEAR have you:

made obscene telephone calls, such as calling someone and saying dirty things.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT VALID	PCT ALL	N	VALUE	LABEL
92.2	50.6	873	0	
2.9	1.6	27	1	
1.5	0.8	14	2	
1.2	0.6	11	3	
0.2	0.1	2	4	
0.5	0.3	5	5	
0.4	0.2	4	6	
0.2	0.1	2	7	
0.4	0.2	4	10	
0.3	0.2	3	12	
0.1	0.1	1	25	
0.1	0.1	1	160	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 711-713

V348

Y2-339: MADE OBSCENE CALLS -RATE

(ASK THIS QUESTION IF RESPONDENT HAS ENGAGED IN BEHAVIOR (V347) 10 OR MORE TIMES IN THE LAST YEAR)

How many times in the LAST YEAR have you:

made obscene telephone calls, such as calling someone and saying dirty things.

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 1 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	50.6	873	1	Never
5.5	3.0	52	2	Once/twice yr
1.2	0.6	11	3	Once every 2-3 mos
0.8	0.5	8	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times day
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 714-715

SUBSTANCE USE

General Drugs

V349 **Y2-340: ALCHOL:HOW OFTEN PAST YR**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	23.1	398	1	Never
21.8	11.9	206	2	Once or twice
8.0	4.4	76	3	Once every 2-3 mos
7.7	4.2	73	4	Once a mo
7.2	3.9	68	5	Once every 2-3 wks
7.0	3.8	66	6	Once a wk
5.4	3.0	51	7	2-3 times a wk
0.5	0.3	5	8	Once a day
0.3	0.2	3	9	2-3 times day
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 716-717

V350 **Y2-341: COFFEE: EVER USED**

Have you ever used Coffee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	15.3	264	1	No
62.7	25.7	444	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 718-719

V351**Y2-342: COFFEE: HOW OFTN/PAST YR**

IF YES to V350: In the last year, how often have you used Coffee?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.7	12	1	Never
30.4	7.8	135	2	Once or twice
8.8	2.3	39	3	Once every 2-3 mos
10.4	2.7	46	4	Once a mo
4.7	1.2	21	5	Once every 2-3 wks
9.0	2.3	40	6	Once a wk
13.1	3.4	58	7	2-3 times a wk
14.6	3.8	65	8	Once a day
6.3	1.6	28	9	2-3 times day
	74.3	1,281	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 720-721

V352**Y2-343: TEA: EVER USED**

Have you ever used Tea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	9.0	155	1	No
78.0	32.0	552	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 722-723

V353 **Y2-344: TEA: HOW OFTEN/PAST YR**

IF YES to V352: In the last year, how often have you used Tea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	Never
14.6	4.7	81	2	Once or twice
7.6	2.4	42	3	Once every 2-3 mos
9.0	2.9	50	4	Once a mo
9.6	3.1	53	5	Once every 2-3 wks
10.5	3.4	58	6	Once a wk
17.9	5.7	99	7	2-3 times a wk
15.7	5.0	87	8	Once a day
14.6	4.7	81	9	2-3 times day
	67.9	1,172	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 724-725

V354 **Y2-345: NODOZE: EVER USED**

Have you ever used Nodoze or similar medicines designed to help you stay awake or alert?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	37.8	652	1	No
7.6	3.1	54	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 726-727

V355

Y2-346: NODOZE: HOW OFTN/PAST YR

IF YES to V354: In the last year, how often have you used Nodoze or similar medicines designed to help you stay awake or alert?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	1	1	Never
81.8	2.6	45	2	Once or twice
1.8	0.1	1	3	Once every 2-3 mos
7.3	0.2	4	4	Once a mo
1.8	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
3.6	0.1	2	7	2-3 times a wk
1.8	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	96.8	1,670	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 728-729

V356

Y2-347: SLEEPEZE: EVER USED

Have you ever used Sleepzeze, Sominex, Nytol or similar medicines designed to help you sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	36.8	634	1	No
10.0	4.1	71	2	Yes
0.4	0.2	3	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 730-731

V357 **Y2-348: SLEEPEZE:HOW OFN/PAST YR**

IF YES to V356: In the last year, how often have you used Sleepeze, Sominex, Nytol or similar medicines designed to help you sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	1	1	Never
64.9	2.8	48	2	Once or twice
10.8	0.5	8	3	Once every 2-3 mos
8.1	0.3	6	4	Once a mo
2.7	0.1	2	5	Once every 2-3 wks
5.4	0.2	4	6	Once a wk
2.7	0.1	2	7	2-3 times a wk
2.7	0.1	2	8	Once a day
1.4	0.1	1	9	2-3 times day
	95.7	1,651	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 732-733

V358 **Y2-349: NYQUIL, ETC.: EVER USED**

Have you ever used Non-prescription cough medicines such as Nyquil, Romilar or Robitussin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	20.0	345	1	No
41.9	17.2	297	2	Yes
9.3	3.8	66	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 734-735

V359

Y2-350: NYQUIL,: HOW OFT/PAST YR

IF YES to V358: In the last year, how often have you used Non-prescription cough medicines such as Nyquil, Romilar or Robitussin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	1	Never
52.1	11.0	189	2	Once or twice
20.7	4.3	75	3	Once every 2-3 mos
11.3	2.4	41	4	Once a mo
2.2	0.5	8	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
2.8	0.6	10	7	2-3 times a wk
3.0	0.6	11	8	Once a day
7.7	1.6	28	9	2-3 times day
	79.0	1,362	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 736-737

V360

Y2-351: METHADONE,ETC.:EVER USED

Have you ever used Methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	40.9	705	1	No
0.1	0.1	1	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 738-739

V361 **Y2-352: METHADONE:HOW OFT/PST YR**

IF YES to V360: In the last year, how often have you used Methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
100.0	0.1	1	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 740-741

V362 **Y2-353: MORPHINE: EVER USED**

Have you ever used Morphine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	40.6	701	1	No
0.3	0.1	2	2	Yes
0.3	0.1	2	3	Yes, episodic
	59.1	1,020	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 742-743

V363

Y2-354: MORPHINE:HOW OFT/PAST YR

IF YES to V362: In the last year, how often have you used Morphine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
75.0	0.2	3	2	Once or twice
0.0	0.0	0	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
25.0	0.1	1	9	2-3 times day
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 744-745

V364

Y2-355: METHAQUAALUDES:EVER USED

Have you ever used Methaquaaludes or quaaludes ("sophors")?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	40.2	693	1	No
1.8	0.8	13	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 746-747

V365 **Y2-356: METHAQUAALUDES:HOW OFTEN**

IF YES to V364: In the last year, how often have you used Methaquaaludes or quaaludes ("sophors")?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Never
84.6	0.6	11	2	Once or twice
7.7	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
7.7	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 748-749

V366 **Y2-357: DARVON, ETC.: EVER USED**

Have you ever used Prescription pain killers such as Darvon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	33.8	583	1	No
13.3	5.4	94	2	Yes
4.4	1.8	31	3	Yes, episodic
	59.0	1,017	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 750-751

V367

Y2-358: DARVON:HOW OFTN/PAST YR

IF YES to V366: In the last year, how often have you used
Prescription pain killers such as Darvon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.2	4	1	Never
60.8	4.4	76	2	Once or twice
8.8	0.6	11	3	Once every 2-3 mos
0.8	0.1	1	4	Once a mo
2.4	0.2	3	5	Once every 2-3 wks
0.8	0.1	1	6	Once a wk
1.6	0.1	2	7	2-3 times a wk
8.0	0.6	10	8	Once a day
13.6	1.0	17	9	2-3 times day
	92.8	1,600	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 752-753

V368

Y2-359: PERCODAN,ETC.: EVER USED

Have you ever used Synthetic opiates such as Percodan, Demerol,
Peregoric, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	39.8	686	1	No
2.5	1.0	18	2	Yes
0.3	0.1	2	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 754-755

V369	Y2-360: PERCODAN:HOW OFT/PAST YR
------	----------------------------------

IF YES to V368: In the last year, how often have you used Synthetic opiates such as Percodan, Demerol, Peregoric, etc.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	1	1	Never
85.0	1.0	17	2	Once or twice
5.0	0.1	1	3	Once every 2-3 mos
5.0	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times a wk
0.0	0.0	0	8	Once a day
0.0	0.0	0	9	2-3 times day
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 756-757

Alcohol

V370 Y2-361: EVER USED BEER

Have you ever used Beer?

(IF NO, SKIP TO V419)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	12.9	222	1	No
68.5	28.1	484	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 758-759

V371 Y2-362: WHEN FIRST USE BEER

When did you first use Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.6	10	0	Don't know
68.2	19.2	331	1	More than 1 yr ago
18.1	5.1	88	2	Within last yr
9.5	2.7	46	3	Within last 6 mos
2.1	0.6	10	4	Within last mo
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 760-761

V372 **Y2-363: HOW OFTEN IN PAST YEAR**

During the last year, how often did you drink Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	14.8	256	1	Never
26.4	10.8	187	2	Once or twice
9.5	3.9	67	3	Once every 2-3 mos
7.5	3.1	53	4	Once a mo
7.2	3.0	51	5	Once every 2-3 wks
5.2	2.1	37	6	Once a wk
6.4	2.6	45	7	2-3 times wk
0.8	0.3	6	8	Once a day
0.7	0.3	5	9	2-3 times day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 762-763

V373 **Y2-364: HOW MUCH**

When drinking Beer how much do you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	6.0	104	0	Less than 1 can
30.5	8.6	148	1	1 can
15.5	4.3	75	2	2 cans
12.4	3.5	60	3	3 cans
8.9	2.5	43	4	4 or 5 cans
11.3	3.2	55	5	6 pack or more
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 764-765

V374**Y2-365: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Beer?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	27.7	477	1	No
1.6	0.5	8	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 766-767

V375**Y2-366: RELIEVE BOREDOM**

Which of the following are your reasons for using Beer?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	25.9	447	1	No
7.8	2.2	38	2	Yes
0.0	0.0	0	3	Relieve tension
0.0	0.0	0	4	For pleasure
0.0	0.0	0	5	Be different
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 768-769

V376 **Y2-367: RELIEVE TENSION**

Which of the following are your reasons for using Beer?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	26.4	455	1	No
6.2	1.7	30	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 770-771

V377 **Y2-368: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Beer?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	4.9	85	1	No
82.5	23.2	400	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 772-773

V378**Y2-369: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Beer?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	27.5	475	1	No
2.1	0.6	10	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 774-775

V379**Y2-370: TO BE ACCEPTED**

Which of the following are your reasons for using Beer?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	25.2	435	1	No
10.3	2.9	50	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 776-777

V380 **Y2-371: TO BE RELAXED**

Which of the following are your reasons for using Beer?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	24.6	424	1	No
12.6	3.5	61	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 778-779

V381 **Y2-372: APPEAR MORE GROWN UP**

Which of the following are your reasons for using Beer?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	26.9	464	1	No
4.3	1.2	21	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 780-781

V382

Y2-373: TO GET THROUGH DAY

Which of the following are your reasons for using Beer?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	27.9	482	1	No
0.6	0.2	3	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 782-783

V383

Y2-374: CURIOSITY, EXPERIMENT

Which of the following are your reasons for using Beer?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	27.0	466	1	No
3.9	1.1	19	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 784-785

V384 **Y2-375: SPECIAL OCCASIONS**

Which of the following are your reasons for using Beer?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	27.8	480	1	No
1.0	0.3	5	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 786-787

V385 **Y2-376: FAMILY ENCOURAGEMENT**

Which of the following are your reasons for using Beer?

For Family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	27.5	474	1	No
2.3	0.6	11	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 788-789

V386**Y2-377: OTHER**

Which of the following are your reasons for using Beer?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	27.0	466	1	No
3.9	1.1	19	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 790-791

V387**Y2-378: MOST IMP FUNCTION -BEER**

Which of the above is your major reason for using Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	Relieve pain
2.9	0.8	14	2	Relieve boredom
1.9	0.5	9	3	Relieve tension
76.1	21.4	369	4	For pleasure
0.6	0.2	3	5	Be different
4.5	1.3	22	6	Be accepted
4.1	1.2	20	7	Be relaxed
0.6	0.2	3	8	Appear grown up
0.0	0.0	0	10	Get thru day
3.3	0.9	16	11	Curiosity
0.8	0.2	4	12	Special occasions
1.0	0.3	5	13	Family encourage
3.7	1.0	18	14	Other
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 792-793

V388 **Y2-379: RELIEVE PHYSICAL PAIN**

Is Beer effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Not effective
87.5	0.4	7	2	Effective
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 794-795

V389 **Y2-380: RELIEVE BOREDOM**

Is Beer effective for your purposes?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	0.8	13	1	Not effective
64.9	1.4	24	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 796-797

V390**Y2-381: RELIEVE TENSION**

Is Beer effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.7	12	1	Not effective
60.0	1.0	18	2	Effective
	98.3	1,695	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 798-799

V391**Y2-382: FOR PLEASURE, ETC.**

Is Beer effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	6.3	108	1	Not effective
72.9	16.9	291	2	Effective
	76.9	1,326	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 800-801

V392 **Y2-383: TO BE DIFFERENT, ETC.**

Is Beer effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	4	1	Not effective
60.0	0.3	6	2	Effective
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 802-803

V393 **Y2-384: TO BE ACCEPTED**

Is Beer effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	0.6	11	1	Not effective
78.0	2.3	39	2	Effective
	97.1	1,675	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 804-805

V394**Y2-385: TO BE MORE RELAXED**

Is Beer effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	0.5	9	1	Not effective
85.2	3.0	52	2	Effective
	96.5	1,664	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 806-807

V395**Y2-386: APPEAR MORE GROWN UP**

Is Beer effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.5	8	1	Not effective
61.9	0.8	13	2	Effective
	98.8	1,704	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 808-809

V396 **Y2-387: TO GET THROUGH THE DAY**

Is Beer effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Not effective
66.7	0.1	2	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 810-811

V397 **Y2-388: CURIOSITY, EXPERIMENT**

Is Beer effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	3	1	Not effective
83.3	0.9	15	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 812-813

V398**Y2-389: SPECIAL OCCASIONS**

Is Beer effective for your purposes?

To celebrate special occasions

(QUESTION TEXT NOT AVAIABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Not effective
66.7	0.1	2	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 814-815

V399**Y2-390: FAMILY ENCOURAGEMENT**

Is Beer effective for your purposes?

For family encouragement

(QUESTION TEXT NOT AVAILBLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Not effective
87.5	0.4	7	2	Effective
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 816-817

V400 **Y2-391: OTHER**

Is Beer effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.3	5	1	Not effective
68.8	0.6	11	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 818-819

V401 **Y2-392: FOOD STORES**

Do you get your Beer from Food stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	24.3	420	1	No
13.4	3.8	65	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 820-821

V402 **Y2-393: LIQUOR STORES**

Do you get your Beer from Liquor stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	25.3	437	1	No
9.9	2.8	48	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 822-823

V403**Y2-394: FAMILY**

Do you get your Beer from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	17.5	302	1	No
37.7	10.6	183	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 824-825

V404**Y2-395: FRIENDS**

Do you get your Beer from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	15.0	258	1	No
46.8	13.2	227	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 826-827

V405**Y2-396: RESTAURANT OR BAR**

Do you get your Beer from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	26.3	453	1	No
6.6	1.9	32	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 828-829

V406 **Y2-397: OTHER**

Do you get your Beer from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	27.4	473	1	No
2.5	0.7	12	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 830-831

V407 **Y2-398: EVER STOPPED USING BEER**

Have you stopped using Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	16.6	287	1	No
40.8	11.5	198	2	Yes
	71.9	1,240	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 832-833

V408 **Y2-399: DISLIKED TASTE**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	4.8	83	1	No
58.1	6.7	115	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 834-835

V409**Y2-400: BAD PHYSICAL EFFECTS**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	9.5	164	1	No
17.2	2.0	34	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 836-837

V410**Y2-401: BAD EMOTIONAL EFFECTS**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	11.3	195	1	No
1.5	0.2	3	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 838-839

V411 **Y2-402: FELT IT WAS WRONG**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	7.9	136	1	No
31.3	3.6	62	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 840-841

V412 **Y2-403: FRIENDS PRESSURED**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	11.2	193	1	No
2.5	0.3	5	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 842-843

V413**Y2-404: TROUBLE W/PARENTS**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	10.8	187	1	No
5.6	0.6	11	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 844-845

V414**Y2-405: FEARFUL OF ADDICTION**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	10.4	180	1	No
9.1	1.0	18	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 846-847

V415 **Y2-406: LOST ITS EFFECTS**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	10.9	188	1	No
5.1	0.6	10	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 848-849

V416 **Y2-407: DIDNT NEED IT**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	8.3	144	1	No
27.3	3.1	54	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 850-851

V417**Y2-408: OTHER**

IF YES to V407: Are any of the following reasons why you stopped using Beer:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	10.6	183	1	No
7.6	0.9	15	2	Yes
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 852-853

V418**Y2-409: MAJOR REASN FOR STOPPING**

Which of the above is your major reason for stopping Beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	5.3	92	1	Disliked taste
7.1	0.8	14	2	Bad phys effects
1.0	0.1	2	3	Bad emotion effects
18.7	2.1	37	4	Felt it was wrong
0.5	0.1	1	5	Friends pressure
2.0	0.2	4	6	Trouble w/parents
1.5	0.2	3	7	Fearful of addict
0.0	0.0	0	9	Lost effects
15.7	1.8	31	10	Didn't need it
7.1	0.8	14	11	Other
	88.5	1,527	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 854-855

V419 **Y2-410: EVER USED WINE**

Have you ever used Wine?

(IF NO, SKIP TO V468)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	20.4	352	1	No
50.1	20.5	354	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 856-857

V420 **Y2-411: WHEN FIRST USE WINE**

When did you first use Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	5	0	Don't know
61.3	12.6	217	1	More than 1 yr ago
22.9	4.7	81	2	Within last yr
10.2	2.1	36	3	Within last 6 mos
4.2	0.9	15	4	Within last 6 mo
	79.5	1,371	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 858-859

V421**Y2-412: HOW OFTEN IN PAST YEAR**

During the last year, how often did you drink Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	21.3	367	1	Never
26.5	10.8	187	2	Once or twice
10.2	4.2	72	3	Once every 2-3 mos
5.2	2.1	37	4	Once a mo
2.7	1.1	19	5	Once every 2-3 wks
2.0	0.8	14	6	Once a wk
1.3	0.5	9	7	2-3 times a wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times day
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 860-861

V422**Y2-413: HOW MUCH**

When drinking Wine how much do you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	2.9	50	0	Less than a glass
51.1	10.5	181	1	1 glass
17.2	3.5	61	2	2 glasses
8.2	1.7	29	3	3 glasses
5.4	1.1	19	4	4 to 4 glasses
4.0	0.8	14	5	6 or more glasses
	79.5	1,371	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 862-863

V423 **Y2-414: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Wine?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	20.4	352	1	No
0.8	0.2	3	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 864-865

V424 **Y2-415: RELIEVE BOREDOM**

Which of the following are your reasons for using Wine?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	20.0	345	1	No
2.8	0.6	10	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 866-867

V425**Y2-416: RELIEVE TENSION**

Which of the following are your reasons for using Wine?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	19.7	339	1	No
4.5	0.9	16	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 868-869

V426**Y2-417: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Wine?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	5.4	94	1	No
73.5	15.1	261	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 870-871

V427 **Y2-418: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Wine?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	20.2	349	1	No
1.7	0.3	6	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 872-873

V428 **Y2-419: TO BE ACCEPTED**

Which of the following are your reasons for using Wine?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	19.6	338	1	No
4.8	1.0	17	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 874-875

V429**Y2-420: TO BE RELAXED**

Which of the following are your reasons for using Wine?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.6	18.4	318	1	No
10.4	2.1	37	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 876-877

V430**Y2-421: APPEAR MORE GROWN UP**

Which of the following are your reasons for using Wine?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	19.6	338	1	No
4.8	1.0	17	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 878-879

V431	Y2-422: TO GET THROUGH DAY
-------------	-----------------------------------

Which of the following are your reasons for using Wine?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	20.5	354	1	No
0.3	0.1	1	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 880-881

V432	Y2-423: CURIOSITY, EXPERIMENT
-------------	--------------------------------------

Which of the following are your reasons for using Wine?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	19.7	340	1	No
4.2	0.9	15	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 882-883

V433

Y2-424: SPECIAL OCCASIONS

Which of the following are your reasons for using Wine?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	18.0	311	1	No
12.4	2.6	44	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 884-885

V434

Y2-425: FAMILY ENCOURAGEMENT

Which of the following are your reasons for using Wine?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	18.4	317	1	No
10.7	2.2	38	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 886-887

V435 **Y2-426: OTHER**

Which of the following are your reasons for using Wine?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	20.2	349	1	No
1.7	0.3	6	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 888-889

V436 **Y2-427: MOST IMP FUNCTION -WINE**

Which of the above is your major reason for using Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	2	1	Relieve phys pain
0.6	0.1	2	2	Relieve boredom
1.7	0.3	6	3	Relieve tension
67.5	13.9	239	4	For pleasure
0.6	0.1	2	5	Be different
2.0	0.4	7	6	To be accepted
3.4	0.7	12	7	To be relaxed
1.4	0.3	5	8	Appear grown up
0.0	0.0	0	10	Get thru day
3.7	0.8	13	11	Curiosity
10.5	2.1	37	12	Special occasion
7.3	1.5	26	13	Family encourage
0.8	0.2	3	14	Other
	79.5	1,371	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 890-891

V437**Y2-428: RELIEVE PHYSICAL PAIN**

Is Wine effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	3	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 892-893

V438**Y2-429: RELIEVE BOREDOM**

Is Wine effective for your purposes?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	2	1	Not effective
80.0	0.5	8	2	Effective
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 894-895

V439 **Y2-430: RELIEVE TENSION**

Is Wine effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	2	1	Not effective
87.5	0.8	14	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 896-897

V440 **Y2-431: FOR PLEASURE, ETC.**

Is Wine effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	4.1	71	1	Not effective
72.7	11.0	189	2	Effective
	84.9	1,465	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 898-899

V441	Y2-432: TO BE DIFFERENT, ETC.
-------------	--------------------------------------

Is Wine effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	2	1	Not effective
66.7	0.2	4	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 900-901

V442	Y2-433: TO BE ACCEPTED
-------------	-------------------------------

Is Wine effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	4	1	Not effective
75.0	0.7	12	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 902-903

V443	Y2-434: TO BE RELAXED
-------------	------------------------------

Is Wine effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.2	3	1	Not effective
91.9	2.0	34	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 904-905

V444	Y2-435: APPEAR MORE GROWN UP
-------------	-------------------------------------

Is Wine effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	0.6	11	1	Not effective
35.3	0.3	6	2	Effective
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 906-907

V445

Y2-436: TO GET THROUGH DAY

Is Wine effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Not effective
0.0	0.0	0	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 908-909

V446

Y2-437: CURIOSITY, EXPERIMENT

Is Wine effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	Not effective
66.7	0.5	8	2	Effective
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 910-911

V447	Y2-438: SPECIAL OCCASIONS
-------------	----------------------------------

Is Wine effective for your purposes?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	0.2	4	1	Not effective
89.2	1.9	33	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 912-913

V448	Y2-439: FAMILY ENCOURAGEMENT
-------------	-------------------------------------

Is Wine effective for your purposes?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	0.2	4	1	Not effective
85.2	1.3	23	2	Effective
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 914-915

V449	Y2-440: OTHER
-------------	----------------------

Is Wine effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.3	6	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 916-917

V450	Y2-441: FOOD STORES
-------------	----------------------------

Do you get your Wine from Food stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	19.4	335	1	No
5.6	1.2	20	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 918-919

V451	Y2-442: LIQUOR STORES
-------------	------------------------------

Do you get your Wine from Liquor stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	18.8	324	1	No
8.7	1.8	31	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 920-921

V452 **Y2-443: FAMILY**

Do you get your Wine from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	7.9	137	1	No
61.4	12.6	218	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 922-923

V453 **Y2-444: FRIENDS**

Do you get your Wine from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	14.3	247	1	No
30.4	6.3	108	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 924-925

V454 **Y2-445: RESTAURANT OR BAR**

Do you get your Wine from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	19.5	337	1	No
5.1	1.0	18	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 926-927

V455	Y2-446: OTHER
-------------	----------------------

Do you get your Wine from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	20.0	345	1	No
2.8	0.6	10	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 928-929

V456	Y2-447: EVER STOPPED USING WINE
-------------	--

Have you stopped using Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	13.0	225	1	No
36.6	7.5	130	2	Yes
	79.4	1,370	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 930-931

V457	Y2-448: DISLIKED TASTE
-------------	-------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	3.0	52	1	No
60.0	4.5	78	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 932-933

V458 **Y2-449: BAD PHYSICAL EFFECTS**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	6.6	114	1	No
12.3	0.9	16	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 934-935

V459 **Y2-450: BAD EMOTIONAL EFFECTS**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	7.5	129	1	No
0.8	0.1	1	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 936-937

V460**Y2-451: FELT IT WAS WRONG**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	6.4	111	1	No
14.6	1.1	19	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 938-939

V461**Y2-452: FRIENDS PRESSURED**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	7.4	128	1	No
1.5	0.1	2	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 940-941

V462	Y2-453: TROUBLE W/PARENTS
-------------	----------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	130	1	No
0.0	0.0	0	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 942-943

V463	Y2-454: FEARFUL OF ADDICTION
-------------	-------------------------------------

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	7.2	124	1	No
4.6	0.3	6	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 944-945

V464**Y2-455: LOST ITS EFFECTS**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	7.4	128	1	No
1.5	0.1	2	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 946-947

V465**Y2-456: DIDNT NEED IT**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	6.1	106	1	No
18.5	1.4	24	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 948-949

V466 **Y2-457: OTHER**

IF YES to V456: Are any of the following reasons why you stopped using Wine:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	6.6	114	1	No
12.3	0.9	16	2	Yes
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 950-951

V467 **Y2-458: MAJ REASON FOR STOPPING**

Which of the above is your major reason for stopping Wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	4.2	72	1	Disliked taste
10.0	0.8	13	2	Bad phys effect
0.8	0.1	1	3	Bad emotion effect
10.0	0.8	13	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
2.3	0.2	3	7	Fearful of addict
0.8	0.1	1	9	Lost effect
10.0	0.8	13	10	Didn't need it
10.8	0.8	14	11	Other
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 952-953

V468

Y2-459: EVER USED HARD LIQUOR

Have you ever used Hard Liquor?

(IF NO, SKIP TO V517)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	28.5	491	1	No
30.4	12.5	215	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 954-955

V469

Y2-460: WHEN FIRST USE HARD LIQ

When did you first use Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
57.4	7.2	124	1	More than 1 yr ago
27.3	3.4	59	2	Within last yr
12.5	1.6	27	3	Within last 6 mos
2.8	0.3	6	4	Within last mo
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 956-957

V470 **Y2-461: HOW OFTEN IN PAST YEAR**

During the last year how often did you drink Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	29.1	502	1	Never
12.3	5.0	87	2	Once or twice
4.2	1.7	30	3	Once every 2-3 mos
6.4	2.6	45	4	Once a mo
3.4	1.4	24	5	Once every 2-3 wks
2.4	1.0	17	6	Once a week
0.1	0.1	1	7	2-3 times/wk
0.0	0.0	0	8	Once a day
0.1	0.1	1	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 958-959

V471 **Y2-462: HOW MUCH**

When drinking Hard Liquor how much do you usually drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.8	13	0	Less than 1 drink
28.4	3.5	60	1	1 drink
22.3	2.7	47	2	2 drinks
19.9	2.4	42	3	3 drinks
13.7	1.7	29	4	4 or 5 drinks
9.5	1.2	20	5	6 or more drinks
	87.8	1,514	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 960-961

V472**Y2-463: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Hard Liquor?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	12.3	213	1	No
1.4	0.2	3	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 962-963

V473**Y2-464: RELIEVE BOREDOM**

Which of the following are your reasons for using Hard Liquor?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	12.0	207	1	No
4.2	0.5	9	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 964-965

V474 **Y2-465: RELIEVE TENSION**

Which of the following are your reasons for using Hard Liquor?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	11.7	201	1	No
6.9	0.9	15	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 966-967

V475 **Y2-466: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Hard Liquor?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	2.6	44	1	No
79.6	10.0	172	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 968-969

V476**Y2-467: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Hard Liquor?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	12.3	212	1	No
1.9	0.2	4	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 970-971

V477**Y2-468: TO BE ACCEPTED**

Which of the following are your reasons for using Hard Liquor?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	11.1	192	1	No
11.1	1.4	24	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 972-973

V478 **Y2-469: TO BE RELAXED**

Which of the following are your reasons for using Hard Liquor?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.6	10.1	174	1	No
19.4	2.4	42	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 974-975

V479 **Y2-470: APPEAR MORE GROWN UP**

Which of the following are your reasons for using Hard Liquor?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	11.9	205	1	No
5.1	0.6	11	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 976-977

V480

Y2-471: TO GET THROUGH DAY

Which of the following are your reasons for using Hard Liquor?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	12.5	215	1	No
0.5	0.1	1	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 978-979

V481

Y2-472: CURIOSITY, EXPERIMENT

Which of the following are your reasons for using Hard Liquor?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	11.7	202	1	No
6.5	0.8	14	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 980-981

V482 **Y2-473: SPECIAL OCCASIONS**

Which of the following are your reasons for using Hard Liquor?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	12.2	211	1	No
2.3	0.3	5	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 982-983

V483 **Y2-474: FAMILY ENCOURAGEMENT**

Which of the following are your reasons for using Hard Liquor?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	12.4	214	1	No
0.9	0.1	2	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 984-985

V484

Y2-475: OTHER

Which of the following are your reasons for using Hard Liquor?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	12.5	215	1	No
0.5	0.1	1	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 986-987

V485

Y2-476: MOST IMP FUNCT -HARD LIQ

Which of the above is your major reason for using Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	2	1	Relieve phys pain
0.9	0.1	2	2	Relieve boredom
2.8	0.3	6	3	Relieve tension
72.2	9.0	156	4	For pleasure
0.9	0.1	2	5	Be different
4.6	0.6	10	6	To be accepted
6.9	0.9	15	7	To be relaxed
1.4	0.2	3	8	Appear grown up
0.0	0.0	0	10	Get thru day
6.0	0.8	13	11	Curiosity
1.9	0.2	4	12	Special occasion
0.9	0.1	2	13	Family encourage
0.5	0.1	1	14	Other
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 988-989

V486 **Y2-477: RELIEVE PHYSICAL PAIN**

Is Hard Liquor effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	3	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 990-991

V487 **Y2-478: RELIEVE BOREDOM**

Is Hard Liquor effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.5	9	2	Effective
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 992-993

V488**Y2-479: RELIEVE TENSION**

Is Hard Liquor effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	1	Not effective
86.7	0.8	13	2	Effective
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 994-995

V489**Y2-480: FOR PLEASURE, ETC.**

Is Hard Liquor effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	1.6	27	1	Not effective
84.3	8.4	145	2	Effective
	90.0	1,553	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 996-997

V490 **Y2-481: TO BE DIFFERENT, ETC.**

Is Hard Liquor effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Not effective
75.0	0.2	3	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 998-999

V491 **Y2-482: TO BE ACCEPTED**

Is Hard Liquor effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.3	5	1	Not effective
79.2	1.1	19	2	Effective
	98.6	1,701	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1000-1001

V492**Y2-483: TO BE RELAXED**

Is Hard Liquor effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	2	1	Not effective
95.2	2.3	40	2	Effective
	97.6	1,683	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1002-1003

V493**Y2-484: APPEAR MORE GROWN UP**

Is Hard Liquor effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.2	4	1	Not effective
63.6	0.4	7	2	Effective
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1004-1005

V494 **Y2-485: TO GET THROUGH DAY**

Is Hard Liquor effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1006-1007

V495 **Y2-486: CURIOSITY, EXPERIMENT**

Is Hard Liquor effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	1	Not effective
83.3	0.6	10	2	Effective
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1008-1009

V496**Y2-487: SPECIAL OCCASIONS**

Is Hard Liquor effective for your purposes?

To celebrate special occasions

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	4	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1010-1011

V497**Y2-488: FAMILY ENCOURAGEMENT**

Is Hard Liquor effective for your purposes?

For family encouragement

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	Not effective
50.0	0.1	1	2	Effective
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1012-1013

V498 **Y2-489: OTHER**

Is Hard Liquor effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1014-1015

V499 **Y2-490: FOOD STORES**

Do you get your Hard Liquor from Food stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	12.4	214	1	No
0.9	0.1	2	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1016-1017

V500 **Y2-491: LIQUOR STORES**

Do you get your Hard Liquor from Liquor stores?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	9.7	168	1	No
22.2	2.8	48	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1018-1019

V501**Y2-492: FAMILY**

Do you get your Hard Liquor from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	9.4	162	1	No
25.0	3.1	54	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1020-1021

V502**Y2-493: FRIENDS**

Do you get your Hard Liquor from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	5.4	94	1	No
56.5	7.1	122	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1022-1023

V503**Y2-494: RESTAURANT OR BAR**

Do you get your Hard Liquor from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	10.7	184	1	No
14.8	1.9	32	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1024-1025

V504 **Y2-495: OTHER**

Do you get your Hard Liquor from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	12.2	211	1	No
2.3	0.3	5	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1026-1027

V505 **Y2-496: STOPPED USING HARD LIQ**

Have you stopped using Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	8.2	141	1	No
34.7	4.3	75	2	Yes
	87.5	1,509	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1028-1029

V506 **Y2-497: DISLIKED TASTE**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	2.2	38	1	No
49.3	2.1	37	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1030-1031

V507**Y2-498: BAD PHYSICAL EFFECTS**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	2.7	47	1	No
37.3	1.6	28	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1032-1033

V508**Y2-499: BAD EMOTIONAL EFFECTS**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	4.0	69	1	No
8.0	0.3	6	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1034-1035

V509 **Y2-500: FELT IT WAS WRONG**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	3.5	61	1	No
18.7	0.8	14	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1036-1037

V510 **Y2-501: FRIENDS PRESSURED**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	75	1	No
0.0	0.0	0	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1038-1039

V511	Y2-502: TROUBLE W/PARENTS
-------------	----------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	4.3	74	1	No
1.3	0.1	1	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1040-1041

V512	Y2-503: FEARFUL OF ADDICTION
-------------	-------------------------------------

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	3.9	68	1	No
9.3	0.4	7	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1042-1043

V513 **Y2-504: LOST ITS EFFECTS**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	4.3	74	1	No
1.3	0.1	1	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1044-1045

V514 **Y2-505: DIDNT NEED IT**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	3.2	55	1	No
26.7	1.2	20	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1046-1047

V515 **Y2-506: OTHER**

IF YES to V505: Are any of the following reasons why you stopped using Hard Liquor:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	3.9	68	1	No
9.3	0.4	7	2	Yes
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1048-1049

V516 **Y2-507: MAJ REASON FOR STOPPING**

Which of the above is your major reason for stopping Hard Liquor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.4	25	1	Disliked taste
24.0	1.0	18	2	Bad phys effect
2.7	0.1	2	3	Bad emotion effect
9.3	0.4	7	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
4.0	0.2	3	7	Fearful of addict
0.0	0.0	0	9	Lost effect
17.3	0.8	13	10	Didn't need it
9.3	0.4	7	11	Other
	95.7	1,650	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1050-1051

Tobacco

V517 **Y2-508: EVER USED TOBACCO**

Have you ever used Tobacco?

(IF NO, SKIP TO V564)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	27.4	472	1	No
32.7	13.4	231	2	Yes
0.6	0.2	4	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1052-1053

V518 **Y2-509: WHEN FIRST USE TOBACCO**

When did you first use Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
74.0	10.1	174	1	More than 1 yr ago
18.7	2.6	44	2	Within last yr
5.5	0.8	13	3	Within last 6 mos
1.7	0.2	4	4	Within last mo
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1054-1055

V519

Y2-510: HOW OFTEN PAST YEAR

During the last year how often did you smoke?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	29.3	505	1	Never
4.0	1.6	28	2	Once or twice
1.7	0.7	12	3	Once every 2-3 mos
1.7	0.7	12	4	Once a mo
1.3	0.5	9	5	Once every 2-3 wks
0.8	0.3	6	6	Once a wk
2.1	0.9	15	7	2-3 times/wk
2.7	1.1	19	8	Once a day
14.3	5.9	101	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1056-1057

V520

Y2-511: NO. CIGS PER DAY

How many cigarettes do you usually smoke a day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	90.4	1,559	0	
1.8	1.8	31	1	
2.1	2.1	37	2	
0.8	0.8	14	3	
0.3	0.3	6	4	
0.5	0.5	9	5	
0.5	0.5	8	6	
0.1	0.1	2	7	
0.2	0.2	3	8	
1.4	1.4	24	10	
0.2	0.2	4	12	
0.3	0.3	6	15	
1.2	1.2	20	20	
0.1	0.1	1	30	
0.1	0.1	1	40	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1058-1059

V521	Y2-512: NO. CIGARS/PIPES PER DAY
-------------	---

How many cigars or pipes do you usually smoke a day?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	99.9	1,724	0	
0.1	0.1	1	1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Column: 1060

V522	Y2-513: NO. CANS/MONTH (CHEWING)
-------------	---

How many cans of chewing tobacco do you usually use in a month?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	98.7	1,703	0	
0.6	0.6	11	1	
0.3	0.3	5	2	
0.2	0.2	4	3	
0.1	0.1	1	4	
0.1	0.1	1	10	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1061-1062

V523

Y2-514: RELIEVE PHYSICAL PAIN

Which of the following are your reasons for using Tobacco?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	13.4	231	1	No
1.7	0.2	4	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1063-1064

V524

Y2-515: RELIEVE BOREDOM

Which of the following are your reasons for using Tobacco?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	12.1	209	1	No
11.1	1.5	26	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1065-1066

V525	Y2-516: RELIEVE TENSION
-------------	--------------------------------

Which of the following are your reasons for using Tobacco?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	11.1	191	1	No
18.7	2.6	44	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1067-1068

V526	Y2-517: FOR PLEASURE, ETC.
-------------	-----------------------------------

Which of the following are your reasons for using Tobacco?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	5.7	98	1	No
58.3	7.9	137	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1069-1070

V527**Y2-518: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Tobacco?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	13.0	224	1	No
4.7	0.6	11	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1071-1072

V528**Y2-519: TO BE ACCEPTED**

Which of the following are your reasons for using Tobacco?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	11.4	197	1	No
16.2	2.2	38	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1073-1074

V529	Y2-520: TO BE RELAXED
-------------	------------------------------

Which of the following are your reasons for using Tobacco?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	11.5	198	1	No
15.7	2.1	37	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1075-1076

V530	Y2-521: APPEAR MORE GROWN UP
-------------	-------------------------------------

Which of the following are your reasons for using Tobacco?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	12.6	217	1	No
7.7	1.0	18	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1077-1078

V531

Y2-522: TO GET THROUGH DAY

Which of the following are your reasons for using Tobacco?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	12.0	207	1	No
11.9	1.6	28	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1079-1080

V532

Y2-523: CURIOSITY, EXPERIMENT

Which of the following are your reasons for using Tobacco?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	13.0	224	1	No
4.7	0.6	11	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1081-1082

V533 **Y2-524: OTHER**

Which of the following are your reasons for using Tobacco?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	13.1	226	1	No
3.8	0.5	9	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1083-1084

V534 **Y2-525: MOST IMP FUNCT -TOBACCO**

Which of the above is your major reason for using Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
4.7	0.6	11	2	Relieve boredom
8.9	1.2	21	3	Relieve tension
46.8	6.4	110	4	For pleasure
2.6	0.3	6	5	Be different
11.9	1.6	28	6	To be accepted
8.5	1.2	20	7	To be relaxed
2.6	0.3	6	8	Appear grown up
6.0	0.8	14	10	Get thru day
4.7	0.6	11	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
3.4	0.5	8	14	Other
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1085-1086

V535

Y2-526: RELIEVE PHYSICAL PAIN

Is Tobacco effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.2	4	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1087-1088

V536

Y2-527: RELIEVE BOREDOM

Is Tobacco effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	0.5	9	1	Not effective
65.4	1.0	17	2	Effective
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1089-1090

V537 **Y2-528: RELIEVE TENSION**

Is Tobacco effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	0.5	9	1	Not effective
79.5	2.0	35	2	Effective
	97.4	1,681	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1091-1092

V538 **Y2-529: FOR PLEASURE, ETC.**

Is Tobacco effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	1.9	32	1	Not effective
76.6	6.1	105	2	Effective
	92.1	1,588	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1093-1094

V539**Y2-530: TO BE DIFFERENT, ETC.**

Is Tobacco effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	0.4	7	1	Not effective
36.4	0.2	4	2	Effective
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1095-1096

V540**Y2-531: TO BE ACCEPTED**

Is Tobacco effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.9	16	1	Not effective
57.9	1.3	22	2	Effective
	97.8	1,687	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1097-1098

V541	Y2-532: TO BE RELAXED
-------------	------------------------------

Is Tobacco effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	0.4	7	1	Not effective
81.1	1.7	30	2	Effective
	97.9	1,688	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1099-1100

V542	Y2-533: APPEAR MORE GROWN UP
-------------	-------------------------------------

Is Tobacco effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.5	9	1	Not effective
50.0	0.5	9	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1101-1102

V543**Y2-534: TO GET THROUGH DAY**

Is Tobacco effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	2	1	Not effective
92.9	1.5	26	2	Effective
	98.4	1,697	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1103-1104

V544**Y2-535: CURIOSITY, EXPERIMENT**

Is Tobacco effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.1	2	1	Not effective
81.8	0.5	9	2	Effective
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1105-1106

V545 **Y2-536: OTHER**

Is Tobacco effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	Not effective
87.5	0.4	7	2	Effective
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1107-1108

V546 **Y2-537: STORES OR GAS STATION**

Do you get your Tobacco from Stores or gas stations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	4.3	75	1	No
68.1	9.3	160	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1109-1110

V547 **Y2-538: CIGARETTE MACHINES**

Do you get your Tobacco from Cigarette machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	11.3	195	1	No
17.0	2.3	40	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1111-1112

V548**Y2-539: FAMILY**

Do you get your Tobacco from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	11.8	203	1	No
13.6	1.9	32	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1113-1114

V549**Y2-540: FRIENDS**

Do you get your Tobacco from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	9.9	171	1	No
27.2	3.7	64	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1115-1116

V550**Y2-541: RESTAURANT OR BAR**

Do you get your Tobacco from Restaurant or bar?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	13.0	224	1	No
4.7	0.6	11	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1117-1118

V551 **Y2-542: OTHER**

Do you get your Tobacco from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	13.6	234	1	No
0.4	0.1	1	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1119-1120

V552 **Y2-543: STOPPED USING TOBACCO**

Have you stopped using Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	7.7	133	1	No
43.4	5.9	102	2	Yes
	86.4	1,490	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1121-1122

V553 **Y2-544: DISLIKED TASTE**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	3.5	60	1	No
41.2	2.4	42	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1123-1124

V554**Y2-545: BAD PHYSICAL EFFECTS**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	4.1	71	1	No
30.4	1.8	31	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1125-1126

V555**Y2-546: BAD EMOTIONAL EFFECTS**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	5.8	100	1	No
2.0	0.1	2	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1127-1128

V556 **Y2-547: FELT IT WAS WRONG**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	3.5	60	1	No
41.2	2.4	42	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1129-1130

V557 **Y2-548: FRIENDS PRESSURED**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	5.6	97	1	No
4.9	0.3	5	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1131-1132

V558	Y2-549: TROUBLE W/PARENTS
-------------	----------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	4.8	83	1	No
18.6	1.1	19	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1133-1134

V559	Y2-550: FEARFUL OF ADDICTION
-------------	-------------------------------------

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	4.3	75	1	No
26.5	1.6	27	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1135-1136

V560 **Y2-551: LOST ITS EFFECTS**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	5.2	89	1	No
12.7	0.8	13	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1137-1138

V561 **Y2-552: DIDNT NEED IT**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	4.5	77	1	No
24.5	1.4	25	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1139-1140

V562**Y2-553: OTHER**

IF YES to V552: Are any of the following reasons why you stopped using Tobacco:

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	5.4	93	1	No
8.8	0.5	9	2	Yes
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1141-1142

V563**Y2-554: MAJ REASON FOR STOPPING**

Which of the above is your major reason for stopping Tobacco?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	1.2	20	1	Disliked taste
16.7	1.0	17	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
23.5	1.4	24	4	Felt it was wrong
1.0	0.1	1	5	Friends pressured
11.8	0.7	12	6	Trouble w/parents
9.8	0.6	10	7	Fearful of addict
3.9	0.2	4	9	Lost effect
6.9	0.4	7	10	Didn't need it
6.9	0.4	7	11	Other
	94.1	1,623	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1143-1144

Marijuana

V564 Y2-555: EVER USED MARIJUANA

Have you ever used Marijuana (Hashish, Grass or Pot)?

(IF NO, SKIP TO V613)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	29.9	515	1	No
27.0	11.1	191	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1145-1146

V565 Y2-556: WHEN FIRST USE MARIJUANA

When did you first use Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	0	Don't know
56.0	6.2	107	1	More than 1 yr ago
29.8	3.3	57	2	Within last yr
11.5	1.3	22	3	Within last 6 mos
2.1	0.2	4	4	Within last mo
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1147-1148

V566

Y2-557: HOW OFTEN PAST YEAR

During the last year, how often did you use Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	70.2	1,211	1	Never
8.5	8.5	146	2	Once or twice
2.3	2.3	39	3	Once every 2-3 mos
2.7	2.7	47	4	Once a mo
2.3	2.3	39	5	Once every 2-3 wks
2.5	2.5	43	6	Once a wk
4.5	4.5	77	7	2-3 times/wk
1.6	1.6	28	8	Once a day
5.5	5.5	95	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Column: 1149

V567

Y2-558: HOW MUCH

How much Marijuana (Hashish, Grass or Pot) do you usually use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	4.9	85	1	Share joint
18.5	2.0	35	2	1 joint
13.8	1.5	26	3	2 joints
22.8	2.5	43	4	More than 2 joints
	89.0	1,536	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1150-1151

V568 **Y2-559: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	10.7	185	1	No
3.1	0.3	6	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1152-1153

V569 **Y2-560: RELIEVE BOREDOM**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To relieve feeling of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	9.6	166	1	No
13.1	1.4	25	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1154-1155

V570

Y2-561: RELIEVE TENSION

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	9.3	160	1	No
16.2	1.8	31	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1156-1157

V571

Y2-562: FOR PLEASURE, ETC.

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	2.6	44	1	No
77.0	8.5	147	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1158-1159

V572 **Y2-563: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	10.7	184	1	No
3.7	0.4	7	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1160-1161

V573 **Y2-564: TO BE ACCEPTED**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	8.8	151	1	No
20.9	2.3	40	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1162-1163

V574

Y2-565: TO BE RELAXED

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	9.0	156	1	No
18.3	2.0	35	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1164-1165

V575

Y2-566: APPEAR MORE GROWN UP

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	10.8	187	1	No
2.1	0.2	4	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1166-1167

V576 **Y2-567: INCREASE SELF-AWARENESS**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

To increase self-awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	10.0	172	1	No
9.9	1.1	19	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1168-1169

V577 **Y2-568: TO GET THROUGH DAY**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	10.9	188	1	No
1.6	0.2	3	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1170-1171

V578**Y2-569: CURIOSITY, EXPERIMENT**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	10.4	179	1	No
6.3	0.7	12	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1172-1173

V579**Y2-570: OTHER**

Which of the following are your reasons for using Marijuana (Hashish, Grass or Pot)?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	11.0	190	1	No
0.5	0.1	1	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1174-1175

V580 **Y2-571: MOST IMP FUNC -MARIJUANA**

Which of the above is your major reason for using Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	2	1	Relieve phys pain
3.7	0.4	7	2	Relieve boredom
4.7	0.5	9	3	Relieve tension
62.8	7.0	120	4	For pleasure
1.0	0.1	2	5	Be different
13.1	1.4	25	6	To be accepted
5.8	0.6	11	7	To be relaxed
0.5	0.1	1	8	Appear grown up
1.0	0.1	2	9	Increase awareness
0.0	0.0	0	10	Get thru day
5.8	0.6	11	11	Curiosity
0.5	0.1	1	14	Other
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1176-1177

V581 **Y2-572: RELIEVE PHYSICAL PAIN**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	Not effective
83.3	0.3	5	2	Effective
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1178-1179

V582**Y2-573: RELIEVE BOREDOM**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	0.2	4	1	Not effective
84.0	1.2	21	2	Effective
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1180-1181

V583**Y2-574: RELIEVE TENSION**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	0.3	5	1	Not effective
83.9	1.5	26	2	Effective
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1182-1183

V584 **Y2-575: FOR PLEASURE, ETC.**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	0.9	15	1	Not effective
89.8	7.7	132	2	Effective
	91.5	1,578	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1184-1185

V585 **Y2-576: TO BE DIFFERENT, ETC.**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.2	3	1	Not effective
57.1	0.2	4	2	Effective
	99.6	1,718	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1186-1187

V586**Y2-577: TO BE ACCEPTED**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.5	8	1	Not effective
80.0	1.9	32	2	Effective
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1188-1189

V587**Y2-578: TO BE RELAXED**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	0.2	3	1	Not effective
91.4	1.9	32	2	Effective
	98.0	1,690	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1190-1191

V588 **Y2-579: APPEAR MORE GROWN UP**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Not effective
75.0	0.2	3	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1192-1193

V589 **Y2-580: INCREASE SELF-AWARENESS**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

To increase self-awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	1.0	18	2	Effective
	99.0	1,707	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1194-1195

V590

Y2-581: TO GET THROUGH DAY

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	Not effective
33.3	0.1	1	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1196-1197

V591

Y2-582: CURIOSITY, EXPERIMENT

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	4	1	Not effective
66.7	0.5	8	2	Effective
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1198-1199

V592 **Y2-583: OTHER**

Is Marijuana (Hashish, Grass or Pot) effective for your purposes?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1200-1201

V593 **Y2-586: FRIEND**

Do you get your Marijuana (Hashish, Grass or Pot) from Friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	1.3	22	1	No
88.5	9.8	169	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1202-1203

V594 **Y2-587: FAMILY**

Do you get your Marijuana (Hashish, Grass or Pot) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	10.1	174	1	No
8.9	1.0	17	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1204-1205

V595 **Y2-588: ANONYMOUS SELLER**

Do you get your Marijuana (Hashish, Grass or Pot) from Anonymous seller/pusher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	9.3	161	1	No
15.7	1.7	30	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1206-1207

V596 **Y2-589: GROW/PICK IT**

Do you get your Marijuana (Hashish, Grass or Pot) from Grow/pick it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	10.4	179	1	No
6.3	0.7	12	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1208-1209

V597 **Y2-590: STEAL IT**

Do you get your Marijuana (Hashish, Grass or Pot) from Steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	11.0	190	1	No
0.5	0.1	1	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1210-1211

V598 **Y2-591: COST PER JOINT**

IF MARIJUANA (Hashish, Grass or Pot) GOTTEN FROM FRIEND/ANONYMOUS SELLER/PUSHER, How much does a joint usually cost?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	2.5	43	1	Free
11.0	0.7	12	2	Less than \$1.00
49.5	3.1	54	3	\$1.00 or more
	93.7	1,616	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1212-1213

V599 **Y2-592: COST PER OZ. OR LID**

IF MARIJUANA (Hashish, Grass or Pot) GOTTEN FROM FRIEND/ANONYMOUS SELLER/PUSHER, How much does an oz. or lid usually cost?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	1.7	30	1	\$10 or less
11.8	0.5	8	2	\$11-\$25
41.2	1.6	28	3	\$26-\$50
2.9	0.1	2	4	\$51 or more
	96.1	1,657	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1214-1215

V600 **Y2-593: STOPPED USING MARIJUANA**

Have you stopped using Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	7.0	120	1	No
37.2	4.1	71	2	Yes
	88.9	1,534	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1216-1217

V601**Y2-594: DISLIKED TASTED**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	3.2	55	1	No
22.5	0.9	16	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1218-1219

V602**Y2-595: BAD PHYSICAL EFFECTS**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	2.9	50	1	No
29.6	1.2	21	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1220-1221

V603	Y2-596: BAD EMOTIONAL EFFECTS
-------------	--------------------------------------

IF YES to V600: Are any of the following reasons why you stopped using

Marijuana (Hashish, Grass or Pot):

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	3.8	65	1	No
8.5	0.3	6	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1222-1223

V604	Y2-597: FELT IT WAS WRONG
-------------	----------------------------------

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	1.9	32	1	No
54.9	2.3	39	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1224-1225

V605**Y2-598: FRIENDS PRESSURED**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.9	67	1	No
5.6	0.2	4	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1226-1227

V606**Y2-599: TROUBLE W/PARENTS**

IF YES to V600: Are any of the following reasons why you stopped using

Marijuana (Hashish, Grass or Pot):

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	3.8	66	1	No
7.0	0.3	5	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1228-1229

V607 **Y2-600: FEARFUL OF ADDICTION**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	3.1	54	1	No
23.9	1.0	17	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1230-1231

V608 **Y2-601: NOT AVAILABLE ANYMORE**

IF YES to V600, Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Not available anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	4.0	69	1	No
2.8	0.1	2	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1232-1233

V609**Y2-602: LOST ITS EFFECTS**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.9	67	1	No
5.6	0.2	4	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1234-1235

V610**Y2-603: DIDNT NEED IT**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Didn't need it anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	2.7	47	1	No
33.8	1.4	24	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1236-1237

V611 **Y2-604: OTHER**

IF YES to V600: Are any of the following reasons why you stopped using Marijuana (Hashish, Grass or Pot):

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	3.6	62	1	No
12.7	0.5	9	2	Yes
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1238-1239

V612 **Y2-605: MAJ REASON FOR STOPPING**

Which of the above is your major reason for stopping Marijuana (Hashish, Grass or Pot)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.2	3	1	Disliked taste
14.1	0.6	10	2	Bad phys effect
4.2	0.2	3	3	Bad emotion effect
33.8	1.4	24	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
2.8	0.1	2	6	Trouble w/parents
12.7	0.5	9	7	Fearful of addict
1.4	0.1	1	8	Not available
1.4	0.1	1	9	Lost effect
15.5	0.6	11	10	Didn't need it
9.9	0.4	7	11	Other
	95.9	1,654	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1240-1241

Hallucinogens

V613	Y2-606: EVER USE PSYCHEDELICS
------	-------------------------------

Have you ever used Psychedelics (LSD, Acid, Peyote, Mescaline)?

(IF NO, SKIP TO V659)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	40.2	693	1	No
1.8	0.8	13	2	Yes
0.1	0.1	1	3	Yes, episodically
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1242-1243

V614	Y2-607: WHEN 1ST USE PSYCHEDELIC
------	----------------------------------

When did you first use Psychedelics (LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
85.7	0.7	12	1	More than 1 yr ago
7.1	0.1	1	2	Within last yr
7.1	0.1	1	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1244-1245

V615 **Y2-608: HOW OFTEN PAST YEAR**

During the last year, how often did you use Psychedelics (LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	93.3	1,609	1	Never
1.6	1.5	26	2	Once or twice
0.6	0.6	10	3	Once every 2-3 mos
0.3	0.3	5	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1246-1247

V616 **Y2-609: HOW MUCH**

When using Psychedelics (LSD, Acid, Peyote, Mescaline) how much do you usually take?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.6	10	1	1 dose
8.3	0.1	1	2	2 doses
8.3	0.1	1	3	3 doses
	99.3	1,713	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1248-1249

V617**Y2-610: RELIEVE PHYSICAL PAIN**

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1250-1251

V618**Y2-611: RELIEVE BOREDOM**

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1252-1253

V619 **Y2-612: RELIEVE TENSION**

Which of the following are your reasons for using Psychedelics (LSD, Acid, Peyote, Mescaline)?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1254-1255

V620 **Y2-613: FOR PLEASURE, ETC.**

Which of the following are your reasons for using Psychedelics (LSD, Acid, Peyote, Mescaline)?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	4	1	No
71.4	0.6	10	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1256-1257

V621**Y2-614: TO BE DIFFERENT, ETC.**

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1258-1259

V622**Y2-615: TO BE ACCEPTED**

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	0.6	11	1	No
21.4	0.2	3	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1260-1261

V623 **Y2-616: TO BE RELAXED**

Which of the following are your reasons for using Psychedelics (LSD, Acid, Peyote, Mescaline)?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1262-1263

V624 **Y2-617: APPEAR MORE GROWN UP**

Which of the following are your reasons for using Psychedelics (LSD, Acid, Peyote, Mescaline)?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1264-1265

V625

Y2-618: INCREASE SELF-AWARENESS

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

To increase self awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.7	12	1	No
14.3	0.1	2	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1266-1267

V626

Y2-619: TO GET THROUGH DAY

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1268-1269

V627 **Y2-620: CURIOSITY, EXPERIMENT**

Which of the following are your reasons for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1270-1271

V628 **Y2-621: MOST IMP FUNC-PSYCHDLCS**

Which of the above is your major reason for using Psychedelics
(LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
64.3	0.5	9	4	For pleasure
0.0	0.0	0	5	Be different
21.4	0.2	3	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
7.1	0.1	1	9	Increase awareness
0.0	0.0	0	10	Get thru day
7.1	0.1	1	11	Curiosity
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1272-1273

V629**Y2-622: RELIEVE PHYSICAL PAIN**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To relieve physical pain/weight control/to have more energy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 1274-1275

V630**Y2-623: RELIEVE BOREDOM**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To relieve feelings of boredom or loneliness

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 1276-1277

V631 **Y2-624: RELIEVE TENSION**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To relieve feelings of tension or anxiety

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1278-1279

V632 **Y2-625: FOR PLEASURE, ETC.**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

For pleasure, fun, recreation, or taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	1	Not effective
90.0	0.5	9	2	Effective
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1280-1281

V633

Y2-626: TO BE DIFFERENT, ETC.

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To be different, rebellious, or special

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1282-1283

V634

Y2-627: TO BE ACCEPTED

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To be accepted or popular with friends

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	Not effective
66.7	0.1	2	2	Effective
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1284-1285

V635 **Y2-628: TO BE RELAXED**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To be relaxed and confident in social situations

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	1	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1286-1287

V636 **Y2-629: APPEAR MORE GROWN UP**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To appear more grown up

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1288-1289

V637 **Y2-630: INCREASE SELF-AWARENESS**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

To increase self awareness, understanding or creativity

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	0.1	2	2	Effective
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1290-1291

V638 **Y2-631: TO GET THROUGH DAY**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

Need it to get through the day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
0.0	0.0	0	2	Effective
	100.0	1,725	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1292-1293

V639 **Y2-632: CURIOSITY, EXPERIMENT**

Is Psychedelics (LSD, Acid, Peyote, Mescaline) effective for your purposes?

For curiosity, to experiment

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Not effective
0.0	0.0	0	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1294-1295

V640 **Y2-633: PHYSICIAN**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1296-1297

V641 **Y2-634: FAMILY**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1298-1299

V642 **Y2-635: FRIEND**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Friend?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	6	1	No
57.1	0.5	8	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1300-1301

V643 **Y2-636: ANONYMOUS SELLER**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Anonymous Seller/Pusher?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	0.5	9	1	No
35.7	0.3	5	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1302-1303

V644 **Y2-637: STEAL IT**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Steal it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	14	1	No
0.0	0.0	0	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1304-1305

V645 **Y2-638: OTHER**

Do you get your Psychedelics (LSD, Acid, Peyote, Mescaline) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	0.8	13	1	No
7.1	0.1	1	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1306-1307

V646 **Y2-639: STOPPED USING PSYCHEDLCS**

Have you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.3	5	1	No
64.3	0.5	9	2	Yes
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1308-1309

V647 **Y2-640: DISLIKED TASTE**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Disliked the taste

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1310-1311

V648**Y2-641: BAD PHYSICAL EFFECTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Bad physical effects, headaches, upset stomach

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.4	7	1	No
22.2	0.1	2	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1312-1313

V649**Y2-642: BAD EMOTIONAL EFFECTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Bad emotional effects, depression, bad trips

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1314-1315

V650 **Y2-643: FELT IT WAS WRONG**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

I felt it was wrong to use this substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.3	5	1	No
44.4	0.2	4	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1316-1317

V651 **Y2-644: FRIENDS PRESSURED**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Friends pressured me to stop using it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1318-1319

V652**Y2-645: TROUBLE W/PARENTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Trouble with parents, police or teachers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1320-1321

V653**Y2-646: FEARFUL OF ADDICTION**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Fearful of becoming dependent or addicted

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	6	1	No
33.3	0.2	3	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1322-1323

V654 **Y2-647: NOT AVAILABLE ANYMORE**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Not available anymore

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	9	1	No
0.0	0.0	0	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1324-1325

V655 **Y2-648: LOST ITS EFFECTS**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

It lost its effect

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1326-1327

V656**Y2-649: DIDNT NEED IT**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Didn't need it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.3	5	1	No
44.4	0.2	4	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1328-1329

V657**Y2-650: OTHER**

IF YES to V646: Are any of the following reasons why you stopped using Psychedelics (LSD, Acid, Peyote, Mescaline):

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	8	1	No
11.1	0.1	1	2	Yes
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1330-1331

V658

Y2-651: MAJ RSN STOP-PSYCHDELICS

Which of the above is your major reason for stopping Psychedelics
(LSD, Acid, Peyote, Mescaline)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	Disliked taste
22.2	0.1	2	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
11.1	0.1	1	6	Trouble w/parents
22.2	0.1	2	7	Fearful of addict
0.0	0.0	0	9	Lost effect
22.2	0.1	2	10	Didn't need it
11.1	0.1	1	11	Other
	99.5	1,716	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1332-1333

Tranquilizers

V659

Y2-652: EVER USE TRANQUILIZERS

Have you ever used Tranquilizers such as Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.?

(IF NO, SKIP TO V675)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	39.0	673	1	No
4.2	1.7	30	2	Yes
0.6	0.2	4	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1334-1335

V660

Y2-653: WHEN 1ST USE TRANQUILZRS

When did you first use Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
38.2	0.8	13	1	More than 1 yr ago
44.1	0.9	15	2	Within last yr
17.6	0.3	6	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1336-1337

V661 **Y2-654: HOW OFTEN PAST YEAR**

During the last year, how often did you use Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	39.1	674	1	Never
1.8	0.8	13	2	Once or twice
0.6	0.2	4	3	Once every 2-3 mos
0.6	0.2	4	4	Once a mo
0.3	0.1	2	5	Once every 2-3 wks
0.3	0.1	2	6	Once a wk
0.3	0.1	2	7	2-3 times/wk
0.3	0.1	2	8	Once a day
0.6	0.2	4	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1338-1339

V662 **Y2-655: PRESCRIBED BY DOCTOR**

Was this (Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.)) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.8	14	1	Yes
58.8	1.2	20	2	No
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1340-1341

V663

Y2-656: AMOUNT TAKEN IF PRESRBD

IF TRANQUILIZERS (Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.) PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.2	3	1	< prescribed
71.4	0.6	10	2	Amount prescribed
7.1	0.1	1	3	> than prescribed
	99.2	1,711	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1342-1343

V664

Y2-657: USUAL PURPOSE

What is your usual purpose or reason in using Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.)? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	0.6	10	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
41.2	0.8	14	3	Relieve tension
23.5	0.5	8	4	For pleasure
2.9	0.1	1	5	Be different
0.0	0.0	0	6	Be accepted
2.9	0.1	1	7	Be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1344-1345

V665 **Y2-658: EFFECTIVENESS**

Is Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	1	1	Not effective
97.1	1.9	33	2	Effective
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1346-1347

V666 **Y2-659: PHARMACY**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	1.4	24	1	No
29.4	0.6	10	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1348-1349

V667 **Y2-660: PHYSICIAN**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	1.7	29	1	No
14.7	0.3	5	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1350-1351

V668**Y2-661: FAMILY**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	1.6	28	1	No
17.6	0.3	6	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1352-1353

V669**Y2-662: FRIENDS**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	1.3	22	1	No
35.3	0.7	12	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1354-1355

V670**Y2-663: ANONYMOUS PUSHER**

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	1.7	29	1	No
14.7	0.3	5	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1356-1357

V671 Y2-664: OTHER

Do you get your Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	34	1	No
0.0	0.0	0	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1358-1359

V672 Y2-665: COST OF TRANQUILIZERS

IF TRANQUILIZERS (Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per tablet or capsule?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	1	Free
26.7	0.2	4	2	< 50 cents/tablet
60.0	0.5	9	3	50 cents or > per tablet
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1360-1361

V673 Y2-666: EVER STOP USING TRANQLZR

Have you stopped using Tranquilizers (Librium, Valium, Thorazine, Miltown, Equanil, Meprobomate, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	0.9	15	1	No
55.9	1.1	19	2	Yes
	98.0	1,691	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1362-1363

V674

Y2-667: MAJ REASON FOR STOPPING

IF YES to V673: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
10.5	0.1	2	2	Bad phys effect
15.8	0.2	3	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
5.3	0.1	1	7	Fearful of addict
5.3	0.1	1	9	Lost effect
63.2	0.7	12	10	Didn't need it
0.0	0.0	0	11	Other
	98.9	1,706	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1364-1365

Amphetamines

V675 Y2-668: EVER USED AMPHETAMINES

Have you ever used Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

(IF NO, SKIP TO V691)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	38.7	667	1	No
5.7	2.3	40	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1366-1367

V676 Y2-669: WHEN 1ST USE AMPHETAMINE

When did you First Use Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	1.2	20	1	More than 1 yr ago
37.5	0.9	15	2	Within last yr
10.0	0.2	4	3	Within last 6 mos
2.5	0.1	1	4	Within last mo
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1368-1369

V677

Y2-670: HOW OFTEN PAST YEAR

During the last year, how often did you use Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	90.7	1,564	1	Never
2.7	2.6	45	2	Once or twice
1.0	1.0	17	3	Once every 2-3 mos
0.6	0.6	10	4	Once a mo
0.4	0.4	7	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.2	0.2	4	7	2-3 times/wk
0.2	0.2	4	8	Once a day
0.1	0.1	1	9	2-3 times/day
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1370-1371

V678

Y2-671: PRESCRIBED BY DOCTOR

Was this (Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.2	4	1	Yes
90.0	2.1	36	2	No
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1372-1373

V679 **Y2-672: AMOUNT TAKEN IF PRESCRBD**

IF AMPHETAMINES (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	< prescribed
75.0	0.2	3	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1374-1375

V680 **Y2-673: USUAL PURPOSE**

What is your usual purpose or reason in using Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	0.6	11	1	Relieve phys pain
5.0	0.1	2	2	Relieve boredom
5.0	0.1	2	3	Relieve tension
50.0	1.2	20	4	For pleasure
0.0	0.0	0	5	To be different
5.0	0.1	2	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
2.5	0.1	1	9	Increase awareness
2.5	0.1	1	10	Get thru day
2.5	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1376-1377

V681 **Y2-674: EFFECTIVENESS**

Is Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	0.6	11	1	Not effective
72.5	1.7	29	2	Effective
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1378-1379

V682 **Y2-675: PHARMACY**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	2.1	36	1	No
10.0	0.2	4	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1380-1381

V683 **Y2-676: PHYSICIAN**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	2.2	38	1	No
5.0	0.1	2	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1382-1383

V684 **Y2-677: FAMILY**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	2.1	37	1	No
7.5	0.2	3	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1384-1385

V685 **Y2-678: FRIENDS**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	0.8	14	1	No
65.0	1.5	26	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1386-1387

V686 **Y2-679: ANONYMOUS PUSHER**

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	1.8	31	1	No
22.5	0.5	9	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1388-1389

V687

Y2-680: OTHER

Do you get your Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	40	1	No
0.0	0.0	0	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1390-1391

V688

Y2-681: COST OF AMPHETAMINES

IF AMPHETAMINES (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per tablet or capsule?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.3	6	1	Free
7.7	0.1	2	2	< 50 cts/tablet
46.2	0.7	12	3	50 cts - \$1.50 tablet
23.1	0.3	6	4	Over \$1.50 per tablet
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1392-1393

V689 **Y2-682: STOPPED USING AMPHTMNS**

Have you stopped using Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.2	20	1	No
50.0	1.2	20	2	Yes
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1394-1395

V690 **Y2-683: MAJ REASON FOR STOPPING**

IF YES to V689: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
25.0	0.3	5	2	Bad phys effect
10.0	0.1	2	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
5.0	0.1	1	6	Trouble w/parents
5.0	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
10.0	0.1	2	9	Lost its effect
40.0	0.5	8	10	Didn't need it
5.0	0.1	1	11	Other
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1396-1397

Sedatives/Barbituates

V691

Y2-684: EVER USE BARBITUATES

Have you ever used Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

(IF NO, SKIP TO V707)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	39.8	687	1	No
2.7	1.1	19	2	Yes
0.1	0.1	1	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1398-1399

V692

Y2-685: WHEN 1ST USE BARBITUATES

When did you first use Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	0.6	10	1	More than 1 yr ago
40.0	0.5	8	2	Within last yr
5.0	0.1	1	3	Within last 6 mos
5.0	0.1	1	4	Within last mo
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1400-1401

V693 **Y2-686: HOW OFTEN PAST YEAR**

During the last year, how often did you use Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	93.1	1,606	1	Never
1.4	1.4	25	2	Once or twice
0.5	0.5	9	3	Once every 2-3 mos
0.3	0.3	6	4	Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.1	0.1	1	6	Once a wk
0.1	0.1	1	7	2-3 times/wk
0.0	0.0	0	8	Once a day
4.4	4.4	76	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Column: 1402

V694 **Y2-687: PRESCRIBED BY DOCTOR**

Was this (Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.2	3	1	Yes
80.0	0.9	16	2	No
5.0	0.1	1	3	Yes, someone else
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1403-1404

V695

Y2-688: AMOUNT TAKEN IF PRESCRBD

IF BARBITURATES (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	< prescribed
100.0	0.2	3	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1405-1406

V696

Y2-689: USUAL PURPOSE

What is your usual purpose or reason in using Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.3	6	1	Relieve phys pain
5.0	0.1	1	2	Relieve boredom
15.0	0.2	3	3	Relieve tension
40.0	0.5	8	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
5.0	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
5.0	0.1	1	14	Other
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1407-1408

V697 **Y2-690: EFFECTIVENESS**

Is Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Not effective
100.0	1.2	20	2	Effective
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1409-1410

V698 **Y2-691: PHARMACY**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	1.0	17	1	No
15.0	0.2	3	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1411-1412

V699 **Y2-692: PHYSICIAN**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1413-1414

V700**Y2-693: FAMILY**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.9	16	1	No
20.0	0.2	4	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1415-1416

V701**Y2-694: FRIENDS**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.5	9	1	No
55.0	0.6	11	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1417-1418

V702**Y2-695: ANONYMOUS PUSHER**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.9	15	1	No
25.0	0.3	5	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1419-1420

V703 **Y2-696: OTHER**

Do you get your Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	20	1	No
0.0	0.0	0	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1421-1422

V704 **Y2-697: COST OF BARBITUATES**

IF BARBITURATES (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per tablet or capsule?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.2	4	1	Free
7.7	0.1	1	2	< 50 cts/tablet
61.5	0.5	8	3	50 cts - \$1.50 tablet
0.0	0.0	0	4	Over \$1.50 tablet
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1423-1424

V705**Y2-698: STPD TAKING BARBITUATES**

Have you stopped using Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.3	5	1	No
75.0	0.9	15	2	Yes
	98.8	1,705	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1425-1426

V706**Y2-699: MAJ REASON FOR STOPPING**

IF YES to V705: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
13.3	0.1	2	2	Bad phys effect
40.0	0.3	6	3	Bad emotion effect
6.7	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
13.3	0.1	2	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
20.0	0.2	3	10	Didn't need it
6.7	0.1	1	11	Other
	99.1	1,710	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1427-1428

Codeine

V707 Y2-700: EVER USED CODINE

Have you ever used Codeine?

(IF NO, SKIP TO V722)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	39.1	674	1	No
3.7	1.5	26	2	Yes
0.8	0.3	6	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1429-1430

V708 Y2-701: WHEN FIRST USE CODEINE

When did you first use Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
46.9	0.9	15	1	More than 1 year ago
31.2	0.6	10	2	Within last year
18.8	0.3	6	3	Within last 6 months
3.1	0.1	1	4	Within last month
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1431-1432

V709

Y2-702: HOW OFTEN PAST YEAR

During the last year, how often did you use Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	39.5	682	1	Never
0.8	0.8	13	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	Once every 2-3 weeks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/week
0.2	0.2	3	8	Once a day
59.4	59.4	1,024	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Column: 1433

V710

Y2-703: PRESCRIBED BY DOCTOR

Was this (Codeine) prescribed by a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	1.3	22	1	Yes
31.2	0.6	10	2	No
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 1434-1435

V711 **Y2-704: AMOUNT TAKEN IF PRESCRBD**

IF CODEINE PRESCRIBED, Do you usually take the amount prescribed on the label?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	1	< prescribed
95.5	1.2	21	2	Amount prescribed
0.0	0.0	0	3	> prescribed
	98.7	1,703	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1436-1437

V712 **Y2-705: USUAL PURPOSE**

What is your usual purpose or reason in using Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	1.4	25	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
18.8	0.3	6	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
3.1	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1438-1439

V713 **Y2-706: EFFECTIVENESS**

Is Codeine effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	0.3	5	1	Not effective
84.4	1.6	27	2	Effective
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1440-1441

V714 **Y2-707: PHARMACY**

Do you get your Codeine from Pharmacy/Drugstore?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	0.6	11	1	No
65.6	1.2	21	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1442-1443

V715 **Y2-708: PHYSICIAN**

Do you get your Codeine from Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	1.6	27	1	No
15.6	0.3	5	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1444-1445

V716 **Y2-709: FAMILY**

Do you get your Codeine from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	1.6	28	1	No
12.5	0.2	4	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1446-1447

V717 **Y2-710: FRIENDS**

Do you get your Codeine from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	1.6	28	1	No
12.5	0.2	4	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1448-1449

V718 **Y2-711: ANONYMOUS PUSHER**

Do you get your Codeine from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	32	1	No
0.0	0.0	0	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1450-1451

V719**Y2-712: OTHER**

Do you get your Codeine from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	32	1	No
0.0	0.0	0	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1452-1453

V720**Y2-713: STOPPED USING CODINE**

Have you stopped using Codeine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.3	6	1	No
81.2	1.5	26	2	Yes
	98.1	1,693	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1454-1455

V721	Y2-714: MAJ REASON FOR STOPPING
------	--

IF YES to V720: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
11.5	0.2	3	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
88.5	1.3	23	10	Didn't need it
0.0	0.0	0	11	Other
	98.5	1,699	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1456-1457

Heroin

V722	Y2-715: EVER USE HEROIN
------	-------------------------

Have you ever used Heroin?

(IF NO, SKIP TO V733)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.9	40.9	706	1	No
0.1	0.1	1	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1458-1459

V723	Y2-716: WHEN FIRST USE HEROIN
------	-------------------------------

When did you first use Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
0.0	0.0	0	1	More than 1 yr ago
100.0	0.1	1	2	Within last yr
0.0	0.0	0	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1460-1461

V724 **Y2-717: HOW OFTEN PAST YEAR**

During the last year, how often did you use Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	95.5	1,647	1	Never
0.3	0.3	5	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.0	0.0	0	8	Once a day
4.2	4.2	72	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Column: 1462

V725 **Y2-718: USUAL PURPOSE**

What is your usual purpose or reason in using Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
100.0	0.1	1	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
 Missing-data code: -1
 Columns: 1463-1464

V726 **Y2-719: EFFECTIVENESS**

Is Heroin effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Not effective
0.0	0.0	0	2	Effective
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1465-1466

V727 **Y2-720: FAMILY**

Do you get your Heroin from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1467-1468

V728 **Y2-721: FRIEND**

Do you get your Heroin from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	1	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1469-1470

V729 **Y2-722: ANONYMOUS PUSHER**

Do you get your Heroin from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1471-1472

V730 **Y2-723: OTHER**

Do you get your Heroin from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	No
0.0	0.0	0	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1473-1474

V731 **Y2-724: STOPPED USING HEROIN**

Have you stopped using Heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.1	1	2	Yes
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1475-1476

V732

Y2-725: MAJ REASON FOR STOPPING

IF YES to V731: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
100.0	0.1	1	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
0.0	0.0	0	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
0.0	0.0	0	10	Didn't need it
0.0	0.0	0	11	Other
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1477-1478

Cocaine

V733 Y2-726: EVER USED COCAINE

Have you ever used Cocaine?

(IF NO, SKIP TO V747)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	40.1	691	1	No
2.3	0.9	16	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1479-1480

V734 Y2-727: WHEN FIRST USE COCAINE

When did you first use Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	0.5	8	1	More than 1 yr ago
18.8	0.2	3	2	Within last yr
31.2	0.3	5	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1481-1482

V735

Y2-728: HOW OFTEN PAST YEAR

During the last year, how often did you use Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	93.3	1,609	1	Never
1.9	1.9	33	2	Once or twice
0.3	0.3	6	3	Once every 2-3 mos
0.1	0.1	2	4	Once a mo
0.0	0.0	0	5	once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times/week
0.1	0.1	1	8	Once a day
4.2	4.2	73	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Column: 1483

V736

Y2-729: HOW MUCH

When taking cocaine, how much do you usually use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	0	< 1 line
61.5	0.5	8	1	1 line
23.1	0.2	3	2	2 lines
0.0	0.0	0	3	> 2 lines
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 1484-1485

V737 **Y2-730: USUAL PURPOSE**

What is your usual purpose or reason in using Cocaine? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
81.2	0.8	13	4	For pleasure
0.0	0.0	0	5	To be different
0.0	0.0	0	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
12.5	0.1	2	9	Increase awareness
0.0	0.0	0	10	Get thru day
6.2	0.1	1	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1486-1487

V738 **Y2-731: EFFECTIVENESS**

Is Cocaine effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	2	1	Not effective
87.5	0.8	14	2	Effective
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1488-1489

V739**Y2-732: FAMILY**

Do you get your Cocaine from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	0.8	13	1	No
18.8	0.2	3	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1490-1491

V740**Y2-733: FRIEND**

Do you get your Cocaine from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.3	5	1	No
68.8	0.6	11	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1492-1493

V741**Y2-734: ANONYMOUS**

Do you get your Cocaine from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.7	12	1	No
25.0	0.2	4	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1494-1495

V742 **Y2-735: OTHER**

Do you get your Cocaine from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	16	1	No
0.0	0.0	0	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1496-1497

V743 **Y2-736: COST PER LINE -COCAINE**

IF COCAINE GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost per line?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	0	
27.3	0.2	3	5	
27.3	0.2	3	10	
18.2	0.1	2	30	
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1498-1499

V744

Y2-737: BULK COST IN \$ -COCAINE

IF COCAINE GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it usually cost in bulk?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	30	
33.3	0.1	1	80	
33.3	0.1	1	90	
	99.8	1,722	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1500-1501

V745

Y2-738: STOPPED USING COCAINE

Have you stopped using Cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.6	10	1	No
37.5	0.3	6	2	Yes
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1502-1503

V746	Y2-739: MAJ REASON FOR STOPPING
-------------	--

IF YES to V745: What is your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
16.7	0.1	1	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
16.7	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
16.7	0.1	1	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
50.0	0.2	3	10	Didn't need it
0.0	0.0	0	11	Other
	99.7	1,719	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1504-1505

Inhalants

V747**Y2-740: EVER USE GLUE, ETC.**

Have you ever used Glue, paint thinner, nail polish, or other inhalants?

(IF NO, SKIP TO V758)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	39.5	682	1	No
3.5	1.4	25	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1506-1507

V748**Y2-741: WHEN FIRST USE GLUE**

When did you first use Glue, paint thinner, nail polish, or other inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	0	Don't know
32.0	0.5	8	1	More than 1 yr ago
44.0	0.6	11	2	Within last yr
20.0	0.3	5	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1508-1509

V749 **Y2-742: HOW OFTEN IN PAST YEAR**

During the last year, how often did you use Glue, paint thinner, nail polish, or other inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	39.8	686	1	Never
2.4	1.0	17	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.0	0.0	0	4	-Once a mo
0.1	0.1	1	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times/wk
0.1	0.1	1	8	Once a day
0.0	0.0	0	9	2-3 times/day
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1510-1511

V750 **Y2-743: USUAL PURPOSE**

What is your usual purpose or reason in using Glue, paint thinner, nail polish, or other inhalants? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
4.0	0.1	1	2	Relieve boredom
8.0	0.1	2	3	Relieve tension
40.0	0.6	10	4	For pleasure
0.0	0.0	0	5	To be different
4.0	0.1	1	6	To be accepted
4.0	0.1	1	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
4.0	0.1	1	10	Get thru day
28.0	0.4	7	11	Curiosity
0.0	0.0	0	12	Special occasion
4.0	0.1	1	13	Family encourage
4.0	0.1	1	14	Other
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1512-1513

V751	Y2-744: EFFECTIVENESS
-------------	------------------------------

Is Glue, paint thinner, nail polish, or other inhalants effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	0.8	14	1	Not effective
44.0	0.6	11	2	Effective
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1514-1515

V752	Y2-745: STORES
-------------	-----------------------

Do you get your Glue, paint thinner, nail polish, or other inhalants from Stores (supermarkets, hardware, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	1.1	19	1	No
24.0	0.3	6	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1516-1517

V753	Y2-746: FAMILY
-------------	-----------------------

Do you get your Glue, paint thinner, nail polish, or other inhalants from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	1.2	20	1	No
20.0	0.3	5	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1518-1519

V754 **Y2-747: FRIENDS**

Do you get your Glue, paint thinner, nail polish, or other inhalants from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	0.7	12	1	No
52.0	0.8	13	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1520-1521

V755 **Y2-748: OTHER**

Do you get your Glue, paint thinner, nail polish, or other inhalants from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	1.3	22	1	No
12.0	0.2	3	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1522-1523

V756 **Y2-749: STOPPED USING GLUE**

Have you stopped using Glue, paint thinner, nail polish, or other inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.1	2	1	No
92.0	1.3	23	2	Yes
	98.6	1,700	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1524-1525

V757

Y2-750: MAJ REASON FOR STOPPING

IF YES to V756: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.1	2	1	Disliked taste
30.4	0.4	7	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
21.7	0.3	5	4	Felt it was wrong
4.3	0.1	1	5	Friends pressured
8.7	0.1	2	6	Trouble w/parents
8.7	0.1	2	7	Fearful of addict
0.0	0.0	0	8	Not available
0.0	0.0	0	9	Lost its effect
0.0	0.0	0	10	Didn't need it
17.4	0.2	4	11	Other
	98.7	1,702	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1526-1527

PCP

V758 **Y2-751: EVER USE ANGEL DUST**

Have you ever used Angel Dust (PCP)?

(IF NO, SKIP TO V772)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	39.1	675	1	No
4.4	1.8	31	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.1	1,019	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1528-1529

V759 **Y2-752: WHEN 1ST USE ANGEL DUST**

When did you first use Angel Dust (PCP)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	1	0	Don't know
41.9	0.8	13	1	More than 1 yr ago
48.4	0.9	15	2	Within last yr
6.5	0.1	2	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1530-1531

V760

Y2-753: HOW OFTEN IN PAST YEAR

During the last year, how often did you use Angel Dust (PCP)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	39.2	676	1	Never
1.1	1.1	19	2	Once or twice
0.5	0.5	8	3	Once every 2-3 mos
0.0	0.0	0	4	Once a mo
0.1	0.1	2	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.1	0.1	1	7	2-3 times/wk
0.0	0.0	0	8	Once a day
59.1	59.1	1,019	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Column: 1532

V761

Y2-754: HOW MUCH/FORM OF USE

When using Angel Dust, how much do you usually take?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	0.9	16	1	W/marijuana
37.0	0.6	10	2	Powder
3.7	0.1	1	3	Capsule
	98.4	1,698	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric

Missing-data code: -1

Columns: 1533-1534

V762 **Y2-755: USUAL PURPOSE**

What is your usual purpose or reason in using Angel Dust (PCP)?
(CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
3.2	0.1	1	3	Relieve tension
71.0	1.3	22	4	For pleasure
0.0	0.0	0	5	To be different
6.5	0.1	2	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
3.2	0.1	1	9	Increase awareness
0.0	0.0	0	10	Get thru day
9.7	0.2	3	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
6.5	0.1	2	14	Other
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1535-1536

V763 **Y2-756: EFFECTIVENESS**

Is Angel Dust (PCP) effective for your purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.3	5	1	Not effective
83.3	1.4	25	2	Effective
	98.3	1,695	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1537-1538

V764**Y2-757: FAMILY**

Do you get your Angel Dust (PCP) from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	31	1	No
0.0	0.0	0	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1539-1540

V765**Y2-758: FRIEND**

Do you get your Angel Dust (PCP) from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	0.6	10	1	No
67.7	1.2	21	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1541-1542

V766**Y2-759: ANONYMOUS PUSHER**

Do you get your Angel Dust (PCP) from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	1.2	21	1	No
32.3	0.6	10	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1543-1544

V767 **Y2-760: OTHER**

Do you get your Angel Dust (PCP) from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	1.7	30	1	No
3.2	0.1	1	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1545-1546

V768 **Y2-761: COST PER DOSE**

IF ANGEL DUST (PCP) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it cost per dose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.4	7	1	Free
11.8	0.1	2	2	\$1.00 or less
35.3	0.3	6	3	\$1.01 to \$5.00
11.8	0.1	2	4	Over \$5.00
	99.0	1,708	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1547-1548

V769**Y2-762: BULK COST**

IF ANGEL DUST (PCP) GOTTEN FROM FRIEND OR ANONYMOUS PUSHER, How much does it cost in bulk?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM CODEBOOK)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.3	5	1	\$10.00 or less
25.0	0.1	2	2	\$10.01 - \$20.00
12.5	0.1	1	3	\$20.01 or more
	99.5	1,717	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1549-1550

V770**Y2-763: STOPPED USING ANGEL DUST**

Have you stopped using Angel Dust (PCP)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	0.9	15	1	No
51.6	0.9	16	2	Yes
	98.2	1,694	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1551-1552

V771	Y2-764: MAJ REASON FOR STOPPING
------	--

IF YES to V770: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
18.8	0.2	3	2	Bad phys effect
12.5	0.1	2	3	Bad emotion effect
18.8	0.2	3	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
6.2	0.1	1	8	Not available
6.2	0.1	1	9	Lost its effect
0.0	0.0	0	10	Didn't need it
37.5	0.3	6	11	Other
	99.1	1,709	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1553-1554

Other Substances

V772

Y2-765: EVER OTHER SUBSTANCES

Have you ever used Any other nonprescription drugs or intoxicants?

(IF NO, SKIP TO V785)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	40.8	703	1	No
0.6	0.2	4	2	Yes
0.0	0.0	0	3	Yes, episodic
	59.0	1,018	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1555-1556

V773

Y2-766: NAME OF SUBSTANCE

Specify name of substance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	THC
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1557-1558

V774 **Y2-767: WHEN FIRST USE SUBSTANCE**

When did you first use Any other nonprescription drugs or
intoxicants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	Don't know
50.0	0.1	2	1	More than 1 yr ago
50.0	0.1	2	2	Within last yr
0.0	0.0	0	3	Within last 6 mos
0.0	0.0	0	4	Within last mo
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1559-1560

V775 **Y2-768: HOW OFTEN IN PAST YEAR**

During the last year, how often did you use Any other nonprescription
drugs or intoxicants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	40.8	704	1	Never
0.1	0.1	1	2	Once or twice
0.1	0.1	1	3	Once every 2-3 mos
0.1	0.1	1	4	Once a mo
0.0	0.0	0	5	Once every 2-3 wks
0.0	0.0	0	6	Once a wk
0.0	0.0	0	7	2-3 times/wk
0.0	0.0	0	8	Once a day
59.0	59.0	1,018	9	2-3 times/day
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Column: 1561

V776**Y2-769: HOW MUCH**

When taking Any other nonprescription drugs or intoxicants how much do you usually take?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	< 1 tablet
25.0	0.1	1	1	1 tablet
50.0	0.1	2	2	2 tablets or more
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1562-1563

V777**Y2-770: USUAL PURPOSE**

What is your usual reason in using Any other nonprescription drugs or intoxicants? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Relieve phys pain
0.0	0.0	0	2	Relieve boredom
0.0	0.0	0	3	Relieve tension
50.0	0.1	2	4	For pleasure
0.0	0.0	0	5	To be different
50.0	0.1	2	6	To be accepted
0.0	0.0	0	7	To be relaxed
0.0	0.0	0	8	Appear grown up
0.0	0.0	0	9	Increase awareness
0.0	0.0	0	10	Get thru day
0.0	0.0	0	11	Curiosity
0.0	0.0	0	12	Special occasion
0.0	0.0	0	13	Family encourage
0.0	0.0	0	14	Other
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1564-1565

V778 **Y2-771: EFFECTIVENESS**

Is Any other nonprescription drugs or intoxicants effective for your purpose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	Not effective
75.0	0.2	3	2	Effective
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1566-1567

V779 **Y2-772: FAMILY**

Do you get your Any other nonprescription drugs or intoxicants from Family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1568-1569

V780 **Y2-773: FRIEND**

Do you get your Any other nonprescription drugs or intoxicants from Friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	No
100.0	0.2	4	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1570-1571

V781	Y2-774: ANONYMOUS PUSHER
-------------	---------------------------------

Do you get your Any other nonprescription drugs or intoxicants from Anonymous pusher or seller?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1572-1573

V782	Y2-775: OTHER
-------------	----------------------

Do you get your Any other nonprescription drugs or intoxicants from Other (specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	No
0.0	0.0	0	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1574-1575

V783	Y2-776: STOPPED USING SUBSTANCE
-------------	--

Have you stopped using Any other nonprescription drugs or intoxicants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	No
50.0	0.1	2	2	Yes
	99.8	1,721	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1576-1577

V784	Y2-777: MAJ REASON FOR STOPPING
-------------	--

IF YES to V783: What was your major reason? (CIRCLE ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Disliked taste
0.0	0.0	0	2	Bad phys effect
0.0	0.0	0	3	Bad emotion effect
50.0	0.1	1	4	Felt it was wrong
0.0	0.0	0	5	Friends pressured
0.0	0.0	0	6	Trouble w/parents
0.0	0.0	0	7	Fearful of addict
50.0	0.1	1	8	Not available
0.0	0.0	0	9	Lost its effect
0.0	0.0	0	10	Didn't need it
0.0	0.0	0	11	Other
	99.9	1,723	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1578-1579

Future Use

V785

Y2-778: TOBACCO

Do you think that you might start using Tobacco in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	26.3	453	1	Not anticipate use
3.4	0.9	16	2	Anticipate use
	72.8	1,256	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1580-1581

V786

Y2-779: BEER

Do you think that you might start using Beer in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	12.1	208	1	Not anticipate use
5.9	0.8	13	2	Anticipate use
	87.2	1,504	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1582-1583

V787	Y2-780: WINE
-------------	---------------------

Do you think that you might start using Wine in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	19.0	327	1	Not anticipate use
6.3	1.3	22	2	Anticipate use
	79.8	1,376	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1584-1585

V788	Y2-781: HARD LIQUOR
-------------	----------------------------

Do you think that you might start using Hard Liquor in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	27.8	479	1	Not anticipate use
2.2	0.6	11	2	Anticipate use
	71.6	1,235	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1586-1587

V789**Y2-782: MARIJUANA**

Do you think that you might start using Marijuana in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	28.9	498	1	Not anticipate use
3.3	1.0	17	2	Anticipate use
	70.1	1,210	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1588-1589

V790**Y2-783: PSYCHEDELICS**

Do you think that you might start using Psychedelics (LSD, etc.) in the next 12 months?

(IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	39.8	686	1	Not anticipate use
0.9	0.3	6	2	Anticipate use
	59.9	1,033	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1590-1591

Problem Behavior Resulting from Use
--

V791

Y2-784: TRBL W/BOY/GIRLFRND-ALC

How many times in the last year have you gotten into trouble with your girlfriend/boyfriend because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	26.8	463	1	Never
9.1	2.8	48	2	Once or twice
2.1	0.6	11	3	3 or 4 times
0.2	0.1	1	4	5 or 6 times
0.6	0.2	3	5	More than 6 times
	69.5	1,199	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
Missing-data code: -1
Columns: 1592-1593

V792

Y2-785: TRBL W/BOY/GRLFRND-DRUGS

How many times in the last year have you gotten into trouble with your girlfriend/boyfriend because of your use of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	11.1	191	1	Never
10.2	1.3	23	2	Once or twice
1.8	0.2	4	3	3 or 4 times
2.2	0.3	5	4	5 or 6 times
0.9	0.1	2	5	More than 6 times
	87.0	1,500	-1	
-----	-----	-----		
100.0	100.0	1,725		cases

Data type: numeric
Missing-data code: -1
Columns: 1594-1595

V793**Y2-786: PROBS W/FAMILY -ALCOHOL**

How many times in the last year have you had problems with your family because of drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	25.2	434	1	Never
12.9	3.9	68	2	Once or twice
2.7	0.8	14	3	3 or 4 times
0.4	0.1	2	4	5 or 6 times
1.9	0.6	10	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1596-1597

V794**Y2-787: PROBS W/FAMILY -DRUGS**

How many times in the last year have you had problems with your family because of drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	10.8	186	1	Never
11.1	1.4	25	2	Once or twice
3.5	0.5	8	3	3 or 4 times
0.4	0.1	1	4	5 or 6 times
2.7	0.3	6	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1598-1599

V795 **Y2-788: TROUBLE W/FRNDS -ALCOHOL**

How many times in the last year have you gotten into trouble with your friends because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	27.9	482	1	Never
6.6	2.0	35	2	Once or twice
1.1	0.3	6	3	3 or 4 times
0.4	0.1	2	4	5 or 6 times
0.6	0.2	3	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1600-1601

V796 **Y2-789: TROUBLE W/FRIENDS -DRUGS**

How many times in the last year have you gotten into trouble with your friends because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	12.2	211	1	Never
4.9	0.6	11	2	Once or twice
0.9	0.1	2	3	3 or 4 times
0.4	0.1	1	4	5 or 6 times
0.4	0.1	1	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1602-1603

V797**Y2-790: TRBL W/TEACHERS -ALCOHOL**

How many times in the last year have you gotten into trouble with your teachers or principal because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	29.2	504	1	Never
2.9	0.9	15	2	Once or twice
0.0	0.0	0	3	3 or 4 times
0.2	0.1	1	4	5 or 6 times
0.4	0.1	2	5	More than 6 times
	69.7	1,203	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1604-1605

V798**Y2-791: TROUBLE W/TEACHERS-DRUGS**

How many times in the last year have you gotten into trouble with your teachers or principal because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	12.0	207	1	Never
5.0	0.6	11	2	Once or twice
0.0	0.0	0	3	3 or 4 times
0.0	0.0	0	4	5 or 6 times
0.9	0.1	2	5	More than 6 times
	87.2	1,505	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1606-1607

V799 **Y2-792: GOTTEN IN FIGHTS-ALCOHOL**

How many times in the last year have you gotten into physical fights because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	28.1	485	1	Never
6.6	2.0	35	2	Once or twice
0.6	0.2	3	3	3 or 4 times
0.2	0.1	1	4	5 or 6 times
0.8	0.2	4	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1608-1609

V800 **Y2-793: GOTTEN INTO FIGHTS-DRUGS**

How many times in the last year have you gotten into physical fights because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	12.5	215	1	Never
4.0	0.5	9	2	Once or twice
0.4	0.1	1	3	3 or 4 times
0.0	0.0	0	4	5 or 6 times
0.4	0.1	1	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1610-1611

V801**Y2-794: PROBS W/HEALTH -ALCOHOL**

How often in the last year has your use of alcohol caused problems with your physical health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	28.2	487	1	Never
6.1	1.9	32	2	Once or twice
0.8	0.2	4	3	3 or 4 times
0.6	0.2	3	4	5 or 6 times
0.4	0.1	2	5	More than 6 times
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1612-1613

V802**Y2-795: PROBLEMS W/HEALTH -DRUGS**

How often in the last year has your use of drugs caused problems with your physical health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	12.1	209	1	Never
4.9	0.6	11	2	Once or twice
1.8	0.2	4	3	3 or 4 times
0.4	0.1	1	4	5 or 6 times
0.4	0.1	1	5	More than 6 times
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1614-1615

V803 **Y2-796: COULDN'T REMEMBER-ALCOHOL**

Have you ever found that you couldn't remember what had happened to you because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.9	25.7	443	1	No
16.1	4.9	85	2	Yes
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1616-1617

V804 **Y2-797: COULDN'T REMEMBER -DRUGS**

Have you ever found that you couldn't remember what had happened to you because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	11.2	194	1	No
14.2	1.9	32	2	Yes
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1618-1619

V805 **Y2-798: STAYED DRUNK FOR DAYS**

Have you ever stayed drunk for more than a day at a time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	29.9	515	1	No
2.5	0.8	13	2	Yes
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1620-1621

V806	Y2-799: STAYED HIGH FOR DAYS
-------------	-------------------------------------

Have you ever stayed high on drugs for more than a day at a time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	11.6	200	1	No
11.5	1.5	26	2	Yes
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1622-1623

V807	Y2-800: COULDNT STOP -ALCOHOL
-------------	--------------------------------------

Have you ever wanted to stop drinking and found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	29.9	516	1	No
2.3	0.7	12	2	Yes
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1624-1625

V808	Y2-801: COULDNT STOP -DRUGS
-------------	------------------------------------

Have you ever wanted to stop using drugs and found you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	12.8	221	1	No
2.2	0.3	5	2	Yes
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1626-1627

V809 **Y2-802: ARRESTS - ALCOHOL/DRUGS**

During the last year, have you been arrested for any alcohol or drug related offenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	30.5	526	1	No
2.4	0.8	13	2	Yes
	68.8	1,186	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1628-1629

V810 **Y2-803: # ARRESTS -INTOXICATION**

IF YES to V809: How many times for Intoxication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	0.3	5	0	
38.5	0.3	5	1	
7.7	0.1	1	2	
7.7	0.1	1	3	
7.7	0.1	1	9	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1630-1631

V811 **Y2-804: # ARRESTS- DRUNK DRIVING**

IF YES to V809: How many times for Driving under the influence of alcohol or drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.5	9	0	
30.8	0.2	4	1	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1632-1633

V812	Y2-805: # ARRESTS POSS -ALCOHOL
-------------	--

IF YES to V809: How many times for Possession of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	0.5	8	0	
15.4	0.1	2	1	
15.4	0.1	2	2	
7.7	0.1	1	9	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1634-1635

V813	Y2-806: # ARRESTS POSSESS -DRUGS
-------------	---

IF YES to V809: How many times for Possession of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.5	9	0	
23.1	0.2	3	1	
7.7	0.1	1	2	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1636-1637

V814	Y2-807: # ARRESTS SALE/DRUGS
-------------	-------------------------------------

IF YES to V809: How many times for Sale (or possession for sale) of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	0.6	11	0	
7.7	0.1	1	1	
7.7	0.1	1	9	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1638-1639

V815	Y2-808: # ARRESTS OTHER
------	-------------------------

IF YES to V809: How many times for Other (Specify)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	13	0	
	99.2	1,712	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1640-1641

V816	Y2-809: # TIMES DRUNK LAST YEAR
------	---------------------------------

How many times in the last year have you gotten drunk or pretty high on alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	15.7	270	0	
9.1	2.8	48	1	
9.7	3.0	51	2	
3.4	1.0	18	3	
4.2	1.3	22	4	
3.4	1.0	18	5	
3.2	1.0	17	6	
0.6	0.2	3	7	
0.2	0.1	1	8	
0.6	0.2	3	9	
2.1	0.6	11	10	
1.9	0.6	10	12	
0.4	0.1	2	13	
1.3	0.4	7	15	
1.9	0.6	10	20	
0.9	0.3	5	25	
0.4	0.1	2	30	
0.6	0.2	3	40	
1.9	0.6	10	50	
1.3	0.4	7	52	
0.2	0.1	1	55	
0.2	0.1	1	60	
0.2	0.1	1	70	
0.2	0.1	1	100	
0.6	0.2	3	150	
0.4	0.1	2	200	
0.2	0.1	1	300	
	69.4	1,197	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1642-1644

V817	Y2-810: # TIMES HIGH LAST YEAR
------	--------------------------------

How many times in the last year have you gotten high on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	3.9	68	0	
8.0	1.0	18	1	
11.1	1.4	25	2	
4.9	0.6	11	3	
2.2	0.3	5	4	
5.8	0.8	13	5	
2.7	0.3	6	6	
0.9	0.1	2	7	
0.9	0.1	2	8	
4.0	0.5	9	10	
2.2	0.3	5	12	
1.3	0.2	3	15	
3.5	0.5	8	20	
0.4	0.1	1	24	
0.9	0.1	2	25	
0.9	0.1	2	26	
0.9	0.1	2	30	
1.8	0.2	4	40	
0.4	0.1	1	45	
3.1	0.4	7	50	
1.3	0.2	3	52	
0.9	0.1	2	60	
1.3	0.2	3	75	
1.8	0.2	4	100	
0.4	0.1	1	125	
0.9	0.1	2	150	
2.2	0.3	5	200	
0.4	0.1	1	250	
0.9	0.1	2	300	
0.4	0.1	1	360	
3.5	0.5	8	365	
	86.9	1,499	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1645-1647

VICTIMIZATION

V818 **Y2-811: THINGS TAKEN FROM YOU**

How many times in the Last Year:

has something been taken directly from you (or an attempt to do so) by force or by threatening to hurt you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	77.7	1,341	0	
8.9	8.5	147	1	
5.9	5.7	98	2	
1.5	1.4	24	3	
0.4	0.3	6	4	
0.8	0.8	14	5	
0.3	0.3	5	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.4	0.3	6	10	
0.1	0.1	2	12	
0.2	0.2	3	15	
0.2	0.2	3	20	
0.1	0.1	2	30	
0.1	0.1	1	99	
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1648-1649

V819	Y2-812: BEATEN UP BY PARENT
-------------	------------------------------------

How many times in the Last Year:

have you been beaten by your mother or father?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	52.6	907	0	
2.3	1.3	22	1	
1.2	0.6	11	2	
0.1	0.1	1	3	
0.1	0.1	1	4	
0.2	0.1	2	5	
0.1	0.1	1	6	
0.1	0.1	1	7	
0.1	0.1	1	365	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1650-1652

V820	Y2-813: MOTOR VEHICL/BIKE STOLEN
-------------	---

How many times in the Last Year:

has your car, motorcycle or bicycle been stolen or an attempt to do so?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	47.9	826	0	
9.3	5.1	88	1	
2.3	1.3	22	2	
0.4	0.2	4	3	
0.1	0.1	1	4	
0.3	0.2	3	5	
0.2	0.1	2	6	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1653-1654

V821	Y2-814: THINGS TAKEN FROM CAR
------	-------------------------------

How many times in the Last Year:

have things been taken from your car, motorcycle or bike such as hubcaps, books or packages, or bike locks

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	46.5	802	0	
9.5	5.2	90	1	
3.5	1.9	33	2	
1.3	0.7	12	3	
0.4	0.2	4	4	
0.2	0.1	2	5	
0.2	0.1	2	6	
0.1	0.1	1	25	
	45.2	779	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1655-1656

V822	Y2-815: THINGS DAMAGED
-------------	-------------------------------

How many times in the Last Year:

have any of your things been damaged on purpose, such as car or bike tires slashed or books and clothing ripped up?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	42.6	735	0	
12.9	7.1	122	1	
6.0	3.3	57	2	
1.4	0.8	13	3	
1.0	0.5	9	4	
0.8	0.5	8	5	
0.1	0.1	1	6	
0.1	0.1	1	12	
0.1	0.1	1	20	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1657-1658

V823**Y2-816: THINGS STOLEN FRM PUB PL**

How many times in the Last Year:

have some of your things, such as your jacket, notebooks, or sports equipment been stolen from a public place such as a school cafeteria, restaurant or bowling alley?

(QUESTION TEXT NOT AVAILABLE, DERIVED FROM NYS WAVE 3 QUESTIONNAIRE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	37.0	639	0	
17.6	9.7	167	1	
9.2	5.0	87	2	
2.6	1.4	25	3	
0.6	0.3	6	4	
1.3	0.7	12	5	
0.2	0.1	2	6	
0.1	0.1	1	7	
0.3	0.2	3	8	
0.1	0.1	1	9	
0.1	0.1	1	10	
0.2	0.1	2	12	
0.1	0.1	1	20	
	45.1	778	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1659-1660

V824**Y2-817: SEXUALLY ATTACKED**

How many times in the Last Year:

have you been sexually attacked, or raped (or an attempt to do so)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	95.0	1,639	0	
0.7	0.6	11	1	
0.1	0.1	1	2	
0.1	0.1	1	4	
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1661-1662

V825

Y2-818: ATTACKED W/WEAPON

How many times in the Last Year:

have you been attacked with a weapon, such as a gun, knife, bottle or chair by someone other than your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	87.5	1,510	0	
6.1	5.9	101	1	
1.1	1.1	19	2	
0.5	0.5	9	3	
0.2	0.2	3	4	
0.3	0.3	5	5	
0.1	0.1	2	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
0.1	0.1	1	10	
0.1	0.1	2	20	
0.1	0.1	1	30	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric

Missing-data code: -1

Columns: 1663-1664

V826

Y2-819: BEATEN UP BY OTHERS

How many times in the Last Year:

have you been beaten up (or threatened with being beaten up) by
someone other than your mother or father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	77.6	1,338	0	
9.1	8.8	151	1	
4.7	4.5	77	2	
2.1	2.0	35	3	
0.7	0.6	11	4	
0.8	0.8	14	5	
0.2	0.2	3	6	
0.1	0.1	2	7	
0.1	0.1	2	8	
0.5	0.5	9	10	
0.1	0.1	1	12	
0.1	0.1	2	15	
0.1	0.1	2	16	
0.1	0.1	1	18	
0.2	0.2	3	20	
0.1	0.1	2	35	
0.1	0.1	1	98	
0.1	0.1	1	200	
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1665-1667

HANDGUNS

V827 Y2-820: HOW TO OBTAIN HANDGUN

If you wanted a handgun, how would you try to get it? (CHECK ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	55.8	963	1	Buy from store
9.3	8.9	153	2	Buy from person
18.0	17.2	297	3	Borrow
1.1	1.0	18	4	Steal
3.2	3.1	53	5	Other
10.3	9.9	170	6	Don't know
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1668-1669

V828 Y2-821: HOW LONG TO OBTAIN

How long do you think it would take to get a handgun this (V827) way?
 (CHECK ONE)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	16.8	289	1	1 half day/less
14.9	14.0	242	2	About a day
13.1	12.3	213	3	2-7 days
10.1	9.5	164	4	1-2 wks
14.3	13.4	232	5	> 2 wks
29.8	28.0	483	6	Don't know
	5.9	102	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1670-1671

V829	Y2-822: EVER OWNED A HANDGUN
-------------	-------------------------------------

Have you ever owned or had regular use of a handgun?

(IF NO, SKIP TO V839)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	86.5	1,492	1	No
9.8	9.4	162	2	Yes
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1672-1673

V830	Y2-823: OBTAINED: AS A GIFT
-------------	------------------------------------

Did you ever get a hand gun in any of the following ways?

As a gift or loan from a friend or relative

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	2.1	37	1	No
77.2	7.2	125	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1674-1675

V831 **Y2-824: OBTAINED: BY BUYING IT**

Did you ever get a hand gun in any of the following ways?

By buying it

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	8.0	138	1	No
14.8	1.4	24	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1676-1677

V832 **Y2-825: OBTAINED: STOLE FRM HOUSE**

Did you ever get a hand gun in any of the following ways?

By stealing it from a house

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	9.2	159	1	No
1.9	0.2	3	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1678-1679

V833

Y2-826: OBTAINED:STOLE FRM STORE

Did you ever get a hand gun in any of the following ways?

By stealing it from a store

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	9.3	160	1	No
1.2	0.1	2	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1680-1681

V834

Y2-827: USED GUN: ROBBERY

Have you ever used a gun while committing any of the following crimes?

Robbery

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	9.3	161	1	No
0.6	0.1	1	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1682-1683

V835 **Y2-828: USED GUN: SEXUAL ASSAULT**

Have you ever used a gun while committing any of the following crimes?

Sexual assault

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	162	1	No
0.0	0.0	0	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1684-1685

V836 **Y2-829: USED GUN: BURGLARY**

Have you ever used a gun while committing any of the following crimes?

Burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	162	1	No
0.0	0.0	0	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1686-1687

V837	Y2-830: USED GUN: ASSAULT
-------------	----------------------------------

Have you ever used a gun while committing any of the following crimes?

Assault (not sexual)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	9.2	158	1	No
2.5	0.2	4	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1688-1689

V838	Y2-831: USED GUN: OTHER CRIMES
-------------	---------------------------------------

Have you ever used a gun while committing any of the following crimes?

Other(please explain)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	9.2	159	1	No
1.9	0.2	3	2	Yes
	90.6	1,563	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1690-1691

RESPONDENT OBSERVATIONS

V839 **Y2-832: FURTHER EXPLAN OF ANSWRS**

Would you like to explain any of your answers further?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	87.5	1,510	1	No
8.8	8.4	145	2	Yes
	4.1	70	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1692-1693

V840 **Y2-833: DRUGS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.9	84	1	Drugs
	95.1	1,641	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1694-1695

V841 **Y2-834: SEX**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	88	1	Sex
	94.9	1,637	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1696-1697

V842	Y2-835: SPECIFIC ITEM #
-------------	--------------------------------

1,725 cases (Range of valid codes: 1-349)

Data type: numeric
 Missing-data code: -1
 Columns: 1698-1700

V843	Y2-836: SPECIFIC ITEM #
-------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	11	
3.7	0.1	1	79	
3.7	0.1	1	112	
3.7	0.1	1	162	
3.7	0.1	1	165	
3.7	0.1	1	173	
3.7	0.1	1	174	
3.7	0.1	1	176	
3.7	0.1	1	208	
3.7	0.1	1	219	
3.7	0.1	1	221	
3.7	0.1	1	228	
7.4	0.1	2	235	
3.7	0.1	1	253	
3.7	0.1	1	259	
3.7	0.1	1	260	
3.7	0.1	1	261	
3.7	0.1	1	269	
3.7	0.1	1	282	
7.4	0.1	2	284	
3.7	0.1	1	321	
3.7	0.1	1	328	
3.7	0.1	1	330	
3.7	0.1	1	337	
3.7	0.1	1	349	
	98.4	1,698		-1
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1701-1703

V844 **Y2-837: SPECIFIC ITEM #**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	14	
10.0	0.1	1	124	
10.0	0.1	1	174	
10.0	0.1	1	179	
10.0	0.1	1	210	
10.0	0.1	1	260	
30.0	0.2	3	284	
10.0	0.1	1	325	
	99.4	1,715	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1704-1706

V845 **Y2-838: FRIENDS**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	79	1	Friends
	95.4	1,646	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1707-1708

V846 **Y2-839: DRUGS/ALCOHOL**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	132	1	Drugs/alcohol
	92.3	1,593	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1709-1710

V847	Y2-840: FAMILY
-------------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	49	1	Family
	97.2	1,676	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1711-1712

V848	Y2-841: ACTIVITIES
-------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.1	140	1	Activities
	91.9	1,585	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1713-1714

V849	Y2-842: SCHOOL
-------------	-----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	56	1	School
	96.8	1,669	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1715-1716

V850	Y2-843: OTHER
-------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.5	268	1	Other
	84.5	1,457	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1717-1718

V851	Y2-844: UNDERSTANDING OF YOU
------	------------------------------

Do you think that we will have a good or poor understanding of your relationship with your family and friends from your answers to these questions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	91.6	1,580	1	Good understand
3.1	2.9	50	2	Poor understand
	5.5	95	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1719-1720

INTERVIEWER OBSERVATIONS

V852

Y2-845: R ANXIETY BEFORE INTERVW

How anxious did the respondent seem to be about the study before the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	69.7	1,203	1	Not anxious
20.5	19.6	338	2	Somewhat anxious
6.7	6.4	110	3	Very anxious
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1721-1722

V853

Y2-846: WAS R HOSTILE

Was the respondent at all hostile either before or during the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	94.3	1,627	1	No
1.5	1.4	25	2	Yes
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1723-1724

V854 **Y2-847: RESPONDENT INTEREST**

How great was the respondent's interest in the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	24	1	Very low
7.3	7.0	121	2	Below average
56.6	54.1	934	3	Average
27.2	26.0	448	4	Above average
7.5	7.1	123	5	Very high
	4.3	75	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1725-1726

V855 **Y2-848: DIFFICULTY W/LANGUAGE**

Did you encounter any problems or circumstances that might have affected the interview?

Difficulty with English language

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	11	1	Difficulty w/language
	99.4	1,714	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1727-1728

V856**Y2-849: DIFFICULTY W/QUESTIONS**

Did you encounter any problems or circumstances that might have affected the interview?

Lots of difficulty understanding questions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	59	1	Difficulty w/questions
	96.6	1,666	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1729-1730

V857**Y2-850: INTERUPTIONS**

Did you encounter any problems or circumstances that might have affected the interview?

Many interruptions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	40	1	Interruptions
	97.7	1,685	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1731-1732

V858	Y2-851: TEMPORARY BREAKOFF
-------------	-----------------------------------

Did you encounter any problems or circumstances that might have affected the interview?

Temporary breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	35	1	Temp breakoff
	98.0	1,690	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1733-1734

V859	Y2-852: BREAKOFF
-------------	-------------------------

Did you encounter any problems or circumstances that might have affected the interview?

Breakoff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	Breakoff
	99.9	1,724	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1735-1736

V860	Y2-853: OTHER
-------------	----------------------

Did you encounter any problems or circumstances that might have affected the interview?

Other (specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	130	1	Other
	92.5	1,595	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1737-1738

V861	Y2-854: R ANXIETY AFTER INTERVW
-------------	--

How did the respondent seem at the end of the interview?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	90.3	1,558	1	Relaxed
3.7	3.5	61	2	Tense
2.0	1.9	33	3	Other
	4.2	73	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1739-1740

V862	Y2-855: ADDITIONAL COMMENTS
-------------	------------------------------------

Any Additional Comments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	31.3	540	1	No
67.4	64.6	1,114	2	Yes
	4.1	71	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1741-1742

GEOGRAPHIC CODE

V863 SMSA CODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	34.2	590	0	Resp not in SMSA
64.3	61.6	1,063	1	Resp in SMSA
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1743-1744

V864 PLACE CODE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	6	1	City of SMSA
0.0	0.0	0	2	City of urban area
33.9	32.4	559	3	City of SMSA/urban area
59.9	57.3	989	4	Other inc place
5.9	5.6	97	5	Not incorporated
	4.3	74	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
 Missing-data code: -1
 Columns: 1745-1746

V865**PLACE SIZE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.0	18	0	Under 200
2.4	2.3	39	1	200-499
4.4	4.2	72	2	500-999
3.9	3.7	64	3	1,000-1,499
2.5	2.4	41	4	1,500-1,999
3.8	3.7	63	5	2,000-2,499
4.8	4.6	80	6	2,500-4,999
12.0	11.5	198	7	5,000-9,999
12.0	11.5	198	8	10,000-19,999
2.2	2.1	36	9	20,000-24,999
11.4	10.9	188	10	25,000-49,999
12.3	11.8	203	11	-50,000-99,999
9.1	8.8	151	12	100,000-249,999
6.7	6.4	110	13	250,000-499,999
6.5	6.2	107	14	500,000-999,999
5.1	4.9	85	15	1,000,000 or more
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1747-1748

V866**NYS URB/SUBURB RURAL CD**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	24.5	422	1	Urban
44.1	42.3	729	2	Suburban
30.4	29.1	502	3	Rural
	4.2	72	-1	
-----	-----	-----		
100.0	100.0	1,725	cases	

Data type: numeric
Missing-data code: -1
Columns: 1749-1750

APPENDIX A: ORIGINAL CODEBOOK

NATIONAL YOUTH SURVEY [UNITED STATES]: WAVE II, 1977

PLEASE NOTE: See Page 1 for the appropriate column locations for the data.

The original variable names have been changed to a sequential variable name (i.e., V1, V2, ...VN) in the re-formatted codebook which begins on Page 1. The original variable names can be found in the variable labels of the re-formatted codebook.

SECOND WAVE YOUTH DATA

CARD 1/17

Variable	Column	Questionnaire Item Number	Variable Description and Coding
Y2-1		From First Year Data	Sex 1=Male 2=Female
Y2-2		From First Year Data	Ethnicity 1=Anglo 2=Black 3=Chicano 4=American Indian 5=Asian 6=Other (all other non-classifiable)
Y2-3		From First Year Data + 1	Age 12-18
Y2-4		1	Grade in school 5-16=Number of grade 17=Not in school 18=Other
Y2-5		2	Grade point average 5=Mostly A's/Excellent 4=Mostly B's 3=Mostly C's/Satisfactory/Passing 2=Mostly D's 1=Mostly F's/Not satisfactory/ Failing
Y2-6		3	Particular group of friends? 1=No 2=Yes
Y2-7		4	How important is it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-8		6	Afternoons/school week spent with friends: 0-5 (0=everything less than once a week)

Y2-9	7	Evenings/school week spent with friends: 0-5 (0=everything less than once a week)
Y2-10	8	Time spent with friends on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-11	9	Friends' influence: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-12	10	How important was it to have friends? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-13	11	Evenings/week spent on dating and social activities: 0-7 (0=everything less than once a week)
Y2-14	12	How important have social activities been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-15	13	Attended regular school program? 1=No 2=Yes
Y2-16	14	Afternoons/school week spent studying: 0-5 (0=everything less than once a week)

Y2-17	15	Evenings/school week spent studying: 0-5 (0=everything less than once a week)
Y2-18	16	Time spent studying on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-19	17	How important has schoolwork been? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-20	18	Member of any athletic teams at school? 1=No 2=Yes
Y2-21	19	How important is it to be on an athletic team? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-22	20	Afternoons/school week spent on team activities: 0-5 (0=everything less than once a week)
Y2-23	21	Evenings/school week spent on team activities: 0-5 (0=everything less than once a week)
Y2-24	22	Time spent on team activities on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much

		1=Very little
Y2-25	23	How important are school athletics? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-26	24	Participant in school activities? 1=No 2=Yes
Y2-27	25	How important are school activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-28	26	Afternoons/school week spent on school activities: 0-5 (0=everything less than once a week)
Y2-29	27	Evenings/school week spent on school activities: 0-5 (0=everything less than once a week)
Y2-30	28	Time spent on school activities on weekends: 5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-31	29	How important are school activities? 5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-32	30	How do your classmates see you? 1=Athlete 2=Activities member 3=Social type

			4=Good student 5=Average student 6=None of the above 7=Other
Y2-33	31	Participant in community activities?	1=No 2=Yes
Y2-34	32	How important are community activities?	5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-35	33	Afternoons/school week spent on community activities:	0-5 (0=everything less than once a week)
Y2-36	34	Evenings/school week spent on community activities:	0-5 (0=everything less than once a week)
Y2-37	35	Time spent on community activities on weekends:	5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-38	36	How important have community activities been?	5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-39	37	Any jobs in the past year?	1=No 2=Yes
Y2-40	38	How important to have a job?	5=Very important

			4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-41	39(1)	Job description:	1=Part-time 2=Full-time
Y2-42	39(2)	What kind of work?	1=Informal, irregular jobs 2=Unskilled & semi-skilled 3=Skilled manual 4=Clerical, technical, sales 5=Executive, professional, administrative
Y2-43	40	How important has job been?	5=Very important 4=Pretty important 3=Somewhat important 2=Not too important 1=Not important at all
Y2-44	41	Were you married?	1=Yes 2=No
Y2-45	42	Afternoons/school week spent with family:	0-5 (0=everything less than once a week)
Y2-46	43	Evenings/school week spent with family:	0-5 (0=everything less than once a week)
Y2-47	44	Time on weekends spent with family:	5=A great deal 4=Quite a bit 3=Some 2=Not too much 1=Very little
Y2-48	45	Importance of family activities:	5=Very important 4=Pretty important 3=Somewhat important

2=Not too important
1=Not important at all

Y2-49 46 Parents' influence:
5=A great deal
4=Quite a bit
3=Some
2=Not too much
1=Very little

ASPIRATIONS/CURRENT SUCCESS - Questionnaire items 47 through 60 ask respondents about a variety of social, family, and educational goals. Each question consists of 2 parts. The first asks how important each goal is to the respondent; the second asks how well he is doing at that goal. For scaling, items are scored so that a higher score reflects greater importance and greater success.

Y2-50-77 47-53 (1) 5=Very important
54-60 3=Somewhat important
1=Not important at all

(2) 5=Very well
3=O.K.
1=Not well at all

	47	Family that does things together.
Y2-50	47(1)	How important?
Y2-51	47(2)	How are you doing?
	48	Have other students think of you as a good student.
Y2-52	48(1)	How important?
Y2-53	48(2)	How are you doing?
	49	Have lots of dates.
Y2-54	49(1)	How important?
Y2-55	49(2)	How are you doing?
	50	Have parents you can talk to.
Y2-56	50(1)	How important?
Y2-57	50(2)	How are you doing?
	51	Do well in hard subjects.
Y2-58	51(1)	How important?
Y2-59	51(2)	How are you doing?
	52	Included in friends' activities
Y2-60	52(1)	How important?
Y2-61	52(2)	How are you doing?

	53	Parents who comfort you when you're unhappy.
Y2-62	53(1)	How important?
Y2-63	53(2)	How are you doing?
		PSU Number
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. #(01-09)
		Data Set (0141)
		Card Number (01)
CARD 2/17		
	54	Do your own schoolwork without help.
Y2-64	54(1)	How important?
Y2-65	54(2)	How are you doing?
	55	Have a special boyfriend/girlfriend.
Y2-66	55(1)	How important?
Y2-67	55(2)	How are you doing?
	56	Have your parents think you do things well.
Y2-68	56(1)	How important?
Y2-69	56(2)	How are you doing?
	57	Have teachers think of you as a good student.
Y2-70	57(1)	How important?
Y2-71	57(2)	How are you doing?
	58	Have friends ask to spend time and do things with you.
Y2-72	58(1)	How important?
Y2-73	58(2)	How are you doing?
	59	Have a high grade point average.
Y2-74	59(1)	How important?
Y2-75	59(2)	How are you doing?
	60	Get along well with your parents.
Y2-76	60(1)	How important?

Y2-77 60(2) How are you doing?

FUTURE ASPIRATIONS - Questionnaire items 61 through 64 ask respondents about the importance of each of a set of family, school, and work goals. Items are scored so that a higher score reflects a greater importance for these aspirations.

Y2-78-81 61-64 5=Very important
3=Somewhat important
1=Not important at all

IMPORTANCE OF:

Y2-78 61 Good job or career.
Y2-79 62 Going to college.
Y2-80 63 Getting married.
Y2-81 64 Having children of your own.

EXPECTATION FOR FUTURE GOALS - Questionnaire items 65 and 66 ask respondents for their estimate of the chances that they will attain specific work and educational goals. Items are scored so that a higher score represents a greater expectation of success.

Y2-82-83 65-66 3=Good
2=Fair
1=Poor

CHANCES FOR:

Y2-82 65 Getting a job you'd like.
Y2-83 66 Completing a college degree.

SOCIAL ISOLATION - Questionnaire items 67 through 81 ask for respondents' level of agreement with a series of statements reflecting the social isolation variant of alienation. Items are scored so that a higher score reflects a greater perceived level of social isolation.

Y2-84-98 67-81 5=Strongly agree
4=Agree
3=Neither agree nor disagree
2=Disagree
1=Strongly disagree

Y2-84	67	Don't fit well with friends.
Y2-85	68	Teachers don't call on me.
Y2-86	69	Outsider with family.
Y2-87	70	Nobody at school cares.
Y2-88	71	Friends don't take interest.
Y2-89	72	Family listens to problems.
Y2-90	73	Feel close to friends.
Y2-91	74	Feel lonely with family.
Y2-92	75	Don't belong at school.
Y2-93	76	Friends listen to problems.
Y2-94	77	Feel lonely at school.
Y2-95	78	Teachers don't ask me to work on projects.
Y2-96	79	Feel close to family.
Y2-97	80	Feel lonely with friends.
Y2-98	81	Family not interested in problems.

NORMLESSNESS - Questionnaire items 82 through 94 ask for respondents' level of agreement with a series of statements reflecting the normlessness variant of alienation. Items are scored so that a higher score reflects a greater perception of normlessness.

Y2-99-111	82-94	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-99	82	Important to be honest with parents.
Y2-100	83	To avoid trouble, lie to teachers.
Y2-101	84	With friends, good impression foremost.
Y2-102	85	Play dirty to win at school.
Y2-103	86	Lying okay if keeps friends out of trouble.
Y2-104	87	With parents, good impression foremost.
Y2-105	88	Beat up kids to gain respect of friends.
Y2-106	89	Can succeed in school without cheating.
Y2-107	90	To be popular, must break rules.
Y2-108	91	Lie to parents to keep trust.
Y2-109	92	Doing own work more important than being liked.
Y2-110	93	Break parents' rules to keep friends.
Y2-111	94	With teachers, good impression foremost.

LABELING BY PARENTS - Questionnaire items 95 through 106 ask respondents to indicate the extent to which their PARENTS would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y2-112-123	95-106	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-112	95	Well-liked.
Y2-113	96	Need help.
Y2-114	97	Bad kid.
Y2-115	98	Often upset.
Y2-116	99	Good citizen.
Y2-117	100	Get along well with others.
Y2-118	101	Messed up.
Y2-119	102	Break rules.
Y2-120	103	Personal problems.
Y2-121	104	Get into trouble.
Y2-122	105	Likely to succeed.
Y2-123	106	Do things against the law.

Blank
Class (from Wave 1)
Funding Agency Designation
1=NIMH
2=LEAA
Household I.D. #
Respondent I.D. #(01-09)
Data Set (0141)
Card Number (02)

CARD 3/17

LABELING BY FRIENDS - Questionnaire items 107 through 117 ask respondents to indicate the extent to which their friends would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y2-124-134	107-117	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-124	107	Well-liked.
Y2-125	108	Need help.

Y2-126	109	Bad kid.
Y2-127	110	Often upset.
Y2-128	111	Get along well with others.
Y2-129	112	Messed up.
Y2-130	113	Break rules.
Y2-131	114	Personal problems.
Y2-132	115	Get into trouble.
Y2-133	116	Likely to succeed.
Y2-134	117	Do things against the law.

LABELING BY TEACHERS - Questionnaire items 118 through 129 ask respondents to indicate the extent to which their teachers would agree with each of a set of descriptive labels that could be applied to respondents. Items are scored so that a higher score reflects higher perceived agreement with the labels.

Y2-135-146	12-23	118-129	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-135		118	Well-liked.
Y2-136		119	Need help.
Y2-137		120	Bad kid.
Y2-138		121	Often upset.
Y2-139		122	Good citizen.
Y2-140		123	Get along well with others.
Y2-141		124	Messed up.
Y2-142		125	Break rules.
Y2-143		126	Personal problems.
Y2-144		127	Get into trouble.
Y2-145		128	Likely to succeed.
Y2-146		129	Do things against the law.

PERCEIVED DISAPPROVAL/PARENTS - Questionnaire items 130 through 143 ask respondents the extent to which their parents would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y2-147-160		130-143	5=Strongly disapprove 4=Disapprove 3=Neither approve nor disapprove 2=Approve 1=Strongly approve
Y2=147		130	Kept promises.

Y2-148	131	Cheated.
Y2-149	132	Stole something worth less than \$5.
Y2-150	133	Were friendly with people of different race.
Y2-151	134	Sold hard drugs.
Y2-152	135	Returned money.
Y2-153	136	Used marijuana.
Y2-154	137	Stole something worth more than \$50.
Y2-155	138	Hit someone.
Y2-156	139	Gave to needy.
Y2-157	140	Used alcohol.
Y2-158	141	Did a favor.
Y2-159	142	Destroyed property.
Y2-160	143	Broke into vehicle.

PERCEIVED DISAPPROVAL/PEERS - Questionnaire items 144 through 157 ask respondents the extent to which their peers would disapprove of each of a set of behaviors if the respondent engaged in them. Items are scored so that a higher score reflects greater perceived disapproval.

Y2-161-174	144-157	5=Strongly disapprove 4=Disapprove 3=Neither approve nor disapprove 2=Approve 1=Strongly approve
Y2-161	144	Kept promises.
Y2-162	145	Cheated.
Y2-163	146	Stole something worth less than \$5.
Y2-164	147	Were friendly with people of different race.
Y2-165	148	Sold hard drugs.
Y2-166	149	Returned money.
Y2-167	150	Used marijuana.
Y2-168	151	Stole something worth more than \$50.
Y2-169	152	Hit someone.
Y2-170	153	Gave to needy.
Y2-171	154	Used alcohol.
Y2-172	155	Did a favor.
Y2-173	156	Destroyed property.
Y2-174	157	Broke into vehicle.

COUNTERLABELING - Questionnaire items 158 through 161 ask respondents the extent to which their mother, father and friends would be supportive if the respondent got into different kinds of trouble. Items are scored so that higher score reflects greater counterlabeling.

Y2-175-186 52-63 158-161 4=Almost always
3=Often
2=Sometimes
1=Almost never

REACTION IF YOU WERE IN TROUBLE:

158 At school.
Y2-175 158(1) Mother
Y2-176 158(2) Father
Y2-177 158(3) Friends

159 With police.
Y2-178 159(1) Mother
Y2-179 159(2) Father
Y2-180 159(3) Friends

160 In neighborhood.
Y2-181 160(1) Mother
Y2-182 160(2) Father
Y2-183 160(3) Friends

161 With rumors.
Y2-184 161(1) Mother
Y2-185 161(2) Father
Y2-186 161(3) Friends

Blank
Funding Agency Designation
1=NIMH
2=LEAA
Household I.D. #
Respondent I.D. #(01-09)
Data Set (0141)
Card Number (03)

CARD 4/17

ATTITUDES TOWARD DEVIANCE - Questionnaire items 162 through 173 ask respondents for their estimates of how wrong each of a set of deviant behaviors is for themselves or someone their age. Items are scored so that a higher score represents a greater perceived wrongness.

Y2-187-198 1-12 162-173 4=Very wrong
3=Wrong
2=A little bit wrong
1=Not wrong at all

HOW WRONG IS IT TO:

Y2-187	162	Cheat on school tests.
Y2-188	163	Destroy property.
Y2-189	164	Use marijuana.
Y2-190	165	Steal something worth less than \$5.
Y2-191	166	Hit someone.
Y2-192	167	Use alcohol.
Y2-193	168	Break into vehicle.
Y2-194	169	Sell hard drugs.
Y2-195	170	Steal something worth more than \$50.
Y2-196	171	Get drunk
Y2-197	172	Use prescription drugs
Y2-198	173	Give or sell alcohol

EXPOSURE TO DELINQUENT PEERS - Questionnaire items 174 through 186 ask respondents how many of their close friends have engaged in each of a set of deviant behaviors in the past year. Items are scored so that a higher score represents a higher proportion of friends committing each act.

Y2-199-211	174-186	5=All of them 4=Most of them 3=Some of them 2=Very few of them 1=None of them
------------	---------	---

HOW MANY OF YOUR FRIENDS HAVE:

Y2-199	174	Cheated on school tests.
Y2-200	175	Destroyed property.
Y2-201	176	Used marijuana.
Y2-202	177	Stolen something worth less than \$5.
Y2-203	178	Hit someone.
Y2-204	179	Used alcohol.
Y2-205	180	Broken into vehicle.
Y2-206	181	Sold hard drugs.
Y2-207	182	Stolen something worth more than \$50.
Y2-208	183	Suggested you break law.
Y2-209	184	Gotten drunk.
Y2-210	185	Used prescription.
Y2-211	186	Sold or given alcohol.

COMMITMENT TO DELINQUENT PEERS - Questionnaire items 187 through 189 ask respondents how they would react if friends engaged in deviant behaviors. Items are scored so that a higher score indicates greater commitment to delinquent friends.

Y2-212-214	26-28	187-189	3=Yes 2=Don't know 1=No
------------	-------	---------	-------------------------------

Y2-212	187	Would you still run around with them?
Y2-213	188	Would you try to stop these activities?
Y2-214	189	Would you be willing to lie?

SEX ROLES - Questionnaire items 190 through 203 ask for respondents' level of agreement with each of a set of statements reflecting attitudes toward sex roles. Items are scored so that a higher score reflects greater traditionalism with respect to sex roles.

Y2-215-228	29-42	190-203	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
Y2-215		190	Women with children shouldn't work.
Y2-216		191	Fathers should have greater authority.
Y2-217		192	Women are able to do most jobs.
Y2-218		193	Women should ask for dates.
Y2-219		194	Husbands and wives should be equal partners.
Y2-220		195	Women are too emotional.
Y2-221		196	Women should be attractive.
Y2-222		197	Sons should be encouraged to go to college.
Y2-223		198	Woman's responsibility is to care for children.
Y2-224		199	OK for men to tell dirty stories.
Y2-225		200	Men can raise children.
Y2-226		201	Aggressive women are unattractive.
Y2-227		202	Women are physically weaker.
Y2-228		203	Women should have freedom.

INTERPERSONAL VIOLENCE - Questionnaire items 204 through 212 ask for respondents' level of agreement with each of a set of statements concerning violence. Items are scored so that a higher score reflects greater acceptance of violence.

Y2-229-237	43-51	204-212	5=Strongly agree 4=Agree 3=Neither agree nor disagree 2=Disagree 1=Strongly disagree
------------	-------	---------	--

Y2-229	204	All right to beat someone up.
Y2-230	205	Women ask to be sexually assaulted.
Y2-231	206	Hitting another person is acceptable.
Y2-232	207	Few situations justify attacks.
Y2-233	208	Sexual assault is an act of force.
Y2-234	209	All right to beat up another person if he started it.
Y2-235	210	A woman can't be assaulted against her will.
Y2-236	211	It is sometimes necessary to fight.
Y2-237	212	Women are curious about sexual assault.

EXPOSURE TO SUBSTANCE ABUSE AMONG PEERS - Questionnaire items 213 through 218 ask respondents about the frequency with which they were exposed to certain drug and alcohol-related activities by their friends during the previous year. Items are scored so that a higher score represents greater exposure.

Y2-238-243	213-218 #	1=Never 2=Once or twice 3=Several times 4=Often
------------	-----------	--

HOW OFTEN HAVE YOUR CLOSE FRIENDS:

Y2-238	213 #	Suggested you go drinking with them.
Y2-239	214 #	Put pressure on you to drink.
Y2-240	215 #	Suggested you have to get drunk.
Y2-241	216 #	Offered Marijuana to you.
Y2-242	217 #	Suggested you have to get high.
Y2-243	218 #	Put pressure on you to use drugs.

EXPOSURE TO SUBSTANCE ABUSE BY PARENTS - Questionnaire items 219 through 222 ask respondents about the frequency with which their parents engaged in certain drug and alcohol-related activities during the previous year. Items are scored so that a higher score represents greater exposure.

Y2-244-247	219-222 #	1=Never 2=Once or twice 3=Several times 4=Often
------------	-----------	--

HOW OFTEN HAVE YOUR PARENTS:

Y2-244	219 #	Used alcohol.
--------	-------	---------------

Y2-245	220 #	Gotten drunk.
Y2-246	221 #	Used marijuana.
Y2-247	222 #	Used drugs such as tranquilizers.

Blank
 Funding Agency Designation
 1=NIMH
 2=LEAA
 Household I.D. #
 Respondent I.D. #(01-09)
 Data Set (0141)
 Card Number (04)

CARD 5/17

SELF-REPORTED DELINQUENCY - Questionnaire items 223 through 268 ask respondents to report the frequency with which they engaged in each of a variety of behaviors (both deviant and positive social behaviors) during the previous year. Each question consists of 2 parts. The first asks for the absolute frequency of each behavior; the second asks for an estimate of the rate of occurrence of the behavior on a 6-point scale for initial responses indicating a frequency ≥ 10 . These rate or categorical responses have been recoded on the basis of reported frequencies of less than 10 as indicated. Items are scored so that a higher score reflects a greater frequency or rate of involvement in each behavior.

Y2-248-279	223-238	(1) 0-999=Number of times in last year
		(2) 1=Never
Y2-280-311	239-254	2=Once or twice a year
		3=Once every 2-3 months.
Y2-312-339	255-268	4=Once a month
		5=Once every 2-3 weeks
		6=Once a week
		7=Two to three times/week
		8=Once a day
		9=Two to three times/day
Y2-248	223 #	Damaged family property.
Y2-249	223 (1) #	Frequency
	223 (2) #	Rate
Y2-250	224 *	Damaged family property.
Y2-251	224 (1) *	Frequency
	224 (2) *	Rate
Y2-252	225 *	Damaged school property.
Y2-253	225 (1) *	Frequency
	225 (2) *	Rate

	226 *	Damaged other property.
Y2-254	226 (1) *	Frequency
Y2-255	226 (2) *	Rate
	227	Stolen motor vehicle.
Y2-256	227 (1)	Frequency
Y2-257	227 (2)	Rate
	228	Stolen something worth more than \$50.
Y2-258	228 (1)	Frequency
Y2-259	228 (2)	Rate
	229	Bought stolen goods.
Y2-260	229 (1)	Frequency
Y2-261	229 (2)	Rate
	230 *	Returned thing to owner.
Y2-262	230 (1) *	Frequency
Y2-263	230 (2) *	Rate
	231 *	Thrown objects.
Y2-264	231 (1) *	Frequency
Y2-265	231 (2) *	Rate
	232	Run away from home.
Y2-266	232 (1)	Frequency
Y2-267	232 (2)	Rate
	233 *	Lied about your age.
Y2-268	233 (1) *	Frequency
Y2-269	233 (2) *	Rate
	234	Carried a hidden weapon.
Y2-270	234 (1)	Frequency
Y2-271	234 (2)	Rate
	235	Stolen something worth less than \$5.
Y2-272	235 (1)	Frequency
Y2-273	235 (2)	Rate
	236	Attacked someone.
Y2-274	236 (1)	Frequency
Y2-275	236 (2)	Rate
	237	Been paid for sexual relations.
Y2-276	237 (1)	Frequency
Y2-277	237 (2)	Rate
	238	Sexual intercourse.

Y2-278	238 (1)	Frequency
Y2-279	238 (2)	Rate
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. # (01-09)
		Data Set (0141)
		Card Number (05)
CARD 6/17		
	239	Been in gang fights.
Y2-280	239 (1)	Frequency
Y2-281	239 (2)	Rate
	240	Sold marijuana.
Y2-282	240 (1)	Frequency
Y2-283	240 (2)	Rate
	241 *	Cheated on school tests.
Y2-284	241 (1) *	Frequency
Y2-285	241 (2) *	Rate
	242 *	Hitchhiked where illegal.
Y2-286	242 (1) *	Frequency
Y2-287	242 (2) *	Rate
	243 *	Helped someone who was hurt.
Y2-288	243 (1) *	Frequency
Y2-289	243 (2) *	Rate
	244 *	Stolen money from family.
Y2-290	244 (1) *	Frequency
Y2-291	244 (2) *	Rate
	245	Hit teacher.
Y2-292	245 (1)	Frequency
Y2-293	245 (2)	Rate
	246	Hit parent.
Y2-294	246 (1)	Frequency
Y2-295	246 (2)	Rate
	247	Hit other students.
Y2-296	247 (1)	Frequency
Y2-297	247 (2)	Rate
	248	Been loud, rowdy.

Y2-298	248 (1)	Frequency
Y2-299	248 (2)	Rate
	249	Sold hard drugs.
Y2-300	249 (1)	Frequency
Y2-301	249 (2)	Rate
	250	Taken vehicle.
Y2-302	250 (1)	Frequency
Y2-303	250 (2)	Rate
	251 *	Bought liquor.
Y2-304	251 (1) *	Frequency
Y2-305	251 (2) *	Rate
	252 *	Given money, food, etc.
Y2-306	252 (1) *	Frequency
Y2-307	252 (2) *	Rate
	253	Sexual assault.
Y2-308	253 (1)	Frequency
Y2-309	253 (2)	Rate
	254	Used force on students.
Y2-310	254 (1)	Frequency
Y2-311	254 (2)	Rate
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. # (01-09)
		Data Set (0141)
		Card Number (06)
CARD 7/17		
	255	Used force on teacher.
Y2-312	255 (1)	Frequency
Y2-313	255 (2)	Rate
	256 *	Refused to help cheat.
Y2-314	256 (1) *	Frequency
Y2-315	256 (2) *	Rate
	257	Used force on other.
Y2-316	257 (1)	Frequency
Y2-317	257 (2)	Rate
	258 *	Avoided paying for things.

Y2-318	258(1)*	Frequency
Y2-319	258(2)*	Rate
	259 *	Been drunk.
Y2-320	259(1)*	Frequency
Y2-321	259(2)*	Rate
	260	Stolen things (\$5-50).
Y2-322	260(1)	Frequency
Y2-323	260(1)	Rate
	261	Stolen things at school.
Y2-324	261(1)	Frequency
Y2-325	261(2)	Rate
	262	Broken into a building.
Y2-326	262(1)	Frequency
Y2-327	262(2)	Rate
	263	Begged for money.
Y2-328	263(1)	Frequency
Y2-329	263(2)	Rate
	264 *	Skipped classes.
Y2-330	264(1)*	Frequency
Y2-331	264(2)*	Rate
	265 *	Failed to return change.
Y2-332	265(1)*	Frequency
Y2-333	265(2)*	Rate
	266 *	Tried to talk friends out of illegal acts.
Y2-334	266(1)*	Frequency
Y2-335	266(2)*	Rate
	267 *	Been suspended.
Y2-336	267(1)*	Frequency
Y2-337	267(2)*	Rate
	268	Made obscene calls.
Y2-338	268(1)*	Frequency
Y2-339	268(2)*	Rate

DRUG AND ALCOHOL USE - PART 1: Questionnaire items 269 through 279 ask respondents about a series of substances they might have used. For each substance, the respondent is asked whether he has ever used it and, if so, how often in the past year. Items are a cored so that a higher score reflects a greater frequency of use.

Y2-340-348	269-273	(1) Ever used substance?
Y2-349-360	274-279	1=No
		2=Yes
		3=Yes, episodically
		(2) How often in past year?
		1=Never
		2=Once or twice
		3=Once every 2-3 months.
		4=Once a month
		5=Once every 2-3 weeks
		6=Once a week
		7=Two to three times/week
		8=Once a day
		9=Two to three times/day
Y2-340	269 *	Alcoholic beverages:
	269(2) *	How often in the past year?
Y2-341	270 #	Coffee:
Y2-342	270(1) #	Ever used?
	270(2) #	How often in the past year?
Y2-343	271 #	Tea:
Y2-344	271(1) #	Ever used?
	271(2) #	How often in the past year?
Y2-345	272 #	Nodoze, etc.:
Y2-346	272(1) #	Ever used?
	272(2) #	How often in the past year?
Y2-347	273 #	Sleepeze, etc.:
Y2-348	273(1) #	Ever used?
	273(2) #	How often in the past year?
		Blank
		Funding Agency Designation
		1=NIMH
		2=LEAA
		Household I.D. #
		Respondent I.D. #(01-09)
		Data Set (0141)
		Card Number (07)
CARD 8/17		
Y2-349	274 #	Nyquil, etc.:
Y2-350	274(1) #	Ever used?
	274(2) #	How often in the past year?
Y2-351	275 #	Methadone, etc.:
	275(1) #	Ever used?

Y2-352	275(2)#	How often in the past year?
	276 #	Morphine:
Y2-353	276(1)#	Ever used?
Y2-354	276(2)#	How often in the past year?
	277 #	Methaquaaludes:
Y2-355	277(1)#	Ever used?
Y2-356	277(2)#	How often in the past year?
	278 #	Darvon, etc.:
Y2-357	278(1)#	Ever used?
Y2-358	278(2)#	How often in the past year?
	279 #	Percodan, etc.:
Y2-359	279(1)#	Ever used?
Y2-360	279(2)#	How often in the past year?

DRUG AND ALCOHOL USE - PART 2: Questionnaire items 280 through 294 ask respondents about a number of other substances they may have used. For each substance which has been used, the respondent is asked a series of other questions.

USE OF BEER

Y2-361	280 #	Have you ever used Beer? 1=No 2=Yes 3=Yes, episodically
Y2-362	#	When did you first use Beer? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-363	#	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-364	#	How much? 0=Less than one can

- 1=One can
- 2=Two cans
- 3=Three cans
- 4=Four or five cans
- 5=Six pack or more

FUNCTIONS OF BEER - each of the following functions is scored according to whether respondent reported that function.

		1=No
		2=Yes
Y2-365	#	(1) To relieve physical pain, etc.
Y2-366	#	(2) To relieve boredom
Y2-367	#	(3) To relieve tension
Y2-368	#	(4) For pleasure etc.
Y2-369	#	(5) To be different, etc.
Y2-370	#	(6) To be accepted
Y2-371	#	(7) To be relaxed
Y2-372	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-373	#	(10) To get through the day
Y2-374	#	(11) Curiosity, experimentation
Y2-375	#	(12) Special occasions
Y2-376	#	(13) Family encouragement
Y2-377	#	(14) Other
		Most important function of Beer:
Y2-378	#	01-14 according to list above

EFFECTIVENESS OF BEER FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

- 1=Not effective
- 2=Effective
- Blank=Not a selected function

Y2-379	#	(1) To relieve physical pain, etc.
Y2-380	#	(2) To relieve boredom
Y2-381	#	(3) To relieve tension
Y2-382	#	(4) For pleasure, etc.
Y2-383	#	(5) To be different, etc.
Y2-384	#	(6) To be accepted
Y2-385	#	(7) To be relaxed
Y2-386	#	(8) To appear more grown up
Y2-387	#	(10) To get through the day
Y2-388	#	(11) Curiosity, experimentation
Y2-389	#	(12) Special occasions
Y2-390	#	(13) Family encouragement

Y2-391 # (14) Other

SOURCE OF BEER - each source scored according to respondent's report.

1=No
2=Yes

Y2=392 # (1) Food stores
 Y2-393 # (2) Liquor stores
 Y2-394 # (3) Family
 Y2-395 # (4) Friends
 Y2-396 # (5) Restaurant or bar
 Y2-397 # (6) Other

 Y2-398 # Have you stopped using Beer?
 1=No
 2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No
2=Yes

Y2-399 # (1) Disliked taste
 Y2-400 # (2) Bad physical effects
 Y2-401 # (3) Bad emotional effects
 Y2-402 # (4) Felt it was wrong
 Y2-403 # (5) Friends pressured
 Y2-404 # (6) Trouble with parents, etc.
 Y2-405 # (7) Fearful of addiction
 -- -- (8) (Not used for this substance)
 Y2-406 # (9) Lost its effects
 Y2-407 # (10) Didn't need it
 Y2-408 # (11) Other

Y2-409 # Major reason for stopping:
 01-11 according to list above

Blank
 Funding Agency Designation
 1=NIMH
 2=LEAA
 Household I.D. #
 Respondent I.D. # (01-09)
 Data Set (0141)
 Card Number (08)

USE OF WINE

Y2-410	281 #	Have you ever used Wine? 1=No 2=Yes 3=Yes, episodically
Y2-411	#	When did you first use Wine? 0=Don't Know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-412	#	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-413	#	How much? 0=Less than a glass 1=One glass 2=Two glasses 3=Three glasses 4=Four or five glasses 5=Six or more glasses

FUNCTIONS OF WINE - each of the following functions is scored according to whether respondent reported that function.

- 1=No
- 2=Yes

Y2-414	#	(1) To relieve physical pain, etc.
Y2-415	#	(2) To relieve boredom
Y2-416	#	(3) To relieve tension
Y2-417	#	(4) For pleasure, etc.
Y2-418	#	(5) To be different, etc.
Y2-419	#	(6) To be accepted
Y2-420	#	(7) To be relaxed
Y2-421	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-422	#	(10) To get through the day
Y2-423	#	(11) Curiosity, experimentation
Y2-424	#	(12) Special occasions

Y2-425	#	(13) Family encouragement
Y2-426	#	(14) Other
Y2-427	#	Most important function of Wine: 01-14 according to list above

EFFECTIVENESS OF WINE FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective
2=Effective
Blank=Not a selected function

Y2-428	#	(1) To relieve physical pain, etc.
Y2-429	#	(2) To relieve boredom
Y2-430	#	(3) To relieve tension
Y2-431	#	(4) For pleasure, etc.
Y2-432	#	(5) To be different, etc.
Y2-433	#	(6) To be accepted
Y2-434	#	(7) To be relaxed
Y2-435	#	(8) To appear more grown up
Y2-436	#	(10) To get through the day
Y2-437	#	(11) Curiosity, experimentation
Y2-438	#	(12) Special occasions
Y2-439	#	(13) Family encouragement
Y2-440	#	(14) Other

SOURCE OF WINE - each source scored according to respondent's report.

1=No
2=Yes

Y2-441	#	(1) Food stores
Y2-442	#	(2) Liquor stores
Y2-443	#	(3) Family
Y2-444	#	(4) Friends
Y2-445	#	(5) Restaurant or bar
Y2-446	#	(6) Other
Y2-447	#	Have you stopped using Wine? 1=No 2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No
2=Yes

Y2-448	#	(1) Disliked taste
Y2-449	#	(2) Bad physical effects

Y2-450 # (3) Bad emotional effects
 Y2-451 # (4) Felt it was wrong
 Y2-452 # (5) Friends pressured
 Y2-453 # (6) Trouble with parents, etc.
 Y2-454 # (7) Fearful of addiction
 -- -- (8) (Not used for this substance)
 Y2-455 # (9) Lost its effects
 Y2-456 # (10) Didn't need it
 Y2-457 # (11) Other

Y2-458 # Major reason for stopping:
 01-11 according to list above

USE OF HARD LIQUOR

Y2-459 282 # Have you ever used Hard Liquor?
 1=No
 2=Yes
 3=Yes, episodically

Y2-460 # When did you first use Hard Liquor?
 0=Don't know
 1=More than 1 year ago
 2=Within last year
 3=Within last 6 months
 4=Within last month

Y2-461 # How often in past year?
 1=Never
 2=Once or twice
 3=Once every 2-3 months.
 4=Once a month
 5=Once every 2-3 weeks
 6=Once a week
 7=Two to three times/week
 8=Once a day
 9=Two to three times/day

Y2-462 # How much?
 0=Less than one drink
 1=One drink
 2=Two drinks
 3=Three drinks
 4=Four or five drinks
 5=Six or more drinks

Blank
 Funding Agency Designation
 1=NIMH
 2=LEAA
 Household I.D. #

Respondent I.D. #(01-09)
 Data Set (0141)
 Card Number (09)

CARD 10/17

FUNCTIONS OF HARD LIQUOR - each of the following functions is scored according to whether respondent reported that function.

1=No
 2=Yes

Y2-463	#	(1) To relieve physical pain, etc.
Y2-464	#	(2) To relieve boredom
Y2-465	#	(3) To relieve tension
Y2-466	#	(4) For pleasure, etc.
Y2-467	#	(5) To be different, etc.
Y2-468	#	(6) To be accepted
Y2-469	#	(7) To be relaxed
Y2-470	#	(8) To appear more grown up
--	--	(9) (Not used for this substance)
Y2-471	#	(10) To get through the day
Y2-472	#	(11) Curiosity, experimentation
Y2-473	#	(12) Special occasions
Y2-474	#	(13) Family encouragement
Y2-475	#	(14) Other

Most important function of Hard Liquor:

Y2-476	#	01-14 according to list above
--------	---	-------------------------------

EFFECTIVENESS OF HARD LIQUOR FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective
 2=Effective
 Blank=Not a selected function

Y2-477	#	(1) To relieve physical pain, etc.
Y2-478	#	(2) To relieve boredom
Y2-479	#	(3) To relieve tension
Y2-480	#	(4) For pleasure, etc.
Y2-481	#	(5) To be different, etc.
Y2-482	#	(6) To be accepted
Y2-483	#	(7) To be relaxed
Y2-484	#	(8) To appear more grown up
Y2-485	#	(10) To get through the day
Y2-486	#	(11) Curiosity, experimentation
Y2-487	#	(12) Special occasions
Y2-488	#	(13) Family encouragement
Y2-489	#	(14) Other

SOURCE OF HARD LIQUOR - each source scored according to respondent's report.

		1=No
		2=Yes
Y2-490	#	(1) Food stores
Y2-491	#	(2) Liquor stores
Y2-492	#	(3) Family
Y2-493	#	(4) Friends
Y2-494	#	(5) Restaurant or bar
Y2-495	#	(6) Other
Y2-496	#	Have you stopped using Hard Liquor?
		1=No
		2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

		1=No
		2=Yes
Y2-497	#	(1) Disliked taste
Y2-498	#	(2) Bad physical effects
Y2-499	#	(3) Bad emotional effects
Y2-500	#	(4) Felt it was wrong
Y2-501	#	(5) Friends pressured
Y2-502	#	(6) Trouble with parents, etc.
Y2-503	#	(7) Fearful of addiction
--	--	(8) (Not used for this substance)
Y2-504	#	(9) Lost its effects
Y2-505	#	(10) Didn't need it
Y2-506	#	(11) Other
Y2-507	#	Major reason for stopping: 01-11 according to list above

USE OF TOBACCO

Y2-508	283 #	Have you ever used Tobacco?
		1=No
		2=Yes
		3=Yes, episodically
Y2-509	#	When did you first use Tobacco?
		0=Don't know
		1=More than 1 year ago
		2=Within last year
		3=Within last 6 months
		4=Within last month

Y2-510 # How often in past year?
 1=Never
 2=Once or twice
 3=Once every 2-3 months.
 4=Once a month
 5=Once every 2-3 weeks
 6=Once a week
 7=Two to three times/week
 8=Once a day
 9=Two to three times/day

Y2-511 # How much:
 Y2-512 # No. of cgarettes/day
 Y2-513 # No. of cigars/pipes per day
 # No. of cans/month (chewing,
 etc.)

FUNCTIONS OF TOBACCO - each of the following functions is scored according to whether respondent reported that function.

1=No
 2=Yes

Y2-514 # (1) To relieve physical pain,
 etc.
 Y2-515 # (2) To relieve boredom
 Y2-516 # (3) To relieve tension
 Y2-517 # (4) For pleasure, etc.
 Y2-518 # (5) To be different, etc.
 Y2-519 # (6) To be accepted
 Y2-520 # (7) To be relaxed
 Y2-521 # (8) To appear more grown up
 -- -- (9) (Not used for this substance)
 Y2-522 # (10) To get through the day
 Y2-523 # (11) Curiosity, experimentation
 -- -- (12) (Not used for this substance)
 -- -- (13) (Not used for this substance)
 Y2-524 # (14) Other

Funding Agency Designation
 1=NIMH
 2=LEAA
 Household I.D. #
 Respondent I.D. #(01-09)
 Data Set (0141)
 Card Number (10)

CARD 11/17

Most important function of
 Tobacco:

Y2-525 # 01-14 according to list above

EFFECTIVENESS OF TOBACCO FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective
2=Effective
Blank=Not a selected function

Y2-526 # (1) To relieve physical pain,
etc.
Y2-527 # (2) To relieve boredom
Y2-528 # (3) To relieve tension
Y2-529 # (4) For pleasure, etc.
Y2-530 # (5) To be different, etc.
Y2-531 # (6) To be accepted
Y2-532 # (7) To be relaxed
Y2-533 # (8) To appear more grown up
Y2-534 # (10) To get through the day
Y2-535 # (11) Curiosity, experimentation
Y2-536 # (14) Other

SOURCE OF TOBACCO - each source scored according to respondent's report.

1=No
2=Yes

Y2-537 # (1) Stores or gas stations
Y2-538 # (2) Cigarette machines
Y2-539 # (3) Family
Y2-540 # (4) Friends
Y2-541 # (5) Restaurant or bar
Y2-542 # (6) Other
Y2-543 # Have you stopped using Tobacco?
1=No
2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No
2=Yes

Y2-544 # (1) Disliked taste
Y2-545 # (2) Bad physical effects
Y2-546 # (3) Bad emotional effects
Y2-547 # (4) Felt it was wrong
Y2-548 # (5) Friends pressured
Y2-549 # (6) Trouble with parents, etc.
Y2-550 # (7) Fearful of addiction

-- -- (8) (Not used for this substance)
 Y2-551 # (9) Lost its effects
 Y2-552 # (10) Didn't need it
 Y2-553 # (11) Other

Y2-554 # Major reason for stopping:
 01-11 according to list above

USE OF MARIJUANA

Y2-555 284 # Have you ever used Marijuana?
 1=No
 2=Yes
 3=Yes, episodically

Y2-556 # When did you first use Marijuana?
 0=Don't know
 1=More than 1 year ago
 2=Within last year
 3=Within last 6 months
 4=Within last month

Y2-557 (Both LEAA and NIMH) How often in past year?
 1=Never
 2=Once or twice
 3=Once every 2-3 months.
 4=Once a month
 5=Once every 2-3 weeks
 6=Once a week
 7=Two to three times/week
 8=Once a day
 9=Two to three times/day

Y2-558 # How much?
 1=Share a joint
 2=One joint
 3=Two joints
 4=More than two joints

FUNCTIONS OF MARIJUANA - each of the following functions is scored according to whether respondent reported that function.

1=No
 2=Yes

Y2-559 # (1) To relieve physical pain, etc.
 Y2-560 # (2) To relieve boredom
 Y2-561 # (3) To relieve tension
 Y2-562 # (4) For pleasure etc.
 Y2-563 # (5) To be different, etc.
 Y2-564 # (6) To be accepted

Y2-565 # (7) To be relaxed
 Y2-566 # (8) To appear more grown up
 Y2-567 # (9) To increase self-awareness
 Y2-568 # (10) To get through the day
 Y2-569 # (11) Curiosity, experimentation
 -- -- (12) (Not used for this substance)
 -- -- (13) (Not used for this substance)
 Y2-570 # (14) Other

Most important function of
 Marijuana:

Y2-571 # 01-14 according to list above

EFFECTIVENESS OF MARIJUANA FOR EACH FUNCTION - each selected
 function is scored according to respondent's report of its
 effectiveness.

1=Not effective
 2=Effective
 Blank=Not a selected function

Y2-572 # (1) To relieve physical pain,
 etc.
 Y2-573 # (2) To relieve boredom
 Y2-574 # (3) To relieve tension
 Y2-575 # (4) For pleasure, etc.
 Y2-576 # (5) To be different, etc.
 Y2-577 # (6) To be accepted
 Y2-578 # (7) To be relaxed
 Y2-579 # (8) To appear more grown up
 Y2-580 # (9) To increase self-awareness
 Y2-581 # (10) To get through the day
 Y2-582 # (11) Curiosity, experimentation
 Y2-583 # (14) Other

Y2-584 Blank
 Y2-585 Blank

Blank
 Funding Agency Designation
 1=NIMH
 2=LEAA
 Household I.D. #
 Respondent I.D. #(01-09)
 Data Set (0141)
 Card Number (11)

CARD 12/17

SOURCE OF MARIJUANA - each source scored according to
 respondent's report.

1=No
2=Yes

Y2-586 # (1) Friend
Y2-587 # (2) Family
Y2-588 # (3) Anonymous seller
Y2-589 # (4) Grow/pick it
Y2-590 # (5) Steal it

COST OF MARIJUANA:
Cost per joint:
Y2-591 # 1=Free
2=Less than \$1.00
3=\$1.00 or more

Cost per oz. or lid:
Y2-592 # 1=\$10 or less
2=\$11-\$25
3=\$26-\$50
4=\$51 or more

Y2-593 8 # Have you stopped using Marijuana?
1=No
2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No
2=Yes

Y2-594 # (1) Disliked taste
Y2-595 # (2) Bad physical effects
Y2-596 # (3) Bad emotional effects
Y2-597 # (4) Felt it was wrong
Y2-598 # (5) Friends pressured
Y2-599 # (6) Trouble with parents, etc.
Y2-600 # (7) Fearful of addiction
Y2-601 # (8) Not available anymore
Y2-602 # (9) Lost its effects
Y2-603 # (10) Didn't need it
Y2-604 # (11) Other

Major reason for stopping:
Y2-605 # 01-11 according to list above

USE OF PSYCHEDELICS

Y2-606 285 # Have you ever used Psychedelics?
1=No

2=Yes
3=Yes, episodically

Y2-607 # When did you first use
Psychedelics?
0=Don't know
1=More than 1 year ago
2=Within last year
3=Within last 6 months
4=Within last month

Y2-608 (Both LEAA and NIMH) How often in past Year?
1=Never
2=Once or twice
3=Once every 2-3 months.
4=Once a month
5=Once every 2-3 weeks
6=Once a week
7=Two to three times/week
8=Once a day
9=Two to three times/day

Y2-609 25 # How much?
1=1 dose (hit)
2=2 doses (hits)
3=3 doses (hits)

Functions of Psychedelics - each of the following functions is scored according to whether respondent reported that function.

1=No
2=Yes

Y2-610 # (1) To relieve physical pain, etc.
Y2-611 # (2) To relieve boredom
Y2-612 # (3) To relieve tension
Y2-613 # (4) For pleasure, etc.
Y2-614 # (5) To be different, etc.
Y2-615 # (6) To be accepted
Y2-616 # (7) To be relaxed
Y2-617 # (8) To appear more grown up
Y2-618 # (9) To increase self-awareness
Y2-619 # (10) To get through the day
Y2-620 # (11) Curiosity, experimentation
-- -- (12) (Not used for this substance)
-- -- (13) (Not used for this substance)
-- -- (14) (Not used for this substance)

Most important function of
Psychedelics:

Y2-621 # 01-11 according to list above

EFFECTIVENESS OF PSYCHEDELICS FOR EACH FUNCTION - each selected function is scored according to respondent's report of its effectiveness.

1=Not effective
2=Effective
Blank=Not a selected function

Y2-622 # (1) To relieve physical pain, etc.
Y2-623 # (2) To relieve boredom
Y2-624 # (3) To relieve tension
Y2-625 # (4) For pleasure, etc.
Y2-626 # (5) To be different, etc.
Y2-627 # (6) To be accepted
Y2-628 # (7) To be relaxed
Y2-629 # (8) To appear more grown up
Y2-630 # (9) To increase self-awareness
Y2-631 # (10) To get through the day
Y2-632 # (11) Curiosity, experimentation

SOURCE OF PSYCHEDELICS - each source scored according to respondent's report.

1=No
2=Yes

Y2-633 # (1) Physician
Y2-634 # (2) Family
Y2-635 # (3) Friend
Y2-636 # (4) Anonymous seller
Y2-637 # (5) Steal it
Y2-638 # (6) Other

Y2-639 # Have you stopped using Psychedelics?
1=No
2=Yes

REASONS FOR STOPPING - each of the following reasons is scored according to whether respondent gave that reason.

1=No
2=Yes

Y2-640 # (1) Disliked taste
Y2-641 # (2) Bad physical effects
Y2-642 # (3) Bad emotional effects
Y2-643 # (4) Felt it was wrong
Y2-644 # (5) Friends pressured

Y2-645 # (6) Trouble with parents, etc.
 Y2-646 # (7) Fearful of addiction
 Y2-647 # (8) Not available anymore
 Y2-648 # (9) Lost its effects
 Y2-649 # (10) Didn't need it
 Y2-650 # (11) Other

Funding Agency Designation

1=NIMH

2=LEAA

Household I.D. #

Respondent I.D. #(01-09)

Data Set (0141)

Card Number (12)

CARD 13/17

Y2-651 # Major reason for stopping:
 01-11 according to list above

USE OF TRANQUILIZERS

Y2-652 286 # Have you ever used Tranquilizers?
 1=No
 2=Yes
 3=Yes, episodically

Y2-653 # When did you first use Tranquilizers?
 0=Don't know
 1=More than 1 year ago
 2=Within last year
 3=Within last 6 months
 4=Within last month

Y2-654 # How often in past year?
 1=Never
 2=Once or twice
 3=Once every 2-3 months.
 4=Once a month
 5=Once every 2-3 weeks
 6=Once a week
 7=Two to three times/week
 8=Once a day
 9=Two to three times/day

Y2-655 # Prescribed by a doctor?
 1=Yes
 2=No

Y2-656 # Amount taken if prescribed?
 1=Less than prescribed

2=Amount prescribed
3=More than prescribed

Y2-657 # Usual purpose?
1=To relieve physical pain, etc.
2=To relieve boredom
3=To relieve tension
4=For pleasure, etc.
5=To be different, etc.
6=To be accepted
7=To be relaxed
8=To appear more grown up
9=To increase self-awareness
10=To get through the day
11=Curiosity, experimentation
12=Special occasions
13=Family encouragement
14=Other

Y2-658 10 # Effectiveness for usual purpose?
1=Not effective
2=Effective

SOURCE OF TRANQUILIZERS - each source scored according to respondent's report.

1=No
2=Yes

Y2-659 # (1) Pharmacy
Y2-660 # (2) Physician
Y2-661 # (3) Family
Y2-662 # (4) Friends
Y2-663 # (5) Anonymous pusher
Y2-664 # (6) Other

Y2-665 # Cost of Tranquilizers:
1=Free
2=Less than 50 cents/tablet
3=50 cents or more per tablet

Y2-666 # Have you stopped using Tranquilizers?
1=No
2=Yes

Y2-667 # Major reason for stopping:
1=Disliked taste
2=Bad physical effects
3=Bad emotional effects
4=Felt it was wrong

- 5=Friends pressured
- 6=Trouble with parents, etc.
- 7=Fearful of addiction
- 8=Not available anymore
- 9=Lost its effects
- 10=Didn't need it
- 11=Other

USE OF AMPHETAMINES

Y2-668	287 #	Have you ever used Amphetamines? 1=No 2=Yes 3=Yes, episodically
Y2-669	#	When did you first use Amphetamines? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-670	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-671	#	Prescribed by a doctor? 1=Yes 2=No
Y2-672	#	Amount taken if prescribed? 1=Less than prescribed 2=Amount prescribed 3=More than prescribed
Y2-673	#	Usual purpose? 1=To relieve physical pain, weight control, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted

- 7=To be relaxed
- 8=To appear more grown up
- 9=To increase self-awareness
- 10=To get through the day
- 11=Curiosity, experimentation
- 12=Special occasions
- 13=Family encouragement
- 14=Other

Y2-674 # Effectiveness for usual purpose?
 1=Not effective
 2=Effective

SOURCE OF AMPHETAMINES - each source scored according to respondent's report.

- 1=No
- 2=Yes

Y2-675 # (1) Pharmacy
 Y2-676 # (2) Physician
 Y2-677 # (3) Family
 Y2-678 # (4) Friends
 Y2-679 # (5) Anonymous pusher
 Y2-680 # (6) Other

Y2-681 # Cost of Amphetamines:
 1=Free
 2=Less than 50 cents/tablet
 3=50 cents to \$1.50 per tablet
 4=Over \$1.50 per tablet

Y2-682 # Have you stopped using Amphetamines?
 1=No
 2=Yes

Y2-683 # Major reason for stopping:
 1=Disliked taste
 2=Bad physical effects
 3=Bad emotional effects
 4=Felt it was wrong
 5=Friends pressured
 6=Trouble with parents, etc.
 7=Fearful of addiction
 8=Not available anymore
 9=Lost its effects
 10=Didn't need it
 11=Other

USE OF BARBITURATES

Y2-684	288 #	Have you ever used Barbiturates? 1=No 2=Yes 3=Yes, episodically
Y2-685	#	When did you first use Barbiturates? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-686	(Both LEAA and NIMH)	How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-687	#	Prescribed by a doctor? 1=Yes 2=No 3=Yes, for someone else
Y2-688	#	Amount taken if prescribed? 1=Less than prescribed 2=Amount prescribed 3=More than prescribed
Y2-689	#	Usual purpose? 1=To relieve physical pain, help sleep, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=Other
Y2-690	#	Effectiveness for usual purpose?

1=Not effective
2=Effective

SOURCE OF BARBITURATES - each source scored according to respondent's report.

1=No
2=Yes

Y2-691	#	(1) Pharmacy
Y2-692	#	(2) Physician
Y2-693	#	(3) Family
Y2-694	#	(4) Friends
Y2-695	#	(5) Anonymous pusher
Y2-696	#	(6) Other
Y2-697	#	Cost of Barbiturates: 1=Free 2=Less than 50 cents/tablet 3=50 cents to \$1.50 per tablet 4=Over \$1.50 per tablet
Y2-698	#	Have you stopped using Barbiturates? 1=No 2=Yes
Y2-699	#	Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it 11=Other

USE OF CODEINE

Y2-700	289 #	Have you ever used Codeine? 1=No 2=Yes 3=Yes, episodically
Y2-701	#	When did you first use Codeine? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months

4=Within last month

Y2-702 # How often in past year?
 1=Never
 2=Once or twice
 3=Once every 2-3 months.
 4=Once a month
 5=Once every 2-3 weeks
 6=Once a week
 7=Two to three times/week
 8=Once a day
 9=Two to three times/day

Y2-703 # Prescribed by a doctor?
 1=Yes
 2=No

Y2-704 # Amount taken if prescribed?
 1=Less than prescribed
 2=Amount prescribed
 3=More than prescribed

Y2-705 # Usual purpose?
 1=To relieve physical pain, etc.
 2=To relieve boredom
 3=To relieve tension
 4=For pleasure, etc.
 5=To be different, etc.
 6=To be accepted
 7=To be relaxed
 8=To appear more grown up
 9=To increase self-awareness
 10=To get through the day
 11=Curiosity, experimentation
 12=Special occasions
 13=Family encouragement
 14=Other

Y2-706 # Effectiveness for usual purpose?
 1=Not effective
 2=Effective

Blank
 Funding Agency Designation
 1=NIMH
 2=LEAA
 Household I.D. #
 Respondent I.D. #(01-09)
 Data Set (0141)
 Card Number (13)

CARD 14/17

SOURCE OF CODEINE - each source scored according to respondent's report.

			1=No 2=Yes
Y2-707	#		(1) Pharmacy
Y2-708	#		(2) Physician
Y2-709	#		(3) Family
Y2-710	#		(4) Friends
Y2-711	#		(5) Anonymous pusher
Y2-712	#		(6) Other
Y2-713	#		Have you stopped using Codeine? 1=No 2=Yes
Y2-714	#		Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it 11=Other
			USE OF HEROIN
Y2-715	290 #		Have you ever used Heroin? 1=No 2=Yes 3=Yes, episodically
Y2-716	#		When did you first use Heroin? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-717	(Both LEAA and NIMH)		How often in past year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks

- 6=Once a week
- 7=Two to three times/week
- 8=Once a day
- 9=Two to three times/day

Y2-718 # Usual purpose?
 1=To relieve physical pain, etc.
 2=To relieve boredom
 3=To relieve tension
 4=For pleasure, etc.
 5=To be different, etc.
 6=To be accepted
 7=To be relaxed
 8=To appear more grown up
 9=To increase self-awareness
 10=To get through the day
 11=Curiosity, experimentation
 12=Special occasions
 13=Family encouragement
 14=Other

Y2-719 # Effectiveness for usual purpose?
 1=Not effective
 2=Effective

SOURCE OF HEROIN - each source scored according to respondent's report.

- 1=No
- 2=Yes

Y2-720 # (1) Family
 Y2-721 # (2) Friend
 Y2-722 # (3) Anonymous pusher
 Y2-723 # (4) Other

Y2-724 # Have you stopped using Heroin?
 1=No
 2=Yes

Y2-725 # Major reason for stopping:
 1=Disliked taste
 2=Bad physical effects
 3=Bad emotional effects
 4=Felt it was wrong
 5=Friends pressured
 6=Trouble with parents, etc.
 7=Fearful of addiction
 8=Not available anymore
 9=Lost its effects
 10=Didn't need it

2=Effective

SOURCE OF COCAINE - each source scored according to respondent's report.

1=No
2=Yes

Y2-732 # (1) Family
Y2-733 # (2) Friends
Y2-734 # (3) Anonymous
Y2-735 # (4) Other

Cost of Cocaine:

Y2-736 # Cost per line in dollars
Y2-737 # Bulk cost in dollars

Y2-738 # Have you stopped using Cocaine?
1=No
2=Yes

Y2-739 # Major reason for stopping:
1=Disliked taste
2=Bad physical effects
3=Bad emotional effects
4=Felt it was wrong
5=Friends pressured
6=Trouble with parents, etc.
7=Fearful of addiction
8=Not available anymore
9=Lost its effects
10=Didn't need it
11=Other

USE OF GLUE AND OTHER INHALANTS

Y2-740 292 # Have you ever used Glue, etc.
1=No
2=Yes
3=Yes, episodically

Y2-741 # When did you first use Glue, etc.?
0=Don't know
1=More than 1 year ago
2=Within last year
3=Within last 6 months
4=Within last month

Y2-742 # How often in past year?
1=Never
2=Once or twice
3=Once every 2-3 months.

- 4=Once a month
- 5=Once every 2-3 weeks
- 6=Once a week
- 7=Two to three times/week
- 8=Once a day
- 9=Two to three times/day

Y2-743 # Usual purpose?
 1=To relieve physical pain, etc.
 2=To relieve boredom
 3=To relieve tension
 4=For pleasure, etc.
 5=To be different, etc.
 6=To be accepted
 7=To be relaxed
 8=To appear more grown up
 9=To increase self-awareness
 10=TO get through the day
 11=Curiosity, experimentation
 12=Special occasions
 13=Family encouragement
 14=Other

Y2-744 # Effectiveness for usual purpose?
 1=Not effective
 2=Effective

SOURCE OF GLUE, ETC. - each source scored according to respondent's report.

- 1=No
- 2=Yes

Y2-745 # (1) Stores
 Y2-746 # (2) Family
 Y2-747 # (3) Friends
 Y2-748 # (4) Other

Y2-749 # Have you stopped using Glue, etc.?
 1=No
 2=Yes

Y2-750 # Major reason for stopping:
 1=Disliked taste
 2=Bad physical effects
 3=Bad emotional effects
 4=Felt it was wrong
 5=Friends pressured
 6=Trouble with parents, etc.
 7=Fearful of addiction
 8=Not available anymore

9=Lost its effects
 10=Didn't need it
 11=Other

USE OF ANGEL DUST

Y2-751	293 #	Have you ever used Angel Dust? 1=No 2=Yes 3=Yes, episodically
Y2-752	#	When did you first use Angel Dust? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-753	#	How often in past year? 1=Never 2=once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-754	#	How much (coded as form of use)? 1=With marijuana 2=Powder 3=Capsule
Y2-755	#	Usual purpose? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=other
Y2-756	#	Effectiveness for usual purpose?

1=Not effective
2=Effective

SOURCE OF ANGEL DUST - each source scored according to respondent's report.

1=No
2=Yes

Y2-757	#	(1) Family
Y2-758	#	(2) Friend
Y2-759	#	(3) Anonymous pusher
Y2-760	#	(4) Other
Y2-761	#	Cost per dose: 1=Free 2=\$1.00 or less 3=\$1.01 to \$5.00 4=Over \$5.00
Y2-762	#	Bulk cost: 1=\$10.00 or less 2=\$10.01 to \$20.00 3=\$20.01 or more
Y2-763	#	Have you stopped using Angel Dust? 1=No 2=Yes
		Funding Agency Designation 1=NIMH 2=LEAA
		Household I.D. # Respondent I.D. #(01-09) Data Set (0141) Card Number (14)
CARD 15/17		
Y2-764	#	Major reason for stopping: 1=Disliked taste 2=Bad physical effects 3=Bad emotional effects 4=Felt it was wrong 5=Friends pressured 6=Trouble with parents, etc. 7=Fearful of addiction 8=Not available anymore 9=Lost its effects 10=Didn't need it 11=Other

USE OF OTHER SUBSTANCES

Y2-765	294 #	Have you ever used any other substances? 1=No 2=Yes 3=Yes, episodically
Y2-766	#	Name of substance 1=THC
Y2-767	#	When did you first use this substance? 0=Don't know 1=More than 1 year ago 2=Within last year 3=Within last 6 months 4=Within last month
Y2-768	#	How often in past Year? 1=Never 2=Once or twice 3=Once every 2-3 months. 4=Once a month 5=Once every 2-3 weeks 6=Once a week 7=Two to three times/week 8=Once a day 9=Two to three times/day
Y2-769	#	How much? 0=Less than one tablet 1=One tablet 2=Two tablets or more
Y2-770	#	Usual purpose? 1=To relieve physical pain, etc. 2=To relieve boredom 3=To relieve tension 4=For pleasure, etc. 5=To be different, etc. 6=To be accepted 7=To be relaxed 8=To appear more grown up 9=To increase self-awareness 10=To get through the day 11=Curiosity, experimentation 12=Special occasions 13=Family encouragement 14=Other

Y2-771 # Effectiveness for usual purpose?
 1=Not effective
 2=Effective

SOURCE OF OTHER SUBSTANCE - each source scored according to respondent's report.

1=No
 2=Yes

Y2-772 # (1) Family
 Y2-773 # (2) Friend
 Y2-774 # (3) Anonymous pusher
 Y2-775 # (4) Other

Y2-776 # Have you stopped using this substance?
 1=No
 2=Yes

Y2-777 # Major reason for stopping:
 1=Disliked taste
 2=Bad physical effects
 3=Bad emotional effects
 4=Felt it was wrong
 5=Friends pressured
 6=Trouble with parents, etc.
 7=Fearful of addiction
 8=Not available anymore
 9=Lost its effects
 10=Didn't need it
 11=Other

ANTICIPATED USE OF DRUGS OR ALCOHOL - each substance scored according to respondent's expectation of use in the next year.

1=Not anticipating use
 2=Anticipating use
 Blank = Already using

Y2-778 295 # Tobacco
 Y2-779 296 # Beer
 Y2-780 297 # Wine
 Y2-781 298 # Hard liquor
 Y2-782 299 # Marijuana
 Y2-783 300 # Psychedelics

PROBLEM BEHAVIOR RESULTING FROM DRUG OR ALCOHOL USE - Items 301 through 312 ask respondents to report the number of times they have

experienced various problems as a result of drug or alcohol use.

- 1=Never
- 2=Once or twice
- 3=Three or four times
- 4=Five or six times
- 5=More than six times
- Blank=No reported use

			Trouble with girlfriend/boyfriend:
Y2-784	301 #		Alcohol
Y2-785	302 #		Drugs
			Problems with family:
Y2-786	303 #		Alcohol
Y2-787	304 #		Drugs
			Trouble with friends:
Y2-788	305 #		Alcohol
Y2-789	306 #		Drugs
			Trouble with teachers:
Y2-790	307 #		Alcohol
Y2-791	308 #		Drugs
			Gotten into fights:
Y2-792	309 #		Alcohol
Y2-793	310 #		Drugs
			Problems with health:
Y2-794	311 #		Alcohol
Y2-795	312 #		Drugs

ADDITIONAL PROBLEM BEHAVIOR - Items 313 through 318 ask respondents whether various results have occurred due to drug or alcohol use.

- 1=No
- 2=Yes
- Blank=No reported use

			Couldn't remember what happened:
Y2-796	313 #		Alcohol
Y2-797	314 #		Drugs
			Stayed drunk or high for days:
Y2-798	315 #		Alcohol
Y2-799	316 #		Drugs
			Couldn't stop use:
Y2-800	317 #		Alcohol
Y2-801	318 #		Drugs

		Arrests in past year for alcohol or drug related offenses:
Y2-802	319 #	1=No 2=Yes
		If yes, number of arrests for:
Y2-803	#	Intoxication (0-9)
Y2-804	#	Driving under the influence (0-9)
Y2-805	#	Possession/alcohol (0-9)
Y2-806	#	Possession/drugs (0-9)
Y2-807	#	Sale/drugs (0-9)
Y2-808	#	Other (0-9)
Y2-809	320 #	Number of times drunk in last year: (0-999)
Y2-810	321 #	Number of times high on drugs in last year: (0-999)

VICTIMIZATION - Items 322 through 330 ask respondents to report how often in the past year they have been the victim of various acts. The exact number of times is recorded in each case (0-999).

Y2-811-814	55-66 (Card 15)	322-325	(0-999)
Y2-815-819	1-15 (Card 16)	326-330	

Y2-811	322	Things taken directly from you.
Y2-812	323 *	Beaten up by parent.
Y2-813	324 *	Motor vehicle or bike stolen.
Y2-814	325 *	Things taken from car.

Blank
Funding Agency Designation
1=NIMH
2=LEAA
Household I.D. #
Respondent I.D. #(01-09)
Data Set (0141)
Card Number (15)

CARD 16/17

Y2-815	326 *	Things damaged.
Y2-816	327 *	Things stolen from public place.
Y2-817	328	Sexually attacked.
Y2-818	329	Attacked with weapon.
Y2-819	330	Beaten up by others.

QUESTIONNAIRE ITEMS 331-335 CONCERN HANDGUNS:

Y2-820	331	How to obtain handgun? 1=Buy from store 2=Buy from person 3=Borrow 4=Steal 5=Other 6=Don't know
Y2-821	332	How long to obtain handgun? 1=One half day or less 2=About a day 3=Two to seven days 4=One to two weeks 5=More-than two weeks 6=Don't know
Y2-822	333	Ever owned a handgun? 1=No 2=Yes
Y2-823	334	EVER OBTAIN A HANDGUN: As a gift? 1=No 2=Yes
Y2-824		By buying it? 1=No 2=Yes
Y2-825		By stealing from house? 1=No 2=Yes
Y2-826		By stealing from store? 1=No 2=Yes
Y2-827	335	EVER USED GUN DURING: Robbery? 1=No 2=Yes
Y2-828		Sexual assault? 1=No 2=Yes
Y2-829		Burglary? 1=No 2=Yes

Y2-830		Assault? 1=No 2=Yes
Y2-831		Other crimes? 1=No 2=Yes BLANK RESPONDENT OBSERVATIONS
Y2-832	364	Further explanation of answers? 1=No (blanks coded as no) 2=Yes
	365	Uncomfortable questions?
Y2-833	365(1)	1=Drugs
Y2-834	365(2)	1=Sex
Y2-835	365(3)	Specific item #
Y2-836	365(4)	Specific item #
Y2-837	365(5)	Specific item #
	366	Questions to learn about youth:
Y2-838	366(1)	1=Friends
Y2-839	366(2)	1=Drugs/alcohol
Y2-840	366(3)	1=Family
Y2-841	366(4)	1=Activities
Y2-842	366(5)	1=School
Y2-843	366(6)	1=Other (all other non-classifiable)
Y2-844	367	Understanding of you? 1=Good understanding 2=Poor understanding INTERVIEWER OBSERVATIONS
Y2-845	1	Respondent's anxiety before interview: 1=Not at all anxious 2=Somewhat anxious 3=Very anxious
Y2-846	2	Was respondent hostile? 1=No 2=Yes
Y2-847	3	Respondent's interest? 1=Very low 2=Below average

		3=Average 4=Above average 5=Very high
	4	Problems encountered:
Y2-848	4(1)	1=Difficulty with language
Y2-849	4(2)	1=Difficulty with questions
Y2-850	4(3)	1=Interruptions
Y2-851	4(4)	1=Temporary breakoff
Y2-852	4(5)	1=Breakoff
Y2-853	4(6)	1=Other (all other non-classifiable)
Y2-854	5	Respondent's anxiety after interview 1=Relaxed 2=Tense 3=Other
Y2-855	6	Additional comments 1=No 2=Yes
		Funding Agency Designation 1=NIMH 2=LEAA
		Household I.D. # Respondent I.D. #(01-09) Data Set (0141) Card Number (16)

CARD 17/17

Unuseable code

SMSA code
0=Respondent does not live
in an SMSA
1=Respondent does live in
an SMSA

Place Code
1=Central city of SMSA
2=Central city of urbanized
area
3=Central city of SMSA and
urban area
4=Other incorporated place
5=Not incorporated

Place Size
00=Under 200
01=200-499

02=500-999
03=1,000-1,499
04=1,500-1,999
05=2,000-2,499
06=2,500-4,999
07=5,000-9,999
08=10,000-19,999
09=20,000-24,999
10=25,000-49,999
11=50,000-99,999
12=100,000-249,999
13=250,000-499,999
14=500,000-999,999
15=1,000,000 or more

Unuseable code

NYS Urban Suburban Rural Code

1=Urban:
Central city of SMSA or
urban area with population
>= 100,000
2=Suburban:
Central city of SMSA or
urban area with population
< 100,000
Any part of SMSA not classified
as urban
Any other community with
population >= 25,000
3=Rural:
Not part of SMSA or urban area
and population < 25,000

Blank

Funding Agency Designation

1=NIMH
2=LEAA

Household I.D. #

Respondent I.D. #(01-09)

Data Set (0141)

Card Number (17)

Field Coordinator

APPENDIX B: ORIGINAL INSTRUMENT

YOUTH INTERVIEW SCHEDULE

NATIONAL SURVEY OF YOUTH

Behavioral Research Institute
2305 Canyon Boulevard
Boulder, Colorado 80302
(303) 444-1682

RESPONDENT ID _____

INTERVIEWER'S NAME _____
DATE OF INTERVIEW _____

Hello, my name is _____ and I'm part of the research group which interviewed you last year as part of our National Survey of Youth. At that time we said that we would be back this winter to re-interview you. We want to interview you again to learn how and why your feelings, values and activities have changed since last year. The interview will take about an hour and you will be paid \$5 for your participation. I'd like to set up the second interview with you now.

LOG OF CALLS

TIME	DATE	COMMENTS
1.		
2.		
3.		
4.		

RESPONDENT RECEIPT FORM

I have received \$5 in payment for my completion of the Youth Interview Schedule in the National Survey of Youth.

With the exception of your signature, PLEASE PRINT the following information.

_____ Respondent Name

_____ Respondent Signature

_____ Date

_____ *Address

_____ *City, State and Zip Code

_____ *Phone Number

*If different from the address and phone number printed above.

Name, address and phone number of a relative not living in your household who would always know the whereabouts of the respondent:

Name: _____

Address: _____

City, State and Zip Code: _____

Phone Number: _____

Name, address and phone number of a friend who would always know the whereabouts of the respondent:

Name: _____

Address: _____

City, State and Zip Code: _____

Phone Number: _____

Signed copies of this form will be kept in locked files at the Behavioral Research Institute offices in Boulder, Colorado.

REFUSAL FORM

TIME: _____

DATE: _____

SEX, AGE, AND RACE: _____

COMMENTS:

This study is about the attitudes, beliefs, and behavior of American youth. In order for our study to be of value, you must be open and honest in your answers. Your answers will be kept confidential, and no one outside our research staff will ever see your responses. Alright, let's begin.

1. What grade are you in at school? (CIRCLE ONE)

Grade School High School
5 6 7 8 9 10 11 12

College Not In School
13 14 15 16 17

Other _____
(specify; for example, if subject is in trade or business school)

2. What is your grade point average? (AFTER RESPONDENT HAS ANSWERED, ASK THE FOLLOWING QUESTION)

Is that:

Mostly A's Mostly B's Mostly C's Mostly D's Mostly F's
5 4 3 2 1

(IF ANSWER CANNOT BE TRANSLATED INTO THE ABOVE SCALE, DESCRIBE THE GRADING SYSTEM AND THE RESPONDENT'S SCORE WITHIN IT.)

Your answers to the next set of questions cover things which have happened during the last year. Whenever I say the last year, I mean the time from Christmas a year ago (1976) to the Christmas just past (1977).

First let's talk about your friends.

Between Christmas a year ago and the Christmas just past . . .

3. Was there a particular group of friends that you ran around with?

1 = No (IF NO, GO TO QUESITON 2)
 2 = Yes (IF YES, SKIP TO QUESTION 5)

4. How important is it to you to have a group of friends and be included in their activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 11

5. Could you please give me their first names or their initials so you can keep them in mind as you answer the next set of questions.

_____	_____
_____	_____
_____	_____

6. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent with your friends?

0 1 2 3 4 5

7. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent with your friends?

0 1 2 3 4 5

8. On the weekends, how much time have you generally spent with your friends?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

9. How much have your friends influenced what you've thought and done?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

10. How important has it been to you to have a group of friends and be included in their activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

11. How many evenings in an average week, including weekends, have you gone on dates, to parties, or to other social activities?

0 1 2 3 4 5 6 7

12. How important has it been to you to have dates and go to parties and other social activities?

Very	Pretty	Somewhat	Not too	Not Important
Important	Important	Important	Important	at All
5	4	3	2	1

13. Now let's talk about school. Did you attend a regular school program such as grade school, junior high, or high school between Christmas a year ago and the Christmas just past?

1 = No (IF NO, SKIP TO QUESTION 31)
 2 = Yes (IF YES, GO TO QUESTION 14)

14. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent studying?

0 1 2 3 4 5

15. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent studying?

0 1 2 3 4 5

16. On the weekends, how much time have you generally spent studying?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

17. How important has your school work been to you?

Very	Pretty	Somewhat	Not too	Not Important
Important	Important	Important	Important	at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

18. Have you been a member of any athletic teams at school?

1 = No (IF NO, GO TO QUESTION 19)
 2 = Yes (IF YES, GO TO QUESTION 20)

19. How important is it to you to be on an athletic team at school?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 24

20. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on team activities?

0 1 2 3 4 5

21. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on team activities?

0 1 2 3 4 5

22. On the weekends, how much time have you generally spent on team activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

23. How important have school athletics been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
-------------------	---------------------	-----------------------	----------------------	-------------------------

Between Christmas a year ago and the Christmas just past . . .

24. Have you taken part in any activities at school, for example, service clubs, recreational or hobby clubs, student government, newspaper and/or yearbook (not counting athletic teams and honor societies)?

1 = No (IF NO, GO TO QUESTION 25)
2 = Yes (IF YES, GO TO QUESTION 26)

25. How important is it to you to be involved in these school activities?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 30

26. On the average, how many afternoons during the school week, from the end of school to dinner, have you spent on these activities?

0 1 2 3 4 5

27. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these activities?

0 1 2 3 4 5

28. On the weekends, how much time have you generally spent on these school activities?

A Great Deal Quite a Bit Some Not too Much Very Little
 5 4 3 2 1

29. How important have school activities been to you?

Very Pretty Somewhat Not too Not Important
 Important Important Important Important at All
 5 4 3 2 1

30. Which of the following descriptions best describes how your classmates see you? (CIRCLE ONLY ONE)

	Activities	Social	Good	Average	None of	Other
Athlete	Member	Type	Student	Student	the Above	(specify)
1	2	3	4	5	6	_____

Between Christmas a year ago and the Christmas just past . . .

31. Have you been'a member of any groups in the community such as service clubs, religious groups, recreational or hobby clubs, and athletic teams?

1 = No (IF NO, GO TO QUESTION 32)
 2 = Yes (IF YES, GO TO QUESTION 33)

32. How important is it to you to be involved in any of these community activities?

Very Pretty Somewhat Not too Not Important
 Important Important Important Important at All
 5 4 3 2 1

SKIP TO QUESTION 37

33. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent on these community activities?

0 1 2 3 4 5

34. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent on these community activities?

0 1 2 3 4 5

35. On the weekends, how much time have you generally spent on these community activities?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

36. How important have these community activities been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

37. Have you had a job or jobs in the community such as working at a store, a service station, or babysitting for pay?

1 = No (IF NO, GOE TO QUESTION 38)
2 = Yes (IF YES, GO TO QUESTION 39)

38. How important is it to you to have a job?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

SKIP TO QUESTION 41

39. Did your job involve full-time (40 hour week or more) or part-time work (less than 40 hour week)? (IF RESPONDENT HAS HAD MORE THAN ONE JOB IN THE LAST YEAR, ASK HIM OR HER TO RESPOND TO THESE QUESTIOINS IN TERMS OF THE MOST RECENT JOB.)

1 = Part-time work
2 = Full-time work

What kind of work did you do? _____

40. How important has your job been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

Between Christmas a year ago and the Christmas just past . . .

41. Were you married?

1 = Yes
 2 = No

42. On the average, how many afternoons during the school week, from the end of school or work to dinner, have you spent, talking, working, or playing with your family?

0 1 2 3 4 5

43. On the average, how many evenings during the school week, from dinnertime to bedtime, have you spent talking, working, or playing with your family?

0 1 2 3 4 5

44. On the weekends, how much time have you generally spent talking, working, or playing with your family?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

45. How important have the things you've done with your family been to you?

Very Important	Pretty Important	Somewhat Important	Not too Important	Not Important at All
5	4	3	2	1

46. How much have your parents influenced what you've thought and done?

A Great Deal	Quite a Bit	Some	Not too Much	Very Little
5	4	3	2	1

Now I'd like to ask you how important certain things are to you and how well you are doing at these things. Use the left side of the blue card to pick your answer for how important each goal is to you (HAND RESPONDENT BLUE CARD) and the right side of the blue card for your answer for how you are doing at that goal.

How important is it to you...

	VERY IMPORTANT	SOMEWHAT IMPORTANT	NOT IMPORTANT AT ALL
47. to have a family that does lots of things together.	5	3	1
48. to have other students think of you as a good student.	5	3	1
49. to have lots of dates.	5	3	1
50. to have parents you can talk to about almost everything.	5	3	1
51. to do well even in hard subjects.	5	3	1
52. to be asked to take part in things your friends do, such as going to parties and games.	5	3	1
53. to have parents who comfort you when you're unhappy about something.	5	3	1
54. to do your own school work without help from anybody.	5	3	1
55. to have a special boyfriend/girlfriend.	5	3	1
56. to have your parents think you do things well.	5	3	1
57. to have teachers			

think of you as a good student.	5	3	1	
58. to have friends ask to spend time and do things with you.	5	3	1	
59. to have a high grade point average.	5	3	1	
60. to get along well with your parents. together.	5	3	1	
How are you doing at this?				
	VERY WELL	O.K.	NOT WELL AT ALL	DON'T KNOW
47. to have a family that does lots of things together	5	3	1	_____
48. to have other students think of you as a good student.	5	3	1	_____
49. to have lots of dates.	5	3	1	_____
50. to have parents you can talk to about almost everything.	5	3	1	_____
51. to do well even in hard subjects.	5	3	1	_____
52. to be asked to take part in things your friends do, such as going to parties and games.	5	3	1	_____
53. to have parents who comfort you when you're unhappy about something.	5	3	1	_____
54. to do your own school work without help from anybody.	5	3	1	_____

55. to have a special boyfriend/girlfriend.	5	3	1	_____
56. to have your parents think you do things well.	5	3	1	_____
57. to have teachers think of you as a good student.	5	3	1	_____
58. to have friends ask to spend time and do things with you.	5	3	1	_____
59. to have a high grade point average.	5	3	1	_____
60. to get along well with your parents.	5	3	1	_____

Next, I'd like to ask you a few questions about your future goals, using the same responses (POINT TO BLUE CARD) you used in the last set of questions.

	VERY IMPORTANT	SOMEWHAT IMPORTANT	NOT IMPORTANT AT ALL	DON'T KNOW
How important is it to you . . .				
61. to have a good job/career after you've finished with school?	5	3	1	_____
62. to go to college?	5	3	1	_____
63. to get married?	5	3	1	_____
64. to have children of your own?	5	3	1	_____

	GOOD	FAIR	POOR	DON'T KNOW
What do you think your chances are for . . . (READ RESPONSE CATEGORIES TO RESPONDENT)				

- | | | | | |
|--|---|---|---|--|
| 65. getting the kind of job you would like to have after finishing school? | 3 | 2 | 1 | |
| 66. completing a college degree? | 3 | 2 | 1 | |

In the next set of questions, I'd like to ask about some of your feelings and beliefs. Please tell me how much you agree or disagree with these statements about you. Choose your answers from this card (HAND GOLD CARD TO RESPONDENT).

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
67. I don't feel that I fit in very well with my friends.	5	4	3	2	1	
68. Teachers don't call on me in class, even when I raise my hand.	5	4	3	2	1	
69. I feel like an outsider with my family.	5	4	3	2	1	
70. I often feel like nobody at school cares about me.	5	4	3	2	1	
71. My friends don't take much interest in my problems.	5	4	3	2	1	
72. My family is willing to listen if I have a problem.	5	4	3	2	1	
73. I feel close to my friends.	5	4	3	2	1	
74. Sometimes I feel lonely when I'm with	5	4	3	2	1	

	my family.						
75.	I don't feel as if I really belong at school.	5	4	3	2	1	_____
76.	My friends are willing to listen if I have a problem.	5	4	3	2	1	_____
77.	Even though there are lots of kids around, I often feel lonely at school.	5	4	3	2	1	_____
78.	Teachers don't ask me to work on special class- room projects.	5	4	3	2	1	_____
79.	I feel close to my family.	5	4	3	2	1	_____
80.	Sometimes I feel lonely when I'm with my friends.	5	4	3	2	1	_____
81.	My family doesn't take much interest in my problems.	5	4	3	2	1	_____
82.	It's important to be honest with your parents, even if they become upset or you get punished.	5	4	3	2	1	_____
83.	To stay out of trouble, it is sometimes neces- sary to lie to teachers.	5	4	3	2	1	_____
84.	Making a good impression is more important than telling	5	4	3	2	1	_____

	the truth to friends.						
85.	At school it is sometimes neces- 5 sary to play dirty in order to win.	4	3	2	1	_____	
86.	It's okay to lie if it 5 keeps your friends out of trouble.	4	3	2	1	_____	
87.	Making a good impression 5 is more important than telling the truth to parents.	4	3	2	1	_____	
88.	In order to gain the respect of 5 your friends, it's sometimes necessary to beat up on other kids.	4	3	2	1	_____	
89.	You can make it in school without having to cheat 5 on exams/tests.	4	3	2	1	_____	
90.	You have to be willing to break some rules if you 5 want to be popular with your friends.	4	3	2	1	_____	
91.	Sometimes it's necessary to lie to your 5 parents in order to keep their trust.	4	3	2	1	_____	
92.	It is important to do your own work at school 5 even if it means	4	3	2	1	_____	

some kids won't like you.

93. It may be necessary to break some of your parent's rules in order to keep some of your friends.

	5	4	3	2	1	_____
--	---	---	---	---	---	-------

94. Making a good impression is more important than telling the truth to teachers.

	5	4	3	2	1	_____
--	---	---	---	---	---	-------

I'd like to know how your parents, friends, and teachers would describe you. I'll read a list of words or phrases and for each, will ask you to tell me how much you think your parents would agree with that description of you. I'll repeat the list twice more, to learn how your friends and your teachers would describe you. Please use the gold card again to pick your responses.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
--	-------------------	-------	----------------------------------	----------	----------------------	---------------

How much would your parents agree that you . . .

95. are well-liked	5	4	3	2	1	_____
96. need help	5	4	3	2	1	_____
97. are a bad kid	5	4	3	2	1	_____
98. are often upset	5	4	3	2	1	_____
99. are a good citizen	5	4	3	2	1	_____
100. get along well with other people	5	4	3	2	1	_____
101. are messed up	5	4	3	2	1	_____
102. break rules	5	4	3	2	1	_____
103. have a lot of						

personal problems	5	4	3	2	1	_____
104. get into trouble	5	4	3	2	1	_____
105. are likely to succeed	5	4	3	2	1	_____
106. do things that are against the law	5	4	3	2	1	_____
How much would your friends agree that you . . .						
107. are well-liked	5	4	3	2	1	_____
108. need help	5	4	3	2	1	_____
109. are a bad kid	5	4	3	2	1	_____
110. are often upset	5	4	3	2	1	_____
111. get along well with other people	5	4	3	2	1	_____
112. are messed up	5	4	3	2	1	_____
113. break rules	5	4	3	2	1	_____
114. have a lot of personal problems	5	4	3	2	1	_____
115. get into trouble	5	4	3	2	1	_____
116. are likely to succeed	5	4	3	2	1	_____
117. do things that are against the law	5	4	3	2	1	_____
How much would your teachers agree that you . . .						
118. are well-liked	5	4	3	2	1	_____
119. need help	5	4	3	2	1	_____
120. are a bad kid	5	4	3	2	1	_____

121. are often upset	5	4	3	2	1	_____
122. are a good citizen	5	4	3	2	1	_____
123. get along well with other people	5	4	3	2	1	_____
124. are messed up	5	4	3	2	1	_____
125. break rules	5	4	3	2	1	_____
126. have a lot of personal problems	5	4	3	2	1	_____
127. get into trouble	5	4	3	2	1	_____
128. are likely to succeed	5	4	3	2	1	_____
129. do things that are against the law	5	4	3	2	1	_____

I'm going to read a list of behaviors to you, and then ask you how others would react if you behaved in these ways. I'll repeat the list of behaviors twice to learn how your parents and close friends would react if you did each thing. Use this card (HAND RESPONDENT GREEN CARD) to select your answers.

			NEITHER			
	STRONGLY		APPROVE			
	DIS-	DIS-	NOR DIS-		STRONGLY	DON'T
	APPROVE	APPROVE	APPROVE	APPROVE	APPROVE	KNOW

How would your parents react if you ...

130. kept promises you made to others	5	4	3	2	1	_____
131. cheated on school tests	5	4	3	2	1	_____
132. stole something worth less than \$5	5	4	3	2	1	_____

133. were friendly with people who are of a different race, religion, or color than you	5	4	3	2	1	_____
134. sold hard drugs such as heroin, cocaine, and LSD	5	4	3	2	1	_____
135. returned money you found or any extra change a cashier gave you	5	4	3	2	1	_____
136. used marijuana or hashish	5	4	3	2	1	_____
137. stole something worth more than \$50	5	4	3	2	1	_____
138. hit or threatened to hit someone without any reason	5	4	3	2	1	_____
139. gave some of your time to someone or some group who was in need	5	4	3	2	1	_____
140. used alcohol	5	4	3	2	1	_____
141. did a favor for someone without being asked	5	4	3	2	1	_____
142. purposely damaged or destroyed property that did not belong to you	5	4	3	2	1	_____
143. broke into a vehicle or building to steal something	5	4	3	2	1	_____

How would your close friends react if you . . .

144. kept promises you made to others	5	4	3	2	1	_____
145. cheated on school tests	5	4	3	2	1	_____
146. stole something worth less than \$5	5	4	3	2	1	_____
147. were friendly with people who are of a different race, religion, or color than you	5	4	3	2	1	_____
148. sold hard drugs such as heroin, cocaine, and LSD	5	4	3	2	1	_____
149. returned money you found or any extra change a cashier gave you	5	4	3	2	1	_____
150. used marijuana or hashish	5	4	3	2	1	_____
151. stole something worth more than \$50	5	4	3	2	1	_____
152. hit or threatened to hit someone without any reason	5	4	3	2	1	_____
153. gave some of your time to someone or some group who was in need	5	4	3	2	1	_____
154. used alcohol	5	4	3	2	1	_____
155. did a favor for someone without being asked	5	4	3	2	1	_____
156. purposely damaged or destroyed	5	4	3	2	1	_____

property that did
not belong to you

157. broke into a
vehicle or 5 4 3 2 1 _____
building to steal
something

Now I'd like to ask you some questions about how your mother, your father, and your close friends would act if you were to get into trouble at school, with the police, or in your neighborhood. Select your answers from the response categories listed on the ivory card (HAND RESPONDENT IVORY CARD).

158. If you got into trouble at school how often would each of the following people defend you or stick up for you?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____
c. Your close friends	4	3	2	1	_____

159. If you got in trouble and the police brought you home and told your parents you were a delinquent, how often would each of the following people tell you that you were still a good person and not worry?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____
c. Your close friends	4	3	2	1	_____

160. If someone in your neighborhood saw you doing things you should not have been doing and was telling everyone what a bad person you were, how often would each of the following people tell you they believed in you and still trusted you?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____

c. Your close friends 4 3 2 1 _____

161. If there were rumors of your bad behavior, how often would each of the following people try to get information from you before deciding whether or not to believe the rumors?

How often would:	ALMOST ALWAYS	OFTEN	SOME- TIMES	ALMOST NEVER	DON'T KNOW
a. Your mother (or mother figure)	4	3	2	1	_____
b. Your father (or father figure)	4	3	2	1	_____
c. Your close friends	4	3	2	1	_____

For this next set of questions, please tell me how wrong you think each of the following things is for you or someone your age. Use the pink card to select your answers (HAND PINK CARD TO RESPONDENT).

	VERY WRONG	WRONG	A LITTLE BIT WRONG	NOT WRONG AT ALL	DON'T KNOW
How wrong is it for someone your age to . . .					
162. cheat on school tests	4	3	2	1	_____
163. purposely damage or destroy property that does not belong to him or her	4	3	2	1	_____
164. use marijuana or hashish	4	3	2	1	_____
165. steal something worth less than \$5	4	3	2	1	_____
166. hit or threaten to hit someone without any reason	4	3	2	1	_____
167. use alcohol	4	3	2	1	_____
168. break into a vehicle or building to steal something	4	3	2	1	_____
169. sell hard drugs such as heroin, cocaine, and LSD	4	3	2	1	_____

170. steal something worth more than \$50	4	3	2	1	_____
171. get drunk once in awhile	4	3	2	1	_____
172. use prescription drugs such as amphetamines or barbiturates when there is no medical need for them	4	3	2	1	_____
173. give or sell alcohol to kids under 18	4	3	2	1	_____

Now let's talk about your friends' behavior during the period between Christmas a year ago to the Christmas just past. I'd like to ask you how many of your close friends have done each thing I will read to you. Please use the yellow card (HAND YELLOW CARD TO RESPONDENT) to choose your responses.

Think of the people you listed as your close friends. During the last year how many of them have: (IF RESPONDENT DID NOT LIST ANY CLOSE FRIENDS, SKIP TO QUESTION 190, PAGE 21)

	ALL OF THEM	MOST OF THEM	SOME OF THEM	VERY FEW OF THEM	NONE OF THEM	DON'T KNOW
174. cheated on school tests	5	4	3	2	1	_____
175. purposely damaged or destroyed property that did not belong to them	5	4	3	2	1	_____
176. used marijuana or hashish	5	4	3	2	1	_____
177. stolen something worth less than \$5	5	4	3	2	1	_____
178. hit or threatened to hit someone without any reason	5	4	3	2	1	_____
179. used alcohol	5	4	3	2	1	_____
180. broken into a vehicle or building to steal something	5	4	3	2	1	_____

181. sold hard drugs such as heroin, cocaine, and LSD	5	4	3	2	1	_____
182. stolen something worth more than \$50	5	4	3	2	1	_____
183. suggested you do something that was against the law	5	4	3	2	1	_____
184. gotten drunk once in awhile	5	4	3	2	1	_____
185. used prescription drugs such as amphetamines or barbiturates when there was no medical need for them	5	4	3	2	1	_____
186. sold or given alcohol to kids under 18	5	4	3	2	1	_____

Now I'd like to ask what you think about your friends' behavior.

	YES	DON'T KNOW	NO
187. If you found that your group of friends was leading you into trouble, would you still run around with them?	3	2	1
188. If you found that your group of friends was leading you into trouble, would you try to stop these activities?	3	2	1
189. If your friends got into trouble with the police, would you be willing to lie to protect them?	3	2	1

Now I'd like to ask you your views on the roles of men and women in American society. The statements below describe attitudes different people have about these roles. Please tell me how much you agree or disagree with these statements. Choose your answers from this card (HAND GOLD CARD TO RESPONDENT).

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
190. Women with						

children should not work outside the home unless there is no one else to support the family.	5	4	3	2	1	_____
191. In general, the father should have greater authority than the mother in the bringing up of the children.	5	4	3	2	1	_____
192. Women are able to do most jobs as well as men.	5	4	3	2	1	_____
193. There is no reason why women should not ask men for dates if they want to.	5	4	3	2	1	_____
194. Husbands and wives should be equal partners in planning the family budget.	5	4	3	2	1	_____
195. Women are too emotional to solve problems well.	5	4	3	2	1	_____
196. It is more important for a woman to be attractive than intelligent.	5	4	3	2	1	_____
197. Sons in a family should be given more encouragement to go to college than daughters.	5	4	3	2	1	_____
198. In a marriage, it is the woman's responsibility to care for any children and to take care	5	4	3	2	1	_____

of the home.

199. It is OK for men ato tell dirty stories, but it is embarrassing when women do.	5	4	3	2	1	_____
200. Men can raise and care for children as well as women.	5	4	3	2	1	_____
201. Women who are aggressive and competitive are unattractive.	5	4	3	2	1	_____
202. Women are physically and emotionally weaker than men and therefore need male protection and support.	5	4	3	2	1	_____
203. Women should have the same freedom as men to go out and have dates.	5	4	3	2	1	_____

The next set of items is related to your opinions about violence between people. Please tell me how much you agree or disagree with each of the following statements. Choose your answer from the gold card again.

	STRONGLY AGREE	AGREE	NEITHER AGREE NOR DISAGREE	DISAGREE	STRONGLY DISAGREE	DON'T KNOW
204. It is alright to physically beat up another person if he/she called you a dirty name.	5	4	3	2	1	_____
205. Women who are sexually assaulted have generally asked for it by the way they	5	4	3	2	1	_____

	dress and act.						
206.	Hitting another person is an acceptable way to get him/her to do what you want.	5	4	3	2	1	_____
207.	Other than self-defense there are few situations which justify physically attacking another person	5	4	3	2	1	_____
208.	Sexual assault has little to do with sexual desires; it is an act of force and violence	5	4	3	2	1	_____
209.	It is alright to beat up another person if he/she started the fight	5	4	3	2	1	_____
210.	A woman cannot really be sexually assaulted against her will unless a weapon is used or more than one attacker is involved	5	4	3	2	1	_____
211.	It is sometimes necessary to get into a fight to uphold your honor or "put someone in his/her place"	5	4	3	2	1	_____
212.	While women appear to be afraid of being sexually assaulted, they have a curiosity and excitement	5	4	3	2	1	_____

about sexual assault.

The next set of questions deals with your friends' behavior during the past year. Choose your answers from the burnt orange card.

During the past year, how often have your close friends done any of the following: (IF NO CLOSE FRIENDS, SKIP TO QUESTION 219)

	NEVER	ONCE OR TWICE	SEVERAL TIMES	OFTEN	DON'T KNOW
213. Suggested that you should go drinking with them	1	2	3	4	_____
214. Put pressure on you to drink	1	2	3	4	_____
215. Suggested or claimed that you have to get drunk to have a good time	1	2	3	4	_____
216. Offered marijuana to you	1	2	3	4	_____
217. Suggested or claimed that you have to get high on drugs to have a good time	1	2	3	4	_____
218. Put pressure on you to use drugs	1	2	3	4	_____

Now let's talk about your parents' behavior during the past year. Use the same card to choose your answer (burnt orange).

	NEVER	ONCE OR TWICE	SEVERAL TIMES	OFTEN	DON'T KNOW
219. Used alcohol	1	2	3	4	_____
220. Gotten drunk	1	2	3	4	_____
221. Used marijuana or hashish	1	2	3	4	_____
222. Used drugs such as tranquiliizers, sleeping pills or diet pills	1	2	3	4	_____

(FROM THIS POINT ON SELECTED ITEMS WILL BE OMITTED FORM THIS SCHEDULE)

This section deals with your own behavior. I'd like to remind you that all your answers are confidential. I'll read a series of behaviors to you. Please give me your best estimate of the EXACT NUMBER of times you've engaged in each behavior during the last year. (FOR ANY BEHAVIOR THAT THE RESPONDENT HAS ENGAGED IN 10 OR MORE TIME IN THE LAST YEAR, RECORD RESPONSES TO THE SECOND COLUMN SAYING "Please look at the responses on the orange card and select the one which best describes how often you are involved in this behavior.")

		ONCE A MONTH	ONCE EVERY 2-3 WEEKS	ONCE A WEEK	2-3 TIMES A WEEK	ONCE A DAY	2-3 TIMES A DAY
	LAST How Many time in the YEAR have you:						
223.	purposely damaged or destroyed property that did not belong to you	_____ 1	2	3	4	5	6
227.	stolen (or tried to steal) a motor vehicle, such as a car or motorcycle	_____ 1	2	3	4	5	6
228.	stolen (or tried to steal) something worth more than \$50	_____ 1	2	3	4	5	6
229.	knowingly bought, sold or held stolen goods (or tried to do any or these things)	_____ 1	2	3	4	5	6
232.	run away from home	_____ 1	2	3	4	5	6
234.	carried a hidden weapon other than a plain pocket knife	_____ 1	2	3	4	5	6
235.	stolen (or tried to steal) things worth \$5 or less	_____ 1	2	3	4	5	6
236.	attacked someone						

	with the idea of seriously hurting or killing him/her	_____	1	2	3	4	5	6
237.	been paid for having sexual relations with someone	_____	1	2	3	4	5	6
238.	had sexual inter- course with a person of the opp- osite sex (IF MARRIED, ADD other than wife/ husband)	_____	1	2	3	4	5	6
239.	been involved in gang fights	_____	1	2	3	4	5	6
240.	sold marijuana or hashish ("pot", "grass", "hash")	_____	1	2	3	4	5	6
245.	hit (or threat- ened to hit) other students	_____	1	2	3	4	5	6
246.	hit (or threat- ened to hit) one or your parents	_____	1	2	3	4	5	6
247.	hit (or threat- ened to hit) other students	_____	1	2	3	4	5	6
248.	been loud, rowdy, or unruly in a public place (disorderly conduct)	_____	1	2	3	4	5	6
249.	sold hard drugs such as heroin, cocaine, and LSD	_____	1	2	3	4	5	6
250.	taken a vehicle for a ride (drive) without the owner's permission	_____	1	2	3	4	5	6
253.	had (or tried to							

have) sexual relations with someone against their will	_____	1	2	3	4	5	6
254. used force (strong-arm methods) to get money or things from other students	_____	1	2	3	4	5	6
255. used force (strong-arm methods) to get money or things from a teacher or other adult at school	_____	1	2	3	4	5	6
257. used force (strong-arm methods) to get money or things from other people (not students or teachers)	_____	1	2	3	4	5	6
260. stolen (or tried to steal) things worth between \$5 and \$50	_____	1	2	3	4	5	6
261. stolen (or tried to steal) something at school, such as someone's coat from a classroom, locker, or cafeteria, or a book from the library	_____	1	2	3	4	5	6
262. broken into a building or vehicle (or tried to break in) to steal something or just to look around	_____	1	2	3	4	5	6
263. begged for money or things from strangers	_____	1	2	3	4	5	6

In the next set of questions, I'd like to ask you about some drugs and other substances you may have used. For each substance name, I'll ask you whether or not you have ever used it and, if so, how often you have used it in the last year. I'd just like to remind you again that your answers will be kept strictly confidential and that last year refers to the period from Christmas a year ago to the Christmas just past. Please use the grey card to select your responses of "how often". Okay, let's begin.

	Have you ever used _____?		IF YES: In the last year, how often have you used _____?
	NO	YES	
270. Coffee	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or Twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a-month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
271. Tea	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or Twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
272. Nodose or similar medicines designed to help you stay awake or alert	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or Twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week

			<input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
273. Sleepeze, Sominex, Nytol or similar medicines designed to help you sleep	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
274. Non-prescription cough medicines such as Nyquil, Romilar or Robitussin	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
275. Methadone	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day
276. Morphine	1	2	<input type="checkbox"/> 1) Never <input type="checkbox"/> 2) Once or twice <input type="checkbox"/> 3) Once every 2-3 months <input type="checkbox"/> 4) Once a month <input type="checkbox"/> 5) Once every 2-3 weeks <input type="checkbox"/> 6) Once a week <input type="checkbox"/> 7) 2-3 times a week <input type="checkbox"/> 8) Once a day <input type="checkbox"/> 9) 2-3 times a day

277. Methaquaaludes or
quaaludes
("sophors") 1 2
- 1) Never
 - 2) Once or twice
 - 3) Once every 2-3 months
 - 4) Once a month
 - 5) Once every 2-3 weeks
 - 6) Once a week
 - 7) 2-3 times a week
 - 8) Once a day
 - 9) 2-3 times a day
278. Prescription pain
killers such as
Darvon 1 2
- 1) Never
 - 2) Once or twice
 - 3) Once every 2-3 months
 - 4) Once a month
 - 5) Once every 2-3 weeks
 - 6) Once a week
 - 7) 2-3 times a week
 - 8) Once a day
 - 9) 2-3 times a day
279. Synthetic opiates
such as Percodan,
Demerol, Peregoric,
etc. 1 2
- 1) Never
 - 2) Once or twice
 - 3) Once every 2-3 months
 - 4) Once a month
 - 5) Once every 2-3 weeks
 - 6) Once a week
 - 7) 2-3 times a week
 - 8) Once a day
 - 9) 2-3 times a day

The next series of questions also deals with some drugs and other substances you may have used. I will ask whether you have used each one and, if you have, I will ask some other questions about it. (FOR THE QUESTION WHICH ASKS "HOW OFTEN" A SUBSTANCE HAS BEEN USED, INSTRUCT THE RESPONDENT TO USE THE GREY CARD AGAIN)

280. Beer

TYPE

Have you ever used _____?

CIRCLE NUMBER

1 = No (GO TO 281)

2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you drink _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When drinking _____ how much do you usually drink?

- 1 = Once can
- 2 = Two cans
- 3 = Three cans
- 4 = 4-5 cans
- 5 = 6 pack or more
- 6 = Other (specify)

FUNCTION

Which of the following are your reasons for using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using _____?

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Food stores
- 2 = Liquor stores
- 3 = Family
- 4 = Friends
- 5 = Restaurant or bar
- 6 = Other (specify) _____

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

Which of the above is your major reason for stopping

281. Wine

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 282)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you drink _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When drinking _____ how much do you usually drink?

- 1 = Once glass
- 2 = Two glasses
- 3 = Three glasses
- 4 = 4 or 5 glasses

- 5 = 6 or more glasses
- 6 = Other (specify)

FUNCTION

Which of the following are your reasons for using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using _____?

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?
 CIRCLE ALL THAT APPLY

- 1 = Food stores
- 2 = Liquor stores
- 3 = Family
- 4 = Friends
- 5 = Restaurant or bar
- 6 = Other (specify) _____

TERMINATION

Have you stopped using _____?
 CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

Which of the above is your major reason for stopping

282. Hard Liquor

TYPE

Have you ever used _____?
 CIRCLE NUMBER

- 1 = No (GO TO 283)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year how often did you drink/smoke?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When drinking _____ how much do you usually drink?

- 1 = One drink
- 2 = Two drinks
- 3 = Three drinks
- 4 = 4 or 5 drinks
- 5 = 6 or more drinks
- 6 = Other (specify)

FUNCTION

Which of the following are your reasons for using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using _____?

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Food stores
- 2 = Liquor stores
- 3 = Family
- 4 = Friends
- 5 = Restaurant or bar
- 6 = Other (specify) _____

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore

10 = Other (specify) _____

Which of the above is your major reason for stopping

283. Tobacco

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 284)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year how often did you drink/smoke?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

How many cigarettes do you usually somke a day? _____

FUNCTION

Which of the following are your reasons for using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up

- 9 = Need it to get through the day
- 10 = Other (specify)

Which of the above is your major reason for using _____?

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Stores or gas stations
- 2 = Cigarette machines
- 3 = Family
- 4 = Friends
- 5 = Restaurant or bar
- 6 = Other (specify) _____

TERMINATION

Have you stopped using _____?
CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

Which of the above is your major reason for stopping

284. Marijuana (Hashish, Grass or Pot)

TYPE

Have you ever used _____?
CIRCLE NUMBER

- 1 = No (GO TO 285)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use it?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

How much do you usually use?

- 1 = Share a joint
- 2 = One joint
- 3 = Two joints
- 4 = More than two joints
- 5 = Other (Describe)

FUNCTION

Which of the following are your reasons for using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

Which of the above is your major reason for using _____?

EFFECT

Is _____ effective for your purposes?

READ SELECTED RESPONSES

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Friend
- 2 = Family
- 3 = Anonymous seller/pusher
- 4 = Grow/pick it
- 5 = Steal it
- 6 = Other (specify)

IF FRIEND/ANONYMOUS SELLER/PUSHER

How much does it usually cost?

- _____/joint
- _____/oz. or lid
- _____/Kilo

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = Not available anymore
- 9 = It lost its effect
- 10 = Didn't need it anymore
- 11 = Other (specify) _____

Which of the above is your major reason for stopping?

285. Psychedelics (LSD, Acid, Peyote, Mescaline)

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 286)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When using how much do you usually take? _____

FUNCTION

Which of the following are your reasons for using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

Which of the above is your major reason for using _____?

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Physician
- 2 = Family
- 3 = Friend
- 4 = Anonymous Seller/Pusher
- 5 = Steal it
- 6 = Other (specify) _____

TERMINATION

Have you stopped using _____?
CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: READ
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = Not available anymore
- 9 = It lost its effect
- 10 = Didn't need it anymore
- 11 = Other (specify) _____

Which of the above is your major reason for stopping?

286. Tranquilizers such as Librium, Valium, Thorazine, Miltown, Equanil, Meproboamate, etc.

TYPE

Have you ever used _____?
CIRCLE NUMBER

- 1 = No (GO TO 287)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician
- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) _____

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

_____/tablet or capsule

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes (IF YES: What was your major reason? CIRCLE ONE)
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

287. Amphetamines (speed, Dexedrine, whites, Benzedrine, diet pills, uppers, Dexamyl, STP, Bennies)

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 288)
- 2 = Yes (GO ON)

FIRST USE

When did you First Use. . . ?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/ energy/stay awake
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste

- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/energy/sty awake

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician

- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) _____

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

_____/tablet or capsule

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: What was your major reason? CIRCLE ONE
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

288. Barbiturates (Phenobarbitol, prescription sleeping pills, Seconals, Reds, downers, goof balls, Yellow Jackets, Nembutal)

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 289)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never

- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to help sleep
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to help sleep

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

1 = No not effective
2 = Yes, for pleasure, fun, recreation, or taste

1 = No not effective
2 = Yes, to be different, rebellious, or special

1 = No not effective
2 = Yes, to be accepted or popular with friends

1 = No not effective
2 = Yes, to be relaxed and confident in social situations

1 = No not effective
2 = Yes, to appear more grown up

1 = No not effective
2 = Yes, to increase self awareness, understanding or creativity

1 = No not effective
2 = Yes, need it to get through the day

1 = No not effective
2 = Yes, other (specify)

SOURCE

Where do you get your _____?
CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician
- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) _____

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

_____/tablet or capsule

TERMINATION

Have you stopped using _____?
CIRCLE NUMBER SELECTED

1 = No
2 = Yes IF YES: What was your major reason? CIRCLE ONE

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it

- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

289. Codeine

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 290)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

Was this prescribed by a doctor?

- 1 = Yes
- 2 = No

IF YES: Do you usually take the amount prescribed on the label?

- 1 = Less than
- 2 = Amount prescribed
- 3 = More than
- 4 = Don't Know

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to help sleep
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to help sleep

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self-awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective

2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Pharmacy/Drugstore
- 2 = Physician
- 3 = Family
- 4 = Friends
- 5 = Anonymous pusher or seller
- 6 = Other (specify) _____

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER(S) SELECTED

- 1 = No
- 2 = Yes IF YES: What was your major reason CIRCLE ONE
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

290. Heroin

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 291)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When taking heroin, how much do you usually use?

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feelings of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify) _____

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feelings of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Family
- 2 = Friends
- 3 = Anonymous pusher or seller
- 4 = Other (specify) _____

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

_____ (SPECIFY UNIT)

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: What was your major reason? CIRCLE ONE

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

291. Cocaine

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 292)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When taking cocaine, how much do you usually use?

FUNCTION

What is your usual purpose or reason in using _____?

READ LIST-CIRCLE NUMBER(S) SELECTED

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify) _____

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, To increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Family
- 2 = Friends
- 3 = Anonymous pusher or seller
- 4 = Other (specify) _____

IF FRIEND OR ANONYMOUS PUSHER: How much does it usually cost?

_____ (SPECIFY UNIT)

TERMINATION

Have you stopped using _____?
CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: What is your major reason? CIRCLE ONE

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

292. Glue, paint thinner, nail polis, or other inhalants

TYPE

Have you ever used _____?
CIRCLE NUMBER

- 1 = No (GO TO 293)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 2-3 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When using _____, how much do you ususally take?

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify) _____

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

- 1 = Stores (supermarkets, hardware, etc.)
- 2 = Family
- 3 = Friends
- 4 = Other (specify) _____

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: What was your major reason? CIRCLE ONE

- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

293. Angel Dust (PCP)

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 294)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 2-3 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When using Angel Dust, how much do you usually take?

FUNCTION

What is your usual purpose or reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends
- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self-awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is _____ effective for your purposes?

READ SELECTED REASONS

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective

2 = Yes, to be different, rebellious, or special

1 = No not effective

2 = Yes, to be accepted or popular with friends

1 = No not effective

2 = Yes, to be relaxed and confident in social situations

1 = No not effective

2 = Yes, to appear more grown up

1 = No not effective

2 = Yes, to increase self-awareness, understanding or creativity

1 = No not effective

2 = Yes, need it to get through the day

1 = No not effective

2 = Yes, other (specify)

SOURCE

Where do you get your _____?

CIRCLE ALL THAT APPLY

1 = Family

2 = Friends

3 = Anonymous pusher or seller

4 = Other (specify) _____

IF FRIEND OR ANONYMOUS PUSHER: How much does it cost?

_____ (Specify unit)

TERMINATION

Have you stopped using _____?

CIRCLE NUMBER SELECTED

1 = No

2 = Yes IF YES: What was your major reason? CIRCLE ONE

1 = Disliked the taste

2 = Bad physical effects, headaches, upset stomach

3 = Bad emotional effects, depression, bad trips

4 = I felt it was wrong to use this substance

5 = Friends pressured me to stop using it

6 = Trouble with parents, police or teachers

7 = Fearful of becoming dependent or addicted

8 = It lost its effect

9 = Didn't need it anymore

10 = Other (specify) _____

294. Any other nonprescription drugs or intoxicants
specify _____

TYPE

Have you ever used _____?

CIRCLE NUMBER

- 1 = No (GO TO 295)
- 2 = Yes (GO ON)

FIRST USE

When did you first use _____?

- 1 = More than 1 year ago
- 2 = Within last year
- 3 = Within last 6 months
- 4 = Within last month
- 5 = Don't know

FREQUENCY

During the last year, how often did you use _____?

- 1 = Never
- 2 = Once or twice
- 3 = Once every 2-3 months
- 4 = Once a month
- 5 = Once every 2-3 weeks
- 6 = Once a week
- 7 = 2-3 times a week
- 8 = Once a day
- 9 = 2-3 times a day

VOLUME

When taking _____ how much do you usually take?

FUNCTION

What is your usual reason in using _____?

CIRCLE ONE

- 1 = To relieve physical pain/weight control/to have more energy
- 2 = To relieve feeling of boredom or loneliness
- 3 = To relieve feelings of tension or anxiety
- 4 = For pleasure, fun, recreation, or taste
- 5 = To be different, rebellious, or special
- 6 = To be accepted or popular with friends

- 7 = To be relaxed and confident in social situations
- 8 = To appear more grown up
- 9 = To increase self awareness, understanding or creativity
- 10 = Need it to get through the day
- 11 = Other (specify)

EFFECT

Is _____ effective for your purpose?

READ SELECTED REASON

- 1 = No not effective
- 2 = Yes, to relieve physical pain/weight control/to have more energy

- 1 = No not effective
- 2 = Yes, to relieve feeling of boredom or loneliness

- 1 = No not effective
- 2 = Yes, to relieve feelings of tension or anxiety

- 1 = No not effective
- 2 = Yes, for pleasure, fun, recreation, or taste

- 1 = No not effective
- 2 = Yes, to be different, rebellious, or special

- 1 = No not effective
- 2 = Yes, to be accepted or popular with friends

- 1 = No not effective
- 2 = Yes, to be relaxed and confident in social situations

- 1 = No not effective
- 2 = Yes, to appear more grown up

- 1 = No not effective
- 2 = Yes, to increase self awareness, understanding or creativity

- 1 = No not effective
- 2 = Yes, need it to get through the day

- 1 = No not effective
- 2 = Yes, other (specify)

SOURCE

Where do you get your _____?

TERMINATION

Have you stopped using _____?
 CIRCLE NUMBER SELECTED

- 1 = No
- 2 = Yes IF YES: Are any of the following reasons: CIRCLE ONE
- 1 = Disliked the taste
- 2 = Bad physical effects, headaches, upset stomach
- 3 = Bad emotional effects, depression, bad trips
- 4 = I felt it was wrong to use this substance
- 5 = Friends pressured me to stop using it
- 6 = Trouble with parents, police or teachers
- 7 = Fearful of becoming dependent or addicted
- 8 = It lost its effect
- 9 = Didn't need it anymore
- 10 = Other (specify) _____

Do you think that you might start using any of the following substances in the next 12 months? IF SUBJECT IS ALREADY USING A PARTICULAR SUBSTANCE CHECK N/A

	YES	NO	N/A
295. Tobacco	2	1	_____
296. Beer	2	1	_____
297. Wine	2	1	_____
298. Hard Liquor	2	1	_____
299. Marijuana	2	1	_____
300. Psychedelics (LSD, etc.)	2	1	_____

IF RESPONDENT HAS PREVIOUSLY INDICATED THAT HE/SHE DOES NOT USE ALCOHOL OR DRUGS, SKIP TO QUESTIION 322. ASK QUESTIONS ONLY WITH RESPECT TO SUBSTANCE(S) USED.

Now I am going to ask you some questions about your use of alcohol and drugs and the effects it may have on your relations with your family and friends. Remember that your answers will be held strictly confidential and will not be revealed to anyone. Look at the response on the tan card and select the one which best describes how often you have been involved in each behavior.

	NEVER	ONCE OR TWICE	THREE OR FOUR TIMES	FIVE OR SIX TIMES	MORE THAN SIX TIMES
How many times in the last year have you gotten into trouble with your girlfriend/boyfriend because of your drinking/use of drugs?					
301. Drinking:	1	2	3	4	5
302. Use of Drugs:	1	2	3	4	5
How many times in the last year have you had problems with your family because of drinking/drug use?					
303. Drinking:	1	2	3	4	5
304. Use of Drugs:	1	2	3	4	5
How many times in the last year have you gotten into trouble with your friends because of your drinking/drug use?					
305. Drinking:	1	2	3	4	5
306. Use of Drugs:	1	2	3	4	5
How many times in the last year have you gotten into trouble with your teachers or principal because of your drinking/drug use?					
307. Drinking:	1	2	3	4	5
308. Use of Drugs:	1	2	3	4	5
How many times in the last year have you					

gotten into physical fights because of your drinking/drug use?

309. Drinking:	1	2	3	4	5
310. Use of Drugs:	1	2	3	4	5

How often in the last year has your use of alcohol/drugs caused problems with your physical health?

311. Alcohol:	1	2	3	4	5
312. Drugs:	1	2	3	4	5

Now I have just a few other questions about your use of alcohol and drugs.

Have you ever found that you couldn't remember what had happened to you because of your drinking/drug use?

	Yes	No
313. Drinking:	2	1
314. Drugs:	2	1

Have you ever stayed drunk or high on drugs for more than a day at a time?

	Yes	No
315. Drunk	2	1
316. Drugs:	2	1

Have you ever wanted to stop drinking/using drugs and found you couldn't?

	Yes	No
317. Alcohol:	2	1
318. Drugs:	2	1

319. During the last year, have you been arrested for any alcohol or drug related offenses?

Yes	No
2	1

If Yes: How many times for (READ LIST):

Intoxication _____
 Driving under the influence of alcohol or drugs _____
 Possession of alcohol _____
 Possession of drugs _____
 Sale (or possession for sale) of drugs _____

Other (Specify) _____

320. How many times in the last year have you gotten drunk or pretty high on alcohol? _____

321. How many times in the last year have you gotten high on drugs? _____

Now I'd like to know how many times each of the following things have happened to you in the last year, from the Christmas a year ago to the Christmas just past.

How many times in the Last Year:

322. has something been taken directly from you (or an attempt to do so) by force or by threatening to hurt you? _____

328. have you been sexually attacked, or raped (or an attempt to do so)? _____

329. have you been attacked with a weapon, such as a gun, knife, bottle or chair by someone other than your mother or father? _____

330. have you been beaten up (or threatened with being beaten up) by someone other than your mother or father? _____

For the next set of questions, I'd like to ask you a few questions about handguns.

331. If you wanted a handgun, how would you try to get it? (READ RESPONSES - CHECK ONE)

- (1) Buy it from a store (local dealer)
- (2) Buy it from a private person
- (3) Borrow it from a friend or relative
- (4) Steal it
- (5) Other (Specify) _____
- (6) Don't know _____

332. How long do you think it would take to get a handgun this (above) way? (READ RESPONSES - CHECK ONE)

- (1) half day or less
- (2) about a day
- (3) 2 to 7 days
- (4) 1 to 2 weeks
- (5) more than 2 weeks
- (6) Don't know

333. Have you ever owned or had regular use of a handgun?

- 1 = No (IF NO, SKIP TO QUESTION 336)
- 2 = Yes (IF YES, GO TO QUESTION 334)

334. Did you ever get a hand gun in any of the following ways? (READ LIST CHECK AS MANY AS APPLY)

	Yes	No
As a gift or loan from a friend or relative	2	1
By buying it	2	1
By stealing it from a house	2	1
By stealing it from a store	2	1

335. Have you ever used a gun while committing any of the following crimes? (READ LIST)

	Yes	No
(1) robbery	2	1
(2) sexual assault	2	1
(3) burglary	2	1
(4) assault (not sexual)	2	1
(5) Other(please explain)	2	1

336. IF RESPONDENT HAS COMMITTED A SEXUAL ASSAULT (Question 253) OR BEEN ASSAULTED (Question 328), ASK THE APPROPRIATE SET OF QUESTIONS: 1) Sexual Assault offender, questions 337-348; 2)

Sexual Assault victim, questions 349-363. IF MORE THAN ONE ASSAULT WAS REPORTED, ASK QUESTIONS ABOUT THE MOST RECENT EVENT. IF THESE QUESTIONS ARE INAPPROPRIATE, SKIP TO QUESTION 364, PAGE 47 AND CONCLUDE THE INTERVIEW.

SEXUAL ASSAULT OFFENDER

The following set of questions are related to the experience you reported earlier in the interview of having "had or tried to have sexual relations with someone against their will. "Please remember that all your answers are confidential.

337. When did the event take place?

- (1) January - March, 1977
- (2) April- June, 1977
- (3) July - September, 1977
- (4) October - December, 1977

338. Where did the event take place? _____

339. How many men or boys were involved in the event besides yourself?

- (1) None
- (2) One
- (3) Two
- (4) Three
- (5) More than three

340. Did you know the person with whom you had or tried to have sexual relations?

- 1 = No (IF NO, SKIP TO QUESTION 342)
- 2 = Yes (IF YES, GO TO QUESTION 341)

341. What was your relationship to this person?

- (1) Friend
- (2) Date
- (3) Brother
- (4) Other (Explain) _____

342. Was the event planned or did it just happen?

- (1) Planned (IF PLANNED, SKIP TO QUESTION 344)
- (2) Spontaneous

343. If spontaneous, did the person (victim) do or say anything

special that caused the incident?

SKIP TO QUESTION 345

344. If planned, can you describe how it was planned, i.e., what did you do to arrange it?

345. Had you been drinking or taking drugs prior to the event?

- 1 = No (IF NO, SKIP TO QUESTION 347)
- 2 = Yes (IF YES, GO TO 346)

346. Would you say you were drunk or high during the event?

- 1 = No
- 2 = Yes

347. Did you tell anyone about the incident?

- 1 = No (IF NO, SKIP TO QUESTION 364)
- 2 = Yes (IF YES GO TO QUESTION 348)

348. If yes, who did you tell and why did you tell them? _____

SKIP TO QUESTION 364

SEXUAL ASSAULT VICTIM

The following set of questions are related to the sexual assault experience you reported earlier in the interview. Please remember that all your answers are confidential

349. When did the assault take place?

- _____ (1) January - March, 1977
- _____ (2) April - June, 1977
- _____ (3) July - September, 1977
- _____ (4) October - December, 1977

350. Where did the assault take place? _____

351. How many people assaulted you?

- _____ (1) One
- _____ (2) Two
- _____ (3) Three
- _____ (4) More than three

352. Did you know your attacker(s)?

- 1 = No (IF NO, SKIP TO QUESTION 354)
- 2 = Yes (IF YES, GO TO QUESTION 353)

353. What was your relationship to your attacker(s)?

- _____ (1) Friend
- _____ (2) Date
- _____ (3) Sister
- _____ (4) Daughter
- _____ (5) Other (Explain) _____

354. Did you report the attack to the police or other legal authorities?

- 1 = No (IF NO, SKIP TO QUESTION 356)
- 2 = Yes (IF YES GO TO QUESTION 355)

355. How did the police/legal authorities respond to your report?

SKIP TO QUESTION 357

356. Could you explain your reasons for not reporting the attack to the police?

357. Did you tell your parents about the assault?

- 1 = No (IF NO, SKIP TO QUESTION 359)
- 2 = Yes (IF YES, GO TO QUESTION 358)

358. How would you describe your parents' reaction to the situation?

SKIP TO QUESTION 360

359. Could you explain your reasons for not telling your parents about the attack?

360. If your parents know about the attack, do you feel your relationship with them changed because of this experience?

- 1 = No (IF NO, SKIP TO QUESTION 362)
- 2 = Yes (IF YES, GO TO QUESTION 361)

361. How would you describe the changes in your relationship with your parents?

362. Which of the following statements, if any, describe your feelings within a week of the sexual assault? (CIRCLE THE APPROPRIATE RESPONSES)

	YES	NO
(1) Fearful that the attacker would return	2	1

- (2) Fearful of other men 2 1
- (3) Fearful of being alone 2 1
- (4) Felt guilty about the attack 2 1
- (5) Felt embarrassed about the attack 2 1
- (6) Felt depressed about the attack 2 1
- (7) Felt angry about the attack 2 1
- (8) Felt that I was of less worth as a consequence of the attack 2 1

363. Which of the following statements, if any, describe your present feelings about the sexual assault? (CIRCLE THE APPROPRIATE RESPONSES)

- | | YES | NO |
|---|-----|----|
| (1) Fearful that the attacker will return | 2 | 1 |
| (2) Fearful of other men | 2 | 1 |
| (3) Fearful of being alone | 2 | 1 |
| (4) Feel guilty about the attack | 2 | 1 |
| (5) Feel embarrassed about the attack | 2 | 1 |
| (6) Feel depressed about the attack | 2 | 1 |
| (7) Feel angry about the attack | 2 | 1 |
| (8) Feel that I am of less worth as a consequence of the attack | 2 | 1 |

We've now completed the formal part of the interview, but I'd like to give you a chance to add comments to the information you've already given me.

364. Would you like to explain any of your answers further? _____

365. Were there any specific questions I asked that made you feel particularly uncomfortable?

IF YES, WHICH ONES? _____

366. What questions would you ask if you really wanted to learn about people your age?

367. Do you think that we will have a good or poor understanding of your relationship with your family and friends from your answers to these questions?

Good Understanding
1

Poor Understanding
2

Comments: _____

Thank you very much for your participation in this study.

INTERVIEWER OBSERVATIONS

PLEASE FILL OUT THE FOLLOWING QUESTIONS FROM YOUR OWN OBSERVATIONS BEFORE AND DURING THE INTERVIEW.

1. How anxious did the respondent seem to be about the study before the interview?

Not at All Anxious Somewhat Anxious Very Anxious
1 2 3

2. Was the respondent at all hostile either before or during the interview?

Yes No
2 1

3. How great was the respondent's interest in the interview?

Very Low Below Average Average Above Average Very High
1 2 3 4 5

4. Did you encounter any problems or circumstances that might have affected the interview? (CHECK ALL APPROPRIATE CATEGORIES)

- (1) Difficulty with English language
- (2) Lots of difficulty understanding questions
- (3) Many interruptions
- (4) Temporary breakoff
- (5) Breakoff
- (6) Other (specify) _____

5. How did the respondent seem at the end of the interview?

Relaxed Tense Other (specify) _____
1 2

6. Additional Comments: _____

