

# **Policy Research on Aging and Mental Health Services (PRAMHS) Project**

Philip W. Roeder

Codebook: Part 2 - Area Agencies on Aging



## **Terms of Use**

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>



**\*\*Processor Note\*\***  
**PRAMHS**  
**Part 2: Area Agencies on**  
**Aging**

**Processor Notes on Version 3**

- 1) Variables (V1, V2, V3) from previous versions of the data set were dropped as these are no longer in use.
- 2) The variable name of V4 was changed to CASEID.



## INTRODUCTION

## DATA COLLECTION DESCRIPTION

This study consists of four parts. Part 1 is the result of a nationwide mail survey of Community Mental Health Centers (thereafter CMHC). Questions centered on the delivery of mental health services to the elderly including amount of client load which is elderly, amount of interaction between CMHC and Area Agency on Aging, factors which affect the delivery of services to the elderly, and specialized services for the elderly. In addition to data from the PRAMHS questionnaire, data from the 1976 National Institute of Mental Health CMHC inventory was merged with the corresponding agencies.

Part 2 contains data from a mail survey of Area Agencies on Aging (thereafter AAA). Data include percentage of referrals made by agencies to mental health programs as compared to other types of programs, priority given mental health issues, factors which influence delivery and coordination of mental health services to the elderly, and amount of communication between AAA and agencies in its service area serving the mental health needs of the elderly.

Part 3 consists of data collected by the PRAMHS project State Unit on Aging (thereafter SUA) mail survey. Information is included concerning interaction with State Mental Health Agency, priority given mental health issues, efforts by the elderly to influence policy decisions, and factor influencing delivery and coordination of mental health services to the elderly.

Part 4 is the result of the PRAMHS State Mental Health Agency (thereafter SMHA) mail survey. Data include information concerning interaction with SUA, efforts to decrease the number of elderly in state mental health institutions, efforts by the elderly to influence policy decisions, and factors influencing delivery and coordination of mental health services to the elderly.

FILE STRUCTURE

The Policy Research on Aging and Mental Health Services (PRAMHS) Project is available from SAMHDA in lrecl format.

Machine-readable codebooks accompany the data. The data files are constructed with a single logical record for each case. There are 127 variables on 355 cases for Part 1, 132 variables on 349 cases for Part 2, 75 variables on 33 cases for Part 3 and 63 variables on 28 cases for Part 4. In addition, SPSS and SAS control cards have been prepared for this collection. Both types of control cards contain formatting information as well as variable and value labels for all variables in the collection.

CODEBOOK INFORMATION

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

.....

[1] VAR 009  
REF 009

[2] The operating status of the CMHC respondent.  
-----

[3] [4]

1. Private nonprofit
2. State/local government agency
3. Other
  
9. Not ascertained

.....

- [1] Indicates the variable and reference numbers. A variable number and a reference number are assigned to each variable in the data collection. In the present codebook which documents the archived data collection these numbers are identical.
- [2] This is the full text (question) supplied by the investigator to describe the variable. The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [3] Indicates the code values occurring in the data for this variable.
- [4] Indicates the textual definitions of the codes. Abbreviations commonly used in the code definitions are "DK" (Do Not Know), "NA" (Not Ascertained), and "INAP" (Inappropriate).

## PROCESSING INFORMATION

The data collection was processed according to the standard SAMHDA processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. No consistency checks were performed. Statements bracketed in "[" and "]" signs in the body of the codebook were added by the processors for explanatory purposes.

## VARIABLE DESCRIPTION LIST - PART TWO

## PROCESSING VARIABLES

- 1 Study number - 9043
- 2 Edition Number - 1
- 3 Part Number - 2
- 4 Sequential Case Identification Number

## GENERAL INFORMATION

- 5 State in which agency is located.
- 6 Survey is AAA, CMHC, SUA, SMHA.
- 7 Identification code of the responding agency
- 8 Number of years the AAA has been in operation.
- 9 Operating status of the AAA.

## PERSONNEL AND FUNDING

- 10 Total budget for fiscal year 1979
- 11 Amount of state dollars appropriated to the AAA above the required match in thousands of dollars.
- 12 Percentage of Title III Older Americans Act funds spent for mental health services.
- 13 Number of full-time professional staff employed by agency.
- 14 Number of part-time professional staff employed by agency.
- 15 Number of full-time support staff employed by agency.
- 16 Number of part-time support staff employed by agency.
- 17 Number of volunteers who work at the agency.
- 18 Percentage of the agency's paid staff holding a masters degree or above.
- 19 Percentage of the agency's professional staff that participated in one or more training seminars or workshops in geriatrics/gerontology in past year.
- 20 Does SUA provides technical assistance to AAA on issues regarding mental health and elderly.

## AGENCY REFERRALS

- 21 Percentage of agency's referrals to nutrition programs.
- 22 Percentage of agency's referrals to medical services
- 23 Percentage of agency's referrals to senior centers.
- 24 Percentage of agency's referrals to mental health programs.
- 25 Percentage of agency's referrals to transportation

- services.
- 26 Percentage of agency's referrals to home health services.
- 27 Percentage of agency's referrals to other agencies or programs.

INTERACTION BETWEEN AAA AND OTHER AGENCIES

- 28 Agency has a member on the Health Systems Agency planning committee.
- 29 Agency has a member on the HSA governing board.
- 30 Agency has a member on the CMHC governing board.
- 31 Provisions made for mental health input into AAA's advisory board.
- 32 Frequency of contact between the AAA and the local CMHC.
- 33 AAA's characterization of their participation in preparation of the mental health plan for area.
- 34 AAA's characterization of the CMHC's participation in the preparation of the aging plan.
- 35 Principle provider of mental health services in the AAA planning and service area.
- 36 AAA belief that current level of interactions between AAA and local CMHC enough to coordinate efforts and effectively deliver mental health services to elderly.

PRIORITY ISSUES ACCORDING TO AAA

- 37 Income issues rank
- 38 Transportation issues rank
- 39 Nutrition issues rank
- 40 Mental health issues rank
- 41 Physical health issues rank
- 42 Housing issues rank

AAA OPINIONS

- 43 Does AAA believe that programs for age specific groups should be continued.
- 44 To what extent does AAA believe the elderly are politically aware and organized.
- 45 To what extent does AAA believe local government officials are responsive to demands for program support for elderly.
- 46 Mechanisms used by the elderly to influence policy decisions.

FACTORS AFFECTING MENTAL HEALTH SERVICES TO ELDERLY

- 47 Staff characteristics which influence delivery and coordination of mental health services to elderly--first mention
- 48 Staff characteristics which influence delivery and coordination of mental health services to elderly--second mention
- 49 Staff characteristics which influence delivery and coordination of mental health services to elderly--third mention
- 50 Economic factors which influence delivery and coordination of mental health services to elderly--first mention
- 51 Economic factors which influence delivery and coordination of mental health services to elderly--second mention
- 52 Economic factors which influence delivery and coordination of mental health services to elderly--third mention
- 53 Policy factors which influence delivery and coordination of mental health services to elderly--first mention
- 54 Policy factors which influence delivery and coordination of mental health services to elderly--second mention
- 55 Policy factors which influence delivery and coordination of mental health services to elderly--third mention
- 56 Systems factors which influence delivery and coordination of mental health services to elderly--first mention
- 57 Systems factors which influence delivery and coordination of mental health services to elderly--second mention
- 58 Systems factors which influence delivery and coordination of mental health services to elderly--third mention
- 59 Social issues which influence delivery and coordination of mental health services to elderly--first mention
- 60 Social issues which influence delivery and coordination of mental health services to elderly--second mention
- 61 Social issues which influence delivery and coordination of mental health services to elderly--third mention

AAA AND CMHC PERCEPTIONS

- 62 CMHC and AAA believe that the level of interaction between the CMHC and the AAA is sufficient.
- 63 To what extent do CMHC and AAA believe the elderly are politically aware and organized on issues affecting them.
- 64 CMHC and AAA believe social service programs designed to serve specific age groups should be continued.
- 65 Extent that CMHC and AAA believe local governments have responded to program support demands--elderly services.
- 66 How often contact occurs between the CMHC and AAA.
- 67 CMHC and AAA characterization of participation of AAA in preparation of CMHC services plans.
- 68 CMHC and AAA characterization of participation of CMHC in preparation of AAA services plan.
- 69 Number of agencies which serve the mental health needs of elderly in AAA's service area.

COMMUNICATIONS--FIRST AGENCY

- 70 Classification of the first agency listed.
- 71 AAA's staff has frequent contact with this agency.
- 72 Communications between the agencies are typically written.
- 73 Communications between the agencies are typically oral.
- 74 Agencies have developed a written, mutually acceptable referral procedure.
- 75 Agencies have developed a written, mutually acceptable follow-up procedure.
- 76 Agency is providing mental health services for elderly.

COMMUNICATIONS--SECOND AGENCY

- 77 Classification of the second agency listed.
- 78 AAA's staff has frequent contact with this agency.
- 79 Communications between the agencies are typically written.
- 80 Communications between the agencies are typically oral.
- 81 Agencies have developed a written, mutually acceptable referral procedure.
- 82 Agencies have developed a written, mutually acceptable follow-up procedure.

83 Agency is providing mental health services for elderly.

COMMUNICATIONS--THIRD AGENCY

84 Classification of the third agency listed.  
85 AAA's staff has frequent contact with this agency.  
86 Communications between the agencies are typically written.  
87 Communications between the agencies are typically oral.  
88 Agencies have developed a written, mutually acceptable referral procedure.  
89 Agencies have developed a written, mutually acceptable follow-up procedure.  
90 Agency is providing mental health services for elderly.

COMMUNICATIONS--FOURTH AGENCY

91 Classification of the fourth agency listed.  
92 AAA's staff has frequent contact with this agency.  
93 Communications between the agencies are typically written  
94 Communications between the agencies are typically oral.  
95 Agencies have developed a written, mutually acceptable referral procedure.  
96 Agencies have developed a written, mutually acceptable follow-up procedure.  
97 Agency is providing mental health services for elderly.

COMMUNICATIONS--FIFTH AGENCY

98 Classification of the fifth agency listed.  
99 AAA's staff has frequent contact with this agency.  
100 Communications between the agencies are typically written.  
101 Communications between the agencies are typically oral.  
102 Agencies have developed a written, mutually acceptable referral procedure.  
103 Agencies have developed a written, mutually acceptable follow-up procedure.  
104 Agency is providing mental health services for elderly.

COMMUNICATIONS--SIXTH AGENCY

- 105 Classification of the sixth agency listed.
- 106 AAA's staff has frequent contact with this agency.
- 107 Communications between the agencies are typically written.
- 108 Communications between the agencies are typically oral.
- 109 Agencies have developed a written, mutually acceptable referral procedure.
- 110 Agencies have developed a written, mutually acceptable follow-up procedure.
- 111 Agency is providing mental health services for elderly.

COMMUNICATIONS--SEVENTH AGENCY

- 112 Classification of the seventh agency listed.
- 113 AAA's staff has frequent contact with this agency.
- 114 Communications between the agencies are typically written.
- 115 Communications between the agencies are typically oral.
- 116 Agencies have developed a written, mutually acceptable referral procedure.
- 117 Agencies have developed a written, mutually acceptable follow-up procedure.
- 118 Agency is providing mental health services for elderly.

COMMUNICATIONS--EIGHTH AGENCY

- 119 Classification of the eighth agency listed.
- 120 AAA's staff has frequent contact with this agency.
- 121 Communications between the agencies are typically written.
- 122 Communications between the agencies are typically oral.
- 123 Agencies have developed a written, mutually acceptable referral procedure.
- 124 Agencies have developed a written, mutually acceptable follow-up procedure.
- 125 Agency is providing mental health services for elderly.

COMMUNICATIONS--NINTH AGENCY

- 126 Classification of the ninth agency listed.
- 127 AAA's staff has frequent contact with this agency.
- 128 Communications between the agencies are typically written.
- 129 Communications between the agencies are typically oral.
- 130 Agencies have developed a written, mutually acceptable referral procedure.
- 131 Agencies have developed a written, mutually acceptable follow-up procedure.
- 132 Agency is providing mental health services for elderly.



**FREQUENCIES**



**PROCESSING VARIABLE**

<b>CASEID</b>	<b>SEQUENTIAL CASE ID</b>
---------------	---------------------------

Sequential Case Identification Number

349 cases (Range of valid codes: 1-349)

Data type: numeric

Columns: 1-3

**GENERAL INFORMATION**

**V5** **STCODE**

State in which agency is located.

349 cases (Range of valid codes: 1-54)

Data type: numeric

Columns: 4-5

**V6** **SRVCODE**

Survey is AAA, CMHC, SUA, SMHA.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	349	1	Area agency on aging
0.0	0.0	0	2	State unit on aging
0.0	0.0	0	3	Community mental health centers
0.0	0.0	0	4	State mental health agency
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric

Column: 6

<b>V7</b>	<b>AGENCY</b>
-----------	---------------

Identification code of the responding agency

349 cases (Range of valid codes: 2-602)

Data type: numeric

Columns: 7-9

<b>V8</b>	<b>YRS</b>
-----------	------------

Number of years the AAA has been in operation.

Min	=	0	Mean	=	5.822
Max	=	15	Std Dev	=	2.308
Median	=	6	Variance	=	5.326

(Based on 342 valid cases)

Data type: numeric

Missing-data code: 99

Columns: 10-11

<b>V9</b>	<b>AAAOP</b>
-----------	--------------

Operating status of the AAA.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	35.8	125	1	Private non-profit
35.0	34.7	121	2	Regional planning body
28.9	28.7	100	3	Other
	0.9	3	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric

Missing-data code: 9

Column: 12

**PERSONNEL AND FUNDING****V10****BUDGET**

Total budget for fiscal year 1979

Min	=	0	Mean	=	1,342.588
Max	=	52,456	Std Dev	=	3,137.449
Median	=	802.5	Variance	=	9,843,583.702

(Based on 330 valid cases)

Data type: numeric  
Missing-data code: 99999  
Columns: 13-17

**V11****MATCH**

Amount of state dollars appropriated to the AAA above the required match in thousands of dollars.

Min	=	0	Mean	=	205.655
Max	=	5,300	Std Dev	=	510.311
Median	=	62	Variance	=	260,417.009

(Based on 290 valid cases)

Data type: numeric  
Missing-data code: 9999  
Columns: 18-21

<b>V12</b>	<b>TIIMHS</b>
------------	---------------

Percentage of Title III Older Americans Act funds spent for mental health services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	69.9	244	0	None
4.0	3.7	13	1	
4.0	3.7	13	2	
1.6	1.4	5	3	
0.6	0.6	2	4	
3.7	3.4	12	5	
1.2	1.1	4	6	
1.6	1.4	5	7	
0.9	0.9	3	8	
0.6	0.6	2	9	
2.5	2.3	8	10	
0.3	0.3	1	12	
0.6	0.6	2	13	
0.6	0.6	2	15	
0.9	0.9	3	20	
0.3	0.3	1	23	
0.3	0.3	1	33	Thirty three percent
	8.0	28	99	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 99  
 Columns: 22-23

<b>V13</b>	<b>SPFT</b>
------------	-------------

Number of full-time professional staff employed by agency.

Min	=	0	Mean	=	8.182
Max	=	99	Std Dev	=	10.795
Median	=	5	Variance	=	116.525

(Based on 347 valid cases)

Data type: numeric  
 Missing-data code: 999  
 Columns: 24-26

**V14****SPPT**

Number of part-time professional staff employed by agency.

Min	=	0	Mean	=	2.337
Max	=	99	Std Dev	=	8.159
Median	=	0	Variance	=	66.562

(Based on 315 valid cases)

Data type: numeric  
 Missing-data code: 999  
 Columns: 27-29

**V15****SSFT**

Number of full-time support staff employed by agency.

Min	=	0	Mean	=	5.592
Max	=	85	Std Dev	=	10.285
Median	=	2	Variance	=	105.781

(Based on 326 valid cases)

Data type: numeric  
 Missing-data code: 99  
 Columns: 30-31

**V16****SSPT**

Number of part-time support staff employed by agency.

Min	=	0	Mean	=	8.056
Max	=	99	Std Dev	=	17.598
Median	=	1	Variance	=	309.703

(Based on 321 valid cases)

Data type: numeric  
 Missing-data code: 999  
 Columns: 32-34

**V17****VOL**

Number of volunteers who work at the agency.

Min	=	0	Mean	=	12.854
Max	=	99	Std Dev	=	29.643
Median	=	0	Variance	=	878.718

(Based on 308 valid cases)

Data type: numeric  
 Missing-data code: 999  
 Columns: 35-37

**V18****GRDGE**

Percentage of the agency's paid staff holding a masters degree or above.

Min	=	0	Mean	=	18.296
Max	=	99	Std Dev	=	21.958
Median	=	10	Variance	=	482.133

(Based on 341 valid cases)

Data type: numeric  
 Missing-data code: 999  
 Columns: 38-40

**V19****SEMWKSP**

Percentage of the agency's professional staff that participated in one or more training seminars or workshops in geriatrics/gerontology in past year.

Min	=	0	Mean	=	69.458
Max	=	99	Std Dev	=	33.043
Median	=	80	Variance	=	1,091.816

(Based on 343 valid cases)

Data type: numeric  
 Missing-data code: 999  
 Columns: 41-43

<b>V20</b>	<b>SUATCAS</b>
------------	----------------

Does SUA provides technical assistance to AAA on issues regarding mental health and elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	40.7	142	1	Yes
55.9	51.6	180	2	No
	7.7	27	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 44

**AGENCY REFERRALS**

<b>V21</b>	<b>RFNUT</b>
------------	--------------

Percentage of agency's referrals to nutrition programs.

349 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data code: 999

Columns: 45-47

<b>V22</b>	<b>RFMED</b>
------------	--------------

Percentage of agency's referrals to medical services

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	4.3	15	0	None
3.1	2.0	7	1	
4.0	2.6	9	2	
2.2	1.4	5	3	
3.6	2.3	8	4	
17.9	11.5	40	5	
1.3	0.9	3	6	
1.3	0.9	3	7	
3.6	2.3	8	8	
0.4	0.3	1	9	
20.2	12.9	45	10	
0.9	0.6	2	12	
0.9	0.6	2	13	
0.4	0.3	1	14	
7.6	4.9	17	15	
0.4	0.3	1	16	
1.3	0.9	3	18	
8.5	5.4	19	20	
0.9	0.6	2	21	
0.9	0.6	2	24	
3.1	2.0	7	25	
2.7	1.7	6	30	
0.9	0.6	2	35	
2.7	1.7	6	40	
0.4	0.3	1	45	
1.3	0.9	3	50	
0.4	0.3	1	60	
0.4	0.3	1	73	
0.4	0.3	1	75	
0.4	0.3	1	80	
0.4	0.3	1	99	Ninety nine percent
	36.1	126	999	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 999  
 Columns: 48-50

<b>V23</b>	<b>RFSC</b>
------------	-------------

Percentage of agency's referrals to senior centers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	4.9	17	0	None
4.2	2.6	9	1	
5.6	3.4	12	2	
2.3	1.4	5	3	
3.2	2.0	7	4	
12.5	7.7	27	5	
0.5	0.3	1	6	
1.4	0.9	3	7	
1.9	1.1	4	8	
0.5	0.3	1	9	
15.7	9.7	34	10	
0.9	0.6	2	12	
0.5	0.3	1	13	
0.5	0.3	1	14	
9.7	6.0	21	15	
0.9	0.6	2	19	
7.9	4.9	17	20	
6.0	3.7	13	25	
0.5	0.3	1	27	
3.7	2.3	8	30	
0.5	0.3	1	32	
0.9	0.6	2	35	
0.5	0.3	1	36	
1.4	0.9	3	40	
0.5	0.3	1	45	
0.5	0.3	1	48	
1.4	0.9	3	50	
0.9	0.6	2	60	
1.4	0.9	3	75	
0.9	0.6	2	80	
1.4	0.9	3	90	
0.5	0.3	1	95	
3.2	2.0	7	99	Ninety nine percent
	38.1	133	999	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 999  
 Columns: 51-53

<b>V24</b>	<b>RFMH</b>
------------	-------------

Percentage of agency's referrals to mental health programs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	8.6	30	0	None
24.7	15.2	53	1	
13.5	8.3	29	2	
2.8	1.7	6	3	
1.9	1.1	4	4	
19.5	12.0	42	5	
0.9	0.6	2	6	
0.5	0.3	1	7	
2.3	1.4	5	8	
0.5	0.3	1	9	
10.7	6.6	23	10	
1.4	0.9	3	15	
0.5	0.3	1	18	
3.7	2.3	8	20	
0.5	0.3	1	25	
0.5	0.3	1	30	
0.9	0.6	2	50	
0.5	0.3	1	60	
0.5	0.3	1	75	
0.5	0.3	1	99	Ninety nine percent
	38.4	134	999	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 999  
 Columns: 54-56

<b>V25</b>	<b>RFTRNS</b>
------------	---------------

Percentage of agency's referrals to transportation services.

349 cases (Range of valid codes: 0-99)

Data type: numeric  
 Missing-data code: 999  
 Columns: 57-59

<b>V26</b>	<b>RFJJ</b>
------------	-------------

Percentage of agency's referrals to home health services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	2.6	9	0	None
5.5	3.4	12	1	
5.5	3.4	12	2	
2.3	1.4	5	3	
2.7	1.7	6	4	
11.4	7.2	25	5	
2.3	1.4	5	6	
2.7	1.7	6	7	
1.4	0.9	3	8	
1.4	0.9	3	9	
15.0	9.5	33	10	
0.5	0.3	1	11	
1.8	1.1	4	12	
1.4	0.9	3	13	
7.7	4.9	17	15	
1.4	0.9	3	17	
8.2	5.2	18	20	
0.5	0.3	1	22	
0.5	0.3	1	24	
5.0	3.2	11	25	
0.5	0.3	1	28	
5.5	3.4	12	30	
0.5	0.3	1	34	
0.9	0.6	2	35	
0.5	0.3	1	36	
0.5	0.3	1	38	
2.7	1.7	6	40	
0.9	0.6	2	45	
2.7	1.7	6	50	
0.5	0.3	1	53	
0.5	0.3	1	60	
0.9	0.6	2	70	
0.5	0.3	1	75	
0.5	0.3	1	80	
0.5	0.3	1	90	
1.4	0.9	3	99	Ninety nine percent
	37.0	129	999	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 999  
 Columns: 60-62

<b>V27</b>	<b>RFOT</b>
------------	-------------

Percentage of agency's referrals to other agencies or programs.

349 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data code: 999

Columns: 63-65



**V30****CMHCGB**

Agency has a member on the CMHC governing board.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	14.9	52	1	Yes
84.9	84.0	293	2	No
	1.1	4	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 68

**V31****MHINPAB**

Provisions made for mental health input into AAA's advisory board.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	65.3	228	1	Yes
33.1	32.4	113	2	No
	2.3	8	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 69

**V32****FREQCON**

Frequency of contact between the AAA and the local CMHC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.5	33	1	No contact
36.5	35.8	125	2	Less often
39.8	39.0	136	3	Monthly
14.0	13.8	48	4	Weekly
	2.0	7	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 70

<b>V33</b>	<b>CHARMHP</b>
------------	----------------

AAA's characterization of their participation in preparation of the mental health plan for area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	36.4	127	1	No involvement
25.3	25.2	88	2	Information
27.9	27.8	97	3	Review/comment
10.3	10.3	36	4	Joint planning session
	0.3	1	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 71

<b>V34</b>	<b>CHARAP</b>
------------	---------------

AAA's characterization of the CMHC's participation in the preparation of the aging plan.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	31.8	111	1	No involvement
29.4	28.9	101	2	Information
27.3	26.9	94	3	Review/comment
11.0	10.9	38	4	Joint planning session
	1.4	5	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 72

**V35****PPMH**

Principle provider of mental health services in the AAA planning and service area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	76.5	267	1	CMHC
4.5	4.3	15	2	Private clinic
5.7	5.4	19	3	Public hospital
1.2	1.1	4	4	Private hospital
9.2	8.9	31	7	Checked more than one
	3.7	13	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 73

**V36****POSINAC**

AAA belief that current level of interactions between AAA and local CMHC enough to coordinate efforts and effectively deliver mental health services to elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	31.8	111	1	Yes
66.9	64.2	224	2	No
	4.0	14	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 74

**PRIORITY ISSUES ACCORDING TO AAA**

**V37** **PRINC**

Income issues rank

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	44.7	156	1	Highest priority
19.7	19.2	67	2	
14.4	14.0	49	3	
11.8	11.5	40	4	
5.6	5.4	19	5	
2.6	2.6	9	6	Lowest priority
	2.6	9	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 75

**V38** **PRTRNS**

Transportation issues rank

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	30.7	107	1	Highest priority
30.4	29.8	104	2	
16.1	15.8	55	3	
11.1	10.9	38	4	
7.3	7.2	25	5	
3.8	3.7	13	6	Lowest priority
	2.0	7	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 76

**V39****PRNUT**

Nutrition issues rank

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.7	27	1	Highest priority
16.0	15.5	54	2	
18.0	17.5	61	3	
18.6	18.1	63	4	
24.9	24.1	84	5	
14.5	14.0	49	6	Lowest priority
	3.2	11	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 77

**V40****PRMH**

Mental health issues rank

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	4	1	Highest priority
2.4	2.3	8	2	
5.7	5.4	19	3	
13.2	12.6	44	4	
19.5	18.6	65	5	
58.1	55.6	194	6	Lowest priority
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 78

<b>V41</b>	<b>PRPH</b>
------------	-------------

Physical health issues rank

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.7	41	1	Highest priority
20.8	20.3	71	2	
22.9	22.3	78	3	
21.4	20.9	73	4	
17.6	17.2	60	5	
5.3	5.2	18	6	Lowest priority
	2.3	8	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 79

<b>V42</b>	<b>PRHOUS</b>
------------	---------------

Housing issues rank

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	11	1	Highest priority
14.5	14.0	49	2	
24.5	23.8	83	3	
24.2	23.5	82	4	
22.4	21.8	76	5	
11.2	10.9	38	6	Lowest priority
	2.9	10	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 80

<b>AAA OPINIONS</b>
---------------------

**V43****SPTSYP**

Does AAA believe that programs for age specific groups should be continued.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	96.0	335	1	Yes
2.3	2.3	8	2	No
	1.7	6	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 81

**V44****POLAWR**

To what extent does AAA believe the elderly are politically aware and organized.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	3	1	Not at all
39.2	38.7	135	2	Limited extent
45.6	45.0	157	3	Moderate extent
14.2	14.0	49	4	Great extent
	1.4	5	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 82

<b>V45</b>	<b>GVTRESP</b>
------------	----------------

To what extent does AAA believe local government officials are responsive to demands for program support for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.9	31	1	Not responsive
58.4	56.7	198	2	Moderately responsive
32.4	31.5	110	3	Very responsive
	2.9	10	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 83

<b>V46</b>	<b>MECHINF</b>
------------	----------------

Mechanisms used by the elderly to influence policy decisions.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	6.6	23	1	None
26.6	22.6	79	2	Public hearings
18.2	15.5	54	3	Lobbying
12.1	10.3	36	4	Advocacy groups-formal organizations
0.3	0.3	1	5	Needs assessment
35.0	29.8	104	6	Other
	14.9	52	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 84

<b>FACTORS AFFECTING MENTAL HEALTH SERVICES TO ELDERLY</b>
--

**V47****STFCHARA**

Staff characteristics which influence delivery and coordination of mental health services to elderly--first mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	6.6	23	1	Informal, personal relations
33.3	12.0	42	2	Attitudes, awareness, interest
7.1	2.6	9	3	Knowledge and information
4.0	1.4	5	4	Stability-turnover
34.9	12.6	44	5	Time and resources-mismanagement
2.4	0.9	3	6	Training
	63.9	223	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 85

**V48****STFCHARB**

Staff characteristics which influence delivery and coordination of mental health services to elderly--second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.3	1	1	Informal, personal relations
28.6	1.7	6	2	Attitudes, awareness, interest
23.8	1.4	5	3	Knowledge and information
14.3	0.9	3	4	Stability-turnover
28.6	1.7	6	5	Time and resources-mismanagement
0.0	0.0	0	6	Training
	94.0	328	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 86

<b>V49</b>	<b>STFCHARC</b>
------------	-----------------

Staff characteristics which influence delivery and coordination of mental health services to elderly--third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Informal, personal relations
0.0	0.0	0	2	Attitudes, awareness, interest
0.0	0.0	0	3	Knowledge and information
0.0	0.0	0	4	Stability-turnover
0.0	0.0	0	5	Time and resources-mismanagement
100.0	0.3	1	6	Training
	99.7	348	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 87

<b>V50</b>	<b>ECOFACA</b>
------------	----------------

Economic factors which influence delivery and coordination of mental health services to elderly--first mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	4.0	14	1	Funding sources differ
67.2	12.3	43	2	Lack of resources-mismanagement
10.9	2.0	7	3	Contract for services
0.0	0.0	0	4	OAA does not fund MH services
	81.7	285	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 88

**V51****ECOFACB**

Economic factors which influence delivery and coordination of  
mental health services to elderly--second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.6	2	1	Funding sources differ
0.0	0.0	0	2	Lack of resources-mismanagement
25.0	0.6	2	3	Contract for services
50.0	1.1	4	4	OAA does not fund MH services
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 89

**V52****ECOFACC**

Economic factors which influence delivery and coordination of  
mental health services to elderly--third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Funding sources differ
0.0	0.0	0	2	Lack of resources-mismanagement
0.0	0.0	0	3	Contract for services
0.0	0.0	0	4	OAA does not fund MH services
	100.0	349	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 90

<b>V53</b>	<b>POLFACA</b>
------------	----------------

Policy factors which influence delivery and coordination of mental health services to elderly--first mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	2.0	7	1	Medical Model vs. Social Service Model
16.7	4.9	17	2	Higher level decisions
2.0	0.6	2	3	Confidentiality
15.7	4.6	16	4	MH lack of outreach
45.1	13.2	46	5	Either MH or elderly not priority
13.7	4.0	14	6	Good intentions-anticipated
	70.8	247	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 91

<b>V54</b>	<b>POLFACB</b>
------------	----------------

Policy factors which influence delivery and coordination of mental health services to elderly--second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Medical Model vs. Social Service Model
15.0	0.9	3	2	Higher level decisions
5.0	0.3	1	3	Confidentiality
35.0	2.0	7	4	MH lack of outreach
35.0	2.0	7	5	Either MH or elderly not priority
10.0	0.6	2	6	Good intentions-anticipated
	94.3	329	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 92

**V55****POLFACC**

Policy factors which influence delivery and coordination of  
mental health services to elderly--third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Medical Model vs. Social Service Model
0.0	0.0	0	2	Higher level decisions
50.0	0.3	1	3	Confidentiality
0.0	0.0	0	4	MH lack of outreach
50.0	0.3	1	5	Either MH or elderly not priority
0.0	0.0	0	6	Good intentions-anticipated
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 93

**V56****SYSFACA**

Systems factors which influence delivery and coordination of  
mental health services to elderly--first mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	11.2	39	1	Communications (contact) not routine
8.3	3.2	11	2	Organization Competition
47.0	17.8	62	3	Formal linkages
6.1	2.3	8	4	Newness of agency
8.3	3.2	11	5	Proximity, co-location
0.8	0.3	1	6	Other (agency closed CMHC)
	62.2	217	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 94

<b>V57</b>	<b>SYSFACB</b>
------------	----------------

Systems factors which influence delivery and coordination of mental health services to elderly--second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	1.7	6	1	Communications (contact) not routine
14.3	0.9	3	2	Organization Competition
52.4	3.2	11	3	Formal linkages
0.0	0.0	0	4	Newness of agency
4.8	0.3	1	5	Proximity, co-location
0.0	0.0	0	6	Other (agency closed CMHC)
	94.0	328	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 95

<b>V58</b>	<b>SYSFACC</b>
------------	----------------

Systems factors which influence delivery and coordination of mental health services to elderly--third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	1	1	Communications (contact) not routine
0.0	0.0	0	2	Organization Competition
50.0	0.3	1	3	Formal linkages
0.0	0.0	0	4	Newness of agency
0.0	0.0	0	5	Proximity, co-location
0.0	0.0	0	6	Other (agency closed CMHC)
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 96

**V59****SOCISSA**

Social issues which influence delivery and coordination of  
mental health services to elderly--first mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	2.9	10	1	Stigma of mental illness
7.1	0.3	1	2	Stigma of elderly
0.0	0.0	0	3	Elderly powerless and unorganized
21.4	0.9	3	4	Other (community disinterest in MH prog
	96.0	335	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 97

**V60****SOCISSB**

Social issues which influence delivery and coordination of  
mental health services to elderly--second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Stigma of mental illness
0.0	0.0	0	2	Stigma of elderly
0.0	0.0	0	3	Elderly powerless and unorganized
0.0	0.0	0	4	Other (community disinterest in MH prog
	100.0	349	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
Missing-data code: 9  
Column: 98

<b>V61</b>	<b>SOCISSC</b>
------------	----------------

Social issues which influence delivery and coordination of mental health services to elderly--third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	2	1	Stigma of mental illness
0.0	0.0	0	2	Stigma of elderly
0.0	0.0	0	3	Elderly powerless and unorganized
0.0	0.0	0	4	Other (community disinterest in MH prog
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 99

<b>AAA AND CMHC PERCEPTIONS</b>
---------------------------------

**V62****V2018**

CMHC and AAA believe that the level of interaction between the CMHC and the AAA is sufficient.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	9.2	32	1	Yes/no
45.3	11.2	39	2	No/no
17.4	4.3	15	3	Yes/yes
	75.4	263	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 100

**V63****V2323**

To what extent do CMHC and AAA believe the elderly are politically aware and organized on issues affecting them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Incongruent by 3
11.9	2.9	10	2	Incongruent by 2
51.2	12.3	43	3	Incongruent by 1
0.0	0.0	0	4	Both answered not at all
21.4	5.2	18	5	Both answered to a limited extent
15.5	3.7	13	6	Both answered to a moderate extent
0.0	0.0	0	7	Both answered to a great extent
	75.9	265	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 101

<b>V64</b>	<b>V2222</b>
------------	--------------

CMHC and AAA believe social service programs designed to serve specific age groups should be continued.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	2.0	7	1	Yes/no
0.0	0.0	0	2	No/no
91.4	21.2	74	3	Yes/yes
	76.8	268	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 102

<b>V65</b>	<b>V2525</b>
------------	--------------

Extent that CMHC and AAA believe local governments have responded to program support demands--elderly services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	1.7	6	1	Incongruent by 2
43.8	10.0	35	2	Incongruent by 1
7.5	1.7	6	3	Both answered not at all
40.0	9.2	32	4	Both answered moderately responsive
1.2	0.3	1	5	Both answered very responsive
	77.1	269	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 103

**V66****V1414**

How often contact occurs between the CMHC and AAA.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Incongruent by 3
15.5	3.7	13	2	Incongruent by 2
48.8	11.7	41	3	Incongruent by 1
1.2	0.3	1	4	Both answered no contact
16.7	4.0	14	5	Both answered less than monthly
13.1	3.2	11	6	Both answered monthly
4.8	1.1	4	7	Both answered weekly
	75.9	265	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 104

**V67****V1516**

CMHC and AAA characterization of participation of AAA in preparation of CMHC services plans.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.9	3	1	Incongruent by 3
23.3	5.7	20	2	Incongruent by 2
39.5	9.7	34	3	Incongruent by 1
15.1	3.7	13	4	Both answered no involvement
10.5	2.6	9	5	Both answered information
5.8	1.4	5	6	Both answered review and comment
2.3	0.6	2	7	Both answered joint planning sessions
	75.4	263	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 105

<b>V68</b>	<b>V1617</b>
------------	--------------

CMHC and AAA characterization of participation of CMHC in preparation of AAA services plan.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.4	5	1	Incongruent by 3
19.0	4.6	16	2	Incongruent by 2
36.9	8.9	31	3	Incongruent by 1
20.2	4.9	17	4	Both answered no involvement
11.9	2.9	10	5	Both answered information
3.6	0.9	3	6	Both answered review and comment
2.4	0.6	2	7	Both answered joint planning sessions
	75.9	265	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 106

<b>V69</b>	<b>NUMLISTD</b>
------------	-----------------

Number of agencies which serve the mental health needs of elderly in AAA's service area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	7	0	None
24.8	24.6	86	1	
20.2	20.1	70	2	
17.3	17.2	60	3	
16.1	16.0	56	4	
13.5	13.5	47	5	
2.0	2.0	7	6	
0.9	0.9	3	7	
0.9	0.9	3	8	
2.3	2.3	8	9	Nine agencies
	0.6	2	99	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 99  
 Columns: 107-108

<b>COMMUNICATIONS--FIRST AGENCY</b>
-------------------------------------

**V70****CLASS**

Classification of the first agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	64.5	225	1	CMHC, Mental Health Institute
5.4	5.2	18	2	Hospital (general, state and mental)
13.5	12.9	45	3	Social/community agencies
7.2	6.9	24	4	Local, county government agencies
0.3	0.3	1	5	Advocacy agencies
5.4	5.2	18	6	Planning agencies
0.9	0.9	3	7	Other (undefined agencies)
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 109

**V71****A1**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	49.9	174	1	Yes
47.9	45.8	160	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 110

**V72** **B1**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	18.3	64	1	Yes
80.8	77.4	270	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 111

**V73** **C1**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	66.8	233	1	Yes
30.2	28.9	101	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 112

**V74** **D1**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	16.6	58	1	Yes
82.6	79.1	276	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 113

**V75****E1**

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	16.6	58	1	Yes
82.6	79.1	276	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 114

**V76****/F1**

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	45.8	160	1	Yes
52.1	49.9	174	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 115



**V79****B2**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	14.9	52	1	Yes
79.0	56.2	196	2	No
	28.9	101	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 118

**V80****C2**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	43.3	151	1	Yes
39.1	27.8	97	2	No
	28.9	101	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 119

**V81****D2**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	9.2	32	1	Yes
87.1	61.9	216	2	No
	28.9	101	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 120

<b>V82</b>	<b>E2</b>
------------	-----------

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	16.6	58	1	Yes
82.6	79.1	276	2	No
	4.3	15	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 121

<b>V83</b>	<b>F2</b>
------------	-----------

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	30.1	105	1	Yes
57.5	40.7	142	2	No
	29.2	102	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 122

<b>COMMUNICATIONS--THIRD AGENCY</b>
-------------------------------------

**V84****CLASS 3**

Classification of the third agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	20.6	72	1	CMHC, Mental Health Institute
23.7	12.0	42	2	Hospital (general, state and mental)
26.6	13.5	47	3	Social/community agencies
4.5	2.3	8	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
2.3	1.1	4	6	Planning agencies
2.3	1.1	4	7	Other (undefined agencies)
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 123

**V85****A3**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	19.2	67	1	Yes
62.1	31.5	110	2	No
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 124

**V86** **B3**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	7.4	26	1	Yes
85.3	43.3	151	2	No
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 125

**V87** **C3**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	28.9	101	1	Yes
42.9	21.8	76	2	No
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 126

**V88** **D3**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	8.3	29	1	Yes
83.6	42.4	148	2	No
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 127

**V89****E3**

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	3.2	11	1	Yes
93.8	47.6	166	2	No
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 128

**V90****F3**

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	21.8	76	1	Yes
57.1	28.9	101	2	No
	49.3	172	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 129

**COMMUNICATIONS--FOURTH AGENCY**

**V91 CLASS 4**

Classification of the fourth agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	10.0	35	1	CMHC, Mental Health Institute
23.9	8.0	28	2	Hospital (general, state and mental)
28.2	9.5	33	3	Social/community agencies
3.4	1.1	4	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
10.3	3.4	12	6	Planning agencies
4.3	1.4	5	7	Other (undefined agencies)
	66.5	232	9	N/A
-----	-----	---		
100.0	100.0	349		cases

Data type: numeric  
 Missing-data code: 9  
 Column: 130

**V92 A4**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	9.7	34	1	Yes
71.2	24.1	84	2	No
	66.2	231	9	N/A
-----	-----	---		
100.0	100.0	349		cases

Data type: numeric  
 Missing-data code: 9  
 Column: 131

**V93****B4**

Communications between the agencies are typically written

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	7.4	26	1	Yes
78.0	26.4	92	2	No
	66.2	231	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 132

**V94****C4**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	14.9	52	1	Yes
55.9	18.9	66	2	No
	66.2	231	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 133

**V95****D4**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	4.6	16	1	Yes
86.4	29.2	102	2	No
	66.2	231	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 134

**V96** **E4**

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	2.3	8	1	Yes
93.2	31.5	110	2	No
	66.2	231	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 135

**V97** **F4**

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	12.0	42	1	Yes
64.4	21.8	76	2	No
	66.2	231	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 136

<b>COMMUNICATIONS--FIFTH AGENCY</b>
-------------------------------------

**V98****CLASS 5**

Classification of the fifth agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	4.3	15	1	CMHC, Mental Health Institute
24.6	4.3	15	2	Hospital (general, state and mental)
36.1	6.3	22	3	Social/community agencies
3.3	0.6	2	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
6.6	1.1	4	6	Planning agencies
4.9	0.9	3	7	Other (undefined agencies)
	82.5	288	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 137

**V99****A5**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	6.0	21	1	Yes
65.6	11.5	40	2	No
	82.5	288	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 138

<b>V100</b>	<b>B5</b>
-------------	-----------

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	4.6	16	1	Yes
74.2	13.2	46	2	No
	82.2	287	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 139

<b>V101</b>	<b>C5</b>
-------------	-----------

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	8.0	28	1	Yes
54.8	9.7	34	2	No
	82.2	287	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 140

<b>V102</b>	<b>D5</b>
-------------	-----------

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	3.2	11	1	Yes
82.3	14.6	51	2	No
	82.2	287	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 141

**V103****E5**

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	2.0	7	1	Yes
88.7	15.8	55	2	No
	82.2	287	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 142

**V104****F5**

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	7.2	25	1	Yes
59.7	10.6	37	2	No
	82.2	287	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 143

**COMMUNICATIONS--SIXTH AGENCY**

**V105 CLASS 6**

Classification of the sixth agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.4	5	1	CMHC, Mental Health Institute
26.7	1.1	4	2	Hospital (general, state and mental)
33.3	1.4	5	3	Social/community agencies
0.0	0.0	0	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
6.7	0.3	1	6	Planning agencies
0.0	0.0	0	7	Other (undefined agencies)
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 144

**V106 A6**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	1.7	6	1	Yes
60.0	2.6	9	2	No
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 145

**V107****B6**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.4	5	1	Yes
66.7	2.9	10	2	No
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 146

**V108****C6**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	2.0	7	1	Yes
53.3	2.3	8	2	No
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 147

**V109****D6**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.6	2	1	Yes
86.7	3.7	13	2	No
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 148

<b>V110</b>	<b>E6</b>
-------------	-----------

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	1	1	Yes
93.3	4.0	14	2	No
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 149

<b>V111</b>	<b>F6</b>
-------------	-----------

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	2.0	7	1	Yes
53.3	2.3	8	2	No
	95.7	334	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 150

<b>COMMUNICATIONS--SEVENTH AGENCY</b>
---------------------------------------

**V112****CLASS 7**

Classification of the seventh agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	1.4	5	1	CMHC, Mental Health Institute
12.5	0.3	1	2	Hospital (general, state and mental)
12.5	0.3	1	3	Social/community agencies
0.0	0.0	0	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
12.5	0.3	1	6	Planning agencies
0.0	0.0	0	7	Other (undefined agencies)
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 151

**V113****A7**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.3	1	1	Yes
87.5	2.0	7	2	No
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 152

**V114** **B7**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.3	1	1	Yes
87.5	2.0	7	2	No
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 153

**V115** **C7**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.1	4	1	Yes
50.0	1.1	4	2	No
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 154

**V116** **D7**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.3	1	1	Yes
87.5	2.0	7	2	No
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 155

**V117****E7**

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	2.3	8	2	No
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 156

**V118****F7**

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.9	3	1	Yes
62.5	1.4	5	2	No
	97.7	341	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 157

**COMMUNICATIONS--EIGHTH AGENCY**

**V119 CLASS 8**

Classification of the eighth agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	1.1	4	1	CMHC, Mental Health Institute
0.0	0.0	0	2	Hospital (general, state and mental)
20.0	0.3	1	3	Social/community agencies
0.0	0.0	0	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
0.0	0.0	0	6	Planning agencies
0.0	0.0	0	7	Other (undefined agencies)
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 158

**V120 A8**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.3	1	1	Yes
80.0	1.1	4	2	No
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 159

**V121****B8**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.3	1	1	Yes
80.0	1.1	4	2	No
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 160

**V122****C8**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.6	2	1	Yes
60.0	0.9	3	2	No
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 161

**V123****D8**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	1.4	5	2	No
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 162

<b>V124</b>	<b>E8</b>
-------------	-----------

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	1.4	5	2	No
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 163

<b>V125</b>	<b>F8</b>
-------------	-----------

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.3	1	1	Yes
80.0	1.1	4	2	No
	98.6	344	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 164

<b>COMMUNICATIONS--NINTH AGENCY</b>
-------------------------------------

**V126****CLASS 9**

Classification of the ninth agency listed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	1	1	CMHC, Mental Health Institute
0.0	0.0	0	2	Hospital (general, state and mental)
0.0	0.0	0	3	Social/community agencies
0.0	0.0	0	4	Local, county government agencies
0.0	0.0	0	5	Advocacy agencies
0.0	0.0	0	6	Planning agencies
50.0	0.3	1	7	Other (undefined agencies)
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 165

**V127****A9**

AAA's staff has frequent contact with this agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	0.6	2	2	No
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 166

**V128** **B9**

Communications between the agencies are typically written.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	1	1	Yes
50.0	0.3	1	2	No
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 167

**V129** **C9**

Communications between the agencies are typically oral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	1	1	Yes
50.0	0.3	1	2	No
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 168

**V130** **D9**

Agencies have developed a written, mutually acceptable referral procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	0.6	2	2	No
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 169

**V131****E9**

Agencies have developed a written, mutually acceptable follow-up procedure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	0.6	2	2	No
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 170

**V132****F9**

Agency is providing mental health services for elderly.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	Yes
100.0	0.6	2	2	No
	99.4	347	9	N/A
-----	-----	---		
100.0	100.0	349	cases	

Data type: numeric  
 Missing-data code: 9  
 Column: 171