Policy Research on Aging and Mental Health Services (PRAMHS) Project

Philip W. Roeder

Codebook: Part 3 - State Units on Aging

Terms of Use

The terms of use for this study can be found at:

http://datafiles.samhsa.gov/terms-use-nid3422

Processor Note
PRAMHS
Part 3: State Units on Aging

Processor Notes on Version 3

1) Variables (V1, V2, V3) from previous versions of the data set were dropped as these are no longer in use.

2) The variable name of V4 was changed to CASEID.

INTRODUCTION

DATA COLLECTION DESCRIPTION

This study consists of four parts. Part 1 is the result of a nationwide mail survey of Community Mental Health Centers (thereafter CMHC). Questions centered on the delivery of mental health services to the elderly including amount of client load which is elderly, amount of interaction between CMHC and Area Agency on Aging, factors which affect the delivery of services to the elderly, and specialized services for the elderly. In addition to data from the PRAMHS questionnaire, data from the 1976 National Institute of Mental Health CMHC inventory was merged with the corresponding agencies.

Part 2 contains data from a mail survey of Area Agencies on Aging (thereafter AAA). Data include percentage of referrals made by agencies to mental health programs as compared to other types of programs, priority given mental health issues, factors which influence delivery and coordination of mental health services to the elderly, and amount of communication between AAA and agencies in its service area serving the mental health needs of the elderly.

Part 3 consists of data collected by the PRAMHS project State Unit on Aging (thereafter SUA) mail survey. Information is included concerning interaction with State Mental Health Agency, priority given mental health issues, efforts by the elderly to influence policy decisions, and factor influencing delivery and coordination of mental health services to the elderly.

Part 4 is the result of the PRAMHS State Mental Health Agency (thereafter SMHA) mail survey. Data include information concerning interaction with SUA, efforts to decrease the number of elderly in state mental health institutions, efforts by the elderly to influence policy decisions, and factors influencing delivery and coordination of mental health services to the elderly.

FILE STRUCTURE

The Policy Research on Aging and Mental Health
Services (PRAMHS) Project is available from SAMHDA in lrecl
format.

Machine-readable codebooks accompany the data. The data
files are constructed with a single logical record for each
case. There are 127 variables on 355 cases for Part 1, 132
variables on 349 cases for Part 2, 75 variables on 33 cases
for Part 3 and 63 variables on 28 cases for Part 4. In
addition, SPSS and SAS control cards have been prepared for
this collection. Both types of control cards contain
formatting information as well as variable and value labels
for all variables in the collection.

CODEBOOK INFORMATION

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

....

[1] VAR 009
    REF 009

   [2] The operating status of the CMHC respondent.
       ----

       [3] [4]

          1. Private nonprofit
          2. State/local government agency
          3. Other

          9. Not ascertained

....

 [1]   Indicates the variable and reference numbers.
       A variable number and a reference number are
       assigned to each variable in the data collection.
       In the present codebook which documents the
       archived data collection these numbers are
       identical.

 [2]   This is the full text (question) supplied by the
       investigator to describe the variable. The question
       text and the numbers and letters that may appear at
       the beginning reflect the original wording of the
       questionnaire item.

 [3]   Indicates the code values occurring in the data for
       this variable.

 [4]   Indicates the textual definitions of the codes.
       Abbreviations commonly used in the code definitions
       are "DK" (Do Not Know), "NA" (Not Ascertained), and
       "INAP" (Inappropriate).

PROCESSING INFORMATION

   The data collection was processed according to the
standard SAMHDA processing procedures. The data were
checked for illegal or inconsistent code values which, when
found, were recoded to missing data values. No consistency
checks were performed. Statements bracketed in "[" and "]"
signs in the body of the codebook were added by the
processors for explanatory purposes.

VARIABLE DESCRIPTION LIST - PART THREE

PROCESSING VARIABLES

 1 Study number - 9043
 2 Edition Number - 1
 3 Part Number - 3
 4 Sequential Case Identification Number

GENERAL INFORMATION

 5 State in which agency is located.
 6 Survey is AAA, CMHC, SUA, SMHA
 7 Identification code of responding agency
 8 Number of years SUA has been in operation.
 9 Total SUA budget for fiscal year 1979.
10 Number of state dollars above required match
11 SUA has allocation authority over federal
    funds other than OAA funds.

PERSONNEL INFORMATION

12 Number of professional staff employed at SUA.
13 Number of support staff employed at SUA.
14 Percentage of SUA's professional staff that
    holds at least a master's degree.
15 Percentage of the SUA's professional staff
    that has at least 1 years experience in
    direct service provision.
16 Average years experience in elderly services
    per professional SUA staff member.
17 Percentage of SUA professional staff who
    participated in training seminar(s) and/or
    workshops in the past year

SUA'S RELATIONSHIPS WITH OTHER AGENCIES

18 Frequency of consultation between SUA
    and AAA.
19 Type of formal provisions exist between SUA
    and the SMHA for the coordination of services
    for elderly.
20 Frequency of contact between the SUA and SMHA.
21 How well coordinated does SUA believe the
    activities of its agency and SMHA are in
    planning mental health service for elderly.
22 SUA has staff assigned to serve as a liaison
    between the SUA and SMHA.

FREQUENCIES

PROCESSING VARIABLE

CASEID	SEQUENTIAL CASE ID

Sequential Case Identification Number

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	3.0	1	1	Unique identification code
3.0	3.0	1	2	
3.0	3.0	1	3	
3.0	3.0	1	4	
3.0	3.0	1	5	
3.0	3.0	1	6	
3.0	3.0	1	7	
3.0	3.0	1	8	
3.0	3.0	1	9	
3.0	3.0	1	10	
3.0	3.0	1	11	
3.0	3.0	1	12	
3.0	3.0	1	13	
3.0	3.0	1	14	
3.0	3.0	1	15	
3.0	3.0	1	16	
3.0	3.0	1	17	
3.0	3.0	1	18	
3.0	3.0	1	19	
3.0	3.0	1	20	
3.0	3.0	1	21	
3.0	3.0	1	22	
3.0	3.0	1	23	
3.0	3.0	1	24	
3.0	3.0	1	25	
3.0	3.0	1	26	
3.0	3.0	1	27	
3.0	3.0	1	28	
3.0	3.0	1	29	
3.0	3.0	1	30	
3.0	3.0	1	31	
3.0	3.0	1	32	
3.0	3.0	1	33	Unique identification code
-----	-----	--		
100.0	100.0	33 cases		

Data type: numeric
Columns: 1-2

GENERAL INFORMATION

V5   **STCODE**

State in which agency is located.

33 cases (Range of valid codes: 1-54)

Data type: numeric
Columns: 3-4

V6   **SRVCODE**

Survey is AAA, CMHC, SUA, SMHA

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0     1  Area agency on aging
100.0  100.0  33     2  State unit on aging
  0.0    0.0   0     3  Community mental health center
  0.0    0.0   0     4  State mental health agency
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Column: 5

V7	AGENCY

Identification code of responding agency

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	3.0	1	1	Agency code
3.0	3.0	1	4	
3.0	3.0	1	5	
3.0	3.0	1	10	
3.0	3.0	1	13	
3.0	3.0	1	14	
3.0	3.0	1	15	
3.0	3.0	1	17	
3.0	3.0	1	18	
3.0	3.0	1	19	
3.0	3.0	1	20	
3.0	3.0	1	21	
3.0	3.0	1	22	
3.0	3.0	1	23	
3.0	3.0	1	24	
3.0	3.0	1	25	
3.0	3.0	1	26	
3.0	3.0	1	27	
3.0	3.0	1	29	
3.0	3.0	1	33	
3.0	3.0	1	35	
3.0	3.0	1	36	
3.0	3.0	1	39	
3.0	3.0	1	40	
3.0	3.0	1	41	
3.0	3.0	1	42	
3.0	3.0	1	45	
3.0	3.0	1	49	
3.0	3.0	1	50	
3.0	3.0	1	53	
3.0	3.0	1	54	
6.1	6.1	2	56	Agency code
-----	-----	--		
100.0	100.0	33 cases		

Data type: numeric
Columns: 6-7

V8	YRS

Number of years SUA has been in operation.

PCT VALID	PCT ALL	N	VALUE	LABEL
6.1	6.1	2	1	One year
3.0	3.0	1	2	
3.0	3.0	1	3	
12.1	12.1	4	7	
6.1	6.1	2	8	
9.1	9.1	3	9	
12.1	12.1	4	11	
3.0	3.0	1	12	
6.1	6.1	2	13	
9.1	9.1	3	14	
18.2	18.2	6	15	
3.0	3.0	1	21	
6.1	6.1	2	24	
3.0	3.0	1	26	Twenty six years
-----	-----	--		
100.0	100.0	33	cases	

Data type: numeric
Columns: 8-9

```
V9                    BUDGET
```

Total SUA budget for fiscal year 1979.

```
Min    =    400          Mean     =       16,677.273
Max    = 77,000          Std Dev  =       19,725.903
Median =  9,425          Variance = 389,111,250.392
```

(Based on 33 valid cases)

Data type: numeric
Columns: 10-14

```
V10                   MATCH
```

Number of state dollars above required match

```
Min    =      0          Mean     =        3,543.933
Max    = 52,000          Std Dev  =        9,976.147
Median =    544          Variance = 99,523,507.789
```

(Based on 30 valid cases)

Data type: numeric
Missing-data code: 99999
Columns: 15-19

```
V11                   OTFDSRC
```

SUA has allocation authority over federal funds other than OAA
funds.

```
  PCT    PCT   N  VALUE  LABEL
 VALID   ALL
 68.8   66.7  22      1  Yes
 31.2   30.3  10      2  No
         3.0   1      9  N/A
 -----  ----- --
 100.0  100.0 33 cases
```

Data type: numeric
Missing-data code: 9
Column: 20

PERSONNEL INFORMATION

V12   **STFPRO**

Number of professional staff employed at SUA.

```
Min    =   4              Mean     =    42.969
Max    = 401              Std Dev  =    69.952
Median =  20              Variance = 4,893.322
```

(Based on 32 valid cases)

Data type: numeric
Missing-data code: 999
Columns: 21-23

V13   **STFSPT**

Number of support staff employed at SUA.

```
Min    =   1              Mean     =    19.606
Max    = 263              Std Dev  =    45.970
Median =   7              Variance = 2,113.246
```

(Based on 33 valid cases)

Data type: numeric
Columns: 24-26

V14   **GRDGR**

Percentage of SUA's professional staff that holds at least a master's degree.

```
Min    = 2               Mean     = 34.188
Max    = 90              Std Dev  = 19.814
Median = 30              Variance = 392.609
```

(Based on 32 valid cases)

Data type: numeric
Missing-data code: 99
Columns: 27-28

V15   **DRCTSRV**

Percentage of the SUA's professional staff that has at least 1
years experience in direct service provision.

```
Min    = 3                    Mean     = 51.906
Max    = 99                   Std Dev  = 31.368
Median = 47.5                 Variance = 983.959
```

(Based on 32 valid cases)

Data type: numeric
Missing-data code: 999
Columns: 29-31

V16   **MEANEX**

Average years experience in elderly services per professional
SUA staff member.

```
  PCT    PCT   N  VALUE  LABEL
VALID    ALL
  3.1    3.0   1      2  Average years experience in elderly ser
 21.9   21.2   7      3
 18.8   18.2   6      4
 34.4   33.3  11      5
  6.2    6.1   2      6
  6.2    6.1   2      7
  3.1    3.0   1      8
  6.2    6.1   2     10  Average years experience in elderly ser
         3.0   1     99  N/A
-----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 99
Columns: 32-33

V17	MWSHP

Percentage of SUA professional staff who participated in
training seminar(s) and/or workshops in the past year

```
Min    =  5                    Mean     =    60.871
Max    = 99                    Std Dev  =    33.433
Median = 60                    Variance = 1,117.783
```

(Based on 31 valid cases)

Data type: numeric
Missing-data code: 999
Columns: 34-36

SUA'S RELATIONSHIPS WITH OTHER AGENCIES

V18   **CNSTAMH**

Frequency of consultation between SUA and AAA.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 78.8   78.8  26      1  Monthly or less
 15.2   15.2   5      2  Weekly
  6.1    6.1   2      3  Daily
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Column: 37

V19   **FMPRV**

Type of formal provisions exist between SUA and the SMHA for
the coordination of services for elderly.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 50.0   48.5  16      1  Interagency committee
  3.1    3.0   1      2  Letter of cooperation
 34.4   33.3  11      3  No formal provision
 12.5   12.1   4      4  Other
         3.0   1      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 38

V20   **FREQCON**

Frequency of contact between the SUA and SMHA.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  3.0    3.0   1      1  No contact
 45.5   45.5  15      2  Less often
 30.3   30.3  10      3  Monthly
 21.2   21.2   7      4  Weekly
-----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Column: 39

V21   **COORD**

How well coordinated does SUA believe the activities of its
agency and SMHA are in planning mental health service for
elderly.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 51.5   51.5  17      1  Not at all
 45.5   45.5  15      2  Adequate
  3.0    3.0   1      3  Well
-----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Column: 40

V22   **LIAISN**

SUA has staff assigned to serve as a liaison between the SUA
and SMHA.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 78.8   78.8  26      1  Yes
 21.2   21.2   7      2  No
-----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Column: 41

```
V23                    AGSPEC
```

SUA knows if SMHA has an aging specialist.

```
   PCT    PCT   N  VALUE  LABEL
VALID    ALL
 46.7   42.4  14      1  Yes
 53.3   48.5  16      2  No
          9.1   3      9  N/A
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 42

```
V24                    SPRTPS
```

SMHA aging specialist regularly participates in SUA planning
sessions.

```
   PCT    PCT   N  VALUE  LABEL
VALID    ALL
 40.0   24.2   8      1  Yes
 60.0   36.4  12      2  No
         39.4  13      9  N/A
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 43

```
V25                    MHPTAP
```

SUA's perception of the SMHA's participation in state aging
plan.

```
   PCT    PCT   N  VALUE  LABEL
VALID    ALL
 30.3   30.3  10      1  No involvement
 18.2   18.2   6      2  Information provision
 42.4   42.4  14      3  Review and comment
  9.1    9.1   3      4  Joint planning session
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Column: 44

```
V26                    SUATMHP
```

SUA's perception of its participation in state mental health
plan

```
  PCT    PCT   N   VALUE  LABEL
VALID   ALL
 25.8   24.2   8     1   No involvement
 16.1   15.2   5     2   Information provision
 38.7   36.4  12     3   Review and comment
 19.4   18.2   6     4   Joint planning session
         6.1   2     9   N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 45

```
V27                    SUAPTHP
```

SUA's perception of its participation in state health plan.

```
  PCT    PCT   N   VALUE  LABEL
VALID   ALL
  0.0    0.0   0     1   No involvement
  0.0    0.0   0     2   Information provision
  0.0    0.0   0     3   Review and comment
  0.0    0.0   0     4   Joint planning session
       100.0  33     9   N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 46

PRIORITY ISSUES ACCORDING TO SUA

V28   **PRINC**

Rank given to income issues.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
   0.0    0.0   0      1  Highest priority
   0.0    0.0   0      6  Lowest priority
         100.0  33     9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 47

V29   **PRTRNS**

Rank given to transportation issues.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  20.0   18.2   6      1  Highest priority
  23.3   21.2   7      2
  26.7   24.2   8      3
  13.3   12.1   4      4
  13.3   12.1   4      5
   3.3    3.0   1      6  Lowest priority
          9.1   3      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 48

V30   **PRNUT**

Rank given to nutrition issues.

PCT VALID	PCT ALL	N	VALUE	LABEL
13.3	12.1	4	1	Highest priority
10.0	9.1	3	2	
3.3	3.0	1	3	
26.7	24.2	8	4	
30.0	27.3	9	5	
16.7	15.2	5	6	Lowest priority
	9.1	3	9	N/A
-----	-----	--		
100.0	100.0	33 cases		

Data type: numeric
Missing-data code: 9
Column: 49

V31   **PRMH**

Rank given to mental health issues.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	Highest priority
6.7	6.1	2	3	
16.7	15.2	5	4	
20.0	18.2	6	5	
56.7	51.5	17	6	Lowest priority
	9.1	3	9	N/A
-----	-----	--		
100.0	100.0	33 cases		

Data type: numeric
Missing-data code: 9
Column: 50

V32   **PRPH**

Rank of physical health issues.

```
  PCT    PCT    N   VALUE  LABEL
VALID   ALL
 10.0    9.1    3      1   Highest priority
 40.0   36.4   12      2
 26.7   24.2    8      3
  6.7    6.1    2      4
 13.3   12.1    4      5
  3.3    3.0    1      6   Lowest priority
         9.1    3      9   N/A
-----  -----   --
100.0  100.0   33 cases
```

Data type: numeric
Missing-data code: 9
Column: 51

V33   **PRHOUS**

Rank of housing issues.

```
  PCT    PCT    N   VALUE  LABEL
VALID   ALL
  6.7    6.1    2      1   Highest priority
 13.3   12.1    4      2
 30.0   27.3    9      3
 23.3   21.2    7      4
 13.3   12.1    4      5
 13.3   12.1    4      6   Lowest priority
         9.1    3      9   N/A
-----  -----   --
100.0  100.0   33 cases
```

Data type: numeric
Missing-data code: 9
Column: 52

SUA OPINIONS

V34   **CMHCST**

SUA believes there are CMHCs successfully providing mental
health services to elderly in state.

```
   PCT    PCT   N  VALUE  LABEL
VALID   ALL
 90.9  60.6  20      1  Yes
  9.1   6.1   2      2  No
        33.3  11      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 53

V35   **MHPROJ**

Agencies in state have been awarded Title III, OAA funds to
carry out mental health services.

```
   PCT    PCT   N  VALUE  LABEL
VALID   ALL
 40.6  39.4  13      1  Yes
 59.4  57.6  19      2  No
         3.0   1      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 54

```
V36                 INTSUF
```

SUA believes current level and quality of interaction between
the SUA and SMHA is sufficient to coordinate efforts and
effectively deliver mental health services to elderly.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  30.3   30.3  10      1  Yes
  69.7   69.7  23      2  No
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Column: 55

```
V37                 POLAWR
```

SUA believes elderly are politically aware and organized on
issues facing them.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
   3.1    3.0   1      1  Not at all
  18.8   18.2   6      2  Limited
  40.6   39.4  13      3  Moderately
  37.5   36.4  12      4  Greatly
         3.0   1      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 56

V38   **PRGSPT**

SUA believes that age specific programs should continue to be
supported.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  96.7   87.9  29      1  Yes
   3.3    3.0   1      2  No
          9.1   3      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 57

V39   **GVTSPT**

Extent to which elected government officials are responsive to
program demands for elderly services.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  10.0    9.1   3      1  Not at all
  50.0   45.5  15      2  Moderately responsive
  40.0   36.4  12      3  Very responsive
          9.1   3      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 58

FUNDING SOURCES

V40   **FNDDOT**

Funds from U.S. Department of Transportation

```
   PCT    PCT    N   VALUE   LABEL
 VALID   ALL
 100.0    6.1    2       1   Yes
         93.9   31       9   N/A
 -----  -----   --
 100.0  100.0   33 cases
```

Data type: numeric
Missing-data code: 9
Column: 59

V41   **FNDDL**

Funds from U.S. Department of Labor

```
   PCT    PCT    N   VALUE   LABEL
 VALID   ALL
 100.0   18.2    6       2   Yes
         81.8   27       9   N/A
 -----  -----   --
 100.0  100.0   33 cases
```

Data type: numeric
Missing-data code: 9
Column: 60

V42   **FNDSS**

Funds from Social Security Act

```
   PCT    PCT    N   VALUE   LABEL
 VALID   ALL
 100.0   30.3   10       3   Yes
         69.7   23       9   N/A
 -----  -----   --
 100.0  100.0   33 cases
```

Data type: numeric
Missing-data code: 9
Column: 61

V43	FNDSR

Funds are generated from revenue sharing.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
100.0   6.1   2      4  Yes
        93.9  31     9  N/A
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 62

V44	FNDUSDA

Funds from U.S. Department of Agriculture.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
100.0  27.3   9      5  Yes
        72.7  24     9  N/A
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 63

V45	FNDHFA

Funds from Health Care Financing Administration.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
100.0   9.1   3      6  Yes
        90.9  30     9  N/A
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 64

V46	FNDOT

Funds from other sources.

```
   PCT     PCT   N  VALUE  LABEL
 VALID    ALL
 100.0   21.2   7      7  Yes
         78.8  26      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 65

STRATEGIES TO INFLUENCE POLICY DECISIONS

V47   **MECHN**

Elderly use no mechanisms to influence policy decisions.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1  Yes
        100.0  33     9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 66

V48   **MECHPH**

Elderly use public hearings to influence policy decisions.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
100.0   33.3  11      2  Yes
        66.7  22      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 67

V49   **MECHLB**

Elderly use formal lobbies to influence policy decisions.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
100.0   42.4  14      3  Yes
        57.6  19      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 68

V50   **MECHAG**

Elderly use formal advocacy groups to influence policy
decisions.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
100.0   54.5  18      4  Yes
        45.5  15      9  N/A
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 69

V51   **POSINAC**

Factors contributing to efforts to effectively deliver and
coordinate mental health services for elderly are
positive/negative.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 27.3   27.3   9      1  Positive
 72.7   72.7  24      2  Negative
-----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Column: 70

DELIVERY AND COORDINATION OF SERVICES FACTORS

V52   **STFCHARA**

Staff characteristics which influence delivery and
coordination of mental health services to elderly--first
mention.

```
  PCT    PCT   N  VALUE  LABEL
VALID    ALL
 14.3    6.1   2      1  Informal, personal relations familiarit
 21.4    9.1   3      2  Attitudes, awareness, interest
 21.4    9.1   3      3  Knowledge and information
 14.3    6.1   2      4  Stability-turnover
 28.6   12.1   4      5  Time and resources
  0.0    0.0   0      6  Training
        57.6  19      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 71

V53   **STFCHARB**

Staff characteristics which influence delivery and
coordination of mental health services to elderly--second
mention.

```
  PCT    PCT   N  VALUE  LABEL
VALID    ALL
  0.0    0.0   0      1  Informal, personal relations familiarit
 50.0    6.1   2      2  Attitudes, awareness, interest
  0.0    0.0   0      3  Knowledge and information
  0.0    0.0   0      4  Stability-turnover
 25.0    3.0   1      5  Time and resources
 25.0    3.0   1      6  Training
        87.9  29      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 72

V54   **STFCHARC**

Staff characteristics which influence delivery and
coordination of mental health services to elderly--third
mention.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1  Informal, personal relations familiarit
  0.0    0.0   0      2  Attitudes, awareness, interest
  0.0    0.0   0      3  Knowledge and information
  0.0    0.0   0      4  Stability-turnover
  0.0    0.0   0      5  Time and resources
  0.0    0.0   0      6  Training
       100.0  33      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 73

V55   **ECOFACA**

Economic factors which influence delivery and coordination of
mental health services to elderly--first mention.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1  Funding sources differ
100.0   12.1   4      2  Lack of resources-mismanagement
  0.0    0.0   0      3  Contract for services
  0.0    0.0   0      4  OAA does not fund MH services
        87.9  29      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 74

V56   **ECOFACB**

Economic factors which influence delivery and coordination of
mental health services to elderly--second mention.

```
   PCT    PCT   N   VALUE  LABEL
 VALID   ALL
   0.0    0.0   0      1   Funding sources differ
   0.0    0.0   0      2   Lack of resources-mismanagement
   0.0    0.0   0      3   Contract for services
   0.0    0.0   0      4   OAA does not fund MH services
          100.0 33     9   N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 75

V57   **ECOFACC**

Economic factors which influence delivery and coordination of
mental health services to elderly--third mention.

```
   PCT    PCT   N   VALUE  LABEL
 VALID   ALL
   0.0    0.0   0      1   Funding sources differ
   0.0    0.0   0      2   Lack of resources-mismanagement
   0.0    0.0   0      3   Contract for services
   0.0    0.0   0      4   OAA does not fund MH services
          100.0 33     9   N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 76

V58   **POLFACA**

Policy factors which influence delivery and coordination of
mental health services to elderly--first mention.

```
  PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  0.0    0.0   0     1   Medical Model vs. Social Service Model
 36.4   12.1   4     2   Higher level decisions
  0.0    0.0   0     3   Confidentiality
  0.0    0.0   0     4   MH lack of outreach
 36.4   12.1   4     5   Either MH or elderly not priority
 27.3    9.1   3     6   Good intentions-anticipated
        66.7  22     9   N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 77

V59   **POLFACB**

Policy factors which influence delivery and coordination of
mental health services to elderly--second mention.

```
  PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  0.0    0.0   0     1   Medical Model vs. Social Service Model
  0.0    0.0   0     2   Higher level decisions
  0.0    0.0   0     3   Confidentiality
  0.0    0.0   0     4   MH lack of outreach
100.0    3.0   1     5   Either MH or elderly not priority
  0.0    0.0   0     6   Good intentions-anticipated
        97.0  32     9   N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 78

V60   **POLFACC**

Policy factors which influence delivery and coordination of
mental health services to elderly--third mention.

```
   PCT    PCT   N  VALUE  LABEL
 VALID    ALL
   0.0    0.0   0      1  Medical Model vs. Social Service Model
   0.0    0.0   0      2  Higher level decisions
   0.0    0.0   0      3  Confidentiality
   0.0    0.0   0      4  MH lack of outreach
   0.0    0.0   0      5  Either MH or elderly not priority
   0.0    0.0   0      6  Good intentions-anticipated
        100.0  33      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 79

V61   **SYSFACA**

System factors which influence delivery and coordination of
mental health services to elderly--first mention.

```
   PCT    PCT   N  VALUE  LABEL
 VALID    ALL
  45.5   15.2   5      1  Communications (contact) no routine
   9.1    3.0   1      2  Organization Competition
  18.2    6.1   2      3  Formal linkages
   9.1    3.0   1      4  Newness of agency-reorganization
  18.2    6.1   2      5  Proximity, co-location
   0.0    0.0   0      6  Other (agency closed CMHC)
         66.7  22      9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 80

```
V62                    SYSFACB
```

System factors which influence delivery and coordination of
mental health services to elderly--second mention.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
   0.0    0.0   0      1  Communications (contact) no routine
   0.0    0.0   0      2  Organization Competition
 100.0    9.1   3      3  Formal linkages
   0.0    0.0   0      4  Newness of agency-reorganization
   0.0    0.0   0      5  Proximity, co-location
   0.0    0.0   0      6  Other (agency closed CMHC)
         90.9  30      9  N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 81

```
V63                    SYSFACC
```

System factors which influence delivery and coordination of
mental health services to elderly--third mention.

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
   0.0    0.0   0      1  Communications (contact) no routine
   0.0    0.0   0      2  Organization Competition
   0.0    0.0   0      3  Formal linkages
   0.0    0.0   0      4  Newness of agency-reorganization
   0.0    0.0   0      5  Proximity, co-location
   0.0    0.0   0      6  Other (agency closed CMHC)
        100.0  33      9  N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 82

```
 V64                    SOCISSA
```

Social issues which influence coordination and delivery of
mental health services for elderly--first mention.

```
   PCT    PCT    N   VALUE  LABEL
 VALID   ALL
 100.0   3.0    1      1   Stigma of mental illness
   0.0   0.0    0      2   Stigma of elderly
   0.0   0.0    0      3   Elderly powerless and unorganized
   0.0   0.0    0      4   Other (community disinterest in ME prog
         97.0  32      9   N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 83

```
 V65                    SOCISSB
```

Social issues which influence coordination and delivery of
mental health services for elderly--second

```
   PCT    PCT    N   VALUE  LABEL
 VALID   ALL
   0.0   0.0    0      1   Stigma of mental illness
   0.0   0.0    0      2   Stigma of elderly
   0.0   0.0    0      3   Elderly powerless and unorganized
   0.0   0.0    0      4   Other (community disinterest in ME prog
         100.0 33      9   N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 84

V66	SOCISSC

Social issues which influence coordination and delivery of
mental health services for elderly--third mention.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1  Stigma of mental illness
  0.0    0.0   0      2  Stigma of elderly
  0.0    0.0   0      3  Elderly powerless and unorganized
  0.0    0.0   0      4  Other (community disinterest in ME prog
        100.0  33     9  N/A
 -----  -----  --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 85

SUA AND SMHA PERCEPTIONS

V67   **Q1105**

SUA and SMHA have formal provisions for coordination of
services to elderly with SMHA.

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 13.3   6.1   2      1   Incongruent by 2
 26.7  12.1   4      2   Incongruent by 1
 33.3  15.2   5      3   Both answered no formal provision
  6.7   3.0   1      4   Both answered letter of cooperation
 20.0   9.1   3      5   Both answered interagency agreement
        54.5  18      9   N/A
 -----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 86

V68   **Q1206**

SUA and SMHA-how often contact occurs between SUA and SMHA

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1   Incongruent by 3
 20.0   12.1   4      2   Incongruent by 2
 20.0   12.1   4      3   Incongruent by 1
  0.0    0.0   0      4   Both answered no contact
 15.0    9.1   3      5   Both answered less often
 20.0   12.1   4      6   Both answered monthly
 25.0   15.2   5      7   Both answered weekly
        39.4  13      9   N/A
 -----  -----  --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 87

```
┌──────────────────────────────────────────────────────────────────┐
│ V69                    Q1307                                       │
└──────────────────────────────────────────────────────────────────┘
```

SUA and SMHA-how well coordinated are activities between the
SUA and SMHA.

```
  PCT     PCT   N  VALUE  LABEL
VALID    ALL
  0.0    0.0   0      1  Incongruent by 2
 31.2   15.2   5      2  Incongruent by 1
 25.0   12.1   4      3  Both answered not at all
 37.5   18.2   6      4  Both answered adequately
  6.2    3.0   1      5  Both answered well
        51.5  17      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 88

```
┌──────────────────────────────────────────────────────────────────┐
│ V70                    Q1712                                       │
└──────────────────────────────────────────────────────────────────┘
```

SUA and SMHA characterize the involvement of the SMHA in aging
plan

```
  PCT     PCT   N  VALUE  LABEL
VALID    ALL
  0.0    0.0   0      1  Incongruent by 3
 10.5    6.1   2      2  Incongruent by 2
 42.1   24.2   8      3  Incongruent by 1
 15.8    9.1   3      4  Both answered no involvement
  0.0    0.0   0      5  Both answered information
 31.6   18.2   6      6  Both answered review and comment
  0.0    0.0   0      7  Both answered joint planning sessions
        42.4  14      9  N/A
 -----  ----- --
100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 89

V71   **Q1811**

SUA and SMHA characterize involvement in state mental health plan

```
  PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  0.0    0.0   0     1   Incongruent by 3
 31.6   18.2   6     2   Incongruent by 2
 47.4   27.3   9     3   Incongruent by 1
  5.3    3.0   1     4   Both answered no involvement
  0.0    0.0   0     5   Both answered information
  5.3    3.0   1     6   Both answered review and comment
 10.5    6.1   2     7   Both answered joint planning sessions
        42.4  14     9   N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 90

V72   **Q2313**

SUA and SMHA-belief current level and quality of interaction is sufficient to coordinate efforts and effectively deliver mental health services to elderly.

```
  PCT    PCT   N  VALUE  LABEL
 VALID   ALL
 33.3   18.2   6     1   Yes/no
 38.9   21.2   7     2   No/no
 27.8   15.2   5     3   Yes/yes
        45.5  15     9   N/A
 -----  ----- --
 100.0  100.0  33 cases
```

Data type: numeric
Missing-data code: 9
Column: 91

V73   **Q2423**

SUA and SMHA-extent to which they believe elderly are
politically aware and organized on issues affecting them.

```
   PCT    PCT   N  VALUE  LABEL
  VALID   ALL
   0.0    0.0   0     1   Incongruent by 3
  11.1    6.1   2     2   Incongruent by 2
  66.7   36.4  12     3   Incongruent by 1
   5.6    3.0   1     4   Both answered not at all
   0.0    0.0   0     5   Both answered limited
  16.7    9.1   3     6   Both answered moderate
   0.0    0.0   0     7   Both answered great
         45.5  15     9   N/A
  -----  ----- --
  100.0  100.0 33 cases
```

Data type: numeric
Missing-data code: 9
Column: 92

V74   **Q2524**

SUA and SMHA believe health and social service programs for
age specific group should continue to be supported.

```
   PCT    PCT   N  VALUE  LABEL
  VALID   ALL
  13.3    6.1   2     1   Yes/no
   0.0    0.0   0     2   No/no
  86.7   39.4  13     3   Yes/yes
         54.5  18     9   N/A
  -----  ----- --
  100.0  100.0 33 cases
```

Data type: numeric
Missing-data code: 9
Column: 93

V75	Q2726

SUA and SMHA believe government officials have been responsive
to demands for program support for elderly services

```
   PCT    PCT    N   VALUE   LABEL
  VALID   ALL
   0.0    0.0    0      1    Incongruent by 2
  56.2   27.3    9      2    Incongruent by 1
   6.2    3.0    1      3    Both answered not at all
  25.0   12.1    4      4    Both answered moderately
  12.5    6.1    2      5    Both answered very
         51.5   17      9    N/A
  -----  -----   --
  100.0  100.0   33 cases
```

Data type: numeric
Missing-data code: 9
Column: 94