

Treatment Episode Data Set -- Admissions (TEDS-A), 1993

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1993

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1993. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 1993 that were received and processed through May 11, 2004.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels AKSTATE "ALASKA STATE INDICATOR".

value labels AKSTATE 1 "ALASKA" 2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 47 states plus Puerto Rico. The following states did not report usable data for the year 1993: Arizona, Kentucky, and Mississippi. The District of Columbia did not report usable data in 1993 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1993 are as follows:

Filename: da02185-0001.txt

Number of observations: 1,610,005

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 1993

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 1993

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	14
EMPLOY	EMPLOYMENT STATUS	15
DETNLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	16
LIVARAG	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	19
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	36
DIVISION	CENSUS DIVISION	37

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SERVSETA	SERVICE SETTING AT ADMISSION	38
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	39
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	40

REFERRAL SOURCES

REFERRAL SOURCES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	40
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	42

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	43
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
FREQ1	FREQUENCY OF USE (PRIMARY)	45
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	46
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
FREQ2	FREQUENCY OF USE (SECONDARY)	48
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	49
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
FREQ3	FREQUENCY OF USE (TERTIARY)	51
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	52

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	53
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	53
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	53
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	54
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
PCPFLG	PCP REPORTED AT ADM.	54
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	55
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	55
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	55
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
BARBFLG	BARBITURATES REPORTED AT ADM.	56
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
OTHERFLG	OTHER DRUG REPORTED AT ADM.	57
ALCDRUG	SUBSTANCE ABUSE TYPE	57

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	58
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
HLTHINS	HEALTH INSURANCE	59
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

CASEID CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)
 Variable Type: numeric
 Based upon 1610005 valid cases out of 1610005 total cases.

YEAR YEAR OF ADMISSION

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1993	-	1610005	100.0 %	100.0%

Based upon 1610005 valid cases out of 1610005 total cases.

AGE AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	21653	1.3 %	1.3%
3	15-17	73618	4.6 %	4.6%
4	18-20	70256	4.4 %	4.4%
5	21-24	162050	10.1 %	10.1%
6	25-29	287181	17.8 %	17.8%
7	30-34	344179	21.4 %	21.4%
8	35-39	277652	17.2 %	17.2%
9	40-44	175396	10.9 %	10.9%
10	45-49	91590	5.7 %	5.7%
11	50-54	50853	3.2 %	3.2%
12	55 AND OVER	55577	3.5 %	3.5%

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	5504	0.3 %	0.3%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	34821	2.2 %	2.2%
3	ASIAN OR PACIFIC ISLANDER	9858	0.6 %	0.6%
4	BLACK OR AFRICAN AMERICAN	433846	26.9 %	27.3%
5	WHITE	966114	60.0 %	60.9%
20	OTHER SINGLE RACE	137179	8.5 %	8.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	22683	1.4 %	-

Based upon 1587322 valid cases out of 1610005 total cases.

ETHNIC	ETHNICITY (HISPANIC ORIGIN)
---------------	------------------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	8 YEARS OR LESS	154922	9.6 %	9.8%
2	9-11	483684	30.0 %	30.7%
3	12	632118	39.3 %	40.1%
4	13-15	237892	14.8 %	15.1%
5	16 OR MORE	66962	4.2 %	4.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	34427	2.1 %	-

Based upon 1575578 valid cases out of 1610005 total cases.

EMPLOY

EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	385360	23.9 %	25.5%
2	PART TIME	102427	6.4 %	6.8%
3	UNEMPLOYED	418358	26.0 %	27.7%
4	NOT IN LABOR FORCE	603753	37.5 %	40.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	100107	6.2 %	-

Based upon 1509898 valid cases out of 1610005 total cases.

DET NFL **DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	24865	1.5 %	9.5%
2	STUDENT	50598	3.1 %	19.4%
3	RETIRED, DISABLED	57912	3.6 %	22.2%
5	INMATE OF INSTITUTION	14925	0.9 %	5.7%
6	OTHER	112216	7.0 %	43.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1349489	83.8 %	-

Based upon 260516 valid cases out of 1610005 total cases.

PREG **PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client was pregnant at the time of admission.

 Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17430	1.1 %	4.9%
2	NO	337328	21.0 %	95.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1255247	78.0 %	-

Based upon 354758 valid cases out of 1610005 total cases.

VET **VETERAN STATUS**

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	99404	6.2 %	11.9%
2	NO	738156	45.8 %	88.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	772445	48.0 %	-

Based upon 837560 valid cases out of 1610005 total cases.

LIVARAG LIVING ARRANGEMENT

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	166230	10.3 %	15.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DEPENDENT LIVING	218661	13.6 %	20.4%
3	INDEPENDENT LIVING	685462	42.6 %	64.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	539652	33.5 %	-

Based upon 1070353 valid cases out of 1610005 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	239123	14.9 %	37.9%
2	PUBLIC ASSISTANCE	141377	8.8 %	22.4%
3	RETIREMENT/PENSION, DISABILITY	31921	2.0 %	5.1%
20	OTHER	107375	6.7 %	17.0%
21	NONE	110732	6.9 %	17.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	979477	60.8 %	-

Based upon 630528 valid cases out of 1610005 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	13831	0.9 %	0.9%
2	ALASKA	7544	0.5 %	0.5%
5	ARKANSAS	7443	0.5 %	0.5%
6	CALIFORNIA	166172	10.3 %	10.3%
8	COLORADO	62988	3.9 %	3.9%
9	CONNECTICUT	45896	2.9 %	2.9%
10	DELAWARE	4494	0.3 %	0.3%
12	FLORIDA	84734	5.3 %	5.3%
13	GEORGIA	29687	1.8 %	1.8%
15	HAWAII	3823	0.2 %	0.2%
16	IDAHO	4611	0.3 %	0.3%
17	ILLINOIS	42251	2.6 %	2.6%
18	INDIANA	19203	1.2 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	IOWA	13740	0.9 %	0.9%
20	KANSAS	23289	1.4 %	1.4%
22	LOUISIANA	21762	1.4 %	1.4%
23	MAINE	9357	0.6 %	0.6%
24	MARYLAND	58592	3.6 %	3.6%
25	MASSACHUSETTS	62381	3.9 %	3.9%
26	MICHIGAN	73735	4.6 %	4.6%
27	MINNESOTA	30782	1.9 %	1.9%
29	MISSOURI	25524	1.6 %	1.6%
30	MONTANA	6919	0.4 %	0.4%
31	NEBRASKA	18270	1.1 %	1.1%
32	NEVADA	5930	0.4 %	0.4%
33	NEW HAMPSHIRE	2589	0.2 %	0.2%
34	NEW JERSEY	64377	4.0 %	4.0%
35	NEW MEXICO	7992	0.5 %	0.5%
36	NEW YORK	228024	14.2 %	14.2%
37	NORTH CAROLINA	41524	2.6 %	2.6%
38	NORTH DAKOTA	2232	0.1 %	0.1%
39	OHIO	67375	4.2 %	4.2%
40	OKLAHOMA	17494	1.1 %	1.1%
41	OREGON	39245	2.4 %	2.4%
42	PENNSYLVANIA	52282	3.2 %	3.2%
44	RHODE ISLAND	9469	0.6 %	0.6%
45	SOUTH CAROLINA	32924	2.0 %	2.0%
46	SOUTH DAKOTA	9477	0.6 %	0.6%
47	TENNESSEE	13255	0.8 %	0.8%
48	TEXAS	53322	3.3 %	3.3%
49	UTAH	14413	0.9 %	0.9%
50	VERMONT	5242	0.3 %	0.3%
51	VIRGINIA	34421	2.1 %	2.1%
53	WASHINGTON	43172	2.7 %	2.7%
54	WEST VIRGINIA	4821	0.3 %	0.3%
55	WISCONSIN	13491	0.8 %	0.8%
56	WYOMING	3039	0.2 %	0.2%
72	PUERTO RICO	6867	0.4 %	0.4%

Based upon 1610005 valid cases out of 1610005 total cases.

CBSA

FIPS 2000 CBSA CODE

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	930	0.1 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	373	0.0 %	0.0%
10420	AKRON, OH METRO	6472	0.4 %	0.5%
10500	ALBANY, GA METRO	714	0.0 %	0.1%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	14055	0.9 %	1.1%
10740	ALBUQUERQUE, NM METRO	2014	0.1 %	0.2%
10780	ALEXANDRIA, LA METRO	3284	0.2 %	0.2%
10880	ALLEGAN, MI MICRO	602	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3277	0.2 %	0.2%
11020	ALTOONA, PA METRO	560	0.0 %	0.0%
11100	AMARILLO, TX METRO	1188	0.1 %	0.1%
11260	ANCHORAGE, AK METRO	2880	0.2 %	0.2%
11300	ANDERSON, IN METRO	108	0.0 %	0.0%
11340	ANDERSON, SC METRO	1460	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	2064	0.1 %	0.2%
11500	ANNISTON-OXFORD, AL METRO	418	0.0 %	0.0%
11540	APPLETON, WI METRO	277	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	2955	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	654	0.0 %	0.0%
12020	ATHENS-CLARKE COUNTY, GA METRO	1084	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	11703	0.7 %	0.9%
12100	ATLANTIC CITY, NJ METRO	2128	0.1 %	0.2%
12220	AUBURN-OPELIKA, AL METRO	355	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	2915	0.2 %	0.2%
12420	AUSTIN-ROUND ROCK, TX METRO	5643	0.4 %	0.4%
12540	BAKERSFIELD, CA METRO	2995	0.2 %	0.2%
12580	BALTIMORE-TOWSON, MD METRO	33334	2.1 %	2.5%
12700	BARNSTABLE TOWN, MA METRO	3063	0.2 %	0.2%
12940	BATON ROUGE, LA METRO	3730	0.2 %	0.3%
12980	BATTLE CREEK, MI METRO	938	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13020	BAY CITY, MI METRO	876	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1279	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	1306	0.1 %	0.1%
13740	BILLINGS, MT METRO	855	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3126	0.2 %	0.2%
13820	BIRMINGHAM-HOOVER, AL METRO	4071	0.3 %	0.3%
14020	BLOOMINGTON, IN METRO	1160	0.1 %	0.1%
14060	BLOOMINGTON-NORMAL, IL METRO	819	0.1 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	1379	0.1 %	0.1%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	34091	2.1 %	2.6%
14500	BOULDER, CO METRO	3273	0.2 %	0.2%
14740	BREMERTON-SILVERDALE, WA METRO	2385	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	10450	0.6 %	0.8%
15180	BROWNSVILLE-HARLINGEN, TX METRO	815	0.1 %	0.1%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	17574	1.1 %	1.3%
15500	BURLINGTON, NC METRO	627	0.0 %	0.0%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	1955	0.1 %	0.1%
15940	CANTON-MASSILLON, OH METRO	3368	0.2 %	0.3%
15980	CAPE CORAL-FORT MYERS, FL METRO	3049	0.2 %	0.2%
16300	CEDAR RAPIDS, IA METRO	1301	0.1 %	0.1%
16580	CHAMPAIGN-URBANA, IL METRO	900	0.1 %	0.1%
16620	CHARLESTON, WV METRO	841	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	5193	0.3 %	0.4%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	7300	0.5 %	0.6%
16820	CHARLOTTESVILLE, VA METRO	414	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1296	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	25788	1.6 %	1.9%
17020	CHICO, CA METRO	775	0.0 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	6746	0.4 %	0.5%
17300	CLARKSVILLE, TN-KY METRO	177	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	11458	0.7 %	0.9%
17780	COLLEGE STATION-BRYAN, TX METRO	327	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	4966	0.3 %	0.4%
17860	COLUMBIA, MO METRO	631	0.0 %	0.0%
17900	COLUMBIA, SC METRO	3982	0.2 %	0.3%
17980	COLUMBUS, GA-AL METRO	1028	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18140	COLUMBUS, OH METRO	8612	0.5 %	0.6%
18580	CORPUS CHRISTI, TX METRO	1260	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	1015	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	8751	0.5 %	0.7%
19260	DANVILLE, VA METRO	562	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	229	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3146	0.2 %	0.2%
19380	DAYTON, OH METRO	4172	0.3 %	0.3%
19460	DECATUR, AL METRO	415	0.0 %	0.0%
19500	DECATUR, IL METRO	387	0.0 %	0.0%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	2554	0.2 %	0.2%
19740	DENVER-AURORA, CO METRO	40386	2.5 %	3.0%
19780	DES MOINES, IA METRO	1228	0.1 %	0.1%
19820	DETROIT-WARREN-LIVONIA, MI METRO	27212	1.7 %	2.1%
20020	DOTHAN, AL METRO	535	0.0 %	0.0%
20100	DOVER, DE METRO	388	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1694	0.1 %	0.1%
20500	DURHAM, NC METRO	2314	0.1 %	0.2%
20620	EAST LIVERPOOL-SALEM, OH MICRO	717	0.0 %	0.1%
20740	EAU CLAIRE, WI METRO	774	0.0 %	0.1%
21140	ELKHART-GOSHEN, IN METRO	419	0.0 %	0.0%
21340	EL PASO, TX METRO	2688	0.2 %	0.2%
21500	ERIE, PA METRO	1640	0.1 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	4605	0.3 %	0.3%
21780	EVANSVILLE, IN-KY METRO	2254	0.1 %	0.2%
22020	FARGO, ND-MN METRO	412	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1796	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	1026	0.1 %	0.1%
22420	FLINT, MI METRO	3859	0.2 %	0.3%
22460	FLORENCE, AL METRO	468	0.0 %	0.0%
22500	FLORENCE, SC METRO	1720	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	421	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	381	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	1814	0.1 %	0.1%
23060	FORT WAYNE, IN METRO	1830	0.1 %	0.1%
23420	FRESNO, CA METRO	7633	0.5 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23460	GADSDEN, AL METRO	857	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1525	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	1239	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	734	0.0 %	0.1%
24300	GRAND JUNCTION, CO METRO	1339	0.1 %	0.1%
24340	GRAND RAPIDS-WYOMING, MI METRO	6990	0.4 %	0.5%
24540	GREELEY, CO METRO	3001	0.2 %	0.2%
24580	GREEN BAY, WI METRO	37	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	1981	0.1 %	0.1%
24780	GREENVILLE, NC METRO	2362	0.1 %	0.2%
24860	GREENVILLE, SC METRO	4133	0.3 %	0.3%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1780	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	2167	0.1 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	19607	1.2 %	1.5%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1755	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1219	0.1 %	0.1%
26180	HONOLULU, HI METRO	2990	0.2 %	0.2%
26380	HOUMA-BAYOU CANE-THIBODAU, LA METRO	1616	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	15235	0.9 %	1.1%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	934	0.1 %	0.1%
26620	HUNTSVILLE, AL METRO	728	0.0 %	0.1%
26900	INDIANAPOLIS, IN METRO	5121	0.3 %	0.4%
26980	IOWA CITY, IA METRO	1084	0.1 %	0.1%
27100	JACKSON, MI METRO	767	0.0 %	0.1%
27180	JACKSON, TN METRO	1355	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	4415	0.3 %	0.3%
27340	JACKSONVILLE, NC METRO	666	0.0 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1108	0.1 %	0.1%
27500	JANESVILLE, WI METRO	7	0.0 %	0.0%
27740	JOHNSON, CITYTN METRO	976	0.1 %	0.1%
27780	JOHNSTOWN, PA METRO	568	0.0 %	0.0%
27900	JOPLIN, MO METRO	1037	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	4176	0.3 %	0.3%
28100	KANKAKEE-BRADLEY, IL METRO	478	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	8247	0.5 %	0.6%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	993	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	1305	0.1 %	0.1%
28700	KINGSPORT-BRISTOL, TN-VA METRO	1096	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28940	KNOXVILLE, TN METRO	2206	0.1 %	0.2%
29100	LA CROSSE, WI-MN METRO	271	0.0 %	0.0%
29140	LAFAYETTE, IN METRO	566	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	381	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	1466	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	1614	0.1 %	0.1%
29540	LANCASTER, PA METRO	1830	0.1 %	0.1%
29620	LANSING-EAST LANSING, MI METRO	3294	0.2 %	0.2%
29700	LAREDO, TX METRO	304	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	397	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	3170	0.2 %	0.2%
30020	LAWTON, OK METRO	972	0.1 %	0.1%
30140	LEBANON, PA METRO	171	0.0 %	0.0%
30540	LEXINGTON-THOMASVILLE, NC MICRO	661	0.0 %	0.0%
30620	LIMA, OH METRO	676	0.0 %	0.1%
30700	LINCOLN, NE METRO	7786	0.5 %	0.6%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	1648	0.1 %	0.1%
30980	LONGVIEW, TX METRO	546	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	54818	3.4 %	4.1%
31140	LOUISVILLE, KY-IN METRO	1227	0.1 %	0.1%
31180	LUBBOCK, TX METRO	1038	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	1218	0.1 %	0.1%
31420	MACON, GA METRO	1077	0.1 %	0.1%
31460	MADERA, CA METRO	597	0.0 %	0.0%
31540	MADISON, WI METRO	29	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	759	0.0 %	0.1%
31900	MANSFIELD, OH METRO	721	0.0 %	0.1%
32420	MAYAGUEZ, PR METRO	590	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	664	0.0 %	0.1%
32780	MEDFORD, OR METRO	2733	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2058	0.1 %	0.2%
32900	MERCED, CA METRO	873	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	29203	1.8 %	2.2%
33260	MIDLAND, TX METRO	266	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	890	0.1 %	0.1%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	19437	1.2 %	1.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33660	MOBILE, AL METRO	932	0.1 %	0.1%
33700	MODESTO, CA METRO	1492	0.1 %	0.1%
33740	MONROE, LA METRO	977	0.1 %	0.1%
33780	MONROE, MI METRO	843	0.1 %	0.1%
33860	MONTGOMERY, AL METRO	2087	0.1 %	0.2%
34620	MUNCIE, IN METRO	904	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	2362	0.1 %	0.2%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	825	0.1 %	0.1%
34900	NAPA, CA METRO	597	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	1769	0.1 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2388	0.1 %	0.2%
35300	NEW HAVEN-MILFORD, CT METRO	6781	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	4970	0.3 %	0.4%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	177637	11.0 %	13.4%
35660	NILES-BENTON HARBOR, MI METRO	1406	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	5395	0.3 %	0.4%
36100	OCALA, FL METRO	2553	0.2 %	0.2%
36140	OCEAN CITY, NJ METRO	1052	0.1 %	0.1%
36220	ODESSA, TX METRO	785	0.0 %	0.1%
36260	OGDEN-CLEARFIELD, UT METRO	2416	0.2 %	0.2%
36420	OKLAHOMA CITY, OK METRO	6371	0.4 %	0.5%
36500	OLYMPIA, WA METRO	848	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	6033	0.4 %	0.5%
36740	ORLANDO, FL METRO	8570	0.5 %	0.6%
36780	OSHKOSH-NEENAH, WI METRO	493	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3306	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	1069	0.1 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	638	0.0 %	0.0%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	625	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	2075	0.1 %	0.2%
37900	PEORIA, IL METRO	1395	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	33322	2.1 %	2.5%
38300	PITTSBURGH, PA METRO	8035	0.5 %	0.6%
38660	PONCE, PR METRO	787	0.0 %	0.1%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	1984	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	17971	1.1 %	1.4%
38940	PORT ST. LUCIE, FL METRO	2116	0.1 %	0.2%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	9979	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	14412	0.9 %	1.1%
39340	PROVO-OREM, UT METRO	691	0.0 %	0.1%
39380	PUEBLO, CO METRO	5035	0.3 %	0.4%
39460	PUNTA GORDA, FL METRO	395	0.0 %	0.0%
39540	RACINE, WI METRO	533	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	2930	0.2 %	0.2%
39740	READING, PA METRO	2071	0.1 %	0.2%
39820	REDDING, CA METRO	797	0.0 %	0.1%
39900	RENO-SPARKS, NV METRO	1305	0.1 %	0.1%
40060	RICHMOND, VA METRO	2937	0.2 %	0.2%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	14006	0.9 %	1.1%
40220	ROANOKE, VA METRO	1762	0.1 %	0.1%
40340	ROCHESTER, MN METRO	758	0.0 %	0.1%
40380	ROCHESTER, NY METRO	10626	0.7 %	0.8%
40420	ROCKFORD, IL METRO	964	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	1021	0.1 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	8952	0.6 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1806	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	895	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	1043	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	9021	0.6 %	0.7%
41420	SALEM, OR METRO	3240	0.2 %	0.2%
41500	SALINAS, CA METRO	1355	0.1 %	0.1%
41580	SALISBURY, NC MICRO	4	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	9665	0.6 %	0.7%
41660	SAN ANGELO, TX METRO	484	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	3327	0.2 %	0.3%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	13250	0.8 %	1.0%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	28506	1.8 %	2.1%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	5589	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	4803	0.3 %	0.4%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	640	0.0 %	0.0%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2905	0.2 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1781	0.1 %	0.1%
42140	SANTA FE, NM METRO	497	0.0 %	0.0%
42220	SANTA ROSA, CA METRO	3704	0.2 %	0.3%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	2117	0.1 %	0.2%
42340	SAVANNAH, GA METRO	2110	0.1 %	0.2%
42540	SCRANTON--WILKES-BARRE-, PA METRO	2296	0.1 %	0.2%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	21136	1.3 %	1.6%
43100	SHEBOYGAN, WI METRO	367	0.0 %	0.0%
43300	SHERMAN-DENISON, TX METRO	154	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1577	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1222	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	2251	0.1 %	0.2%
43780	SOUTH BEND-MISHAWAKA, IN-MI METRO	1232	0.1 %	0.1%
43900	SPARTANBURG, SC METRO	2046	0.1 %	0.2%
44060	SPOKANE, WA METRO	4437	0.3 %	0.3%
44100	SPRINGFIELD, IL METRO	981	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	7413	0.5 %	0.6%
44180	SPRINGFIELD, MO METRO	2101	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	1676	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	390	0.0 %	0.0%
44700	STOCKTON, CA METRO	1750	0.1 %	0.1%
44940	SUMTER, SC METRO	1112	0.1 %	0.1%
45060	SYRACUSE, NY METRO	11044	0.7 %	0.8%
45220	TALLAHASSEE, FL METRO	1250	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	13207	0.8 %	1.0%
45460	TERRE HAUTE, IN METRO	22	0.0 %	0.0%
45500	TEXARKANA TX-TEXARKANA, AR METRO	215	0.0 %	0.0%
45780	TOLEDO, OH METRO	4294	0.3 %	0.3%
45820	TOPEKA, KS METRO	3148	0.2 %	0.2%
45940	TRENTON-EWING, NJ METRO	2092	0.1 %	0.2%
46140	TULSA, OK METRO	3337	0.2 %	0.3%
46220	TUSCALOOSA, AL METRO	562	0.0 %	0.0%
46340	TYLER, TX METRO	430	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	3171	0.2 %	0.2%
46700	VALLEJO-FAIRFIELD, CA METRO	1026	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	1605	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	10795	0.7 %	0.8%
47300	VISALIA-PORTERVILLE, CA METRO	1676	0.1 %	0.1%
47360	WACO, TX METRO	919	0.1 %	0.1%
47580	WARNER ROBINS, GA METRO	20	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	25063	1.6 %	1.9%
47940	WATERLOO-CEDAR FALLS, IA METRO	714	0.0 %	0.1%
48140	WAUSAU, WI METRO	7	0.0 %	0.0%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	417	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	822	0.1 %	0.1%
48620	WICHITA, KS METRO	7711	0.5 %	0.6%
48660	WICHITA FALLS, TX METRO	546	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	423	0.0 %	0.0%
48900	WILMINGTON, NC METRO	551	0.0 %	0.0%
49180	WINSTON-SALEM, NC METRO	2831	0.2 %	0.2%
49340	WORCESTER, MA METRO	9214	0.6 %	0.7%
49420	YAKIMA, WA METRO	3547	0.2 %	0.3%
49620	YORK-HANOVER, PA METRO	969	0.1 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	4643	0.3 %	0.3%
49700	YUBA CITY-MARYSVILLE, CA METRO	165	0.0 %	0.0%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	282847	17.6 %	-

Based upon 1327158 valid cases out of 1610005 total cases.

PMSA

FIPS 1990 MSA CODE

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	930	0.1 %	0.1%
60	AGUADILLA, PR MSA	373	0.0 %	0.0%
80	AKRON, OH PMSA	6472	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
120	ALBANY, GA MSA	714	0.0 %	0.1%
160	ALBANY-SCHENECTADY-TROY, NY MSA	14055	0.9 %	1.1%
200	ALBUQUERQUE, NM MSA	2014	0.1 %	0.2%
220	ALEXANDRIA, LA MSA	3284	0.2 %	0.2%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2416	0.2 %	0.2%
280	ALTOONA, PA MSA	560	0.0 %	0.0%
320	AMARILLO, TX MSA	1188	0.1 %	0.1%
380	ANCHORAGE, AK MSA	2880	0.2 %	0.2%
440	ANN ARBOR, MI PMSA	2726	0.2 %	0.2%
450	ANNISTON, AL MSA	418	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	770	0.0 %	0.1%
470	ARECIBO, PR PMSA	1240	0.1 %	0.1%
480	ASHEVILLE, NC MSA	2955	0.2 %	0.2%
500	ATHENS, GA MSA	1084	0.1 %	0.1%
520	ATLANTA, GA MSA	11703	0.7 %	0.9%
560	ATLANTIC-CAPE MAY, NJ PMSA	3180	0.2 %	0.2%
580	AUBURN-OPELIKA, AL MSA	355	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	2915	0.2 %	0.2%
640	AUSTIN-SAN MARCOS, TX MSA	5643	0.4 %	0.4%
680	BAKERSFIELD, CA MSA	2995	0.2 %	0.2%
720	BALTIMORE, MD PMSA	33334	2.1 %	2.5%
743	BARNSTABLE-YARMOUTH, MA NECMA	3063	0.2 %	0.2%
760	BATON ROUGE, LA MSA	3730	0.2 %	0.3%
840	BEAUMONT-PORT ARTHUR, TX MSA	1279	0.1 %	0.1%
860	BELLINGHAM, WA MSA	1306	0.1 %	0.1%
870	BENTON HARBOR, MI MSA	1406	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	7341	0.5 %	0.6%
880	BILLINGS, MT MSA	855	0.1 %	0.1%
960	BINGHAMTON, NY MSA	3126	0.2 %	0.2%
1000	BIRMINGHAM, AL MSA	4071	0.3 %	0.3%
1020	BLOOMINGTON, IN MSA	1160	0.1 %	0.1%
1040	BLOOMINGTON-NORMAL, IL MSA	819	0.1 %	0.1%
1080	BOISE CITY, ID MSA	1379	0.1 %	0.1%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	49287	3.1 %	3.7%
1125	BOULDER-LONGMONT, CO PMSA	3273	0.2 %	0.2%
1145	BRAZORIA, TX PMSA	694	0.0 %	0.1%
1150	BREMERTON, WA PMSA	2385	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	815	0.1 %	0.1%
1260	BRYAN-COLLEGE STATION, TX MSA	327	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1280	BUFFALO-NIAGARA FALLS, NY MSA	17574	1.1 %	1.3%
1303	BURLINGTON, VT NECMA	1955	0.1 %	0.1%
1310	CAGUAS, PR PMSA	809	0.1 %	0.1%
1320	CANTON-MASSILLON, OH MSA	3368	0.2 %	0.3%
1360	CEDAR RAPIDS, IA MSA	1301	0.1 %	0.1%
1400	CHAMPAIGN-URBANA, IL MSA	900	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	5193	0.3 %	0.4%
1480	CHARLESTON, WV MSA	841	0.1 %	0.1%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	7304	0.5 %	0.6%
1540	CHARLOTTESVILLE, VA MSA	414	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1296	0.1 %	0.1%
1600	CHICAGO, IL PMSA	23778	1.5 %	1.8%
1620	CHICO-PARADISE, CA MSA	775	0.0 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	6078	0.4 %	0.5%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	177	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	12112	0.8 %	0.9%
1720	COLORADO SPRINGS, CO MSA	4966	0.3 %	0.4%
1740	COLUMBIA, MO MSA	631	0.0 %	0.0%
1760	COLUMBIA, SC MSA	3982	0.2 %	0.3%
1800	COLUMBUS, GA-AL MSA	1028	0.1 %	0.1%
1840	COLUMBUS, OH MSA	8612	0.5 %	0.6%
1880	CORPUS CHRISTI, TX MSA	1260	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	1015	0.1 %	0.1%
1920	DALLAS, TX PMSA	5152	0.3 %	0.4%
1950	DANVILLE, VA MSA	562	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3146	0.2 %	0.2%
2000	DAYTON-SPRINGFIELD, OH MSA	5848	0.4 %	0.4%
2020	DAYTONA BEACH, FL MSA	2554	0.2 %	0.2%
2030	DECATUR, AL MSA	415	0.0 %	0.0%
2040	DECATUR, IL MSA	387	0.0 %	0.0%
2080	DENVER, CO PMSA	40386	2.5 %	3.0%
2120	DES MOINES, IA MSA	1228	0.1 %	0.1%
2160	DETROIT, MI PMSA	27393	1.7 %	2.1%
2180	DOTHAN, AL MSA	535	0.0 %	0.0%
2190	DOVER, DE MSA	388	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1694	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	6246	0.4 %	0.5%
2290	EAU CLAIRE, WI MSA	774	0.0 %	0.1%
2320	EL PASO, TX MSA	2688	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2330	ELKHART-GOSHEN, IN MSA	419	0.0 %	0.0%
2360	ERIE, PA MSA	1640	0.1 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	4605	0.3 %	0.3%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	2254	0.1 %	0.2%
2520	FARGO-MOORHEAD, ND-MN MSA	412	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1796	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	1026	0.1 %	0.1%
2640	FLINT, MI PMSA	3859	0.2 %	0.3%
2650	FLORENCE, AL MSA	468	0.0 %	0.0%
2655	FLORENCE, SC MSA	1720	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	421	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	10314	0.6 %	0.8%
2700	FORT MYERS-CAPE CORAL, FL MSA	3049	0.2 %	0.2%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	2116	0.1 %	0.2%
2720	FORT SMITH, AR-OK MSA	381	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	1814	0.1 %	0.1%
2760	FORT WAYNE, IN MSA	1830	0.1 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	3599	0.2 %	0.3%
2840	FRESNO, CA MSA	8230	0.5 %	0.6%
2880	GADSDEN, AL MSA	857	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1525	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	420	0.0 %	0.0%
2960	GARY, IN PMSA	1538	0.1 %	0.1%
2975	GLENS FALLS, NY MSA	1239	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	734	0.0 %	0.1%
2995	GRAND JUNCTION, CO MSA	1339	0.1 %	0.1%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	11173	0.7 %	0.8%
3060	GREELEY, CO PMSA	3001	0.2 %	0.2%
3080	GREEN BAY, WI MSA	37	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	6100	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2362	0.1 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7639	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1501	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	668	0.0 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	2338	0.1 %	0.2%
3283	HARTFORD, CT NECMA	19607	1.2 %	1.5%
3290	HICKORY-MORGANTON, NC MSA	1755	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3320	HONOLULU, HI MSA	2990	0.2 %	0.2%
3350	HOUMA, LA MSA	1616	0.1 %	0.1%
3360	HOUSTON, TX PMSA	14121	0.9 %	1.1%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	934	0.1 %	0.1%
3440	HUNTSVILLE, AL MSA	728	0.0 %	0.1%
3480	INDIANAPOLIS, IN MSA	5229	0.3 %	0.4%
3500	IOWA CITY, IA MSA	1084	0.1 %	0.1%
3520	JACKSON, MI MSA	767	0.0 %	0.1%
3580	JACKSON, TN MSA	1355	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	4415	0.3 %	0.3%
3605	JACKSONVILLE, NC MSA	666	0.0 %	0.1%
3610	JAMESTOWN, NY MSA	1108	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	7	0.0 %	0.0%
3640	JERSEY CITY, NJ PMSA	4773	0.3 %	0.4%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	2072	0.1 %	0.2%
3680	JOHNSTOWN, PA MSA	568	0.0 %	0.0%
3710	JOPLIN, MO MSA	1037	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	5114	0.3 %	0.4%
3740	KANKAKEE, IL PMSA	478	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	8247	0.5 %	0.6%
3800	KENOSHA, WI PMSA	472	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	1305	0.1 %	0.1%
3840	KNOXVILLE, TN MSA	2206	0.1 %	0.2%
3870	LA CROSSE, WI-MN MSA	271	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	381	0.0 %	0.0%
3920	LAFAYETTE, IN MSA	566	0.0 %	0.0%
3960	LAKE CHARLES, LA MSA	1466	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	1614	0.1 %	0.1%
4000	LANCASTER, PA MSA	1830	0.1 %	0.1%
4040	LANSING-EAST LANSING, MI MSA	3294	0.2 %	0.2%
4080	LAREDO, TX MSA	304	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	397	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	3170	0.2 %	0.2%
4200	LAWTON, OK MSA	972	0.1 %	0.1%
4320	LIMA, OH MSA	676	0.0 %	0.1%
4360	LINCOLN, NE MSA	7786	0.5 %	0.6%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	1648	0.1 %	0.1%
4420	LONGVIEW-MARSHALL, TX MSA	546	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	40285	2.5 %	3.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4520	LOUISVILLE, KY-IN MSA	1227	0.1 %	0.1%
4600	LUBBOCK, TX MSA	1038	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	1218	0.1 %	0.1%
4680	MACON, GA MSA	1097	0.1 %	0.1%
4720	MADISON, WI MSA	29	0.0 %	0.0%
4800	MANSFIELD, OH MSA	721	0.0 %	0.1%
4840	MAYAGUEZ, PR MSA	590	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	664	0.0 %	0.1%
4890	MEDFORD-ASHLAND, OR MSA	2733	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	1069	0.1 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2058	0.1 %	0.2%
4940	MERCED, CA MSA	873	0.1 %	0.1%
5000	MIAMI, FL PMSA	12451	0.8 %	0.9%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	7288	0.5 %	0.5%
5080	MILWAUKEE-WAUKESHA, WI PMSA	890	0.1 %	0.1%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	19437	1.2 %	1.5%
5160	MOBILE, AL MSA	1161	0.1 %	0.1%
5170	MODESTO, CA MSA	1492	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	6961	0.4 %	0.5%
5200	MONROE, LA MSA	977	0.1 %	0.1%
5240	MONTGOMERY, AL MSA	2087	0.1 %	0.2%
5280	MUNCIE, IN MSA	904	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	825	0.1 %	0.1%
5345	NAPLES, FL MSA	1769	0.1 %	0.1%
5360	NASHVILLE, TN MSA	2388	0.1 %	0.2%
5380	NASSAU-SUFFOLK, NY PMSA	25458	1.6 %	1.9%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	17231	1.1 %	1.3%
5523	NEW LONDON-NORWICH, CT NECMA	5395	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	4970	0.3 %	0.4%
5600	NEW YORK, NY PMSA	104859	6.5 %	7.9%
5640	NEWARK, NJ PMSA	21722	1.3 %	1.6%
5660	NEWBURGH, NY-PA PMSA	3829	0.2 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	10795	0.7 %	0.8%
5775	OAKLAND, CA PMSA	15654	1.0 %	1.2%
5790	OCALA, FL MSA	2553	0.2 %	0.2%
5800	ODESSA-MIDLAND, TX MSA	1051	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	6371	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5910	OLYMPIA, WA PMSA	848	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	6033	0.4 %	0.5%
5945	ORANGE COUNTY, CA PMSA	14533	0.9 %	1.1%
5960	ORLANDO, FL MSA	8570	0.5 %	0.6%
6015	PANAMA CITY, FL MSA	638	0.0 %	0.0%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	625	0.0 %	0.0%
6080	PENSACOLA, FL MSA	2075	0.1 %	0.2%
6120	PEORIA-PEKIN, IL MSA	1395	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	29043	1.8 %	2.2%
6280	PITTSBURGH, PA MSA	8035	0.5 %	0.6%
6360	PONCE, PR MSA	787	0.0 %	0.1%
6403	PORTLAND, ME NECMA	1984	0.1 %	0.1%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	17971	1.1 %	1.4%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	9189	0.6 %	0.7%
6520	PROVO-OREM, UT MSA	691	0.0 %	0.1%
6560	PUEBLO, CO MSA	5035	0.3 %	0.4%
6580	PUNTA GORDA, FL MSA	395	0.0 %	0.0%
6600	RACINE, WI PMSA	533	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	5244	0.3 %	0.4%
6680	READING, PA MSA	2071	0.1 %	0.2%
6690	REDDING, CA MSA	797	0.0 %	0.1%
6720	RENO, NV MSA	1305	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	993	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	2937	0.2 %	0.2%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	14006	0.9 %	1.1%
6800	ROANOKE, VA MSA	1762	0.1 %	0.1%
6820	ROCHESTER, MN MSA	758	0.0 %	0.1%
6840	ROCHESTER, NY MSA	10626	0.7 %	0.8%
6880	ROCKFORD, IL MSA	964	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	1021	0.1 %	0.1%
6920	SACRAMENTO, CA PMSA	7986	0.5 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2682	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	895	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	1043	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	9021	0.6 %	0.7%
7080	SALEM, OR PMSA	3240	0.2 %	0.2%
7120	SALINAS, CA MSA	1355	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	12081	0.8 %	0.9%
7200	SAN ANGELO, TX MSA	484	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7240	SAN ANTONIO, TX MSA	3327	0.2 %	0.3%
7320	SAN DIEGO, CA MSA	13250	0.8 %	1.0%
7360	SAN FRANCISCO, CA PMSA	12852	0.8 %	1.0%
7400	SAN JOSE, CA PMSA	5589	0.3 %	0.4%
7440	SAN JUAN-BAYAMON, PR PMSA	2754	0.2 %	0.2%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	640	0.0 %	0.0%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2905	0.2 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1781	0.1 %	0.1%
7490	SANTA FE, NM MSA	497	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	3704	0.2 %	0.3%
7510	SARASOTA-BRADENTON, FL MSA	2117	0.1 %	0.2%
7520	SAVANNAH, GA MSA	2110	0.1 %	0.2%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	2296	0.1 %	0.2%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	15319	1.0 %	1.2%
7610	SHARON, PA MSA	972	0.1 %	0.1%
7620	SHEBOYGAN, WI MSA	367	0.0 %	0.0%
7640	SHERMAN-DENISON, TX MSA	154	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1577	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1222	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	2251	0.1 %	0.2%
7800	SOUTH BEND, IN MSA	1232	0.1 %	0.1%
7840	SPOKANE, WA MSA	4437	0.3 %	0.3%
7880	SPRINGFIELD, IL MSA	981	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	2101	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	7413	0.5 %	0.6%
8050	STATE COLLEGE, PA MSA	390	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	417	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	1750	0.1 %	0.1%
8140	SUMTER, SC MSA	1112	0.1 %	0.1%
8160	SYRACUSE, NY MSA	11044	0.7 %	0.8%
8200	TACOMA, WA PMSA	5817	0.4 %	0.4%
8240	TALLAHASSEE, FL MSA	1250	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	13207	0.8 %	1.0%
8320	TERRE HAUTE, IN MSA	22	0.0 %	0.0%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	215	0.0 %	0.0%
8400	TOLEDO, OH MSA	4294	0.3 %	0.3%
8440	TOPEKA, KS MSA	3148	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8480	TRENTON, NJ PMSA	2092	0.1 %	0.2%
8560	TULSA, OK MSA	3337	0.2 %	0.3%
8600	TUSCALOOSA, AL MSA	562	0.0 %	0.0%
8640	TYLER, TX MSA	430	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	3171	0.2 %	0.2%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1623	0.1 %	0.1%
8735	VENTURA, CA PMSA	3306	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	1605	0.1 %	0.1%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1676	0.1 %	0.1%
8800	WACO, TX MSA	919	0.1 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	25342	1.6 %	1.9%
8920	WATERLOO-CEDAR FALLS, IA MSA	714	0.0 %	0.1%
8940	WAUSAU, WI MSA	7	0.0 %	0.0%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	6438	0.4 %	0.5%
9000	WHEELING, WV-OH MSA	822	0.1 %	0.1%
9040	WICHITA, KS MSA	7711	0.5 %	0.6%
9080	WICHITA FALLS, TX MSA	546	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	423	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4279	0.3 %	0.3%
9200	WILMINGTON, NC MSA	551	0.0 %	0.0%
9260	YAKIMA, WA MSA	3547	0.2 %	0.3%
9270	YOLO, CA PMSA	966	0.1 %	0.1%
9280	YORK, PA MSA	969	0.1 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	4388	0.3 %	0.3%
9340	YUBA CITY, CA MSA	165	0.0 %	0.0%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	282847	17.6 %	-

Based upon 1327158 valid cases out of 1610005 total cases.

REGION

CENSUS REGION

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	6867	0.4 %	0.4%
1	NORTHEAST	479617	29.8 %	29.8%
2	MIDWEST	339369	21.1 %	21.1%
3	SOUTH	418304	26.0 %	26.0%
4	WEST	365848	22.7 %	22.7%

Based upon 1610005 valid cases out of 1610005 total cases.

DIVISION

CENSUS DIVISION

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	6867	0.4 %	0.4%
1	NEW ENGLAND	134934	8.4 %	8.4%
2	MID-ATLANTIC	344683	21.4 %	21.4%
3	EAST NORTH CENTRAL	216055	13.4 %	13.4%
4	WEST NORTH CENTRAL	123314	7.7 %	7.7%
5	SOUTH ATLANTIC	291197	18.1 %	18.1%
6	EAST SOUTH CENTRAL	27086	1.7 %	1.7%
7	WEST SOUTH CENTRAL	100021	6.2 %	6.2%
8	MOUNTAIN	105892	6.6 %	6.6%
9	PACIFIC	259956	16.1 %	16.1%

Based upon 1610005 valid cases out of 1610005 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.
- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other

drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	111405	6.9 %	6.9%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	268030	16.6 %	16.7%
3	REHAB/RES, HOSPITAL (NON-DETOX)	24526	1.5 %	1.5%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	117970	7.3 %	7.3%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	122706	7.6 %	7.6%
6	AMBULATORY, INTENSIVE OUTPATIENT	95286	5.9 %	5.9%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	804099	49.9 %	50.0%
8	AMBULATORY, DETOXIFICATION	65722	4.1 %	4.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	261	0.0 %	-

Based upon 1609744 valid cases out of 1610005 total cases.

METHUSE

MEDICATION-ASSISTED OPIOID THERAPY

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

drug abuse prevention, education, or treatment.

- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	567409	35.2 %	36.4%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	206156	12.8 %	13.2%
3	OTHER HEALTH CARE PROVIDER	111478	6.9 %	7.1%
4	SCHOOL (EDUCATIONAL)	21787	1.4 %	1.4%
5	EMPLOYER/EAP	23867	1.5 %	1.5%
6	OTHER COMMUNITY REFERRAL	117868	7.3 %	7.6%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	510711	31.7 %	32.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	50729	3.2 %	-

Based upon 1559276 valid cases out of 1610005 total cases.

DETCRIM

DETAILED CRIMINAL JUSTICE REFERRAL

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	63433	3.9 %	19.1%
3	PROBATION/PAROLE	116061	7.2 %	34.9%
5	DIVERSIONARY PROGRAM	13697	0.9 %	4.1%
6	PRISON	16705	1.0 %	5.0%
7	DUI/DWI	75916	4.7 %	22.8%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	46963	2.9 %	14.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1277230	79.3 %	-

Based upon 332775 valid cases out of 1610005 total cases.

NOPRIOR NUMBER OF PRIOR TREATMENT EPISODES

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be

derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	616119	38.3 %	44.5%
1	1 PRIOR TREATMENT EPISODES	318604	19.8 %	23.0%
2	2 PRIOR TREATMENT EPISODES	160849	10.0 %	11.6%
3	3 PRIOR TREATMENT EPISODES	88044	5.5 %	6.4%
4	4 PRIOR TREATMENT EPISODES	49920	3.1 %	3.6%
5	5 OR MORE PRIOR TREATMENT EPISODES	151685	9.4 %	11.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	224784	14.0 %	-

Based upon 1385221 valid cases out of 1610005 total cases.

SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	24608	1.5 %	1.5%
2	ALCOHOL	918187	57.0 %	57.6%
3	COCAINE/CRACK	280634	17.4 %	17.6%
4	MARIJUANA/HASHISH	110765	6.9 %	7.0%
5	HEROIN	195279	12.1 %	12.3%
6	NON-PRESCRIPTION METHADONE	1283	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	12761	0.8 %	0.8%
8	PCP	3323	0.2 %	0.2%
9	OTHER HALLUCINOGENS	2830	0.2 %	0.2%
10	METHAMPHETAMINE	20740	1.3 %	1.3%
11	OTHER AMPHETAMINES	7213	0.4 %	0.5%
12	OTHER STIMULANTS	838	0.1 %	0.1%
13	BENZODIAZEPINES	2975	0.2 %	0.2%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1461	0.1 %	0.1%
15	BARBITURATES	1594	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2090	0.1 %	0.1%
17	INHALANTS	2784	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	OVER-THE-COUNTER MEDICATIONS	521	0.0 %	0.0%
20	OTHER	3524	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	16595	1.0 %	-

Based upon 1593410 valid cases out of 1610005 total cases.

ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	900650	55.9 %	60.3%
2	SMOKING	322334	20.0 %	21.6%
3	INHALATION	99215	6.2 %	6.6%
4	INJECTION (IV OR INTRAMUSCULAR)	167458	10.4 %	11.2%
20	OTHER	3540	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	116808	7.3 %	-

Based upon 1493197 valid cases out of 1610005 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	320542	19.9 %	22.1%
2	1-3 TIMES IN THE PAST MONTH	158513	9.8 %	10.9%
3	1-2 TIMES IN THE PAST WEEK	147101	9.1 %	10.1%
4	3-6 TIMES IN THE PAST WEEK	191524	11.9 %	13.2%
5	DAILY	634043	39.4 %	43.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	158282	9.8 %	-

Based upon 1451723 valid cases out of 1610005 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	135807	8.4 %	9.3%
2	12-14	312714	19.4 %	21.3%
3	15-17	419788	26.1 %	28.6%
4	18-20	250454	15.6 %	17.1%
5	21-24	140400	8.7 %	9.6%
6	25-29	107066	6.7 %	7.3%
7	30-34	55686	3.5 %	3.8%
8	35-39	26445	1.6 %	1.8%
9	40-44	10553	0.7 %	0.7%
10	45-49	3879	0.2 %	0.3%
11	50-54	1711	0.1 %	0.1%
12	55 AND OVER	1326	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	144176	9.0 %	-

Based upon 1465829 valid cases out of 1610005 total cases.

SUB2

SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE

- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	567312	35.2 %	41.0%
2	ALCOHOL	239710	14.9 %	17.3%
3	COCAINE/CRACK	232140	14.4 %	16.8%
4	MARIJUANA/HASHISH	241808	15.0 %	17.5%
5	HEROIN	29897	1.9 %	2.2%
6	NON-PRESCRIPTION METHADONE	3062	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	11026	0.7 %	0.8%
8	PCP	3180	0.2 %	0.2%
9	OTHER HALLUCINOGENS	6529	0.4 %	0.5%
10	METHAMPHETAMINE	13488	0.8 %	1.0%
11	OTHER AMPHETAMINES	9059	0.6 %	0.7%
12	OTHER STIMULANTS	2047	0.1 %	0.1%
13	BENZODIAZEPINES	7499	0.5 %	0.5%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3916	0.2 %	0.3%
15	BARBITURATES	3082	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3270	0.2 %	0.2%
17	INHALANTS	1985	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1116	0.1 %	0.1%
20	OTHER	4170	0.3 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	225709	14.0 %	-

Based upon 1384296 valid cases out of 1610005 total cases.

ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	276428	17.2 %	35.6%
2	SMOKING	343139	21.3 %	44.2%
3	INHALATION	74008	4.6 %	9.5%
4	INJECTION (IV OR INTRAMUSCULAR)	81484	5.1 %	10.5%
20	OTHER	2121	0.1 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	832825	51.7 %	-

Based upon 777180 valid cases out of 1610005 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	250152	15.5 %	32.1%
2	1-3 TIMES IN THE PAST MONTH	109810	6.8 %	14.1%
3	1-2 TIMES IN THE PAST WEEK	96936	6.0 %	12.4%
4	3-6 TIMES IN THE PAST WEEK	101122	6.3 %	13.0%
5	DAILY	222475	13.8 %	28.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	829510	51.5 %	-

Based upon 780495 valid cases out of 1610005 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	96265	6.0 %	12.0%
2	12-14	169646	10.5 %	21.2%
3	15-17	218952	13.6 %	27.4%
4	18-20	125677	7.8 %	15.7%
5	21-24	69280	4.3 %	8.7%
6	25-29	58020	3.6 %	7.3%
7	30-34	32990	2.0 %	4.1%
8	35-39	17203	1.1 %	2.2%
9	40-44	7448	0.5 %	0.9%
10	45-49	2688	0.2 %	0.3%
11	50-54	1077	0.1 %	0.1%
12	55 AND OVER	666	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	810093	50.3 %	-

Based upon 799912 valid cases out of 1610005 total cases.

SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	865071	53.7 %	72.3%
2	ALCOHOL	77537	4.8 %	6.5%
3	COCAINE/CRACK	69784	4.3 %	5.8%
4	MARIJUANA/HASHISH	104356	6.5 %	8.7%
5	HEROIN	15264	0.9 %	1.3%
6	NON-PRESCRIPTION METHADONE	2024	0.1 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	6106	0.4 %	0.5%
8	PCP	3051	0.2 %	0.3%
9	OTHER HALLUCINOGENS	12647	0.8 %	1.1%
10	METHAMPHETAMINE	7831	0.5 %	0.7%
11	OTHER AMPHETAMINES	8650	0.5 %	0.7%
12	OTHER STIMULANTS	1896	0.1 %	0.2%
13	BENZODIAZEPINES	5939	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3357	0.2 %	0.3%
15	BARBITURATES	3089	0.2 %	0.3%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2540	0.2 %	0.2%
17	INHALANTS	2662	0.2 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	1114	0.1 %	0.1%
20	OTHER	3867	0.2 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	413220	25.7 %	-

Based upon 1196785 valid cases out of 1610005 total cases.

ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	105847	6.6 %	38.1%
2	SMOKING	111789	6.9 %	40.3%
3	INHALATION	37372	2.3 %	13.5%
4	INJECTION (IV OR INTRAMUSCULAR)	21290	1.3 %	7.7%
20	OTHER	1327	0.1 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1332380	82.8 %	-

Based upon 277625 valid cases out of 1610005 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	141495	8.8 %	47.4%
2	1-3 TIMES IN THE PAST MONTH	43314	2.7 %	14.5%
3	1-2 TIMES IN THE PAST WEEK	31985	2.0 %	10.7%
4	3-6 TIMES IN THE PAST WEEK	27154	1.7 %	9.1%
5	DAILY	54393	3.4 %	18.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1311664	81.5 %	-

Based upon 298341 valid cases out of 1610005 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	77849	4.8 %	23.3%
2	12-14	66335	4.1 %	19.9%
3	15-17	84252	5.2 %	25.2%
4	18-20	46321	2.9 %	13.9%
5	21-24	23961	1.5 %	7.2%
6	25-29	18280	1.1 %	5.5%
7	30-34	9598	0.6 %	2.9%
8	35-39	4557	0.3 %	1.4%
9	40-44	1851	0.1 %	0.6%
10	45-49	648	0.0 %	0.2%
11	50-54	215	0.0 %	0.1%
12	55 AND OVER	87	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1276051	79.3 %	-

Based upon 333954 valid cases out of 1610005 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	39051	2.4 %	2.4%
1	753802	46.8 %	46.8%
2	487758	30.3 %	30.3%
3	329394	20.5 %	20.5%

Based upon 1610005 valid cases out of 1610005 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8
 Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1361153	84.5 %	86.6%
1	IDU REPORTED	209860	13.0 %	13.4%
-8 (M)	NO SUBSTANCES REPORTED	38992	2.4 %	-

Based upon 1571013 valid cases out of 1610005 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 93-93 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	375784	23.3 %	23.3%
1	SUBSTANCE REPORTED	1234221	76.7 %	76.7%

Based upon 1610005 valid cases out of 1610005 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 94-94 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1036186	64.4 %	64.4%
1	SUBSTANCE REPORTED	573819	35.6 %	35.6%

Based upon 1610005 valid cases out of 1610005 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1153651	71.7 %	71.7%
1	SUBSTANCE REPORTED	456354	28.3 %	28.3%

Based upon 1610005 valid cases out of 1610005 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)
 Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1369727	85.1 %	85.1%
1	SUBSTANCE REPORTED	240278	14.9 %	14.9%

Based upon 1610005 valid cases out of 1610005 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1603637	99.6 %	99.6%
1	SUBSTANCE REPORTED	6368	0.4 %	0.4%

Based upon 1610005 valid cases out of 1610005 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1580277	98.2 %	98.2%
1	SUBSTANCE REPORTED	29728	1.8 %	1.8%

Based upon 1610005 valid cases out of 1610005 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1600451	99.4 %	99.4%
1	SUBSTANCE REPORTED	9554	0.6 %	0.6%

Based upon 1610005 valid cases out of 1610005 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1588024	98.6 %	98.6%
1	SUBSTANCE REPORTED	21981	1.4 %	1.4%

Based upon 1610005 valid cases out of 1610005 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1567961	97.4 %	97.4%
1	SUBSTANCE REPORTED	42044	2.6 %	2.6%

Based upon 1610005 valid cases out of 1610005 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1585096	98.5 %	98.5%
1	SUBSTANCE REPORTED	24909	1.5 %	1.5%

Based upon 1610005 valid cases out of 1610005 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1605233	99.7 %	99.7%
1	SUBSTANCE REPORTED	4772	0.3 %	0.3%

Based upon 1610005 valid cases out of 1610005 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1593666	99.0 %	99.0%
1	SUBSTANCE REPORTED	16339	1.0 %	1.0%

Based upon 1610005 valid cases out of 1610005 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1601274	99.5 %	99.5%
1	SUBSTANCE REPORTED	8731	0.5 %	0.5%

Based upon 1610005 valid cases out of 1610005 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1602243	99.5 %	99.5%
1	SUBSTANCE REPORTED	7762	0.5 %	0.5%

Based upon 1610005 valid cases out of 1610005 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1602105	99.5 %	99.5%
1	SUBSTANCE REPORTED	7900	0.5 %	0.5%

Based upon 1610005 valid cases out of 1610005 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1602587	99.5 %	99.5%
1	SUBSTANCE REPORTED	7418	0.5 %	0.5%

Based upon 1610005 valid cases out of 1610005 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1607259	99.8 %	99.8%
1	SUBSTANCE REPORTED	2746	0.2 %	0.2%

Based upon 1610005 valid cases out of 1610005 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1598502	99.3 %	99.3%
1	SUBSTANCE REPORTED	11503	0.7 %	0.7%

Based upon 1610005 valid cases out of 1610005 total cases.

ALCDRUG SUBSTANCE ABUSE TYPE

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	39051	2.4 %	2.4%
1	ALCOHOL ONLY	557321	34.6 %	34.6%
2	OTHER DRUGS ONLY	336733	20.9 %	20.9%
3	ALCOHOL AND OTHER DRUGS	676900	42.0 %	42.0%

Based upon 1610005 valid cases out of 1610005 total cases.

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	112652	7.0 %	12.3%
2	NO	805590	50.0 %	87.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	691763	43.0 %	-

Based upon 918242 valid cases out of 1610005 total cases.

HLTHINS HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	107187	6.7 %	14.5%
2	MEDICAID	103514	6.4 %	14.0%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	52612	3.3 %	7.1%
4	NONE	477574	29.7 %	64.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	869118	54.0 %	-

Based upon 740887 valid cases out of 1610005 total cases.

PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	171540	10.7 %	37.7%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	40893	2.5 %	9.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MEDICARE, WORKER'S COMPENSATION	4551	0.3 %	1.0%
4	MEDICAID	59204	3.7 %	13.0%
5	OTHER GOVERNMENT PAYMENTS	87700	5.4 %	19.3%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	63858	4.0 %	14.0%
9	OTHER	27389	1.7 %	6.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1154870	71.7 %	-

Based upon 455135 valid cases out of 1610005 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (49.9%) 2 Now Married (20.9%) 3 Separated (8.5%) 4 Divorced (18.8%) 5 Widowed (1.8%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFL Detailed „Not in Labor“ Force	1 Homemaker (9.6%) 2 Student (19.4%) 3 Retired (2.8%) 4 Disabled (19.4%) 5 Inmate of Institution (5.7%) 6 Other (43.1%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIM INC Source of Income / Support	1 Wages/Salary (37.9%) 2 Public Assistance (22.4%) 3 Retirement/Pension (1.0%) 4 Disability (4.0%) 20 Other (17.0%) 21 None (17.6%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID”
DET CRIM Detailed Criminal Justice Referral	1 State/Federal Court (16.0%) 2 Other Court (3.0%) 3 Probation/Parole (34.9%) 4 Other Recognized Legal Entity (10.8%) 5 Diversionary Program (4.1%) 6 Prison (5.0%) 7 DUI/DWI (22.8%) 8 Other (3.3%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
<p>HLTHINS</p> <p>Health Insurance</p>	<p>1 Private Insurance (Other Than BC/BS or HMO) (8.3%)</p> <p>2 Blue Cross / Blue Shield (BC/BS) (3.7%)</p> <p>3 Medicare (1.7%)</p> <p>4 Medicaid (14.0%)</p> <p>6 Health Maintenance Organization (HMO) (2.4%)</p> <p>20 Other (e.g. TriCare, Champus) (5.4%)</p> <p>21 None (64.4%)</p>	<p>1 Private Insurance, BC/BS, HMO</p> <p>2 Medicaid</p> <p>3 Medicare/Other (e.g. Tricare, Champus)</p> <p>4 None</p>
<p>PRIMPAY</p> <p>Expected/Actual Payment Source of Payment</p>	<p>1 Self-Pay (37.7%)</p> <p>2 Blue Cross / Blue Shield (2.5%)</p> <p>3 Medicare (<1%)</p> <p>4 Medicaid (13.0%)</p> <p>5 Other Government Payments (19.3%)</p> <p>6 Worker's Compensation (<1%)</p> <p>7 Other Health Insurance Companies (6.5%)</p> <p>8 No charge (Free, Charity, Special Research or Teaching) (14.0%)</p> <p>9 Other (6.0%)</p>	<p>1 Self-Pay</p> <p>2 Blue Cross / Blue Shield, Other Health Insurance Companies</p> <p>3 Medicare, Worker's Compensation</p> <p>4 Medicaid</p> <p>5 Other Government Payments</p> <p>8 No charge (Free, Charity, Special Research or Teaching)</p> <p>9 Other</p>
<p>FRSTUSE1</p> <p>Age at First Use (Primary)</p> <p>FRSTUSE2</p> <p>Age at First Use (Secondary)</p> <p>FRSTUSE3</p> <p>Age at First Use (Tertiary)</p>	<p>Continuous (0-99)</p>	<p>11 and Under</p> <p>12-14</p> <p>15-17</p> <p>18-20</p> <p>21-24</p> <p>25-29</p> <p>30-34</p> <p>35-39</p> <p>40-44</p> <p>45-49</p> <p>50-54</p> <p>55 and Over</p>

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 1993																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	--	Y	Y
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	Y
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	Y
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSISSIPPI	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Items collected/not-collected by State: TEDS Minimum Data Set 1993

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data;

Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone	
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use			
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 1993												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data; Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	--	--	--	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	--	--	--	--	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	--	--	Y	Y	Y	--	--	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	--
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	--
MINNESOTA	--	--	Y	Y	Y	Y	Y	--	Y	--	Y	--
MISSISSIPPI	--	--	--	--	--	--	--	--	--	--	--	--

Items collected/not-collected by State: TEDS Supplemental Data Set 1993

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data;
Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	--	Y	Y	Y	--	--	Y	--	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	--	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	--	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	Y	Y	Y	Y	--	--	--	--	Y	Y	Y	--
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	--	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	--	--	Y	--	Y	--	Y	Y	Y	--
UTAH	--	Y	Y	--	Y	--	--	--	--	--	--	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	Y	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	--	--	Y	--
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	--	--	Y	--	--	--	--	Y	--	Y	Y