

## **Treatment Episode Data Set -- Admissions (TEDS-A), 1996**

*United States Department of Health and  
Human Services. Substance Abuse and  
Mental Health Services Administration.  
Office of Applied Studies*

Codebook



is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
[www.samhsa.gov](http://www.samhsa.gov)

# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ([samhda-support@samhsa.hhs.gov](mailto:samhda-support@samhsa.hhs.gov))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

---

## Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

### CBHSQ

Center for Behavioral Health Statistics and Quality

### Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

### Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

### SAMHDA

Substance Abuse and Mental Health Data Archive

### SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1996

### Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1996. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

### **Data Collection**

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

### **Confidentiality Protection**

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

### **Universe**

The universe for TEDS-A is admissions in calendar year 1996 that were received and processed through May 11, 2004.

## Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.<sup>1</sup>

## Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

---

<sup>1</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.<sup>2</sup>

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

---

<sup>2</sup> Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.



- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

## Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).  
  
do if (STFIPS eq 2).  
  compute AKSTATE=1.  
else.  
  compute AKSTATE=2.  
end if.  
  
variable labels  AKSTATE "ALASKA STATE INDICATOR".  
  
value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".  
  
format AKSTATE (f1.0).
```

## Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 47 states plus the District of Columbia and Puerto Rico. The following states did not report usable data for the year 1996: Arizona, Kentucky, and Wyoming.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1996 are as follows:

Filename: da02651-0001.txt

Number of observations: 1,637,093

Number of variables: 62

Records per case: 1

Logical record length: 120

### **User Responsibility**

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

### **Publications**

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1996*. [National Admissions](#) to Substance Abuse Treatment Services. Drug and Alcohol Services Information System Series: S-5. DHHS Publication No. (SMA) 98-3244. Rockville, MD, 1998.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

# **Treatment Episode Data Set -- Admissions (TEDS-A), 1996**

## **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## Treatment Episode Data Set -- Admissions (TEDS-A), 1996

### Variable Groups

#### Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
<a href="#">IDENTIFICATION</a>	IDENTIFICATION	8
<a href="#">CLIENT CHARACTERISTICS</a>	CLIENT CHARACTERISTICS	8
<a href="#">GEOGRAPHIC</a>	GEOGRAPHIC	9
<a href="#">TREATMENT SERVICE CHARACTERISTICS</a>	TREATMENT SERVICE CHARACTERISTICS	9
<a href="#">REFERRAL SOURCES</a>	REFERRAL SOURCES	9
<a href="#">PRIOR SUBSTANCE ABUSE TREATMENT</a>	PRIOR SUBSTANCE ABUSE TREATMENT	9
<a href="#">SUBSTANCES OF ABUSE: ORIGINAL VARIABLES</a>	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
<a href="#">SUBSTANCES OF ABUSE: CREATED VARIABLES</a>	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
<a href="#">MENTAL HEALTH</a>	MENTAL HEALTH	10
<a href="#">INSURANCE/PAYMENT</a>	INSURANCE/PAYMENT	10

#### IDENTIFICATION

#### IDENTIFICATION

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">CASEID</a>	CASE IDENTIFICATION NUMBER	11
<a href="#">YEAR</a>	YEAR OF ADMISSION	11

#### CLIENT CHARACTERISTICS

#### CLIENT CHARACTERISTICS

##### *Variables within this Variable Group*

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">AGE</a>	AGE (RECODED)	11
<a href="#">GENDER</a>	SEX	12
<a href="#">RACE</a>	RACE	12
<a href="#">ETHNIC</a>	ETHNICITY (HISPANIC ORIGIN)	13
<a href="#">MARSTAT</a>	MARITAL STATUS	14
<a href="#">EDUC</a>	EDUCATION	14
<a href="#">EMPLOY</a>	EMPLOYMENT STATUS	15
<a href="#">DETNLF</a>	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
<a href="#">PREG</a>	PREGNANT AT TIME OF ADMISSION	16
<a href="#">VET</a>	VETERAN STATUS	16
<a href="#">LIVARAG</a>	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">PRIMINC</a>	SOURCE OF INCOME/SUPPORT	18

**GEOGRAPHIC**

**GEOGRAPHIC**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">STFIPS</a>	CENSUS STATE FIPS CODE	18
<a href="#">CBSA</a>	FIPS 2000 CBSA CODE	19
<a href="#">PMSA</a>	FIPS 1990 MSA CODE	28
<a href="#">REGION</a>	CENSUS REGION	36
<a href="#">DIVISION</a>	CENSUS DIVISION	37

**TREATMENT SERVICE CHARACTERISTICS**

**TREATMENT SERVICE CHARACTERISTICS**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SERVSETA</a>	SERVICE SETTING AT ADMISSION	38
<a href="#">METHUSE</a>	MEDICATION-ASSISTED OPIOID THERAPY	39
<a href="#">DAYWAIT</a>	DAYS WAITING TO ENTER TREATMENT	40

**REFERRAL SOURCES**

**REFERRAL SOURCES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">PSOURCE</a>	PRINCIPAL SOURCE OF REFERRAL	40
<a href="#">DETCRIM</a>	DETAILED CRIMINAL JUSTICE REFERRAL	41

**PRIOR SUBSTANCE ABUSE TREATMENT**

**PRIOR SUBSTANCE ABUSE TREATMENT**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NOPRIOR</a>	NUMBER OF PRIOR TREATMENT EPISODES	42

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

**SUBSTANCES OF ABUSE: ORIGINAL VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SUB1</a>	SUBSTANCE PROBLEM CODE (PRIMARY)	43
<a href="#">ROUTE1</a>	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
<a href="#">FREQ1</a>	FREQUENCY OF USE (PRIMARY)	45
<a href="#">FRSTUSE1</a>	AGE AT FIRST USE (PRIMARY)	45
<a href="#">SUB2</a>	SUBSTANCE PROBLEM CODE (SECONDARY)	46
<a href="#">ROUTE2</a>	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
<a href="#">FREQ2</a>	FREQUENCY OF USE (SECONDARY)	48
<a href="#">FRSTUSE2</a>	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">SUB3</a>	SUBSTANCE PROBLEM CODE (TERTIARY)	49
<a href="#">ROUTE3</a>	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
<a href="#">FREQ3</a>	FREQUENCY OF USE (TERTIARY)	51
<a href="#">FRSTUSE3</a>	AGE AT FIRST USE (TERTIARY)	52

**SUBSTANCES OF ABUSE:  
CREATED VARIABLES**

**SUBSTANCES OF ABUSE: CREATED VARIABLES**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">NUMSUBS</a>	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
<a href="#">IDU</a>	CURRENT IV DRUG USE REPORTED AT ADM.	52
<a href="#">ALCFLG</a>	ALCOHOL REPORTED AT ADM.	53
<a href="#">COKEFLG</a>	COCAINE/CRACK REPORTED AT ADM.	53
<a href="#">MARFLG</a>	MARIJUANA/HASHISH REPORTED AT ADM.	53
<a href="#">HERFLG</a>	HEROIN REPORTED AT ADM.	53
<a href="#">METHFLG</a>	NON-RX METHADONE REPORTED AT ADM.	54
<a href="#">OPSYNFLG</a>	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
<a href="#">PCPFLG</a>	PCP REPORTED AT ADM.	54
<a href="#">HALLFLG</a>	OTHER HALLUCINOGENS REPORTED AT ADM.	54
<a href="#">MTHAMFLG</a>	METHAMPHETAMINE REPORTED AT ADM.	55
<a href="#">AMPHFLG</a>	OTHER AMPHETAMINES REPORTED AT ADM.	55
<a href="#">STIMFLG</a>	OTHER STIMULANTS REPORTED AT ADM.	55
<a href="#">BENZFLG</a>	BENZODIAZEPINES REPORTED AT ADM.	55
<a href="#">TRNQFLG</a>	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
<a href="#">BARBFLG</a>	BARBITURATES REPORTED AT ADM.	56
<a href="#">SEDHPFLG</a>	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
<a href="#">INHFLG</a>	INHALANTS REPORTED AT ADM.	56
<a href="#">OTCFLG</a>	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
<a href="#">OTHERFLG</a>	OTHER DRUG REPORTED AT ADM.	57
<a href="#">ALCDRUG</a>	SUBSTANCE ABUSE TYPE	57

**MENTAL HEALTH**

**MENTAL HEALTH**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">DSMCRIT</a>	DSM DIAGNOSIS	58
<a href="#">PSYPROB</a>	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

**INSURANCE/PAYMENT**

**INSURANCE/PAYMENT**

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
<a href="#">HLTHINS</a>	HEALTH INSURANCE	59
<a href="#">PRIMPAY</a>	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

**CASEID CASE IDENTIFICATION NUMBER**

Location: 1-8 (width: 8; decimal: 0)  
 Variable Type: numeric  
 Based upon 1637093 valid cases out of 1637093 total cases.

**YEAR YEAR OF ADMISSION**

Location: 9-12 (width: 4; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1996	-	1637093	100.0 %	100.0%

Based upon 1637093 valid cases out of 1637093 total cases.

**AGE AGE (RECODED)**

Location: 13-14 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	26675	1.6 %	1.6%
3	15-17	103184	6.3 %	6.3%
4	18-20	85307	5.2 %	5.2%
5	21-24	134297	8.2 %	8.2%
6	25-29	241932	14.8 %	14.8%
7	30-34	314464	19.2 %	19.2%
8	35-39	301073	18.4 %	18.4%
9	40-44	207556	12.7 %	12.7%
10	45-49	114775	7.0 %	7.0%
11	50-54	54322	3.3 %	3.3%
12	55 AND OVER	53508	3.3 %	3.3%

Based upon 1637093 valid cases out of 1637093 total cases.

<b>GENDER</b>	<b>SEX</b>
---------------	------------

Location: 15-16 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question: Identifies client's gender.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE	1151871	70.4 %	70.6%
2	FEMALE	479102	29.3 %	29.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	6120	0.4 %	-

Based upon 1630973 valid cases out of 1637093 total cases.

<b>RACE</b>	<b>RACE</b>
-------------	-------------

Location: 17-18 (width: 2; decimal: 0)  
Variable Type: numeric  
Range of Missing Values (M): -9  
Question: Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)



- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	8330	0.5 %	0.5%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	34370	2.1 %	2.1%
3	ASIAN OR PACIFIC ISLANDER	11064	0.7 %	0.7%
4	BLACK OR AFRICAN AMERICAN	422182	25.8 %	26.1%
5	WHITE	1003035	61.3 %	62.0%
20	OTHER SINGLE RACE	139814	8.5 %	8.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	18298	1.1 %	-

Based upon 1618795 valid cases out of 1637093 total cases.

**ETHNIC**

**ETHNICITY (HISPANIC ORIGIN)**

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	60307	3.7 %	4.0%
2	MEXICAN	70523	4.3 %	4.6%
3	CUBAN	4736	0.3 %	0.3%
4	OTHER SPECIFIC HISPANIC	36658	2.2 %	2.4%
5	NOT OF HISPANIC ORIGIN	1353894	82.7 %	88.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	110975	6.8 %	-

Based upon 1526118 valid cases out of 1637093 total cases.

**MARSTAT**

**MARITAL STATUS**

Location: 21-22 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	673230	41.1 %	52.7%
2	NOW MARRIED	241798	14.8 %	18.9%
3	SEPARATED	109531	6.7 %	8.6%
4	DIVORCED, WIDOWED	252060	15.4 %	19.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	360474	22.0 %	-

Based upon 1276619 valid cases out of 1637093 total cases.

**EDUC**

**EDUCATION**

Location: 23-24 (width: 2; decimal: 0)  
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	8 YEARS OR LESS	150884	9.2 %	9.4%
2	9-11	497438	30.4 %	31.0%
3	12	650285	39.7 %	40.5%
4	13-15	238717	14.6 %	14.9%
5	16 OR MORE	69717	4.3 %	4.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	30052	1.8 %	-

Based upon 1607041 valid cases out of 1637093 total cases.

**EMPLOY**

**EMPLOYMENT STATUS**

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETDLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	399950	24.4 %	25.2%
2	PART TIME	108582	6.6 %	6.8%
3	UNEMPLOYED	397864	24.3 %	25.0%
4	NOT IN LABOR FORCE	682727	41.7 %	43.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	47970	2.9 %	-

Based upon 1589123 valid cases out of 1637093 total cases.

**DETNLF DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	18695	1.1 %	7.1%
2	STUDENT	71865	4.4 %	27.4%
3	RETIRED, DISABLED	73414	4.5 %	28.0%
5	INMATE OF INSTITUTION	18404	1.1 %	7.0%
6	OTHER	79670	4.9 %	30.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1375045	84.0 %	-

Based upon 262048 valid cases out of 1637093 total cases.

**PREG PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies whether the client was pregnant at the time of admission.  
  
 Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17142	1.0 %	3.9%
2	NO	421376	25.7 %	96.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1198575	73.2 %	-

Based upon 438518 valid cases out of 1637093 total cases.

**VET VETERAN STATUS**

Location: 31-32 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%	Valid %
1	YES	89943	5.5 %	9.6%
2	NO	849203	51.9 %	90.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	697947	42.6 %	-

Based upon 939146 valid cases out of 1637093 total cases.

**LIVARAG LIVING ARRANGEMENT**

Location: 33-34 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

Value	Label	Unweighted Frequency	%	Valid %
1	HOMELESS	133716	8.2 %	10.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DEPENDENT LIVING	282030	17.2 %	23.0%
3	INDEPENDENT LIVING	811841	49.6 %	66.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	409506	25.0 %	-

Based upon 1227587 valid cases out of 1637093 total cases.

**PRIMINC SOURCE OF INCOME/SUPPORT**

Location: 35-36 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	305572	18.7 %	38.2%
2	PUBLIC ASSISTANCE	120327	7.4 %	15.0%
3	RETIREMENT/PENSION, DISABILITY	38614	2.4 %	4.8%
20	OTHER	169143	10.3 %	21.1%
21	NONE	166677	10.2 %	20.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	836760	51.1 %	-

Based upon 800333 valid cases out of 1637093 total cases.

**STFIPS CENSUS STATE FIPS CODE**

Location: 37-38 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	16838	1.0 %	1.0%
2	ALASKA	8524	0.5 %	0.5%
5	ARKANSAS	12239	0.7 %	0.7%
6	CALIFORNIA	172081	10.5 %	10.5%
8	COLORADO	54727	3.3 %	3.3%
9	CONNECTICUT	45555	2.8 %	2.8%
10	DELAWARE	4404	0.3 %	0.3%
11	DIST OF COLUMBIA	979	0.1 %	0.1%
12	FLORIDA	76328	4.7 %	4.7%
13	GEORGIA	21813	1.3 %	1.3%
15	HAWAII	5360	0.3 %	0.3%
16	IDAHO	6107	0.4 %	0.4%
17	ILLINOIS	29649	1.8 %	1.8%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	INDIANA	16394	1.0 %	1.0%
19	IOWA	44628	2.7 %	2.7%
20	KANSAS	18265	1.1 %	1.1%
22	LOUISIANA	15473	0.9 %	0.9%
23	MAINE	9901	0.6 %	0.6%
24	MARYLAND	57697	3.5 %	3.5%
25	MASSACHUSETTS	71690	4.4 %	4.4%
26	MICHIGAN	90364	5.5 %	5.5%
27	MINNESOTA	34790	2.1 %	2.1%
28	MISSISSIPPI	3323	0.2 %	0.2%
29	MISSOURI	32878	2.0 %	2.0%
30	MONTANA	6695	0.4 %	0.4%
31	NEBRASKA	17964	1.1 %	1.1%
32	NEVADA	8370	0.5 %	0.5%
33	NEW HAMPSHIRE	4429	0.3 %	0.3%
34	NEW JERSEY	62931	3.8 %	3.8%
35	NEW MEXICO	8795	0.5 %	0.5%
36	NEW YORK	228814	14.0 %	14.0%
37	NORTH CAROLINA	46695	2.9 %	2.9%
38	NORTH DAKOTA	2463	0.2 %	0.2%
39	OHIO	90821	5.5 %	5.5%
40	OKLAHOMA	20529	1.3 %	1.3%
41	OREGON	45889	2.8 %	2.8%
42	PENNSYLVANIA	59132	3.6 %	3.6%
44	RHODE ISLAND	11582	0.7 %	0.7%
45	SOUTH CAROLINA	30950	1.9 %	1.9%
46	SOUTH DAKOTA	9154	0.6 %	0.6%
47	TENNESSEE	8584	0.5 %	0.5%
48	TEXAS	12749	0.8 %	0.8%
49	UTAH	15427	0.9 %	0.9%
50	VERMONT	5247	0.3 %	0.3%
51	VIRGINIA	20220	1.2 %	1.2%
53	WASHINGTON	46446	2.8 %	2.8%
54	WEST VIRGINIA	2076	0.1 %	0.1%
55	WISCONSIN	16472	1.0 %	1.0%
72	PUERTO RICO	4652	0.3 %	0.3%

Based upon 1637093 valid cases out of 1637093 total cases.

**CBSA**

**FIPS 2000 CBSA CODE**

Location:

39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	777	0.0 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	285	0.0 %	0.0%
10420	AKRON, OH METRO	9064	0.6 %	0.7%
10500	ALBANY, GA METRO	793	0.0 %	0.1%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	15487	0.9 %	1.2%
10740	ALBUQUERQUE, NM METRO	2380	0.1 %	0.2%
10780	ALEXANDRIA, LA METRO	2926	0.2 %	0.2%
10880	ALLEGAN, MI MICRO	615	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3425	0.2 %	0.3%
11020	ALTOONA, PA METRO	1591	0.1 %	0.1%
11100	AMARILLO, TX METRO	45	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	2902	0.2 %	0.2%
11300	ANDERSON, IN METRO	82	0.0 %	0.0%
11340	ANDERSON, SC METRO	1537	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1724	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	337	0.0 %	0.0%
11540	APPLETON, WI METRO	425	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	2737	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	1051	0.1 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	892	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	7127	0.4 %	0.5%
12100	ATLANTIC CITY, NJ METRO	2529	0.2 %	0.2%
12220	AUBURN-OPELIKA, AL METRO	302	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	2461	0.2 %	0.2%
12420	AUSTIN-ROUND ROCK, TX METRO	1835	0.1 %	0.1%
12540	BAKERSFIELD, CA METRO	4547	0.3 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	35803	2.2 %	2.7%
12700	BARNSTABLE TOWN, MA METRO	3573	0.2 %	0.3%
12940	BATON ROUGE, LA METRO	2095	0.1 %	0.2%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12980	BATTLE CREEK, MI METRO	681	0.0 %	0.1%
13020	BAY CITY, MI METRO	1073	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	164	0.0 %	0.0%
13380	BELLINGHAM, WA METRO	2402	0.1 %	0.2%
13740	BILLINGS, MT METRO	922	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	2941	0.2 %	0.2%
13820	BIRMINGHAM-HOOVER, AL METRO	5538	0.3 %	0.4%
14020	BLOOMINGTON, IN METRO	823	0.1 %	0.1%
14060	BLOOMINGTON-NORMAL, IL METRO	414	0.0 %	0.0%
14260	BOISE CITY-NAMPA, ID METRO	2405	0.1 %	0.2%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	41038	2.5 %	3.1%
14500	BOULDER, CO METRO	2539	0.2 %	0.2%
14740	BREMERTON-SILVERDALE, WA METRO	2658	0.2 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	9520	0.6 %	0.7%
15180	BROWNSVILLE-HARLINGEN, TX METRO	177	0.0 %	0.0%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	20421	1.2 %	1.5%
15500	BURLINGTON, NC METRO	789	0.0 %	0.1%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2362	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	3457	0.2 %	0.3%
15980	CAPE CORAL-FORT MYERS, FL METRO	2056	0.1 %	0.2%
16300	CEDAR RAPIDS, IA METRO	4058	0.2 %	0.3%
16580	CHAMPAIGN-URBANA, IL METRO	777	0.0 %	0.1%
16620	CHARLESTON, WV METRO	475	0.0 %	0.0%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4525	0.3 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	10454	0.6 %	0.8%
16860	CHATTANOOGA, TN-GA METRO	1650	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	18014	1.1 %	1.4%
17020	CHICO, CA METRO	1145	0.1 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	10150	0.6 %	0.8%
17300	CLARKSVILLE, TN-KY METRO	259	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	18921	1.2 %	1.4%
17820	COLORADO SPRINGS, CO METRO	4205	0.3 %	0.3%
17860	COLUMBIA, MO METRO	1203	0.1 %	0.1%
17900	COLUMBIA, SC METRO	4715	0.3 %	0.4%
17980	COLUMBUS, GA-AL METRO	1031	0.1 %	0.1%
18140	COLUMBUS, OH METRO	12502	0.8 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18580	CORPUS CHRISTI, TX METRO	495	0.0 %	0.0%
19060	CUMBERLAND, MD-WV METRO	1106	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	2326	0.1 %	0.2%
19260	DANVILLE, VA METRO	309	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	158	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	4440	0.3 %	0.3%
19380	DAYTON, OH METRO	6275	0.4 %	0.5%
19460	DECATUR, AL METRO	612	0.0 %	0.0%
19500	DECATUR, IL METRO	414	0.0 %	0.0%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	2345	0.1 %	0.2%
19740	DENVER-AURORA, CO METRO	31592	1.9 %	2.4%
19780	DES MOINES, IA METRO	6807	0.4 %	0.5%
19820	DETROIT-WARREN-LIVONIA, MI METRO	36946	2.3 %	2.8%
20020	DOTHAN, AL METRO	594	0.0 %	0.0%
20100	DOVER, DE METRO	409	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1217	0.1 %	0.1%
20500	DURHAM, NC METRO	2118	0.1 %	0.2%
20620	EAST LIVERPOOL-SALEM, OH MICRO	1318	0.1 %	0.1%
20740	EAU CLAIRE, WI METRO	635	0.0 %	0.0%
21140	ELKHART-GOSHEN, IN METRO	781	0.0 %	0.1%
21340	EL PASO, TX METRO	942	0.1 %	0.1%
21500	ERIE, PA METRO	2122	0.1 %	0.2%
21660	EUGENE-SPRINGFIELD, OR METRO	5408	0.3 %	0.4%
21780	EVANSVILLE, IN-KY METRO	462	0.0 %	0.0%
22020	FARGO, ND-MN METRO	266	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1858	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	844	0.1 %	0.1%
22420	FLINT, MI METRO	3410	0.2 %	0.3%
22460	FLORENCE, AL METRO	354	0.0 %	0.0%
22500	FLORENCE, SC METRO	1371	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	318	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	523	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	630	0.0 %	0.0%
23060	FORT WAYNE, IN METRO	674	0.0 %	0.1%
23420	FRESNO, CA METRO	7756	0.5 %	0.6%
23460	GADSDEN, AL METRO	848	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23540	GAINESVILLE, FL METRO	1468	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	1099	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	601	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	1420	0.1 %	0.1%
24340	GRAND RAPIDS-WYOMING, MI METRO	9539	0.6 %	0.7%
24540	GREELEY, CO METRO	3035	0.2 %	0.2%
24580	GREEN BAY, WI METRO	148	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	2397	0.1 %	0.2%
24780	GREENVILLE, NC METRO	2656	0.2 %	0.2%
24860	GREENVILLE, SC METRO	3628	0.2 %	0.3%
25060	GULFPORT-BILOXI, MS METRO	187	0.0 %	0.0%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1338	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	3232	0.2 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	22242	1.4 %	1.7%
25620	HATTIESBURG, MS METRO	11	0.0 %	0.0%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1521	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	3286	0.2 %	0.2%
26180	HONOLULU, HI METRO	3595	0.2 %	0.3%
26380	HOUMA-BAYOU CANE-THIBODAUX, LA METRO	1605	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	2584	0.2 %	0.2%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	362	0.0 %	0.0%
26620	HUNTSVILLE, AL METRO	706	0.0 %	0.1%
26900	INDIANAPOLIS, IN METRO	5692	0.3 %	0.4%
26980	IOWA CITY, IA METRO	1711	0.1 %	0.1%
27100	JACKSON, MI METRO	1317	0.1 %	0.1%
27140	JACKSON, MS METRO	591	0.0 %	0.0%
27180	JACKSON, TN METRO	651	0.0 %	0.0%
27260	JACKSONVILLE, FL METRO	4711	0.3 %	0.4%
27340	JACKSONVILLE, NC METRO	840	0.1 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1291	0.1 %	0.1%
27500	JANESVILLE, WI METRO	841	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	146	0.0 %	0.0%
27780	JOHNSTOWN, PA METRO	786	0.0 %	0.1%
27900	JOPLIN, MO METRO	1635	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	4410	0.3 %	0.3%
28100	KANKAKEE-BRADLEY, IL METRO	268	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	10098	0.6 %	0.8%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	1227	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	13	0.0 %	0.0%
28700	KINGSPORT-BRISTOL, TN-VA METRO	81	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	1991	0.1 %	0.1%
29020	KOKOMO, IN METRO	124	0.0 %	0.0%
29100	LA CROSSE, WI-MN METRO	238	0.0 %	0.0%
29140	LAFAYETTE, IN METRO	479	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	286	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	1191	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	2031	0.1 %	0.2%
29540	LANCASTER, PA METRO	2400	0.1 %	0.2%
29620	LANSING-EAST LANSING, MI METRO	3962	0.2 %	0.3%
29700	LAREDO, TX METRO	120	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	402	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	4484	0.3 %	0.3%
30020	LAWTON, OK METRO	814	0.0 %	0.1%
30140	LEBANON, PA METRO	414	0.0 %	0.0%
30540	LEXINGTON-THOMASVILLE, NC MICRO	690	0.0 %	0.1%
30620	LIMA, OH METRO	790	0.0 %	0.1%
30700	LINCOLN, NE METRO	7338	0.4 %	0.6%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	3644	0.2 %	0.3%
30980	LONGVIEW, TX METRO	86	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	55774	3.4 %	4.2%
31140	LOUISVILLE, KY-IN METRO	1173	0.1 %	0.1%
31180	LUBBOCK, TX METRO	627	0.0 %	0.0%
31340	LYNCHBURG, VA METRO	401	0.0 %	0.0%
31420	MACON, GA METRO	810	0.0 %	0.1%
31460	MADERA, CA METRO	590	0.0 %	0.0%
31540	MADISON, WI METRO	61	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	1337	0.1 %	0.1%
31900	MANSFIELD, OH METRO	631	0.0 %	0.0%
32420	MAYAGUEZ, PR METRO	611	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	134	0.0 %	0.0%
32780	MEDFORD, OR METRO	2821	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2237	0.1 %	0.2%
32900	MERCED, CA METRO	900	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	23214	1.4 %	1.7%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	1228	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	23681	1.4 %	1.8%
33660	MOBILE, AL METRO	1460	0.1 %	0.1%
33700	MODESTO, CA METRO	1671	0.1 %	0.1%
33740	MONROE, LA METRO	383	0.0 %	0.0%
33780	MONROE, MI METRO	950	0.1 %	0.1%
33860	MONTGOMERY, AL METRO	1144	0.1 %	0.1%
34620	MUNCIE, IN METRO	1094	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	3794	0.2 %	0.3%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1170	0.1 %	0.1%
34900	NAPA, CA METRO	496	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	1242	0.1 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	1506	0.1 %	0.1%
35300	NEW HAVEN-MILFORD, CT METRO	6545	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	2898	0.2 %	0.2%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	173690	10.6 %	13.0%
35660	NILES-BENTON HARBOR, MI METRO	316	0.0 %	0.0%
35980	NORWICH-NEW LONDON, CT METRO	4062	0.2 %	0.3%
36100	OCALA, FL METRO	1277	0.1 %	0.1%
36140	OCEAN CITY, NJ METRO	765	0.0 %	0.1%
36220	ODESSA, TX METRO	75	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	1373	0.1 %	0.1%
36420	OKLAHOMA CITY, OK METRO	6017	0.4 %	0.5%
36500	OLYMPIA, WA METRO	994	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	7242	0.4 %	0.5%
36740	ORLANDO, FL METRO	8474	0.5 %	0.6%
36780	OSHKOSH-NEENAH, WI METRO	311	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	2596	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	872	0.1 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	567	0.0 %	0.0%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	302	0.0 %	0.0%
37700	PASCAGOULA, MS METRO	49	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1642	0.1 %	0.1%
37900	PEORIA, IL METRO	1038	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	29320	1.8 %	2.2%
38300	PITTSBURGH, PA METRO	7744	0.5 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38660	PONCE, PR METRO	546	0.0 %	0.0%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	3332	0.2 %	0.3%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	20075	1.2 %	1.5%
38940	PORT ST. LUCIE, FL METRO	1583	0.1 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	8880	0.5 %	0.7%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	17428	1.1 %	1.3%
39340	PROVO-OREM, UT METRO	867	0.1 %	0.1%
39380	PUEBLO, CO METRO	6423	0.4 %	0.5%
39460	PUNTA GORDA, FL METRO	368	0.0 %	0.0%
39540	RACINE, WI METRO	578	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	3075	0.2 %	0.2%
39740	READING, PA METRO	3111	0.2 %	0.2%
39820	REDDING, CA METRO	978	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1893	0.1 %	0.1%
40060	RICHMOND, VA METRO	1935	0.1 %	0.1%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	12402	0.8 %	0.9%
40220	ROANOKE, VA METRO	1261	0.1 %	0.1%
40340	ROCHESTER, MN METRO	742	0.0 %	0.1%
40380	ROCHESTER, NY METRO	12971	0.8 %	1.0%
40420	ROCKFORD, IL METRO	1087	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	864	0.1 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	9146	0.6 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1854	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1106	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	720	0.0 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	10669	0.7 %	0.8%
41420	SALEM, OR METRO	4913	0.3 %	0.4%
41500	SALINAS, CA METRO	1793	0.1 %	0.1%
41620	SALT LAKE CITY, UT METRO	11021	0.7 %	0.8%
41660	SAN ANGELO, TX METRO	92	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	578	0.0 %	0.0%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	12225	0.7 %	0.9%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	31793	1.9 %	2.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	5361	0.3 %	0.4%
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	3210	0.2 %	0.2%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	767	0.0 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2506	0.2 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1837	0.1 %	0.1%
42140	SANTA FE, NM METRO	771	0.0 %	0.1%
42220	SANTA ROSA, CA METRO	4616	0.3 %	0.3%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	2041	0.1 %	0.2%
42340	SAVANNAH, GA METRO	1303	0.1 %	0.1%
42540	SCRANTON--WILKES-BARRE-, PA METRO	3361	0.2 %	0.3%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	19960	1.2 %	1.5%
43100	SHEBOYGAN, WI METRO	393	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1348	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	2135	0.1 %	0.2%
43620	SIOUX FALLS, SD METRO	2446	0.1 %	0.2%
43780	SOUTH BEND-MISHAWAKA, IN-MI METRO	1289	0.1 %	0.1%
43900	SPARTANBURG, SC METRO	2095	0.1 %	0.2%
44060	SPOKANE, WA METRO	4240	0.3 %	0.3%
44100	SPRINGFIELD, IL METRO	571	0.0 %	0.0%
44140	SPRINGFIELD, MA METRO	7072	0.4 %	0.5%
44180	SPRINGFIELD, MO METRO	2663	0.2 %	0.2%
44220	SPRINGFIELD, OH METRO	1018	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	348	0.0 %	0.0%
44700	STOCKTON, CA METRO	2725	0.2 %	0.2%
44940	SUMTER, SC METRO	959	0.1 %	0.1%
45060	SYRACUSE, NY METRO	8390	0.5 %	0.6%
45220	TALLAHASSEE, FL METRO	721	0.0 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	14670	0.9 %	1.1%
45460	TERRE HAUTE, IN METRO	21	0.0 %	0.0%
45780	TOLEDO, OH METRO	5271	0.3 %	0.4%
45820	TOPEKA, KS METRO	2207	0.1 %	0.2%
45940	TRENTON-EWING, NJ METRO	2525	0.2 %	0.2%
46140	TULSA, OK METRO	5189	0.3 %	0.4%
46220	TUSCALOOSA, AL METRO	1183	0.1 %	0.1%
46340	TYLER, TX METRO	77	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	3012	0.2 %	0.2%
46700	VALLEJO-FAIRFIELD, CA METRO	1162	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	2459	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	7971	0.5 %	0.6%
47300	VISALIA-PORTERVILLE, CA METRO	1916	0.1 %	0.1%
47360	WACO, TX METRO	404	0.0 %	0.0%
47580	WARNER ROBINS, GA METRO	2	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	17679	1.1 %	1.3%
47940	WATERLOO-CEDAR FALLS, IA METRO	3215	0.2 %	0.2%
48140	WAUSAU, WI METRO	955	0.1 %	0.1%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	546	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	389	0.0 %	0.0%
48620	WICHITA, KS METRO	5486	0.3 %	0.4%
48660	WICHITA FALLS, TX METRO	41	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	418	0.0 %	0.0%
48900	WILMINGTON, NC METRO	1478	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	2760	0.2 %	0.2%
49340	WORCESTER, MA METRO	10581	0.6 %	0.8%
49420	YAKIMA, WA METRO	3983	0.2 %	0.3%
49620	YORK-HANOVER, PA METRO	948	0.1 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	5792	0.4 %	0.4%
49700	YUBA CITY-MARYSVILLE, CA METRO	720	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	305322	18.7 %	-

Based upon 1331771 valid cases out of 1637093 total cases.

**PMSA**

**FIPS 1990 MSA CODE**

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	777	0.0 %	0.1%
60	AGUADILLA, PR MSA	285	0.0 %	0.0%
80	AKRON, OH PMSA	9064	0.6 %	0.7%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
120	ALBANY, GA MSA	793	0.0 %	0.1%
160	ALBANY-SCHENECTADY-TROY, NY MSA	15487	0.9 %	1.2%
200	ALBUQUERQUE, NM MSA	2380	0.1 %	0.2%
220	ALEXANDRIA, LA MSA	2926	0.2 %	0.2%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2473	0.2 %	0.2%
280	ALTOONA, PA MSA	1591	0.1 %	0.1%
320	AMARILLO, TX MSA	45	0.0 %	0.0%
380	ANCHORAGE, AK MSA	2902	0.2 %	0.2%
440	ANN ARBOR, MI PMSA	2967	0.2 %	0.2%
450	ANNISTON, AL MSA	337	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	736	0.0 %	0.1%
470	ARECIBO, PR PMSA	848	0.1 %	0.1%
480	ASHEVILLE, NC MSA	2737	0.2 %	0.2%
500	ATHENS, GA MSA	892	0.1 %	0.1%
520	ATLANTA, GA MSA	7127	0.4 %	0.5%
560	ATLANTIC-CAPE MAY, NJ PMSA	3294	0.2 %	0.2%
580	AUBURN-OPELIKA, AL MSA	302	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	2461	0.2 %	0.2%
640	AUSTIN-SAN MARCOS, TX MSA	1835	0.1 %	0.1%
680	BAKERSFIELD, CA MSA	4547	0.3 %	0.3%
720	BALTIMORE, MD PMSA	35803	2.2 %	2.7%
743	BARNSTABLE-YARMOUTH, MA NECMA	3573	0.2 %	0.3%
760	BATON ROUGE, LA MSA	2095	0.1 %	0.2%
840	BEAUMONT-PORT ARTHUR, TX MSA	164	0.0 %	0.0%
860	BELLINGHAM, WA MSA	2402	0.1 %	0.2%
870	BENTON HARBOR, MI MSA	316	0.0 %	0.0%
875	BERGEN-PASSAIC, NJ PMSA	7922	0.5 %	0.6%
880	BILLINGS, MT MSA	922	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	236	0.0 %	0.0%
960	BINGHAMTON, NY MSA	2941	0.2 %	0.2%
1000	BIRMINGHAM, AL MSA	5538	0.3 %	0.4%
1020	BLOOMINGTON, IN MSA	823	0.1 %	0.1%
1040	BLOOMINGTON-NORMAL, IL MSA	414	0.0 %	0.0%
1080	BOISE CITY, ID MSA	2405	0.1 %	0.2%
1123	BOSTON-WORCESTER-LAWRENCELOWELL-BROCKTON, MA-NH NECMA	59140	3.6 %	4.4%
1125	BOULDER-LONGMONT, CO PMSA	2539	0.2 %	0.2%
1145	BRAZORIA, TX PMSA	370	0.0 %	0.0%
1150	BREMERTON, WA PMSA	2658	0.2 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	177	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1280	BUFFALO-NIAGARA FALLS, NY MSA	20421	1.2 %	1.5%
1303	BURLINGTON, VT NECMA	2362	0.1 %	0.2%
1310	CAGUAS, PR PMSA	493	0.0 %	0.0%
1320	CANTON-MASSILLON, OH MSA	3457	0.2 %	0.3%
1360	CEDAR RAPIDS, IA MSA	4058	0.2 %	0.3%
1400	CHAMPAIGN-URBANA, IL MSA	777	0.0 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4525	0.3 %	0.3%
1480	CHARLESTON, WV MSA	475	0.0 %	0.0%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	10454	0.6 %	0.8%
1560	CHATTANOOGA, TN-GA MSA	1650	0.1 %	0.1%
1600	CHICAGO, IL PMSA	17227	1.1 %	1.3%
1620	CHICO-PARADISE, CA MSA	1145	0.1 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	8802	0.5 %	0.7%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	259	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	19972	1.2 %	1.5%
1720	COLORADO SPRINGS, CO MSA	4205	0.3 %	0.3%
1740	COLUMBIA, MO MSA	1203	0.1 %	0.1%
1760	COLUMBIA, SC MSA	4715	0.3 %	0.4%
1800	COLUMBUS, GA-AL MSA	1031	0.1 %	0.1%
1840	COLUMBUS, OH MSA	12502	0.8 %	0.9%
1880	CORPUS CHRISTI, TX MSA	495	0.0 %	0.0%
1900	CUMBERLAND, MD-WV MSA	1106	0.1 %	0.1%
1920	DALLAS, TX PMSA	1198	0.1 %	0.1%
1950	DANVILLE, VA MSA	309	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	4440	0.3 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	7293	0.4 %	0.5%
2020	DAYTONA BEACH, FL MSA	2345	0.1 %	0.2%
2030	DECATUR, AL MSA	612	0.0 %	0.0%
2040	DECATUR, IL MSA	414	0.0 %	0.0%
2080	DENVER, CO PMSA	31592	1.9 %	2.4%
2120	DES MOINES, IA MSA	6807	0.4 %	0.5%
2160	DETROIT, MI PMSA	36653	2.2 %	2.8%
2180	DOTHAN, AL MSA	594	0.0 %	0.0%
2190	DOVER, DE MSA	409	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1217	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	5000	0.3 %	0.4%
2290	EAU CLAIRE, WI MSA	635	0.0 %	0.0%
2320	EL PASO, TX MSA	942	0.1 %	0.1%
2330	ELKHART-GOSHEN, IN MSA	781	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2360	ERIE, PA MSA	2122	0.1 %	0.2%
2400	EUGENE-SPRINGFIELD, OR MSA	5408	0.3 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	462	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	266	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1858	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	844	0.1 %	0.1%
2640	FLINT, MI PMSA	3410	0.2 %	0.3%
2650	FLORENCE, AL MSA	354	0.0 %	0.0%
2655	FLORENCE, SC MSA	1371	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	318	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	7017	0.4 %	0.5%
2700	FORT MYERS-CAPE CORAL, FL MSA	2056	0.1 %	0.2%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	1583	0.1 %	0.1%
2720	FORT SMITH, AR-OK MSA	523	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	630	0.0 %	0.0%
2760	FORT WAYNE, IN MSA	674	0.0 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	1128	0.1 %	0.1%
2840	FRESNO, CA MSA	8346	0.5 %	0.6%
2880	GADSDEN, AL MSA	848	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1468	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	310	0.0 %	0.0%
2960	GARY, IN PMSA	364	0.0 %	0.0%
2975	GLENS FALLS, NY MSA	1099	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	601	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	1420	0.1 %	0.1%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	17234	1.1 %	1.3%
3060	GREELEY, CO PMSA	3035	0.2 %	0.2%
3080	GREEN BAY, WI MSA	148	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	6636	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2656	0.2 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7260	0.4 %	0.5%
3180	HAGERSTOWN, MD PMSA	1338	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	1348	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	3646	0.2 %	0.3%
3283	HARTFORD, CT NECMA	22242	1.4 %	1.7%
3285	HATTIESBURG, MS MSA	11	0.0 %	0.0%
3290	HICKORY-MORGANTON, NC MSA	1521	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3320	HONOLULU, HI MSA	3595	0.2 %	0.3%
3350	HOUMA, LA MSA	1605	0.1 %	0.1%
3360	HOUSTON, TX PMSA	1904	0.1 %	0.1%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	362	0.0 %	0.0%
3440	HUNTSVILLE, AL MSA	706	0.0 %	0.1%
3480	INDIANAPOLIS, IN MSA	5774	0.4 %	0.4%
3500	IOWA CITY, IA MSA	1711	0.1 %	0.1%
3520	JACKSON, MI MSA	1317	0.1 %	0.1%
3560	JACKSON, MS MSA	591	0.0 %	0.0%
3580	JACKSON, TN MSA	651	0.0 %	0.0%
3600	JACKSONVILLE, FL MSA	4711	0.3 %	0.4%
3605	JACKSONVILLE, NC MSA	840	0.1 %	0.1%
3610	JAMESTOWN, NY MSA	1291	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	841	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	4924	0.3 %	0.4%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	227	0.0 %	0.0%
3680	JOHNSTOWN, PA MSA	786	0.0 %	0.1%
3710	JOPLIN, MO MSA	1635	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	5091	0.3 %	0.4%
3740	KANKAKEE, IL PMSA	268	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	10098	0.6 %	0.8%
3800	KENOSHA, WI PMSA	423	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	13	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1991	0.1 %	0.1%
3850	KOKOMO, IN MSA	124	0.0 %	0.0%
3870	LA CROSSE, WI-MN MSA	238	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	286	0.0 %	0.0%
3920	LAFAYETTE, IN MSA	479	0.0 %	0.0%
3960	LAKE CHARLES, LA MSA	1191	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	2031	0.1 %	0.2%
4000	LANCASTER, PA MSA	2400	0.1 %	0.2%
4040	LANSING-EAST LANSING, MI MSA	3962	0.2 %	0.3%
4080	LAREDO, TX MSA	120	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	402	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	4484	0.3 %	0.3%
4200	LAWTON, OK MSA	814	0.0 %	0.1%
4320	LIMA, OH MSA	790	0.0 %	0.1%
4360	LINCOLN, NE MSA	7338	0.4 %	0.6%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	3644	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4420	LONGVIEW-MARSHALL, TX MSA	86	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	44322	2.7 %	3.3%
4520	LOUISVILLE, KY-IN MSA	1173	0.1 %	0.1%
4600	LUBBOCK, TX MSA	627	0.0 %	0.0%
4640	LYNCHBURG, VA MSA	401	0.0 %	0.0%
4680	MACON, GA MSA	812	0.0 %	0.1%
4720	MADISON, WI MSA	61	0.0 %	0.0%
4800	MANSFIELD, OH MSA	631	0.0 %	0.0%
4840	MAYAGUEZ, PR MSA	611	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	134	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	2821	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	872	0.1 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2237	0.1 %	0.2%
4940	MERCED, CA MSA	900	0.1 %	0.1%
5000	MIAMI, FL PMSA	10402	0.6 %	0.8%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	6844	0.4 %	0.5%
5080	MILWAUKEE-WAUKESHA, WI PMSA	1228	0.1 %	0.1%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	23681	1.4 %	1.8%
5160	MOBILE, AL MSA	1618	0.1 %	0.1%
5170	MODESTO, CA MSA	1671	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	6947	0.4 %	0.5%
5200	MONROE, LA MSA	383	0.0 %	0.0%
5240	MONTGOMERY, AL MSA	1144	0.1 %	0.1%
5280	MUNCIE, IN MSA	1094	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	1170	0.1 %	0.1%
5345	NAPLES, FL MSA	1242	0.1 %	0.1%
5360	NASHVILLE, TN MSA	1506	0.1 %	0.1%
5380	NASSAU-SUFFOLK, NY PMSA	29640	1.8 %	2.2%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	16065	1.0 %	1.2%
5523	NEW LONDON-NORWICH, CT NECMA	4062	0.2 %	0.3%
5560	NEW ORLEANS, LA MSA	2898	0.2 %	0.2%
5600	NEW YORK, NY PMSA	97998	6.0 %	7.4%
5640	NEWARK, NJ PMSA	20224	1.2 %	1.5%
5660	NEWBURGH, NY-PA PMSA	4023	0.2 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	7971	0.5 %	0.6%
5775	OAKLAND, CA PMSA	19191	1.2 %	1.4%
5790	OCALA, FL MSA	1277	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5800	ODESSA-MIDLAND, TX MSA	75	0.0 %	0.0%
5880	OKLAHOMA CITY, OK MSA	6017	0.4 %	0.5%
5910	OLYMPIA, WA PMSA	994	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	7242	0.4 %	0.5%
5945	ORANGE COUNTY, CA PMSA	11452	0.7 %	0.9%
5960	ORLANDO, FL MSA	8474	0.5 %	0.6%
6015	PANAMA CITY, FL MSA	567	0.0 %	0.0%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	302	0.0 %	0.0%
6080	PENSACOLA, FL MSA	1642	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	1038	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	25685	1.6 %	1.9%
6280	PITTSBURGH, PA MSA	7744	0.5 %	0.6%
6360	PONCE, PR MSA	546	0.0 %	0.0%
6403	PORTLAND, ME NECMA	3332	0.2 %	0.3%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	20075	1.2 %	1.5%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	11244	0.7 %	0.8%
6520	PROVO-OREM, UT MSA	867	0.1 %	0.1%
6560	PUEBLO, CO MSA	6423	0.4 %	0.5%
6580	PUNTA GORDA, FL MSA	368	0.0 %	0.0%
6600	RACINE, WI PMSA	578	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	5193	0.3 %	0.4%
6680	READING, PA MSA	3111	0.2 %	0.2%
6690	REDDING, CA MSA	978	0.1 %	0.1%
6720	RENO, NV MSA	1893	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	1227	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	1935	0.1 %	0.1%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	12402	0.8 %	0.9%
6800	ROANOKE, VA MSA	1261	0.1 %	0.1%
6820	ROCHESTER, MN MSA	742	0.0 %	0.1%
6840	ROCHESTER, NY MSA	12971	0.8 %	1.0%
6880	ROCKFORD, IL MSA	1087	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	864	0.1 %	0.1%
6920	SACRAMENTO, CA PMSA	7542	0.5 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2927	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	1106	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	720	0.0 %	0.1%
7040	ST. LOUIS, MO-IL MSA	10669	0.7 %	0.8%
7080	SALEM, OR PMSA	4913	0.3 %	0.4%
7120	SALINAS, CA MSA	1793	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7160	SALT LAKE CITY-OGDEN, UT MSA	12394	0.8 %	0.9%
7200	SAN ANGELO, TX MSA	92	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	578	0.0 %	0.0%
7320	SAN DIEGO, CA MSA	12225	0.7 %	0.9%
7360	SAN FRANCISCO, CA PMSA	12602	0.8 %	0.9%
7400	SAN JOSE, CA PMSA	5361	0.3 %	0.4%
7440	SAN JUAN-BAYAMON, PR PMSA	1869	0.1 %	0.1%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	767	0.0 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2506	0.2 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1837	0.1 %	0.1%
7490	SANTA FE, NM MSA	771	0.0 %	0.1%
7500	SANTA ROSA, CA PMSA	4616	0.3 %	0.3%
7510	SARASOTA-BRADENTON, FL MSA	2041	0.1 %	0.2%
7520	SAVANNAH, GA MSA	1303	0.1 %	0.1%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	3361	0.2 %	0.3%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	14418	0.9 %	1.1%
7610	SHARON, PA MSA	937	0.1 %	0.1%
7620	SHEBOYGAN, WI MSA	393	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1348	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	2135	0.1 %	0.2%
7760	SIOUX FALLS, SD MSA	2446	0.1 %	0.2%
7800	SOUTH BEND, IN MSA	1289	0.1 %	0.1%
7840	SPOKANE, WA MSA	4240	0.3 %	0.3%
7880	SPRINGFIELD, IL MSA	571	0.0 %	0.0%
7920	SPRINGFIELD, MO MSA	2663	0.2 %	0.2%
8003	SPRINGFIELD, MA NECMA	7072	0.4 %	0.5%
8050	STATE COLLEGE, PA MSA	348	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	546	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2725	0.2 %	0.2%
8140	SUMTER, SC MSA	959	0.1 %	0.1%
8160	SYRACUSE, NY MSA	8390	0.5 %	0.6%
8200	TACOMA, WA PMSA	5542	0.3 %	0.4%
8240	TALLAHASSEE, FL MSA	721	0.0 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	14670	0.9 %	1.1%
8320	TERRE HAUTE, IN MSA	21	0.0 %	0.0%
8400	TOLEDO, OH MSA	5271	0.3 %	0.4%
8440	TOPEKA, KS MSA	2207	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8480	TRENTON, NJ PMSA	2525	0.2 %	0.2%
8560	TULSA, OK MSA	5189	0.3 %	0.4%
8600	TUSCALOOSA, AL MSA	1183	0.1 %	0.1%
8640	TYLER, TX MSA	77	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	3012	0.2 %	0.2%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1658	0.1 %	0.1%
8735	VENTURA, CA PMSA	2596	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	2459	0.2 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1916	0.1 %	0.1%
8800	WACO, TX MSA	404	0.0 %	0.0%
8840	WASHINGTON, DC-MD-VA-WV PMSA	17679	1.1 %	1.3%
8920	WATERLOO-CEDAR FALLS, IA MSA	3215	0.2 %	0.2%
8940	WAUSAU, WI MSA	955	0.1 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	5795	0.4 %	0.4%
9000	WHEELING, WV-OH MSA	389	0.0 %	0.0%
9040	WICHITA, KS MSA	5486	0.3 %	0.4%
9080	WICHITA FALLS, TX MSA	41	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	418	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	3635	0.2 %	0.3%
9200	WILMINGTON, NC MSA	1478	0.1 %	0.1%
9260	YAKIMA, WA MSA	3983	0.2 %	0.3%
9270	YOLO, CA PMSA	1604	0.1 %	0.1%
9280	YORK, PA MSA	948	0.1 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	6173	0.4 %	0.5%
9340	YUBA CITY, CA MSA	720	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	305322	18.7 %	-

Based upon 1331771 valid cases out of 1637093 total cases.

**REGION**

**CENSUS REGION**

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)



and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	4652	0.3 %	0.3%
1	NORTHEAST	499281	30.5 %	30.5%
2	MIDWEST	403842	24.7 %	24.7%
3	SOUTH	350897	21.4 %	21.4%
4	WEST	378421	23.1 %	23.1%

Based upon 1637093 valid cases out of 1637093 total cases.

**DIVISION**

**CENSUS DIVISION**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico

- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.

- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.

- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	4652	0.3 %	0.3%
1	NEW ENGLAND	148404	9.1 %	9.1%
2	MID-ATLANTIC	350877	21.4 %	21.4%
3	EAST NORTH CENTRAL	243700	14.9 %	14.9%
4	WEST NORTH CENTRAL	160142	9.8 %	9.8%
5	SOUTH ATLANTIC	261162	16.0 %	16.0%
6	EAST SOUTH CENTRAL	28745	1.8 %	1.8%
7	WEST SOUTH CENTRAL	60990	3.7 %	3.7%
8	MOUNTAIN	100121	6.1 %	6.1%
9	PACIFIC	278300	17.0 %	17.0%

Based upon 1637093 valid cases out of 1637093 total cases.

**SERVSETA**

**SERVICE SETTING AT ADMISSION**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other

drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	70912	4.3 %	4.3%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	254089	15.5 %	15.5%
3	REHAB/RES, HOSPITAL (NON-DETOX)	19578	1.2 %	1.2%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	130006	7.9 %	7.9%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	127433	7.8 %	7.8%
6	AMBULATORY, INTENSIVE OUTPATIENT	140047	8.6 %	8.6%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	829225	50.7 %	50.7%
8	AMBULATORY, DETOXIFICATION	65493	4.0 %	4.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	310	0.0 %	-

Based upon 1636783 valid cases out of 1637093 total cases.

**METHUSE**

**MEDICATION-ASSISTED OPIOID THERAPY**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	98272	6.0 %	6.3%
2	NO	1454387	88.8 %	93.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	84434	5.2 %	-

Based upon 1552659 valid cases out of 1637093 total cases.

<b>DAYWAIT</b>	<b>DAYS WAITING TO ENTER TREATMENT</b>
----------------	--

Location: 56-58 (width: 3; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 296354 valid cases out of 1637093 total cases.

- Mean: 5.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 30.08

<b>PSOURCE</b>	<b>PRINCIPAL SOURCE OF REFERRAL</b>
----------------	-------------------------------------

Location: 59-60 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other

drug abuse prevention, education, or treatment.

- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	543650	33.2 %	34.1%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	213127	13.0 %	13.4%
3	OTHER HEALTH CARE PROVIDER	117196	7.2 %	7.4%
4	SCHOOL (EDUCATIONAL)	22523	1.4 %	1.4%
5	EMPLOYER/EAP	22822	1.4 %	1.4%
6	OTHER COMMUNITY REFERRAL	135251	8.3 %	8.5%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	538170	32.9 %	33.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	44354	2.7 %	-

Based upon 1592739 valid cases out of 1637093 total cases.

**DETCRIM**

**DETAILED CRIMINAL JUSTICE REFERRAL**

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	65022	4.0 %	20.5%
3	PROBATION/PAROLE	118232	7.2 %	37.2%
5	DIVERSIONARY PROGRAM	10768	0.7 %	3.4%
6	PRISON	14125	0.9 %	4.4%
7	DUI/DWI	60371	3.7 %	19.0%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	49208	3.0 %	15.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1319367	80.6 %	-

Based upon 317726 valid cases out of 1637093 total cases.

**NOPRIOR**

**NUMBER OF PRIOR TREATMENT EPISODES**

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be

derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	609983	37.3 %	42.7%
1	1 PRIOR TREATMENT EPISODES	322296	19.7 %	22.6%
2	2 PRIOR TREATMENT EPISODES	172144	10.5 %	12.0%
3	3 PRIOR TREATMENT EPISODES	98233	6.0 %	6.9%
4	4 PRIOR TREATMENT EPISODES	56668	3.5 %	4.0%
5	5 OR MORE PRIOR TREATMENT EPISODES	169338	10.3 %	11.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	208431	12.7 %	-

Based upon 1428662 valid cases out of 1637093 total cases.

**SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)**

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	22620	1.4 %	1.4%
2	ALCOHOL	831123	50.8 %	51.2%
3	COCAINE/CRACK	263196	16.1 %	16.2%
4	MARIJUANA/HASHISH	192191	11.7 %	11.8%
5	HEROIN	224092	13.7 %	13.8%
6	NON-PRESCRIPTION METHADONE	1295	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	15248	0.9 %	0.9%
8	PCP	2502	0.2 %	0.2%
9	OTHER HALLUCINOGENS	2825	0.2 %	0.2%
10	METHAMPHETAMINE	40979	2.5 %	2.5%
11	OTHER AMPHETAMINES	10904	0.7 %	0.7%
12	OTHER STIMULANTS	975	0.1 %	0.1%
13	BENZODIAZEPINES	3520	0.2 %	0.2%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1008	0.1 %	0.1%
15	BARBITURATES	1430	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	1863	0.1 %	0.1%
17	INHALANTS	1926	0.1 %	0.1%



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	OVER-THE-COUNTER MEDICATIONS	541	0.0 %	0.0%
20	OTHER	3680	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	15175	0.9 %	-

Based upon 1621918 valid cases out of 1637093 total cases.

**ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)**

Location: 67-68 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	839230	51.3 %	54.6%
2	SMOKING	400636	24.5 %	26.0%
3	INHALATION	119356	7.3 %	7.8%
4	INJECTION (IV OR INTRAMUSCULAR)	174666	10.7 %	11.4%
20	OTHER	4239	0.3 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	98966	6.0 %	-

Based upon 1538127 valid cases out of 1637093 total cases.

**FREQ1 FREQUENCY OF USE (PRIMARY)**

Location: 69-70 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	362326	22.1 %	23.9%
2	1-3 TIMES IN THE PAST MONTH	171390	10.5 %	11.3%
3	1-2 TIMES IN THE PAST WEEK	147221	9.0 %	9.7%
4	3-6 TIMES IN THE PAST WEEK	186099	11.4 %	12.3%
5	DAILY	649478	39.7 %	42.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	120579	7.4 %	-

Based upon 1516514 valid cases out of 1637093 total cases.

**FRSTUSE1 AGE AT FIRST USE (PRIMARY)**

Location: 71-72 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	135870	8.3 %	8.7%
2	12-14	349800	21.4 %	22.5%
3	15-17	442197	27.0 %	28.4%
4	18-20	255972	15.6 %	16.5%
5	21-24	140887	8.6 %	9.1%
6	25-29	111165	6.8 %	7.1%
7	30-34	62836	3.8 %	4.0%
8	35-39	33145	2.0 %	2.1%
9	40-44	14277	0.9 %	0.9%
10	45-49	5564	0.3 %	0.4%
11	50-54	2139	0.1 %	0.1%
12	55 AND OVER	1604	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	81637	5.0 %	-

Based upon 1555456 valid cases out of 1637093 total cases.

**SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)**

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE

- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	542327	33.1 %	37.8%
2	ALCOHOL	278050	17.0 %	19.4%
3	COCAINE/CRACK	243264	14.9 %	17.0%
4	MARIJUANA/HASHISH	253701	15.5 %	17.7%
5	HEROIN	30103	1.8 %	2.1%
6	NON-PRESCRIPTION METHADONE	2609	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	11254	0.7 %	0.8%
8	PCP	2657	0.2 %	0.2%
9	OTHER HALLUCINOGENS	7340	0.4 %	0.5%
10	METHAMPHETAMINE	25113	1.5 %	1.8%
11	OTHER AMPHETAMINES	9246	0.6 %	0.6%
12	OTHER STIMULANTS	2175	0.1 %	0.2%
13	BENZODIAZEPINES	8589	0.5 %	0.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2622	0.2 %	0.2%
15	BARBITURATES	2396	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3189	0.2 %	0.2%
17	INHALANTS	1581	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1032	0.1 %	0.1%
20	OTHER	5818	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	204027	12.5 %	-

Based upon 1433066 valid cases out of 1637093 total cases.

**ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)**

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	316268	19.3 %	37.1%
2	SMOKING	379625	23.2 %	44.5%
3	INHALATION	81469	5.0 %	9.6%
4	INJECTION (IV OR INTRAMUSCULAR)	72266	4.4 %	8.5%
20	OTHER	2821	0.2 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	784644	47.9 %	-

Based upon 852449 valid cases out of 1637093 total cases.

**FREQ2 FREQUENCY OF USE (SECONDARY)**

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	298010	18.2 %	34.1%
2	1-3 TIMES IN THE PAST MONTH	127591	7.8 %	14.6%
3	1-2 TIMES IN THE PAST WEEK	105336	6.4 %	12.1%
4	3-6 TIMES IN THE PAST WEEK	100813	6.2 %	11.5%
5	DAILY	242204	14.8 %	27.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	763139	46.6 %	-

Based upon 873954 valid cases out of 1637093 total cases.

**FRSTUSE2 AGE AT FIRST USE (SECONDARY)**

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	128283	7.8 %	13.9%
2	12-14	205938	12.6 %	22.3%
3	15-17	243990	14.9 %	26.5%
4	18-20	134490	8.2 %	14.6%
5	21-24	72612	4.4 %	7.9%
6	25-29	62244	3.8 %	6.7%
7	30-34	37485	2.3 %	4.1%
8	35-39	21253	1.3 %	2.3%
9	40-44	9942	0.6 %	1.1%
10	45-49	3793	0.2 %	0.4%
11	50-54	1385	0.1 %	0.2%
12	55 AND OVER	722	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	714956	43.7 %	-

Based upon 922137 valid cases out of 1637093 total cases.

**SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)**

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	886396	54.1 %	70.8%
2	ALCOHOL	89074	5.4 %	7.1%
3	COCAINE/CRACK	73230	4.5 %	5.9%
4	MARIJUANA/HASHISH	111004	6.8 %	8.9%
5	HEROIN	15075	0.9 %	1.2%
6	NON-PRESCRIPTION METHADONE	1661	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	6414	0.4 %	0.5%
8	PCP	2934	0.2 %	0.2%
9	OTHER HALLUCINOGENS	14551	0.9 %	1.2%
10	METHAMPHETAMINE	16485	1.0 %	1.3%
11	OTHER AMPHETAMINES	7958	0.5 %	0.6%
12	OTHER STIMULANTS	2082	0.1 %	0.2%
13	BENZODIAZEPINES	7167	0.4 %	0.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2534	0.2 %	0.2%
15	BARBITURATES	2314	0.1 %	0.2%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2561	0.2 %	0.2%
17	INHALANTS	2487	0.2 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	1152	0.1 %	0.1%
20	OTHER	6053	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	385961	23.6 %	-

Based upon 1251132 valid cases out of 1637093 total cases.

**ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)**

Location: 83-84 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	115808	7.1 %	37.8%
2	SMOKING	126461	7.7 %	41.3%
3	INHALATION	40994	2.5 %	13.4%
4	INJECTION (IV OR INTRAMUSCULAR)	20781	1.3 %	6.8%
20	OTHER	2475	0.2 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1330574	81.3 %	-

Based upon 306519 valid cases out of 1637093 total cases.

**FREQ3 FREQUENCY OF USE (TERTIARY)**

Location: 85-86 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	182590	11.2 %	50.8%
2	1-3 TIMES IN THE PAST MONTH	49299	3.0 %	13.7%
3	1-2 TIMES IN THE PAST WEEK	35229	2.2 %	9.8%
4	3-6 TIMES IN THE PAST WEEK	28676	1.8 %	8.0%
5	DAILY	63525	3.9 %	17.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1277774	78.1 %	-

Based upon 359319 valid cases out of 1637093 total cases.

**FRSTUSE3 AGE AT FIRST USE (TERTIARY)**

Location: 87-88 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	126392	7.7 %	30.0%
2	12-14	82458	5.0 %	19.6%
3	15-17	96144	5.9 %	22.8%
4	18-20	49702	3.0 %	11.8%
5	21-24	24722	1.5 %	5.9%
6	25-29	19929	1.2 %	4.7%
7	30-34	11812	0.7 %	2.8%
8	35-39	6142	0.4 %	1.5%
9	40-44	2674	0.2 %	0.6%
10	45-49	941	0.1 %	0.2%
11	50-54	305	0.0 %	0.1%
12	55 AND OVER	146	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1215726	74.3 %	-

Based upon 421367 valid cases out of 1637093 total cases.

**NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.**

Location: 89-90 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	36766	2.2 %	2.2%
1	707511	43.2 %	43.2%
2	531186	32.4 %	32.4%
3	361630	22.1 %	22.1%

Based upon 1637093 valid cases out of 1637093 total cases.

**IDU CURRENT IV DRUG USE REPORTED AT ADM.**

Location: 91-92 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9 , -8  
 Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.



<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1388113	84.8 %	86.7%
1	IDU REPORTED	212371	13.0 %	13.3%
-8 (M)	NO SUBSTANCES REPORTED	36609	2.2 %	-

Based upon 1600484 valid cases out of 1637093 total cases.

**ALCFLG ALCOHOL REPORTED AT ADM.**

Location: 93-93 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	440210	26.9 %	26.9%
1	SUBSTANCE REPORTED	1196883	73.1 %	73.1%

Based upon 1637093 valid cases out of 1637093 total cases.

**COKEFLG COCAINE/CRACK REPORTED AT ADM.**

Location: 94-94 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1065922	65.1 %	65.1%
1	SUBSTANCE REPORTED	571171	34.9 %	34.9%

Based upon 1637093 valid cases out of 1637093 total cases.

**MARFLG MARIJUANA/HASHISH REPORTED AT ADM.**

Location: 95-95 (width: 1; decimal: 0)  
 Variable Type: numeric  
 Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1080726	66.0 %	66.0%
1	SUBSTANCE REPORTED	556367	34.0 %	34.0%

Based upon 1637093 valid cases out of 1637093 total cases.

**HERFLG HEROIN REPORTED AT ADM.**

Location: 96-96 (width: 1; decimal: 0)  
 Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1368016	83.6 %	83.6%
1	SUBSTANCE REPORTED	269077	16.4 %	16.4%

Based upon 1637093 valid cases out of 1637093 total cases.

**METHFLG NON-RX METHADONE REPORTED AT ADM.**

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1631534	99.7 %	99.7%
1	SUBSTANCE REPORTED	5559	0.3 %	0.3%

Based upon 1637093 valid cases out of 1637093 total cases.

**OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.**

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1604375	98.0 %	98.0%
1	SUBSTANCE REPORTED	32718	2.0 %	2.0%

Based upon 1637093 valid cases out of 1637093 total cases.

**PCPFLG PCP REPORTED AT ADM.**

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1629008	99.5 %	99.5%
1	SUBSTANCE REPORTED	8085	0.5 %	0.5%

Based upon 1637093 valid cases out of 1637093 total cases.

**HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.**

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1612425	98.5 %	98.5%
1	SUBSTANCE REPORTED	24668	1.5 %	1.5%

Based upon 1637093 valid cases out of 1637093 total cases.

**MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.**

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1554549	95.0 %	95.0%
1	SUBSTANCE REPORTED	82544	5.0 %	5.0%

Based upon 1637093 valid cases out of 1637093 total cases.

**AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.**

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1609042	98.3 %	98.3%
1	SUBSTANCE REPORTED	28051	1.7 %	1.7%

Based upon 1637093 valid cases out of 1637093 total cases.

**STIMFLG OTHER STIMULANTS REPORTED AT ADM.**

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1631875	99.7 %	99.7%
1	SUBSTANCE REPORTED	5218	0.3 %	0.3%

Based upon 1637093 valid cases out of 1637093 total cases.

**BENZFLG BENZODIAZEPINES REPORTED AT ADM.**

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1617891	98.8 %	98.8%
1	SUBSTANCE REPORTED	19202	1.2 %	1.2%

Based upon 1637093 valid cases out of 1637093 total cases.

**TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.**

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1630936	99.6 %	99.6%
1	SUBSTANCE REPORTED	6157	0.4 %	0.4%

Based upon 1637093 valid cases out of 1637093 total cases.

**BARBFLG BARBITURATES REPORTED AT ADM.**

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1630958	99.6 %	99.6%
1	SUBSTANCE REPORTED	6135	0.4 %	0.4%

Based upon 1637093 valid cases out of 1637093 total cases.

**SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.**

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1629488	99.5 %	99.5%
1	SUBSTANCE REPORTED	7605	0.5 %	0.5%

Based upon 1637093 valid cases out of 1637093 total cases.

**INHFLG INHALANTS REPORTED AT ADM.**

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1631104	99.6 %	99.6%
1	SUBSTANCE REPORTED	5989	0.4 %	0.4%

Based upon 1637093 valid cases out of 1637093 total cases.

**OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.**

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1634369	99.8 %	99.8%
1	SUBSTANCE REPORTED	2724	0.2 %	0.2%

Based upon 1637093 valid cases out of 1637093 total cases.

**OTHERFLG OTHER DRUG REPORTED AT ADM.**

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1621675	99.1 %	99.1%
1	SUBSTANCE REPORTED	15418	0.9 %	0.9%

Based upon 1637093 valid cases out of 1637093 total cases.

**ALCDRUG SUBSTANCE ABUSE TYPE**

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	36766	2.2 %	2.2%
1	ALCOHOL ONLY	472628	28.9 %	28.9%
2	OTHER DRUGS ONLY	403444	24.6 %	24.6%
3	ALCOHOL AND OTHER DRUGS	724255	44.2 %	44.2%

Based upon 1637093 valid cases out of 1637093 total cases.

**DSMCRIT DSM DIAGNOSIS**

Location: 113-114 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	7180	0.4 %	1.8%
1	ALCOHOL-INDUCED DISORDER	1290	0.1 %	0.3%
2	SUBSTANCE-INDUCED DISORDER	1277	0.1 %	0.3%
3	ALCOHOL INTOXICATION	36893	2.3 %	9.3%
4	ALCOHOL DEPENDENCE	121503	7.4 %	30.6%
5	OPIOID DEPENDENCE	51796	3.2 %	13.1%
6	COCAINE DEPENDENCE	56021	3.4 %	14.1%
7	CANNABIS DEPENDENCE	22929	1.4 %	5.8%
8	OTHER SUBSTANCE DEPENDENCE	18245	1.1 %	4.6%
9	ALCOHOL ABUSE	42032	2.6 %	10.6%
10	CANNABIS ABUSE	16401	1.0 %	4.1%
11	OTHER SUBSTANCE ABUSE	2714	0.2 %	0.7%
12	OPIOID ABUSE	952	0.1 %	0.2%
13	COCAINE ABUSE	7421	0.5 %	1.9%
14	ANXIETY DISORDERS	565	0.0 %	0.1%
15	DEPRESSIVE DISORDERS	1974	0.1 %	0.5%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	1085	0.1 %	0.3%
17	BIPOLAR DISORDERS	655	0.0 %	0.2%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	443	0.0 %	0.1%
19	OTHER MENTAL HEALTH CONDITION	2022	0.1 %	0.5%
20	OTHER CONDITION	3243	0.2 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1240452	75.8 %	-

Based upon 396641 valid cases out of 1637093 total cases.

**PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM**

Location: 115-116 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	164391	10.0 %	15.3%
2	NO	909733	55.6 %	84.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	562969	34.4 %	-

Based upon 1074124 valid cases out of 1637093 total cases.

**HLTHINS HEALTH INSURANCE**

Location: 117-118 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	119887	7.3 %	15.2%
2	MEDICAID	103221	6.3 %	13.1%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	71492	4.4 %	9.1%
4	NONE	494655	30.2 %	62.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	847838	51.8 %	-

Based upon 789255 valid cases out of 1637093 total cases.

**PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT**

Location: 119-120 (width: 2; decimal: 0)  
 Variable Type: numeric  
 Range of Missing Values (M): -9  
 Question: Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	162124	9.9 %	30.0%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	50617	3.1 %	9.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MEDICARE, WORKER'S COMPENSATION	7025	0.4 %	1.3%
4	MEDICAID	71854	4.4 %	13.3%
5	OTHER GOVERNMENT PAYMENTS	138757	8.5 %	25.7%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	66139	4.0 %	12.2%
9	OTHER	43515	2.7 %	8.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1097062	67.0 %	-

Based upon 540031 valid cases out of 1637093 total cases.



# APPENDIX



## APPENDIX A

### TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

---

<sup>3</sup> MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> <sup>3</sup>	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION



## APPENDIX B

### Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
<b>AGE</b>  Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
<b>MARSTAT</b>  Marital Status	1 Never Married (52.7%) 2 Now Married (18.9%) 3 Separated (8.6%) 4 Divorced (18.1%) 5 Widowed (1.6%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
<b>EDUC</b>  Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DET NFLF</b> Detailed 'Not in Labor' Force	1 Homemaker (7.1%) 2 Student (27.4%) 3 Retired (3.0%) 4 Disabled (25.0%) 5 Inmate of Institution (7.0%) 6 Other (30.4%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
<b>PRIMINC</b> Source of Income / Support	1 Wages/Salary (38.2%) 2 Public Assistance (15.0%) 3 Retirement/Pension (<1%) 4 Disability (4.0%) 20 Other (21.1%) 21 None (20.8%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
<b>PMSA</b> FIPS 1990 MSA Code  <b>CBSA</b> FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification.  When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into:  "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
<b>DETCRIM</b> Detailed Criminal Justice Referral	1 State/Federal Court (18.1%) 2 Other Court (2.3%) 3 Probation/Parole (37.2%) 4 Other Recognized Legal Entity (11.1%) 5 Diversionary Program (3.4%) 6 Prison (4.4%) 7 DUI/DWI (19.0%) 8 Other (4.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other



Variable	Original Codes (original percentage)	Recodes
<p><b>HLTHINS</b></p> <p>Health Insurance</p>	<p>1 Private Insurance (Other Than BC/BS or HMO) (7.8%)</p> <p>2 Blue Cross / Blue Shield (BC/BS) (3.5%)</p> <p>3 Medicare (2.0%)</p> <p>4 Medicaid (13.1%)</p> <p>6 Health Maintenance Organization (HMO) (3.9%)</p> <p>20 Other (e.g. TriCare, Champus) (7.1%)</p> <p>21 None (62.7%)</p>	<p>1 Private Insurance, BC/BS, HMO</p> <p>2 Medicaid</p> <p>3 Medicare/Other (e.g. Tricare, Champus)</p> <p>4 None</p>
<p><b>PRIMPAY</b></p> <p>Expected/Actual Payment Source of Payment</p>	<p>1 Self-Pay (30.0%)</p> <p>2 Blue Cross / Blue Shield (2.7%)</p> <p>3 Medicare (1.2%)</p> <p>4 Medicaid (13.3%)</p> <p>5 Other Government Payments (25.7%)</p> <p>6 Worker's Compensation (&lt;1%)</p> <p>7 Other Health Insurance Companies (6.7%)</p> <p>8 No charge (Free, Charity, Special Research or Teaching) (12.2%)</p> <p>9 Other (8.1%)</p>	<p>1 Self-Pay</p> <p>2 Blue Cross / Blue Shield, Other Health Insurance Companies</p> <p>3 Medicare, Worker's Compensation</p> <p>4 Medicaid</p> <p>5 Other Government Payments</p> <p>8 No charge (Free, Charity, Special Research or Teaching)</p> <p>9 Other</p>
<p><b>FRSTUSE1</b></p> <p>Age at First Use (Primary)</p> <p><b>FRSTUSE2</b></p> <p>Age at First Use (Secondary)</p> <p><b>FRSTUSE3</b></p> <p>Age at First Use (Tertiary)</p>	<p>Continuous (0-99)</p>	<p>11 and Under</p> <p>12-14</p> <p>15-17</p> <p>18-20</p> <p>21-24</p> <p>25-29</p> <p>30-34</p> <p>35-39</p> <p>40-44</p> <p>45-49</p> <p>50-54</p> <p>55 and Over</p>

<b>Variable</b>	<b>Original Codes (original percentage)</b>	<b>Recodes</b>
<b>DSMCRIT</b>	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

**APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES**

<b>Items collected/not-collected by State: TEDS Minimum Data Set 1996</b>																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALABAMA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	

**Items collected/not-collected by State: TEDS Minimum Data Set 1996**

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data;  
Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES**

<b>Items collected/not-collected by State: TEDS Supplemental Data Set 1996</b>												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico; Arizona, Kentucky, and Wyoming did not report any data;												
Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	--	--	Y	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	--	--	--	Y	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	Y	--	Y	Y	Y	--	Y	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
MARYLAND	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--

**Items collected/not-collected by State: TEDS Supplemental Data Set 1996**

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, the District of Columbia, and Puerto Rico;  
 Arizona, Kentucky, and Wyoming did not report any data;  
 Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	--	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	--	Y	Y	Y	--	--	Y	Y	Y	Y	Y	Y
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	--	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	Y
UTAH	--	Y	Y	--	Y	Y	Y	Y	--	--	--	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	Y	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	--	--	--	--	--	--	--	--	--	--	--	--