

Treatment Episode Data Set -- Admissions (TEDS-A), 1997

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1997

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1997. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set State Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 1997 that were received and processed through May 11, 2004.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).  
  
do if (STFIPS eq 2).  
  compute AKSTATE=1.  
else.  
  compute AKSTATE=2.  
end if.  
  
variable labels  AKSTATE "ALASKA STATE INDICATOR".  
  
value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".  
  
format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 47 states plus the District of Columbia. The following states did not report usable data for the year 1997: Arizona, Indiana, and West Virginia. Puerto Rico did not report usable data in 1997 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata

System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1997 are as follows:

Filename: da02802-0001.txt

Number of observations: 1,600,330

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997*. [National Admissions](#) to Substance Abuse Treatment Services. Drug and Alcohol Services Information Series: S-7. DHHS Publication No. (SMA) 99-3324. Rockville MD, 1999.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 1997

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 1997

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	15
EMPLOY	EMPLOYMENT STATUS	15
DETNLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	17
LIVARAG	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	19
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	35
DIVISION	CENSUS DIVISION	36

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SERVSETA	SERVICE SETTING AT ADMISSION	37
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	38
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	39

REFERRAL SOURCES

REFERRAL SOURCES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	39
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	41

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	42
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	44
FREQ1	FREQUENCY OF USE (PRIMARY)	44
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	45
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	47
FREQ2	FREQUENCY OF USE (SECONDARY)	47
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	48
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	50
FREQ3	FREQUENCY OF USE (TERTIARY)	50
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	51
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	52
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	52
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	52
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	53
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	53
PCPFLG	PCP REPORTED AT ADM.	53
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	54
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	54
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	54
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	55
BARBFLG	BARBITURATES REPORTED AT ADM.	55
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	55
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	56
OTHERFLG	OTHER DRUG REPORTED AT ADM.	56
ALCDRUG	SUBSTANCE ABUSE TYPE	56

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	57
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
HLTHINS	HEALTH INSURANCE	58
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	58

CASEID CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)
 Variable Type: numeric
 Based upon 1600330 valid cases out of 1600330 total cases.

YEAR YEAR OF ADMISSION

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1997	-	1600330	100.0 %	100.0%

Based upon 1600330 valid cases out of 1600330 total cases.

AGE AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Calculated from date of birth and date of admission and categorized.
 Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	25594	1.6 %	1.6%
3	15-17	105600	6.6 %	6.6%
4	18-20	92576	5.8 %	5.8%
5	21-24	128138	8.0 %	8.0%
6	25-29	224803	14.0 %	14.0%
7	30-34	291543	18.2 %	18.2%
8	35-39	294777	18.4 %	18.4%
9	40-44	211847	13.2 %	13.2%
10	45-49	117785	7.4 %	7.4%
11	50-54	55550	3.5 %	3.5%
12	55 AND OVER	52117	3.3 %	3.3%

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.

- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	8238	0.5 %	0.5%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	32929	2.1 %	2.1%
3	ASIAN OR PACIFIC ISLANDER	11649	0.7 %	0.7%
4	BLACK OR AFRICAN AMERICAN	406327	25.4 %	25.7%
5	WHITE	974708	60.9 %	61.6%
13	ASIAN	7	0.0 %	0.0%
20	OTHER SINGLE RACE	148652	9.3 %	9.4%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	6	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	17814	1.1 %	-

Based upon 1582516 valid cases out of 1600330 total cases.

ETHNIC	ETHNICITY (HISPANIC ORIGIN)
---------------	------------------------------------

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of

race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	68484	4.3 %	4.6%
2	MEXICAN	68413	4.3 %	4.6%
3	CUBAN	3592	0.2 %	0.2%
4	OTHER SPECIFIC HISPANIC	35727	2.2 %	2.4%
5	NOT OF HISPANIC ORIGIN	1321841	82.6 %	88.2%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	33	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	102240	6.4 %	-

Based upon 1498090 valid cases out of 1600330 total cases.

MARSTAT

MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.

- NOW MARRIED: Includes those living together as married.

- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.

- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	657551	41.1 %	54.0%
2	NOW MARRIED	222664	13.9 %	18.3%
3	SEPARATED	99577	6.2 %	8.2%
4	DIVORCED, WIDOWED	236786	14.8 %	19.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	383752	24.0 %	-

Based upon 1216578 valid cases out of 1600330 total cases.

EDUC EDUCATION

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	143466	9.0 %	9.1%
2	9-11	492328	30.8 %	31.3%
3	12	633024	39.6 %	40.3%
4	13-15	235763	14.7 %	15.0%
5	16 OR MORE	67011	4.2 %	4.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	28738	1.8 %	-

Based upon 1571592 valid cases out of 1600330 total cases.

EMPLOY EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example,

if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	385120	24.1 %	24.7%
2	PART TIME	107466	6.7 %	6.9%
3	UNEMPLOYED	379586	23.7 %	24.4%
4	NOT IN LABOR FORCE	685864	42.9 %	44.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	42294	2.6 %	-

Based upon 1558036 valid cases out of 1600330 total cases.

DET NFL **DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	14803	0.9 %	5.4%
2	STUDENT	73059	4.6 %	26.9%
3	RETIRED, DISABLED	67574	4.2 %	24.9%
5	INMATE OF INSTITUTION	20296	1.3 %	7.5%
6	OTHER	96050	6.0 %	35.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1328548	83.0 %	-

Based upon 271782 valid cases out of 1600330 total cases.

PREG **PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	17489	1.1 %	4.0%
2	NO	416560	26.0 %	96.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1166281	72.9 %	-

Based upon 434049 valid cases out of 1600330 total cases.

VET VETERAN STATUS

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

Value	Label	Unweighted Frequency	%	Valid %
1	YES	74154	4.6 %	8.5%
2	NO	798776	49.9 %	91.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	727400	45.5 %	-

Based upon 872930 valid cases out of 1600330 total cases.

LIVARAG LIVING ARRANGEMENT

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	139451	8.7 %	11.5%
2	DEPENDENT LIVING	263376	16.5 %	21.8%
3	INDEPENDENT LIVING	805027	50.3 %	66.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	392476	24.5 %	-

Based upon 1207854 valid cases out of 1600330 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	291696	18.2 %	35.9%
2	PUBLIC ASSISTANCE	118876	7.4 %	14.6%
3	RETIREMENT/PENSION, DISABILITY	33314	2.1 %	4.1%
20	OTHER	180074	11.3 %	22.2%
21	NONE	188520	11.8 %	23.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	787850	49.2 %	-

Based upon 812480 valid cases out of 1600330 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	18929	1.2 %	1.2%
2	ALASKA	8416	0.5 %	0.5%
5	ARKANSAS	13769	0.9 %	0.9%
6	CALIFORNIA	163409	10.2 %	10.2%
8	COLORADO	47749	3.0 %	3.0%
9	CONNECTICUT	47625	3.0 %	3.0%
10	DELAWARE	4969	0.3 %	0.3%
11	DIST OF COLUMBIA	2871	0.2 %	0.2%
12	FLORIDA	52392	3.3 %	3.3%
13	GEORGIA	17306	1.1 %	1.1%
15	HAWAII	5166	0.3 %	0.3%
16	IDAHO	6064	0.4 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
17	ILLINOIS	25931	1.6 %	1.6%
19	IOWA	24200	1.5 %	1.5%
20	KANSAS	13906	0.9 %	0.9%
21	KENTUCKY	11377	0.7 %	0.7%
22	LOUISIANA	2074	0.1 %	0.1%
23	MAINE	8962	0.6 %	0.6%
24	MARYLAND	58075	3.6 %	3.6%
25	MASSACHUSETTS	74315	4.6 %	4.6%
26	MICHIGAN	87090	5.4 %	5.4%
27	MINNESOTA	40914	2.6 %	2.6%
28	MISSISSIPPI	5195	0.3 %	0.3%
29	MISSOURI	35714	2.2 %	2.2%
30	MONTANA	6639	0.4 %	0.4%
31	NEBRASKA	11673	0.7 %	0.7%
32	NEVADA	8728	0.5 %	0.5%
33	NEW HAMPSHIRE	4359	0.3 %	0.3%
34	NEW JERSEY	60211	3.8 %	3.8%
35	NEW MEXICO	8802	0.6 %	0.6%
36	NEW YORK	277506	17.3 %	17.3%
37	NORTH CAROLINA	43701	2.7 %	2.7%
38	NORTH DAKOTA	2466	0.2 %	0.2%
39	OHIO	95678	6.0 %	6.0%
40	OKLAHOMA	16817	1.1 %	1.1%
41	OREGON	47230	3.0 %	3.0%
42	PENNSYLVANIA	55767	3.5 %	3.5%
44	RHODE ISLAND	9129	0.6 %	0.6%
45	SOUTH CAROLINA	30930	1.9 %	1.9%
46	SOUTH DAKOTA	9052	0.6 %	0.6%
47	TENNESSEE	11440	0.7 %	0.7%
48	TEXAS	23221	1.5 %	1.5%
49	UTAH	13002	0.8 %	0.8%
50	VERMONT	4713	0.3 %	0.3%
51	VIRGINIA	11380	0.7 %	0.7%
53	WASHINGTON	50379	3.1 %	3.1%
55	WISCONSIN	17596	1.1 %	1.1%
56	WYOMING	3493	0.2 %	0.2%

Based upon 1600330 valid cases out of 1600330 total cases.

CBSA

FIPS 2000 CBSA CODE

Location:

39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	1018	0.1 %	0.1%
10420	AKRON, OH METRO	10207	0.6 %	0.8%
10500	ALBANY, GA METRO	671	0.0 %	0.1%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	18660	1.2 %	1.5%
10740	ALBUQUERQUE, NM METRO	2485	0.2 %	0.2%
10780	ALEXANDRIA, LA METRO	222	0.0 %	0.0%
10880	ALLEGAN, MI MICRO	879	0.1 %	0.1%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3339	0.2 %	0.3%
11020	ALTOONA, PA METRO	1715	0.1 %	0.1%
11100	AMARILLO, TX METRO	288	0.0 %	0.0%
11260	ANCHORAGE, AK METRO	2770	0.2 %	0.2%
11340	ANDERSON, SC METRO	1610	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1628	0.1 %	0.1%
11500	ANNISTON-OXFORD, AL METRO	517	0.0 %	0.0%
11540	APPLETON, WI METRO	515	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	2861	0.2 %	0.2%
11780	ASHTABULA, OH MICRO	994	0.1 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	833	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	5289	0.3 %	0.4%
12100	ATLANTIC CITY, NJ METRO	2496	0.2 %	0.2%
12220	AUBURN-OPELIKA, AL METRO	381	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	1973	0.1 %	0.2%
12420	AUSTIN-ROUND ROCK, TX METRO	2713	0.2 %	0.2%
12540	BAKERSFIELD, CA METRO	4171	0.3 %	0.3%
12580	BALTIMORE-TOWSON, MD METRO	34763	2.2 %	2.7%
12700	BARNSTABLE TOWN, MA METRO	3915	0.2 %	0.3%
12940	BATON ROUGE, LA METRO	689	0.0 %	0.1%
12980	BATTLE CREEK, MI METRO	802	0.1 %	0.1%
13020	BAY CITY, MI METRO	879	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	719	0.0 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13380	BELLINGHAM, WA METRO	2724	0.2 %	0.2%
13740	BILLINGS, MT METRO	1178	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	2860	0.2 %	0.2%
13820	BIRMINGHAM-HOOVER, AL METRO	6932	0.4 %	0.5%
14060	BLOOMINGTON-NORMAL, IL METRO	174	0.0 %	0.0%
14260	BOISE CITY-NAMPA, ID METRO	1971	0.1 %	0.2%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	40938	2.6 %	3.2%
14500	BOULDER, CO METRO	548	0.0 %	0.0%
14740	BREMERTON-SILVERDALE, WA METRO	2471	0.2 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	10664	0.7 %	0.8%
15180	BROWNSVILLE-HARLINGEN, TX METRO	211	0.0 %	0.0%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	23845	1.5 %	1.9%
15500	BURLINGTON, NC METRO	906	0.1 %	0.1%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2069	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	2899	0.2 %	0.2%
15980	CAPE CORAL-FORT MYERS, FL METRO	1720	0.1 %	0.1%
16300	CEDAR RAPIDS, IA METRO	2068	0.1 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	930	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4834	0.3 %	0.4%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	11000	0.7 %	0.9%
16860	CHATTANOOGA, TN-GA METRO	1670	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	15030	0.9 %	1.2%
17020	CHICO, CA METRO	737	0.0 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	9437	0.6 %	0.7%
17300	CLARKSVILLE, TN-KY METRO	995	0.1 %	0.1%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	17935	1.1 %	1.4%
17780	COLLEGE STATION-BRYAN, TX METRO	146	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	1056	0.1 %	0.1%
17860	COLUMBIA, MO METRO	1418	0.1 %	0.1%
17900	COLUMBIA, SC METRO	4209	0.3 %	0.3%
17980	COLUMBUS, GA-AL METRO	626	0.0 %	0.0%
18140	COLUMBUS, OH METRO	13632	0.9 %	1.1%
18580	CORPUS CHRISTI, TX METRO	1094	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	1173	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	4837	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19260	DANVILLE, VA METRO	92	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	247	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3793	0.2 %	0.3%
19380	DAYTON, OH METRO	9089	0.6 %	0.7%
19460	DECATUR, AL METRO	375	0.0 %	0.0%
19500	DECATUR, IL METRO	476	0.0 %	0.0%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	2014	0.1 %	0.2%
19740	DENVER-AURORA, CO METRO	6613	0.4 %	0.5%
19780	DES MOINES, IA METRO	4399	0.3 %	0.3%
19820	DETROIT-WARREN-LIVONIA, MI METRO	36266	2.3 %	2.9%
20020	DOTHAN, AL METRO	720	0.0 %	0.1%
20100	DOVER, DE METRO	507	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1659	0.1 %	0.1%
20500	DURHAM, NC METRO	1742	0.1 %	0.1%
20620	EAST LIVERPOOL-SALEM, OH MICRO	1181	0.1 %	0.1%
20740	EAU CLAIRE, WI METRO	643	0.0 %	0.1%
21340	EL PASO, TX METRO	1447	0.1 %	0.1%
21500	ERIE, PA METRO	1902	0.1 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	5220	0.3 %	0.4%
21780	EVANSVILLE, IN-KY METRO	61	0.0 %	0.0%
22020	FARGO, ND-MN METRO	347	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	1522	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	855	0.1 %	0.1%
22420	FLINT, MI METRO	3564	0.2 %	0.3%
22460	FLORENCE, AL METRO	430	0.0 %	0.0%
22500	FLORENCE, SC METRO	1215	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	68	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	678	0.0 %	0.1%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	385	0.0 %	0.0%
23420	FRESNO, CA METRO	6834	0.4 %	0.5%
23460	GADSDEN, AL METRO	1134	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1027	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	911	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	545	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	391	0.0 %	0.0%
24340	GRAND RAPIDS-WYOMING, MI METRO	9734	0.6 %	0.8%
24540	GREELEY, CO METRO	1062	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24580	GREEN BAY, WI METRO	153	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	1994	0.1 %	0.2%
24780	GREENVILLE, NC METRO	2600	0.2 %	0.2%
24860	GREENVILLE, SC METRO	3411	0.2 %	0.3%
25060	GULFPORT-BILOXI, MS METRO	194	0.0 %	0.0%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1355	0.1 %	0.1%
25420	HARRISBURG-CARLISLE, PA METRO	3065	0.2 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	22303	1.4 %	1.8%
25620	HATTIESBURG, MS METRO	144	0.0 %	0.0%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	1404	0.1 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1905	0.1 %	0.2%
26180	HONOLULU, HI METRO	3857	0.2 %	0.3%
26380	HOUMA-BAYOU CANE-THIBODAU, LA METRO	79	0.0 %	0.0%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	4335	0.3 %	0.3%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	349	0.0 %	0.0%
26620	HUNTSVILLE, AL METRO	691	0.0 %	0.1%
26980	IOWA CITY, IA METRO	1535	0.1 %	0.1%
27100	JACKSON, MI METRO	1187	0.1 %	0.1%
27140	JACKSON, MS METRO	1116	0.1 %	0.1%
27180	JACKSON, TN METRO	956	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	5274	0.3 %	0.4%
27340	JACKSONVILLE, NC METRO	911	0.1 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1191	0.1 %	0.1%
27500	JANESVILLE, WI METRO	900	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	341	0.0 %	0.0%
27780	JOHNSTOWN, PA METRO	873	0.1 %	0.1%
27900	JOPLIN, MO METRO	1785	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	4028	0.3 %	0.3%
28100	KANKAKEE-BRADLEY, IL METRO	238	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	10070	0.6 %	0.8%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	1254	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	129	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	2573	0.2 %	0.2%
29100	LA CROSSE, WI-MN METRO	315	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	25	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	47	0.0 %	0.0%
29460	LAKELAND-WINTER HAVEN, FL METRO	1759	0.1 %	0.1%
29540	LANCASTER, PA METRO	2055	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
29620	LANSING-EAST LANSING, MI METRO	3117	0.2 %	0.2%
29700	LAREDO, TX METRO	164	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	426	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	4991	0.3 %	0.4%
30020	LAWTON, OK METRO	508	0.0 %	0.0%
30140	LEBANON, PA METRO	398	0.0 %	0.0%
30460	LEXINGTON-FAYETTE, KY METRO	893	0.1 %	0.1%
30540	LEXINGTON-THOMASVILLE, NC MICRO	603	0.0 %	0.0%
30620	LIMA, OH METRO	523	0.0 %	0.0%
30700	LINCOLN, NE METRO	4966	0.3 %	0.4%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	4320	0.3 %	0.3%
30980	LONGVIEW, TX METRO	154	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	54999	3.4 %	4.3%
31140	LOUISVILLE, KY-IN METRO	969	0.1 %	0.1%
31180	LUBBOCK, TX METRO	881	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	349	0.0 %	0.0%
31420	MACON, GA METRO	665	0.0 %	0.1%
31460	MADERA, CA METRO	586	0.0 %	0.0%
31540	MADISON, WI METRO	41	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	1418	0.1 %	0.1%
31900	MANSFIELD, OH METRO	624	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	352	0.0 %	0.0%
32780	MEDFORD, OR METRO	3089	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2302	0.1 %	0.2%
32900	MERCED, CA METRO	874	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	15417	1.0 %	1.2%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	1217	0.1 %	0.1%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	27513	1.7 %	2.2%
33660	MOBILE, AL METRO	1236	0.1 %	0.1%
33700	MODESTO, CA METRO	1413	0.1 %	0.1%
33740	MONROE, LA METRO	117	0.0 %	0.0%
33780	MONROE, MI METRO	901	0.1 %	0.1%
33860	MONTGOMERY, AL METRO	1528	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	4759	0.3 %	0.4%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	1134	0.1 %	0.1%
34900	NAPA, CA METRO	535	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
34940	NAPLES-MARCO ISLAND, FL METRO	838	0.1 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2137	0.1 %	0.2%
35300	NEW HAVEN-MILFORD, CT METRO	6606	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	359	0.0 %	0.0%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	202440	12.6 %	15.9%
35660	NILES-BENTON HARBOR, MI METRO	588	0.0 %	0.0%
35980	NORWICH-NEW LONDON, CT METRO	4607	0.3 %	0.4%
36100	OCALA, FL METRO	661	0.0 %	0.1%
36140	OCEAN CITY, NJ METRO	762	0.0 %	0.1%
36220	ODESSA, TX METRO	302	0.0 %	0.0%
36260	OGDEN-CLEARFIELD, UT METRO	888	0.1 %	0.1%
36420	OKLAHOMA CITY, OK METRO	5304	0.3 %	0.4%
36500	OLYMPIA, WA METRO	1372	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	3370	0.2 %	0.3%
36740	ORLANDO, FL METRO	3613	0.2 %	0.3%
36780	OSHKOSH-NEENAH, WI METRO	277	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	2412	0.2 %	0.2%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	404	0.0 %	0.0%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	982	0.1 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	81	0.0 %	0.0%
37700	PASCAGOULA, MS METRO	141	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1274	0.1 %	0.1%
37900	PEORIA, IL METRO	1063	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	29205	1.8 %	2.3%
38300	PITTSBURGH, PA METRO	6909	0.4 %	0.5%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	2923	0.2 %	0.2%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	20975	1.3 %	1.7%
38940	PORT ST. LUCIE, FL METRO	926	0.1 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	9052	0.6 %	0.7%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	15294	1.0 %	1.2%
39380	PUEBLO, CO METRO	1539	0.1 %	0.1%
39460	PUNTA GORDA, FL METRO	424	0.0 %	0.0%
39540	RACINE, WI METRO	672	0.0 %	0.1%
39580	RALEIGH-CARY, NC METRO	2798	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
39740	READING, PA METRO	2773	0.2 %	0.2%
39820	REDDING, CA METRO	1096	0.1 %	0.1%
39900	RENO-SPARKS, NV METRO	1769	0.1 %	0.1%
40060	RICHMOND, VA METRO	27	0.0 %	0.0%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	10958	0.7 %	0.9%
40220	ROANOKE, VA METRO	217	0.0 %	0.0%
40340	ROCHESTER, MN METRO	831	0.1 %	0.1%
40380	ROCHESTER, NY METRO	16429	1.0 %	1.3%
40420	ROCKFORD, IL METRO	888	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	754	0.0 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	8181	0.5 %	0.6%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1833	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1213	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	1157	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	10897	0.7 %	0.9%
41420	SALEM, OR METRO	5216	0.3 %	0.4%
41500	SALINAS, CA METRO	1345	0.1 %	0.1%
41620	SALT LAKE CITY, UT METRO	10201	0.6 %	0.8%
41660	SAN ANGELO, TX METRO	179	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	901	0.1 %	0.1%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	12941	0.8 %	1.0%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	28468	1.8 %	2.2%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	5959	0.4 %	0.5%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	698	0.0 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	1927	0.1 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1870	0.1 %	0.1%
42140	SANTA FE, NM METRO	582	0.0 %	0.0%
42220	SANTA ROSA, CA METRO	4610	0.3 %	0.4%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1811	0.1 %	0.1%
42340	SAVANNAH, GA METRO	607	0.0 %	0.0%
42540	SCRANTON--WILKES-BARRE-, PA METRO	3406	0.2 %	0.3%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	19977	1.2 %	1.6%
43100	SHEBOYGAN, WI METRO	445	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	152	0.0 %	0.0%
43580	SIOUX CITY, IA-NE-SD METRO	1679	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
43620	SIoux FALLS, SD METRO	2389	0.1 %	0.2%
43900	SPARTANBURG, SC METRO	2436	0.2 %	0.2%
44060	SPOKANE, WA METRO	4467	0.3 %	0.4%
44100	SPRINGFIELD, IL METRO	636	0.0 %	0.1%
44140	SPRINGFIELD, MA METRO	7541	0.5 %	0.6%
44180	SPRINGFIELD, MO METRO	2164	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	1737	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	375	0.0 %	0.0%
44700	STOCKTON, CA METRO	2716	0.2 %	0.2%
44940	SUMTER, SC METRO	935	0.1 %	0.1%
45060	SYRACUSE, NY METRO	11124	0.7 %	0.9%
45220	TALLAHASSEE, FL METRO	624	0.0 %	0.0%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	9270	0.6 %	0.7%
45500	TEXARKANA TX-TEXARKANA, AR METRO	69	0.0 %	0.0%
45780	TOLEDO, OH METRO	5413	0.3 %	0.4%
45820	TOPEKA, KS METRO	1451	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	1940	0.1 %	0.2%
46140	TULSA, OK METRO	3892	0.2 %	0.3%
46220	TUSCALOOSA, AL METRO	1111	0.1 %	0.1%
46340	TYLER, TX METRO	95	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4200	0.3 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	1174	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	2323	0.1 %	0.2%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	5270	0.3 %	0.4%
47300	VISALIA-PORTERVILLE, CA METRO	1863	0.1 %	0.1%
47360	WACO, TX METRO	521	0.0 %	0.0%
47580	WARNER ROBINS, GA METRO	44	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	18996	1.2 %	1.5%
47940	WATERLOO-CEDAR FALLS, IA METRO	1741	0.1 %	0.1%
48140	WAUSAU, WI METRO	922	0.1 %	0.1%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	377	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	745	0.0 %	0.1%
48620	WICHITA, KS METRO	3936	0.2 %	0.3%
48660	WICHITA FALLS, TX METRO	83	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	477	0.0 %	0.0%
48900	WILMINGTON, NC METRO	1329	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	2692	0.2 %	0.2%
49340	WORCESTER, MA METRO	11400	0.7 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
49420	YAKIMA, WA METRO	5235	0.3 %	0.4%
49620	YORK-HANOVER, PA METRO	798	0.0 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	6426	0.4 %	0.5%
49700	YUBA CITY-MARYSVILLE, CA METRO	742	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	330986	20.7 %	-

Based upon 1269344 valid cases out of 1600330 total cases.

PMSA

FIPS 1990 MSA CODE

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1018	0.1 %	0.1%
80	AKRON, OH PMSA	10207	0.6 %	0.8%
120	ALBANY, GA MSA	671	0.0 %	0.1%
160	ALBANY-SCHENECTADY-TROY, NY MSA	18660	1.2 %	1.5%
200	ALBUQUERQUE, NM MSA	2485	0.2 %	0.2%
220	ALEXANDRIA, LA MSA	222	0.0 %	0.0%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2506	0.2 %	0.2%
280	ALTOONA, PA MSA	1715	0.1 %	0.1%
320	AMARILLO, TX MSA	288	0.0 %	0.0%
380	ANCHORAGE, AK MSA	2770	0.2 %	0.2%
440	ANN ARBOR, MI PMSA	2773	0.2 %	0.2%
450	ANNISTON, AL MSA	517	0.0 %	0.0%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	792	0.0 %	0.1%
480	ASHEVILLE, NC MSA	2861	0.2 %	0.2%
500	ATHENS, GA MSA	833	0.1 %	0.1%
520	ATLANTA, GA MSA	5289	0.3 %	0.4%
560	ATLANTIC-CAPE MAY, NJ PMSA	3258	0.2 %	0.3%
580	AUBURN-OPELIKA, AL MSA	381	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	1973	0.1 %	0.2%
640	AUSTIN-SAN MARCOS, TX MSA	2713	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
680	BAKERSFIELD, CA MSA	4171	0.3 %	0.3%
720	BALTIMORE, MD PMSA	34763	2.2 %	2.7%
743	BARNSTABLE-YARMOUTH, MA NECMA	3915	0.2 %	0.3%
760	BATON ROUGE, LA MSA	689	0.0 %	0.1%
840	BEAUMONT-PORT ARTHUR, TX MSA	719	0.0 %	0.1%
860	BELLINGHAM, WA MSA	2724	0.2 %	0.2%
870	BENTON HARBOR, MI MSA	588	0.0 %	0.0%
875	BERGEN-PASSAIC, NJ PMSA	7819	0.5 %	0.6%
880	BILLINGS, MT MSA	1178	0.1 %	0.1%
920	BILOXI-GULFPORT-PASCAGOULA, MS MSA	335	0.0 %	0.0%
960	BINGHAMTON, NY MSA	2860	0.2 %	0.2%
1000	BIRMINGHAM, AL MSA	6932	0.4 %	0.5%
1040	BLOOMINGTON-NORMAL, IL MSA	174	0.0 %	0.0%
1080	BOISE CITY, ID MSA	1971	0.1 %	0.2%
1123	BOSTON-WORCESTER-LAWRENCELOWELL-BROCKTON, MA-NH NECMA	60328	3.8 %	4.8%
1125	BOULDER-LONGMONT, CO PMSA	548	0.0 %	0.0%
1145	BRAZORIA, TX PMSA	668	0.0 %	0.1%
1150	BREMERTON, WA PMSA	2471	0.2 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	211	0.0 %	0.0%
1260	BRYAN-COLLEGE STATION, TX MSA	146	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	23845	1.5 %	1.9%
1303	BURLINGTON, VT NECMA	2069	0.1 %	0.2%
1320	CANTON-MASSILLON, OH MSA	2899	0.2 %	0.2%
1360	CEDAR RAPIDS, IA MSA	2068	0.1 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	930	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4834	0.3 %	0.4%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	11000	0.7 %	0.9%
1560	CHATTANOOGA, TN-GA MSA	1670	0.1 %	0.1%
1600	CHICAGO, IL PMSA	14607	0.9 %	1.2%
1620	CHICO-PARADISE, CA MSA	737	0.0 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	8092	0.5 %	0.6%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	995	0.1 %	0.1%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	18929	1.2 %	1.5%
1720	COLORADO SPRINGS, CO MSA	1056	0.1 %	0.1%
1740	COLUMBIA, MO MSA	1418	0.1 %	0.1%
1760	COLUMBIA, SC MSA	4209	0.3 %	0.3%
1800	COLUMBUS, GA-AL MSA	626	0.0 %	0.0%
1840	COLUMBUS, OH MSA	13632	0.9 %	1.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1880	CORPUS CHRISTI, TX MSA	1094	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	1173	0.1 %	0.1%
1920	DALLAS, TX PMSA	2667	0.2 %	0.2%
1950	DANVILLE, VA MSA	92	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3793	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	10826	0.7 %	0.9%
2020	DAYTONA BEACH, FL MSA	2014	0.1 %	0.2%
2030	DECATUR, AL MSA	375	0.0 %	0.0%
2040	DECATUR, IL MSA	476	0.0 %	0.0%
2080	DENVER, CO PMSA	6613	0.4 %	0.5%
2120	DES MOINES, IA MSA	4399	0.3 %	0.3%
2160	DETROIT, MI PMSA	36022	2.3 %	2.8%
2180	DOTHAN, AL MSA	720	0.0 %	0.1%
2190	DOVER, DE MSA	507	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1659	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	4903	0.3 %	0.4%
2290	EAU CLAIRE, WI MSA	643	0.0 %	0.1%
2320	EL PASO, TX MSA	1447	0.1 %	0.1%
2360	ERIE, PA MSA	1902	0.1 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	5220	0.3 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	61	0.0 %	0.0%
2520	FARGO-MOORHEAD, ND-MN MSA	347	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	1522	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	855	0.1 %	0.1%
2640	FLINT, MI PMSA	3564	0.2 %	0.3%
2650	FLORENCE, AL MSA	430	0.0 %	0.0%
2655	FLORENCE, SC MSA	1215	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	68	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	5564	0.3 %	0.4%
2700	FORT MYERS-CAPE CORAL, FL MSA	1720	0.1 %	0.1%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	926	0.1 %	0.1%
2720	FORT SMITH, AR-OK MSA	678	0.0 %	0.1%
2750	FORT WALTON BEACH, FL MSA	385	0.0 %	0.0%
2800	FORT WORTH-ARLINGTON, TX PMSA	2170	0.1 %	0.2%
2840	FRESNO, CA MSA	7420	0.5 %	0.6%
2880	GADSDEN, AL MSA	1134	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1027	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	405	0.0 %	0.0%
2975	GLENS FALLS, NY MSA	911	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2980	GOLDSBORO, NC MSA	545	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	391	0.0 %	0.0%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	17277	1.1 %	1.4%
3060	GREELEY, CO PMSA	1062	0.1 %	0.1%
3080	GREEN BAY, WI MSA	153	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	6195	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2600	0.2 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7457	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1355	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	1345	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	3463	0.2 %	0.3%
3283	HARTFORD, CT NECMA	22303	1.4 %	1.8%
3285	HATTIESBURG, MS MSA	144	0.0 %	0.0%
3290	HICKORY-MORGANTON, NC MSA	1404	0.1 %	0.1%
3320	HONOLULU, HI MSA	3857	0.2 %	0.3%
3350	HOUMA, LA MSA	79	0.0 %	0.0%
3360	HOUSTON, TX PMSA	3262	0.2 %	0.3%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	349	0.0 %	0.0%
3440	HUNTSVILLE, AL MSA	691	0.0 %	0.1%
3500	IOWA CITY, IA MSA	1535	0.1 %	0.1%
3520	JACKSON, MI MSA	1187	0.1 %	0.1%
3560	JACKSON, MS MSA	1116	0.1 %	0.1%
3580	JACKSON, TN MSA	956	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	5274	0.3 %	0.4%
3605	JACKSONVILLE, NC MSA	911	0.1 %	0.1%
3610	JAMESTOWN, NY MSA	1191	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	900	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	5199	0.3 %	0.4%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	341	0.0 %	0.0%
3680	JOHNSTOWN, PA MSA	873	0.1 %	0.1%
3710	JOPLIN, MO MSA	1785	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	4830	0.3 %	0.4%
3740	KANKAKEE, IL PMSA	238	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	10070	0.6 %	0.8%
3800	KENOSHA, WI PMSA	423	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	129	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	2573	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3870	LA CROSSE, WI-MN MSA	315	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	25	0.0 %	0.0%
3960	LAKE CHARLES, LA MSA	47	0.0 %	0.0%
3980	LAKELAND-WINTER HAVEN, FL MSA	1759	0.1 %	0.1%
4000	LANCASTER, PA MSA	2055	0.1 %	0.2%
4040	LANSING-EAST LANSING, MI MSA	3117	0.2 %	0.2%
4080	LAREDO, TX MSA	164	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	426	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	4991	0.3 %	0.4%
4200	LAWTON, OK MSA	508	0.0 %	0.0%
4280	LEXINGTON, KY MSA	893	0.1 %	0.1%
4320	LIMA, OH MSA	523	0.0 %	0.0%
4360	LINCOLN, NE MSA	4966	0.3 %	0.4%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	4320	0.3 %	0.3%
4420	LONGVIEW-MARSHALL, TX MSA	154	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	42781	2.7 %	3.4%
4520	LOUISVILLE, KY-IN MSA	969	0.1 %	0.1%
4600	LUBBOCK, TX MSA	881	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	349	0.0 %	0.0%
4680	MACON, GA MSA	709	0.0 %	0.1%
4720	MADISON, WI MSA	41	0.0 %	0.0%
4800	MANSFIELD, OH MSA	624	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	352	0.0 %	0.0%
4890	MEDFORD-ASHLAND, OR MSA	3089	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	404	0.0 %	0.0%
4920	MEMPHIS, TN-AR-MS MSA	2302	0.1 %	0.2%
4940	MERCED, CA MSA	874	0.1 %	0.1%
5000	MIAMI, FL PMSA	6085	0.4 %	0.5%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	6134	0.4 %	0.5%
5080	MILWAUKEE-WAUKESHA, WI PMSA	1217	0.1 %	0.1%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	27513	1.7 %	2.2%
5160	MOBILE, AL MSA	1483	0.1 %	0.1%
5170	MODESTO, CA MSA	1413	0.1 %	0.1%
5190	MONMOUTH-OCEAN, NJ PMSA	7549	0.5 %	0.6%
5200	MONROE, LA MSA	117	0.0 %	0.0%
5240	MONTGOMERY, AL MSA	1528	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	1134	0.1 %	0.1%
5345	NAPLES, FL MSA	838	0.1 %	0.1%
5360	NASHVILLE, TN MSA	2137	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5380	NASSAU-SUFFOLK, NY PMSA	33496	2.1 %	2.6%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	17270	1.1 %	1.4%
5523	NEW LONDON-NORWICH, CT NECMA	4607	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	359	0.0 %	0.0%
5600	NEW YORK, NY PMSA	124878	7.8 %	9.8%
5640	NEWARK, NJ PMSA	18047	1.1 %	1.4%
5660	NEWBURGH, NY-PA PMSA	4300	0.3 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	5270	0.3 %	0.4%
5775	OAKLAND, CA PMSA	16882	1.1 %	1.3%
5790	OCALA, FL MSA	661	0.0 %	0.1%
5800	ODESSA-MIDLAND, TX MSA	302	0.0 %	0.0%
5880	OKLAHOMA CITY, OK MSA	5304	0.3 %	0.4%
5910	OLYMPIA, WA PMSA	1372	0.1 %	0.1%
5920	OMAHA, NE-IA MSA	3370	0.2 %	0.3%
5945	ORANGE COUNTY, CA PMSA	12218	0.8 %	1.0%
5960	ORLANDO, FL MSA	3613	0.2 %	0.3%
6015	PANAMA CITY, FL MSA	982	0.1 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	81	0.0 %	0.0%
6080	PENSACOLA, FL MSA	1274	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	1063	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	24791	1.5 %	2.0%
6280	PITTSBURGH, PA MSA	6909	0.4 %	0.5%
6403	PORTLAND, ME NECMA	2923	0.2 %	0.2%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	20975	1.3 %	1.7%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	8722	0.5 %	0.7%
6560	PUEBLO, CO MSA	1539	0.1 %	0.1%
6580	PUNTA GORDA, FL MSA	424	0.0 %	0.0%
6600	RACINE, WI PMSA	672	0.0 %	0.1%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	4540	0.3 %	0.4%
6680	READING, PA MSA	2773	0.2 %	0.2%
6690	REDDING, CA MSA	1096	0.1 %	0.1%
6720	RENO, NV MSA	1769	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	1254	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	27	0.0 %	0.0%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	10958	0.7 %	0.9%
6800	ROANOKE, VA MSA	217	0.0 %	0.0%
6820	ROCHESTER, MN MSA	831	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6840	ROCHESTER, NY MSA	16429	1.0 %	1.3%
6880	ROCKFORD, IL MSA	888	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	754	0.0 %	0.1%
6920	SACRAMENTO, CA PMSA	6481	0.4 %	0.5%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2712	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	1213	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	1157	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	10897	0.7 %	0.9%
7080	SALEM, OR PMSA	5216	0.3 %	0.4%
7120	SALINAS, CA MSA	1345	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	11089	0.7 %	0.9%
7200	SAN ANGELO, TX MSA	179	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	901	0.1 %	0.1%
7320	SAN DIEGO, CA MSA	12941	0.8 %	1.0%
7360	SAN FRANCISCO, CA PMSA	11586	0.7 %	0.9%
7400	SAN JOSE, CA PMSA	5959	0.4 %	0.5%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	698	0.0 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	1927	0.1 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1870	0.1 %	0.1%
7490	SANTA FE, NM MSA	582	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	4610	0.3 %	0.4%
7510	SARASOTA-BRADENTON, FL MSA	1811	0.1 %	0.1%
7520	SAVANNAH, GA MSA	607	0.0 %	0.0%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	3406	0.2 %	0.3%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	14083	0.9 %	1.1%
7610	SHARON, PA MSA	775	0.0 %	0.1%
7620	SHEBOYGAN, WI MSA	445	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	152	0.0 %	0.0%
7720	SIOUX CITY, IA-NE MSA	1679	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	2389	0.1 %	0.2%
7840	SPOKANE, WA MSA	4467	0.3 %	0.4%
7880	SPRINGFIELD, IL MSA	636	0.0 %	0.1%
7920	SPRINGFIELD, MO MSA	2164	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	7541	0.5 %	0.6%
8050	STATE COLLEGE, PA MSA	375	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	377	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	2716	0.2 %	0.2%
8140	SUMTER, SC MSA	935	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8160	SYRACUSE, NY MSA	11124	0.7 %	0.9%
8200	TACOMA, WA PMSA	5894	0.4 %	0.5%
8240	TALLAHASSEE, FL MSA	624	0.0 %	0.0%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	9270	0.6 %	0.7%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	69	0.0 %	0.0%
8400	TOLEDO, OH MSA	5413	0.3 %	0.4%
8440	TOPEKA, KS MSA	1451	0.1 %	0.1%
8480	TRENTON, NJ PMSA	1940	0.1 %	0.2%
8560	TULSA, OK MSA	3892	0.2 %	0.3%
8600	TUSCALOOSA, AL MSA	1111	0.1 %	0.1%
8640	TYLER, TX MSA	95	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4200	0.3 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1709	0.1 %	0.1%
8735	VENTURA, CA PMSA	2412	0.2 %	0.2%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	2323	0.1 %	0.2%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1863	0.1 %	0.1%
8800	WACO, TX MSA	521	0.0 %	0.0%
8840	WASHINGTON, DC-MD-VA-WV PMSA	18996	1.2 %	1.5%
8920	WATERLOO-CEDAR FALLS, IA MSA	1741	0.1 %	0.1%
8940	WAUSAU, WI MSA	922	0.1 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	3768	0.2 %	0.3%
9000	WHEELING, WV-OH MSA	745	0.0 %	0.1%
9040	WICHITA, KS MSA	3936	0.2 %	0.3%
9080	WICHITA FALLS, TX MSA	83	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	477	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4414	0.3 %	0.3%
9200	WILMINGTON, NC MSA	1329	0.1 %	0.1%
9260	YAKIMA, WA MSA	5235	0.3 %	0.4%
9270	YOLO, CA PMSA	1700	0.1 %	0.1%
9280	YORK, PA MSA	798	0.0 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	6832	0.4 %	0.5%
9340	YUBA CITY, CA MSA	742	0.0 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	330986	20.7 %	-

Based upon 1269344 valid cases out of 1600330 total cases.

REGION	CENSUS REGION
---------------	----------------------

Location: 48-49 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST	542587	33.9 %	33.9%
2	MIDWEST	364220	22.8 %	22.8%
3	SOUTH	324446	20.3 %	20.3%
4	WEST	369077	23.1 %	23.1%

Based upon 1600330 valid cases out of 1600330 total cases.

DIVISION	CENSUS DIVISION
----------	-----------------

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.

- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEW ENGLAND	149103	9.3 %	9.3%
2	MID-ATLANTIC	393484	24.6 %	24.6%
3	EAST NORTH CENTRAL	226295	14.1 %	14.1%
4	WEST NORTH CENTRAL	137925	8.6 %	8.6%
5	SOUTH ATLANTIC	221624	13.8 %	13.8%
6	EAST SOUTH CENTRAL	46941	2.9 %	2.9%
7	WEST SOUTH CENTRAL	55881	3.5 %	3.5%
8	MOUNTAIN	94477	5.9 %	5.9%
9	PACIFIC	274600	17.2 %	17.2%

Based upon 1600330 valid cases out of 1600330 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT: 24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.
- AMBULATORY - INTENSIVE OUTPATIENT:
As a minimum, the client receives treatment lasting two or more hours per day for three or more days per week.
- AMBULATORY - NON-INTENSIVE OUTPATIENT:
Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies.
- AMBULATORY - DETOXIFICATION:
Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	73992	4.6 %	4.6%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	269868	16.9 %	16.9%
3	REHAB/RES, HOSPITAL (NON-DETOX)	15859	1.0 %	1.0%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	140639	8.8 %	8.8%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	127322	8.0 %	8.0%
6	AMBULATORY, INTENSIVE OUTPATIENT	145314	9.1 %	9.1%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	771807	48.2 %	48.2%
8	AMBULATORY, DETOXIFICATION	55236	3.5 %	3.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	293	0.0 %	-

Based upon 160037 valid cases out of 1600330 total cases.

Location: 54-55 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	93144	5.8 %	6.2%
2	NO	1420392	88.8 %	93.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	86794	5.4 %	-

Based upon 1513536 valid cases out of 1600330 total cases.

DAYWAIT DAYS WAITING TO ENTER TREATMENT

Location: 56-58 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 256998 valid cases out of 1600330 total cases.

- Mean: 5.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 42.42

PSOURCE PRINCIPAL SOURCE OF REFERRAL

Location: 59-60 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would

not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.

- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	543437	34.0 %	35.0%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	198765	12.4 %	12.8%
3	OTHER HEALTH CARE PROVIDER	115375	7.2 %	7.4%
4	SCHOOL (EDUCATIONAL)	21109	1.3 %	1.4%
5	EMPLOYER/EAP	21010	1.3 %	1.4%
6	OTHER COMMUNITY REFERRAL	135506	8.5 %	8.7%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	518814	32.4 %	33.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	46314	2.9 %	-

in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	566930	35.4 %	42.4%
1	1 PRIOR TREATMENT EPISODES	300941	18.8 %	22.5%
2	2 PRIOR TREATMENT EPISODES	163576	10.2 %	12.2%
3	3 PRIOR TREATMENT EPISODES	94472	5.9 %	7.1%
4	4 PRIOR TREATMENT EPISODES	54058	3.4 %	4.0%
5	5 OR MORE PRIOR TREATMENT EPISODES	156442	9.8 %	11.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	263911	16.5 %	-

Based upon 1336419 valid cases out of 1600330 total cases.

SUB1

SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	17521	1.1 %	1.1%
2	ALCOHOL	794348	49.6 %	50.2%
3	COCAINE/CRACK	236174	14.8 %	14.9%
4	MARIJUANA/HASHISH	197011	12.3 %	12.4%
5	HEROIN	234860	14.7 %	14.8%
6	NON-PRESCRIPTION METHADONE	1202	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	15002	0.9 %	0.9%
8	PCP	1893	0.1 %	0.1%
9	OTHER HALLUCINOGENS	2654	0.2 %	0.2%
10	METHAMPHETAMINE	53571	3.3 %	3.4%
11	OTHER AMPHETAMINES	13683	0.9 %	0.9%
12	OTHER STIMULANTS	732	0.0 %	0.0%
13	BENZODIAZEPINES	3821	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	956	0.1 %	0.1%
15	BARBITURATES	1273	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	1949	0.1 %	0.1%
17	INHALANTS	1775	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	500	0.0 %	0.0%
20	OTHER	3920	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	17485	1.1 %	-

Based upon 1582845 valid cases out of 1600330 total cases.

ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	808065	50.5 %	53.5%
2	SMOKING	390773	24.4 %	25.9%
3	INHALATION	127045	7.9 %	8.4%
4	INJECTION (IV OR INTRAMUSCULAR)	178294	11.1 %	11.8%
20	OTHER	4862	0.3 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	91291	5.7 %	-

Based upon 1509039 valid cases out of 1600330 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	341729	21.4 %	23.0%
2	1-3 TIMES IN THE PAST MONTH	162040	10.1 %	10.9%
3	1-2 TIMES IN THE PAST WEEK	140309	8.8 %	9.4%
4	3-6 TIMES IN THE PAST WEEK	181118	11.3 %	12.2%
5	DAILY	663027	41.4 %	44.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	112107	7.0 %	-

Based upon 1488223 valid cases out of 1600330 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	133448	8.3 %	8.7%
2	12-14	345493	21.6 %	22.6%
3	15-17	432916	27.1 %	28.3%
4	18-20	250882	15.7 %	16.4%
5	21-24	137788	8.6 %	9.0%
6	25-29	108075	6.8 %	7.1%
7	30-34	62110	3.9 %	4.1%
8	35-39	34119	2.1 %	2.2%
9	40-44	14987	0.9 %	1.0%
10	45-49	5861	0.4 %	0.4%
11	50-54	2214	0.1 %	0.1%
12	55 AND OVER	1729	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	70708	4.4 %	-

Based upon 1529622 valid cases out of 1600330 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 73-74 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	531283	33.2 %	37.7%
2	ALCOHOL	273985	17.1 %	19.4%
3	COCAINE/CRACK	241127	15.1 %	17.1%
4	MARIJUANA/HASHISH	246262	15.4 %	17.5%
5	HEROIN	31917	2.0 %	2.3%
6	NON-PRESCRIPTION METHADONE	2458	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	11081	0.7 %	0.8%
8	PCP	2270	0.1 %	0.2%
9	OTHER HALLUCINOGENS	6521	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	METHAMPHETAMINE	25979	1.6 %	1.8%
11	OTHER AMPHETAMINES	9390	0.6 %	0.7%
12	OTHER STIMULANTS	2204	0.1 %	0.2%
13	BENZODIAZEPINES	9060	0.6 %	0.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2417	0.2 %	0.2%
15	BARBITURATES	1976	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3251	0.2 %	0.2%
17	INHALANTS	1356	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	916	0.1 %	0.1%
20	OTHER	5659	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	191218	11.9 %	-

Based upon 1409112 valid cases out of 1600330 total cases.

ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	312259	19.5 %	37.1%
2	SMOKING	375931	23.5 %	44.7%
3	INHALATION	80886	5.1 %	9.6%
4	INJECTION (IV OR INTRAMUSCULAR)	68956	4.3 %	8.2%
20	OTHER	3001	0.2 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	759297	47.4 %	-

Based upon 841033 valid cases out of 1600330 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	277967	17.4 %	32.4%
2	1-3 TIMES IN THE PAST MONTH	126817	7.9 %	14.8%
3	1-2 TIMES IN THE PAST WEEK	106178	6.6 %	12.4%
4	3-6 TIMES IN THE PAST WEEK	99678	6.2 %	11.6%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	DAILY	246750	15.4 %	28.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	742940	46.4 %	-

Based upon 857390 valid cases out of 1600330 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	106622	6.7 %	11.9%
2	12-14	206119	12.9 %	23.1%
3	15-17	238981	14.9 %	26.8%
4	18-20	132488	8.3 %	14.8%
5	21-24	71581	4.5 %	8.0%
6	25-29	61578	3.8 %	6.9%
7	30-34	36907	2.3 %	4.1%
8	35-39	21867	1.4 %	2.4%
9	40-44	10277	0.6 %	1.2%
10	45-49	4071	0.3 %	0.5%
11	50-54	1377	0.1 %	0.2%
12	55 AND OVER	713	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	707749	44.2 %	-

Based upon 892581 valid cases out of 1600330 total cases.

SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN

- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	882935	55.2 %	71.5%
2	ALCOHOL	86807	5.4 %	7.0%
3	COCAINE/CRACK	73563	4.6 %	6.0%
4	MARIJUANA/HASHISH	104988	6.6 %	8.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	HEROIN	15350	1.0 %	1.2%
6	NON-PRESCRIPTION METHADONE	1616	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	6554	0.4 %	0.5%
8	PCP	2446	0.2 %	0.2%
9	OTHER HALLUCINOGENS	12977	0.8 %	1.1%
10	METHAMPHETAMINE	15484	1.0 %	1.3%
11	OTHER AMPHETAMINES	7484	0.5 %	0.6%
12	OTHER STIMULANTS	1946	0.1 %	0.2%
13	BENZODIAZEPINES	7263	0.5 %	0.6%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	2150	0.1 %	0.2%
15	BARBITURATES	1875	0.1 %	0.2%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2674	0.2 %	0.2%
17	INHALANTS	2084	0.1 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	1019	0.1 %	0.1%
20	OTHER	6470	0.4 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	364645	22.8 %	-

Based upon 1235685 valid cases out of 1600330 total cases.

ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	110199	6.9 %	37.4%
2	SMOKING	122241	7.6 %	41.5%
3	INHALATION	39713	2.5 %	13.5%
4	INJECTION (IV OR INTRAMUSCULAR)	20459	1.3 %	6.9%
20	OTHER	2210	0.1 %	0.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1305508	81.6 %	-

Based upon 294822 valid cases out of 1600330 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	154891	9.7 %	46.8%
2	1-3 TIMES IN THE PAST MONTH	48727	3.0 %	14.7%
3	1-2 TIMES IN THE PAST WEEK	35341	2.2 %	10.7%
4	3-6 TIMES IN THE PAST WEEK	28280	1.8 %	8.5%
5	DAILY	63744	4.0 %	19.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1269347	79.3 %	-

Based upon 330983 valid cases out of 1600330 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	82542	5.2 %	22.5%
2	12-14	79349	5.0 %	21.6%
3	15-17	91865	5.7 %	25.1%
4	18-20	47619	3.0 %	13.0%
5	21-24	23874	1.5 %	6.5%
6	25-29	19346	1.2 %	5.3%
7	30-34	11589	0.7 %	3.2%
8	35-39	6356	0.4 %	1.7%
9	40-44	2800	0.2 %	0.8%
10	45-49	949	0.1 %	0.3%
11	50-54	299	0.0 %	0.1%
12	55 AND OVER	127	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1233615	77.1 %	-

Based upon 366715 valid cases out of 1600330 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	34147	2.1 %	2.1%
1	685881	42.9 %	42.9%
2	530884	33.2 %	33.2%

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	349418	21.8 %	21.8%

Based upon 1600330 valid cases out of 1600330 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8

Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1351302	84.4 %	86.3%
1	IDU REPORTED	215140	13.4 %	13.7%
-8 (M)	NO SUBSTANCES REPORTED	33888	2.1 %	-

Based upon 1566442 valid cases out of 1600330 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	446384	27.9 %	27.9%
1	SUBSTANCE REPORTED	1153946	72.1 %	72.1%

Based upon 1600330 valid cases out of 1600330 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1057892	66.1 %	66.1%
1	SUBSTANCE REPORTED	542438	33.9 %	33.9%

Based upon 1600330 valid cases out of 1600330 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1052537	65.8 %	65.8%
1	SUBSTANCE REPORTED	547793	34.2 %	34.2%

Based upon 1600330 valid cases out of 1600330 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1318420	82.4 %	82.4%
1	SUBSTANCE REPORTED	281910	17.6 %	17.6%

Based upon 1600330 valid cases out of 1600330 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1595058	99.7 %	99.7%
1	SUBSTANCE REPORTED	5272	0.3 %	0.3%

Based upon 1600330 valid cases out of 1600330 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1567926	98.0 %	98.0%
1	SUBSTANCE REPORTED	32404	2.0 %	2.0%

Based upon 1600330 valid cases out of 1600330 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1593724	99.6 %	99.6%
1	SUBSTANCE REPORTED	6606	0.4 %	0.4%

Based upon 1600330 valid cases out of 1600330 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1578212	98.6 %	98.6%
1	SUBSTANCE REPORTED	22118	1.4 %	1.4%

Based upon 1600330 valid cases out of 1600330 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1505342	94.1 %	94.1%
1	SUBSTANCE REPORTED	94988	5.9 %	5.9%

Based upon 1600330 valid cases out of 1600330 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1569872	98.1 %	98.1%
1	SUBSTANCE REPORTED	30458	1.9 %	1.9%

Based upon 1600330 valid cases out of 1600330 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1595462	99.7 %	99.7%
1	SUBSTANCE REPORTED	4868	0.3 %	0.3%

Based upon 1600330 valid cases out of 1600330 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1580269	98.7 %	98.7%
1	SUBSTANCE REPORTED	20061	1.3 %	1.3%

Based upon 1600330 valid cases out of 1600330 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1594811	99.7 %	99.7%
1	SUBSTANCE REPORTED	5519	0.3 %	0.3%

Based upon 1600330 valid cases out of 1600330 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1595209	99.7 %	99.7%
1	SUBSTANCE REPORTED	5121	0.3 %	0.3%

Based upon 1600330 valid cases out of 1600330 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1592461	99.5 %	99.5%
1	SUBSTANCE REPORTED	7869	0.5 %	0.5%

Based upon 1600330 valid cases out of 1600330 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1595116	99.7 %	99.7%
1	SUBSTANCE REPORTED	5214	0.3 %	0.3%

Based upon 1600330 valid cases out of 1600330 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1597899	99.8 %	99.8%
1	SUBSTANCE REPORTED	2431	0.2 %	0.2%

Based upon 1600330 valid cases out of 1600330 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1584373	99.0 %	99.0%
1	SUBSTANCE REPORTED	15957	1.0 %	1.0%

Based upon 1600330 valid cases out of 1600330 total cases.

ALCDRUG SUBSTANCE ABUSE TYPE

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	34147	2.1 %	2.1%
1	ALCOHOL ONLY	444257	27.8 %	27.8%
2	OTHER DRUGS ONLY	412237	25.8 %	25.8%
3	ALCOHOL AND OTHER DRUGS	709689	44.3 %	44.3%

Based upon 1600330 valid cases out of 1600330 total cases.

DSMCRIT

DSM DIAGNOSIS

Location:

113-114 (width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9

Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	8754	0.5 %	2.4%
1	ALCOHOL-INDUCED DISORDER	1918	0.1 %	0.5%
2	SUBSTANCE-INDUCED DISORDER	1520	0.1 %	0.4%
3	ALCOHOL INTOXICATION	23133	1.4 %	6.4%
4	ALCOHOL DEPENDENCE	111059	6.9 %	30.5%
5	OPIOID DEPENDENCE	46193	2.9 %	12.7%
6	COCAINE DEPENDENCE	48117	3.0 %	13.2%
7	CANNABIS DEPENDENCE	25393	1.6 %	7.0%
8	OTHER SUBSTANCE DEPENDENCE	17018	1.1 %	4.7%
9	ALCOHOL ABUSE	41644	2.6 %	11.5%
10	CANNABIS ABUSE	17497	1.1 %	4.8%
11	OTHER SUBSTANCE ABUSE	2331	0.1 %	0.6%
12	OPIOID ABUSE	634	0.0 %	0.2%
13	COCAINE ABUSE	5163	0.3 %	1.4%
14	ANXIETY DISORDERS	1012	0.1 %	0.3%
15	DEPRESSIVE DISORDERS	3197	0.2 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	1476	0.1 %	0.4%
17	BIPOLAR DISORDERS	1049	0.1 %	0.3%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	484	0.0 %	0.1%
19	OTHER MENTAL HEALTH CONDITION	2258	0.1 %	0.6%
20	OTHER CONDITION	3789	0.2 %	1.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1236691	77.3 %	-

Based upon 363639 valid cases out of 1600330 total cases.

PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	173109	10.8 %	17.2%
2	NO	832640	52.0 %	82.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	594581	37.2 %	-

Based upon 1005749 valid cases out of 1600330 total cases.

HLTHINS HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	111660	7.0 %	15.0%
2	MEDICAID	81851	5.1 %	11.0%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	68989	4.3 %	9.3%
4	NONE	479592	30.0 %	64.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	858238	53.6 %	-

Based upon 742092 valid cases out of 1600330 total cases.

PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	144596	9.0 %	30.1%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	44195	2.8 %	9.2%
3	MEDICARE, WORKER'S COMPENSATION	5469	0.3 %	1.1%
4	MEDICAID	55745	3.5 %	11.6%
5	OTHER GOVERNMENT PAYMENTS	130210	8.1 %	27.1%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	50311	3.1 %	10.5%
9	OTHER	50117	3.1 %	10.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1119687	70.0 %	-

Based upon 480643 valid cases out of 1600330 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (54.0%) 2 Now Married (18.3%) 3 Separated (8.2%) 4 Divorced (17.9%) 5 Widowed (1.6%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFLF Detailed 'Not in Labor' Force	1 Homemaker (5.5%) 2 Student (26.9%) 3 Retired (3.0%) 4 Disabled (21.9%) 5 Inmate of Institution (7.5%) 6 Other (35.3%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIM INC Source of Income / Support	1 Wages/Salary (35.9%) 2 Public Assistance (14.6%) 3 Retirement/Pension (<1%) 4 Disability (3.3%) 20 Other (22.2%) 21 None (23.2%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DET CRIM Detailed Criminal Justice Referral	1 State/Federal Court (19.2%) 2 Other Court (2.0%) 3 Probation/Parole (38.6%) 4 Other Recognized Legal Entity (11.0%) 5 Diversionary Program (2.7%) 6 Prison (3.1%) 7 DUI/DWI (17.3%) 8 Other (6.1%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
<p>HLTHINS</p> <p>Health Insurance</p>	<p>1 Private Insurance (Other Than BC/BS or HMO) (7.5%)</p> <p>2 Blue Cross / Blue Shield (BC/BS) (3.5%)</p> <p>3 Medicare (1.7%)</p> <p>4 Medicaid (11.0%)</p> <p>6 Health Maintenance Organization (HMO) (4.0%)</p> <p>20 Other (e.g. TriCare, Champus) (7.6%)</p> <p>21 None (64.6%)</p>	<p>1 Private Insurance, BC/BS, HMO</p> <p>2 Medicaid</p> <p>3 Medicare/Other (e.g. Tricare, Champus)</p> <p>4 None</p>
<p>PRIMPAY</p> <p>Expected/Actual Payment Source of Payment</p>	<p>1 Self-Pay (30.1%)</p> <p>2 Blue Cross / Blue Shield (2.4%)</p> <p>3 Medicare (1.0%)</p> <p>4 Medicaid (11.6%)</p> <p>5 Other Government Payments (27.1%)</p> <p>6 Worker's Compensation (<1%)</p> <p>7 Other Health Insurance Companies (6.7%)</p> <p>8 No charge (Free, Charity, Special Research or Teaching) (10.5%)</p> <p>9 Other (10.4%)</p>	<p>1 Self-Pay</p> <p>2 Blue Cross / Blue Shield, Other Health Insurance Companies</p> <p>3 Medicare, Worker's Compensation</p> <p>4 Medicaid</p> <p>5 Other Government Payments</p> <p>8 No charge (Free, Charity, Special Research or Teaching)</p> <p>9 Other</p>
<p>FRSTUSE1</p> <p>Age at First Use (Primary)</p> <p>FRSTUSE2</p> <p>Age at First Use (Secondary)</p> <p>FRSTUSE3</p> <p>Age at First Use (Tertiary)</p>	<p>Continuous (0-99)</p>	<p>11 and Under</p> <p>12-14</p> <p>15-17</p> <p>18-20</p> <p>21-24</p> <p>25-29</p> <p>30-34</p> <p>35-39</p> <p>40-44</p> <p>45-49</p> <p>50-54</p> <p>55 and Over</p>

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 1997																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 47 reporting States, and the District of Columbia; Arizona, Indiana, West Virginia, and Puerto Rico did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALABAMA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
DIST OF COLUMBIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	
INDIANA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MISSISSIPPI	--	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	

Items collected/not-collected by State: TEDS Minimum Data Set 1997

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, and the District of Columbia; Arizona, Indiana, West Virginia, and Puerto Rico did not report any data;
Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone	
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use			
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 1997												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 47 reporting States, and the District of Columbia; Arizona, Indiana, West Virginia, and Puerto Rico did not report any data; Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	--	--	Y	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	--	--	--	Y	--	--	--	--	--
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
INDIANA	--	--	--	--	--	--	--	--	--	--	--	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
MARYLAND	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	--	Y	--	Y	Y
MINNESOTA	--	--	Y	Y	Y	Y	--	--	Y	--	Y	--
MISSISSIPPI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Items collected/not-collected by State: TEDS Supplemental Data Set 1997

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, and the District of Columbia; Arizona, Indiana, West Virginia, and Puerto Rico did not report any data;
Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	Y	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	--	Y	Y	Y	--	--	--	--	Y	Y	Y	--
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	Y	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	Y	--	Y	Y	Y	--	Y	Y	Y	Y
UTAH	--	Y	Y	--	Y	Y	Y	Y	--	--	--	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	--	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	Y	--	Y	--
WEST VIRGINIA	--	--	--	--	--	--	--	--	--	--	--	--
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	--	--	Y	--	--	--	--	Y	--	Y	Y