

Treatment Episode Data Set -- Discharges (TEDS-D), 2006

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – DISCHARGES CODEBOOK, 2006

Introduction

This codebook is for the Treatment Episode Data Set – Discharges (TEDS-D) for discharges from substance abuse treatment occurring in 2006. TEDS-D provides information on treatment completion, length of stay in treatment, and demographic and substance abuse characteristics of approximately 1.5 million discharges from alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D is more recently begun, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

Variables included in the discharge record include the same variables as the admissions data. Additionally, TEDS-D includes the following:

- Type of service at discharge;
- Length of stay; and
- Reason for discharge or discontinuation of service.

A full list of the variables can be viewed in the Variable Information and Frequency section of this codebook.

This codebook provides background and descriptive information for the TEDS-D public-use files, limitations of the data, and frequencies. References detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in

reporting practices, are available. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [Treatment Episode Data Set State Instruction Manual - Discharge Data](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-D data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-D records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-D cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-D is discharges in calendar year 2006 that were received and processed through October 10, 2011. These discharges were linked to either new admissions or transfers to treatment in another service type.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly-funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly-funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by Federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus the TEDS does not include early intervention programs; these are considered to be prevention

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The TEDS is an admission-based system, and therefore TEDS admissions and discharges do not represent individuals. For example, an individual admitted to and discharged from treatment twice within a calendar year would be counted as two admissions and two discharges.
- The data presented in this report provide information on treatment in specific service types, derived from linked pairs of admission/discharge records. The data do not necessarily represent complete treatment episodes, which may include stays in multiple types of service and would require analysis of series of linked pairs of records.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
compute AKSTATE=1.
else.
compute AKSTATE=2.
end if.

variable labels AKSTATE "ALASKA STATE INDICATOR".

value labels AKSTATE 1 "ALASKA" 2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public-use file contains discharge data for 42 states. The following states did not report usable data for the year 2006: Alabama, Alaska, Kentucky, Mississippi, New Mexico, Pennsylvania, Vermont, and West Virginia. The District of Columbia and Puerto Rico did not report usable data either.

The TEDS Discharge public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands

are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 2006 are as follows:

Filename: da24461-0001.txt

Number of observations: 1,508,468

Number of variables: 64

Records per case: 1

Logical record length: 125

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
Treatment Episode Data Set (TEDS): 2006 [Discharges](#) from Substance Abuse Treatment Services. DASIS Series: S-46, DHHS Publication No. (SMA) 09-4378, Rockville MD, 2009.

The Center for Behavioral Health Statistics and Quality has other published [TEDS reports](#) on the SAMHSA Web site.

Treatment Episode Data Set -- Discharges (TEDS-D), 2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Discharges (TEDS-D), 2006

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
DISYR	YEAR OF DISCHARGE	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	15
EMPLOY	EMPLOYMENT STATUS	15
DETNLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	17
LIVARAG	LIVING ARRANGEMENTS	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	19
PMSA	FIPS 1990 MSA CODE	27
REGION	CENSUS REGION	33
DIVISION	CENSUS DIVISION	34

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SERVSETD	SERVICE SETTING AT DISCHARGE	35
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	36
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	36
REASON	REASON FOR DISCHARGE	37
LOS	LENGTH OF STAY	38

REFERRAL SOURCES

REFERRAL SOURCES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	40
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	42

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	42
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	44
FREQ1	FREQUENCY OF USE (PRIMARY)	45
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	45
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	47

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
FREQ2	FREQUENCY OF USE (SECONDARY)	48
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	48
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	50
FREQ3	FREQUENCY OF USE (TERTIARY)	51
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	51

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	52
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	52
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	53
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	53
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	53
PCPFLG	PCP REPORTED AT ADM.	54
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	54
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	54
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	55
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	55
BARBFLG	BARBITURATES REPORTED AT ADM.	55
SEDPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	56
OTHERFLG	OTHER DRUG REPORTED AT ADM.	56
ALCDRUG	SUBSTANCE ABUSE TYPE	57

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	57
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
HLTHINS	HEALTH INSURANCE	58
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

CASEID CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)
 Variable Type: numeric
 Based upon 1508468 valid cases out of 1508468 total cases.

DISYR YEAR OF DISCHARGE

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Year of client's discharge from substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2006	-	1508468	100.0 %	100.0%

Based upon 1508468 valid cases out of 1508468 total cases.

AGE AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Calculated from date of birth and date of admission and categorized.
 Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	17500	1.2 %	1.2%
3	15-17	95388	6.3 %	6.3%
4	18-20	94447	6.3 %	6.3%
5	21-24	169461	11.2 %	11.2%
6	25-29	203361	13.5 %	13.5%
7	30-34	171128	11.3 %	11.3%
8	35-39	204023	13.5 %	13.5%
9	40-44	219762	14.6 %	14.6%
10	45-49	172518	11.4 %	11.4%
11	50-54	95286	6.3 %	6.3%
12	55 AND OVER	65594	4.3 %	4.3%

Based upon 1508468 valid cases out of 1508468 total cases.

GENDER **SEX**

Location: 15-16 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies client's gender.

Value	Label	Unweighted Frequency	%	Valid %
1	MALE	1026657	68.1 %	68.1%
2	FEMALE	481555	31.9 %	31.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	256	0.0 %	-

Based upon 1508212 valid cases out of 1508468 total cases.

RACE **RACE**

Location: 17-18 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)
- TWO OR MORE RACES: Use this code when the State data system

allows multiple race selection and more than one race is indicated.

- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	2322	0.2 %	0.2%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	37552	2.5 %	2.5%
3	ASIAN OR PACIFIC ISLANDER	3292	0.2 %	0.2%
4	BLACK OR AFRICAN AMERICAN	341135	22.6 %	22.8%
5	WHITE	926866	61.4 %	62.0%
13	ASIAN	9343	0.6 %	0.6%
20	OTHER SINGLE RACE	158528	10.5 %	10.6%
21	TWO OR MORE RACES	8217	0.5 %	0.5%
23	NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER	7116	0.5 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	14097	0.9 %	-

Based upon 1494371 valid cases out of 1508468 total cases.

ETHNIC ETHNICITY (HISPANIC ORIGIN)

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.

- MEXICAN: Of Mexican origin, regardless of race.

- CUBAN: Of Cuban origin, regardless of race.

- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.

- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	60668	4.0 %	4.1%
2	MEXICAN	96508	6.4 %	6.5%
3	CUBAN	7667	0.5 %	0.5%
4	OTHER SPECIFIC HISPANIC	41829	2.8 %	2.8%
5	NOT OF HISPANIC ORIGIN	1258521	83.4 %	84.8%
6	HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED	19475	1.3 %	1.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	23800	1.6 %	-

Based upon 1484668 valid cases out of 1508468 total cases.

MARSTAT

MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	683417	45.3 %	59.7%
2	NOW MARRIED	187554	12.4 %	16.4%
3	SEPARATED	69764	4.6 %	6.1%
4	DIVORCED, WIDOWED	203872	13.5 %	17.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	363861	24.1 %	-

Based upon 1144607 valid cases out of 1508468 total cases.

EDUC EDUCATION

Location: 23-24 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

Value	Label	Unweighted Frequency	%	Valid %
1	8 YEARS OR LESS	134608	8.9 %	9.1%
2	9-11	431313	28.6 %	29.2%
3	12	598345	39.7 %	40.5%
4	13-15	245451	16.3 %	16.6%
5	16 OR MORE	68603	4.5 %	4.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	30148	2.0 %	-

Based upon 1478320 valid cases out of 1508468 total cases.

EMPLOY EMPLOYMENT STATUS

Location: 25-26 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.
- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DETNFLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they

are coded as 01. If they are not in labor force at time of admission, they are coded 04.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	292181	19.4 %	19.8%
2	PART TIME	104458	6.9 %	7.1%
3	UNEMPLOYED	433794	28.8 %	29.4%
4	NOT IN LABOR FORCE	643005	42.6 %	43.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	35030	2.3 %	-

Based upon 1473438 valid cases out of 1508468 total cases.

DET NFL **DETAILED 'NOT IN LABOR FORCE' CATEGORY**

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	9899	0.7 %	2.2%
2	STUDENT	60322	4.0 %	13.4%
3	RETIRED, DISABLED	80444	5.3 %	17.9%
5	INMATE OF INSTITUTION	22925	1.5 %	5.1%
6	OTHER	276636	18.3 %	61.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1058242	70.2 %	-

Based upon 450226 valid cases out of 1508468 total cases.

PREG **PREGNANT AT TIME OF ADMISSION**

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	19176	1.3 %	4.2%
2	NO	433293	28.7 %	95.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1055999	70.0 %	-

Based upon 452469 valid cases out of 1508468 total cases.

VET VETERAN STATUS

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	76270	5.1 %	6.1%
2	NO	1183425	78.5 %	93.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	248773	16.5 %	-

Based upon 1259695 valid cases out of 1508468 total cases.

LIVARAG LIVING ARRANGEMENTS

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.

- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.

- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	213245	14.1 %	14.6%
2	DEPENDENT LIVING	328273	21.8 %	22.5%
3	INDEPENDENT LIVING	918860	60.9 %	62.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	48090	3.2 %	-

Based upon 1460378 valid cases out of 1508468 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	296238	19.6 %	33.1%
2	PUBLIC ASSISTANCE	71398	4.7 %	8.0%
3	RETIREMENT/PENSION, DISABILITY	43537	2.9 %	4.9%
20	OTHER	206485	13.7 %	23.1%
21	NONE	277263	18.4 %	31.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	613547	40.7 %	-

Based upon 894921 valid cases out of 1508468 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	ARIZONA	21698	1.4 %	1.4%
5	ARKANSAS	974	0.1 %	0.1%
6	CALIFORNIA	189863	12.6 %	12.6%
8	COLORADO	54676	3.6 %	3.6%
9	CONNECTICUT	41298	2.7 %	2.7%
10	DELAWARE	7184	0.5 %	0.5%
12	FLORIDA	33663	2.2 %	2.2%
13	GEORGIA	15928	1.1 %	1.1%
15	HAWAII	7622	0.5 %	0.5%
16	IDAHO	2870	0.2 %	0.2%
17	ILLINOIS	78880	5.2 %	5.2%
18	INDIANA	13075	0.9 %	0.9%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	IOWA	23785	1.6 %	1.6%
20	KANSAS	7125	0.5 %	0.5%
22	LOUISIANA	22005	1.5 %	1.5%
23	MAINE	10147	0.7 %	0.7%
24	MARYLAND	66940	4.4 %	4.4%
25	MASSACHUSETTS	65675	4.4 %	4.4%
26	MICHIGAN	60580	4.0 %	4.0%
27	MINNESOTA	45039	3.0 %	3.0%
29	MISSOURI	39944	2.6 %	2.6%
30	MONTANA	5964	0.4 %	0.4%
31	NEBRASKA	9338	0.6 %	0.6%
32	NEVADA	3330	0.2 %	0.2%
33	NEW HAMPSHIRE	5469	0.4 %	0.4%
34	NEW JERSEY	49901	3.3 %	3.3%
36	NEW YORK	286428	19.0 %	19.0%
37	NORTH CAROLINA	11906	0.8 %	0.8%
38	NORTH DAKOTA	1550	0.1 %	0.1%
39	OHIO	58001	3.8 %	3.8%
40	OKLAHOMA	15394	1.0 %	1.0%
41	OREGON	46164	3.1 %	3.1%
44	RHODE ISLAND	10562	0.7 %	0.7%
45	SOUTH CAROLINA	22773	1.5 %	1.5%
46	SOUTH DAKOTA	15447	1.0 %	1.0%
47	TENNESSEE	14336	1.0 %	1.0%
48	TEXAS	47056	3.1 %	3.1%
49	UTAH	11122	0.7 %	0.7%
51	VIRGINIA	17105	1.1 %	1.1%
53	WASHINGTON	62771	4.2 %	4.2%
55	WISCONSIN	2013	0.1 %	0.1%
56	WYOMING	2867	0.2 %	0.2%

Based upon 1508468 valid cases out of 1508468 total cases.

CBSA	FIPS 2000 CBSA CODE
-------------	----------------------------

Location: 39-43 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than

50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	1294	0.1 %	0.1%
10420	AKRON, OH METRO	5415	0.4 %	0.4%
10500	ALBANY, GA METRO	30	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	19576	1.3 %	1.6%
10780	ALEXANDRIA, LA METRO	2244	0.1 %	0.2%
10880	ALLEGAN, MI MICRO	494	0.0 %	0.0%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	821	0.1 %	0.1%
11100	AMARILLO, TX METRO	440	0.0 %	0.0%
11300	ANDERSON, IN METRO	495	0.0 %	0.0%
11340	ANDERSON, SC METRO	997	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	1523	0.1 %	0.1%
11700	ASHEVILLE, NC METRO	1072	0.1 %	0.1%
11780	ASHTABULA, OH MICRO	722	0.0 %	0.1%
12020	ATHENS-CLARKE COUNTY, GA METRO	573	0.0 %	0.0%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	4379	0.3 %	0.4%
12100	ATLANTIC CITY, NJ METRO	2681	0.2 %	0.2%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	1024	0.1 %	0.1%
12420	AUSTIN-ROUND ROCK, TX METRO	2455	0.2 %	0.2%
12540	BAKERSFIELD, CA METRO	2140	0.1 %	0.2%
12580	BALTIMORE-TOWSON, MD METRO	36866	2.4 %	3.1%
12700	BARNSTABLE TOWN, MA METRO	5217	0.3 %	0.4%
12940	BATON ROUGE, LA METRO	4626	0.3 %	0.4%
12980	BATTLE CREEK, MI METRO	1047	0.1 %	0.1%
13020	BAY CITY, MI METRO	620	0.0 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1996	0.1 %	0.2%
13380	BELLINGHAM, WA METRO	2782	0.2 %	0.2%
13740	BILLINGS, MT METRO	1314	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	3086	0.2 %	0.3%
14060	BLOOMINGTON-NORMAL, IL METRO	1182	0.1 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	241	0.0 %	0.0%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	37306	2.5 %	3.1%
14500	BOULDER, CO METRO	1819	0.1 %	0.2%
14740	BREMERTON-SILVERDALE, WA METRO	2217	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	7890	0.5 %	0.7%
15180	BROWNSVILLE-HARLINGEN, TX METRO	451	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	17173	1.1 %	1.4%
15500	BURLINGTON, NC METRO	243	0.0 %	0.0%
15940	CANTON-MASSILLON, OH METRO	1463	0.1 %	0.1%
15980	CAPE CORAL-FORT MYERS, FL METRO	870	0.1 %	0.1%
16300	CEDAR RAPIDS, IA METRO	2791	0.2 %	0.2%
16580	CHAMPAIGN-URBANA, IL METRO	1873	0.1 %	0.2%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	3807	0.3 %	0.3%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	2049	0.1 %	0.2%
16820	CHARLOTTESVILLE, VA METRO	412	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1088	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	45419	3.0 %	3.8%
17020	CHICO, CA METRO	2117	0.1 %	0.2%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	4073	0.3 %	0.3%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	11135	0.7 %	0.9%
17780	COLLEGE STATION-BRYAN, TX METRO	841	0.1 %	0.1%
17820	COLORADO SPRINGS, CO METRO	6425	0.4 %	0.5%
17860	COLUMBIA, MO METRO	2148	0.1 %	0.2%
17900	COLUMBIA, SC METRO	3625	0.2 %	0.3%
17980	COLUMBUS, GA-AL METRO	335	0.0 %	0.0%
18140	COLUMBUS, OH METRO	7682	0.5 %	0.6%
18580	CORPUS CHRISTI, TX METRO	2438	0.2 %	0.2%
19060	CUMBERLAND, MD-WV METRO	1631	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	5810	0.4 %	0.5%
19260	DANVILLE, VA METRO	474	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	4320	0.3 %	0.4%
19380	DAYTON, OH METRO	11912	0.8 %	1.0%
19500	DECATUR, IL METRO	989	0.1 %	0.1%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	1971	0.1 %	0.2%
19740	DENVER-AURORA, CO METRO	29660	2.0 %	2.5%
19780	DES MOINES, IA METRO	2823	0.2 %	0.2%
19820	DETROIT-WARREN-LIVONIA, MI METRO	26487	1.8 %	2.2%
20100	DOVER, DE METRO	958	0.1 %	0.1%
20260	DULUTH, MN-WI METRO	1775	0.1 %	0.1%
20500	DURHAM, NC METRO	804	0.1 %	0.1%
20620	EAST LIVERPOOL-SALEM, OH MICRO	814	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21340	EL PASO, TX METRO	1945	0.1 %	0.2%
21660	EUGENE-SPRINGFIELD, OR METRO	5376	0.4 %	0.4%
22020	FARGO, ND-MN METRO	538	0.0 %	0.0%
22180	FAYETTEVILLE, NC METRO	769	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	35	0.0 %	0.0%
22420	FLINT, MI METRO	3461	0.2 %	0.3%
22500	FLORENCE, SC METRO	297	0.0 %	0.0%
22660	FORT COLLINS-LOVELAND, CO METRO	1330	0.1 %	0.1%
22900	FORT SMITH, AR-OK METRO	196	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	96	0.0 %	0.0%
23420	FRESNO, CA METRO	7794	0.5 %	0.6%
23540	GAINESVILLE, FL METRO	463	0.0 %	0.0%
24020	GLENS FALLS, NY METRO	1462	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	48	0.0 %	0.0%
24300	GRAND JUNCTION, CO METRO	2192	0.1 %	0.2%
24340	GRAND RAPIDS-WYOMING, MI METRO	1286	0.1 %	0.1%
24540	GREELEY, CO METRO	3220	0.2 %	0.3%
24660	GREENSBORO-HIGH POINT, NC METRO	966	0.1 %	0.1%
24780	GREENVILLE, NC METRO	398	0.0 %	0.0%
24860	GREENVILLE, SC METRO	3311	0.2 %	0.3%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	1877	0.1 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	17773	1.2 %	1.5%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	667	0.0 %	0.1%
26100	HOLLAND-GRAND HAVEN, MI METRO	1041	0.1 %	0.1%
26180	HONOLULU, HI METRO	4851	0.3 %	0.4%
26380	HOUMA-BAYOU CANE-THIBODAU, LA METRO	1610	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	10596	0.7 %	0.9%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	35	0.0 %	0.0%
26900	INDIANAPOLIS, IN METRO	867	0.1 %	0.1%
26980	IOWA CITY, IA METRO	2140	0.1 %	0.2%
27100	JACKSON, MI METRO	1385	0.1 %	0.1%
27180	JACKSON, TN METRO	1378	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	3005	0.2 %	0.2%
27340	JACKSONVILLE, NC METRO	298	0.0 %	0.0%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	938	0.1 %	0.1%
27740	JOHNSON, CITYTN METRO	3130	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
27900	JOPLIN, MO METRO	1173	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	2347	0.2 %	0.2%
28100	KANKAKEE-BRADLEY, IL METRO	1317	0.1 %	0.1%
28140	KANSAS CITY, MO-KS METRO	8368	0.6 %	0.7%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	2077	0.1 %	0.2%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	318	0.0 %	0.0%
28940	KNOXVILLE, TN METRO	1261	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	70	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	1683	0.1 %	0.1%
29340	LAKE CHARLES, LA METRO	667	0.0 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	382	0.0 %	0.0%
29620	LANSING-EAST LANSING, MI METRO	2174	0.1 %	0.2%
29700	LAREDO, TX METRO	477	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	1274	0.1 %	0.1%
30020	LAWTON, OK METRO	661	0.0 %	0.1%
30540	LEXINGTON-THOMASVILLE, NC MICRO	6	0.0 %	0.0%
30620	LIMA, OH METRO	581	0.0 %	0.0%
30700	LINCOLN, NE METRO	3155	0.2 %	0.3%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	218	0.0 %	0.0%
30980	LONGVIEW, TX METRO	729	0.0 %	0.1%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	53966	3.6 %	4.5%
31180	LUBBOCK, TX METRO	2126	0.1 %	0.2%
31340	LYNCHBURG, VA METRO	674	0.0 %	0.1%
31460	MADERA, CA METRO	929	0.1 %	0.1%
31700	MANCHESTER-NASHUA, NH METRO	1992	0.1 %	0.2%
31900	MANSFIELD, OH METRO	430	0.0 %	0.0%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	626	0.0 %	0.1%
32780	MEDFORD, OR METRO	2682	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2768	0.2 %	0.2%
32900	MERCED, CA METRO	839	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	7825	0.5 %	0.6%
33260	MIDLAND, TX METRO	190	0.0 %	0.0%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	27613	1.8 %	2.3%
33700	MODESTO, CA METRO	3871	0.3 %	0.3%
33740	MONROE, LA METRO	1803	0.1 %	0.1%
33780	MONROE, MI METRO	459	0.0 %	0.0%
34740	MUSKEGON-NORTON SHORES, MI METRO	1542	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	615	0.0 %	0.1%
34900	NAPA, CA METRO	240	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	476	0.0 %	0.0%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2755	0.2 %	0.2%
35300	NEW HAVEN-MILFORD, CT METRO	5773	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	1753	0.1 %	0.1%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	203489	13.5 %	16.9%
35660	NILES-BENTON HARBOR, MI METRO	1228	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	5641	0.4 %	0.5%
36100	OCALA, FL METRO	41	0.0 %	0.0%
36140	OCEAN CITY, NJ METRO	939	0.1 %	0.1%
36220	ODESSA, TX METRO	680	0.0 %	0.1%
36260	OGDEN-CLEARFIELD, UT METRO	1432	0.1 %	0.1%
36420	OKLAHOMA CITY, OK METRO	5582	0.4 %	0.5%
36500	OLYMPIA, WA METRO	1929	0.1 %	0.2%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	3786	0.3 %	0.3%
36740	ORLANDO, FL METRO	2644	0.2 %	0.2%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3142	0.2 %	0.3%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	544	0.0 %	0.0%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	1155	0.1 %	0.1%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	10	0.0 %	0.0%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1311	0.1 %	0.1%
37900	PEORIA, IL METRO	3287	0.2 %	0.3%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	11370	0.8 %	0.9%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	3118	0.2 %	0.3%
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	23617	1.6 %	2.0%
38940	PORT ST. LUCIE, FL METRO	514	0.0 %	0.0%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	10749	0.7 %	0.9%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	15823	1.0 %	1.3%
39340	PROVO-OREM, UT METRO	928	0.1 %	0.1%
39380	PUEBLO, CO METRO	3175	0.2 %	0.3%
39460	PUNTA GORDA, FL METRO	130	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	1356	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
39820	REDDING, CA METRO	2025	0.1 %	0.2%
39900	RENO-SPARKS, NV METRO	688	0.0 %	0.1%
40060	RICHMOND, VA METRO	1933	0.1 %	0.2%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	17497	1.2 %	1.5%
40220	ROANOKE, VA METRO	992	0.1 %	0.1%
40340	ROCHESTER, MN METRO	1286	0.1 %	0.1%
40380	ROCHESTER, NY METRO	17518	1.2 %	1.5%
40420	ROCKFORD, IL METRO	3884	0.3 %	0.3%
40580	ROCKY MOUNT, NC METRO	208	0.0 %	0.0%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	9813	0.7 %	0.8%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1598	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	1750	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	738	0.0 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	12665	0.8 %	1.0%
41420	SALEM, OR METRO	4009	0.3 %	0.3%
41500	SALINAS, CA METRO	1878	0.1 %	0.2%
41580	SALISBURY, NC MICRO	3	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	6500	0.4 %	0.5%
41660	SAN ANGELO, TX METRO	348	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	5221	0.3 %	0.4%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	13364	0.9 %	1.1%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	24945	1.7 %	2.1%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	8909	0.6 %	0.7%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	1314	0.1 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	3189	0.2 %	0.3%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	2149	0.1 %	0.2%
42220	SANTA ROSA, CA METRO	4769	0.3 %	0.4%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	88	0.0 %	0.0%
42340	SAVANNAH, GA METRO	669	0.0 %	0.1%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	26370	1.7 %	2.2%
43300	SHERMAN-DENISON, TX METRO	125	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	2619	0.2 %	0.2%
43580	SIOUX CITY, IA-NE-SD METRO	1533	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	4911	0.3 %	0.4%
43900	SPARTANBURG, SC METRO	2203	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
44060	SPOKANE, WA METRO	7081	0.5 %	0.6%
44100	SPRINGFIELD, IL METRO	2517	0.2 %	0.2%
44140	SPRINGFIELD, MA METRO	6459	0.4 %	0.5%
44180	SPRINGFIELD, MO METRO	1915	0.1 %	0.2%
44220	SPRINGFIELD, OH METRO	1760	0.1 %	0.1%
44700	STOCKTON, CA METRO	3375	0.2 %	0.3%
44940	SUMTER, SC METRO	688	0.0 %	0.1%
45060	SYRACUSE, NY METRO	9950	0.7 %	0.8%
45220	TALLAHASSEE, FL METRO	1031	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	4981	0.3 %	0.4%
45500	TEXARKANA TX-TEXARKANA, AR METRO	743	0.0 %	0.1%
45780	TOLEDO, OH METRO	346	0.0 %	0.0%
45820	TOPEKA, KS METRO	921	0.1 %	0.1%
45940	TRENTON-EWING, NJ METRO	1483	0.1 %	0.1%
46140	TULSA, OK METRO	2223	0.1 %	0.2%
46340	TYLER, TX METRO	242	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4168	0.3 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	2334	0.2 %	0.2%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	3043	0.2 %	0.3%
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	3595	0.2 %	0.3%
47300	VISALIA-PORTERVILLE, CA METRO	4015	0.3 %	0.3%
47360	WACO, TX METRO	1696	0.1 %	0.1%
47580	WARNER ROBINS, GA METRO	17	0.0 %	0.0%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	20271	1.3 %	1.7%
47940	WATERLOO-CEDAR FALLS, IA METRO	1778	0.1 %	0.1%
48540	WHEELING, WV-OH METRO	397	0.0 %	0.0%
48620	WICHITA, KS METRO	1919	0.1 %	0.2%
48660	WICHITA FALLS, TX METRO	290	0.0 %	0.0%
48900	WILMINGTON, NC METRO	464	0.0 %	0.0%
49180	WINSTON-SALEM, NC METRO	1486	0.1 %	0.1%
49340	WORCESTER, MA METRO	8703	0.6 %	0.7%
49420	YAKIMA, WA METRO	5529	0.4 %	0.5%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	1301	0.1 %	0.1%
49700	YUBA CITY-MARYSVILLE, CA METRO	1116	0.1 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	302171	20.0 %	-

Based upon 1206297 valid cases out of 1508468 total cases.

PMSA	FIPS 1990 MSA CODE
------	--------------------

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	1294	0.1 %	0.1%
80	AKRON, OH PMSA	5415	0.4 %	0.4%
120	ALBANY, GA MSA	30	0.0 %	0.0%
160	ALBANY-SCHENECTADY-TROY, NY MSA	19576	1.3 %	1.6%
220	ALEXANDRIA, LA MSA	2244	0.1 %	0.2%
320	AMARILLO, TX MSA	440	0.0 %	0.0%
440	ANN ARBOR, MI PMSA	1675	0.1 %	0.1%
480	ASHEVILLE, NC MSA	1072	0.1 %	0.1%
500	ATHENS, GA MSA	573	0.0 %	0.0%
520	ATLANTA, GA MSA	4379	0.3 %	0.4%
560	ATLANTIC-CAPE MAY, NJ PMSA	3620	0.2 %	0.3%
600	AUGUSTA-AIKEN, GA-SC MSA	1024	0.1 %	0.1%
640	AUSTIN-SAN MARCOS, TX MSA	2455	0.2 %	0.2%
680	BAKERSFIELD, CA MSA	2140	0.1 %	0.2%
720	BALTIMORE, MD PMSA	36866	2.4 %	3.1%
743	BARNSTABLE-YARMOUTH, MA NECMA	5217	0.3 %	0.4%
760	BATON ROUGE, LA MSA	4626	0.3 %	0.4%
840	BEAUMONT-PORT ARTHUR, TX MSA	1996	0.1 %	0.2%
860	BELLINGHAM, WA MSA	2782	0.2 %	0.2%
870	BENTON HARBOR, MI MSA	1228	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	7621	0.5 %	0.6%
880	BILLINGS, MT MSA	1314	0.1 %	0.1%
960	BINGHAMTON, NY MSA	3086	0.2 %	0.3%
1040	BLOOMINGTON-NORMAL, IL MSA	1182	0.1 %	0.1%
1080	BOISE CITY, ID MSA	241	0.0 %	0.0%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	53681	3.6 %	4.5%
1125	BOULDER-LONGMONT, CO PMSA	1830	0.1 %	0.2%
1145	BRAZORIA, TX PMSA	994	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1150	BREMERTON, WA PMSA	2217	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	451	0.0 %	0.0%
1260	BRYAN-COLLEGE STATION, TX MSA	841	0.1 %	0.1%
1280	BUFFALO-NIAGARA FALLS, NY MSA	17173	1.1 %	1.4%
1320	CANTON-MASSILLON, OH MSA	1463	0.1 %	0.1%
1360	CEDAR RAPIDS, IA MSA	2791	0.2 %	0.2%
1400	CHAMPAIGN-URBANA, IL MSA	1873	0.1 %	0.2%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	3807	0.3 %	0.3%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	2052	0.1 %	0.2%
1540	CHARLOTTESVILLE, VA MSA	412	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1088	0.1 %	0.1%
1600	CHICAGO, IL PMSA	45419	3.0 %	3.8%
1620	CHICO-PARADISE, CA MSA	2117	0.1 %	0.2%
1640	CINCINNATI, OH-KY-IN PMSA	3365	0.2 %	0.3%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	11857	0.8 %	1.0%
1720	COLORADO SPRINGS, CO MSA	6425	0.4 %	0.5%
1740	COLUMBIA, MO MSA	2148	0.1 %	0.2%
1760	COLUMBIA, SC MSA	3625	0.2 %	0.3%
1800	COLUMBUS, GA-AL MSA	335	0.0 %	0.0%
1840	COLUMBUS, OH MSA	7682	0.5 %	0.6%
1880	CORPUS CHRISTI, TX MSA	2438	0.2 %	0.2%
1900	CUMBERLAND, MD-WV MSA	1631	0.1 %	0.1%
1920	DALLAS, TX PMSA	1108	0.1 %	0.1%
1950	DANVILLE, VA MSA	474	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	4320	0.3 %	0.4%
2000	DAYTON-SPRINGFIELD, OH MSA	13672	0.9 %	1.1%
2020	DAYTONA BEACH, FL MSA	1971	0.1 %	0.2%
2040	DECATUR, IL MSA	989	0.1 %	0.1%
2080	DENVER, CO PMSA	29649	2.0 %	2.5%
2120	DES MOINES, IA MSA	2823	0.2 %	0.2%
2160	DETROIT, MI PMSA	26794	1.8 %	2.2%
2190	DOVER, DE MSA	958	0.1 %	0.1%
2240	DULUTH-SUPERIOR, MN-WI MSA	1775	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	6173	0.4 %	0.5%
2320	EL PASO, TX MSA	1945	0.1 %	0.2%
2400	EUGENE-SPRINGFIELD, OR MSA	5376	0.4 %	0.4%
2520	FARGO-MOORHEAD, ND-MN MSA	538	0.0 %	0.0%
2560	FAYETTEVILLE, NC MSA	769	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	35	0.0 %	0.0%
2640	FLINT, MI PMSA	3461	0.2 %	0.3%
2655	FLORENCE, SC MSA	297	0.0 %	0.0%
2670	FORT COLLINS-LOVELAND, CO MSA	1330	0.1 %	0.1%
2680	FORT LAUDERDALE, FL PMSA	3009	0.2 %	0.2%
2700	FORT MYERS-CAPE CORAL, FL MSA	870	0.1 %	0.1%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	514	0.0 %	0.0%
2720	FORT SMITH, AR-OK MSA	196	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	96	0.0 %	0.0%
2800	FORT WORTH-ARLINGTON, TX PMSA	4702	0.3 %	0.4%
2840	FRESNO, CA MSA	8723	0.6 %	0.7%
2900	GAINESVILLE, FL MSA	463	0.0 %	0.0%
2920	GALVESTON-TEXAS CITY, TX PMSA	824	0.1 %	0.1%
2975	GLENS FALLS, NY MSA	1462	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	48	0.0 %	0.0%
2995	GRAND JUNCTION, CO MSA	2192	0.1 %	0.2%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	4363	0.3 %	0.4%
3060	GREELEY, CO PMSA	3220	0.2 %	0.3%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	2701	0.2 %	0.2%
3150	GREENVILLE, NC MSA	398	0.0 %	0.0%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	6511	0.4 %	0.5%
3180	HAGERSTOWN, MD PMSA	1877	0.1 %	0.2%
3200	HAMILTON-MIDDLETOWN, OH PMSA	708	0.0 %	0.1%
3283	HARTFORD, CT NECMA	17773	1.2 %	1.5%
3290	HICKORY-MORGANTON, NC MSA	667	0.0 %	0.1%
3320	HONOLULU, HI MSA	4851	0.3 %	0.4%
3350	HOUMA, LA MSA	1610	0.1 %	0.1%
3360	HOUSTON, TX PMSA	8778	0.6 %	0.7%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	35	0.0 %	0.0%
3480	INDIANAPOLIS, IN MSA	1362	0.1 %	0.1%
3500	IOWA CITY, IA MSA	2140	0.1 %	0.2%
3520	JACKSON, MI MSA	1385	0.1 %	0.1%
3580	JACKSON, TN MSA	1378	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	3005	0.2 %	0.2%
3605	JACKSONVILLE, NC MSA	298	0.0 %	0.0%
3610	JAMESTOWN, NY MSA	938	0.1 %	0.1%
3640	JERSEY CITY, NJ PMSA	1276	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	3130	0.2 %	0.3%
3710	JOPLIN, MO MSA	1173	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	3394	0.2 %	0.3%
3740	KANKAKEE, IL PMSA	1317	0.1 %	0.1%
3760	KANSAS CITY, MO-KS MSA	8368	0.6 %	0.7%
3810	KILLEEN-TEMPLE, TX MSA	318	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1261	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	70	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	1683	0.1 %	0.1%
3960	LAKE CHARLES, LA MSA	667	0.0 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	382	0.0 %	0.0%
4040	LANSING-EAST LANSING, MI MSA	2174	0.1 %	0.2%
4080	LAREDO, TX MSA	477	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	1274	0.1 %	0.1%
4200	LAWTON, OK MSA	661	0.0 %	0.1%
4320	LIMA, OH MSA	581	0.0 %	0.0%
4360	LINCOLN, NE MSA	3155	0.2 %	0.3%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	218	0.0 %	0.0%
4420	LONGVIEW-MARSHALL, TX MSA	729	0.0 %	0.1%
4480	LOS ANGELES-LONG BEACH, CA PMSA	44053	2.9 %	3.7%
4600	LUBBOCK, TX MSA	2126	0.1 %	0.2%
4640	LYNCHBURG, VA MSA	674	0.0 %	0.1%
4680	MACON, GA MSA	17	0.0 %	0.0%
4800	MANSFIELD, OH MSA	430	0.0 %	0.0%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	626	0.0 %	0.1%
4890	MEDFORD-ASHLAND, OR MSA	2682	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	544	0.0 %	0.0%
4920	MEMPHIS, TN-AR-MS MSA	2768	0.2 %	0.2%
4940	MERCED, CA MSA	839	0.1 %	0.1%
5000	MIAMI, FL PMSA	2249	0.1 %	0.2%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	5288	0.4 %	0.4%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	27613	1.8 %	2.3%
5170	MODESTO, CA MSA	3871	0.3 %	0.3%
5190	MONMOUTH-OCEAN, NJ PMSA	6908	0.5 %	0.6%
5200	MONROE, LA MSA	1803	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	615	0.0 %	0.1%
5345	NAPLES, FL MSA	476	0.0 %	0.0%
5360	NASHVILLE, TN MSA	2755	0.2 %	0.2%
5380	NASSAU-SUFFOLK, NY PMSA	28741	1.9 %	2.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	13663	0.9 %	1.1%
5523	NEW LONDON-NORWICH, CT NECMA	5641	0.4 %	0.5%
5560	NEW ORLEANS, LA MSA	1753	0.1 %	0.1%
5600	NEW YORK, NY PMSA	140018	9.3 %	11.6%
5640	NEWARK, NJ PMSA	14458	1.0 %	1.2%
5660	NEWBURGH, NY-PA PMSA	4576	0.3 %	0.4%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	3595	0.2 %	0.3%
5775	OAKLAND, CA PMSA	10733	0.7 %	0.9%
5790	OCALA, FL MSA	41	0.0 %	0.0%
5800	ODESSA-MIDLAND, TX MSA	870	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	5582	0.4 %	0.5%
5910	OLYMPIA, WA PMSA	1929	0.1 %	0.2%
5920	OMAHA, NE-IA MSA	3786	0.3 %	0.3%
5945	ORANGE COUNTY, CA PMSA	9913	0.7 %	0.8%
5960	ORLANDO, FL MSA	2644	0.2 %	0.2%
6015	PANAMA CITY, FL MSA	1155	0.1 %	0.1%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	10	0.0 %	0.0%
6080	PENSACOLA, FL MSA	1311	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	3287	0.2 %	0.3%
6160	PHILADELPHIA, PA-NJ PMSA	6098	0.4 %	0.5%
6403	PORTLAND, ME NECMA	3118	0.2 %	0.3%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	23617	1.6 %	2.0%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	10143	0.7 %	0.8%
6520	PROVO-OREM, UT MSA	928	0.1 %	0.1%
6560	PUEBLO, CO MSA	3175	0.2 %	0.3%
6580	PUNTA GORDA, FL MSA	130	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	2160	0.1 %	0.2%
6690	REDDING, CA MSA	2025	0.1 %	0.2%
6720	RENO, NV MSA	688	0.0 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	2077	0.1 %	0.2%
6760	RICHMOND-PETERSBURG, VA MSA	1933	0.1 %	0.2%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	17497	1.2 %	1.5%
6800	ROANOKE, VA MSA	992	0.1 %	0.1%
6820	ROCHESTER, MN MSA	1286	0.1 %	0.1%
6840	ROCHESTER, NY MSA	17518	1.2 %	1.5%
6880	ROCKFORD, IL MSA	3884	0.3 %	0.3%
6895	ROCKY MOUNT, NC MSA	208	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6920	SACRAMENTO, CA PMSA	9494	0.6 %	0.8%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2218	0.1 %	0.2%
6980	ST. CLOUD, MN MSA	1750	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	738	0.0 %	0.1%
7040	ST. LOUIS, MO-IL MSA	12665	0.8 %	1.0%
7080	SALEM, OR PMSA	4009	0.3 %	0.3%
7120	SALINAS, CA MSA	1878	0.1 %	0.2%
7160	SALT LAKE CITY-OGDEN, UT MSA	7932	0.5 %	0.7%
7200	SAN ANGELO, TX MSA	348	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	5221	0.3 %	0.4%
7320	SAN DIEGO, CA MSA	13364	0.9 %	1.1%
7360	SAN FRANCISCO, CA PMSA	14212	0.9 %	1.2%
7400	SAN JOSE, CA PMSA	8909	0.6 %	0.7%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	1314	0.1 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	3189	0.2 %	0.3%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	2149	0.1 %	0.2%
7500	SANTA ROSA, CA PMSA	4769	0.3 %	0.4%
7510	SARASOTA-BRADENTON, FL MSA	88	0.0 %	0.0%
7520	SAVANNAH, GA MSA	669	0.0 %	0.1%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	18260	1.2 %	1.5%
7640	SHERMAN-DENISON, TX MSA	125	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	2619	0.2 %	0.2%
7720	SIOUX CITY, IA-NE MSA	1533	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	4911	0.3 %	0.4%
7840	SPOKANE, WA MSA	7081	0.5 %	0.6%
7880	SPRINGFIELD, IL MSA	2517	0.2 %	0.2%
7920	SPRINGFIELD, MO MSA	1915	0.1 %	0.2%
8003	SPRINGFIELD, MA NECMA	6459	0.4 %	0.5%
8120	STOCKTON-LODI, CA MSA	3375	0.2 %	0.3%
8140	SUMTER, SC MSA	688	0.0 %	0.1%
8160	SYRACUSE, NY MSA	9950	0.7 %	0.8%
8200	TACOMA, WA PMSA	8110	0.5 %	0.7%
8240	TALLAHASSEE, FL MSA	1031	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	4981	0.3 %	0.4%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	743	0.0 %	0.1%
8400	TOLEDO, OH MSA	346	0.0 %	0.0%
8440	TOPEKA, KS MSA	921	0.1 %	0.1%
8480	TRENTON, NJ PMSA	1483	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8560	TULSA, OK MSA	2223	0.1 %	0.2%
8640	TYLER, TX MSA	242	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4168	0.3 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	2574	0.2 %	0.2%
8735	VENTURA, CA PMSA	3142	0.2 %	0.3%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	3043	0.2 %	0.3%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	4015	0.3 %	0.3%
8800	WACO, TX MSA	1696	0.1 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	20271	1.3 %	1.7%
8920	WATERLOO-CEDAR FALLS, IA MSA	1778	0.1 %	0.1%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	2567	0.2 %	0.2%
9000	WHEELING, WV-OH MSA	397	0.0 %	0.0%
9040	WICHITA, KS MSA	1919	0.1 %	0.2%
9080	WICHITA FALLS, TX MSA	290	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	5272	0.3 %	0.4%
9200	WILMINGTON, NC MSA	464	0.0 %	0.0%
9260	YAKIMA, WA MSA	5529	0.4 %	0.5%
9270	YOLO, CA PMSA	319	0.0 %	0.0%
9320	YOUNGSTOWN-WARREN, OH MSA	2115	0.1 %	0.2%
9340	YUBA CITY, CA MSA	1116	0.1 %	0.1%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	302171	20.0 %	-

Based upon 1206297 valid cases out of 1508468 total cases.

REGION	CENSUS REGION
---------------	----------------------

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico

- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).

- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NORTHEAST	469480	31.1 %	31.1%
2	MIDWEST	354777	23.5 %	23.5%
3	SOUTH	275264	18.2 %	18.2%
4	WEST	408947	27.1 %	27.1%

Based upon 1508468 valid cases out of 1508468 total cases.

DIVISION	CENSUS DIVISION
-----------------	------------------------

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and

Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEW ENGLAND	133151	8.8 %	8.8%
2	MIDDLE ATLANTIC	336329	22.3 %	22.3%
3	EAST NORTH CENTRAL	212549	14.1 %	14.1%
4	WEST NORTH CENTRAL	142228	9.4 %	9.4%
5	SOUTH ATLANTIC	175499	11.6 %	11.6%
6	EAST SOUTH CENTRAL	14336	1.0 %	1.0%
7	WEST SOUTH CENTRAL	85429	5.7 %	5.7%
8	MOUNTAIN	102527	6.8 %	6.8%
9	PACIFIC	306420	20.3 %	20.3%

Based upon 1508468 valid cases out of 1508468 total cases.

SERVSETD

SERVICE SETTING AT DISCHARGE

Location: 52-53 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Describes the type of service the client was receiving prior to discharge.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:
24 hour per day medical acute care services in hospital setting for detoxification for persons with severe medical complications associated with withdrawal.
- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:
24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.
- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):
24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):
Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.
- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):
Typically, more than 30 days of non-acute care in a setting

with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:
As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week. (Includes partial hospitalization)

- AMBULATORY - NON-INTENSIVE OUTPATIENT:
Ambulatory treatment services including individual, family, and/or group services; these may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:
Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	DETOX, 24 HR, HOSPITAL INPATIENT	68065	4.5 %	4.5%
2	DETOX, 24 HR, FREE-STANDING RESIDENTIAL	248482	16.5 %	16.5%
3	REHAB/RES, HOSPITAL (NON-DETOX)	7166	0.5 %	0.5%
4	REHAB/RES, SHORT TERM (30 DAYS OR FEWER)	158777	10.5 %	10.5%
5	REHAB/RES, LONG TERM (MORE THAN 30 DAYS)	132183	8.8 %	8.8%
6	AMBULATORY, INTENSIVE OUTPATIENT	172495	11.4 %	11.4%
7	AMBULATORY, NON-INTENSIVE OUTPATIENT.	696994	46.2 %	46.2%
8	AMBULATORY, DETOXIFICATION	24014	1.6 %	1.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	292	0.0 %	-

Based upon 1508176 valid cases out of 1508468 total cases.

METHUSE

MEDICATION-ASSISTED OPIOID THERAPY

Location: 54-55 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	79075	5.2 %	5.7%
2	NO	1314831	87.2 %	94.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	114562	7.6 %	-

Based upon 1393906 valid cases out of 1508468 total cases.

DAYWAIT

DAYS WAITING TO ENTER TREATMENT

Location: 56-58 (width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Based upon 731224 valid cases out of 1508468 total cases.

- Mean: 7.62
- Median: 0.0
- Mode: 0.00
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 50.14

REASON	REASON FOR DISCHARGE
--------	----------------------

Location: 59-60 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Indicates the outcome of treatment or the reason for transfer or discontinuance of treatment.

- TREATMENT COMPLETED: All parts of the treatment plan or program were completed.
- LEFT AGAINST PROFESSIONAL ADVICE: Client chose not to complete program, with or without specific advice to continue treatment. Includes clients who "drop out" of treatment for unknown reason and clients who have not received treatment for some time and are discharged for "administrative" reasons.
- TERMINATED BY FACILITY: Treatment terminated by action of facility, generally because of client non-compliance or violation of rules, laws, or procedures (not because client dropped out of treatment, client incarcerated, or other client motivated reason).
- TRANSFERRED TO ANOTHER SUBSTANCE ABUSE TREATMENT PROGRAM OR FACILITY: Client was transferred to another substance abuse treatment program, provider or facility within

an episode of treatment.

- INCARCERATED: This code is to be used for all clients whose course of treatment is terminated because the client has been incarcerated. Includes jail, prison, and house confinement.

- DEATH

- OTHER: Moved, illness, hospitalization, or other reason somewhat out of client's control.

- UNKNOWN: Client status at discharge is not known because for example, discharge record is lost or incomplete.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	TREATMENT COMPLETED	695098	46.1 %	46.1%
2	LEFT AGAINST PROFESSIONAL ADVICE	386215	25.6 %	25.6%
3	TERMINATED BY FACILITY	111423	7.4 %	7.4%
4	TRANSFERRED TO ANOTHER TREATMENT PROGRAM OR FACILITY	202874	13.4 %	13.5%
5	INCARCERATED	29383	1.9 %	1.9%
6	DEATH	2755	0.2 %	0.2%
7	OTHER	80563	5.3 %	5.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	157	0.0 %	-

Based upon 1508311 valid cases out of 1508468 total cases.

LOS

LENGTH OF STAY

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the length of the treatment episode (in days). Length of stay was computed using the date of admission and the date of last contact. One day is added to all outpatient discharges, so that the first day and last day of outpatient treatment are counted.

- 1 to 30: Data values in the 1-30 range represent the actual computed number of days the client spent in treatment

- 31: Length of stay is between 31 and 45 days.

- 32: Length of stay is between 46 and 60 days.

- 33: Length of stay is between 61 and 90 days.

- 34: Length of stay is between 91 and 120 days.

- 35: Length of stay is between 121 and 180 days.

- 36: Length of stay is between 181 and 365 days.

- 37: Length of stay is greater than 365 days.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	64765	4.3 %	4.3%
2	-	60707	4.0 %	4.0%
3	-	64817	4.3 %	4.3%
4	-	57882	3.8 %	3.8%
5	-	52035	3.4 %	3.4%
6	-	40561	2.7 %	2.7%
7	-	32995	2.2 %	2.2%
8	-	28296	1.9 %	1.9%
9	-	16850	1.1 %	1.1%
10	-	15612	1.0 %	1.0%
11	-	11872	0.8 %	0.8%
12	-	11081	0.7 %	0.7%
13	-	13520	0.9 %	0.9%
14	-	18537	1.2 %	1.2%
15	-	17577	1.2 %	1.2%
16	-	11522	0.8 %	0.8%
17	-	10246	0.7 %	0.7%
18	-	9320	0.6 %	0.6%
19	-	9535	0.6 %	0.6%
20	-	12943	0.9 %	0.9%
21	-	19228	1.3 %	1.3%
22	-	16200	1.1 %	1.1%
23	-	10968	0.7 %	0.7%
24	-	9833	0.7 %	0.7%
25	-	10228	0.7 %	0.7%
26	-	10156	0.7 %	0.7%
27	-	17751	1.2 %	1.2%
28	-	29036	1.9 %	1.9%
29	-	19718	1.3 %	1.3%
30	-	16785	1.1 %	1.1%
31	31 TO 45 DAYS	119663	7.9 %	7.9%
32	46 TO 60 DAYS	90362	6.0 %	6.0%
33	61 TO 90 DAYS	141532	9.4 %	9.4%
34	91 TO 120 DAYS	109959	7.3 %	7.3%
35	121 TO 180 DAYS	126745	8.4 %	8.4%

Value	Label	Unweighted Frequency	%	Valid %
36	181 TO 365 DAYS	138324	9.2 %	9.2%
37	MORE THAN A YEAR	61208	4.1 %	4.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	99	0.0 %	-

Based upon 1508369 valid cases out of 1508468 total cases.

PSOURCE	PRINCIPAL SOURCE OF REFERRAL
---------	------------------------------

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC.

Client need not be officially designated as "on parole."
Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	497161	33.0 %	33.8%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	168093	11.1 %	11.4%
3	OTHER HEALTH CARE PROVIDER	93080	6.2 %	6.3%
4	SCHOOL (EDUCATIONAL)	14722	1.0 %	1.0%
5	EMPLOYER/EAP	10624	0.7 %	0.7%
6	OTHER COMMUNITY REFERRAL	159523	10.6 %	10.8%
7	COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI	529456	35.1 %	36.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	35809	2.4 %	-

Based upon 1472659 valid cases out of 1508468 total cases.

DETCRIM

DETAILED CRIMINAL JUSTICE REFERRAL

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STATE/FEDERAL COURT, OTHER COURT	89373	5.9 %	22.9%
3	PROBATION/PAROLE	164214	10.9 %	42.1%
5	DIVERSIONARY PROGRAM	14050	0.9 %	3.6%
6	PRISON	9272	0.6 %	2.4%
7	DUI/DWI	31522	2.1 %	8.1%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	81241	5.4 %	20.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1118796	74.2 %	-

Based upon 389672 valid cases out of 1508468 total cases.

NOPRIOR NUMBER OF PRIOR TREATMENT EPISODES

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	531669	35.2 %	44.8%
1	1 PRIOR TREATMENT EPISODES	262199	17.4 %	22.1%
2	2 PRIOR TREATMENT EPISODES	140900	9.3 %	11.9%
3	3 PRIOR TREATMENT EPISODES	78723	5.2 %	6.6%
4	4 PRIOR TREATMENT EPISODES	44915	3.0 %	3.8%
5	5 OR MORE PRIOR TREATMENT EPISODES	129476	8.6 %	10.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	320586	21.3 %	-

Based upon 1187882 valid cases out of 1508468 total cases.

SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL,

ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	19266	1.3 %	1.3%
2	ALCOHOL	585667	38.8 %	39.0%
3	COCAINE/CRACK	217574	14.4 %	14.5%
4	MARIJUANA/HASHISH	231386	15.3 %	15.4%
5	HEROIN	225869	15.0 %	15.0%
6	NON-PRESCRIPTION METHADONE	3039	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	52309	3.5 %	3.5%
8	PCP	2339	0.2 %	0.2%
9	OTHER HALLUCINOGENS	1310	0.1 %	0.1%
10	METHAMPHETAMINE	139677	9.3 %	9.3%
11	OTHER AMPHETAMINES	7515	0.5 %	0.5%
12	OTHER STIMULANTS	553	0.0 %	0.0%
13	BENZODIAZEPINES	6269	0.4 %	0.4%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	388	0.0 %	0.0%
15	BARBITURATES	879	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2375	0.2 %	0.2%
17	INHALANTS	769	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	641	0.0 %	0.0%
20	OTHER	5376	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	5267	0.3 %	-

Based upon 1503201 valid cases out of 1508468 total cases.

ROUTE1

USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	642949	42.6 %	43.8%
2	SMOKING	489017	32.4 %	33.3%
3	INHALATION	145050	9.6 %	9.9%
4	INJECTION (IV OR INTRAMUSCULAR)	183786	12.2 %	12.5%
20	OTHER	6580	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	41086	2.7 %	-

Based upon 1467382 valid cases out of 1508468 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 74-75 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

Value	Label	Unweighted Frequency	%	Valid %
1	NO USE IN THE PAST MONTH	388328	25.7 %	26.5%
2	1-3 TIMES IN THE PAST MONTH	179622	11.9 %	12.2%
3	1-2 TIMES IN THE PAST WEEK	133714	8.9 %	9.1%
4	3-6 TIMES IN THE PAST WEEK	174793	11.6 %	11.9%
5	DAILY	590931	39.2 %	40.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	41080	2.7 %	-

Based upon 1467388 valid cases out of 1508468 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 76-77 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	109749	7.3 %	7.5%
2	12-14	330123	21.9 %	22.5%
3	15-17	411717	27.3 %	28.1%
4	18-20	247304	16.4 %	16.9%
5	21-24	138249	9.2 %	9.4%
6	25-29	100380	6.7 %	6.9%
7	30-34	57336	3.8 %	3.9%
8	35-39	35997	2.4 %	2.5%
9	40-44	19478	1.3 %	1.3%
10	45-49	9408	0.6 %	0.6%
11	50-54	3642	0.2 %	0.2%
12	55 AND OVER	1878	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	43207	2.9 %	-

Based upon 1465261 valid cases out of 1508468 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 78-79 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	602449	39.9 %	40.8%
2	ALCOHOL	254282	16.9 %	17.2%
3	COCAINE/CRACK	228757	15.2 %	15.5%
4	MARIJUANA/HASHISH	230813	15.3 %	15.6%
5	HEROIN	31648	2.1 %	2.1%
6	NON-PRESCRIPTION METHADONE	3421	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	32051	2.1 %	2.2%
8	PCP	2277	0.2 %	0.2%
9	OTHER HALLUCINOGENS	2830	0.2 %	0.2%
10	METHAMPHETAMINE	43504	2.9 %	2.9%
11	OTHER AMPHETAMINES	5874	0.4 %	0.4%
12	OTHER STIMULANTS	1582	0.1 %	0.1%
13	BENZODIAZEPINES	16883	1.1 %	1.1%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	793	0.1 %	0.1%
15	BARBITURATES	1235	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	5014	0.3 %	0.3%
17	INHALANTS	727	0.0 %	0.0%
18	OVER-THE-COUNTER MEDICATIONS	975	0.1 %	0.1%
20	OTHER	11098	0.7 %	0.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	32255	2.1 %	-

Based upon 1476213 valid cases out of 1508468 total cases.

ROUTE2

USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	320431	21.2 %	37.0%
2	SMOKING	388422	25.7 %	44.8%
3	INHALATION	94462	6.3 %	10.9%
4	INJECTION (IV OR INTRAMUSCULAR)	57439	3.8 %	6.6%
20	OTHER	5469	0.4 %	0.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	642245	42.6 %	-

Based upon 866223 valid cases out of 1508468 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 82-83 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	295089	19.6 %	34.1%
2	1-3 TIMES IN THE PAST MONTH	140403	9.3 %	16.2%
3	1-2 TIMES IN THE PAST WEEK	96656	6.4 %	11.2%
4	3-6 TIMES IN THE PAST WEEK	96106	6.4 %	11.1%
5	DAILY	238294	15.8 %	27.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	641920	42.6 %	-

Based upon 866548 valid cases out of 1508468 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 84-85 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	60145	4.0 %	7.3%
2	12-14	195173	12.9 %	23.8%
3	15-17	231704	15.4 %	28.3%
4	18-20	129329	8.6 %	15.8%
5	21-24	71573	4.7 %	8.7%
6	25-29	54307	3.6 %	6.6%
7	30-34	31902	2.1 %	3.9%
8	35-39	20939	1.4 %	2.6%
9	40-44	12892	0.9 %	1.6%
10	45-49	6552	0.4 %	0.8%
11	50-54	2759	0.2 %	0.3%
12	55 AND OVER	1330	0.1 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	689863	45.7 %	-

Based upon 818605 valid cases out of 1508468 total cases.

SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 86-87 (width: 2; decimal: 0)
 Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep

aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	933045	61.9 %	75.0%
2	ALCOHOL	75973	5.0 %	6.1%
3	COCAINE/CRACK	66279	4.4 %	5.3%
4	MARIJUANA/HASHISH	81471	5.4 %	6.5%
5	HEROIN	12082	0.8 %	1.0%
6	NON-PRESCRIPTION METHADONE	1776	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	16036	1.1 %	1.3%
8	PCP	1397	0.1 %	0.1%
9	OTHER HALLUCINOGENS	4310	0.3 %	0.3%
10	METHAMPHETAMINE	14346	1.0 %	1.2%
11	OTHER AMPHETAMINES	4003	0.3 %	0.3%
12	OTHER STIMULANTS	1178	0.1 %	0.1%
13	BENZODIAZEPINES	11779	0.8 %	0.9%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	534	0.0 %	0.0%
15	BARBITURATES	1053	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3456	0.2 %	0.3%
17	INHALANTS	848	0.1 %	0.1%
18	OVER-THE-COUNTER MEDICATIONS	1013	0.1 %	0.1%
20	OTHER	13312	0.9 %	1.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	264577	17.5 %	-

Based upon 1243891 valid cases out of 1508468 total cases.

ROUTE3

USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	118748	7.9 %	39.1%
2	SMOKING	124494	8.3 %	40.9%
3	INHALATION	40630	2.7 %	13.4%
4	INJECTION (IV OR INTRAMUSCULAR)	16581	1.1 %	5.5%
20	OTHER	3580	0.2 %	1.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1204435	79.8 %	-

Based upon 304033 valid cases out of 1508468 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 90-91 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	123935	8.2 %	40.3%
2	1-3 TIMES IN THE PAST MONTH	48622	3.2 %	15.8%
3	1-2 TIMES IN THE PAST WEEK	31709	2.1 %	10.3%
4	3-6 TIMES IN THE PAST WEEK	29446	2.0 %	9.6%
5	DAILY	74200	4.9 %	24.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1200556	79.6 %	-

Based upon 307912 valid cases out of 1508468 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 92-93 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	23251	1.5 %	7.8%
2	12-14	74235	4.9 %	24.9%
3	15-17	87030	5.8 %	29.2%
4	18-20	46763	3.1 %	15.7%
5	21-24	24105	1.6 %	8.1%
6	25-29	17708	1.2 %	5.9%
7	30-34	10377	0.7 %	3.5%
8	35-39	6911	0.5 %	2.3%
9	40-44	4422	0.3 %	1.5%
10	45-49	2096	0.1 %	0.7%
11	50-54	777	0.1 %	0.3%
12	55 AND OVER	296	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1210497	80.2 %	-

Based upon 297971 valid cases out of 1508468 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 94-95 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	23102	1.5 %	1.5%
1	608814	40.4 %	40.4%
2	569925	37.8 %	37.8%
3	306627	20.3 %	20.3%

Based upon 1508468 valid cases out of 1508468 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 96-97 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8
 Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1270239	84.2 %	85.5%
1	IDU REPORTED	215127	14.3 %	14.5%
-8 (M)	NO SUBSTANCES REPORTED	23102	1.5 %	-

Based upon 1485366 valid cases out of 1508468 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	592863	39.3 %	39.3%
1	SUBSTANCE REPORTED	915605	60.7 %	60.7%

Based upon 1508468 valid cases out of 1508468 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1008912	66.9 %	66.9%
1	SUBSTANCE REPORTED	499556	33.1 %	33.1%

Based upon 1508468 valid cases out of 1508468 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	964974	64.0 %	64.0%
1	SUBSTANCE REPORTED	543494	36.0 %	36.0%

Based upon 1508468 valid cases out of 1508468 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1238950	82.1 %	82.1%
1	SUBSTANCE REPORTED	269518	17.9 %	17.9%

Based upon 1508468 valid cases out of 1508468 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1500239	99.5 %	99.5%
1	SUBSTANCE REPORTED	8229	0.5 %	0.5%

Based upon 1508468 valid cases out of 1508468 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1410130	93.5 %	93.5%
1	SUBSTANCE REPORTED	98338	6.5 %	6.5%

Based upon 1508468 valid cases out of 1508468 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1502456	99.6 %	99.6%
1	SUBSTANCE REPORTED	6012	0.4 %	0.4%

Based upon 1508468 valid cases out of 1508468 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1500036	99.4 %	99.4%
1	SUBSTANCE REPORTED	8432	0.6 %	0.6%

Based upon 1508468 valid cases out of 1508468 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1311140	86.9 %	86.9%
1	SUBSTANCE REPORTED	197328	13.1 %	13.1%

Based upon 1508468 valid cases out of 1508468 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1491094	98.8 %	98.8%
1	SUBSTANCE REPORTED	17374	1.2 %	1.2%

Based upon 1508468 valid cases out of 1508468 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1505157	99.8 %	99.8%
1	SUBSTANCE REPORTED	3311	0.2 %	0.2%

Based upon 1508468 valid cases out of 1508468 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1473843	97.7 %	97.7%
1	SUBSTANCE REPORTED	34625	2.3 %	2.3%

Based upon 1508468 valid cases out of 1508468 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1506753	99.9 %	99.9%
1	SUBSTANCE REPORTED	1715	0.1 %	0.1%

Based upon 1508468 valid cases out of 1508468 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1505303	99.8 %	99.8%
1	SUBSTANCE REPORTED	3165	0.2 %	0.2%

Based upon 1508468 valid cases out of 1508468 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1497628	99.3 %	99.3%
1	SUBSTANCE REPORTED	10840	0.7 %	0.7%

Based upon 1508468 valid cases out of 1508468 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1506128	99.8 %	99.8%
1	SUBSTANCE REPORTED	2340	0.2 %	0.2%

Based upon 1508468 valid cases out of 1508468 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1505842	99.8 %	99.8%
1	SUBSTANCE REPORTED	2626	0.2 %	0.2%

Based upon 1508468 valid cases out of 1508468 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1478933	98.0 %	98.0%
1	SUBSTANCE REPORTED	29535	2.0 %	2.0%

Based upon 1508468 valid cases out of 1508468 total cases.

ALCDRUG SUBSTANCE ABUSE TYPE

Location: 116-117 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	23102	1.5 %	1.5%
1	ALCOHOL ONLY	310976	20.6 %	20.6%
2	OTHER DRUGS ONLY	569761	37.8 %	37.8%
3	ALCOHOL AND OTHER DRUGS	604629	40.1 %	40.1%

Based upon 1508468 valid cases out of 1508468 total cases.

DSMCRIT DSM DIAGNOSIS

Location: 118-119 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

 The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALCOHOL-INDUCED DISORDER	5973	0.4 %	1.2%
2	SUBSTANCE-INDUCED DISORDER	10609	0.7 %	2.1%
3	ALCOHOL INTOXICATION	31710	2.1 %	6.4%
4	ALCOHOL DEPENDENCE	122732	8.1 %	24.7%
5	OPIOID DEPENDENCE	62257	4.1 %	12.5%
6	COCAINE DEPENDENCE	62876	4.2 %	12.7%
7	CANNABIS DEPENDENCE	43794	2.9 %	8.8%
8	OTHER SUBSTANCE DEPENDENCE	49627	3.3 %	10.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	ALCOHOL ABUSE	41928	2.8 %	8.5%
10	CANNABIS ABUSE	28864	1.9 %	5.8%
11	OTHER SUBSTANCE ABUSE	6793	0.5 %	1.4%
12	OPIOID ABUSE	1847	0.1 %	0.4%
13	COCAINE ABUSE	10170	0.7 %	2.0%
14	ANXIETY DISORDERS	751	0.0 %	0.2%
15	DEPRESSIVE DISORDERS	2681	0.2 %	0.5%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	983	0.1 %	0.2%
17	BIPOLAR DISORDERS	1590	0.1 %	0.3%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	759	0.1 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	3175	0.2 %	0.6%
20	OTHER CONDITION	7052	0.5 %	1.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1012297	67.1 %	-

Based upon 496171 valid cases out of 1508468 total cases.

PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 120-121 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	255078	16.9 %	25.3%
2	NO	751771	49.8 %	74.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	501619	33.3 %	-

Based upon 1006849 valid cases out of 1508468 total cases.

HLTHINS HEALTH INSURANCE

Location: 122-123 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	76303	5.1 %	12.2%
2	MEDICAID	112982	7.5 %	18.1%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	37321	2.5 %	6.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	NONE	396303	26.3 %	63.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	885559	58.7 %	-

Based upon 622909 valid cases out of 1508468 total cases.

PRIMPAY

EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	85426	5.7 %	20.8%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	23217	1.5 %	5.6%
3	MEDICARE, WORKER'S COMPENSATION	2623	0.2 %	0.6%
4	MEDICAID	59459	3.9 %	14.5%
5	OTHER GOVERNMENT PAYMENTS	147599	9.8 %	35.9%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	55905	3.7 %	13.6%
9	OTHER	36902	2.4 %	9.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1097337	72.7 %	-

Based upon 411131 valid cases out of 1508468 total cases.

APPENDIX

APPENDIX A

TEDS-D Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	116	117	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	98	98	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	107	107	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	111	111	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	109	109	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	99	99	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	66	67	DETAILED CRIMINAL JUSTICE REFERRAL
DETNFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DISYR	Added	Num	4	9	12	YEAR OF DISCHARGE
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	118	119	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ1	MDS	Num 2	74	75		FREQUENCY OF USE (PRIMARY)
FREQ2	MDS	Num 2	82	83		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	90	91		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	76	77		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	84	85		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	92	93		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	105	105		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	101	101		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	122	123		HEALTH INSURANCE
IDU	Added	Num 2	96	97		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	113	113		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENTS
LOS	DIS	Num 3	61	63		LENGTH OF STAY
MARFLG	Added	Num 1	100	100		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	102	102		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	106	106		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	68	69		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	94	95		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	103	103		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	114	114		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
OTHERFLG	Added	Num 1	115	115		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	104	104		PCP REPORTED AT ADM.
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	124	125		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	64	65		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	120	121		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REASON	DIS	Num 2	59	60		REASON FOR DISCHARGE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	72	73		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	80	81		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	88	89		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	112	112		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETD	MDS	Num 2	52	53		SERVICE SETTING AT DISCHARGE
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	108	108		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	70	71		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	78	79		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	86	87		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	110	110		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
MARSTAT Marital Status	1 Never Married (59.7%) 2 Now Married (16.4%) 3 Separated (6.1%) 4 Divorced (16.3%) 5 Widowed (1.5%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFLF Detailed 'Not in Labor' Force	1 Homemaker (2.2%) 2 Student (13.4%) 3 Retired (2.0%) 4 Disabled (15.9%) 5 Inmate of Institution (5.1%) 6 Other (61.4%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIM INC Source of Income / Support	1 Wages/Salary (33.1%) 2 Public Assistance (8.0%) 3 Retirement/Pension (<1%) 4 Disability (4.1%) 20 Other (23.1%) 21 None (31.0%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DET CRIM Detailed Criminal Justice Referral	1 State/Federal Court (10.9%) 2 Other Court (12.0%) 3 Probation/Parole (42.1%) 4 Other Recognized Legal Entity (6.2%) 5 Diversionary Program (3.6%) 6 Prison (2.4%) 7 DUI/DWI (8.1%) 8 Other (14.6%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (6.1%) 2 Blue Cross / Blue Shield (BC/BS) (2.8%) 3 Medicare (1.6%) 4 Medicaid (18.2%) 6 Health Maintenance Organization (HMO) (3.3%) 20 Other (e.g. TriCare, Champus) (4.5%) 21 None (63.5%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected / Actual Primary Source of Payment	1 Self-Pay (20.8%) 2 Blue Cross / Blue Shield (1.2%) 3 Medicare (<1%) 4 Medicaid (14.6%) 5 Other Government Payments (35.9%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (4.4%) 8 No charge (Free, Charity, Special Research or Teaching) (13.6%) 9 Other (8.9%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary)	Continuous (0-99)	1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over
FRSTUSE2 Age at First Use (Secondary)		
FRSTUSE3 Age at First Use (Tertiary)		

Variable	Original Codes (original percentage)	Recodes
<p>REASON</p> <p>Reason for Discharge</p>	<p>1 Treatment Completed (46.1%) 2 Left Against Professional Advice (25.6%) 3 Terminated by Facility (7.4%) 4 Transferred to Another Treatment Program or Facility (13.1%) 5 Incarcerated (1.9%) 6 Death (<1%) 7 Other (5.3%) 8 Unknown (0%) 14 Transferred to Another Treatment Program or Facility but did not Report (<1%)</p>	<p>1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown</p>
<p>LOS</p> <p>Length of Stay (Days)</p>	<p>Continuous (0-3000)</p>	<p>1-30 (Continuous) 31 31 To 45 Days 32 46 To 60 Days 33 61 To 90 Days 34 91 To 120 Days 35 121 To 180 Days 36 181 To 365 Days 37 More Than a Year</p>

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenia / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	