

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

National Mental Health Services Survey (N-MHSS), 2010

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Center for Behavioral Health Statistics and Quality

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DESCRIPTION OF THE NATIONAL MENTAL HEALTH SERVICES SURVEY (N-MHSS)

This report presents findings from the 2010 National Mental Health Services Survey (N-MHSS) conducted from June 2010 through January 2011 with a reference date of April 30, 2010. The N-MHSS collects information from all known facilities¹ in the United States, both public and private, that provide mental health treatment services to persons with mental illness.

The N-MHSS is designed to collect data on the location, characteristics, and utilization of organized mental health treatment service providers throughout the 50 States, the District of Columbia, and the U.S. territories. The survey obtains basic data on the number and characteristics of these specialty mental health treatment service providers and the persons they serve.

The N-MHSS is the *only* source of national and State-level data on the mental health services delivery system reported by both publicly-operated and privately-operated specialty mental health care facilities. The N-MHSS complements, but does not duplicate, the information collected through SAMHSA's survey of substance abuse treatment facilities, the National Survey of Substance Abuse Treatment Services (N-SSATS).

The N-MHSS provides the mechanism for quantifying the dynamic character and composition of the U.S. mental health treatment delivery system. The objective of the N-MHSS is to collect data that can be used for multiple purposes:

To assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-funded, State-operated, and other mental health treatment facilities, and in forecasting mental health treatment resource requirements;

To update SAMHSA's Inventory of Behavioral Health Services (I-BHS), an inventory of all known mental health and substance abuse treatment facilities in the United States, which can be used as a frame for future surveys of these facilities;

To describe the nature and scope of mental health treatment services and conduct comparative analyses for the nation and States; and

¹ In this report, entities responding to the N-MHSS are referred to as "facilities." Chapter 1, page 3, *Survey coverage* provides definitions of the types of mental health treatment facilities included in the N-MHSS.

To update the information in the mental health component of SAMHSA's online Behavioral Health Treatment Services Locator, a searchable database of licensed and accredited public and private facilities for the provision of mental health treatment. The Facility Locator is available on the Internet at <http://findtreatment.samhsa.gov>.

Highlights of the Data

- Most (77 percent) mental health treatment facilities were privately operated.
- Most clients in mental health treatment facilities received services in outpatient care settings.
- The number of beds reported to be designated for hospital inpatient treatment was 113,569 and the number of beds reported to be designated for residential treatment was 68,053.
- Most mental health treatment facilities offered exclusively designed treatment programs or groups for adults with serious mental illness (63 percent) and for individuals with co-occurring mental health and substance abuse disorders (58 percent).
- Over 90 percent of psychiatric hospitals, general hospitals with a separate psychiatric unit, and U.S. Department of Veterans Affairs medical centers provided psychotropic medication therapy.
- Over half of mental health treatment facilities (58 percent) reported that they employ a crisis intervention team to handle acute mental health issues.
- Most mental health treatment facilities indicated that they accepted Medicaid for payment of services (88 percent) and most indicated that they accepted Medicare for payment of services (69 percent).
- Mental health treatment facilities reported that 99,493 clients received 24-hour inpatient treatment services on April 30, 2010; 60,764 clients received 24-hour residential treatment services on April 30, 2010; and 3,026,379 active clients still enrolled in treatment as of April 30, 2010 received less than 24-hour outpatient treatment services.
- Of the total number of clients in mental health treatment facilities, males accounted for 59 percent of persons receiving inpatient care; 69 percent of persons receiving residential care; and 49 percent of persons receiving outpatient care.
- Among clients who received 24-hour hospital inpatient mental health treatment services, 21 percent were under age 18; 68 percent were age 18 to 64; and 11 percent were age 65 and older. Among clients who received 24-hour residential mental health treatment services, 53 percent were under age 18; 42 percent were age 18 to 64; and 6 percent were age 65 and older. Among clients who received less than 24-hour outpatient mental health treatment services, 28 percent were under age 18; 65 percent were age 18 to 64; and 8 percent were age 65 and older.

- Of the total number of clients enrolled in mental health treatment services on April 30, 2010, an estimated 19 percent had diagnosed co-occurring mental health and substance abuse disorders.

Data Collection Procedures for the 2010 N-MHSS

Field period and reference date

The field period for the 2010 N-MHSS ran from June 11, 2010, through January 27, 2011. The survey reference date was April 30, 2010.

Survey universe

The initial N-MHSS universe of 15,562 facilities (Appendix A) included all known specialty mental health facilities in the United States and its territories at the beginning of the data collection period. Most facilities in the 2010 N-MHSS frame were identified from a 2008 SAMHSA database. To enhance the existing SAMHSA database of eligible facilities, a list of currently-operating mental health treatment facilities was requested from the Centers for Medicare and Medicaid Services (CMS) and national professional organizations. These entities provided information for additional mental health facilities that were added to the initial survey frame. A small number of newly identified facilities was added to the survey frame over the course of the 2010 N-MHSS. The final total N-MHSS facility universe was 16,197 mental health treatment facilities.

Survey coverage

The following types of mental health treatment facilities were included in the 2010 N-MHSS:

Psychiatric hospitals—Facilities licensed and operated as state/public psychiatric hospitals or as state-licensed private psychiatric hospitals that primarily provide 24-hour inpatient care to persons with mental illness. They may also provide 24-hour residential care and/or less than 24-hour care (i.e., outpatient, partial hospitalization), but these additional service settings are not requirements.

Non-federal general hospitals with a separate psychiatric unit—Licensed general hospitals (public or private) that provide inpatient mental health services in separate psychiatric units. These units must have specifically allocated staff and space for the treatment of persons with mental illness. The units may be located in the hospital itself or in a separate building that is owned by the hospital.

VA medical centers—Facilities operated by the U.S. Department of Veterans Affairs, including general hospitals with separate psychiatric inpatient units, and/or residential treatment programs, and/or psychiatric out-patient clinics.

Outpatient or day treatment or partial hospitalization mental health facilities—Facilities that (1) provide only outpatient mental health services to ambulatory clients, typically for less than

three hours at a single visit or (2) provide only partial day mental health services to ambulatory clients, typically in sessions of three or more hours on a regular schedule. A psychiatrist generally assumes the medical responsibility for all clients and/or for the direction of their mental health treatment. Throughout this report (text and tables), these facilities will be referred to as *outpatient clinics*.

Residential treatment centers (RTCs) for children—Facilities not licensed as psychiatric hospitals that primarily provide individually-planned programs of mental health treatment in a residential care setting for children under age 18. (Some RTCs for children may also treat young adults.) RTCs for children must have a clinical program that is directed by a psychiatrist, psychologist, social worker, or psychiatric nurse who has a master's or doctoral degree. To qualify as an RTC, the primary reason for admission of more than half of the clients must be mental illness or emotional disturbance that can be classified by DSM-III/DSM-III-R, DSM-IV/DSM-IV-TR, or ICD-9-CM/ICD-10-CM codes, other than codes for mental retardation, developmental disorders, and substance use disorders.

Residential treatment centers (RTCs) for adults—Facilities not licensed as psychiatric hospitals that primarily provide individually-planned programs of mental health treatment in a residential care setting for adults.

Multi-setting (multi-service, non-hospital) mental health facilities—Facilities that provide residential and outpatient mental health services and are not classified as psychiatric or general hospitals with a separate psychiatric unit or as RTCs.

Exclusions

The 2010 N-MHSS survey universe excluded Department of Defense military treatment facilities, Indian Health Service-administered or tribally-operated facilities, private practitioners or small group practices not licensed as a mental health clinic or center, and jails or prisons.

Content

The 2010 N-MHSS survey instrument was a 10-page document with 36 numbered questions. Topics included:

Facility type, operation, and primary treatment focus

Facility treatment characteristics (e.g., settings of care; mental health treatment approaches, supportive services/practices, and special programs offered; crisis intervention team availability; and seclusion and restraint practices)

Facility operating characteristics (e.g., age groups accepted; services provided in non-English languages; and smoking policy)

Facility management characteristics (e.g., computerized functionality; licensure, certification, and accreditation; standard operating procedures; and sources of payment and funding)

Client demographic characteristics

Data collection

Three data collection modes were employed: a secure web-based questionnaire, a paper questionnaire sent by mail, and a computer-assisted telephone interview (CATI). Initially, respondents could select either the web-based or paper mode to complete the survey. Approximately two weeks before the survey reference date (April 30, 2010), an advance letter from SAMHSA was mailed to the attention of the facility directors of all eligible facilities to alert them to expect the survey and to request their participation in the N-MHSS (Appendix A). The letter also served to update records with new address information received from the U.S. Postal Service. A data collection packet (including the questionnaire, SAMHSA cover letter, definition package, State-specific letter of support, information on completing the survey on the web, fact sheet of Frequently Asked Questions, and postage-paid business-reply envelope) was mailed to each facility in June 2010. The web-based survey also became available in June. Each facility had the option of completing the paper questionnaire and returning it by mail or completing the questionnaire via the secure survey website.

During the data collection phase, contract personnel were available by telephone to answer facilities' questions concerning the survey. Web-based support for facilities completing the questionnaire on the web was also available. Multiple reminder letters were sent to non-respondents over the course of the data collection period via fax, mail, and email. To increase the survey response rate, State mental health agency representatives were contacted during the data collection period to inform them of their State's progress and to request additional help in encouraging responses. CATI follow-up of non-respondents began in late September 2010 and ended in late December.

Eligibility and unit response rate

Table 1.1 presents a summary of eligibility and response rate information. Of the 16,197 mental health treatment facilities in the survey, 24.8 percent were found to be ineligible for the survey because they did not provide mental health treatment services, had a primary treatment focus of substance abuse services or general health care, provided treatment for incarcerated persons only (i.e., in jails or prisons), or were an individual or small group mental health practice not licensed or certified as a mental health center or clinic.

Table 1.1. N-MHSS facilities, by status and mode of response: 2010

	Number	Percent
Total facilities in survey	16,197	100.0
Closed/ineligible	4,011	24.8
Eligible	12,186	75.2
Total eligible	12,186	100.0

	Number	Percent
Non-respondents	1,068	8.8
Respondents	11,118	91.2
Excluded from report ¹	693	6.2
Uncategorized roll-ups ²	51	0.5
Included in report	10,374	93.3
Mode of response	10,374	100.0
Internet	5,538	53.4
Mail	2,535	24.4
Telephone	2,301	22.2

¹ Facilities excluded from this report include 692 administrative-only facilities and one facility reporting a facility type of “other” in question A5.

² Facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 2010 National Mental Health Services Survey (N-MHSS).

Ninety-one percent of the 12,186 eligible facilities completed the survey, including 692 facilities that provided administrative services only. Half of the respondents (53.4 percent) completed the survey on the web, 24.4 percent through the mail, and 22.2 percent on the telephone.

Quality Assurance

All mail questionnaires underwent a manual review for consistency and missing data. Calls to facilities clarified questionable responses and obtained missing data. After data entry, automated quality assurance reviews were conducted. The reviews incorporated the rules used in manual editing plus consistency checks not readily identified by manual review. The web-based questionnaire was programmed to be self-editing; that is, respondents were prompted to complete missing responses and to confirm or correct inconsistent responses on critical items. The CATI questionnaire was similarly programmed.

Facility Reporting and Selection for the 2010 N-MHSS Report

Table 1.1. Among the 11,118 eligible respondents, 693 provided information but were deemed out-of-scope, and thus excluded from the analyses in this report. The excluded facilities and reasons for exclusion fell into two categories:

The number of facilities that provided only administrative services totaled 692. These facilities are included in SAMHSA’s online Behavioral Health Treatment Services Locator; however, given that these facilities do not provide mental health treatment services, they are considered out-of-scope for this report.

One facility reported a facility type as “other” and could not be categorized into one of the remaining six categories. This facility is considered out-of-scope for this report.

An additional 51 facilities whose client counts were included in or “rolled into” other facilities’ counts and whose facility characteristics were not reported separately were excluded from facility counts in this report’s Chapter 2 and Chapter 4 tables. However, their client counts are included in this report’s Chapter 3 tables.

After the exclusion of the 693 out-of-scope facilities and 51 rolled-up facilities, data from 10,374 eligible respondent facilities were included in this 2010 N-MHSS report.

Number of respondents reporting facility and client data

The number of eligible respondents to the 2010 N-MHSS that reported data totaled 10,374. Of the 10,374 facilities in the N-MHSS, basic facility information, service characteristics, and client counts were reported for 9,139 facilities. The remaining 1,235 facilities are excluded from Chapter 2 tables since their service characteristics were not reported. The breakdown of facility data and client counts reported by respondents is summarized below.

9,139 facilities:

7,107 facilities reported basic facility information, service characteristics, and client counts for their own facility.

645 facilities reported basic facility information and service characteristics for themselves and provided client counts for their own facility and other facilities.

1,387 facilities reported basic facility information and service characteristics for their own facility. Their client counts were provided by another facility.

1,235 facilities:

366 facilities reported basic facility information and client counts for their own facility.

47 facilities reported basic facility information and client counts for their own facility and other facilities.

822 facilities reported basic facility information for their own facility. Their client counts were provided by another facility.

Item Non-Response

Extensive follow-up during data collection and careful editing minimized item non-response. Thus, resulting item response rates were generally high, averaging approximately 98 percent across all 149 separate items. The average item response rate for items excluding demographic

client counts in questions 3b, 4b, and 5b was approximately 99 percent.² The average item response rate for demographic items was lower, averaging approximately 85 percent.

Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2010 N-MHSS. Some general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

The N-MHSS attempts to obtain responses from all known mental health treatment facilities, but it is a voluntary survey. There was no adjustment for the 8.8 percent facility non-response.

The N-MHSS is a point-prevalence survey. It provides information on the mental health treatment system and its clients as of a pre-selected reference date (April 30, 2010). Client counts reported here do not represent annual totals. Rather, the N-MHSS provides a “snapshot” of mental health treatment facilities and clients on an average day or month.

Multiple responses were allowed for certain questionnaire items (for example, mental health treatment approaches offered and functions that are computerized). Tabulations of data for these items include the total number of facilities reporting each response category.

² Only one item (question B8: *What percent of the admissions reported in question B7 (MHAdmissions) above were military veterans?*) had a response rate below 90 percent.

National Mental Health Services Survey (N-MHSS), 2010

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case Identification Number

Based upon 10,374 valid cases out of 10,374 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: Control: Completes by phone/mail/web

Mode of Data Collection

Value	Label	Unweighted Frequency	%
1	Phone - Full	1726	16.6 %
2	Phone - Short	575	5.5 %
3	Mail	2535	24.4 %
4	Web	5538	53.4 %
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 4

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census. NOTE: US Territories have all been recoded into a single code of 88

Value	Label	Unweighted Frequency	%
1	ALABAMA	194	1.9 %
2	ALASKA	58	0.6 %
4	ARIZONA	146	1.4 %
5	ARKANSAS	174	1.7 %
6	CALIFORNIA	927	8.9 %
8	COLORADO	185	1.8 %
9	CONNECTICUT	202	1.9 %
10	DELAWARE	46	0.4 %
11	DIST OF COLUMBIA	26	0.3 %
12	FLORIDA	426	4.1 %
13	GEORGIA	219	2.1 %
15	HAWAII	34	0.3 %
16	IDAHO	45	0.4 %
17	ILLINOIS	512	4.9 %
18	INDIANA	279	2.7 %
19	IOWA	136	1.3 %
20	KANSAS	117	1.1 %

Value	Label	Unweighted Frequency	%
21	KENTUCKY	224	2.2 %
22	LOUISIANA	146	1.4 %
23	MAINE	123	1.2 %
24	MARYLAND	184	1.8 %
25	MASSACHUSETTS	318	3.1 %
26	MICHIGAN	349	3.4 %
27	MINNESOTA	237	2.3 %
28	MISSISSIPPI	189	1.8 %
29	MISSOURI	223	2.1 %
30	MONTANA	77	0.7 %
31	NEBRASKA	86	0.8 %
32	NEVADA	47	0.5 %
33	NEW HAMPSHIRE	73	0.7 %
34	NEW JERSEY	261	2.5 %
35	NEW MEXICO	111	1.1 %
36	NEW YORK	685	6.6 %
37	NORTH CAROLINA	170	1.6 %
38	NORTH DAKOTA	30	0.3 %
39	OHIO	471	4.5 %
40	OKLAHOMA	120	1.2 %
41	OREGON	154	1.5 %
42	PENNSYLVANIA	541	5.2 %
44	RHODE ISLAND	67	0.6 %
45	SOUTH CAROLINA	100	1.0 %
46	SOUTH DAKOTA	74	0.7 %
47	TENNESSEE	191	1.8 %
48	TEXAS	326	3.1 %
49	UTAH	100	1.0 %
50	VERMONT	75	0.7 %
51	VIRGINIA	272	2.6 %
53	WASHINGTON	197	1.9 %
54	WEST VIRGINIA	80	0.8 %
55	WISCONSIN	259	2.5 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 88

Location: 6-8 (width: 3; decimal: 0)

Variable Type: numeric

MHINTAKE: QA1_1 Facility offers intake services

A1. Does this facility at this location (the location listed on the front cover) offer ...

(1) ... Intake services

Value	Label	Unweighted Frequency	%
0	No	1543	14.9 %
1	Yes	8208	79.1 %
	Missing Data		
-1	UNKNOWN	623	6.0 %
	Total	10,374	100%

Based upon 9,751 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 12-14 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHDIAGEVAL: QA1_2 Facility offers diagnostic evaluation

A1. Does this facility at this location (the location listed on the front cover) offer ...

(2) ... Diagnostic evaluation

Value	Label	Unweighted Frequency	%
0	No	1499	14.4 %
1	Yes	8253	79.6 %
	Missing Data		
-1	UNKNOWN	622	6.0 %
	Total	10,374	100%

Based upon 9,752 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 15-17 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHREFERRAL: QA1_3 Facility offers information and referral services

A1. Does this facility at this location (the location listed on the front cover) offer ...

(3) ... Information and referral services
(Includes emergency programs that provide services only by telephone)

Value	Label	Unweighted Frequency	%
0	No	3118	30.1 %
1	Yes	6630	63.9 %
	Missing Data		
-1	UNKNOWN	626	6.0 %
	Total	10,374	100%

Based upon 9,748 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 18-20 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SASERV: QA1_4 Facility offers substance abuse treatment services

A1. Does this facility at this location (the location listed on the front cover) offer ...

(4) ... Substance abuse treatment services

Value	Label	Unweighted Frequency	%
0	No	4852	46.8 %
1	Yes	4897	47.2 %
	Missing Data		
-1	UNKNOWN	625	6.0 %
	Total	10,374	100%

Based upon 9,749 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MENTALHTHSERV: QA1_5 Facility offers mental health treatment services

A1. Does this facility at this location (the location listed on the front cover) offer ...

(5) ... Mental health treatment services (services focused on improving the mental well-being of individuals or promoting their recovery)

Value	Label	Unweighted Frequency	%
1	Yes	10374	100.0 %
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 1

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

ADMINSERV: QA1_6 Facility offers administrative services

A1. Does this facility at this location (the location listed on the front cover) offer ...

(6) ... Administrative services

Value	Label	Unweighted Frequency	%
0	No	3919	37.8 %
1	Yes	5802	55.9 %
	Missing Data		
-1	UNKNOWN	653	6.3 %
	Total	10,374	100%

Based upon 9,721 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SETTINGIP: QA3_1 Mental health treatment offered in hospital inpatient setting

A3. In which of these settings are mental health treatment services offered at this facility, at this location?

1. 24-hour hospital inpatient services (psychiatric hospitals or general hospitals with separate psychiatric units)

Value	Label	Unweighted Frequency	%
0	No	8399	81.0 %
1	Yes	1975	19.0 %
Missing Data			
Total		10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 30-32 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

SETTINGRC: QA3_2 Mental health treatment offered in residential setting

A3. In which of these settings are mental health treatment services offered at this facility, at this location?

2. 24-hour residential services (24-hour, overnight, psychiatric care in a residential non-inpatient setting such as residential treatment centers for adults or children, or multi-service community mental health centers)

Value	Label	Unweighted Frequency	%
0	No	8100	78.1 %
1	Yes	2274	21.9 %
Missing Data			
Total		10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 33-35 (width: 3; decimal: 0)
 Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SETTINGOP: QA3_3 Mental health treatment offered in outpatient (or day treatment/partial hospitalization) setting

A3. In which of these settings are mental health treatment services offered at this facility, at this location?

3. Outpatient, day treatment or partial hospitalization services (less than 24-hour, not overnight, ambulatory outpatient counseling, day treatment or partial hospitalization)

Value	Label	Unweighted Frequency	%
0	No	2443	23.5 %
1	Yes	7931	76.5 %
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FACILITYTYPE: QA5 Facility type

A5. Which ONE category best describes this facility, at this location?

Value	Label	Unweighted Frequency	%
1	Psychiatric Hospital	658	6.3 %
2	Separate inpatient psychiatric unit of a general hospital	1238	11.9 %
3	Residential treatment center for children	781	7.5 %
4	Residential treatment center for adults	878	8.5 %
5	Outpatient, day treatment or partial hospitalization mental health facility	6468	62.3 %
6	Multi-setting (non-hospital) mental health facility	351	3.4 %
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 6

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

FOCUS: QA6 Primary treatment focus

A6. What is the primary treatment focus of this facility, at this location?

Value	Label	Unweighted Frequency	%
1	Mental health services	7287	70.2 %
3	Mix of mental health and substance abuse	2457	23.7 %
	Missing Data		
-1	UNKNOWN	630	6.1 %
	Total	10,374	100%

Based upon 9,744 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 3

Location: 42-44 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

OWNERSHIP: QA7 Facility is operated by

A7. Is this facility operated by ... ?

Value	Label	Unweighted Frequency	%
1	Private for-profit organization	996	9.6 %
2	Private non-profit organization	6968	67.2 %
3	State mental health agency (SMHA)	727	7.0 %
5	Other State government	274	2.6 %
6	Regional or district authority	191	1.8 %
7	Local, county, or municipal government	953	9.2 %
8	U.S Department of Veterans Affairs	252	2.4 %
9	Other	13	0.1 %
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 9

Location: 45-47 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

RELIGIOUS: QA8 Facility is affiliated with a religious organization

A8. Is this facility affiliated with a religious organization?

Value	Label	Unweighted Frequency	%
0	No	8876	85.6 %
1	Yes	816	7.9 %
	Missing Data		
-1	UNKNOWN	682	6.6 %
	Total	10,374	100%

Based upon 9,692 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 48-50 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATACTVITYTHRPY: QA10_1 Facility offers activity therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(1) Activity therapy

Value	Label	Unweighted Frequency	%
0	No	4401	42.4 %
1	Yes	4676	45.1 %
	Missing Data		
-1	UNKNOWN	1297	12.5 %
	Total	10,374	100%

Based upon 9,077 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 51-53 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATBEHAVMOD: QA10_2 Facility offers behavior modification

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(2) Behavior modification

Value	Label	Unweighted Frequency	%
0	No	3130	30.2 %
1	Yes	5950	57.4 %
	Missing Data		
-1	UNKNOWN	1294	12.5 %
	Total	10,374	100%

Based upon 9,080 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 54-56 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATCOGTHRPY: QA10_3 Facility offers cognitive/behavioral therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(3) Cognitive/behavioral therapy

Value	Label	Unweighted Frequency	%
0	No	1022	9.9 %
1	Yes	8061	77.7 %
	Missing Data		
-1	UNKNOWN	1291	12.4 %
	Total	10,374	100%

Based upon 9,083 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 57-59 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATFAMTHRPY: QA10_4 Facility offers couples/family therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(4) Couples/family therapy

Value	Label	Unweighted Frequency	%
0	No	2952	28.5 %
1	Yes	6129	59.1 %
Missing Data			
-1	UNKNOWN	1293	12.5 %
Total		10,374	100%

Based upon 9,081 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 60-62 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATELECTRO: QA10_5 Facility offers electroconvulsive therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(5) Electroconvulsive therapy

Value	Label	Unweighted Frequency	%
0	No	8459	81.5 %
1	Yes	573	5.5 %
Missing Data			
-1	UNKNOWN	1342	12.9 %
Total		10,374	100%

Based upon 9,032 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 63-65 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATGRPTHRPY: QA10_6 Facility offers group therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(6) Group therapy

Value	Label	Unweighted Frequency	%
0	No	1340	12.9 %
1	Yes	7742	74.6 %
	Missing Data		
-1	UNKNOWN	1292	12.5 %
	Total	10,374	100%

Based upon 9,082 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 66-68 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATPSYCHOTHRPY: QA10_7 Facility offers individual psychotherapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(7) Individual psychotherapy

Value	Label	Unweighted Frequency	%
0	No	1244	12.0 %
1	Yes	7844	75.6 %
	Missing Data		
-1	UNKNOWN	1286	12.4 %
	Total	10,374	100%

Based upon 9,088 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 69-71 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATDUALMHSA: QA10_8 Facility offers integrated dual disorders treatment

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(8) Integrated dual disorders treatment

Value	Label	Unweighted Frequency	%
0	No	4076	39.3 %
1	Yes	4967	47.9 %
Missing Data			
-1	UNKNOWN	1331	12.8 %
Total		10,374	100%

Based upon 9,043 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 72-74 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATPSYCHOMED: QA10_9 Facility offers psychotropic medication therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(9) Psychotropic medication therapy

Value	Label	Unweighted Frequency	%
0	No	1484	14.3 %
1	Yes	7601	73.3 %
Missing Data			
-1	UNKNOWN	1289	12.4 %
Total		10,374	100%

Based upon 9,085 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 75-77 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATTELEMEDINCE: QA10_10 Facility offers telemedicine therapy

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(10) Telemedicine therapy

Value	Label	Unweighted Frequency	%
0	No	7593	73.2 %
1	Yes	1409	13.6 %
Missing Data			
-1	UNKNOWN	1372	13.2 %
Total		10,374	100%

Based upon 9,002 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 78-80 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

TREATOTH: QA10_11 Facility offers other mental health treatment approaches

A10. Which of these mental health treatment approaches are offered at this facility, at this location?

(11) Other

Value	Label	Unweighted Frequency	%
0	No	8371	80.7 %
1	Yes	763	7.4 %
Missing Data			
-1	UNKNOWN	1240	12.0 %
Total		10,374	100%

Based upon 9,134 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 81-83 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

ASSERTCOMM: QA11_1 Facility offers assertive community treatment

A11. Which of these supportive services and practices are offered at this facility, at this location?

(1) Assertive community treatment

Value	Label	Unweighted Frequency	%
0	No	7420	71.5 %
1	Yes	1621	15.6 %
	Missing Data		
-1	UNKNOWN	1333	12.8 %
	Total	10,374	100%

Based upon 9,041 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHCASEMGMT: QA11_2 Facility offers case management

A11. Which of these supportive services and practices are offered at this facility, at this location?

(2) Case management

Value	Label	Unweighted Frequency	%
0	No	2335	22.5 %
1	Yes	6741	65.0 %
	Missing Data		
-1	UNKNOWN	1298	12.5 %
	Total	10,374	100%

Based upon 9,076 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHCHRONIC: QA11_3 Facility offers chronic disease/illness management

A11. Which of these supportive services and practices are offered at this facility, at this location?

(3) Chronic disease/illness management (CDM)

Value	Label	Unweighted Frequency	%
0	No	7174	69.2 %
1	Yes	1849	17.8 %
	Missing Data		
-1	UNKNOWN	1351	13.0 %
	Total	10,374	100%

Based upon 9,023 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 90-92 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

MHCONSUMER: QA11_4 Facility offers consumer-run services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(4) Consumer-run services

Value	Label	Unweighted Frequency	%
0	No	7352	70.9 %
1	Yes	1695	16.3 %
	Missing Data		
-1	UNKNOWN	1327	12.8 %
	Total	10,374	100%

Based upon 9,047 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 93-95 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

MHEDUCATION: QA11_5 Facility offers education services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(5) Education services

Value	Label	Unweighted Frequency	%
0	No	4991	48.1 %
1	Yes	4066	39.2 %
	Missing Data		
-1	UNKNOWN	1317	12.7 %
	Total	10,374	100%

Based upon 9,057 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 96-98 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

FAMPSYCHED: QA11_6 Facility offers family psychoeducation

A11. Which of these supportive services and practices are offered at this facility, at this location?

(6) Family psychoeducation

Value	Label	Unweighted Frequency	%
0	No	3568	34.4 %
1	Yes	5490	52.9 %
	Missing Data		
-1	UNKNOWN	1316	12.7 %
	Total	10,374	100%

Based upon 9,058 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 99-101 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6 , -1

MHHOUSING: QA11_7 Facility offers housing services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(7) Housing services

Value	Label	Unweighted Frequency	%
0	No	6870	66.2 %
1	Yes	2171	20.9 %
	Missing Data		
-1	UNKNOWN	1333	12.8 %
	Total	10,374	100%

Based upon 9,041 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

ILLNESSMGMT: QA11_8 Facility offers illness management and recovery

A11. Which of these supportive services and practices are offered at this facility, at this location?

(8) Illness management and recovery (IMR)

Value	Label	Unweighted Frequency	%
0	No	6006	57.9 %
1	Yes	3027	29.2 %
	Missing Data		
-1	UNKNOWN	1341	12.9 %
	Total	10,374	100%

Based upon 9,033 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHLEGAL: QA11_9 Facility offers legal advocacy services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(9) Legal advocacy

Value	Label	Unweighted Frequency	%
0	No	8250	79.5 %
1	Yes	766	7.4 %
	Missing Data		
-1	UNKNOWN	1358	13.1 %
	Total	10,374	100%

Based upon 9,016 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHEMGCY: QA11_10 Facility offers psychiatric emergency walk-in services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(10) Psychiatric emergency walk-in services

Value	Label	Unweighted Frequency	%
0	No	5654	54.5 %
1	Yes	3392	32.7 %
	Missing Data		
-1	UNKNOWN	1328	12.8 %
	Total	10,374	100%

Based upon 9,046 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 111-113 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHPSYCHREHAB: QA11_11 Facility offers psychosocial rehabilitation services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(11) Psychosocial rehabilitation services

Value	Label	Unweighted Frequency	%
0	No	4693	45.2 %
1	Yes	4347	41.9 %
	Missing Data		
-1	UNKNOWN	1334	12.9 %
	Total	10,374	100%

Based upon 9,040 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 114-116 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SMOKINGCESSATION: QA11_12 Facility offers smoking cessation services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(12) Smoking cessation services

Value	Label	Unweighted Frequency	%
0	No	6858	66.1 %
1	Yes	2190	21.1 %
	Missing Data		
-1	UNKNOWN	1326	12.8 %
	Total	10,374	100%

Based upon 9,048 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 117-119 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHSUICIDE: QA11_13 Facility offers suicide prevention services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(13) Suicide prevention services

Value	Label	Unweighted Frequency	%
0	No	3819	36.8 %
1	Yes	5230	50.4 %
	Missing Data		
-1	UNKNOWN	1325	12.8 %
	Total	10,374	100%

Based upon 9,049 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 120-122 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SUPPEMPLY: QA11_14 Facility offers supported employment

A11. Which of these supportive services and practices are offered at this facility, at this location?

(14) Supported employment

Value	Label	Unweighted Frequency	%
0	No	7157	69.0 %
1	Yes	1884	18.2 %
	Missing Data		
-1	UNKNOWN	1333	12.8 %
	Total	10,374	100%

Based upon 9,041 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 123-125 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SUPPHOUSING: QA11_15 Facility offers supported housing

A11. Which of these supportive services and practices are offered at this facility, at this location?

(15) Supported housing

Value	Label	Unweighted Frequency	%
0	No	7336	70.7 %
1	Yes	1699	16.4 %
Missing Data			
-1	UNKNOWN	1339	12.9 %
Total		10,374	100%

Based upon 9,035 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 126-128 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FOSTERCARE: QA11_16 Facility offers therapeutic foster care

A11. Which of these supportive services and practices are offered at this facility, at this location?

(16) Therapeutic foster care

Value	Label	Unweighted Frequency	%
0	No	8370	80.7 %
1	Yes	650	6.3 %
Missing Data			
-1	UNKNOWN	1354	13.1 %
Total		10,374	100%

Based upon 9,020 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 129-131 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHVOCREHAB: QA11_17 Facility offers vocational rehabilitation services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(17) Vocational rehabilitation services

Value	Label	Unweighted Frequency	%
0	No	7564	72.9 %
1	Yes	1459	14.1 %
	Missing Data		
-1	UNKNOWN	1351	13.0 %
	Total	10,374	100%

Based upon 9,023 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHOTH: QA11_18 Facility offers other supportive services

A11. Which of these supportive services and practices are offered at this facility, at this location?

(18) Other

Value	Label	Unweighted Frequency	%
0	No	8605	82.9 %
1	Yes	528	5.1 %
	Missing Data		
-1	UNKNOWN	1241	12.0 %
	Total	10,374	100%

Based upon 9,133 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 135-137 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

CRISSTEAM: QA16 Operates a crisis intervention team

A 16. Does this facility operate a crisis intervention team to handle acute mental health issues?

Value	Label	Unweighted Frequency	%
1	Yes, only within this facility	2157	20.8 %
2	Yes, only offsite	951	9.2 %
3	Yes, both within this facility and offsite	2185	21.1 %

Value	Label	Unweighted Frequency	%
4	No, we do not have a crisis intervention team	3803	36.7 %
Missing Data			
-1	UNKNOWN	1278	12.3 %
Total		10,374	100%

Based upon 9,096 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 4

Location: 195-197 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

USEDSECLUSION: QA24_1 Staff have used seclusion or restraint practices in the past year

A24. In the 12-month period beginning May 1, 2009, and ending April 30, 2010...

...(1) Have staff at this facility used seclusion or restraint practices with clients/patients?

Value	Label	Unweighted Frequency	%
0	No	6476	62.4 %
1	Yes	2609	25.1 %
Missing Data			
-1	UNKNOWN	1289	12.4 %
Total		10,374	100%

Based upon 9,085 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 306-308 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

ADOPTSECLUSION: QA24_2 Facility has adopted initiatives toward reduction of seclusion and restraint practices

A24. In the 12-month period beginning May 1, 2009, and ending April 30, 2010...

...(2) Has your facility adopted any initiatives toward the reduction of seclusion and restraint practices?

Value	Label	Unweighted Frequency	%
0	No	4796	46.2 %
1	Yes	3935	37.9 %
	Missing Data		
-1	UNKNOWN	1643	15.8 %
	Total	10,374	100%

Based upon 8,731 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 309-311 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

CHILDADOL: QA12_1 Youth accepted at facility

A12. What age categories of clients/patients are accepted for treatment at this facility?

(1) Youth (aged 17 or younger)

Value	Label	Unweighted Frequency	%
0	No	3351	32.3 %
1	Yes	5781	55.7 %
	Missing Data		
-1	UNKNOWN	1242	12.0 %
	Total	10,374	100%

Based upon 9,132 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 138-140 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

ADULTS: QA12_2 Adults accepted at facility

A12. What age categories of clients/patients are accepted for treatment at this facility?

(2) Adults (18-64)

Value	Label	Unweighted Frequency	%
0	No	1314	12.7 %
1	Yes	7810	75.3 %
Missing Data			
-1	UNKNOWN	1250	12.0 %
Total		10,374	100%

Based upon 9,124 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 141-143 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SENIORS: QA12_3 Seniors accepted at facility

A12. What age categories of clients/patients are accepted for treatment at this facility?

(3) Seniors (65 or older)

Value	Label	Unweighted Frequency	%
0	No	2257	21.8 %
1	Yes	6870	66.2 %
Missing Data			
-1	UNKNOWN	1247	12.0 %
Total		10,374	100%

Based upon 9,127 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 144-146 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SED: QA13_1 Offers program designed for youth with SED

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(1) Youth with serious emotional disturbance (SED)

Value	Label	Unweighted Frequency	%
0	No	5164	49.8 %
1	Yes	3944	38.0 %
	Missing Data		
-1	UNKNOWN	1266	12.2 %
	Total	10,374	100%

Based upon 9,108 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

TRANSITIONAGE: QA13_2 Offers program designed for transition-aged young adults age 18-25

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(2) Transition-aged young adults aged 18-25

Value	Label	Unweighted Frequency	%
0	No	6347	61.2 %
1	Yes	2747	26.5 %
	Missing Data		
-1	UNKNOWN	1280	12.3 %
	Total	10,374	100%

Based upon 9,094 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 150-152 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SPMI: QA13_3 Offers program designed for adults with SMI

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(3) Adults with serious mental illness (SMI)

Value	Label	Unweighted Frequency	%
0	No	3359	32.4 %
1	Yes	5738	55.3 %
Missing Data			
-1	UNKNOWN	1277	12.3 %
Total		10,374	100%

Based upon 9,097 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 153-155 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

ALZHEMIA: QA13_4 Offers program designed for individuals with Alzheimer's or dementia

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(4) Individuals with Alzheimer's or dementia

Value	Label	Unweighted Frequency	%
0	No	7911	76.3 %
1	Yes	1165	11.2 %
Missing Data			
-1	UNKNOWN	1298	12.5 %
Total		10,374	100%

Based upon 9,076 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 156-158 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHANDSA: QA13_5 Offers program designed for co-occurring mental health and substance abuse disorders

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(5) Individuals with co-occurring mental health and substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	3765	36.3 %
1	Yes	5333	51.4 %
	Missing Data		
-1	UNKNOWN	1276	12.3 %
	Total	10,374	100%

Based upon 9,098 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 159-161 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHANDOTHER: QA13_6 Offers program designed for co-occurring mental health and non-substance abuse disorders

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(6) Individuals with co-occurring mental health and non-substance abuse disorders

Value	Label	Unweighted Frequency	%
0	No	4787	46.1 %
1	Yes	4299	41.4 %
	Missing Data		
-1	UNKNOWN	1288	12.4 %
	Total	10,374	100%

Based upon 9,086 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 162-164 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

POSTTRAUM: QA13_7 Offers program designed for individuals with PTSD

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(7) Individuals with post-traumatic stress disorder (PTSD)

Value	Label	Unweighted Frequency	%
0	No	4530	43.7 %
1	Yes	4569	44.0 %
	Missing Data		
-1	UNKNOWN	1275	12.3 %
	Total	10,374	100%

Based upon 9,099 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 165-167 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

VETERANS: QA13_8 Offers program designed for veterans

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(8) Veterans

Value	Label	Unweighted Frequency	%
0	No	6971	67.2 %
1	Yes	2086	20.1 %
	Missing Data		
-1	UNKNOWN	1317	12.7 %
	Total	10,374	100%

Based upon 9,057 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 168-170 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

TRAUMATICBRAIN: QA13_9 Offers program designed for individuals with TBI

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(9) Individuals with traumatic brain injury (TBI)

Value	Label	Unweighted Frequency	%
0	No	7995	77.1 %
1	Yes	1057	10.2 %
	Missing Data		
-1	UNKNOWN	1322	12.7 %
	Total	10,374	100%

Based upon 9,052 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 171-173 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

GLBT: QA13_10 Offers program designed for gay, lesbian, bisexual, or transgendered clients

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(10) Gay, lesbian, bisexual, or transgendered clients

Value	Label	Unweighted Frequency	%
0	No	6665	64.2 %
1	Yes	2405	23.2 %
	Missing Data		
-1	UNKNOWN	1304	12.6 %
	Total	10,374	100%

Based upon 9,070 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 174-176 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FORENSIC: QA13_11 Offers program designed for forensic clients

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(11) Forensic clients (referred from the court/judicial system)

Value	Label	Unweighted Frequency	%
0	No	6100	58.8 %
1	Yes	2986	28.8 %
Missing Data			
-1	UNKNOWN	1288	12.4 %
Total		10,374	100%

Based upon 9,086 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 177-179 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

PROGOTH: QA13_12 Offers other special program

A13. Does this facility offer a mental health treatment program or group designed exclusively for:

(12) Other special program

Value	Label	Unweighted Frequency	%
0	No	8569	82.6 %
1	Yes	568	5.5 %
Missing Data			
-1	UNKNOWN	1237	11.9 %
Total		10,374	100%

Based upon 9,137 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 180-182 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

HEARIMPAIR: QA14 Offers mental health services for the hearing impaired

A14. Does this facility offer mental health services for the hearing-impaired?

Value	Label	Unweighted Frequency	%
0	No	3542	34.1 %
1	Yes	5510	53.1 %
Missing Data			
-1	UNKNOWN	1322	12.7 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Based upon 9,052 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 183-185 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LANGENGLISH: QA15_1 Provides mental health treatment services in English

A15. In what languages do staff provide mental health treatment services at this facility?

(1) English

Value	Label	Unweighted Frequency	%
0	No	43	0.4 %
1	Yes	9084	87.6 %
	Missing Data		
-1	UNKNOWN	1247	12.0 %
	Total	10,374	100%

Based upon 9,127 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 186-188 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LANGSPANISH: QA15_2 Provides mental health treatment services in Spanish

A15. In what languages do staff provide mental health treatment services at this facility?

(2) Spanish

Value	Label	Unweighted Frequency	%
0	No	5705	55.0 %
1	Yes	3419	33.0 %
	Missing Data		
-1	UNKNOWN	1250	12.0 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Based upon 9,124 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 189-191 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LANGOTH: QA15_3 Provides mental health treatment services in other language

A15. In what languages do staff provide mental health treatment services at this facility?

(3) Other

Value	Label	Unweighted Frequency	%
0	No	8367	80.7 %
1	Yes	758	7.3 %
	Missing Data		
-1	UNKNOWN	1249	12.0 %
	Total	10,374	100%

Based upon 9,125 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 192-194 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPRESULTRPTG: QA17_1 Uses computerized system for reporting results

A17. At this facility, which of these functions are computerized?

(1) Reporting results (e.g., laboratory results, psychological testing)

Value	Label	Unweighted Frequency	%
0	No	5331	51.4 %
1	Yes	3766	36.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	UNKNOWN	1277	12.3 %
	Total	10,374	100%

Based upon 9,097 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 198-200 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPCPOE: QA17_2 Uses computerized system for physician order entry of patient prescriptions or directions

A17. At this facility, which of these functions are computerized?

(2) Physician Order Entry (CPOE) or outpatient prescriptions or directions

Value	Label	Unweighted Frequency	%
0	No	6407	61.8 %
1	Yes	2666	25.7 %
	Missing Data		
-1	UNKNOWN	1301	12.5 %
	Total	10,374	100%

Based upon 9,073 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 201-203 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPCLINDATA: QA17_3 Uses computerized system for sending and receiving clinical data

A17. At this facility, which of these functions are computerized?

(3) Sending and receiving clinical data from other providers

Value	Label	Unweighted Frequency	%
0	No	6283	60.6 %

Value	Label	Unweighted Frequency	%
1	Yes	2793	26.9 %
	Missing Data		
-1	UNKNOWN	1298	12.5 %
	Total	10,374	100%

Based upon 9,076 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 204-206 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPREFERRALS: QA17_4 Uses computerized system for creating and transmitting referrals

A17. At this facility, which of these functions are computerized?

(4) Creating and transmitting referrals to other providers or services (e.g., employment placement, housing assistance, vocational training)

Value	Label	Unweighted Frequency	%
0	No	7059	68.0 %
1	Yes	2031	19.6 %
	Missing Data		
-1	UNKNOWN	1284	12.4 %
	Total	10,374	100%

Based upon 9,090 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 207-209 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPTREATPLAN: QA17_5 Uses computerized system for creating and maintaining treatment plans

A17. At this facility, which of these functions are computerized?

(5) Creating and maintaining treatment plans

Value	Label	Unweighted Frequency	%
0	No	2941	28.3 %
1	Yes	6166	59.4 %
Missing Data			
-1	UNKNOWN	1267	12.2 %
Total		10,374	100%

Based upon 9,107 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 210-212 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPSATISFYSURVEY: QA17_6 Uses computerized system for client or family satisfaction surveys

A17. At this facility, which of these functions are computerized?

(6) Client or family satisfaction surveys

Value	Label	Unweighted Frequency	%
0	No	6462	62.3 %
1	Yes	2620	25.3 %
Missing Data			
-1	UNKNOWN	1292	12.5 %
Total		10,374	100%

Based upon 9,082 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 213-215 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPMEDCHECK: QA17_7 Uses computerized system for checking medication interactions

A17. At this facility, which of these functions are computerized?

(7) Checking medication interactions

Value	Label	Unweighted Frequency	%
0	No	5358	51.6 %
1	Yes	3684	35.5 %
	Missing Data		
-1	UNKNOWN	1332	12.8 %
	Total	10,374	100%

Based upon 9,042 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 216-218 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPBILLING: QA17_8 Uses computerized system for preparing and submitting bills or claims

A17. At this facility, which of these functions are computerized?

(8) Preparing and submitting bills or claims

Value	Label	Unweighted Frequency	%
0	No	1592	15.3 %
1	Yes	7478	72.1 %
	Missing Data		
-1	UNKNOWN	1304	12.6 %
	Total	10,374	100%

Based upon 9,070 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 219-221 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPPATIENTSCHED: QA17_9 Uses computerized system for scheduling clients/patients

A17. At this facility, which of these functions are computerized?

(9) Scheduling clients/patients

Value	Label	Unweighted Frequency	%
0	No	3321	32.0 %
1	Yes	5767	55.6 %
	Missing Data		
-1	UNKNOWN	1286	12.4 %
	Total	10,374	100%

Based upon 9,088 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 222-224 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPPROCESSNOTE: QA17_10 Uses computerized system for process note-taking

A17. At this facility, which of these functions are computerized?

(10) Process note-taking

Value	Label	Unweighted Frequency	%
0	No	3236	31.2 %
1	Yes	5852	56.4 %
	Missing Data		
-1	UNKNOWN	1286	12.4 %
	Total	10,374	100%

Based upon 9,088 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 225-227 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMPOTH: QA17_11 Uses computerized system for other operational functions

A17. At this facility, which of these functions are computerized?

(11) Other

Value	Label	Unweighted Frequency	%
0	No	8745	84.3 %
1	Yes	388	3.7 %
	Missing Data		
-1	UNKNOWN	1241	12.0 %
	Total	10,374	100%

Based upon 9,133 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 228-230 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

EDUCREQUIRE: QA18_1 Monitors continuing education requirements for staff

A18. Which of these quality assurance practices are part of this facility's standard operating procedures?

(1) Monitoring continuing education requirements for professional staff

Value	Label	Unweighted Frequency	%
0	No	970	9.4 %
1	Yes	8147	78.5 %
	Missing Data		
-1	UNKNOWN	1257	12.1 %
	Total	10,374	100%

Based upon 9,117 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 231-233 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

CASEREVIEW: QA18_2 Regularly schedules case review with a supervisor

A18. Which of these quality assurance practices are part of this facility's standard operating procedures?

(2) Regularly scheduled case review with

a supervisor

Value	Label	Unweighted Frequency	%
0	No	774	7.5 %
1	Yes	8342	80.4 %
	Missing Data		
-1	UNKNOWN	1258	12.1 %
	Total	10,374	100%

Based upon 9,116 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 234-236 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

COMMITTEE: QA18_3 Regularly schedules case review by a quality review committee

A18. Which of these quality assurance practices are part of this facility's standard operating procedures?

(3) Regularly scheduled case review by an appointed quality review committee

Value	Label	Unweighted Frequency	%
0	No	2702	26.0 %
1	Yes	6399	61.7 %
	Missing Data		
-1	UNKNOWN	1273	12.3 %
	Total	10,374	100%

Based upon 9,101 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 237-239 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OUTCOME: QA18_4 Client/patient outcome follow-up after discharge

A18. Which of these quality assurance practices are part of this facility's standard operating procedures?

(4) Client/patient outcome follow-up after discharge

Value	Label	Unweighted Frequency	%
0	No	4213	40.6 %
1	Yes	4882	47.1 %
	Missing Data		
-1	UNKNOWN	1279	12.3 %
	Total	10,374	100%

Based upon 9,095 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 240-242 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

UTILIZATION: QA18_5 Periodic utilization review

A18. Which of these quality assurance practices are part of this facility's standard operating procedures?

(5) Periodic utilization review

Value	Label	Unweighted Frequency	%
0	No	801	7.7 %
1	Yes	8298	80.0 %
	Missing Data		
-1	UNKNOWN	1275	12.3 %
	Total	10,374	100%

Based upon 9,099 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 243-245 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

SATISFYSURVEY: QA18_6 Periodic client/patient satisfaction surveys

A18. Which of these quality assurance practices are part of this facility's standard operating procedures?

(6) Periodic client/patient satisfaction surveys

Value	Label	Unweighted Frequency	%
0	No	525	5.1 %
1	Yes	8583	82.7 %
Missing Data			
-1	UNKNOWN	1266	12.2 %
Total		10,374	100%

Based upon 9,108 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 246-248 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

NOCHARGE: QA19 Offers treatment at no charge to clients/patients

A19. Does this facility offer treatment at no charge to clients/patients who cannot afford to pay?

Value	Label	Unweighted Frequency	%
0	No	3539	34.1 %
1	Yes	5537	53.4 %
Missing Data			
-1	UNKNOWN	1298	12.5 %
Total		10,374	100%

Based upon 9,076 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 249-251 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FEESCALE: QA20 Uses sliding fee scale

A20. Does this facility use a sliding fee scale?

Value	Label	Unweighted Frequency	%
0	No	3486	33.6 %
1	Yes	5527	53.3 %
Missing Data			
-1	UNKNOWN	1361	13.1 %
Total		10,374	100%

Based upon 9,013 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 252-254 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDMEDICAID: QA21_1 Facility accepts Medicaid

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(1) Medicaid

Value	Label	Unweighted Frequency	%
0	No	1049	10.1 %
1	Yes	8062	77.7 %
	Missing Data		
-1	UNKNOWN	1263	12.2 %
	Total	10,374	100%

Based upon 9,111 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 255-257 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDMEDICARE: QA21_2 Facility accepts Medicare

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(2) Medicare

Value	Label	Unweighted Frequency	%
0	No	2771	26.7 %
1	Yes	6324	61.0 %
	Missing Data		
-1	UNKNOWN	1279	12.3 %
	Total	10,374	100%

Based upon 9,095 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 258-260 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

FUNDSMHA: QA21_3 Facility accepts state mental health agency funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(3) State mental health agency (or equivalent) funds

Value	Label	Unweighted Frequency	%
0	No	2554	24.6 %
1	Yes	6466	62.3 %
	Missing Data		
-1	UNKNOWN	1354	13.1 %
	Total	10,374	100%

Based upon 9,020 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 261-263 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

FUNDSTATEWELFARE: QA21_4 Facility accepts state welfare or child or family services agency funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(4) State welfare or child or family services agency funds

Value	Label	Unweighted Frequency	%
0	No	4941	47.6 %
1	Yes	4092	39.4 %
	Missing Data		
-1	UNKNOWN	1341	12.9 %
	Total	10,374	100%

Based upon 9,033 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 264-266 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDSTATEJUV: QA21_5 Facility accepts state corrections or juvenile justice agency funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(5) State corrections or juvenile justice agency funds

Value	Label	Unweighted Frequency	%
0	No	6123	59.0 %
1	Yes	2932	28.3 %
Missing Data			
-1	UNKNOWN	1319	12.7 %
Total		10,374	100%

Based upon 9,055 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 267-269 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDSTATEEDUC: QA21_6 Facility accepts state education agency funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(6) State education agency funds

Value	Label	Unweighted Frequency	%
0	No	7107	68.5 %
1	Yes	1922	18.5 %
Missing Data			
-1	UNKNOWN	1345	13.0 %
Total		10,374	100%

Based upon 9,029 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 270-272 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDLOCALGOV: QA21_7 Facility accepts local government funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(7) Local government funds

Value	Label	Unweighted Frequency	%
0	No	4540	43.8 %
1	Yes	4493	43.3 %
	Missing Data		
-1	UNKNOWN	1341	12.9 %
	Total	10,374	100%

Based upon 9,033 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 273-275 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDVA: QA21_8 Facility accepts (US Department of Veterans Affairs) VA funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(8) U.S. Department of Veterans Affairs funds

Value	Label	Unweighted Frequency	%
0	No	6862	66.1 %
1	Yes	2177	21.0 %
	Missing Data		
-1	UNKNOWN	1335	12.9 %
	Total	10,374	100%

Based upon 9,039 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 276-278 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

FUNDCSBG: QA21_9 Facility accepts Community Service Block Grants

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(9) Community Service Block Grants

Value	Label	Unweighted Frequency	%
0	No	6757	65.1 %
1	Yes	2214	21.3 %
	Missing Data		
-1	UNKNOWN	1403	13.5 %
	Total	10,374	100%

Based upon 8,971 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 279-281 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

FUNDCMHG: QA21_10 Facility accepts Community Mental Health Block Grants

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(10) Community Mental Health Block Grants

Value	Label	Unweighted Frequency	%
0	No	5607	54.0 %
1	Yes	3375	32.5 %
	Missing Data		
-1	UNKNOWN	1392	13.4 %
	Total	10,374	100%

Based upon 8,982 valid cases out of 10,374 total cases.

- Minimum: 0

- Maximum: 1

Location: 282-284 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDCLIENTFEES: QA21_11 Facility accepts client/patient fees

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(11) Client/patient fees (i.e., out-of-pocket)

Value	Label	Unweighted Frequency	%
0	No	1403	13.5 %
1	Yes	7689	74.1 %
	Missing Data		
-1	UNKNOWN	1282	12.4 %
	Total	10,374	100%

Based upon 9,092 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 285-287 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDPRVTINS: QA21_12 Facility accepts private insurance

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(12) Private insurance

Value	Label	Unweighted Frequency	%
0	No	1917	18.5 %
1	Yes	7166	69.1 %
	Missing Data		
-1	UNKNOWN	1291	12.4 %
	Total	10,374	100%

Based upon 9,083 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 288-290 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDOTHPUB: QA21_13 Facility accepts other public funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(13) Other public funds

Value	Label	Unweighted Frequency	%
0	No	8586	82.8 %
1	Yes	527	5.1 %
	Missing Data		
-1	UNKNOWN	1261	12.2 %
	Total	10,374	100%

Based upon 9,113 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 291-293 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FUNDOTHPRVT: QA21_14 Facility accepts other private funds

A21. Which of the following types of payments or funding are accepted by this facility for mental health treatment services?

(14) Other private funds

Value	Label	Unweighted Frequency	%
0	No	8419	81.2 %
1	Yes	687	6.6 %
	Missing Data		
-1	UNKNOWN	1268	12.2 %
	Total	10,374	100%

Based upon 9,106 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 294-296 (width: 3; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

MAJORSINGLEFUND: QA22 More than half of facility funds come from a single source

A22. Does any single payment or funding source listed in A21 account for more than half of this facility's funding?

Value	Label	Unweighted Frequency	%
0	No	3016	29.1 %
1	Yes	5913	57.0 %
	Missing Data		
-1	UNKNOWN	1445	13.9 %
	Total	10,374	100%

Based upon 8,929 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 297-299 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

MAJORFUNDTYPE: QA22a The single source that funds more than half of the facility

A22a. Please identify that single payment or funding source by marking the corresponding number from question A21.

Value	Label	Unweighted Frequency	%
1	Medicaid	3320	32.0 %
2	Medicare	402	3.9 %
3	State mental health agency funds	958	9.2 %
4	State welfare or child or family services agency funds	258	2.5 %
5	State corrections or juvenile justice agency funds	29	0.3 %
6	State education agency funds	28	0.3 %
7	Local government funds	195	1.9 %
8	U.S. Department of Veterans Affairs funds	184	1.8 %
9	Community Service Block Grants	7	0.1 %
10	Community Mental Health Block Grants	40	0.4 %
11	Client/patient fees	87	0.8 %
12	Private insurance	269	2.6 %
13	Other public funds	57	0.5 %
14	Other private funds	18	0.2 %
	Missing Data		
-2	Logical Skip	3016	29.1 %
-1	UNKNOWN	1506	14.5 %
	Total	10,374	100%

Based upon 5,852 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 14

Location: 300-302 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -2 , -1

SMOKINGPOLICY: QA23 Facility smoking policy

A23. Which statement below BEST describes this facility's smoking policy?

Value	Label	Unweighted Frequency	%
1	Smoking not permitted on property or within building	3806	36.7 %
2	Smoking is permitted only outdoors	4537	43.7 %
3	Smoking permitted outdoors and in designated indoor areas	714	6.9 %
4	Smoking is permitted anywhere without restriction	6	0.1 %
5	Other	55	0.5 %
Missing Data			
-1	UNKNOWN	1256	12.1 %
Total		10,374	100%

Based upon 9,118 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 5

Location: 303-305 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LICENSESMHA: QA25_1 Facility has licensing/certification/accreditation from state mental health agency

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(1) State mental health agency

Value	Label	Unweighted Frequency	%
0	No	2306	22.2 %
1	Yes	6727	64.8 %
Missing Data			
-1	UNKNOWN	1341	12.9 %
Total		10,374	100%

Based upon 9,033 valid cases out of 10,374 total cases.

- Minimum: 0

- Maximum: 1

Location: 312-314 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

LICENSESA: QA25_2 Facility has licensing/certification/accreditation from state substance abuse agency

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(2) State substance abuse agency

Value	Label	Unweighted Frequency	%
0	No	6241	60.2 %
1	Yes	2771	26.7 %
	Missing Data		
-1	UNKNOWN	1362	13.1 %
	Total	10,374	100%

Based upon 9,012 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 315-317 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

LICENSEDPH: QA25_3 Facility has licensing/certification/accreditation from state department of health

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(3) State department of health

Value	Label	Unweighted Frequency	%
0	No	5318	51.3 %
1	Yes	3657	35.3 %
	Missing Data		
-1	UNKNOWN	1399	13.5 %
	Total	10,374	100%

Based upon 8,975 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 318-320 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

LICENSEHOSPLIC: QA25_4 Facility has licensing/certification/accreditation from hospital licensing authority

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(4) Hospital licensing authority

Value	Label	Unweighted Frequency	%
0	No	7540	72.7 %
1	Yes	1405	13.5 %
	Missing Data		
-1	UNKNOWN	1429	13.8 %
	Total	10,374	100%

Based upon 8,945 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 321-323 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

LICENSEJC: QA25_5 Facility has licensing/certification/accreditation from JC (Joint Commission)

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(5) JC (Joint Commission)

Value	Label	Unweighted Frequency	%
0	No	5725	55.2 %
1	Yes	3273	31.6 %
	Missing Data		
-1	UNKNOWN	1376	13.3 %
	Total	10,374	100%

Based upon 8,998 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 324-326 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

LICENSECARF: QA25_6 Facility has licensing/certification/accreditation from CARF (Commission on Accreditation of Rehabilitation Facilities)

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(6) CARF (Commission on Accreditation of Rehabilitation Facilities)

Value	Label	Unweighted Frequency	%
0	No	7180	69.2 %
1	Yes	1801	17.4 %
	Missing Data		
-1	UNKNOWN	1393	13.4 %
	Total	10,374	100%

Based upon 8,981 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 327-329 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

LICENSECOA: QA25_7 Facility has licensing/certification/accreditation from COA (Council on Accreditation)

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(7) COA (Council on Accreditation)

Value	Label	Unweighted Frequency	%
0	No	7933	76.5 %
1	Yes	941	9.1 %
	Missing Data		
-1	UNKNOWN	1500	14.5 %
	Total	10,374	100%

Based upon 8,874 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 330-332 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LICENSEDFCS: QA25_8 Facility has licensing/certification/accreditation from Department of Family and Children Services

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(8) Department of Family and Children's Services

Value	Label	Unweighted Frequency	%
0	No	7428	71.6 %
1	Yes	1510	14.6 %
	Missing Data		
-1	UNKNOWN	1436	13.8 %
	Total	10,374	100%

Based upon 8,938 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 333-335 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LICENSEDHHS: QA25_9 Facility has licensing/certification/accreditation from US Dept of Health and Human Services

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(9) U.S. Department of Health and Human Services

Value	Label	Unweighted Frequency	%
0	No	7534	72.6 %
1	Yes	1294	12.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	UNKNOWN	1546	14.9 %
	Total	10,374	100%

Based upon 8,828 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 336-338 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LICENSEMEDICARE: QA25_10 Facility has licensing/certification/accreditation from Medicare

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(10) Medicare

Value	Label	Unweighted Frequency	%
0	No	4467	43.1 %
1	Yes	4405	42.5 %
	Missing Data		
-1	UNKNOWN	1502	14.5 %
	Total	10,374	100%

Based upon 8,872 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 339-341 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LICENSEMEDICAID: QA25_11 Facility has licensing/certification/accreditation from Medicaid

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(11) Medicaid

Value	Label	Unweighted Frequency	%
0	No	3165	30.5 %
1	Yes	5743	55.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	UNKNOWN	1466	14.1 %
	Total	10,374	100%

Based upon 8,908 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 342-344 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

LICENSEOTHORG: QA25_12 Facility has licensing/certification/accreditation from other national/state/local organization

A25. From which of these organizations does this facility have licensing, certification, or accreditation?

(12) Other national, state, or local organization

Value	Label	Unweighted Frequency	%
0	No	8407	81.0 %
1	Yes	648	6.2 %
	Missing Data		
-1	UNKNOWN	1319	12.7 %
	Total	10,374	100%

Based upon 9,055 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 345-347 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

FACONLY: QB1 Client/patient counts reported for only this facility/this facility plus others/another facility reporting client counts for this facility

B1. Although reporting for only the clients/patients treated at this facility is preferred, we realize that may not be possible. Will the client/patient counts reported in this questionnaire include...

Value	Label	Unweighted Frequency	%
1	Only this facility	7473	72.0 %
2	This facility plus others	692	6.7 %
3	Another facility in organization will report client counts for this facility	2209	21.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 1
- Maximum: 3

Location: 348-350 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

TOTALFAC: QB2_3 Total number of facilities included in reported client/patients counts

B2. How many facilities will be included in the reported client counts?

Value	Label	Unweighted Frequency	%
2	-	260	2.5 %
3	-	165	1.6 %
4	-	93	0.9 %
5	-	63	0.6 %
6	-	32	0.3 %
7	-	16	0.2 %
8	-	22	0.2 %
9	-	8	0.1 %
10	-	4	0.0 %
11	-	7	0.1 %
12	-	6	0.1 %
13	-	4	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
16	-	2	0.0 %
17	-	2	0.0 %
19	-	1	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
	Missing Data		
-9	MISSING	9682	93.3 %
	Total	10,374	100%

Based upon 692 valid cases out of 10,374 total cases.

- Mean: 3.93
- Median: 3.00
- Mode: 2.00
- Minimum: 2

- Maximum: 27
- Standard Deviation: 2.97

Location: 351-353 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

IPSERV: QB3 Patients received services in 24-hour hospital inpatient setting

B3. On April 30, 2010, did any patients receive 24-hour hospital inpatient mental health treatment services at this facility, at this location?

Value	Label	Unweighted Frequency	%
0	No	8386	80.8 %
1	Yes	1988	19.2 %
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 354-356 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

IPTOTAL: QB3a Number of patients that received 24-hour hospital inpatient services

B3a. On April 30, 2010, how many patients received 24-hour hospital inpatient mental health treatment services at this facility?

Value	Label	Unweighted Frequency	%
1	-	9	0.1 %
2	-	11	0.1 %
3	-	23	0.2 %
4	-	22	0.2 %
5	-	42	0.4 %
6	-	47	0.5 %
7	-	54	0.5 %
8	-	64	0.6 %
9	-	57	0.5 %
10	-	78	0.8 %
11	-	39	0.4 %
12	-	75	0.7 %
13	-	45	0.4 %
14	-	48	0.5 %
15	-	57	0.5 %
16	-	61	0.6 %
17	-	46	0.4 %

Value	Label	Unweighted Frequency	%
18	-	44	0.4 %
19	-	34	0.3 %
20	-	55	0.5 %
21	-	25	0.2 %
22	-	31	0.3 %
23	-	28	0.3 %
24	-	44	0.4 %
25	-	34	0.3 %
26	-	27	0.3 %
27	-	25	0.2 %
28	-	28	0.3 %
29	-	16	0.2 %
30	-	27	0.3 %
31	-	20	0.2 %
32	-	21	0.2 %
33	-	20	0.2 %
34	-	20	0.2 %
35	-	16	0.2 %
36	-	15	0.1 %
37	-	17	0.2 %
38	-	7	0.1 %
39	-	16	0.2 %
40	-	22	0.2 %
41	-	12	0.1 %
42	-	13	0.1 %
43	-	6	0.1 %
44	-	11	0.1 %
45	-	10	0.1 %
46	-	9	0.1 %
47	-	10	0.1 %
48	-	12	0.1 %
49	-	14	0.1 %
50	-	17	0.2 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 50.05
- Median: 23.00

- Mode: 10.00
- Minimum: 1
- Maximum: 1506
- Standard Deviation: 90.53

Location: 357-361 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPSEXTOTM: QB3b_num_mal. Male hospital inpatients - Total

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Male

Value	Label	Unweighted Frequency	%
0	-	28	0.3 %
1	-	44	0.4 %
2	-	82	0.8 %
3	-	109	1.1 %
4	-	108	1.0 %
5	-	104	1.0 %
6	-	107	1.0 %
7	-	87	0.8 %
8	-	100	1.0 %
9	-	63	0.6 %
10	-	74	0.7 %
11	-	57	0.5 %
12	-	60	0.6 %
13	-	43	0.4 %
14	-	41	0.4 %
15	-	45	0.4 %
16	-	35	0.3 %
17	-	34	0.3 %
18	-	37	0.4 %
19	-	32	0.3 %
20	-	32	0.3 %
21	-	29	0.3 %
22	-	29	0.3 %
23	-	21	0.2 %
24	-	31	0.3 %
25	-	23	0.2 %
26	-	21	0.2 %

Value	Label	Unweighted Frequency	%
27	-	17	0.2 %
28	-	20	0.2 %
29	-	15	0.1 %
30	-	22	0.2 %
31	-	8	0.1 %
32	-	14	0.1 %
33	-	20	0.2 %
34	-	16	0.2 %
35	-	11	0.1 %
36	-	11	0.1 %
37	-	12	0.1 %
38	-	13	0.1 %
39	-	10	0.1 %
40	-	18	0.2 %
41	-	9	0.1 %
42	-	8	0.1 %
43	-	8	0.1 %
44	-	9	0.1 %
45	-	9	0.1 %
46	-	9	0.1 %
47	-	4	0.0 %
48	-	6	0.1 %
49	-	6	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 29.65
- Median: 12.00
- Mode: 3.00
- Minimum: 0
- Maximum: 1157
- Standard Deviation: 66.30

Location: 362-366 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPSEXPPerm: QB3b_per_mal. Male hospital inpatients - Percent

B3b. For each category below, please provide a breakdown of the

Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Male

Value	Label	Unweighted Frequency	%
0	-	27	0.3 %
5	-	1	0.0 %
8	-	3	0.0 %
10	-	1	0.0 %
11	-	3	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	5	0.0 %
15	-	2	0.0 %
17	-	4	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %
20	-	12	0.1 %
21	-	4	0.0 %
22	-	6	0.1 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	24	0.2 %
26	-	2	0.0 %
27	-	11	0.1 %
28	-	3	0.0 %
29	-	13	0.1 %
30	-	23	0.2 %
31	-	11	0.1 %
32	-	9	0.1 %
33	-	66	0.6 %
34	-	1	0.0 %
35	-	20	0.2 %
36	-	11	0.1 %
37	-	35	0.3 %
38	-	16	0.2 %
39	-	12	0.1 %
40	-	133	1.3 %
41	-	19	0.2 %
42	-	29	0.3 %
43	-	36	0.3 %
44	-	38	0.4 %

Value	Label	Unweighted Frequency	%
45	-	38	0.4 %
46	-	35	0.3 %
47	-	39	0.4 %
48	-	31	0.3 %
49	-	26	0.3 %
50	-	210	2.0 %
51	-	23	0.2 %
52	-	32	0.3 %
53	-	40	0.4 %
54	-	51	0.5 %
55	-	50	0.5 %
56	-	65	0.6 %
57	-	57	0.5 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 52.62
- Median: 51.00
- Mode: 50.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 17.46

Location: 367-371 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPSEXTOTF: QB3b_num_fem. Female hospital inpatients - Total

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Female

Value	Label	Unweighted Frequency	%
0	-	38	0.4 %
1	-	47	0.5 %
2	-	89	0.9 %
3	-	84	0.8 %

Value	Label	Unweighted Frequency	%
4	-	101	1.0 %
5	-	116	1.1 %
6	-	125	1.2 %
7	-	106	1.0 %
8	-	102	1.0 %
9	-	69	0.7 %
10	-	98	0.9 %
11	-	73	0.7 %
12	-	72	0.7 %
13	-	46	0.4 %
14	-	46	0.4 %
15	-	42	0.4 %
16	-	39	0.4 %
17	-	34	0.3 %
18	-	41	0.4 %
19	-	35	0.3 %
20	-	32	0.3 %
21	-	33	0.3 %
22	-	26	0.3 %
23	-	26	0.3 %
24	-	18	0.2 %
25	-	22	0.2 %
26	-	20	0.2 %
27	-	15	0.1 %
28	-	16	0.2 %
29	-	14	0.1 %
30	-	14	0.1 %
31	-	12	0.1 %
32	-	18	0.2 %
33	-	16	0.2 %
34	-	13	0.1 %
35	-	6	0.1 %
36	-	6	0.1 %
37	-	10	0.1 %
38	-	14	0.1 %
39	-	5	0.0 %
40	-	9	0.1 %
41	-	7	0.1 %
42	-	7	0.1 %
43	-	10	0.1 %
44	-	8	0.1 %
45	-	13	0.1 %

Value	Label	Unweighted Frequency	%
46	-	10	0.1 %
47	-	10	0.1 %
48	-	6	0.1 %
49	-	3	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 20.40
- Median: 11.00
- Mode: 6.00
- Minimum: 0
- Maximum: 371
- Standard Deviation: 31.06

Location: 372-376 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPSEXPFR: QB3b_per_fem. Female hospital inpatients - Percent

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Female

Value	Label	Unweighted Frequency	%
0	-	37	0.4 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	4	0.0 %
4	-	4	0.0 %
5	-	4	0.0 %
6	-	2	0.0 %
7	-	5	0.0 %
8	-	5	0.0 %
9	-	2	0.0 %
10	-	13	0.1 %
11	-	6	0.1 %
12	-	4	0.0 %

Value	Label	Unweighted Frequency	%
13	-	7	0.1 %
14	-	6	0.1 %
15	-	6	0.1 %
16	-	1	0.0 %
17	-	7	0.1 %
18	-	7	0.1 %
19	-	6	0.1 %
20	-	10	0.1 %
21	-	5	0.0 %
22	-	6	0.1 %
23	-	6	0.1 %
24	-	9	0.1 %
25	-	27	0.3 %
26	-	12	0.1 %
27	-	10	0.1 %
28	-	9	0.1 %
29	-	18	0.2 %
30	-	34	0.3 %
31	-	14	0.1 %
32	-	13	0.1 %
33	-	50	0.5 %
34	-	18	0.2 %
35	-	34	0.3 %
36	-	20	0.2 %
37	-	20	0.2 %
38	-	49	0.5 %
39	-	24	0.2 %
40	-	106	1.0 %
41	-	33	0.3 %
42	-	43	0.4 %
43	-	57	0.5 %
44	-	65	0.6 %
45	-	50	0.5 %
46	-	51	0.5 %
47	-	40	0.4 %
48	-	32	0.3 %
49	-	23	0.2 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 47.38
- Median: 49.00
- Mode: 50.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 17.46

Location: 377-381 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPAGETOT017: QB3b_num_age1. Ages 0-17 hospital inpatients - Total

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 0-17

Value	Label	Unweighted Frequency	%
0	-	1213	11.7 %
1	-	39	0.4 %
2	-	25	0.2 %
3	-	24	0.2 %
4	-	39	0.4 %
5	-	22	0.2 %
6	-	29	0.3 %
7	-	24	0.2 %
8	-	32	0.3 %
9	-	23	0.2 %
10	-	32	0.3 %
11	-	16	0.2 %
12	-	22	0.2 %
13	-	25	0.2 %
14	-	16	0.2 %
15	-	27	0.3 %
16	-	24	0.2 %
17	-	16	0.2 %
18	-	19	0.2 %
19	-	9	0.1 %
20	-	19	0.2 %
21	-	14	0.1 %

Value	Label	Unweighted Frequency	%
22	-	3	0.0 %
23	-	14	0.1 %
24	-	10	0.1 %
25	-	13	0.1 %
26	-	11	0.1 %
27	-	10	0.1 %
28	-	10	0.1 %
29	-	6	0.1 %
30	-	11	0.1 %
31	-	3	0.0 %
32	-	10	0.1 %
33	-	9	0.1 %
34	-	7	0.1 %
35	-	5	0.0 %
36	-	7	0.1 %
37	-	8	0.1 %
38	-	3	0.0 %
39	-	3	0.0 %
40	-	6	0.1 %
41	-	6	0.1 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	6	0.1 %
45	-	4	0.0 %
46	-	1	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 10.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 923
- Standard Deviation: 35.95

Location: 382-386 (width: 5; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

IPAGEPER017: QB3b_per_age1. Ages 0-17 hospital inpatients - Percent

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 0-17

Value	Label	Unweighted Frequency	%
0	-	1211	11.7 %
1	-	11	0.1 %
2	-	5	0.0 %
3	-	6	0.1 %
4	-	3	0.0 %
5	-	8	0.1 %
6	-	2	0.0 %
7	-	11	0.1 %
8	-	4	0.0 %
9	-	10	0.1 %
10	-	11	0.1 %
11	-	10	0.1 %
12	-	4	0.0 %
13	-	8	0.1 %
14	-	18	0.2 %
15	-	10	0.1 %
16	-	16	0.2 %
17	-	9	0.1 %
18	-	9	0.1 %
19	-	11	0.1 %
20	-	11	0.1 %
21	-	12	0.1 %
22	-	12	0.1 %
23	-	11	0.1 %
24	-	10	0.1 %
25	-	23	0.2 %
26	-	20	0.2 %
27	-	12	0.1 %
28	-	11	0.1 %
29	-	11	0.1 %
30	-	11	0.1 %
31	-	9	0.1 %

Value	Label	Unweighted Frequency	%
32	-	17	0.2 %
33	-	23	0.2 %
34	-	6	0.1 %
35	-	12	0.1 %
36	-	7	0.1 %
37	-	3	0.0 %
38	-	8	0.1 %
39	-	3	0.0 %
40	-	13	0.1 %
41	-	8	0.1 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	6	0.1 %
46	-	1	0.0 %
47	-	7	0.1 %
48	-	3	0.0 %
49	-	3	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 20.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 33.74

Location: 387-391 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPAGETOT1864: QB3b_num_age2. Ages 18-64 hospital inpatients - Total

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 18-64

Value	Label	Unweighted Frequency	%
0	-	384	3.7 %
1	-	40	0.4 %
2	-	36	0.3 %
3	-	33	0.3 %
4	-	33	0.3 %
5	-	39	0.4 %
6	-	37	0.4 %
7	-	47	0.5 %
8	-	48	0.5 %
9	-	54	0.5 %
10	-	58	0.6 %
11	-	45	0.4 %
12	-	56	0.5 %
13	-	49	0.5 %
14	-	61	0.6 %
15	-	40	0.4 %
16	-	61	0.6 %
17	-	41	0.4 %
18	-	34	0.3 %
19	-	30	0.3 %
20	-	31	0.3 %
21	-	22	0.2 %
22	-	34	0.3 %
23	-	21	0.2 %
24	-	36	0.3 %
25	-	26	0.3 %
26	-	24	0.2 %
27	-	14	0.1 %
28	-	21	0.2 %
29	-	16	0.2 %
30	-	23	0.2 %
31	-	22	0.2 %
32	-	17	0.2 %
33	-	12	0.1 %
34	-	12	0.1 %
35	-	12	0.1 %
36	-	5	0.0 %
37	-	14	0.1 %
38	-	13	0.1 %
39	-	9	0.1 %
40	-	9	0.1 %
41	-	14	0.1 %

Value	Label	Unweighted Frequency	%
42	-	5	0.0 %
43	-	7	0.1 %
44	-	10	0.1 %
45	-	6	0.1 %
46	-	5	0.0 %
47	-	9	0.1 %
48	-	8	0.1 %
49	-	11	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 33.99
- Median: 14.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1409
- Standard Deviation: 77.34

Location: 392-396 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPAGEPER1864: QB3b_per_age2. Ages 18-64 hospital inpatients - Percent

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 18-64

Value	Label	Unweighted Frequency	%
0	-	379	3.7 %
1	-	2	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	5	0.0 %
6	-	1	0.0 %
7	-	3	0.0 %
8	-	5	0.0 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10	-	7	0.1 %
11	-	6	0.1 %
12	-	7	0.1 %
13	-	3	0.0 %
14	-	2	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
17	-	6	0.1 %
18	-	5	0.0 %
19	-	5	0.0 %
20	-	10	0.1 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	1	0.0 %
25	-	7	0.1 %
26	-	6	0.1 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	11	0.1 %
31	-	1	0.0 %
33	-	6	0.1 %
34	-	6	0.1 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	5	0.0 %
39	-	1	0.0 %
40	-	10	0.1 %
41	-	5	0.0 %
42	-	4	0.0 %
43	-	9	0.1 %
44	-	6	0.1 %
45	-	8	0.1 %
46	-	3	0.0 %
47	-	9	0.1 %
48	-	7	0.1 %
49	-	9	0.1 %
50	-	41	0.4 %
51	-	5	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 61.69
- Median: 75.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 36.82

Location: 397-401 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPAGETOT65: QB3b_num_age3. Ages 65 plus hospital inpatients - Total

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 65 and older

Value	Label	Unweighted Frequency	%
0	-	737	7.1 %
1	-	207	2.0 %
2	-	171	1.6 %
3	-	129	1.2 %
4	-	95	0.9 %
5	-	72	0.7 %
6	-	71	0.7 %
7	-	55	0.5 %
8	-	51	0.5 %
9	-	41	0.4 %
10	-	51	0.5 %
11	-	37	0.4 %
12	-	27	0.3 %
13	-	25	0.2 %
14	-	29	0.3 %
15	-	21	0.2 %
16	-	16	0.2 %
17	-	10	0.1 %

Value	Label	Unweighted Frequency	%
18	-	17	0.2 %
19	-	16	0.2 %
20	-	7	0.1 %
21	-	10	0.1 %
22	-	7	0.1 %
23	-	2	0.0 %
24	-	7	0.1 %
25	-	6	0.1 %
26	-	6	0.1 %
27	-	3	0.0 %
28	-	6	0.1 %
29	-	5	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
33	-	3	0.0 %
34	-	3	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
63	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 5.69
- Median: 2.00
- Mode: 0.00

- Minimum: 0
- Maximum: 238
- Standard Deviation: 13.29

Location: 402-406 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPAGEPER65: QB3b_per_age3. Ages 65 plus hospital inpatients - Percent

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 65 and older

Value	Label	Unweighted Frequency	%
0	-	728	7.0 %
1	-	18	0.2 %
2	-	34	0.3 %
3	-	44	0.4 %
4	-	41	0.4 %
5	-	70	0.7 %
6	-	51	0.5 %
7	-	36	0.3 %
8	-	42	0.4 %
9	-	31	0.3 %
10	-	91	0.9 %
11	-	42	0.4 %
12	-	23	0.2 %
13	-	37	0.4 %
14	-	34	0.3 %
15	-	43	0.4 %
16	-	11	0.1 %
17	-	34	0.3 %
18	-	31	0.3 %
19	-	17	0.2 %
20	-	52	0.5 %
21	-	17	0.2 %
22	-	13	0.1 %
23	-	17	0.2 %
24	-	7	0.1 %
25	-	41	0.4 %
26	-	12	0.1 %
27	-	8	0.1 %

Value	Label	Unweighted Frequency	%
28	-	2	0.0 %
29	-	13	0.1 %
30	-	15	0.1 %
31	-	5	0.0 %
32	-	7	0.1 %
33	-	18	0.2 %
34	-	3	0.0 %
35	-	11	0.1 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	9	0.1 %
39	-	2	0.0 %
40	-	13	0.1 %
41	-	1	0.0 %
42	-	4	0.0 %
43	-	5	0.0 %
44	-	6	0.1 %
45	-	2	0.0 %
48	-	1	0.0 %
50	-	15	0.1 %
51	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 18.08
- Median: 7.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 28.21

Location: 407-411 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPETHTOTHISP: QB3b_num_his. Total Hispanic or Latino hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either

numbers OR percents, whichever is more convenient.

Total Ethnicity Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	1332	12.8 %
1	-	163	1.6 %
2	-	108	1.0 %
3	-	78	0.8 %
4	-	54	0.5 %
5	-	27	0.3 %
6	-	26	0.3 %
7	-	14	0.1 %
8	-	12	0.1 %
9	-	11	0.1 %
10	-	17	0.2 %
11	-	9	0.1 %
12	-	13	0.1 %
13	-	10	0.1 %
14	-	5	0.0 %
15	-	7	0.1 %
16	-	6	0.1 %
17	-	7	0.1 %
18	-	3	0.0 %
19	-	3	0.0 %
20	-	5	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	6	0.1 %
26	-	3	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
49	-	3	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
Missing Data			
-9	MISSING	8386	80.8 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 3.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 338
- Standard Deviation: 15.93

Location: 412-416 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPETHPERHISP: QB3b_per_his. Percent Hispanic or Latino hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	1322	12.7 %
1	-	38	0.4 %
2	-	45	0.4 %
3	-	30	0.3 %
4	-	33	0.3 %

Value	Label	Unweighted Frequency	%
5	-	71	0.7 %
6	-	25	0.2 %
7	-	25	0.2 %
8	-	31	0.3 %
9	-	15	0.1 %
10	-	54	0.5 %
11	-	22	0.2 %
12	-	5	0.0 %
13	-	22	0.2 %
14	-	10	0.1 %
15	-	23	0.2 %
16	-	10	0.1 %
17	-	15	0.1 %
18	-	13	0.1 %
19	-	10	0.1 %
20	-	19	0.2 %
21	-	10	0.1 %
22	-	7	0.1 %
23	-	4	0.0 %
24	-	1	0.0 %
25	-	17	0.2 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	6	0.1 %
30	-	12	0.1 %
31	-	5	0.0 %
32	-	2	0.0 %
33	-	7	0.1 %
34	-	3	0.0 %
35	-	7	0.1 %
36	-	3	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
50	-	10	0.1 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
Missing Data			
-9	MISSING	8386	80.8 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 5.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 13.01

Location: 417-421 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -6 , -1

IPETHTOTNONHISP: QB3b_num_nhis. Total non-Hispanic or Latino hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Not Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	896	8.6 %
1	-	12	0.1 %
2	-	11	0.1 %
3	-	17	0.2 %
4	-	21	0.2 %
5	-	27	0.3 %
6	-	27	0.3 %
7	-	44	0.4 %
8	-	45	0.4 %
9	-	40	0.4 %
10	-	40	0.4 %
11	-	35	0.3 %
12	-	54	0.5 %
13	-	24	0.2 %

Value	Label	Unweighted Frequency	%
14	-	37	0.4 %
15	-	24	0.2 %
16	-	29	0.3 %
17	-	28	0.3 %
18	-	28	0.3 %
19	-	19	0.2 %
20	-	24	0.2 %
21	-	12	0.1 %
22	-	20	0.2 %
23	-	15	0.1 %
24	-	25	0.2 %
25	-	20	0.2 %
26	-	6	0.1 %
27	-	6	0.1 %
28	-	17	0.2 %
29	-	8	0.1 %
30	-	9	0.1 %
31	-	13	0.1 %
32	-	7	0.1 %
33	-	7	0.1 %
34	-	9	0.1 %
35	-	7	0.1 %
36	-	5	0.0 %
37	-	7	0.1 %
38	-	6	0.1 %
39	-	12	0.1 %
40	-	12	0.1 %
41	-	3	0.0 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	7	0.1 %
46	-	5	0.0 %
47	-	7	0.1 %
48	-	2	0.0 %
49	-	8	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 25.82
- Median: 6.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1168
- Standard Deviation: 71.12

Location: 422-426 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPETHPERNONHISP: QB3b_per_nhis. Percent non-Hispanic or Latino hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Not Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	898	8.7 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
15	-	3	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	5	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	2	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %

Value	Label	Unweighted Frequency	%
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	14	0.1 %
52	-	2	0.0 %
53	-	3	0.0 %
54	-	1	0.0 %
56	-	3	0.0 %
57	-	4	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	3	0.0 %
61	-	1	0.0 %
62	-	4	0.0 %
63	-	1	0.0 %
64	-	4	0.0 %
65	-	7	0.1 %
66	-	3	0.0 %
67	-	10	0.1 %
68	-	1	0.0 %
69	-	5	0.0 %
70	-	11	0.1 %
71	-	7	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 48.70
- Median: 65.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 46.12

Location: 427-431 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPETHTOTUNK: QB3_num_ethunk. Ethnicity unknown - Total hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Unknown

Value	Label	Unweighted Frequency	%
0	-	946	9.1 %
1	-	38	0.4 %
2	-	36	0.3 %
3	-	23	0.2 %
4	-	23	0.2 %
5	-	25	0.2 %
6	-	27	0.3 %
7	-	21	0.2 %
8	-	29	0.3 %
9	-	29	0.3 %
10	-	35	0.3 %
11	-	17	0.2 %
12	-	28	0.3 %
13	-	21	0.2 %
14	-	28	0.3 %
15	-	25	0.2 %
16	-	27	0.3 %
17	-	28	0.3 %
18	-	14	0.1 %
19	-	16	0.2 %
20	-	25	0.2 %
21	-	12	0.1 %
22	-	15	0.1 %
23	-	15	0.1 %
24	-	24	0.2 %
25	-	11	0.1 %
26	-	18	0.2 %
27	-	11	0.1 %
28	-	14	0.1 %
29	-	7	0.1 %
30	-	13	0.1 %
31	-	11	0.1 %
32	-	12	0.1 %
33	-	9	0.1 %

Value	Label	Unweighted Frequency	%
34	-	10	0.1 %
35	-	8	0.1 %
36	-	9	0.1 %
37	-	12	0.1 %
38	-	3	0.0 %
39	-	7	0.1 %
40	-	6	0.1 %
41	-	8	0.1 %
42	-	12	0.1 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	7	0.1 %
46	-	6	0.1 %
47	-	4	0.0 %
48	-	7	0.1 %
49	-	10	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 20.68
- Median: 2.00
- Mode: 0.00
- Minimum: 0
- Maximum: 923
- Standard Deviation: 52.55

Location: 432-436 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPETHPERUNK: QB3_per_ethunk. Ethnicity unknown - Percent hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Unknown

Value	Label	Unweighted Frequency	%
0	-	947	9.1 %

Value	Label	Unweighted Frequency	%
1	-	20	0.2 %
2	-	8	0.1 %
3	-	9	0.1 %
4	-	11	0.1 %
5	-	11	0.1 %
6	-	4	0.0 %
7	-	8	0.1 %
8	-	7	0.1 %
9	-	8	0.1 %
10	-	9	0.1 %
11	-	5	0.0 %
12	-	2	0.0 %
14	-	2	0.0 %
15	-	6	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
20	-	4	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
59	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
71	-	1	0.0 %
79	-	1	0.0 %
83	-	1	0.0 %

Value	Label	Unweighted Frequency	%
88	-	1	0.0 %
89	-	2	0.0 %
90	-	1	0.0 %
92	-	1	0.0 %
93	-	2	0.0 %
94	-	1	0.0 %
95	-	2	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 45.97
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 49.13

Location: 437-441 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTINDIAN: QB3b_num_nat. Total American Indian/Alaska Native hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	-	1865	18.0 %
1	-	68	0.7 %
2	-	20	0.2 %
3	-	10	0.1 %
4	-	4	0.0 %
5	-	4	0.0 %
8	-	3	0.0 %
10	-	3	0.0 %
11	-	3	0.0 %
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
23	-	1	0.0 %
28	-	1	0.0 %
40	-	1	0.0 %
Missing Data			
-9	MISSING	8386	80.8 %
Total		10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 40
- Standard Deviation: 1.62

Location: 442-446 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERINDIAN: QB3b_per_nat. Percent American Indian/Alaska Native hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	-	1872	18.0 %
1	-	28	0.3 %
2	-	23	0.2 %
3	-	8	0.1 %
4	-	8	0.1 %
5	-	2	0.0 %
6	-	4	0.0 %
7	-	6	0.1 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	4	0.0 %
11	-	4	0.0 %

Value	Label	Unweighted Frequency	%
13	-	7	0.1 %
14	-	3	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
20	-	3	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
Missing Data			
-9	MISSING	8386	80.8 %
Total		10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 50
- Standard Deviation: 2.68

Location: 447-451 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTASIAN: QB3b_num_asi. Total Asian hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Asian

Value	Label	Unweighted Frequency	%
0	-	1725	16.6 %
1	-	115	1.1 %
2	-	55	0.5 %
3	-	19	0.2 %
4	-	19	0.2 %
5	-	13	0.1 %
6	-	9	0.1 %

Value	Label	Unweighted Frequency	%
7	-	10	0.1 %
8	-	4	0.0 %
9	-	5	0.0 %
10	-	2	0.0 %
11	-	2	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
20	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 56
- Standard Deviation: 2.69

Location: 452-456 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERASIAN: QB3b_per_asi. Percent Asian hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Asian

Value	Label	Unweighted Frequency	%
0	-	1722	16.6 %
1	-	61	0.6 %
2	-	44	0.4 %
3	-	34	0.3 %
4	-	17	0.2 %
5	-	30	0.3 %

Value	Label	Unweighted Frequency	%
6	-	20	0.2 %
7	-	10	0.1 %
8	-	10	0.1 %
9	-	4	0.0 %
10	-	5	0.0 %
11	-	4	0.0 %
12	-	1	0.0 %
13	-	4	0.0 %
14	-	2	0.0 %
15	-	6	0.1 %
16	-	1	0.0 %
17	-	4	0.0 %
19	-	3	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 50
- Standard Deviation: 2.70

Location: 457-461 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTBLK: QB3b_num_bla. Total Black or African American hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Black or African American

Value	Label	Unweighted Frequency	%
0	-	1225	11.8 %
1	-	125	1.2 %
2	-	79	0.8 %
3	-	69	0.7 %
4	-	51	0.5 %
5	-	42	0.4 %
6	-	26	0.3 %
7	-	30	0.3 %
8	-	23	0.2 %
9	-	28	0.3 %
10	-	29	0.3 %
11	-	17	0.2 %
12	-	10	0.1 %
13	-	12	0.1 %
14	-	14	0.1 %
15	-	12	0.1 %
16	-	6	0.1 %
17	-	9	0.1 %
18	-	9	0.1 %
19	-	8	0.1 %
20	-	10	0.1 %
21	-	7	0.1 %
22	-	6	0.1 %
23	-	7	0.1 %
24	-	5	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	4	0.0 %
30	-	5	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	4	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
43	-	3	0.0 %

Value	Label	Unweighted Frequency	%
44	-	1	0.0 %
46	-	1	0.0 %
49	-	3	0.0 %
50	-	2	0.0 %
52	-	3	0.0 %
53	-	4	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 7.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 457
- Standard Deviation: 28.70

Location: 462-466 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERBLK: QB3b_per_bla. Percent Black or African American hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Black or African American

Value	Label	Unweighted Frequency	%
0	-	1220	11.8 %
1	-	11	0.1 %
2	-	11	0.1 %
3	-	13	0.1 %
4	-	15	0.1 %
5	-	26	0.3 %
6	-	21	0.2 %
7	-	16	0.2 %
8	-	25	0.2 %

Value	Label	Unweighted Frequency	%
9	-	18	0.2 %
10	-	27	0.3 %
11	-	19	0.2 %
12	-	13	0.1 %
13	-	29	0.3 %
14	-	21	0.2 %
15	-	23	0.2 %
16	-	14	0.1 %
17	-	16	0.2 %
18	-	13	0.1 %
19	-	11	0.1 %
20	-	25	0.2 %
21	-	12	0.1 %
22	-	12	0.1 %
23	-	10	0.1 %
24	-	10	0.1 %
25	-	26	0.3 %
26	-	12	0.1 %
27	-	4	0.0 %
28	-	14	0.1 %
29	-	11	0.1 %
30	-	23	0.2 %
31	-	6	0.1 %
32	-	6	0.1 %
33	-	18	0.2 %
34	-	5	0.0 %
35	-	9	0.1 %
36	-	8	0.1 %
37	-	7	0.1 %
38	-	9	0.1 %
39	-	3	0.0 %
40	-	18	0.2 %
41	-	7	0.1 %
42	-	11	0.1 %
43	-	7	0.1 %
44	-	6	0.1 %
45	-	9	0.1 %
46	-	3	0.0 %
47	-	5	0.0 %
48	-	3	0.0 %
49	-	5	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 10.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 17.84

Location: 467-471 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTHAWPAC: Q3b_num_haw. Total Native Hawaiian/Pacific Islander hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	1945	18.7 %
1	-	24	0.2 %
2	-	9	0.1 %
3	-	4	0.0 %
4	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
34	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00

- Minimum: 0
- Maximum: 53
- Standard Deviation: 1.51

Location: 472-476 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERHAWPAC: Q3b_per_haw. Percent Native Hawaiian/Pacific Islander hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	1950	18.8 %
1	-	13	0.1 %
2	-	8	0.1 %
3	-	5	0.0 %
4	-	2	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
83	-	1	0.0 %
85	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 85
- Standard Deviation: 2.72

Location: 477-481 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTWHIT: QB3b_num_whi. Total White hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race White

Value	Label	Unweighted Frequency	%
0	-	961	9.3 %
1	-	20	0.2 %
2	-	18	0.2 %
3	-	25	0.2 %
4	-	30	0.3 %
5	-	52	0.5 %
6	-	46	0.4 %
7	-	47	0.5 %
8	-	49	0.5 %
9	-	43	0.4 %
10	-	37	0.4 %
11	-	39	0.4 %
12	-	49	0.5 %
13	-	34	0.3 %
14	-	29	0.3 %
15	-	29	0.3 %
16	-	20	0.2 %
17	-	15	0.1 %
18	-	11	0.1 %
19	-	14	0.1 %
20	-	21	0.2 %
21	-	16	0.2 %
22	-	13	0.1 %
23	-	16	0.2 %
24	-	15	0.1 %
25	-	14	0.1 %
26	-	10	0.1 %
27	-	13	0.1 %
28	-	9	0.1 %
29	-	7	0.1 %
30	-	9	0.1 %
31	-	9	0.1 %
32	-	8	0.1 %
33	-	7	0.1 %
34	-	9	0.1 %
35	-	11	0.1 %

Value	Label	Unweighted Frequency	%
36	-	5	0.0 %
37	-	5	0.0 %
38	-	10	0.1 %
39	-	3	0.0 %
40	-	5	0.0 %
41	-	2	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	7	0.1 %
47	-	5	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 17.85
- Median: 2.00
- Mode: 0.00
- Minimum: 0
- Maximum: 775
- Standard Deviation: 50.04

Location: 482-486 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERWHIT: QB3b_per_who. Percent White hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race White

Value	Label	Unweighted Frequency	%
0	-	962	9.3 %
5	-	2	0.0 %
6	-	6	0.1 %

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	3	0.0 %
19	-	2	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	13	0.1 %
26	-	3	0.0 %
27	-	2	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	3	0.0 %
31	-	3	0.0 %
32	-	1	0.0 %
33	-	10	0.1 %
34	-	5	0.0 %
35	-	3	0.0 %
36	-	6	0.1 %
37	-	6	0.1 %
38	-	5	0.0 %
39	-	6	0.1 %
40	-	11	0.1 %
41	-	4	0.0 %
42	-	13	0.1 %
43	-	8	0.1 %
44	-	3	0.0 %
45	-	10	0.1 %
46	-	11	0.1 %
47	-	6	0.1 %
48	-	4	0.0 %
49	-	7	0.1 %

Value	Label	Unweighted Frequency	%
50	-	30	0.3 %
51	-	3	0.0 %
52	-	8	0.1 %
53	-	9	0.1 %
54	-	7	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 37.33
- Median: 20.50
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 39.93

Location: 487-491 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTMR: QB3b_num_mix. Two or more races - Total hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Two or more races

Value	Label	Unweighted Frequency	%
0	-	1797	17.3 %
1	-	65	0.6 %
2	-	34	0.3 %
3	-	16	0.2 %
4	-	18	0.2 %
5	-	12	0.1 %
6	-	5	0.0 %
7	-	4	0.0 %
8	-	5	0.0 %
9	-	3	0.0 %
10	-	5	0.0 %
11	-	4	0.0 %

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
13	-	4	0.0 %
14	-	1	0.0 %
16	-	2	0.0 %
19	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
30	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.0 %
43	-	1	0.0 %
210	-	1	0.0 %
218	-	1	0.0 %
757	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 757
- Standard Deviation: 18.45

Location: 492-496 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERMR: QB3b_per_mix. Two or more races - Percent hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Two or more races

Value	Label	Unweighted Frequency	%
0	-	1798	17.3 %
1	-	22	0.2 %
2	-	19	0.2 %
3	-	12	0.1 %

Value	Label	Unweighted Frequency	%
4	-	10	0.1 %
5	-	19	0.2 %
6	-	7	0.1 %
7	-	10	0.1 %
8	-	6	0.1 %
9	-	8	0.1 %
10	-	11	0.1 %
11	-	7	0.1 %
12	-	1	0.0 %
13	-	5	0.0 %
14	-	2	0.0 %
16	-	2	0.0 %
17	-	7	0.1 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	6	0.1 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
25	-	8	0.1 %
29	-	3	0.0 %
33	-	1	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
75	-	1	0.0 %
81	-	2	0.0 %
87	-	1	0.0 %
91	-	1	0.0 %
92	-	1	0.0 %
95	-	1	0.0 %
100	-	6	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 1.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 8.26

Location: 497-501 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACETOTUNK: QB3b_num_raceunk. Race unknown or not collected - Total hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Unknown

Value	Label	Unweighted Frequency	%
0	-	743	7.2 %
1	-	77	0.7 %
2	-	39	0.4 %
3	-	49	0.5 %
4	-	33	0.3 %
5	-	28	0.3 %
6	-	25	0.2 %
7	-	27	0.3 %
8	-	32	0.3 %
9	-	33	0.3 %
10	-	46	0.4 %
11	-	23	0.2 %
12	-	30	0.3 %
13	-	23	0.2 %
14	-	33	0.3 %
15	-	38	0.4 %
16	-	27	0.3 %
17	-	31	0.3 %
18	-	21	0.2 %
19	-	17	0.2 %
20	-	37	0.4 %
21	-	15	0.1 %
22	-	13	0.1 %
23	-	13	0.1 %
24	-	28	0.3 %
25	-	15	0.1 %
26	-	15	0.1 %
27	-	15	0.1 %
28	-	20	0.2 %
29	-	9	0.1 %
30	-	15	0.1 %

Value	Label	Unweighted Frequency	%
31	-	12	0.1 %
32	-	12	0.1 %
33	-	8	0.1 %
34	-	11	0.1 %
35	-	9	0.1 %
36	-	8	0.1 %
37	-	14	0.1 %
38	-	3	0.0 %
39	-	8	0.1 %
40	-	7	0.1 %
41	-	10	0.1 %
42	-	12	0.1 %
43	-	4	0.0 %
44	-	6	0.1 %
45	-	9	0.1 %
46	-	5	0.0 %
47	-	4	0.0 %
48	-	9	0.1 %
49	-	10	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 22.41
- Median: 6.50
- Mode: 0.00
- Minimum: 0
- Maximum: 923
- Standard Deviation: 49.67

Location: 502-506 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPRACEPERUNK: QB3_per_raceunk. Race unknown or not collected - Percent hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Unknown

Value	Label	Unweighted Frequency	%
0	-	750	7.2 %
1	-	31	0.3 %
2	-	16	0.2 %
3	-	24	0.2 %
4	-	12	0.1 %
5	-	22	0.2 %
6	-	15	0.1 %
7	-	12	0.1 %
8	-	13	0.1 %
9	-	8	0.1 %
10	-	9	0.1 %
11	-	11	0.1 %
12	-	5	0.0 %
13	-	6	0.1 %
14	-	6	0.1 %
15	-	5	0.0 %
16	-	8	0.1 %
17	-	4	0.0 %
18	-	5	0.0 %
19	-	3	0.0 %
20	-	10	0.1 %
21	-	5	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	3	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
33	-	6	0.1 %
34	-	3	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %

Value	Label	Unweighted Frequency	%
53	-	2	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	2	0.0 %
62	-	1	0.0 %
67	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 49.66
- Median: 27.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 48.47

Location: 507-511 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPLEGALTOTVOL: QB3b_num_vol. Voluntary legal status - Total hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Voluntary

Value	Label	Unweighted Frequency	%
0	-	244	2.4 %
1	-	50	0.5 %
2	-	47	0.5 %
3	-	54	0.5 %
4	-	69	0.7 %
5	-	86	0.8 %
6	-	78	0.8 %
7	-	87	0.8 %
8	-	67	0.6 %

Value	Label	Unweighted Frequency	%
9	-	79	0.8 %
10	-	76	0.7 %
11	-	53	0.5 %
12	-	53	0.5 %
13	-	52	0.5 %
14	-	58	0.6 %
15	-	46	0.4 %
16	-	55	0.5 %
17	-	41	0.4 %
18	-	27	0.3 %
19	-	45	0.4 %
20	-	37	0.4 %
21	-	21	0.2 %
22	-	15	0.1 %
23	-	19	0.2 %
24	-	28	0.3 %
25	-	20	0.2 %
26	-	25	0.2 %
27	-	21	0.2 %
28	-	21	0.2 %
29	-	16	0.2 %
30	-	25	0.2 %
31	-	12	0.1 %
32	-	14	0.1 %
33	-	19	0.2 %
34	-	4	0.0 %
35	-	14	0.1 %
36	-	9	0.1 %
37	-	8	0.1 %
38	-	5	0.0 %
39	-	10	0.1 %
40	-	14	0.1 %
41	-	7	0.1 %
42	-	9	0.1 %
43	-	11	0.1 %
44	-	9	0.1 %
45	-	9	0.1 %
46	-	4	0.0 %
47	-	3	0.0 %
48	-	6	0.1 %
49	-	7	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 20.69
- Median: 12.00
- Mode: 0.00
- Minimum: 0
- Maximum: 522
- Standard Deviation: 32.01

Location: 512-516 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPLEGALPERVOL: QB3b_per_vol. Voluntary legal status - Percent hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Voluntary

Value	Label	Unweighted Frequency	%
0	-	240	2.3 %
1	-	14	0.1 %
2	-	11	0.1 %
3	-	9	0.1 %
4	-	11	0.1 %
5	-	23	0.2 %
6	-	7	0.1 %
7	-	8	0.1 %
8	-	10	0.1 %
9	-	7	0.1 %
10	-	16	0.2 %
11	-	8	0.1 %
12	-	7	0.1 %
13	-	2	0.0 %
14	-	8	0.1 %
15	-	9	0.1 %
16	-	9	0.1 %
17	-	13	0.1 %

Value	Label	Unweighted Frequency	%
18	-	7	0.1 %
19	-	3	0.0 %
20	-	19	0.2 %
21	-	9	0.1 %
22	-	7	0.1 %
23	-	3	0.0 %
24	-	9	0.1 %
25	-	24	0.2 %
26	-	4	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	10	0.1 %
30	-	16	0.2 %
31	-	7	0.1 %
32	-	9	0.1 %
33	-	21	0.2 %
34	-	4	0.0 %
35	-	12	0.1 %
36	-	6	0.1 %
37	-	7	0.1 %
38	-	10	0.1 %
39	-	3	0.0 %
40	-	30	0.3 %
41	-	4	0.0 %
42	-	8	0.1 %
43	-	15	0.1 %
44	-	17	0.2 %
45	-	10	0.1 %
46	-	7	0.1 %
47	-	15	0.1 %
48	-	8	0.1 %
49	-	6	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 59.63
- Median: 67.00
- Mode: 100.00

- Minimum: 0
- Maximum: 100
- Standard Deviation: 36.84

Location: 517-521 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPLEGALTOTNONFOREN: QB3b_num_inn. Involuntary (non-forensic) legal status - Total hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Involuntary, non-forensic

Value	Label	Unweighted Frequency	%
0	-	639	6.2 %
1	-	113	1.1 %
2	-	112	1.1 %
3	-	75	0.7 %
4	-	73	0.7 %
5	-	57	0.5 %
6	-	76	0.7 %
7	-	43	0.4 %
8	-	43	0.4 %
9	-	41	0.4 %
10	-	45	0.4 %
11	-	30	0.3 %
12	-	33	0.3 %
13	-	29	0.3 %
14	-	36	0.3 %
15	-	23	0.2 %
16	-	27	0.3 %
17	-	12	0.1 %
18	-	20	0.2 %
19	-	22	0.2 %
20	-	26	0.3 %
21	-	13	0.1 %
22	-	12	0.1 %
23	-	22	0.2 %
24	-	13	0.1 %
25	-	10	0.1 %
26	-	12	0.1 %

Value	Label	Unweighted Frequency	%
27	-	5	0.0 %
28	-	7	0.1 %
29	-	10	0.1 %
30	-	13	0.1 %
31	-	11	0.1 %
32	-	4	0.0 %
33	-	10	0.1 %
34	-	11	0.1 %
35	-	10	0.1 %
36	-	11	0.1 %
37	-	8	0.1 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	7	0.1 %
41	-	6	0.1 %
42	-	6	0.1 %
44	-	5	0.0 %
45	-	5	0.0 %
46	-	3	0.0 %
47	-	6	0.1 %
48	-	5	0.0 %
49	-	3	0.0 %
50	-	4	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 19.00
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 923
- Standard Deviation: 49.95

Location: 522-526 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -6 , -1

IPLEGALPERNONFOREN: QB3b_per_inn. Involuntary (non-forensic) legal status - Percent hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Involuntary, non-forensic

Value	Label	Unweighted Frequency	%
0	-	635	6.1 %
1	-	9	0.1 %
2	-	15	0.1 %
3	-	7	0.1 %
4	-	9	0.1 %
5	-	30	0.3 %
6	-	21	0.2 %
7	-	13	0.1 %
8	-	19	0.2 %
9	-	10	0.1 %
10	-	39	0.4 %
11	-	24	0.2 %
12	-	11	0.1 %
13	-	22	0.2 %
14	-	16	0.2 %
15	-	25	0.2 %
16	-	5	0.0 %
17	-	23	0.2 %
18	-	14	0.1 %
19	-	14	0.1 %
20	-	36	0.3 %
21	-	6	0.1 %
22	-	15	0.1 %
23	-	9	0.1 %
24	-	12	0.1 %
25	-	37	0.4 %
26	-	6	0.1 %
27	-	8	0.1 %
28	-	5	0.0 %
29	-	21	0.2 %
30	-	26	0.3 %
31	-	6	0.1 %
32	-	6	0.1 %
33	-	28	0.3 %
34	-	7	0.1 %
35	-	6	0.1 %

Value	Label	Unweighted Frequency	%
36	-	10	0.1 %
37	-	4	0.0 %
38	-	19	0.2 %
39	-	9	0.1 %
40	-	41	0.4 %
41	-	9	0.1 %
42	-	11	0.1 %
43	-	14	0.1 %
44	-	14	0.1 %
45	-	8	0.1 %
46	-	9	0.1 %
47	-	14	0.1 %
48	-	12	0.1 %
49	-	9	0.1 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 31.67
- Median: 20.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 32.98

Location: 527-531 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPLEGALTOTFOREN: QB3b_num_inf. Involuntary (forensic) legal status - Total hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Involuntary, forensic

Value	Label	Unweighted Frequency	%
0	-	1659	16.0 %
1	-	25	0.2 %
2	-	15	0.1 %

Value	Label	Unweighted Frequency	%
3	-	12	0.1 %
4	-	10	0.1 %
5	-	12	0.1 %
6	-	9	0.1 %
7	-	7	0.1 %
8	-	8	0.1 %
9	-	4	0.0 %
10	-	8	0.1 %
11	-	7	0.1 %
12	-	4	0.0 %
13	-	5	0.0 %
14	-	3	0.0 %
15	-	7	0.1 %
16	-	3	0.0 %
17	-	5	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	6	0.1 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	3	0.0 %
25	-	3	0.0 %
26	-	5	0.0 %
27	-	2	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	6	0.1 %
34	-	5	0.0 %
35	-	3	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	3	0.0 %
39	-	4	0.0 %
40	-	4	0.0 %
41	-	3	0.0 %
42	-	6	0.1 %
43	-	1	0.0 %
45	-	2	0.0 %

Value	Label	Unweighted Frequency	%
46	-	1	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 10.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1506
- Standard Deviation: 57.91

Location: 532-536 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPLEGALPERFOREN: QB3b_per_inf. Involuntary (forensic) legal status - Percent hospital inpatients

B3b. For each category below, please provide a breakdown of the Hospital Inpatients reported in the B3a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Involuntary, forensic

Value	Label	Unweighted Frequency	%
0	-	1654	15.9 %
1	-	5	0.0 %
2	-	7	0.1 %
3	-	7	0.1 %
4	-	7	0.1 %
5	-	9	0.1 %
6	-	4	0.0 %
7	-	1	0.0 %
8	-	9	0.1 %
9	-	5	0.0 %
10	-	10	0.1 %
11	-	6	0.1 %

Value	Label	Unweighted Frequency	%
12	-	2	0.0 %
13	-	7	0.1 %
14	-	4	0.0 %
15	-	6	0.1 %
16	-	3	0.0 %
17	-	5	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %
20	-	6	0.1 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
24	-	3	0.0 %
25	-	3	0.0 %
26	-	6	0.1 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	4	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	8	0.1 %
51	-	1	0.0 %
52	-	2	0.0 %
53	-	3	0.0 %
54	-	1	0.0 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 8.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 24.68

Location: 537-541 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

IPBEDS: QB3c Number of hospital inpatient beds specifically designated for mental health

B3c. On April 30, 2010, how many hospital inpatient beds at this facility were specifically designated for providing mental health treatment services?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	6	0.1 %
3	-	7	0.1 %
4	-	4	0.0 %
5	-	3	0.0 %
6	-	11	0.1 %
7	-	7	0.1 %
8	-	23	0.2 %
9	-	11	0.1 %
10	-	94	0.9 %
11	-	15	0.1 %
12	-	76	0.7 %
13	-	17	0.2 %
14	-	56	0.5 %
15	-	44	0.4 %
16	-	92	0.9 %
17	-	15	0.1 %
18	-	57	0.5 %
19	-	26	0.3 %
20	-	105	1.0 %
21	-	19	0.2 %
22	-	43	0.4 %
23	-	21	0.2 %
24	-	57	0.5 %
25	-	26	0.3 %
26	-	37	0.4 %

Value	Label	Unweighted Frequency	%
27	-	14	0.1 %
28	-	41	0.4 %
29	-	14	0.1 %
30	-	51	0.5 %
31	-	15	0.1 %
32	-	30	0.3 %
33	-	15	0.1 %
34	-	22	0.2 %
35	-	14	0.1 %
36	-	26	0.3 %
37	-	11	0.1 %
38	-	20	0.2 %
39	-	13	0.1 %
40	-	43	0.4 %
41	-	12	0.1 %
42	-	27	0.3 %
43	-	11	0.1 %
44	-	16	0.2 %
45	-	16	0.2 %
46	-	22	0.2 %
47	-	13	0.1 %
48	-	20	0.2 %
49	-	14	0.1 %
50	-	18	0.2 %
	Missing Data		
-9	MISSING	8386	80.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,988 valid cases out of 10,374 total cases.

- Mean: 57.13
- Median: 31.00
- Mode: 20.00
- Minimum: 1
- Maximum: 1506
- Standard Deviation: 89.25

Location: 542-546 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCSErv: QB4 Clients received services in 24-hour residential care setting

B4. On April 30, 2010, did any clients receive 24-hour residential mental health treatment services at 24-hour this facility, at this location?

Value	Label	Unweighted Frequency	%
0	No	8048	77.6 %
1	Yes	2326	22.4 %
	Missing Data		
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 547-549 (width: 3; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

RCTOTAL: QB4a Number of clients that received 24-hour residential care services

B4a. On April 30, 2010, how many clients received 24-hour residential mental health treatment services at this facility?

Value	Label	Unweighted Frequency	%
1	-	84	0.8 %
2	-	52	0.5 %
3	-	44	0.4 %
4	-	59	0.6 %
5	-	77	0.7 %
6	-	115	1.1 %
7	-	78	0.8 %
8	-	157	1.5 %
9	-	80	0.8 %
10	-	121	1.2 %
11	-	71	0.7 %
12	-	83	0.8 %
13	-	43	0.4 %
14	-	60	0.6 %
15	-	72	0.7 %
16	-	81	0.8 %
17	-	30	0.3 %
18	-	47	0.5 %
19	-	34	0.3 %
20	-	70	0.7 %
21	-	27	0.3 %
22	-	35	0.3 %
23	-	30	0.3 %

Value	Label	Unweighted Frequency	%
24	-	37	0.4 %
25	-	34	0.3 %
26	-	32	0.3 %
27	-	28	0.3 %
28	-	24	0.2 %
29	-	13	0.1 %
30	-	38	0.4 %
31	-	9	0.1 %
32	-	14	0.1 %
33	-	16	0.2 %
34	-	17	0.2 %
35	-	15	0.1 %
36	-	12	0.1 %
37	-	14	0.1 %
38	-	20	0.2 %
39	-	5	0.0 %
40	-	16	0.2 %
41	-	7	0.1 %
42	-	14	0.1 %
43	-	13	0.1 %
44	-	7	0.1 %
45	-	12	0.1 %
46	-	8	0.1 %
47	-	10	0.1 %
48	-	11	0.1 %
49	-	5	0.0 %
50	-	20	0.2 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 26.12
- Median: 15.00
- Mode: 8.00
- Minimum: 1
- Maximum: 427
- Standard Deviation: 34.13

Location: 550-554 (width: 5; decimal: 0)

Variable Type: numeric

RCSEXTOTM: QB4b_num_mal. Male residential care clients - Total

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Male

Value	Label	Unweighted Frequency	%
0	-	170	1.6 %
1	-	108	1.0 %
2	-	107	1.0 %
3	-	96	0.9 %
4	-	126	1.2 %
5	-	150	1.4 %
6	-	148	1.4 %
7	-	93	0.9 %
8	-	137	1.3 %
9	-	76	0.7 %
10	-	79	0.8 %
11	-	42	0.4 %
12	-	75	0.7 %
13	-	37	0.4 %
14	-	52	0.5 %
15	-	41	0.4 %
16	-	29	0.3 %
17	-	38	0.4 %
18	-	39	0.4 %
19	-	22	0.2 %
20	-	55	0.5 %
21	-	19	0.2 %
22	-	29	0.3 %
23	-	30	0.3 %
24	-	27	0.3 %
25	-	27	0.3 %
26	-	27	0.3 %
27	-	26	0.3 %
28	-	17	0.2 %
29	-	13	0.1 %
30	-	22	0.2 %
31	-	11	0.1 %
32	-	13	0.1 %

Value	Label	Unweighted Frequency	%
33	-	15	0.1 %
34	-	14	0.1 %
35	-	12	0.1 %
36	-	11	0.1 %
37	-	5	0.0 %
38	-	17	0.2 %
39	-	11	0.1 %
40	-	14	0.1 %
41	-	7	0.1 %
42	-	12	0.1 %
43	-	6	0.1 %
44	-	5	0.0 %
45	-	15	0.1 %
46	-	4	0.0 %
47	-	3	0.0 %
48	-	9	0.1 %
49	-	5	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 17.90
- Median: 9.00
- Mode: 0.00
- Minimum: 0
- Maximum: 422
- Standard Deviation: 27.88

Location: 555-559 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCSEXPPerm: QB4b_per_mal. Male residential care clients - Percent

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Male

Value	Label	Unweighted Frequency	%
0	-	169	1.6 %
3	-	1	0.0 %
4	-	1	0.0 %
7	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
20	-	5	0.0 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
25	-	14	0.1 %
27	-	5	0.0 %
28	-	3	0.0 %
29	-	3	0.0 %
30	-	10	0.1 %
31	-	4	0.0 %
32	-	2	0.0 %
33	-	43	0.4 %
34	-	1	0.0 %
35	-	6	0.1 %
36	-	5	0.0 %
37	-	14	0.1 %
38	-	6	0.1 %
39	-	2	0.0 %
40	-	50	0.5 %
41	-	11	0.1 %
42	-	13	0.1 %
43	-	32	0.3 %
44	-	22	0.2 %
45	-	28	0.3 %
46	-	11	0.1 %
47	-	22	0.2 %
48	-	11	0.1 %
49	-	9	0.1 %
50	-	225	2.2 %
51	-	9	0.1 %
52	-	19	0.2 %
53	-	19	0.2 %
54	-	14	0.1 %

Value	Label	Unweighted Frequency	%
55	-	31	0.3 %
56	-	44	0.4 %
57	-	46	0.4 %
58	-	33	0.3 %
59	-	18	0.2 %
60	-	113	1.1 %
61	-	19	0.2 %
62	-	68	0.7 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 64.41
- Median: 62.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 28.30

Location: 560-564 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCSEXTOTF: QB4b_num_fem. Female residential care clients - Total

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Female

Value	Label	Unweighted Frequency	%
0	-	586	5.6 %
1	-	114	1.1 %
2	-	173	1.7 %
3	-	160	1.5 %
4	-	202	1.9 %
5	-	126	1.2 %
6	-	116	1.1 %
7	-	79	0.8 %
8	-	112	1.1 %

Value	Label	Unweighted Frequency	%
9	-	57	0.5 %
10	-	65	0.6 %
11	-	49	0.5 %
12	-	32	0.3 %
13	-	29	0.3 %
14	-	29	0.3 %
15	-	34	0.3 %
16	-	28	0.3 %
17	-	24	0.2 %
18	-	18	0.2 %
19	-	15	0.1 %
20	-	31	0.3 %
21	-	14	0.1 %
22	-	15	0.1 %
23	-	10	0.1 %
24	-	17	0.2 %
25	-	10	0.1 %
26	-	14	0.1 %
27	-	7	0.1 %
28	-	13	0.1 %
29	-	8	0.1 %
30	-	11	0.1 %
31	-	7	0.1 %
32	-	8	0.1 %
33	-	5	0.0 %
34	-	5	0.0 %
35	-	6	0.1 %
36	-	7	0.1 %
37	-	2	0.0 %
38	-	8	0.1 %
39	-	5	0.0 %
40	-	5	0.0 %
41	-	7	0.1 %
42	-	1	0.0 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	5	0.0 %
46	-	4	0.0 %
47	-	5	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 8.23
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 159
- Standard Deviation: 12.62

Location: 565-569 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCSEXPFRF: QB4b_per_fem. Female residential care clients - Percent

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Female

Value	Label	Unweighted Frequency	%
0	-	573	5.5 %
1	-	1	0.0 %
2	-	5	0.0 %
3	-	4	0.0 %
4	-	4	0.0 %
5	-	9	0.1 %
6	-	2	0.0 %
7	-	5	0.0 %
8	-	2	0.0 %
9	-	6	0.1 %
10	-	12	0.1 %
11	-	7	0.1 %
12	-	4	0.0 %
13	-	7	0.1 %
14	-	9	0.1 %
15	-	7	0.1 %
16	-	1	0.0 %
17	-	16	0.2 %

Value	Label	Unweighted Frequency	%
18	-	12	0.1 %
19	-	4	0.0 %
20	-	33	0.3 %
21	-	11	0.1 %
22	-	19	0.2 %
23	-	10	0.1 %
24	-	9	0.1 %
25	-	53	0.5 %
26	-	5	0.0 %
27	-	17	0.2 %
28	-	8	0.1 %
29	-	35	0.3 %
30	-	41	0.4 %
31	-	23	0.2 %
32	-	17	0.2 %
33	-	101	1.0 %
34	-	10	0.1 %
35	-	19	0.2 %
36	-	32	0.3 %
37	-	17	0.2 %
38	-	68	0.7 %
39	-	19	0.2 %
40	-	113	1.1 %
41	-	18	0.2 %
42	-	33	0.3 %
43	-	46	0.4 %
44	-	44	0.4 %
45	-	31	0.3 %
46	-	14	0.1 %
47	-	19	0.2 %
48	-	19	0.2 %
49	-	9	0.1 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 35.59
- Median: 38.00
- Mode: 0.00

- Minimum: 0
- Maximum: 100
- Standard Deviation: 28.30

Location: 570-574 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCAGETOT017: QB4b_num_age1. Ages 0-17 residential care clients - Total

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 0-17

Value	Label	Unweighted Frequency	%
0	-	1255	12.1 %
1	-	25	0.2 %
2	-	25	0.2 %
3	-	19	0.2 %
4	-	18	0.2 %
5	-	27	0.3 %
6	-	56	0.5 %
7	-	19	0.2 %
8	-	55	0.5 %
9	-	33	0.3 %
10	-	47	0.5 %
11	-	29	0.3 %
12	-	34	0.3 %
13	-	20	0.2 %
14	-	27	0.3 %
15	-	22	0.2 %
16	-	31	0.3 %
17	-	9	0.1 %
18	-	32	0.3 %
19	-	20	0.2 %
20	-	32	0.3 %
21	-	7	0.1 %
22	-	12	0.1 %
23	-	8	0.1 %
24	-	13	0.1 %
25	-	18	0.2 %
26	-	9	0.1 %
27	-	15	0.1 %

Value	Label	Unweighted Frequency	%
28	-	16	0.2 %
29	-	6	0.1 %
30	-	17	0.2 %
31	-	6	0.1 %
32	-	11	0.1 %
33	-	7	0.1 %
34	-	11	0.1 %
35	-	11	0.1 %
36	-	9	0.1 %
37	-	8	0.1 %
38	-	10	0.1 %
39	-	9	0.1 %
40	-	15	0.1 %
41	-	4	0.0 %
42	-	12	0.1 %
43	-	4	0.0 %
44	-	7	0.1 %
45	-	11	0.1 %
46	-	12	0.1 %
47	-	5	0.0 %
48	-	2	0.0 %
49	-	3	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 13.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 360
- Standard Deviation: 25.79

Location: 575-579 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCAGEPER017: QB4b_per_age1. Ages 0-17 residential care clients - Percent

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use

either numbers OR percents, whichever is more convenient.

Percent Age 0-17

Value	Label	Unweighted Frequency	%
0	-	1251	12.1 %
1	-	1	0.0 %
3	-	1	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
11	-	3	0.0 %
12	-	1	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
16	-	2	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
25	-	8	0.1 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
49	-	2	0.0 %
50	-	9	0.1 %
51	-	2	0.0 %

Value	Label	Unweighted Frequency	%
52	-	2	0.0 %
53	-	3	0.0 %
54	-	5	0.0 %
55	-	4	0.0 %
56	-	5	0.0 %
57	-	5	0.0 %
58	-	4	0.0 %
59	-	1	0.0 %
60	-	7	0.1 %
62	-	2	0.0 %
63	-	3	0.0 %
64	-	2	0.0 %
Missing Data			
-9	MISSING	8048	77.6 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 41.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 46.95

Location: 580-584 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCAGETOT1864: QB4b_num_age2. Ages 18-64 residential care clients - Total

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 18-64

Value	Label	Unweighted Frequency	%
0	-	736	7.1 %
1	-	143	1.4 %
2	-	79	0.8 %
3	-	73	0.7 %
4	-	79	0.8 %

Value	Label	Unweighted Frequency	%
5	-	82	0.8 %
6	-	95	0.9 %
7	-	94	0.9 %
8	-	113	1.1 %
9	-	63	0.6 %
10	-	79	0.8 %
11	-	47	0.5 %
12	-	57	0.5 %
13	-	46	0.4 %
14	-	54	0.5 %
15	-	55	0.5 %
16	-	57	0.5 %
17	-	29	0.3 %
18	-	25	0.2 %
19	-	30	0.3 %
20	-	30	0.3 %
21	-	18	0.2 %
22	-	13	0.1 %
23	-	12	0.1 %
24	-	14	0.1 %
25	-	11	0.1 %
26	-	9	0.1 %
27	-	9	0.1 %
28	-	10	0.1 %
29	-	5	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	6	0.1 %
33	-	6	0.1 %
34	-	5	0.0 %
35	-	9	0.1 %
36	-	2	0.0 %
37	-	9	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	5	0.0 %
41	-	3	0.0 %
42	-	3	0.0 %
43	-	2	0.0 %
45	-	8	0.1 %
46	-	2	0.0 %
47	-	4	0.0 %

Value	Label	Unweighted Frequency	%
48	-	2	0.0 %
49	-	2	0.0 %
50	-	5	0.0 %
Missing Data			
-9	MISSING	8048	77.6 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 10.96
- Median: 5.00
- Mode: 0.00
- Minimum: 0
- Maximum: 402
- Standard Deviation: 25.07

Location: 585-589 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -6 , -1

RCAGEPER1864: QB4b_per_age2. Ages 18-64 residential care clients - Percent

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 18-64

Value	Label	Unweighted Frequency	%
0	-	730	7.0 %
1	-	4	0.0 %
2	-	14	0.1 %
3	-	11	0.1 %
4	-	5	0.0 %
5	-	24	0.2 %
6	-	13	0.1 %
7	-	16	0.2 %
8	-	17	0.2 %
9	-	7	0.1 %
10	-	19	0.2 %
11	-	11	0.1 %
12	-	13	0.1 %
13	-	9	0.1 %

Value	Label	Unweighted Frequency	%
14	-	10	0.1 %
15	-	6	0.1 %
16	-	2	0.0 %
17	-	6	0.1 %
18	-	4	0.0 %
19	-	3	0.0 %
20	-	5	0.0 %
21	-	4	0.0 %
23	-	4	0.0 %
24	-	7	0.1 %
25	-	17	0.2 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	6	0.1 %
29	-	5	0.0 %
30	-	9	0.1 %
31	-	3	0.0 %
32	-	4	0.0 %
33	-	16	0.2 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	7	0.1 %
39	-	2	0.0 %
40	-	9	0.1 %
41	-	1	0.0 %
42	-	4	0.0 %
43	-	7	0.1 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	6	0.1 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	2	0.0 %
50	-	17	0.2 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 52.52
- Median: 67.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 44.61

Location: 590-594 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCAGETOT65: QB4b_num_age3. Ages 65 plus residential care clients - Total

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 65 and older

Value	Label	Unweighted Frequency	%
0	-	1791	17.3 %
1	-	180	1.7 %
2	-	99	1.0 %
3	-	48	0.5 %
4	-	34	0.3 %
5	-	35	0.3 %
6	-	22	0.2 %
7	-	15	0.1 %
8	-	9	0.1 %
9	-	13	0.1 %
10	-	7	0.1 %
11	-	6	0.1 %
12	-	4	0.0 %
13	-	6	0.1 %
14	-	4	0.0 %
15	-	3	0.0 %
16	-	3	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	5	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %

Value	Label	Unweighted Frequency	%
25	-	5	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
66	-	1	0.0 %
72	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
186	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 1.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 186
- Standard Deviation: 6.69

Location: 595-599 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCAGEPER65: QB4b_per_age3. Ages 65 plus residential care clients - Percent

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 65 and older

Value	Label	Unweighted Frequency	%
0	-	1774	17.1 %
1	-	4	0.0 %
2	-	8	0.1 %
3	-	32	0.3 %
4	-	19	0.2 %
5	-	31	0.3 %
6	-	23	0.2 %
7	-	18	0.2 %
8	-	19	0.2 %
9	-	17	0.2 %
10	-	22	0.2 %
11	-	19	0.2 %
12	-	4	0.0 %
13	-	31	0.3 %
14	-	18	0.2 %
15	-	7	0.1 %
16	-	6	0.1 %
17	-	23	0.2 %
18	-	5	0.0 %
19	-	5	0.0 %
20	-	25	0.2 %
21	-	3	0.0 %
22	-	13	0.1 %
23	-	6	0.1 %
24	-	2	0.0 %
25	-	16	0.2 %
26	-	2	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	8	0.1 %
30	-	11	0.1 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	18	0.2 %
34	-	1	0.0 %
35	-	7	0.1 %
36	-	5	0.0 %
37	-	5	0.0 %
38	-	4	0.0 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	7	0.1 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	8	0.1 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 5.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 15.99

Location: 600-604 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCETHTOTHISP: QB4b_num_his. Total Hispanic or Latino residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	1418	13.7 %
1	-	335	3.2 %
2	-	159	1.5 %
3	-	94	0.9 %
4	-	82	0.8 %
5	-	38	0.4 %
6	-	34	0.3 %

Value	Label	Unweighted Frequency	%
7	-	28	0.3 %
8	-	17	0.2 %
9	-	15	0.1 %
10	-	11	0.1 %
11	-	10	0.1 %
12	-	5	0.0 %
13	-	5	0.0 %
14	-	4	0.0 %
15	-	7	0.1 %
16	-	5	0.0 %
17	-	9	0.1 %
18	-	5	0.0 %
19	-	1	0.0 %
20	-	6	0.1 %
21	-	3	0.0 %
23	-	5	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 1.88
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 60
- Standard Deviation: 5.14

Location: 605-609 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCETHPERHISP: QB4b_per_his. Percent Hispanic or Latino residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	1409	13.6 %
1	-	21	0.2 %
2	-	33	0.3 %
3	-	41	0.4 %
4	-	35	0.3 %
5	-	46	0.4 %
6	-	45	0.4 %
7	-	48	0.5 %
8	-	52	0.5 %
9	-	29	0.3 %
10	-	59	0.6 %
11	-	35	0.3 %
12	-	20	0.2 %
13	-	61	0.6 %
14	-	25	0.2 %
15	-	18	0.2 %
16	-	4	0.0 %
17	-	32	0.3 %
18	-	10	0.1 %
19	-	7	0.1 %
20	-	41	0.4 %
21	-	14	0.1 %
22	-	9	0.1 %
23	-	4	0.0 %
24	-	6	0.1 %
25	-	25	0.2 %
26	-	3	0.0 %

Value	Label	Unweighted Frequency	%
27	-	15	0.1 %
28	-	3	0.0 %
29	-	11	0.1 %
30	-	17	0.2 %
31	-	3	0.0 %
32	-	1	0.0 %
33	-	25	0.2 %
34	-	5	0.0 %
35	-	4	0.0 %
36	-	6	0.1 %
37	-	3	0.0 %
38	-	6	0.1 %
39	-	2	0.0 %
40	-	12	0.1 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
50	-	26	0.3 %
55	-	3	0.0 %
56	-	4	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 6.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 13.70

Location: 610-614 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -6 , -1

RCETHTOTNONHISP: QB4b_num_nhis. Total non-Hispanic or Latino residential care clients

B4b. For each category below, please provide a breakdown of the

Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Not Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	675	6.5 %
1	-	67	0.6 %
2	-	41	0.4 %
3	-	52	0.5 %
4	-	71	0.7 %
5	-	79	0.8 %
6	-	86	0.8 %
7	-	92	0.9 %
8	-	108	1.0 %
9	-	69	0.7 %
10	-	84	0.8 %
11	-	73	0.7 %
12	-	55	0.5 %
13	-	44	0.4 %
14	-	40	0.4 %
15	-	56	0.5 %
16	-	29	0.3 %
17	-	29	0.3 %
18	-	28	0.3 %
19	-	26	0.3 %
20	-	27	0.3 %
21	-	13	0.1 %
22	-	23	0.2 %
23	-	5	0.0 %
24	-	21	0.2 %
25	-	10	0.1 %
26	-	18	0.2 %
27	-	17	0.2 %
28	-	23	0.2 %
29	-	14	0.1 %
30	-	15	0.1 %
31	-	3	0.0 %
32	-	10	0.1 %
33	-	14	0.1 %
34	-	11	0.1 %
35	-	12	0.1 %
36	-	7	0.1 %

Value	Label	Unweighted Frequency	%
37	-	5	0.0 %
38	-	5	0.0 %
39	-	8	0.1 %
40	-	7	0.1 %
41	-	9	0.1 %
42	-	11	0.1 %
43	-	8	0.1 %
44	-	5	0.0 %
45	-	8	0.1 %
46	-	8	0.1 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	8	0.1 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 15.69
- Median: 7.50
- Mode: 0.00
- Minimum: 0
- Maximum: 406
- Standard Deviation: 27.99

Location: 615-619 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCETHPERNONHISP: QB4b_per_nhis. Percent non-Hispanic or Latino residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Not Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	675	6.5 %
2	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10	-	2	0.0 %
11	-	1	0.0 %
17	-	2	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
33	-	6	0.1 %
34	-	1	0.0 %
35	-	4	0.0 %
37	-	2	0.0 %
40	-	3	0.0 %
43	-	3	0.0 %
44	-	4	0.0 %
45	-	8	0.1 %
47	-	1	0.0 %
49	-	2	0.0 %
50	-	32	0.3 %
53	-	4	0.0 %
54	-	2	0.0 %
55	-	2	0.0 %
56	-	3	0.0 %
57	-	4	0.0 %
58	-	3	0.0 %
60	-	15	0.1 %
61	-	2	0.0 %
62	-	7	0.1 %
63	-	4	0.0 %
64	-	8	0.1 %
65	-	5	0.0 %
66	-	5	0.0 %
67	-	29	0.3 %
69	-	6	0.1 %
70	-	19	0.2 %
71	-	8	0.1 %
72	-	5	0.0 %

Value	Label	Unweighted Frequency	%
73	-	12	0.1 %
74	-	4	0.0 %
75	-	35	0.3 %
76	-	8	0.1 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 63.08
- Median: 87.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 42.72

Location: 620-624 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCETHTOTUNK: QB4_num_ethunk. Ethnicity unknown - Total residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Unknown

Value	Label	Unweighted Frequency	%
0	-	1486	14.3 %
1	-	100	1.0 %
2	-	53	0.5 %
3	-	20	0.2 %
4	-	23	0.2 %
5	-	22	0.2 %
6	-	27	0.3 %
7	-	29	0.3 %
8	-	41	0.4 %
9	-	14	0.1 %
10	-	20	0.2 %
11	-	9	0.1 %
12	-	26	0.3 %

Value	Label	Unweighted Frequency	%
13	-	11	0.1 %
14	-	13	0.1 %
15	-	22	0.2 %
16	-	17	0.2 %
17	-	9	0.1 %
18	-	24	0.2 %
19	-	11	0.1 %
20	-	28	0.3 %
21	-	8	0.1 %
22	-	21	0.2 %
23	-	15	0.1 %
24	-	13	0.1 %
25	-	20	0.2 %
26	-	22	0.2 %
27	-	15	0.1 %
28	-	4	0.0 %
29	-	5	0.0 %
30	-	14	0.1 %
31	-	5	0.0 %
32	-	4	0.0 %
33	-	7	0.1 %
34	-	4	0.0 %
35	-	4	0.0 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	6	0.1 %
41	-	2	0.0 %
42	-	7	0.1 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	5	0.0 %
49	-	2	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 8.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 320
- Standard Deviation: 21.53

Location: 625-629 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCETHPERUNK: QB4_per_ethunk. Ethnicity unknown - Percent residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Unknown

Value	Label	Unweighted Frequency	%
0	-	1483	14.3 %
1	-	9	0.1 %
2	-	14	0.1 %
3	-	12	0.1 %
4	-	9	0.1 %
5	-	6	0.1 %
6	-	7	0.1 %
7	-	5	0.0 %
8	-	4	0.0 %
9	-	7	0.1 %
10	-	10	0.1 %
11	-	6	0.1 %
12	-	8	0.1 %
13	-	2	0.0 %
14	-	4	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
20	-	9	0.1 %
21	-	1	0.0 %
22	-	3	0.0 %

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
24	-	2	0.0 %
25	-	6	0.1 %
26	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
33	-	6	0.1 %
36	-	1	0.0 %
40	-	3	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
50	-	5	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
63	-	2	0.0 %
64	-	1	0.0 %
65	-	3	0.0 %
66	-	2	0.0 %
67	-	4	0.0 %
68	-	3	0.0 %
70	-	1	0.0 %
73	-	2	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 29.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 44.64

Location: 630-634 (width: 5; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

RCRACETOTINDIAN: QB4b_num_nat. Total American Indian/Alaska Native residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	-	2085	20.1 %
1	-	122	1.2 %
2	-	38	0.4 %
3	-	22	0.2 %
4	-	14	0.1 %
5	-	3	0.0 %
6	-	9	0.1 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	3	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	5	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
15	-	4	0.0 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	2	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 29

• Standard Deviation: 1.85

Location: 635-639 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACEPERINDIAN: QB4b_per_nat. Percent American Indian/Alaska Native residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	-	2082	20.1 %
1	-	26	0.3 %
2	-	20	0.2 %
3	-	14	0.1 %
4	-	21	0.2 %
5	-	17	0.2 %
6	-	12	0.1 %
7	-	12	0.1 %
8	-	8	0.1 %
9	-	4	0.0 %
10	-	9	0.1 %
11	-	6	0.1 %
12	-	3	0.0 %
13	-	12	0.1 %
14	-	12	0.1 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	8	0.1 %
21	-	1	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	5	0.0 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
38	-	2	0.0 %
40	-	7	0.1 %
41	-	1	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
47	-	1	0.0 %
50	-	2	0.0 %
55	-	1	0.0 %
60	-	2	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
67	-	1	0.0 %
75	-	2	0.0 %
80	-	1	0.0 %
100	-	2	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 7.19

Location: 640-644 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACETOTASIAN: QB4b_num_asi. Total Asian residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Asian

Value	Label	Unweighted Frequency	%
0	-	2091	20.2 %

Value	Label	Unweighted Frequency	%
1	-	174	1.7 %
2	-	26	0.3 %
3	-	13	0.1 %
4	-	12	0.1 %
5	-	3	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	2	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 13
- Standard Deviation: 0.74

Location: 645-649 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACEPERASIAN: QB4b_per_asi. Percent Asian residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Asian

Value	Label	Unweighted Frequency	%
0	-	2090	20.1 %
1	-	25	0.2 %
2	-	30	0.3 %
3	-	21	0.2 %
4	-	22	0.2 %
5	-	23	0.2 %
6	-	16	0.2 %
7	-	15	0.1 %

Value	Label	Unweighted Frequency	%
8	-	12	0.1 %
9	-	10	0.1 %
10	-	7	0.1 %
11	-	7	0.1 %
12	-	3	0.0 %
13	-	14	0.1 %
14	-	5	0.0 %
16	-	1	0.0 %
17	-	8	0.1 %
20	-	6	0.1 %
23	-	1	0.0 %
25	-	5	0.0 %
33	-	1	0.0 %
50	-	4	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 50
- Standard Deviation: 3.45

Location: 650-654 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACETOTBLK: QB4b_num_bla. Total Black or African American residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Black or African American

Value	Label	Unweighted Frequency	%
0	-	1128	10.9 %
1	-	246	2.4 %
2	-	166	1.6 %
3	-	129	1.2 %
4	-	112	1.1 %

Value	Label	Unweighted Frequency	%
5	-	63	0.6 %
6	-	57	0.5 %
7	-	40	0.4 %
8	-	35	0.3 %
9	-	15	0.1 %
10	-	31	0.3 %
11	-	23	0.2 %
12	-	20	0.2 %
13	-	16	0.2 %
14	-	25	0.2 %
15	-	18	0.2 %
16	-	16	0.2 %
17	-	14	0.1 %
18	-	13	0.1 %
19	-	5	0.0 %
20	-	13	0.1 %
21	-	12	0.1 %
22	-	10	0.1 %
23	-	7	0.1 %
24	-	5	0.0 %
25	-	7	0.1 %
26	-	4	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	5	0.0 %
30	-	7	0.1 %
31	-	4	0.0 %
32	-	6	0.1 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	6	0.1 %
37	-	3	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	5	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	3	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
Missing Data			
-9	MISSING	8048	77.6 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 4.80
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 198
- Standard Deviation: 11.43

Location: 655-659 (width: 5; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -6 , -1

RCRACEPERBLK: QB4b_per_bla. Percent Black or African American residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Black or African American

Value	Label	Unweighted Frequency	%
0	-	1118	10.8 %
1	-	8	0.1 %
2	-	4	0.0 %
3	-	15	0.1 %
4	-	16	0.2 %
5	-	16	0.2 %
6	-	17	0.2 %
7	-	29	0.3 %
8	-	24	0.2 %
9	-	13	0.1 %
10	-	32	0.3 %
11	-	36	0.3 %
12	-	11	0.1 %
13	-	53	0.5 %

Value	Label	Unweighted Frequency	%
14	-	25	0.2 %
15	-	16	0.2 %
16	-	12	0.1 %
17	-	29	0.3 %
18	-	17	0.2 %
19	-	14	0.1 %
20	-	51	0.5 %
21	-	22	0.2 %
22	-	20	0.2 %
23	-	8	0.1 %
24	-	14	0.1 %
25	-	58	0.6 %
26	-	5	0.0 %
27	-	20	0.2 %
28	-	4	0.0 %
29	-	26	0.3 %
30	-	20	0.2 %
31	-	16	0.2 %
32	-	4	0.0 %
33	-	48	0.5 %
34	-	6	0.1 %
35	-	9	0.1 %
36	-	17	0.2 %
37	-	5	0.0 %
38	-	31	0.3 %
39	-	6	0.1 %
40	-	42	0.4 %
41	-	12	0.1 %
42	-	8	0.1 %
43	-	20	0.2 %
44	-	11	0.1 %
45	-	11	0.1 %
46	-	9	0.1 %
47	-	12	0.1 %
48	-	9	0.1 %
49	-	2	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 17.50
- Median: 5.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 23.72

Location: 660-664 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACETOTHAWPAC: QB4b_num_haw. Total Native Hawaiian/Pacific islander residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	2258	21.8 %
1	-	41	0.4 %
2	-	7	0.1 %
3	-	8	0.1 %
4	-	4	0.0 %
6	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 24
- Standard Deviation: 0.93

Location: 665-669 (width: 5; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -9 , -6 , -1

RCRACEPERHAWPAC: QB4b_per_haw. Percentage Native Hawaiian/Pacific Islander residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	2255	21.7 %
1	-	12	0.1 %
2	-	10	0.1 %
3	-	6	0.1 %
4	-	3	0.0 %
5	-	1	0.0 %
6	-	7	0.1 %
7	-	6	0.1 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	3	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
33	-	1	0.0 %
60	-	2	0.0 %
67	-	1	0.0 %
75	-	6	0.1 %
80	-	3	0.0 %
100	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100

• Standard Deviation: 5.80

Location: 670-674 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACETOTWHIT: QB4b_num_whi. Total White residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race White

Value	Label	Unweighted Frequency	%
0	-	747	7.2 %
1	-	94	0.9 %
2	-	75	0.7 %
3	-	97	0.9 %
4	-	113	1.1 %
5	-	107	1.0 %
6	-	130	1.3 %
7	-	107	1.0 %
8	-	107	1.0 %
9	-	66	0.6 %
10	-	72	0.7 %
11	-	61	0.6 %
12	-	45	0.4 %
13	-	35	0.3 %
14	-	38	0.4 %
15	-	36	0.3 %
16	-	29	0.3 %
17	-	24	0.2 %
18	-	17	0.2 %
19	-	28	0.3 %
20	-	21	0.2 %
21	-	12	0.1 %
22	-	11	0.1 %
23	-	9	0.1 %
24	-	7	0.1 %
25	-	5	0.0 %
26	-	11	0.1 %
27	-	6	0.1 %
28	-	14	0.1 %
29	-	5	0.0 %

Value	Label	Unweighted Frequency	%
30	-	16	0.2 %
31	-	8	0.1 %
32	-	9	0.1 %
33	-	5	0.0 %
34	-	10	0.1 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	7	0.1 %
39	-	3	0.0 %
40	-	7	0.1 %
41	-	12	0.1 %
42	-	4	0.0 %
43	-	6	0.1 %
44	-	3	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	3	0.0 %
49	-	3	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 9.93
- Median: 5.00
- Mode: 0.00
- Minimum: 0
- Maximum: 359
- Standard Deviation: 18.98

Location: 675-679 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACEPERWHIT: QB4b_per_whi. Percent White residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race White

Value	Label	Unweighted Frequency	%
0	-	746	7.2 %
2	-	2	0.0 %
3	-	4	0.0 %
5	-	6	0.1 %
6	-	2	0.0 %
7	-	1	0.0 %
8	-	6	0.1 %
9	-	2	0.0 %
10	-	5	0.0 %
11	-	5	0.0 %
12	-	1	0.0 %
13	-	5	0.0 %
14	-	9	0.1 %
15	-	8	0.1 %
16	-	4	0.0 %
17	-	9	0.1 %
18	-	4	0.0 %
19	-	4	0.0 %
20	-	16	0.2 %
21	-	6	0.1 %
22	-	1	0.0 %
23	-	4	0.0 %
24	-	4	0.0 %
25	-	18	0.2 %
26	-	11	0.1 %
27	-	6	0.1 %
28	-	8	0.1 %
29	-	16	0.2 %
30	-	15	0.1 %
31	-	9	0.1 %
32	-	4	0.0 %
33	-	30	0.3 %
34	-	9	0.1 %
35	-	7	0.1 %
36	-	12	0.1 %
37	-	13	0.1 %
38	-	9	0.1 %
39	-	11	0.1 %
40	-	27	0.3 %
41	-	9	0.1 %

Value	Label	Unweighted Frequency	%
42	-	7	0.1 %
43	-	14	0.1 %
44	-	11	0.1 %
45	-	19	0.2 %
46	-	13	0.1 %
47	-	11	0.1 %
48	-	8	0.1 %
49	-	12	0.1 %
50	-	93	0.9 %
51	-	5	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 44.38
- Median: 49.50
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 37.11

Location: 680-684 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACETOTMR: QB4b_num_mix. Two or more races - Total residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Two or more races

Value	Label	Unweighted Frequency	%
0	-	1827	17.6 %
1	-	193	1.9 %
2	-	104	1.0 %
3	-	57	0.5 %
4	-	34	0.3 %
5	-	25	0.2 %
6	-	24	0.2 %

Value	Label	Unweighted Frequency	%
7	-	10	0.1 %
8	-	10	0.1 %
9	-	7	0.1 %
10	-	4	0.0 %
11	-	7	0.1 %
12	-	2	0.0 %
13	-	5	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	3	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
23	-	1	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
48	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 80
- Standard Deviation: 3.10

Location: 685-689 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACEPERMR: QB4b_per_mix. Two or more races - Percent residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Two or more races

Value	Label	Unweighted Frequency	%
0	-	1825	17.6 %
1	-	11	0.1 %
2	-	17	0.2 %
3	-	26	0.3 %
4	-	25	0.2 %
5	-	34	0.3 %
6	-	35	0.3 %
7	-	32	0.3 %
8	-	36	0.3 %
9	-	27	0.3 %
10	-	33	0.3 %
11	-	25	0.2 %
12	-	6	0.1 %
13	-	36	0.3 %
14	-	13	0.1 %
15	-	13	0.1 %
16	-	1	0.0 %
17	-	17	0.2 %
18	-	7	0.1 %
19	-	8	0.1 %
20	-	22	0.2 %
21	-	6	0.1 %
22	-	8	0.1 %
24	-	2	0.0 %
25	-	10	0.1 %
26	-	2	0.0 %
27	-	4	0.0 %
29	-	3	0.0 %
30	-	4	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	7	0.1 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	5	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
50	-	4	0.0 %
55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
62	-	1	0.0 %
67	-	1	0.0 %
80	-	1	0.0 %
100	-	4	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 2.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 8.17

Location: 690-694 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACETOTUNK: QB4b_num_raceunk. Race unknown or not collected - Total residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Unknown

Value	Label	Unweighted Frequency	%
0	-	1256	12.1 %
1	-	157	1.5 %
2	-	97	0.9 %
3	-	44	0.4 %
4	-	37	0.4 %
5	-	27	0.3 %
6	-	32	0.3 %
7	-	22	0.2 %
8	-	49	0.5 %
9	-	24	0.2 %
10	-	26	0.3 %
11	-	15	0.1 %
12	-	31	0.3 %
13	-	12	0.1 %

Value	Label	Unweighted Frequency	%
14	-	16	0.2 %
15	-	19	0.2 %
16	-	19	0.2 %
17	-	13	0.1 %
18	-	23	0.2 %
19	-	13	0.1 %
20	-	27	0.3 %
21	-	8	0.1 %
22	-	20	0.2 %
23	-	20	0.2 %
24	-	14	0.1 %
25	-	19	0.2 %
26	-	21	0.2 %
27	-	15	0.1 %
28	-	5	0.0 %
29	-	7	0.1 %
30	-	15	0.1 %
31	-	4	0.0 %
32	-	9	0.1 %
33	-	9	0.1 %
34	-	4	0.0 %
35	-	4	0.0 %
36	-	6	0.1 %
37	-	7	0.1 %
38	-	5	0.0 %
39	-	1	0.0 %
40	-	7	0.1 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	5	0.0 %
44	-	3	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
47	-	4	0.0 %
48	-	6	0.1 %
49	-	2	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 9.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 400
- Standard Deviation: 23.71

Location: 695-699 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCRACEPERUNK: QB4_per_raceunk. Race unknown or not collected - Percent residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Unknown

Value	Label	Unweighted Frequency	%
0	-	1255	12.1 %
1	-	12	0.1 %
2	-	19	0.2 %
3	-	12	0.1 %
4	-	20	0.2 %
5	-	20	0.2 %
6	-	14	0.1 %
7	-	16	0.2 %
8	-	17	0.2 %
9	-	18	0.2 %
10	-	24	0.2 %
11	-	14	0.1 %
12	-	19	0.2 %
13	-	14	0.1 %
14	-	10	0.1 %
15	-	5	0.0 %
16	-	7	0.1 %
17	-	3	0.0 %
18	-	9	0.1 %
19	-	3	0.0 %
20	-	10	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %

Value	Label	Unweighted Frequency	%
23	-	4	0.0 %
24	-	2	0.0 %
25	-	11	0.1 %
26	-	4	0.0 %
27	-	3	0.0 %
29	-	7	0.1 %
30	-	7	0.1 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	14	0.1 %
34	-	3	0.0 %
36	-	1	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	7	0.1 %
41	-	2	0.0 %
42	-	3	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
49	-	1	0.0 %
50	-	15	0.1 %
53	-	2	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
61	-	1	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 32.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 44.56

Location: 700-704 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCLEGALTOTVOL: QB4b_num_vol. Voluntary legal status - Total residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Voluntary

Value	Label	Unweighted Frequency	%
0	-	539	5.2 %
1	-	81	0.8 %
2	-	80	0.8 %
3	-	64	0.6 %
4	-	73	0.7 %
5	-	95	0.9 %
6	-	115	1.1 %
7	-	80	0.8 %
8	-	112	1.1 %
9	-	68	0.7 %
10	-	95	0.9 %
11	-	63	0.6 %
12	-	70	0.7 %
13	-	32	0.3 %
14	-	55	0.5 %
15	-	54	0.5 %
16	-	58	0.6 %
17	-	24	0.2 %
18	-	31	0.3 %
19	-	28	0.3 %
20	-	39	0.4 %
21	-	18	0.2 %
22	-	23	0.2 %
23	-	10	0.1 %
24	-	19	0.2 %
25	-	16	0.2 %
26	-	12	0.1 %
27	-	16	0.2 %
28	-	14	0.1 %
29	-	10	0.1 %
30	-	19	0.2 %
31	-	6	0.1 %
32	-	8	0.1 %

Value	Label	Unweighted Frequency	%
33	-	9	0.1 %
34	-	12	0.1 %
35	-	10	0.1 %
36	-	12	0.1 %
37	-	11	0.1 %
38	-	8	0.1 %
39	-	2	0.0 %
40	-	14	0.1 %
41	-	6	0.1 %
42	-	10	0.1 %
43	-	6	0.1 %
44	-	3	0.0 %
45	-	4	0.0 %
46	-	4	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	5	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 15.57
- Median: 8.00
- Mode: 0.00
- Minimum: 0
- Maximum: 427
- Standard Deviation: 26.78

Location: 705-709 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCLEGALPERVOL: QB4b_per_vol. Voluntary legal status - Percent residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Voluntary

Value	Label	Unweighted Frequency	%
0	-	533	5.1 %
1	-	4	0.0 %
2	-	1	0.0 %
3	-	6	0.1 %
4	-	4	0.0 %
5	-	4	0.0 %
6	-	5	0.0 %
7	-	5	0.0 %
8	-	4	0.0 %
9	-	3	0.0 %
10	-	10	0.1 %
11	-	5	0.0 %
12	-	5	0.0 %
13	-	5	0.0 %
14	-	4	0.0 %
15	-	6	0.1 %
16	-	2	0.0 %
17	-	7	0.1 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	5	0.0 %
21	-	1	0.0 %
22	-	7	0.1 %
23	-	1	0.0 %
24	-	4	0.0 %
25	-	13	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	8	0.1 %
30	-	8	0.1 %
32	-	2	0.0 %
33	-	5	0.0 %
34	-	7	0.1 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	7	0.1 %
39	-	1	0.0 %
40	-	10	0.1 %
41	-	2	0.0 %
42	-	5	0.0 %

Value	Label	Unweighted Frequency	%
43	-	7	0.1 %
44	-	3	0.0 %
45	-	4	0.0 %
46	-	10	0.1 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	5	0.0 %
50	-	34	0.3 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 66.39
- Median: 100.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 42.78

Location: 710-714 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCLEGALTOTNONFOREN: QB4b_num_inn. Involuntary (non-forensic) legal status - Total residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Involuntary, non-forensic

Value	Label	Unweighted Frequency	%
0	-	1521	14.7 %
1	-	72	0.7 %
2	-	48	0.5 %
3	-	36	0.3 %
4	-	38	0.4 %
5	-	37	0.4 %
6	-	42	0.4 %
7	-	29	0.3 %

Value	Label	Unweighted Frequency	%
8	-	37	0.4 %
9	-	32	0.3 %
10	-	37	0.4 %
11	-	36	0.3 %
12	-	31	0.3 %
13	-	17	0.2 %
14	-	26	0.3 %
15	-	20	0.2 %
16	-	14	0.1 %
17	-	10	0.1 %
18	-	9	0.1 %
19	-	9	0.1 %
20	-	12	0.1 %
21	-	5	0.0 %
22	-	7	0.1 %
23	-	3	0.0 %
24	-	4	0.0 %
25	-	9	0.1 %
26	-	2	0.0 %
27	-	7	0.1 %
28	-	8	0.1 %
29	-	4	0.0 %
30	-	7	0.1 %
31	-	6	0.1 %
32	-	3	0.0 %
33	-	7	0.1 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	6	0.1 %
37	-	1	0.0 %
38	-	7	0.1 %
39	-	4	0.0 %
40	-	5	0.0 %
41	-	2	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
47	-	2	0.0 %
48	-	5	0.0 %
49	-	3	0.0 %
50	-	3	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 6.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 288
- Standard Deviation: 18.37

Location: 715-719 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCLEGALPERNONFOREN: QB4b_per_inn. Involuntary (non-forensic) legal status - Percent residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Involuntary, non-forensic

Value	Label	Unweighted Frequency	%
0	-	1513	14.6 %
1	-	3	0.0 %
2	-	2	0.0 %
3	-	1	0.0 %
4	-	8	0.1 %
5	-	8	0.1 %
6	-	8	0.1 %
7	-	5	0.0 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	10	0.1 %
11	-	2	0.0 %
12	-	2	0.0 %
13	-	10	0.1 %
14	-	11	0.1 %
15	-	6	0.1 %

Value	Label	Unweighted Frequency	%
17	-	8	0.1 %
18	-	5	0.0 %
20	-	15	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
25	-	18	0.2 %
26	-	6	0.1 %
27	-	8	0.1 %
28	-	6	0.1 %
29	-	5	0.0 %
30	-	12	0.1 %
31	-	7	0.1 %
32	-	5	0.0 %
33	-	22	0.2 %
34	-	4	0.0 %
35	-	6	0.1 %
36	-	6	0.1 %
37	-	7	0.1 %
38	-	17	0.2 %
39	-	11	0.1 %
40	-	12	0.1 %
41	-	4	0.0 %
42	-	10	0.1 %
43	-	10	0.1 %
44	-	11	0.1 %
45	-	11	0.1 %
46	-	5	0.0 %
47	-	4	0.0 %
48	-	6	0.1 %
50	-	50	0.5 %
51	-	3	0.0 %
52	-	9	0.1 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 20.25

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 33.08

Location: 720-724 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCLEGALTOTFOREN: QB4b_num_inf. Involuntary (forensic) legal status - Total residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Involuntary, forensic

Value	Label	Unweighted Frequency	%
0	-	1781	17.2 %
1	-	67	0.6 %
2	-	40	0.4 %
3	-	35	0.3 %
4	-	26	0.3 %
5	-	15	0.1 %
6	-	21	0.2 %
7	-	25	0.2 %
8	-	33	0.3 %
9	-	29	0.3 %
10	-	32	0.3 %
11	-	24	0.2 %
12	-	15	0.1 %
13	-	12	0.1 %
14	-	9	0.1 %
15	-	10	0.1 %
16	-	11	0.1 %
17	-	16	0.2 %
18	-	12	0.1 %
19	-	7	0.1 %
20	-	9	0.1 %
21	-	3	0.0 %
22	-	7	0.1 %
23	-	1	0.0 %
24	-	4	0.0 %
25	-	4	0.0 %

Value	Label	Unweighted Frequency	%
26	-	5	0.0 %
27	-	5	0.0 %
28	-	6	0.1 %
30	-	4	0.0 %
32	-	2	0.0 %
34	-	2	0.0 %
36	-	3	0.0 %
40	-	1	0.0 %
43	-	6	0.1 %
44	-	1	0.0 %
45	-	3	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
50	-	3	0.0 %
54	-	2	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
60	-	2	0.0 %
63	-	4	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
75	-	1	0.0 %
76	-	2	0.0 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 3.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 336
- Standard Deviation: 15.67

Location: 725-729 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCLEGALPERFOREN: QB4b_per_inf. Involuntary (forensic) legal status - Percent residential care clients

B4b. For each category below, please provide a breakdown of the Residential Clients reported in the B4a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Involuntary, forensic

Value	Label	Unweighted Frequency	%
0	-	1776	17.1 %
1	-	5	0.0 %
2	-	6	0.1 %
3	-	4	0.0 %
4	-	3	0.0 %
5	-	8	0.1 %
6	-	6	0.1 %
7	-	9	0.1 %
8	-	10	0.1 %
9	-	2	0.0 %
10	-	9	0.1 %
11	-	8	0.1 %
13	-	11	0.1 %
14	-	3	0.0 %
15	-	4	0.0 %
16	-	2	0.0 %
17	-	5	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %
20	-	9	0.1 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	9	0.1 %
26	-	4	0.0 %
27	-	4	0.0 %
28	-	3	0.0 %
29	-	6	0.1 %
30	-	7	0.1 %
31	-	8	0.1 %
32	-	1	0.0 %
33	-	17	0.2 %
34	-	2	0.0 %
35	-	6	0.1 %
36	-	6	0.1 %

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
38	-	14	0.1 %
39	-	7	0.1 %
40	-	11	0.1 %
41	-	4	0.0 %
42	-	3	0.0 %
43	-	4	0.0 %
44	-	7	0.1 %
45	-	9	0.1 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	28	0.3 %
	Missing Data		
-9	MISSING	8048	77.6 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 13.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 29.38

Location: 730-734 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

RCBEDS: QB4c Number of residential beds specifically designated for mental health

B4c. On April 30, 2010, how many residential beds at this facility were specifically designated for providing mental health treatment services?

Value	Label	Unweighted Frequency	%
1	-	70	0.7 %
2	-	28	0.3 %
3	-	28	0.3 %
4	-	52	0.5 %
5	-	58	0.6 %
6	-	109	1.1 %

Value	Label	Unweighted Frequency	%
7	-	64	0.6 %
8	-	181	1.7 %
9	-	36	0.3 %
10	-	124	1.2 %
11	-	44	0.4 %
12	-	104	1.0 %
13	-	25	0.2 %
14	-	70	0.7 %
15	-	72	0.7 %
16	-	119	1.1 %
17	-	28	0.3 %
18	-	44	0.4 %
19	-	29	0.3 %
20	-	69	0.7 %
21	-	31	0.3 %
22	-	34	0.3 %
23	-	23	0.2 %
24	-	64	0.6 %
25	-	38	0.4 %
26	-	38	0.4 %
27	-	25	0.2 %
28	-	26	0.3 %
29	-	12	0.1 %
30	-	47	0.5 %
31	-	8	0.1 %
32	-	34	0.3 %
33	-	9	0.1 %
34	-	18	0.2 %
35	-	16	0.2 %
36	-	24	0.2 %
37	-	8	0.1 %
38	-	9	0.1 %
39	-	9	0.1 %
40	-	28	0.3 %
41	-	4	0.0 %
42	-	17	0.2 %
43	-	7	0.1 %
44	-	12	0.1 %
45	-	16	0.2 %
46	-	9	0.1 %
47	-	5	0.0 %
48	-	12	0.1 %

Value	Label	Unweighted Frequency	%
49	-	4	0.0 %
50	-	21	0.2 %
Missing Data			
-9	MISSING	8048	77.6 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 10,374 total cases.

- Mean: 29.26
- Median: 16.00
- Mode: 8.00
- Minimum: 1
- Maximum: 713
- Standard Deviation: 40.20

Location: 735-739 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPSERV: QB5 Clients received services in an outpatient setting

B5. During the month of April 2010, did any clients receive outpatient, day treatment or partial hospitalization mental health treatment services at this facility, at this location?

Value	Label	Unweighted Frequency	%
0	No	2503	24.1 %
1	Yes	7871	75.9 %
Missing Data			
Total		10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 740-742 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPTOTAL: QB5a Number of clients that received outpatient (or day treatment/partial hospitalization) services

B5a. During the month of April 2010, how many clients received outpatient, day treatment or partial hospitalization mental health treatment services at this facility?

Value	Label	Unweighted Frequency	%
1	-	29	0.3 %

Value	Label	Unweighted Frequency	%
2	-	36	0.3 %
3	-	20	0.2 %
4	-	27	0.3 %
5	-	35	0.3 %
6	-	41	0.4 %
7	-	34	0.3 %
8	-	50	0.5 %
9	-	37	0.4 %
10	-	66	0.6 %
11	-	28	0.3 %
12	-	43	0.4 %
13	-	34	0.3 %
14	-	40	0.4 %
15	-	63	0.6 %
16	-	48	0.5 %
17	-	30	0.3 %
18	-	38	0.4 %
19	-	26	0.3 %
20	-	90	0.9 %
21	-	27	0.3 %
22	-	22	0.2 %
23	-	19	0.2 %
24	-	41	0.4 %
25	-	48	0.5 %
26	-	29	0.3 %
27	-	26	0.3 %
28	-	22	0.2 %
29	-	11	0.1 %
30	-	51	0.5 %
31	-	27	0.3 %
32	-	35	0.3 %
33	-	19	0.2 %
34	-	46	0.4 %
35	-	50	0.5 %
36	-	28	0.3 %
37	-	21	0.2 %
38	-	20	0.2 %
39	-	12	0.1 %
40	-	73	0.7 %
41	-	15	0.1 %
42	-	31	0.3 %
43	-	23	0.2 %

Value	Label	Unweighted Frequency	%
44	-	13	0.1 %
45	-	45	0.4 %
46	-	16	0.2 %
47	-	14	0.1 %
48	-	22	0.2 %
49	-	17	0.2 %
50	-	108	1.0 %
Missing Data			
-9	MISSING	2503	24.1 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 384.50
- Minimum: 1
- Maximum: 14332
- Standard Deviation: 584.28

Location: 743-747 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPSEXTOTM: QB5b_num_mal. Male outpatients - Total

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Male

Value	Label	Unweighted Frequency	%
0	-	52	0.5 %
1	-	63	0.6 %
2	-	78	0.8 %
3	-	88	0.8 %
4	-	91	0.9 %
5	-	71	0.7 %
6	-	82	0.8 %
7	-	72	0.7 %
8	-	87	0.8 %
9	-	75	0.7 %
10	-	106	1.0 %

Value	Label	Unweighted Frequency	%
11	-	55	0.5 %
12	-	89	0.9 %
13	-	46	0.4 %
14	-	57	0.5 %
15	-	88	0.8 %
16	-	49	0.5 %
17	-	49	0.5 %
18	-	58	0.6 %
19	-	58	0.6 %
20	-	96	0.9 %
21	-	38	0.4 %
22	-	73	0.7 %
23	-	53	0.5 %
24	-	49	0.5 %
25	-	78	0.8 %
26	-	56	0.5 %
27	-	29	0.3 %
28	-	37	0.4 %
29	-	36	0.3 %
30	-	71	0.7 %
31	-	34	0.3 %
32	-	37	0.4 %
33	-	22	0.2 %
34	-	24	0.2 %
35	-	59	0.6 %
36	-	51	0.5 %
37	-	48	0.5 %
38	-	53	0.5 %
39	-	39	0.4 %
40	-	44	0.4 %
41	-	13	0.1 %
42	-	22	0.2 %
43	-	35	0.3 %
44	-	42	0.4 %
45	-	48	0.5 %
46	-	33	0.3 %
47	-	30	0.3 %
48	-	21	0.2 %
49	-	36	0.3 %
	Missing Data		
-9	MISSING	2503	24.1 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 188.66
- Minimum: 0
- Maximum: 13375
- Standard Deviation: 356.57

Location: 748-752 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPSEXPPerm: QB5b_per_mal. Male outpatients - Percent

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Male

Value	Label	Unweighted Frequency	%
0	-	50	0.5 %
1	-	1	0.0 %
3	-	16	0.2 %
4	-	1	0.0 %
5	-	5	0.0 %
6	-	4	0.0 %
7	-	3	0.0 %
8	-	3	0.0 %
10	-	12	0.1 %
11	-	4	0.0 %
12	-	5	0.0 %
13	-	4	0.0 %
14	-	10	0.1 %
15	-	11	0.1 %
16	-	3	0.0 %
17	-	9	0.1 %
18	-	3	0.0 %
19	-	6	0.1 %
20	-	42	0.4 %
21	-	9	0.1 %

Value	Label	Unweighted Frequency	%
22	-	13	0.1 %
23	-	15	0.1 %
24	-	22	0.2 %
25	-	57	0.5 %
26	-	29	0.3 %
27	-	25	0.2 %
28	-	22	0.2 %
29	-	34	0.3 %
30	-	130	1.3 %
31	-	29	0.3 %
32	-	37	0.4 %
33	-	81	0.8 %
34	-	53	0.5 %
35	-	128	1.2 %
36	-	76	0.7 %
37	-	100	1.0 %
38	-	101	1.0 %
39	-	95	0.9 %
40	-	541	5.2 %
41	-	153	1.5 %
42	-	180	1.7 %
43	-	219	2.1 %
44	-	269	2.6 %
45	-	384	3.7 %
46	-	241	2.3 %
47	-	262	2.5 %
48	-	337	3.2 %
49	-	332	3.2 %
50	-	950	9.2 %
51	-	223	2.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 49.31
- Median: 49.00
- Mode: 50.00
- Minimum: 0
- Maximum: 100

• Standard Deviation: 14.60

Location: 753-757 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPSEXTOTF: QB5b_num_fem. Female outpatients - Total

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Female

Value	Label	Unweighted Frequency	%
0	-	64	0.6 %
1	-	74	0.7 %
2	-	80	0.8 %
3	-	107	1.0 %
4	-	90	0.9 %
5	-	103	1.0 %
6	-	87	0.8 %
7	-	80	0.8 %
8	-	112	1.1 %
9	-	69	0.7 %
10	-	83	0.8 %
11	-	57	0.5 %
12	-	67	0.6 %
13	-	75	0.7 %
14	-	52	0.5 %
15	-	63	0.6 %
16	-	66	0.6 %
17	-	52	0.5 %
18	-	52	0.5 %
19	-	53	0.5 %
20	-	75	0.7 %
21	-	43	0.4 %
22	-	47	0.5 %
23	-	48	0.5 %
24	-	48	0.5 %
25	-	91	0.9 %
26	-	60	0.6 %
27	-	23	0.2 %
28	-	31	0.3 %

Value	Label	Unweighted Frequency	%
29	-	37	0.4 %
30	-	81	0.8 %
31	-	43	0.4 %
32	-	21	0.2 %
33	-	37	0.4 %
34	-	39	0.4 %
35	-	37	0.4 %
36	-	51	0.5 %
37	-	27	0.3 %
38	-	57	0.5 %
39	-	45	0.4 %
40	-	61	0.6 %
41	-	37	0.4 %
42	-	28	0.3 %
43	-	25	0.2 %
44	-	38	0.4 %
45	-	55	0.5 %
46	-	32	0.3 %
47	-	23	0.2 %
48	-	25	0.2 %
49	-	49	0.5 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 195.83
- Minimum: 0
- Maximum: 4791
- Standard Deviation: 293.48

Location: 758-762 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPSEXPERF: QB5b_per_fem. Female outpatients - Percent

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Female

Value	Label	Unweighted Frequency	%
0	-	64	0.6 %
1	-	1	0.0 %
2	-	2	0.0 %
3	-	4	0.0 %
4	-	5	0.0 %
5	-	22	0.2 %
6	-	15	0.1 %
7	-	17	0.2 %
8	-	17	0.2 %
9	-	14	0.1 %
10	-	47	0.5 %
11	-	14	0.1 %
12	-	11	0.1 %
13	-	12	0.1 %
14	-	15	0.1 %
15	-	21	0.2 %
16	-	8	0.1 %
17	-	7	0.1 %
18	-	11	0.1 %
19	-	10	0.1 %
20	-	52	0.5 %
21	-	11	0.1 %
22	-	18	0.2 %
23	-	15	0.1 %
24	-	16	0.2 %
25	-	59	0.6 %
26	-	13	0.1 %
27	-	20	0.2 %
28	-	18	0.2 %
29	-	32	0.3 %
30	-	74	0.7 %
31	-	31	0.3 %
32	-	19	0.2 %
33	-	73	0.7 %
34	-	17	0.2 %
35	-	82	0.8 %
36	-	37	0.4 %
37	-	48	0.5 %
38	-	83	0.8 %
39	-	67	0.6 %

Value	Label	Unweighted Frequency	%
40	-	309	3.0 %
41	-	53	0.5 %
42	-	92	0.9 %
43	-	101	1.0 %
44	-	151	1.5 %
45	-	203	2.0 %
46	-	152	1.5 %
47	-	186	1.8 %
48	-	183	1.8 %
49	-	223	2.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 50.69
- Median: 51.00
- Mode: 50.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 14.60

Location: 763-767 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPAGETOT017: QB5b_num_age1. Ages 0-17 outpatients - Total

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 0-17

Value	Label	Unweighted Frequency	%
0	-	2089	20.1 %
1	-	89	0.9 %
2	-	87	0.8 %
3	-	60	0.6 %
4	-	79	0.8 %
5	-	67	0.6 %

Value	Label	Unweighted Frequency	%
6	-	51	0.5 %
7	-	65	0.6 %
8	-	64	0.6 %
9	-	50	0.5 %
10	-	104	1.0 %
11	-	47	0.5 %
12	-	53	0.5 %
13	-	26	0.3 %
14	-	54	0.5 %
15	-	76	0.7 %
16	-	43	0.4 %
17	-	48	0.5 %
18	-	52	0.5 %
19	-	70	0.7 %
20	-	67	0.6 %
21	-	38	0.4 %
22	-	52	0.5 %
23	-	37	0.4 %
24	-	41	0.4 %
25	-	63	0.6 %
26	-	49	0.5 %
27	-	30	0.3 %
28	-	46	0.4 %
29	-	32	0.3 %
30	-	64	0.6 %
31	-	24	0.2 %
32	-	41	0.4 %
33	-	37	0.4 %
34	-	27	0.3 %
35	-	42	0.4 %
36	-	38	0.4 %
37	-	26	0.3 %
38	-	33	0.3 %
39	-	27	0.3 %
40	-	50	0.5 %
41	-	48	0.5 %
42	-	47	0.5 %
43	-	39	0.4 %
44	-	20	0.2 %
45	-	46	0.4 %
46	-	28	0.3 %
47	-	24	0.2 %

Value	Label	Unweighted Frequency	%
48	-	38	0.4 %
49	-	23	0.2 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 105.56
- Minimum: 0
- Maximum: 5127
- Standard Deviation: 240.11

Location: 768-772 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPAGEPER017: QB5b_per_age1. Ages 0-17 outpatients - Percent

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 0-17

Value	Label	Unweighted Frequency	%
0	-	2113	20.4 %
1	-	57	0.5 %
2	-	55	0.5 %
3	-	45	0.4 %
4	-	44	0.4 %
5	-	87	0.8 %
6	-	67	0.6 %
7	-	32	0.3 %
8	-	68	0.7 %
9	-	30	0.3 %
10	-	156	1.5 %
11	-	51	0.5 %
12	-	40	0.4 %
13	-	63	0.6 %
14	-	57	0.5 %
15	-	153	1.5 %

Value	Label	Unweighted Frequency	%
16	-	58	0.6 %
17	-	105	1.0 %
18	-	53	0.5 %
19	-	72	0.7 %
20	-	214	2.1 %
21	-	98	0.9 %
22	-	70	0.7 %
23	-	85	0.8 %
24	-	97	0.9 %
25	-	185	1.8 %
26	-	79	0.8 %
27	-	83	0.8 %
28	-	113	1.1 %
29	-	96	0.9 %
30	-	264	2.5 %
31	-	117	1.1 %
32	-	138	1.3 %
33	-	115	1.1 %
34	-	105	1.0 %
35	-	144	1.4 %
36	-	99	1.0 %
37	-	99	1.0 %
38	-	77	0.7 %
39	-	58	0.6 %
40	-	132	1.3 %
41	-	58	0.6 %
42	-	62	0.6 %
43	-	61	0.6 %
44	-	29	0.3 %
45	-	52	0.5 %
46	-	19	0.2 %
47	-	32	0.3 %
48	-	21	0.2 %
49	-	37	0.4 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 30.93

- Median: 24.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 32.27

Location: 773-777 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPAGETOT1864: QB5b_num_age2. Ages 18-64 outpatients - Total

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 18-64

Value	Label	Unweighted Frequency	%
0	-	686	6.6 %
1	-	96	0.9 %
2	-	91	0.9 %
3	-	65	0.6 %
4	-	65	0.6 %
5	-	84	0.8 %
6	-	68	0.7 %
7	-	71	0.7 %
8	-	66	0.6 %
9	-	63	0.6 %
10	-	73	0.7 %
11	-	32	0.3 %
12	-	53	0.5 %
13	-	35	0.3 %
14	-	33	0.3 %
15	-	50	0.5 %
16	-	49	0.5 %
17	-	39	0.4 %
18	-	54	0.5 %
19	-	32	0.3 %
20	-	70	0.7 %
21	-	30	0.3 %
22	-	32	0.3 %
23	-	19	0.2 %
24	-	35	0.3 %
25	-	56	0.5 %

Value	Label	Unweighted Frequency	%
26	-	27	0.3 %
27	-	30	0.3 %
28	-	35	0.3 %
29	-	43	0.4 %
30	-	40	0.4 %
31	-	44	0.4 %
32	-	37	0.4 %
33	-	22	0.2 %
34	-	36	0.3 %
35	-	28	0.3 %
36	-	26	0.3 %
37	-	39	0.4 %
38	-	33	0.3 %
39	-	29	0.3 %
40	-	45	0.4 %
41	-	23	0.2 %
42	-	23	0.2 %
43	-	23	0.2 %
44	-	13	0.1 %
45	-	41	0.4 %
46	-	21	0.2 %
47	-	26	0.3 %
48	-	28	0.3 %
49	-	20	0.2 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 248.71
- Minimum: 0
- Maximum: 8018
- Standard Deviation: 414.88

Location: 778-782 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPAGEPER1864: QB5b_per_age2. Ages 18-64 outpatients - Percent

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients

reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 18-64

Value	Label	Unweighted Frequency	%
0	-	686	6.6 %
1	-	40	0.4 %
2	-	49	0.5 %
3	-	33	0.3 %
4	-	27	0.3 %
5	-	68	0.7 %
6	-	47	0.5 %
7	-	29	0.3 %
8	-	25	0.2 %
9	-	14	0.1 %
10	-	69	0.7 %
11	-	23	0.2 %
12	-	21	0.2 %
13	-	15	0.1 %
14	-	10	0.1 %
15	-	29	0.3 %
16	-	11	0.1 %
17	-	16	0.2 %
18	-	14	0.1 %
19	-	21	0.2 %
20	-	29	0.3 %
21	-	14	0.1 %
22	-	14	0.1 %
23	-	13	0.1 %
24	-	20	0.2 %
25	-	32	0.3 %
26	-	7	0.1 %
27	-	6	0.1 %
28	-	13	0.1 %
29	-	15	0.1 %
30	-	31	0.3 %
31	-	11	0.1 %
32	-	11	0.1 %
33	-	15	0.1 %
34	-	21	0.2 %
35	-	30	0.3 %
36	-	24	0.2 %

Value	Label	Unweighted Frequency	%
37	-	19	0.2 %
38	-	25	0.2 %
39	-	26	0.3 %
40	-	66	0.6 %
41	-	31	0.3 %
42	-	35	0.3 %
43	-	29	0.3 %
44	-	30	0.3 %
45	-	58	0.6 %
46	-	44	0.4 %
47	-	30	0.3 %
48	-	40	0.4 %
49	-	59	0.6 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 61.57
- Median: 68.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 30.97

Location: 783-787 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPAGETOT65: QB5b_num_age3. Ages 65 plus outpatients - Total

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Age 65 and older

Value	Label	Unweighted Frequency	%
0	-	2371	22.9 %
1	-	281	2.7 %
2	-	281	2.7 %

Value	Label	Unweighted Frequency	%
3	-	229	2.2 %
4	-	243	2.3 %
5	-	212	2.0 %
6	-	148	1.4 %
7	-	150	1.4 %
8	-	164	1.6 %
9	-	150	1.4 %
10	-	213	2.1 %
11	-	120	1.2 %
12	-	136	1.3 %
13	-	121	1.2 %
14	-	112	1.1 %
15	-	93	0.9 %
16	-	101	1.0 %
17	-	80	0.8 %
18	-	88	0.8 %
19	-	63	0.6 %
20	-	130	1.3 %
21	-	55	0.5 %
22	-	69	0.7 %
23	-	76	0.7 %
24	-	57	0.5 %
25	-	99	1.0 %
26	-	61	0.6 %
27	-	50	0.5 %
28	-	64	0.6 %
29	-	42	0.4 %
30	-	74	0.7 %
31	-	42	0.4 %
32	-	39	0.4 %
33	-	34	0.3 %
34	-	34	0.3 %
35	-	58	0.6 %
36	-	35	0.3 %
37	-	35	0.3 %
38	-	44	0.4 %
39	-	30	0.3 %
40	-	46	0.4 %
41	-	17	0.2 %
42	-	29	0.3 %
43	-	24	0.2 %
44	-	28	0.3 %

Value	Label	Unweighted Frequency	%
45	-	28	0.3 %
46	-	18	0.2 %
47	-	23	0.2 %
48	-	26	0.3 %
49	-	17	0.2 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 30.23
- Minimum: 0
- Maximum: 6314
- Standard Deviation: 112.20

Location: 788-792 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPAGEPER65: QB5b_per_age3. Ages 65 plus outpatients - Percent

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Age 65 and older

Value	Label	Unweighted Frequency	%
0	-	2403	23.2 %
1	-	312	3.0 %
2	-	496	4.8 %
3	-	488	4.7 %
4	-	438	4.2 %
5	-	647	6.2 %
6	-	301	2.9 %
7	-	254	2.4 %
8	-	224	2.2 %
9	-	234	2.3 %
10	-	578	5.6 %
11	-	158	1.5 %
12	-	136	1.3 %

Value	Label	Unweighted Frequency	%
13	-	124	1.2 %
14	-	81	0.8 %
15	-	159	1.5 %
16	-	57	0.5 %
17	-	60	0.6 %
18	-	36	0.3 %
19	-	30	0.3 %
20	-	135	1.3 %
21	-	26	0.3 %
22	-	14	0.1 %
23	-	20	0.2 %
24	-	16	0.2 %
25	-	51	0.5 %
26	-	7	0.1 %
27	-	12	0.1 %
28	-	10	0.1 %
29	-	11	0.1 %
30	-	49	0.5 %
31	-	11	0.1 %
32	-	10	0.1 %
33	-	24	0.2 %
34	-	4	0.0 %
35	-	13	0.1 %
36	-	5	0.0 %
37	-	4	0.0 %
38	-	8	0.1 %
39	-	3	0.0 %
40	-	23	0.2 %
41	-	2	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	5	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	33	0.3 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 7.50
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 12.97

Location: 793-797 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPETHOTHISP: QB5b_num_his. Total Hispanic or Latino outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	3379	32.6 %
1	-	459	4.4 %
2	-	362	3.5 %
3	-	268	2.6 %
4	-	250	2.4 %
5	-	175	1.7 %
6	-	139	1.3 %
7	-	86	0.8 %
8	-	137	1.3 %
9	-	82	0.8 %
10	-	109	1.1 %
11	-	65	0.6 %
12	-	79	0.8 %
13	-	60	0.6 %
14	-	52	0.5 %
15	-	74	0.7 %
16	-	49	0.5 %
17	-	55	0.5 %
18	-	66	0.6 %
19	-	38	0.4 %
20	-	76	0.7 %

Value	Label	Unweighted Frequency	%
21	-	34	0.3 %
22	-	38	0.4 %
23	-	47	0.5 %
24	-	27	0.3 %
25	-	54	0.5 %
26	-	20	0.2 %
27	-	29	0.3 %
28	-	22	0.2 %
29	-	17	0.2 %
30	-	47	0.5 %
31	-	31	0.3 %
32	-	14	0.1 %
33	-	18	0.2 %
34	-	17	0.2 %
35	-	32	0.3 %
36	-	13	0.1 %
37	-	13	0.1 %
38	-	13	0.1 %
39	-	11	0.1 %
40	-	21	0.2 %
41	-	23	0.2 %
42	-	13	0.1 %
43	-	7	0.1 %
44	-	12	0.1 %
45	-	20	0.2 %
46	-	10	0.1 %
47	-	8	0.1 %
48	-	16	0.2 %
49	-	16	0.2 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 32.98
- Minimum: 0
- Maximum: 3320
- Standard Deviation: 122.14

Location: 798-802 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPETHPERHISP: QB5b_per_his. Percent Hispanic or Latino outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	3539	34.1 %
1	-	603	5.8 %
2	-	396	3.8 %
3	-	345	3.3 %
4	-	204	2.0 %
5	-	311	3.0 %
6	-	152	1.5 %
7	-	158	1.5 %
8	-	108	1.0 %
9	-	80	0.8 %
10	-	220	2.1 %
11	-	70	0.7 %
12	-	90	0.9 %
13	-	58	0.6 %
14	-	42	0.4 %
15	-	100	1.0 %
16	-	28	0.3 %
17	-	68	0.7 %
18	-	40	0.4 %
19	-	57	0.5 %
20	-	129	1.2 %
21	-	23	0.2 %
22	-	27	0.3 %
23	-	15	0.1 %
24	-	25	0.2 %
25	-	78	0.8 %
26	-	23	0.2 %
27	-	48	0.5 %
28	-	17	0.2 %
29	-	20	0.2 %
30	-	87	0.8 %
31	-	17	0.2 %

Value	Label	Unweighted Frequency	%
32	-	17	0.2 %
33	-	34	0.3 %
34	-	9	0.1 %
35	-	53	0.5 %
36	-	8	0.1 %
37	-	8	0.1 %
38	-	41	0.4 %
39	-	14	0.1 %
40	-	41	0.4 %
41	-	11	0.1 %
42	-	7	0.1 %
43	-	15	0.1 %
44	-	13	0.1 %
45	-	23	0.2 %
46	-	2	0.0 %
47	-	7	0.1 %
48	-	8	0.1 %
49	-	4	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 8.96
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 17.43

Location: 803-807 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPETHTOTNONHISP: QB5b_num_nhis. Total non-Hispanic or Latino outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Not Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	2637	25.4 %
1	-	40	0.4 %
2	-	35	0.3 %
3	-	16	0.2 %
4	-	26	0.3 %
5	-	32	0.3 %
6	-	38	0.4 %
7	-	32	0.3 %
8	-	42	0.4 %
9	-	35	0.3 %
10	-	50	0.5 %
11	-	29	0.3 %
12	-	35	0.3 %
13	-	31	0.3 %
14	-	36	0.3 %
15	-	45	0.4 %
16	-	46	0.4 %
17	-	27	0.3 %
18	-	39	0.4 %
19	-	33	0.3 %
20	-	47	0.5 %
21	-	16	0.2 %
22	-	20	0.2 %
23	-	30	0.3 %
24	-	39	0.4 %
25	-	29	0.3 %
26	-	29	0.3 %
27	-	28	0.3 %
28	-	13	0.1 %
29	-	18	0.2 %
30	-	23	0.2 %
31	-	27	0.3 %
32	-	38	0.4 %
33	-	36	0.3 %
34	-	28	0.3 %
35	-	34	0.3 %
36	-	27	0.3 %
37	-	16	0.2 %
38	-	20	0.2 %
39	-	20	0.2 %
40	-	31	0.3 %
41	-	14	0.1 %

Value	Label	Unweighted Frequency	%
42	-	11	0.1 %
43	-	26	0.3 %
44	-	29	0.3 %
45	-	19	0.2 %
46	-	16	0.2 %
47	-	19	0.2 %
48	-	40	0.4 %
49	-	29	0.3 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 200.33
- Minimum: 0
- Maximum: 8594
- Standard Deviation: 389.41

Location: 808-812 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPETHPERNONHISP: QB5b_per_nhis. Percent non-Hispanic or Latino outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Not Hispanic or Latino

Value	Label	Unweighted Frequency	%
0	-	2650	25.5 %
1	-	18	0.2 %
2	-	6	0.1 %
3	-	5	0.0 %
4	-	9	0.1 %
5	-	16	0.2 %
6	-	6	0.1 %
7	-	29	0.3 %
8	-	1	0.0 %
9	-	8	0.1 %

Value	Label	Unweighted Frequency	%
10	-	13	0.1 %
11	-	3	0.0 %
12	-	4	0.0 %
13	-	7	0.1 %
14	-	3	0.0 %
15	-	5	0.0 %
16	-	5	0.0 %
17	-	8	0.1 %
18	-	9	0.1 %
19	-	10	0.1 %
20	-	18	0.2 %
21	-	12	0.1 %
22	-	6	0.1 %
23	-	7	0.1 %
24	-	8	0.1 %
25	-	25	0.2 %
26	-	7	0.1 %
27	-	7	0.1 %
28	-	5	0.0 %
29	-	6	0.1 %
30	-	17	0.2 %
31	-	8	0.1 %
32	-	6	0.1 %
33	-	9	0.1 %
34	-	5	0.0 %
35	-	17	0.2 %
36	-	4	0.0 %
37	-	12	0.1 %
38	-	8	0.1 %
39	-	11	0.1 %
40	-	42	0.4 %
41	-	5	0.0 %
42	-	4	0.0 %
43	-	6	0.1 %
44	-	12	0.1 %
45	-	12	0.1 %
46	-	9	0.1 %
47	-	24	0.2 %
48	-	8	0.1 %
49	-	9	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 54.95
- Median: 75.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 43.21

Location: 813-817 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPETHTOTUNK: QB5_num_ethunk. Ethnicity unknown - Total outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Ethnicity Unknown

Value	Label	Unweighted Frequency	%
0	-	3548	34.2 %
1	-	184	1.8 %
2	-	132	1.3 %
3	-	123	1.2 %
4	-	78	0.8 %
5	-	80	0.8 %
6	-	62	0.6 %
7	-	57	0.5 %
8	-	75	0.7 %
9	-	62	0.6 %
10	-	71	0.7 %
11	-	27	0.3 %
12	-	39	0.4 %
13	-	61	0.6 %
14	-	41	0.4 %
15	-	62	0.6 %
16	-	28	0.3 %
17	-	25	0.2 %

Value	Label	Unweighted Frequency	%
18	-	35	0.3 %
19	-	25	0.2 %
20	-	56	0.5 %
21	-	24	0.2 %
22	-	37	0.4 %
23	-	13	0.1 %
24	-	17	0.2 %
25	-	29	0.3 %
26	-	14	0.1 %
27	-	18	0.2 %
28	-	20	0.2 %
29	-	15	0.1 %
30	-	44	0.4 %
31	-	17	0.2 %
32	-	12	0.1 %
33	-	13	0.1 %
34	-	9	0.1 %
35	-	16	0.2 %
36	-	17	0.2 %
37	-	17	0.2 %
38	-	11	0.1 %
39	-	8	0.1 %
40	-	34	0.3 %
41	-	8	0.1 %
42	-	16	0.2 %
43	-	13	0.1 %
44	-	15	0.1 %
45	-	23	0.2 %
46	-	9	0.1 %
47	-	12	0.1 %
48	-	11	0.1 %
49	-	9	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 151.19
- Minimum: 0
- Maximum: 14332

• Standard Deviation: 447.03

Location: 818-822 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPETHERUNK: QB5_per_ethunk. Ethnicity unknown - Percent outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Ethnicity Unknown

Value	Label	Unweighted Frequency	%
0	-	3649	35.2 %
1	-	338	3.3 %
2	-	189	1.8 %
3	-	136	1.3 %
4	-	78	0.8 %
5	-	109	1.1 %
6	-	73	0.7 %
7	-	39	0.4 %
8	-	23	0.2 %
9	-	38	0.4 %
10	-	71	0.7 %
11	-	27	0.3 %
12	-	23	0.2 %
13	-	16	0.2 %
14	-	19	0.2 %
15	-	21	0.2 %
16	-	21	0.2 %
17	-	18	0.2 %
18	-	9	0.1 %
19	-	25	0.2 %
20	-	15	0.1 %
21	-	11	0.1 %
22	-	6	0.1 %
23	-	10	0.1 %
24	-	5	0.0 %
25	-	13	0.1 %
26	-	4	0.0 %
27	-	5	0.0 %
28	-	2	0.0 %

Value	Label	Unweighted Frequency	%
29	-	5	0.0 %
30	-	4	0.0 %
31	-	8	0.1 %
32	-	2	0.0 %
33	-	13	0.1 %
34	-	9	0.1 %
35	-	6	0.1 %
36	-	5	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	7	0.1 %
41	-	6	0.1 %
42	-	8	0.1 %
43	-	2	0.0 %
44	-	5	0.0 %
45	-	14	0.1 %
46	-	13	0.1 %
47	-	1	0.0 %
48	-	6	0.1 %
49	-	5	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 36.09
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 46.26

Location: 823-827 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTINDIAN: QB5b_num_nat. Total American Indian/Alaska Native outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	-	5820	56.1 %
1	-	525	5.1 %
2	-	339	3.3 %
3	-	204	2.0 %
4	-	143	1.4 %
5	-	102	1.0 %
6	-	101	1.0 %
7	-	66	0.6 %
8	-	53	0.5 %
9	-	45	0.4 %
10	-	52	0.5 %
11	-	32	0.3 %
12	-	24	0.2 %
13	-	31	0.3 %
14	-	24	0.2 %
15	-	30	0.3 %
16	-	26	0.3 %
17	-	15	0.1 %
18	-	9	0.1 %
19	-	12	0.1 %
20	-	16	0.2 %
21	-	4	0.0 %
22	-	8	0.1 %
23	-	9	0.1 %
24	-	10	0.1 %
25	-	11	0.1 %
26	-	4	0.0 %
27	-	6	0.1 %
28	-	5	0.0 %
29	-	9	0.1 %
30	-	12	0.1 %
31	-	3	0.0 %
32	-	5	0.0 %
33	-	5	0.0 %
34	-	6	0.1 %
35	-	1	0.0 %
36	-	6	0.1 %
37	-	3	0.0 %
38	-	1	0.0 %

Value	Label	Unweighted Frequency	%
39	-	1	0.0 %
40	-	11	0.1 %
41	-	8	0.1 %
42	-	4	0.0 %
43	-	3	0.0 %
44	-	9	0.1 %
45	-	4	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 2.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 334
- Standard Deviation: 9.79

Location: 828-832 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACEPERINDIAN: QB5b_per_nat. Percent American Indian/Alaska Native outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race American Indian or Alaska Native

Value	Label	Unweighted Frequency	%
0	-	6275	60.5 %
1	-	789	7.6 %
2	-	257	2.5 %
3	-	140	1.3 %
4	-	70	0.7 %

Value	Label	Unweighted Frequency	%
5	-	71	0.7 %
6	-	30	0.3 %
7	-	36	0.3 %
8	-	21	0.2 %
9	-	15	0.1 %
10	-	31	0.3 %
11	-	13	0.1 %
12	-	9	0.1 %
13	-	6	0.1 %
14	-	10	0.1 %
15	-	6	0.1 %
16	-	5	0.0 %
17	-	1	0.0 %
19	-	3	0.0 %
20	-	8	0.1 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	3	0.0 %
25	-	6	0.1 %
26	-	1	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	8	0.1 %
31	-	6	0.1 %
33	-	6	0.1 %
36	-	1	0.0 %
37	-	2	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
63	-	1	0.0 %

Value	Label	Unweighted Frequency	%
66	-	1	0.0 %
67	-	1	0.0 %
70	-	1	0.0 %
Missing Data			
-9	MISSING	2503	24.1 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 4.72

Location: 833-837 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTASIAN: QB5b_num_asi. Total Asian outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Asian

Value	Label	Unweighted Frequency	%
0	-	5755	55.5 %
1	-	617	5.9 %
2	-	361	3.5 %
3	-	188	1.8 %
4	-	138	1.3 %
5	-	108	1.0 %
6	-	84	0.8 %
7	-	53	0.5 %
8	-	69	0.7 %
9	-	56	0.5 %
10	-	35	0.3 %
11	-	21	0.2 %
12	-	28	0.3 %

Value	Label	Unweighted Frequency	%
13	-	15	0.1 %
14	-	20	0.2 %
15	-	26	0.3 %
16	-	13	0.1 %
17	-	11	0.1 %
18	-	10	0.1 %
19	-	4	0.0 %
20	-	14	0.1 %
21	-	15	0.1 %
22	-	7	0.1 %
23	-	7	0.1 %
24	-	7	0.1 %
25	-	7	0.1 %
26	-	6	0.1 %
27	-	2	0.0 %
28	-	7	0.1 %
29	-	2	0.0 %
30	-	13	0.1 %
31	-	2	0.0 %
32	-	6	0.1 %
33	-	6	0.1 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	6	0.1 %
37	-	2	0.0 %
38	-	5	0.0 %
39	-	6	0.1 %
40	-	5	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	6	0.1 %
44	-	7	0.1 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 3.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1148
- Standard Deviation: 26.89

Location: 838-842 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACEPERASIAN: QB5b_per_asi. Percent Asian outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Asian

Value	Label	Unweighted Frequency	%
0	-	6242	60.2 %
1	-	788	7.6 %
2	-	277	2.7 %
3	-	165	1.6 %
4	-	62	0.6 %
5	-	105	1.0 %
6	-	36	0.3 %
7	-	22	0.2 %
8	-	24	0.2 %
9	-	18	0.2 %
10	-	45	0.4 %
11	-	8	0.1 %
12	-	9	0.1 %
13	-	3	0.0 %
14	-	2	0.0 %
15	-	7	0.1 %
16	-	3	0.0 %
17	-	10	0.1 %
18	-	2	0.0 %
20	-	12	0.1 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
23	-	1	0.0 %
25	-	7	0.1 %
28	-	1	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
50	-	3	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
62	-	1	0.0 %
75	-	1	0.0 %
83	-	1	0.0 %
87	-	1	0.0 %
88	-	1	0.0 %
95	-	1	0.0 %
98	-	2	0.0 %
99	-	1	0.0 %
100	-	3	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 4.34

Location: 843-847 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTBLK: QB5b_num_bla. Total Black or African American outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Black or African American

Value	Label	Unweighted Frequency	%
0	-	3733	36.0 %
1	-	300	2.9 %
2	-	281	2.7 %
3	-	180	1.7 %
4	-	154	1.5 %
5	-	142	1.4 %
6	-	120	1.2 %
7	-	96	0.9 %
8	-	84	0.8 %
9	-	93	0.9 %
10	-	106	1.0 %
11	-	72	0.7 %
12	-	46	0.4 %
13	-	57	0.5 %
14	-	48	0.5 %
15	-	69	0.7 %
16	-	52	0.5 %
17	-	33	0.3 %
18	-	40	0.4 %
19	-	36	0.3 %
20	-	60	0.6 %
21	-	32	0.3 %
22	-	33	0.3 %
23	-	24	0.2 %
24	-	40	0.4 %
25	-	50	0.5 %
26	-	37	0.4 %
27	-	25	0.2 %
28	-	22	0.2 %
29	-	16	0.2 %
30	-	33	0.3 %
31	-	21	0.2 %
32	-	20	0.2 %
33	-	28	0.3 %
34	-	27	0.3 %
35	-	21	0.2 %
36	-	23	0.2 %
37	-	14	0.1 %
38	-	19	0.2 %
39	-	15	0.1 %
40	-	32	0.3 %
41	-	21	0.2 %

Value	Label	Unweighted Frequency	%
42	-	18	0.2 %
43	-	12	0.1 %
44	-	16	0.2 %
45	-	22	0.2 %
46	-	33	0.3 %
47	-	12	0.1 %
48	-	14	0.1 %
49	-	19	0.2 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 44.09
- Minimum: 0
- Maximum: 2365
- Standard Deviation: 138.19

Location: 848-852 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACEPERBLK: QB5b_per_bla. Percent Black or African American outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Black or African American

Value	Label	Unweighted Frequency	%
0	-	3771	36.4 %
1	-	406	3.9 %
2	-	297	2.9 %
3	-	232	2.2 %
4	-	151	1.5 %
5	-	214	2.1 %
6	-	116	1.1 %
7	-	107	1.0 %
8	-	74	0.7 %
9	-	84	0.8 %

Value	Label	Unweighted Frequency	%
10	-	121	1.2 %
11	-	51	0.5 %
12	-	79	0.8 %
13	-	74	0.7 %
14	-	54	0.5 %
15	-	78	0.8 %
16	-	44	0.4 %
17	-	47	0.5 %
18	-	66	0.6 %
19	-	42	0.4 %
20	-	83	0.8 %
21	-	48	0.5 %
22	-	46	0.4 %
23	-	55	0.5 %
24	-	41	0.4 %
25	-	68	0.7 %
26	-	23	0.2 %
27	-	18	0.2 %
28	-	39	0.4 %
29	-	46	0.4 %
30	-	73	0.7 %
31	-	46	0.4 %
32	-	46	0.4 %
33	-	87	0.8 %
34	-	14	0.1 %
35	-	39	0.4 %
36	-	36	0.3 %
37	-	18	0.2 %
38	-	33	0.3 %
39	-	22	0.2 %
40	-	86	0.8 %
41	-	17	0.2 %
42	-	17	0.2 %
43	-	20	0.2 %
44	-	25	0.2 %
45	-	40	0.4 %
46	-	15	0.1 %
47	-	21	0.2 %
48	-	19	0.2 %
49	-	13	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 11.79
- Median: 1.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 20.07

Location: 853-857 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTHAWPAC: QB5b_num_haw. Total Native Hawaiian/Pacific Islander outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	6981	67.3 %
1	-	351	3.4 %
2	-	137	1.3 %
3	-	77	0.7 %
4	-	61	0.6 %
5	-	42	0.4 %
6	-	29	0.3 %
7	-	17	0.2 %
8	-	13	0.1 %
9	-	10	0.1 %
10	-	19	0.2 %
11	-	15	0.1 %
12	-	10	0.1 %
13	-	7	0.1 %
14	-	6	0.1 %
15	-	7	0.1 %
16	-	2	0.0 %
17	-	5	0.0 %

Value	Label	Unweighted Frequency	%
18	-	5	0.0 %
19	-	1	0.0 %
20	-	5	0.0 %
22	-	2	0.0 %
25	-	1	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	6	0.1 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
33	-	3	0.0 %
34	-	3	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
48	-	1	0.0 %
58	-	3	0.0 %
59	-	2	0.0 %
60	-	3	0.0 %
62	-	1	0.0 %
69	-	3	0.0 %
70	-	1	0.0 %
96	-	1	0.0 %
150	-	1	0.0 %
164	-	1	0.0 %
165	-	1	0.0 %
168	-	1	0.0 %
174	-	1	0.0 %
175	-	6	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00

- Minimum: 0
- Maximum: 567
- Standard Deviation: 16.29

Location: 858-862 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACEPERHAWPAC: QB5b_per_haw. Percent Native Hawaiian/Pacific Islander outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Native Hawaiian or Other Pacific Islander

Value	Label	Unweighted Frequency	%
0	-	7303	70.4 %
1	-	318	3.1 %
2	-	77	0.7 %
3	-	40	0.4 %
4	-	13	0.1 %
5	-	15	0.1 %
6	-	26	0.3 %
7	-	6	0.1 %
8	-	3	0.0 %
9	-	5	0.0 %
10	-	13	0.1 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	2	0.0 %
19	-	1	0.0 %
20	-	7	0.1 %
21	-	1	0.0 %
23	-	1	0.0 %
26	-	1	0.0 %
28	-	11	0.1 %
29	-	1	0.0 %
30	-	2	0.0 %
32	-	3	0.0 %
33	-	4	0.0 %

Value	Label	Unweighted Frequency	%
34	-	1	0.0 %
40	-	1	0.0 %
65	-	1	0.0 %
75	-	1	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
83	-	1	0.0 %
87	-	1	0.0 %
88	-	1	0.0 %
90	-	1	0.0 %
94	-	1	0.0 %
95	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 99
- Standard Deviation: 3.77

Location: 863-867 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTWHIT: QB5b_num_whi. Total White outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race White

Value	Label	Unweighted Frequency	%
0	-	3207	30.9 %
1	-	62	0.6 %
2	-	52	0.5 %
3	-	48	0.5 %
4	-	43	0.4 %

Value	Label	Unweighted Frequency	%
5	-	55	0.5 %
6	-	41	0.4 %
7	-	40	0.4 %
8	-	50	0.5 %
9	-	46	0.4 %
10	-	49	0.5 %
11	-	39	0.4 %
12	-	41	0.4 %
13	-	51	0.5 %
14	-	36	0.3 %
15	-	58	0.6 %
16	-	31	0.3 %
17	-	38	0.4 %
18	-	42	0.4 %
19	-	24	0.2 %
20	-	40	0.4 %
21	-	40	0.4 %
22	-	31	0.3 %
23	-	25	0.2 %
24	-	26	0.3 %
25	-	47	0.5 %
26	-	19	0.2 %
27	-	25	0.2 %
28	-	23	0.2 %
29	-	24	0.2 %
30	-	25	0.2 %
31	-	21	0.2 %
32	-	36	0.3 %
33	-	17	0.2 %
34	-	16	0.2 %
35	-	13	0.1 %
36	-	20	0.2 %
37	-	13	0.1 %
38	-	13	0.1 %
39	-	19	0.2 %
40	-	32	0.3 %
41	-	14	0.1 %
42	-	16	0.2 %
43	-	28	0.3 %
44	-	20	0.2 %
45	-	26	0.3 %
46	-	23	0.2 %

Value	Label	Unweighted Frequency	%
47	-	16	0.2 %
48	-	13	0.1 %
49	-	11	0.1 %
Missing Data			
-9	MISSING	2503	24.1 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 149.76
- Minimum: 0
- Maximum: 12017
- Standard Deviation: 343.79

Location: 868-872 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACEPERWHIT: QB5b_per_whi. Percent White outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race White

Value	Label	Unweighted Frequency	%
0	-	3211	31.0 %
1	-	30	0.3 %
2	-	14	0.1 %
3	-	10	0.1 %
4	-	10	0.1 %
5	-	20	0.2 %
6	-	11	0.1 %
7	-	16	0.2 %
8	-	12	0.1 %
9	-	17	0.2 %
10	-	27	0.3 %
11	-	9	0.1 %
12	-	4	0.0 %
13	-	15	0.1 %
14	-	6	0.1 %

Value	Label	Unweighted Frequency	%
15	-	19	0.2 %
16	-	10	0.1 %
17	-	12	0.1 %
18	-	6	0.1 %
19	-	11	0.1 %
20	-	31	0.3 %
21	-	12	0.1 %
22	-	9	0.1 %
23	-	14	0.1 %
24	-	12	0.1 %
25	-	16	0.2 %
26	-	4	0.0 %
27	-	22	0.2 %
28	-	26	0.3 %
29	-	18	0.2 %
30	-	62	0.6 %
31	-	20	0.2 %
32	-	7	0.1 %
33	-	35	0.3 %
34	-	14	0.1 %
35	-	24	0.2 %
36	-	17	0.2 %
37	-	25	0.2 %
38	-	30	0.3 %
39	-	20	0.2 %
40	-	72	0.7 %
41	-	18	0.2 %
42	-	23	0.2 %
43	-	50	0.5 %
44	-	35	0.3 %
45	-	47	0.5 %
46	-	41	0.4 %
47	-	35	0.3 %
48	-	31	0.3 %
49	-	41	0.4 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 40.28
- Median: 40.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 38.80

Location: 873-877 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTMR: QB5b_num_mix. Two or more races - Total outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Two or more races

Value	Label	Unweighted Frequency	%
0	-	5719	55.1 %
1	-	326	3.1 %
2	-	236	2.3 %
3	-	184	1.8 %
4	-	146	1.4 %
5	-	97	0.9 %
6	-	93	0.9 %
7	-	93	0.9 %
8	-	47	0.5 %
9	-	48	0.5 %
10	-	49	0.5 %
11	-	28	0.3 %
12	-	30	0.3 %
13	-	30	0.3 %
14	-	35	0.3 %
15	-	37	0.4 %
16	-	20	0.2 %
17	-	14	0.1 %
18	-	19	0.2 %
19	-	18	0.2 %
20	-	32	0.3 %
21	-	35	0.3 %
22	-	24	0.2 %
23	-	18	0.2 %
24	-	24	0.2 %

Value	Label	Unweighted Frequency	%
25	-	19	0.2 %
26	-	12	0.1 %
27	-	13	0.1 %
28	-	13	0.1 %
29	-	8	0.1 %
30	-	13	0.1 %
31	-	5	0.0 %
32	-	11	0.1 %
33	-	12	0.1 %
34	-	2	0.0 %
35	-	9	0.1 %
36	-	13	0.1 %
37	-	13	0.1 %
38	-	2	0.0 %
39	-	7	0.1 %
40	-	7	0.1 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	4	0.0 %
45	-	6	0.1 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	12	0.1 %
49	-	8	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 7.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1470
- Standard Deviation: 39.34

Location: 878-882 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Two or more races

Value	Label	Unweighted Frequency	%
0	-	5836	56.3 %
1	-	400	3.9 %
2	-	319	3.1 %
3	-	213	2.1 %
4	-	135	1.3 %
5	-	154	1.5 %
6	-	137	1.3 %
7	-	61	0.6 %
8	-	71	0.7 %
9	-	48	0.5 %
10	-	100	1.0 %
11	-	35	0.3 %
12	-	31	0.3 %
13	-	25	0.2 %
14	-	25	0.2 %
15	-	22	0.2 %
16	-	16	0.2 %
17	-	19	0.2 %
18	-	11	0.1 %
19	-	8	0.1 %
20	-	40	0.4 %
21	-	18	0.2 %
22	-	6	0.1 %
23	-	5	0.0 %
24	-	4	0.0 %
25	-	10	0.1 %
26	-	7	0.1 %
27	-	4	0.0 %
28	-	5	0.0 %
29	-	3	0.0 %
30	-	4	0.0 %
32	-	13	0.1 %
33	-	6	0.1 %
34	-	4	0.0 %
35	-	8	0.1 %

Value	Label	Unweighted Frequency	%
36	-	2	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	5	0.0 %
43	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	4	0.0 %
51	-	1	0.0 %
54	-	1	0.0 %
55	-	3	0.0 %
57	-	1	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 2.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 7.48

Location: 883-887 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACETOTUNK: QB5b_num_raceunk. Unknown race or not collected - Total outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Race Unknown

Value	Label	Unweighted Frequency	%
0	-	2337	22.5 %

Value	Label	Unweighted Frequency	%
1	-	220	2.1 %
2	-	218	2.1 %
3	-	135	1.3 %
4	-	109	1.1 %
5	-	111	1.1 %
6	-	84	0.8 %
7	-	61	0.6 %
8	-	83	0.8 %
9	-	80	0.8 %
10	-	93	0.9 %
11	-	39	0.4 %
12	-	77	0.7 %
13	-	55	0.5 %
14	-	56	0.5 %
15	-	81	0.8 %
16	-	49	0.5 %
17	-	28	0.3 %
18	-	46	0.4 %
19	-	34	0.3 %
20	-	75	0.7 %
21	-	28	0.3 %
22	-	27	0.3 %
23	-	27	0.3 %
24	-	29	0.3 %
25	-	38	0.4 %
26	-	22	0.2 %
27	-	31	0.3 %
28	-	23	0.2 %
29	-	24	0.2 %
30	-	40	0.4 %
31	-	27	0.3 %
32	-	27	0.3 %
33	-	15	0.1 %
34	-	19	0.2 %
35	-	26	0.3 %
36	-	19	0.2 %
37	-	16	0.2 %
38	-	14	0.1 %
39	-	10	0.1 %
40	-	49	0.5 %
41	-	8	0.1 %
42	-	19	0.2 %

Value	Label	Unweighted Frequency	%
43	-	26	0.3 %
44	-	15	0.1 %
45	-	32	0.3 %
46	-	13	0.1 %
47	-	16	0.2 %
48	-	9	0.1 %
49	-	14	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 176.14
- Minimum: 0
- Maximum: 7482
- Standard Deviation: 424.82

Location: 888-892 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPRACEPERUNK: QB5_per_raceunk. Unknown race or not collected - Percent outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Race Unknown

Value	Label	Unweighted Frequency	%
0	-	2476	23.9 %
1	-	359	3.5 %
2	-	264	2.5 %
3	-	172	1.7 %
4	-	155	1.5 %
5	-	103	1.0 %
6	-	94	0.9 %
7	-	65	0.6 %
8	-	68	0.7 %
9	-	53	0.5 %
10	-	80	0.8 %

Value	Label	Unweighted Frequency	%
11	-	42	0.4 %
12	-	60	0.6 %
13	-	44	0.4 %
14	-	43	0.4 %
15	-	44	0.4 %
16	-	37	0.4 %
17	-	32	0.3 %
18	-	38	0.4 %
19	-	24	0.2 %
20	-	38	0.4 %
21	-	22	0.2 %
22	-	18	0.2 %
23	-	10	0.1 %
24	-	14	0.1 %
25	-	18	0.2 %
26	-	13	0.1 %
27	-	17	0.2 %
28	-	10	0.1 %
29	-	11	0.1 %
30	-	16	0.2 %
31	-	5	0.0 %
32	-	9	0.1 %
33	-	22	0.2 %
34	-	7	0.1 %
35	-	18	0.2 %
36	-	8	0.1 %
37	-	18	0.2 %
38	-	8	0.1 %
39	-	6	0.1 %
40	-	16	0.2 %
41	-	6	0.1 %
42	-	7	0.1 %
43	-	6	0.1 %
44	-	5	0.0 %
45	-	6	0.1 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	11	0.1 %
49	-	4	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 43.67
- Median: 12.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 47.03

Location: 893-897 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPLEGALTOTVOL: QB5b_num_vol. Voluntary legal status - Total outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Voluntary

Value	Label	Unweighted Frequency	%
0	-	1031	9.9 %
1	-	35	0.3 %
2	-	40	0.4 %
3	-	27	0.3 %
4	-	32	0.3 %
5	-	36	0.3 %
6	-	39	0.4 %
7	-	30	0.3 %
8	-	48	0.5 %
9	-	34	0.3 %
10	-	59	0.6 %
11	-	24	0.2 %
12	-	42	0.4 %
13	-	34	0.3 %
14	-	44	0.4 %
15	-	60	0.6 %
16	-	43	0.4 %
17	-	23	0.2 %

Value	Label	Unweighted Frequency	%
18	-	46	0.4 %
19	-	32	0.3 %
20	-	66	0.6 %
21	-	28	0.3 %
22	-	26	0.3 %
23	-	23	0.2 %
24	-	48	0.5 %
25	-	50	0.5 %
26	-	26	0.3 %
27	-	24	0.2 %
28	-	24	0.2 %
29	-	13	0.1 %
30	-	46	0.4 %
31	-	28	0.3 %
32	-	32	0.3 %
33	-	16	0.2 %
34	-	46	0.4 %
35	-	42	0.4 %
36	-	30	0.3 %
37	-	18	0.2 %
38	-	26	0.3 %
39	-	24	0.2 %
40	-	56	0.5 %
41	-	17	0.2 %
42	-	29	0.3 %
43	-	18	0.2 %
44	-	12	0.1 %
45	-	37	0.4 %
46	-	15	0.1 %
47	-	18	0.2 %
48	-	20	0.2 %
49	-	18	0.2 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 313.24
- Minimum: 0
- Maximum: 14332

• Standard Deviation: 536.21

Location: 898-902 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPELEGALPERVOL: QB5b_per_vol. Voluntary legal status - Percent outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Voluntary

Value	Label	Unweighted Frequency	%
0	-	1031	9.9 %
2	-	2	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	3	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	11	0.1 %
11	-	1	0.0 %
12	-	3	0.0 %
13	-	8	0.1 %
14	-	8	0.1 %
15	-	6	0.1 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	4	0.0 %
19	-	1	0.0 %
20	-	11	0.1 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	2	0.0 %
28	-	2	0.0 %
29	-	5	0.0 %
30	-	11	0.1 %
32	-	3	0.0 %

Value	Label	Unweighted Frequency	%
33	-	9	0.1 %
34	-	4	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	11	0.1 %
41	-	5	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	5	0.0 %
47	-	5	0.0 %
48	-	3	0.0 %
49	-	5	0.0 %
50	-	41	0.4 %
51	-	5	0.0 %
52	-	7	0.1 %
53	-	8	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 82.01
- Median: 100.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 34.49

Location: 903-907 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPLEGALTOTNONFOREN: QB5b_num_inn. Involuntary (non-forensic) legal status - Total outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients

reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Involuntary, non-forensic

Value	Label	Unweighted Frequency	%
0	-	6069	58.5 %
1	-	85	0.8 %
2	-	85	0.8 %
3	-	97	0.9 %
4	-	74	0.7 %
5	-	66	0.6 %
6	-	60	0.6 %
7	-	45	0.4 %
8	-	47	0.5 %
9	-	30	0.3 %
10	-	63	0.6 %
11	-	40	0.4 %
12	-	41	0.4 %
13	-	35	0.3 %
14	-	31	0.3 %
15	-	37	0.4 %
16	-	22	0.2 %
17	-	25	0.2 %
18	-	31	0.3 %
19	-	24	0.2 %
20	-	36	0.3 %
21	-	24	0.2 %
22	-	19	0.2 %
23	-	20	0.2 %
24	-	30	0.3 %
25	-	28	0.3 %
26	-	21	0.2 %
27	-	23	0.2 %
28	-	19	0.2 %
29	-	19	0.2 %
30	-	35	0.3 %
31	-	14	0.1 %
32	-	13	0.1 %
33	-	12	0.1 %
34	-	12	0.1 %
35	-	12	0.1 %
36	-	9	0.1 %

Value	Label	Unweighted Frequency	%
37	-	6	0.1 %
38	-	11	0.1 %
39	-	5	0.0 %
40	-	27	0.3 %
41	-	8	0.1 %
42	-	8	0.1 %
43	-	6	0.1 %
44	-	4	0.0 %
45	-	17	0.2 %
46	-	28	0.3 %
47	-	8	0.1 %
48	-	7	0.1 %
49	-	7	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 13.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 7141
- Standard Deviation: 114.73

Location: 908-912 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPLLEGALPERNONFOREN: QB5b_per_inn. Involuntary (non-forensic) legal status - Percent outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Involuntary, non-forensic

Value	Label	Unweighted Frequency	%
0	-	6110	58.9 %
1	-	236	2.3 %

Value	Label	Unweighted Frequency	%
2	-	158	1.5 %
3	-	121	1.2 %
4	-	75	0.7 %
5	-	124	1.2 %
6	-	31	0.3 %
7	-	53	0.5 %
8	-	44	0.4 %
9	-	51	0.5 %
10	-	122	1.2 %
11	-	45	0.4 %
12	-	36	0.3 %
13	-	33	0.3 %
14	-	29	0.3 %
15	-	56	0.5 %
16	-	21	0.2 %
17	-	28	0.3 %
18	-	12	0.1 %
19	-	14	0.1 %
20	-	46	0.4 %
21	-	13	0.1 %
22	-	12	0.1 %
23	-	9	0.1 %
24	-	11	0.1 %
25	-	23	0.2 %
26	-	14	0.1 %
27	-	2	0.0 %
28	-	17	0.2 %
29	-	6	0.1 %
30	-	23	0.2 %
31	-	10	0.1 %
32	-	9	0.1 %
33	-	10	0.1 %
34	-	12	0.1 %
35	-	18	0.2 %
36	-	11	0.1 %
37	-	10	0.1 %
38	-	14	0.1 %
39	-	10	0.1 %
40	-	15	0.1 %
41	-	5	0.0 %
42	-	9	0.1 %
43	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44	-	4	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
Missing Data			
-9	MISSING	2503	24.1 %
Total		10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 3.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 12.49

Location: 913-917 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPLEGALTOTFOREN: QB5b_num_inf. Involuntary (forensic) legal status - Total outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Total Legal Status Involuntary, forensic

Value	Label	Unweighted Frequency	%
0	-	5495	53.0 %
1	-	99	1.0 %
2	-	91	0.9 %
3	-	74	0.7 %
4	-	47	0.5 %
5	-	62	0.6 %
6	-	59	0.6 %
7	-	50	0.5 %
8	-	43	0.4 %
9	-	16	0.2 %

Value	Label	Unweighted Frequency	%
10	-	57	0.5 %
11	-	28	0.3 %
12	-	39	0.4 %
13	-	30	0.3 %
14	-	15	0.1 %
15	-	48	0.5 %
16	-	28	0.3 %
17	-	10	0.1 %
18	-	27	0.3 %
19	-	20	0.2 %
20	-	34	0.3 %
21	-	18	0.2 %
22	-	28	0.3 %
23	-	21	0.2 %
24	-	12	0.1 %
25	-	28	0.3 %
26	-	16	0.2 %
27	-	13	0.1 %
28	-	20	0.2 %
29	-	12	0.1 %
30	-	17	0.2 %
31	-	12	0.1 %
32	-	10	0.1 %
33	-	11	0.1 %
34	-	12	0.1 %
35	-	9	0.1 %
36	-	9	0.1 %
37	-	10	0.1 %
38	-	11	0.1 %
39	-	6	0.1 %
40	-	23	0.2 %
41	-	10	0.1 %
42	-	10	0.1 %
43	-	3	0.0 %
44	-	14	0.1 %
45	-	8	0.1 %
46	-	7	0.1 %
47	-	8	0.1 %
48	-	10	0.1 %
49	-	11	0.1 %
	Missing Data		
-9	MISSING	2503	24.1 %

Value	Label	Unweighted Frequency	%
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 57.39
- Minimum: 0
- Maximum: 7482
- Standard Deviation: 243.48

Location: 918-922 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

OPLLEGALPERFOREN: QB5b_per_inf. Involuntary (forensic) legal status - Percent outpatients

B5b. For each category below, please provide a breakdown of the Outpatient, Day Treatment or Partial Hospitalization Clients reported in the B5a TOTAL BOX above. Use either numbers OR percents, whichever is more convenient.

Percent Legal Status Involuntary, forensic

Value	Label	Unweighted Frequency	%
0	-	5541	53.4 %
1	-	224	2.2 %
2	-	99	1.0 %
3	-	51	0.5 %
4	-	34	0.3 %
5	-	117	1.1 %
6	-	44	0.4 %
7	-	42	0.4 %
8	-	70	0.7 %
9	-	49	0.5 %
10	-	118	1.1 %
11	-	48	0.5 %
12	-	32	0.3 %
13	-	21	0.2 %
14	-	20	0.2 %
15	-	34	0.3 %
16	-	25	0.2 %
17	-	21	0.2 %
18	-	18	0.2 %
19	-	19	0.2 %

Value	Label	Unweighted Frequency	%
20	-	33	0.3 %
21	-	14	0.1 %
22	-	6	0.1 %
23	-	8	0.1 %
24	-	8	0.1 %
25	-	16	0.2 %
26	-	5	0.0 %
27	-	7	0.1 %
28	-	6	0.1 %
29	-	10	0.1 %
30	-	14	0.1 %
31	-	5	0.0 %
32	-	10	0.1 %
33	-	9	0.1 %
34	-	2	0.0 %
35	-	7	0.1 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	6	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	5	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
48	-	3	0.0 %
50	-	22	0.2 %
51	-	1	0.0 %
	Missing Data		
-9	MISSING	2503	24.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,871 valid cases out of 10,374 total cases.

- Mean: 14.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100

• Standard Deviation: 32.28

Location: 923-927 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

PERCENTCP: QB6 Percent of client/patients diagnosed with co-occurring mental health and substance abuse disorders

B6. On April 30, 2010, approximately what percent of the mental health treatment clients/patients enrolled at this facility had diagnosed co-occurring mental health and substance abuse disorders?

Value	Label	Unweighted Frequency	%
0	-	1248	12.0 %
1	-	165	1.6 %
2	-	145	1.4 %
3	-	94	0.9 %
4	-	66	0.6 %
5	-	226	2.2 %
6	-	62	0.6 %
7	-	57	0.5 %
8	-	65	0.6 %
9	-	62	0.6 %
10	-	371	3.6 %
11	-	57	0.5 %
12	-	62	0.6 %
13	-	45	0.4 %
14	-	46	0.4 %
15	-	237	2.3 %
16	-	52	0.5 %
17	-	61	0.6 %
18	-	46	0.4 %
19	-	45	0.4 %
20	-	414	4.0 %
21	-	40	0.4 %
22	-	41	0.4 %
23	-	44	0.4 %
24	-	36	0.3 %
25	-	348	3.4 %
26	-	29	0.3 %
27	-	34	0.3 %
28	-	35	0.3 %
29	-	29	0.3 %
30	-	368	3.5 %
31	-	28	0.3 %
32	-	35	0.3 %

Value	Label	Unweighted Frequency	%
33	-	82	0.8 %
34	-	16	0.2 %
35	-	180	1.7 %
36	-	21	0.2 %
37	-	17	0.2 %
38	-	27	0.3 %
39	-	12	0.1 %
40	-	335	3.2 %
41	-	19	0.2 %
42	-	29	0.3 %
43	-	15	0.1 %
44	-	10	0.1 %
45	-	107	1.0 %
46	-	16	0.2 %
47	-	14	0.1 %
48	-	20	0.2 %
49	-	11	0.1 %
	Missing Data		
-1	UNKNOWN	3197	30.8 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,177 valid cases out of 10,374 total cases.

- Mean: 27.40
- Median: 20.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 25.81

Location: 928-932 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

MHADMISSIONS: QB7 Number of mental health admissions in 12 month period

B7. In the 12-month period of May 1, 2009 through April 30, 2010, how many mental health treatment admissions, readmissions, and incoming transfers did this facility have?

Value	Label	Unweighted Frequency	%
0	-	345	3.3 %
1	-	78	0.8 %
2	-	70	0.7 %

Value	Label	Unweighted Frequency	%
3	-	77	0.7 %
4	-	48	0.5 %
5	-	68	0.7 %
6	-	41	0.4 %
7	-	30	0.3 %
8	-	41	0.4 %
9	-	34	0.3 %
10	-	69	0.7 %
11	-	27	0.3 %
12	-	61	0.6 %
13	-	34	0.3 %
14	-	37	0.4 %
15	-	57	0.5 %
16	-	26	0.3 %
17	-	20	0.2 %
18	-	20	0.2 %
19	-	19	0.2 %
20	-	78	0.8 %
21	-	24	0.2 %
22	-	23	0.2 %
23	-	12	0.1 %
24	-	33	0.3 %
25	-	47	0.5 %
26	-	18	0.2 %
27	-	19	0.2 %
28	-	21	0.2 %
29	-	7	0.1 %
30	-	72	0.7 %
31	-	9	0.1 %
32	-	30	0.3 %
33	-	22	0.2 %
34	-	15	0.1 %
35	-	28	0.3 %
36	-	29	0.3 %
37	-	15	0.1 %
38	-	16	0.2 %
39	-	16	0.2 %
40	-	47	0.5 %
41	-	24	0.2 %
42	-	21	0.2 %
43	-	14	0.1 %
44	-	16	0.2 %

Value	Label	Unweighted Frequency	%
45	-	31	0.3 %
46	-	16	0.2 %
47	-	7	0.1 %
48	-	16	0.2 %
49	-	15	0.1 %
	Missing Data		
-6	MISSING	6	0.1 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,368 valid cases out of 10,374 total cases.

- Mean: 801.14
- Minimum: 0
- Maximum: 60000
- Standard Deviation: 1835.69

Location: 933-937 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

PERCENTVA: QB8 Percent of admissions who were military veterans

B8. What percent of the admissions reported in question B7 above were military veterans? Please give your best estimate.

Value	Label	Unweighted Frequency	%
0	-	3103	29.9 %
1	-	790	7.6 %
2	-	597	5.8 %
3	-	280	2.7 %
4	-	161	1.6 %
5	-	715	6.9 %
6	-	53	0.5 %
7	-	62	0.6 %
8	-	72	0.7 %
9	-	27	0.3 %
10	-	447	4.3 %
11	-	13	0.1 %
12	-	28	0.3 %
13	-	11	0.1 %
14	-	7	0.1 %
15	-	110	1.1 %
16	-	5	0.0 %
17	-	5	0.0 %

Value	Label	Unweighted Frequency	%
18	-	7	0.1 %
19	-	5	0.0 %
20	-	103	1.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
25	-	41	0.4 %
26	-	1	0.0 %
27	-	2	0.0 %
29	-	2	0.0 %
30	-	28	0.3 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	7	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
40	-	8	0.1 %
44	-	3	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %
50	-	5	0.0 %
51	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	5	0.0 %
63	-	1	0.0 %
67	-	1	0.0 %
70	-	2	0.0 %
	Missing Data		
-1	UNKNOWN	3478	33.5 %
	Total	10,374	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,896 valid cases out of 10,374 total cases.

- Mean: 5.60
- Median: 1.00
- Mode: 0.00

- Minimum: 0
- Maximum: 100
- Standard Deviation: 15.87

Location: 938-942 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6 , -1

SRVCHAR: Services characteristics(Reported=1, Not reported=0)

Recode variable on whether service characteristics were reported or not.

Value	Label	Unweighted Frequency	%
0	Not Reported	1235	11.9 %
1	Reported	9139	88.1 %
	Total	10,374	100%

Based upon 10,374 valid cases out of 10,374 total cases.

- Minimum: 0
- Maximum: 1

Location: 943-945 (width: 3; decimal: 0)

Variable Type: numeric

APPENDICES

Appendix A

Data Collection Procedures

DATA COLLECTION PROCEDURES

Survey Frame

The survey frame for the 2010 N-MHSS originally consisted of 15,562 known mental health facilities. Of these 15,562 facilities, most were identified from the National Survey of Mental Health Treatment Facilities (NSMHTF) conducted by SAMHSA in 2008. The Centers for Medicare and Medicaid Services (CMS) and various national professional organizations provided additional lists of currently operating mental health facilities to supplement the initial survey frame. During data collection, an additional 635 facilities were identified that were previously unknown to SAMHSA. The final survey frame consisted of 16,197 facilities.

Data Collection

Data collection took place between June 11, 2010, and January 27, 2011. During that period, facilities were contacted through mail, email, fax, and telephone to remind them to complete the survey. Facilities whose client counts were provided by another facility (roll-up facilities) were contacted between May 25, 2011, and June 15, 2011, to collect minimal information on facility characteristics. Of the total 16,197 facilities included in the survey frame, 4,011 (24.8 percent) were closed or ineligible. Ineligible facilities included those that did not provide mental health treatment, were a satellite site,¹ focused primarily on substance abuse treatment or general health care, provided treatment only for incarcerated persons in jail or prison, or were an individual or small group mental health practice not licensed or certified as a mental health clinic or center. Table B.1 provides a full break-down of closed and ineligible facilities.

¹ A satellite site is a mental health treatment facility without permanent staff of its own. Staff from another facility visit the satellite site (usually on a regular schedule) to provide treatment.

Table B.1. N-MHSS facilities, by eligibility: 2010

	Number	Percent
Total facilities in survey	16,197	100.0
<i>Closed/ineligible</i>	<i>4,011</i>	<i>24.8</i>
No longer exist	1,164	29.0
Duplicate facility	390	9.7
Merged	69	1.7
Do not provide mental health treatment	1,323	33.0
Satellite site	146	3.6
Primary focus is substance abuse treatment	144	3.6
Primary focus is general health care	341	8.5
Jails/prisons	19	0.5
Individual/small group practices	415	10.3
<i>Eligible</i>	<i>12,186</i>	<i>75.2</i>

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 2010 National Mental Health Services Survey (N-MHSS).

Appendix B

Methodology for unrolling Client Counts to “Child” Facilities

METHODOLOGY FOR UNROLLING CLIENT COUNTS TO “CHILD” FACILITIES

In the 2010 N-MHSS, facilities had the option to (1) report client counts for each of three service settings (inpatient [IP], residential [RC], and outpatient [OP]) for their facility only; (2) report client counts for their facility plus additional facilities; or (3) rely on another facility to report client counts for them. A “self-reported facility” reported client counts for only itself. A “parent facility” reported client counts for other facilities in addition to itself. A “child facility” relied on a “parent facility” to report its client counts. The parent facility together with its child facilities is a “family” of facilities. Client counts reported by a parent facility needed to be distributed (“unrolled”) among the family of facilities.

For a family of facilities, the total client count in each service setting is known (variables B3a: IP-Total; B4a: RCTotal; B5a: OPTotal). The service setting(s) offered by each facility within a family is also known (variable A3: SettingIP, SettingRC, SettingOP). The problem lies in how to distribute total client counts among the facilities.

To unroll client counts to several facilities within a family of facilities, an empirical distribution of client counts by service type (IP, RC, or OP) was used conditional on variables believed to influence that distribution. The variables are identified in Table C.1.

Table C.1. Variables thought to influence the distribution of client counts by service type and used to unroll client counts: 2010

Setting (seven levels):	1 IP only
	2 OP only
	3 RC only
	4 IP + RC
	5 IP + OP
	6 RC + OP
	7 IP + RC + OP
Region (four levels):	1 Northeast
	2 Midwest
	3 South
	4 West
Ownership ¹ (seven levels):	1 Private for-profit organization
	2 Private non-profit organization
	3 State mental health agency
	5 Other state government, excluding department of corrections or juvenile justice
	6 Regional or district authority; local, county, or municipal government
	7 U.S. Dept. of Veterans Affairs
	8 Other
	Facility Type (seven levels):
2 General hospitals with a separate psychiatric unit	
3 Residential treatment centers for children	
4 Residential treatment centers for adults	
5 Outpatient, or day treatment, or partial hospitalization mental health facilities	
6 Multi-setting (non-hospital) mental health facilities	
7 Other facilities	

¹ Facilities indicating that they were operated by a “state department of corrections or juvenile justice” were assigned an ownership value of 4, but these facilities are ineligible and therefore not included in the unrolling process.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 2010 National Mental Health Services Survey (N-MHSS).

For a family of facilities, proportions from the conditional distribution were used to distribute client counts by service type.

Given that combinations of the four variables resulted in a large number of cells with sparse counts/proportions, combinations of the four variables were reclassified by using a “decision tree” technique. Chi-squared Automatic Interaction Detection (CHAID)² was performed using the Statistical Program for the Social Sciences (SPSS) software, Answer Tree.

² Exhaustive CHAID was also performed, which uses more merges and testing of the input variables and considers all possible combinations. The main goal of the Exhaustive CHAID is to leave only two groups for each branch of the tree. Whereas the Exhaustive CHAID is generally more thorough, it tends to create small nodes. Therefore, to prevent small cell variability, it was decided to use the normal CHAID.

CHAID partitions the data into mutually exclusive, exhaustive subsets that best describe the dependent variables (Kass 1980). The subsets are constructed by using small groups of predictors. The selected predictors may then be used in further analysis, such as the prediction of a dependent variable. The analysis produces a classification tree that shows the merges of any allowable pair of categories of the predictor variable if there is no statistically significant difference within the pair with respect to the target variable. The process repeats until it finds no nonsignificant pair. It first selects the variable with the strongest correlation with client counts and then subdivides the variable into separate levels according to its resulting classification. To prevent groupings of the setting variable, it was made the first variable in the tree.

The 7,412 facilities that originally self-reported their client counts³ were used to calculate the proportion of clients in each service setting in a facility. For example, the proportion of 24-hour hospital inpatient clients at a facility is equal to:

$$\text{Proportion of } IPTotal = \frac{IPTotal(QB3a)}{IPTotal(QB3a) + RCTotal(QB4a) + OPTotal(QB5a)}$$

where *IPTotal* is the variable in the 2010 N-MHSS dataset corresponding to the number of 24-hour hospital inpatient clients in a facility, *RCTotal* is the variable corresponding to the number of 24-hour residential clients in a facility, and *OPTotal* is the variable corresponding to the number of outpatient clients in a facility.

Within each CHAID group defined in Table C.2, the average of the facility proportions of clients in each service setting was calculated, which represents the distribution of services offered conditional on the group. Table C.2 presents the resulting groups and proportions.

³ A total of 7,412 facilities originally reported actual clients counts for themselves. An additional 62 facilities neither provided client counts for themselves nor had their client counts reported for them by another facility. The client counts were imputed for these 62 facilities, so while they are considered “self-reporting facilities,” they were not used in calculating the proportions developed for the unrolling process. After the unrolling and imputation processes were completed, one facility with facility type reported as “other” in Question A5 was removed because it could not be classified into one of the six categories in Question A5. Therefore, there are a total of 7,473 “self-reporting facilities” in the final 2010 N-MHSS analysis data set.

Table C.2. Definition of CHAID groups and their conditional proportions: 2010

Group	Facilities grouping				Conditional proportion		
	Setting	Ownership	Region	Facility Type	IPTotal	RCTotal	OPTotal
1	1	ALL	ALL	ALL	1.0	0.0	0.0
2	5	ALL	2,3	2	0.12	0.0	0.87
3	5	ALL	2,3	1,5	0.14	0.0	0.86
4	5	ALL	1,4	2,5	0.04	0.0	0.96
5	5	ALL	1,4	1	0.18	0.0	0.82
6	7	3,5,6,7,8,9	ALL	ALL	0.03	0.03	0.94
7	7	1,2	ALL	ALL	0.13	0.07	0.80
8	4	ALL	ALL	ALL	0.59	0.41	0.0
9	3	ALL	ALL	ALL	0.0	1.0	0.0
10	6	ALL	ALL	2,4	0.0	0.26	0.73
11	6	ALL	1,2,3	5,6	0.0	0.05	0.95
12	6	ALL	4	5,6	0.0	0.09	0.91
13	6	ALL	ALL	3	0.0	0.40	0.59
14	2	ALL	ALL	ALL	0.0	0.0	1.0

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 2010 National Mental Health Services Survey (N-MHSS).

An example best illustrates how to use Table C.2 to distribute/unroll parent facility client counts to the family of facilities: if a parent facility reported 60 inpatient clients, 300 residential clients, and 550 outpatient clients and indicated that they were reporting for three facilities, then the parent facility client counts needed to be distributed among three facilities: A, B, and C. Facility A offers all three service settings (Setting = 7); facility B offers RC and OP service settings (Setting = 6); and facility C offers only the OP service setting (Setting = 2). All three facilities are operated by a private non-profit organization (Ownership = 2), are located in New York (Region = 1), and are multi-setting facilities (Facility Type = 6). Drawing on the information in Table C.2, the following proportions are used to unroll the parent client counts to the three facilities:

	Service setting type		
	Inpatient	Residential	Outpatient
Parent Count	60	300	550
Facility A (Group = 7)	0.13	0.07	0.80
Facility B (Group = 11)	0.00	0.05	0.95
Facility C (Group = 14)	0.00	0.00	1.00
Sum of proportions	0.13	0.12	2.75

First, the proportions in each column are divided by the sum of these proportions, giving the following:

	Service setting type		
	Inpatient	Residential	Outpatient
Parent Count	60	300	550
Facility A (Group = 7)	1.00	0.59	0.29
Facility B (Group = 11)	0.00	0.41	0.35
Facility C (Group = 14)	0.00	0.00	0.36

These proportions are then multiplied by the parent facility's counts for *IPTotal*, *RCTotal*, and *OPTotal* to distribute the client counts for each setting to the family of facilities. In this example, the counts are as follows:

	Inpatient	Residential	Outpatient	Facility total
Parent Count	60	300	550	910
Facility A (Group = 7)	60	177	160	397
Facility B (Group = 11)	0	123	190	313
Facility C (Group = 14)	0	0	200	200

Reference

Kass, G. V. (1980). An Exploratory Technique for Investigating Large Quantities of Categorical Data. *Applied Statistics*, 29(2), 119-127.

Appendix C

Item Response Rates

ITEM RESPONSE RATES

To assess the magnitude of item missing data within the facility responses collected in the 2010 N-MHSS, a response rate was calculated for each of the items, $RR_{item\ i}$, as:

$$RR_{item\ i} = \frac{\text{Number of eligible units responding to item } i}{\text{Number of units eligible to respond to item } i}$$

In Tables D.1 and D.2, respectively, the item response rates are presented for demographic item groups and for nondemographic items. The item response rates in Table D.2 are presented in alphabetical order by variable name.

The item response rates for demographic item groups (gender, age, ethnicity, race, and legal status for inpatient (question B3b), residential (question B4b), and outpatient (question B5b) settings) needed to be calculated differently than other items. For each service setting (inpatient, residential, or outpatient), item response rates were calculated for a demographic “group,” such as gender, and not separately for each item in the group (males, females). For example, for the gender group, the criterion used to calculate the number of facilities in the numerator of the gender item response rate calculation was based on satisfying either of the following two conditions:

- The sum of the reported percentage for each of the subcategories of the gender variable (percentage of males and percentage of females) was equal to 100 percent.
- The sum of the counts reported for each of the subcategories of the gender variable (number of males and number of females) was equal to the total number of clients reported (e.g., in question B3a).

The corresponding denominator in these demographic item response rate calculations was the number of facilities reporting that they served clients in a particular setting on April 30, 2010 (i.e., where they reported yes to questions B3, B4, or B5).

Table D.1. Item response rates for demographic item groups, by setting: 2010

	Setting		
	Inpatient (%)	Residential (%)	Outpatient (%)
Gender	88.5	94.5	89.2
Age	89.9	93.9	88.0
Ethnicity	81.9	88.5	84.6
Race	79.1	85.0	80.8
Legal Status	84.6	90.8	85.0

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 2010 National Mental Health Services Survey (N-MHSS).

Table D.2. Item response rates for nondemographic items

Question Number	Description	Response rate (%)
QA1-1	Facility offers intake services	99.97
QA1-2	Facility offers diagnostic evaluation	99.98
QA1-3	Facility offers information and referral services	99.94
QA1-4	Facility offers substance abuse treatment services	99.95
QA1-5	Facility offers mental health treatment services	100.00
QA1-6	Facility offers administrative services	99.66
QA3-1	Mental health treatment offered in hospital inpatient setting	100.00
QA3-2	Mental health treatment offered in residential setting	100.00
QA3-3	Mental health treatment offered in outpatient (or day treatment/partial hospitalization) setting	100.00
QA4	Facility is an individual or small group practice	99.97
QA5	Facility type	99.90
QA6	Primary treatment focus	99.90
QA7	Facility is operated by	99.90
QA8	Facility is affiliated with a religious organization	100.00
QA10-1	Facility offers activity therapy	99.32
QA10-2	Facility offers behavior modification	99.35
QA10-3	Facility offers cognitive/behavioral therapy	99.38
QA10-4	Facility offers couples/family therapy	99.36
QA10-5	Facility offers electroconvulsive therapy	98.86
QA10-6	Facility offers group therapy	99.37
QA10-7	Facility offers individual psychotherapy	99.44
QA10-8	Facility offers integrated dual disorders treatment	98.97
QA10-9	Facility offers psychotropic medication therapy	99.41
QA10-10	Facility offers telemedicine therapy	98.55
QA10-11	Facility offers other mental health treatment approaches	99.95
QA11-1	Facility offers assertive community treatment	98.97
QA11-2	Facility offers case management	99.33
QA11-3	Facility offers chronic disease/illness management	98.79
QA11-4	Facility offers consumer-run services	99.04
QA11-5	Facility offers education services	99.14
QA11-6	Facility offers family psychoeducation	99.15
QA11-7	Facility offers housing services	98.97
QA11-8	Facility offers illness management and recovery	98.89
QA11-9	Facility offers legal advocacy services	98.72
QA11-10	Facility offers psychiatric emergency walk-in services	99.03
QA11-11	Facility offers psychosocial rehabilitation services	98.96
QA11-12	Facility offers smoking cessation services	99.05
QA11-13	Facility offers suicide prevention services	99.06

Question Number	Description	Response rate (%)
QA11-14	Facility offers supported employment	98.97
QA11-15	Facility offers supported housing	98.91
QA11-16	Facility offers therapeutic foster care	98.76
QA11-17	Facility offers vocational rehabilitation services	98.79
QA11-18	Facility offers other supportive services	99.94
QA12-1	Youth accepted at facility	99.92
QA12-2	Adults accepted at facility	99.85
QA12-3	Seniors accepted at facility	99.85
QA13-1	Offers program designed for youth with SED	99.67
QA13-2	Offers program designed for transition-aged young adults age 18-25	99.53
QA13-3	Offers program designed for adults with SMI	99.56
QA13-4	Offers program designed for individuals with Alzheimer's or dementia	99.34
QA13-5	Offers program designed for co-occurring mental health and substance abuse disorders	99.57
QA13-6	Offers program designed for co-occurring mental health and non-substance abuse disorders	99.45
QA13-7	Offers program designed for individuals with PTSD	99.58
QA13-8	Offers program designed for veterans	99.15
QA13-9	Offers program designed for individuals with TBI	99.10
QA13-10	Offers program designed for gay, lesbian, bisexual, or transgendered clients	99.28
QA13-11	Offers program designed for forensic clients	99.45
QA13-12	Offers other special program	99.98
QA14	Offers mental health services for the hearing impaired	99.11
QA15-1	Provides mental health treatment services in English	99.88
QA15-2	Provides mental health treatment services in Spanish	99.85
QA15-3	Provides mental health treatment services in other language	99.86
QA16	Operates a crisis intervention team	99.56
QA17-1	Uses computerized system for reporting results	99.57
QA17-2	Uses computerized system for physician order entry of patient prescriptions or directions	99.31
QA17-3	Uses computerized system for sending and receiving clinical data	99.34
QA17-4	Uses computerized system for creating and transmitting referrals	99.49
QA17-5	Uses computerized system for creating and maintaining treatment plans	99.66
QA17-6	Uses computerized system for client or family satisfaction surveys	99.40
QA17-7	Uses computerized system for checking medication interactions	99.00
QA17-8	Uses computerized system for preparing and submitting bills or claims	99.29
QA17-9	Uses computerized system for scheduling clients/patients	99.47
QA17-10	Uses computerized system for process note-taking	99.47
QA17-11	Uses computerized system for other operational functions	99.89
QA18-1	Monitors continuing education requirements for staff	99.76

Question Number	Description	Response rate (%)
QA18-2	Regularly schedules case review with a supervisor	99.74
QA18-3	Regularly schedules case review by a quality review committee	99.56
QA18-4	Client/patient outcome follow-up after discharge	99.46
QA18-5	Periodic utilization review	99.55
QA18-6	Periodic client/patient satisfaction surveys	99.67
QA19	Offers treatment at no charge to clients/patients	99.35
QA19a	Include availability of treatment at no charge in Locator	98.85
QA20	Uses sliding fee scale	98.71
QA20a	Include availability of sliding fee scale in Locator	99.15
QA21-1	Facility accepts Medicaid	99.71
QA21-2	Facility accepts Medicare	99.54
QA21-3	Facility accepts state mental health agency funds	98.75
QA21-4	Facility accepts state welfare or child or family services agency funds	98.82
QA21-5	Facility accepts state corrections or juvenile justice agency funds	99.06
QA21-6	Facility accepts state education agency funds	98.78
QA21-7	Facility accepts local government funds	98.83
QA21-8	Facility accepts (US Department of Veterans Affairs) VA funds	98.90
QA21-9	Facility accepts Community Service Block Grants	98.20
QA21-10	Facility accepts Community Mental Health Block Grants	98.30
QA21-11	Facility accepts client/patient fees	99.51
QA21-12	Facility accepts private insurance	99.42
QA21-13	Facility accepts other public funds	99.62
QA21-14	Facility accepts other private funds	99.54
QA22	More than half of facility funds come from a single source	97.97
QA22a	The single source that funds more than half of the facility	99.07
QA23	Facility smoking policy	99.78
QA24-1	Staff have used seclusion or restraint practices in the past year	99.45
QA24-2	Facility has adopted initiatives toward reduction of seclusion and restraint practices	95.82
QA25-1	Facility has licensing/certification/accreditation from state mental health agency	98.76
QA25-2	Facility has licensing/certification/accreditation from state substance abuse agency	98.51
QA25-3	Facility has licensing/certification/accreditation from state department of health	98.18
QA25-4	Facility has licensing/certification/accreditation from hospital licensing authority	97.87
QA25-5	Facility has licensing/certification/accreditation from JC (Joint Commission)	98.42
QA25-6	Facility has licensing/certification/accreditation from CARF (Commission on Accreditation of Rehabilitation Facilities)	98.18
QA25-7	Facility has licensing/certification/accreditation from COA (Council on Accreditation)	97.07

Question Number	Description	Response rate (%)
QA25-8	Facility has licensing/certification/accreditation from Department of Family and Children Services	97.73
QA25-9	Facility has licensing/certification/accreditation from US Dept of Health and Human Services	96.62
QA25-10	Facility has licensing/certification/accreditation from Medicare	97.14
QA25-11	Facility has licensing/certification/accreditation from Medicaid	97.50
QA25-12	Facility has licensing/certification/accreditation from other national/state/local organization	99.03
QA26	Facility wants to be published in Locator	98.76
QA27	Facility has a website or web page	99.54
QB1	Client/patient counts reported for only this facility/this facility plus others/another facility reporting client counts for this facility	100.00
QB2	Total number of facilities included in reported client/patients counts	100.00
QB3	Patients received services in 24-hour hospital inpatient setting	100.00
QB3a	Number of patients that received 24-hour hospital inpatient services	99.90
QB3c	Number of hospital inpatient beds specifically designated for mental health	99.95
QB4	Clients received services in 24-hour residential care setting	100.00
QB4a	Number of clients that received 24-hour residential care services	99.95
QB4c	Number of residential beds specifically designated for mental health	99.74
QB5	Clients received services in an outpatient setting	100.00
QB5a	Number of clients that received outpatient (or day treatment/partial hospitalization) services	99.75
QB6	Percent of client/patients diagnosed with co-occurring mental health and substance abuse disorders	93.14
QB7	Number of mental health admissions in 12 month period	93.51
QB8	Percent of admissions who were military veterans	89.78

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, 2010 National Mental Health Services Survey (N-MHSS).

Appendix D
N-MHSS Editing Methodology

N-MHSS EDITING METHODOLOGY

The following editing steps were completed after the unrolling process described in Appendix C.

Editing Steps for Yes/No Questions

The following conventions were used to edit questions containing a list of categories where each required a yes/no response:

- a. If only “yes” responses were reported, then blank responses were coded as “no.”
- b. If only “no” responses were reported, then blank responses were coded as “unknown.”
- c. If a mix of “yes” and “no” responses was reported, then blank responses were coded as “unknown.”
- d. If all categories were left blank, then blank responses were coded as “unknown.”

Editing Steps for Client Counts

A. Editing of Setting Total (inpatient [QB3a], residential [QB4a], and outpatient care [QB5a]) When IP/RC/OPSERV = 1 (QB3 = yes, QB4 = yes, QB5 = yes)

For each setting, all demographic “nonmissing” client count totals (i.e., gender total, age total, ethnicity total, race total, and legal status total) were compared with each other to see how many matched when at least three were reported. If three or more of the five demographic “nonmissing” totals were equal to each other, and the setting total differed from this “majority total,” the setting total was edited to equal the “majority total.”

Given that the respondent completing the survey on the web never saw the demographic totals displayed, it was concluded that, when the sums of what the respondent reported under the demographics often agreed, then this total was more likely to be correct than the one the respondent entered in the setting total box. Such a conclusion would result in the fewest number of revisions to the reported demographic totals.

B. Editing of Demographic Client Counts/Percentages Grid (QB3b, QB4b, QB5b) When IP/RC/OPSERV = 1 (QB3 = yes, QB4 = yes, QB5 = yes) for Gender, Age, and Legal Status

1. Editing of Demographic Percentages Grid

For cases in which reported percentages for categories of a demographic group summed to 100 percent, any missing category percentages were edited to zero. Otherwise, all the percentages were edited to blank; complete counts were used to recalculate percentages after the imputation step.

2. Editing of Demographic Client Counts Grid when the Setting Total is Reported

- a) **For cases where reported counts for categories of a demographic variable summed to the setting total** (after performing the above step in A), any missing category counts were edited to zero. Reported client counts took precedence over percentages reported; therefore, if counts were reported correctly, percentages were edited to blank to avoid any discrepancies between counts and percentages. Using the client counts, percentages were recreated after completing the imputation step.
- b) **For cases where reported counts for categories of a demographic variable were provided, but did not sum to the setting total, the following rules were applied:**
 - i. **For cases where the reported category percentages summed to 100 percent**, the percentages were applied to distribute the overall total to the respective categories.
 - ii. **For age categories only**, question A12 (“What age categories of clients/patients are accepted for treatment at this facility?”) was used to edit age counts. If a facility reported that it did not accept a particular age group, those age counts were edited to zero.
 - iii. **For cases where reported counts for categories of a demographic variable summed to less than the setting total:**
 - **If only one category had missing client count information**, the count for the missing category was calculated by using the other category counts and the overall total (e.g., if male, but not female counts were provided, female counts were calculated as the difference between the overall total and male counts).
 - **If all categories had provided client counts**, the reported category counts were summed and that sum was used to calculate the proportion of each category. The proportions were applied to the overall total to calculate the counts for each category.
 - **If partial information was provided, that is, only one category count of a demographic variable was reported (e.g., legal status or age)**, the provided category count was retained and the remaining missing categories were imputed.
 - iv. **For cases where reported counts for categories of a demographic variable summed to more than the overall total:**
 - **For gender and legal status**, the reported category counts were summed and that sum was used to calculate the proportion of each category. The proportions were applied to the overall total to calculate the counts for each category.¹

¹ After completion of the above editing steps, the gender category would be devoid of any partial-information cases. All the facilities would have both male and female client counts or would be missing, to be imputed during the imputation step.

□ **For age:**

- If all categories had provided client counts, the reported category counts were summed and that sum was used to calculate the proportion of each category. The proportions were applied to the overall total to calculate the counts for each category.
- If only one count was provided, that category was edited to equal the overall total and all other categories were edited to zero.
- If more than one count was provided, all categories were imputed.

v. **For cases where no client counts were provided, all the client counts were imputed.**

C. Editing of Demographic Client Counts/Percentages Grid (QB3b, QB4b, QB5b) When IP/RC/OPSERV = 1 (QB3 = yes, QB4 = yes, QB5 = yes) for Ethnicity and Race

- a) For cases where reported percentages for categories of a demographic variable summed to 100 percent**, any missing category percentages were edited to zero. Otherwise, all the percentages were edited to blank; after completion of the imputation step, complete counts were used to recalculate percentages.
- b) For cases where reported counts for categories of a demographic variable summed to the overall total**, any missing category counts were edited to zero.
- c) For cases where missing or incomplete counts were reported, but the percentages provided summed to 100 percent**, these percentages were applied to the overall total to calculate the counts for each category.
- d) For cases where reported counts for categories of a demographic variable summed to less than the overall total**, the difference between the reported count(s) and the overall total was calculated and that difference was allocated to the “unknown” category.
- e) For cases where reported counts for categories of a demographic variable summed to be more than the overall total**, the reported category counts were summed and that sum was used to calculate the proportion of each category. The proportions were applied to the overall total to calculate the counts for each category, including cases with a mix of reported counts and reported values of zero for one or more categories.

Appendix E
Imputation for N-MHSS

IMPUTATION FOR N-MHSS

Missing data were imputed for the total number of clients and client counts by gender, age, and legal status for each of the three service settings (inpatient, residential, and outpatient). In addition, missing data were imputed for the total number of beds and the total number of admissions.

Overview of Imputation Methodology

To perform the imputations of the N-MHSS data, sequential multivariate regression imputation was used (Raghuathan et al. 2001), and the calculation was performed using the SAS callable program IVEware. This program creates imputations through a sequence of multiple regressions whereby the imputations are defined as draws from the posterior predictive distribution specified by the regression model with a flat or noninformative prior distribution for the model parameters in the regression model. IVEware appropriately models (given the predictors) the regression of imputed variables that depends on the type of the variable: a normal linear regression for continuous variables, a logistic regression for binary variables, a polytomous or generalized logit regression for categorical variables with more than two categories, a Poisson log linear for count variables, and a two-stage model for a mix of categorical and continuous variables (a zero is treated as a discrete category, and values greater than zero are considered continuous).

The imputations are created on a variable-by-variable basis, conditioned on all observed variables. An imputed variable is modeled by using all other variables as predictors. IVEware first selects the variable with the fewest number of missing cases and regresses it on covariates with no missing values. (IVEware selects the most significant variables as covariates from the list of possible variables included in the imputation model.) The predictions from the regression model become the imputed values for that variable. IVEware then selects the next variable with the second-fewest number of missing cases to be imputed and regresses it on the covariates plus the first imputed variable as predictors. The process then repeats, with predictors in the regression updated every time an imputed variable is imputed from the previous step. By the end of the first round, the process produces a set of data with no missing values.

The imputation process then repeats in rounds 2 through c , where the regression model for each imputed variable uses predictors that include covariates and all other imputed variables, except the one used as the dependent variable. This step is followed by replacing the previously imputed values with new imputed values and repeats until stable imputed values occur. The sequence of imputing missing values in a cyclical manner, each time overwriting previously drawn values, builds interdependence among imputed values and exploits the correlation structure among variables.

Imputing N-MHSS Data

The process described above was used to impute missing values of the total number of clients, total number of beds, total number of admissions, and client counts of gender, age, and legal status in the N-MHSS data.⁴ Ten regression imputation cycles ($c = 10$) were performed for each variable that was imputed, each time overwriting previously drawn values, building interdependence among imputed values, and exploiting the correlational structure among covariates (Raghunathan et al. 2002).

Certain conditions and boundaries were imposed on the imputation model in order to obtain valid imputation values. Categorical flags were created with values indicating all the possible combinations of provided client counts that a facility reported for a demographic count group.

Categorical Imputation Flags

Gender

- if male > 0 and female > 0 then gflag = 1
- if male > 0 and female = 0 then gflag = 2
- if male = 0 and female > 0 then gflag = 3

Age

- if 017 > 0 and 1864 > 0 and 65+ > 0 then aflag = 1
- if 017 > 0 and 1864 = 0 and 65+ = 0 then aflag = 2
- if 017 = 0 and 1864 > 0 and 65+ = 0 then aflag = 3
- if 017 = 0 and 1864 = 0 and 65+ > 0 then aflag = 4
- if 017 > 0 and 1864 > 0 and 65+ = 0 then aflag = 5
- if 017 > 0 and 1864 = 0 and 65+ > 0 then aflag = 6
- if 017 = 0 and 1864 > 0 and 65+ > 0 then aflag = 7

Legal

- if foren > 0 and nonforen > 0 and vol > 0 then lflag = 1
- if foren > 0 and nonforen = 0 and vol = 0 then lflag = 2
- if foren = 0 and nonforen > 0 and vol = 0 then lflag = 3
- if foren = 0 and nonforen = 0 and vol > 0 then lflag = 4
- if foren > 0 and nonforen > 0 and vol = 0 then lflag = 5
- if foren > 0 and nonforen = 0 and vol > 0 then lflag = 6
- if foren = 0 and nonforen > 0 and vol > 0 then lflag = 7

⁴ Missing values on the race and ethnicity items were not imputed because each of these items had an “unknown” category on the questionnaire and it was assumed during editing that any missing values for these two items belonged to this “unknown” category. The total number of beds item applies only to the inpatient and residential care settings.

These flags were used in the imputation process to indicate which counts in the demographic count group should be imputed. That is, if the gender categorical flag was imputed with a value of 1, then IVEware imputed counts of males and females. If the gender categorical flag was imputed with a value of 2, then IVEware imputed male counts. If the gender categorical flag was imputed with a value of 3, then IVEware imputed female counts. To account for the relationships between variables in the same group (e.g., male and female for the gender group), all variables in the demographic count groups were imputed at the same time.

Some facilities reported counts that were much higher than the 99th percentile of the category's count distribution. These extreme values create problems in imputing missing data because of the potential to impute extremely large values given the posterior distribution. To address this concern, facilities that reported counts of demographic variables above a certain threshold were excluded from the imputation process for modeling. The thresholds were selected after analyzing the distribution of counts and reviewing graphs and distribution plots.

Outlier Detection: Thresholds

Gender

Service setting	Male	Female
Inpatient	1,000	300
Residential	400	150
Outpatient	12,500	4,000

Age

Service setting	<18	18-64	65 and older
Inpatient	150	1,250	200
Residential	300	390	30
Outpatient	3,500	7,500	6,000

Legal Status

Service setting	Voluntary	Involuntary, non-forensic	Involuntary, forensic
Inpatient	500	750	1,400
Residential	400	250	300
Outpatient	13,000	6,000	1,500

Number of Facilities Not Included in the Imputation Process (By Setting)

The number of facilities excluded from the imputation process because of outliers is listed below:

Inpatient

Gender - 4 facilities (0.2%)

Age - 4 facilities (0.2%)

Legal Status - 3 facilities (0.2%)

Residential Care

Gender - 2 facilities (0.09%)

Age - 3 facilities (0.13%)

Legal Status - 3 facilities (0.13%)

Outpatient

Gender - 2 facilities (0.03%)

Age - 3 facilities (0.04%)

Legal Status - 28 facilities (0.36%)

Each treatment setting (IP, RC, and OP) was imputed separately. The following steps describe the imputation process:

- *Step 1.* Using IVEware, the categorical flags were imputed for gender, age, and legal status. The possible covariates included all variables in Section A of the questionnaire, the total number of clients, the total number of beds (IP and RC settings only), and all the demographic count variables (excluding ethnicity and race). Step 1 did not yet impute the count, but instead imputed the flag variable (e.g., whether the facility reported both male and female counts or only male or female counts).
- *Step 2.* In the first step, the software automatically imputed any missing value it encountered among the possible covariates in the data set. For the software to select the best possible model, it included totals and gender, age, and legal status variables from the previous step. Total client counts, total beds (IP and RC settings only), and the demographic count variables would be imputed by using their corresponding categorical flags with a different set of possible covariates in later steps; therefore, the imputed values for these variables were manually edited back to “missing.”
- *Step 3.* After manually editing total client counts, total beds, and demographic count variables back to the original missing values, imputation proceeded for total client counts, total beds (for IP and RC settings only), and total number of admissions. Counts broken down by demographic count variables were not included as possible covariates because the imputation of such variables would use the total number of clients (reported or imputed). The lower bound for the imputed values was set to not less than zero.
- *Step 4.* Using the newly imputed values for total client counts, this step edited the missing counts for ethnicity and race (groups that were not imputed). If a facility originally provided category percentages that summed to 100 percent, then those percentages were used to distribute the

imputed total number of clients to the respective ethnicity or race categories. If a facility did not provide percentages, then the imputed total number of clients was allocated to the unknown category. The unknown category percentage was edited to 100 percent and all other categories to 0 percent. Counts were adjusted for rounding error to coincide with the total client count.

- *Step 5.* The data set (now including imputed values for the categorical flags and total variables) was subdivided into three smaller data sets: gender, age, and legal status. Each data set contained Section A responses, the total client count, the total number of beds (IP and RC settings only), and the respective demographic count variables and categorical flags. Outliers were removed from each of the three data sets. The removed facilities were not used for imputation because, as stated earlier, IVEware could potentially impute extremely large values.
- *Step 6.* Using the new gender-specific subset created in Step 5, gender variables were imputed. The imputation of male and female counts was restricted given the value of the categorical flag; IVEware automatically imputed a zero in a category if the flag indicated that the category had no counts. Bounds for the imputed value were greater than zero (unless specified by the flag) and less than or equal to the total number of clients.
- *Step 7.* Using the age-specific subset created in Step 5, age variables were imputed. The imputation of age counts was restricted given the value of the categorical flag; IVEware automatically imputed a zero in a category if the flag indicated that the category had no counts. Bounds for the imputed value were greater than zero (unless specified by the flag) and less than or equal to the total number of clients.
- *Step 8.* Using the legal-specific subset created in Step 5, legal status variables were imputed. The imputation of legal status counts was restricted given the value of the categorical flag; IVEware automatically imputed a zero in a category if the flag indicated that the category had no counts. Bounds for the imputed value were greater than zero (unless specified by the flag) and less than or equal to the total number of clients.

Post-Imputation Editing

Because IVEware imputes the demographic variables individually, it was not possible to restrict the imputed values of a demographic group so that the sum of the count variables (such as male and female added) equaled the total number of clients (reported or imputed). Therefore, it is possible that the sum of the demographic variables, using both imputed and original values, did not equal the total number of clients. Accordingly, it was necessary to prorate the imputed values manually by calculating their proportions to match the total number of client counts. Editing was needed in three possible scenarios:

- Some facilities provided category percentages that summed to 100 percent. Those percentages were used to distribute the total number of clients to the respective categories. Counts were adjusted for rounding error so that they summed across categories to the total client count.
- During the editing process, any partial-count information was kept if it was less than the total number of clients, and the two categories with missing values were imputed (only applies to age and legal status). To adjust the imputed counts so that all three categories sum to the total number of clients, the two imputed categories were first summed, and then the proportion of each of the two imputed categories was calculated. Next, these proportions were applied to the

difference between the total number of clients and the originally provided count to calculate the number of clients in each imputed category. The client counts in each category then summed to the overall setting total. Counts were adjusted for rounding error.

- The remaining imputed cases were prorated back to sum to the total number of clients. The imputed client counts were summed, and this sum was used to calculate the proportion of counts in each category. These proportions were then applied to the overall setting total number of clients to calculate the number of clients in each category. The client counts in each category then summed to the overall setting total. Counts were adjusted for rounding error.

Merging Data Sets

After the manual edits were completed for the individual gender, age, and legal status data sets, a multistep process was used to merge all the data sets. First, each individual data set was merged with those cases excluded from the imputation process because of outliers. Second, the gender, age, and legal status data sets were merged. Third, the combined gender, age, and legal status data set was merged with the data set containing the imputed total counts of clients, beds, and admissions (full data set before Step 5 above). This process was repeated for the data sets for each treatment setting (IP, RC, and OP). In the last step, the three treatment setting data sets were merged to create the final data set.

After creation of the fully imputed data set, missing percentages had to be recreated by using the observed and imputed client counts. Unless percentages that added to 100 percent were provided, the percentage values, if provided, were blanked out during the editing step or not provided at all; therefore, the values had to be calculated based on the reported or imputed number of clients. The percentages were then adjusted for rounding errors so that they summed to 100 percent across categories within a demographic variable.

Adjusting for Rounding Errors

Once the missing values were edited and imputed, an adjustment for rounding errors was needed as client count proportions were used to make the demographic category sums equal the total reported (or imputed) client counts in the facility. The following steps were used to correct rounding errors:

- The rounding adjustment edit started the adjustment with the category in each group (gender, age, legal status) with the overall largest number of clients provided, followed by the category with the second-largest number of clients provided until the last category was reached. For example, overall, the number of male clients reported was larger than the number of female clients reported; therefore, the adjustment of rounding error would be performed first on the male client counts. If no male counts were reported (or imputed) for the facility, then the rounding adjustment was performed on the female counts.
- The difference was calculated between the total number of clients and the sum of the counts of the categories in each demographic group (for example, total number of clients reported by the facility minus the sum of total number of males and total number of females).
- The selected category in Step 1 (category with overall majority) was adjusted by the difference determined in Step 2. If the selected category had no counts reported (or imputed) or the count in the category was less than the difference calculated, then the category with the second-largest

count was edited. For example, if the sum of males and females was one client greater than the total client count, the one client was subtracted from the male category as long as males had at least one client reported (or imputed).

Data Analyses and Final File

Given that this N-MHSS report does not include comparisons and tests for statistical differences, it does not contain any standard errors for the point estimates presented.

Reference

Raghunathan, T. E., Lepkowski, J. M., Van Hoewyk, J., & Solenberger, P. (2001). A Multivariate Technique for Multiply Imputing Missing Values Using a Sequence of Regression Models, *Survey Methodology*, 27(1), 85–95.

At Mathematica, Amy Gehrke, Sameena Salvucci, Melissa Azur, Frank Yoon, Barbara Rogers, and Bruno Vizcarra were responsible for the content, analysis, and writing of the report. At Synectics, Doren Walker, Elizabeth Walters, Michelle LaChance, and Leigh Henderson were responsible for the editing and formatting of the report.